INTEGRATED INFORMATION SUPPORT SYSTEM (IISS) VOLUME 5 COMMON DATA MODEL S. (U) GENERAL ELECTRIC CO SCHENECTADY NY PRODUCTION RESOURCES CONSU. J L ALTHOFF ET AL. 01 NOV 85 PS-620141200 F/G 12/5 1/2 NO-R181 957 NL UNCLASSIFIED

1.0 m 22 22 22 1.1 22 22 1.8 1.6

INCROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS 1963-A

(2

AD-A181 957

AFVAL-TR-86-4006 Volume V Part 10



DTIC EILE COPY

INTEGRATED INFORMATION
SUPPORT SYSTEM (IISS)
Volume V - Common Data Model Subsystem
Part 10 - NDML Precompiler Control Module
Product Specification

General Electric Company Production Resources Consulting One River Road Schenectady, New York 12345



Final Report for Period 22 September 1980 - 51 July 1985
November 1985

Approved for public release; distribution is unlimited.

PREPARED FOR:

MATERIALS LABORATORY AIR FORCE WRIGHT AERONAUTICAL LABORATORIES AIR FORCE SYSTEMS COMMAND WRIGHT-PATTERSON AFB. OH 45433-6533

የመፅመር ዘናው የአማር እና እንደ ከተከለ እና እርም አመር እርም አመር እርም አመር እና እርም አመር እርም አመር እርም አመር እርም አመር እርም አመር እርም አመር እርም አመር

NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related

This report has been reviewed by the Office of Public Affairs (ASD/PA) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report/has been reviewed and is approved for publication.

DAVID L. JUDSON, PROJECT MANAGER

AFWALMLTC WRIGHT PATTERSON AFB OH 45433

FOR THE COMMANDER:

eld C. Shu GERALD C. SHUMAKER, BRANCH

AFWAL/MLTC

WRIGHT PATTERSON AFB OH 45433

1 aug 86

Copies of this report should not be returned unless return is required by security considerations contractual obligations, or notice on a specific document.

[&]quot;If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify AFWAL/MLTC, W-PAFB, OH 45433 to help us maintain a current mailing list."

SE COMITY CO	ASS-FICATI	Or Di THI	S PAGE					
				REPORT DOCUME			A181	957
Is REPORT SECURITY CLASSIFICATION Unclassified			10. MESTRICTIVE M	ARINGS				
26 BECURIT	Y CLASSIFIC	CATION AU	THORITY		3 DISTRIBUTION:A			
30. DECLASE	SIFICATION!	DOWNGRA	DING SCHEE)VLB	Approved distribu	l for publication is un	c release: limited.	
4. PERFORM	ING ORGAN	IZATION R	REPORT NUM	SER(S)	S. MONITORING OF			
							ol V. Part 10)
64 NAME OF General	PERFORMI Electric			ell appeable)	74 NAME OF MON!	_	IIZATION	
	on Resou	rces Co	asulting	<u></u>	APVAL/HL			
	ver Road	M 217 CM						
Sche	nectady,	HT 1234	15		WPAFB, O	K 45433-653	3	
L. NAME OF		SPONSORIA	NG	Bo. OFFICE SYMBOL	9. PROGUREMENT	METRUMENT ID	ENTIFICATION N	UMBER
Materi	als Labora roe System		. DEAF	AFVAL/MLTC	733615-80	-C-\$155		
& ADDRESS	B (City, State	and ZIP Cod	de i		PROGRAM	PROJECT	TASK	WORK UNIT
Wright.	-Pallerso	m AFB, (0 610 4543	3	BLEMENT NO.	NO.	NO.	NO.
11. TITLE MA	icione Secu-l	is Chamiltonia	ken t		78011F	7500	62 .	01
(Se	e Revers						<u> </u>	
	boff, J.		Apicel	la. H. L.				_
134 TYPE OF			134 TIME C		14. DATE OF REPOR		18. PAGE 6	
134 TYPE DI PIRAL TO 18. SUPPLEM	PAEPOAT chaical Re	POTATION	13a TIME C	DVERED	tware contained in no way refle	d herein ar	e theoretical	and/or
134 TYPE DI PIRAL TO 18. SUPPLEM	PREPORT Chaical Re SENTARY NO	port DTATION Priori	13a TIME C	OVERED 860 - 31 July 1963 The computer sof references that	1985 Not tware contained in no way refle e.	d herein ar	e theoretical ce-owned or	and/or developed
134 TYPE DO PINAL TO 18. SUPPLEM IGAN	PREPORT chaical Re- IENTARY NO K Project COSATI GROUP	port DTATION Priori	13a TIME C	OVERED 980 - 31 July 1985 The computer sof references that computer softwar	1985 Not tware contained in no way refle e.	d herein ar	e theoretical ce-owned or	and/or developed
13a TYPE OF PIRAL TO 18. SUPPLEM IGAN 17 FIELD 1308	PREPORT Chaical Re- IENTARY NO IE Project COSATI GROUP 0905	Priori CODES	13a TIME C 22 Sept 1 ty 6201	OVERED 980 - 31 July 1985 The computer sof references that computer softwar 18.808.46CT TERMS (C	tware contained in no way refle	d herein ar	e theoretical ce-owned or	and/or developed
13a TYPE OF PIRAL TO 18. SUPPLEM IGAN 17 FIELD 1308	PREPORT Chaical Re- IENTARY NO IE Project COSATI GROUP 0905	Priori CODES	13a TIME C 22 Sept 1 ty 6201	OVERED 980 - 31 July 1985 The computer sof references that computer softwar	tware contained in no way refle	d herein ar	e theoretical ce-owned or	and/or developed
13a TYPE OF PIRAL TO 18. SUPPLEM IGAN 17 FIELD 1308	PREPORT Chaical Re- IENTARY NO IE Project COSATI GROUP 0905	Priori CODES	13a TIME C 22 Sept 1 ty 6201	OVERED 980 - 31 July 1985 The computer sof references that computer softwar 18.808.46CT TERMS (C	tware contained in no way refle	d herein ar	e theoretical ce-owned or	and/or developed
13a TYPE DO PINAL TO 18. SUPPLEM IGAN 17 FIELD 1308	REPORT CABIGAL Re SENTARY NO K Project COSATI GROUP 0905	Priori CODES SUI	13a TIME C 22 Sept 1 ty 6201	OVERED SEC - 31 July 1985 The computer sof references that computer softwar 18.808.46CT TERMS (C	1985 For tware contained in no way refle e.	vember d herein arect Air For	e theoretical ce-owned or	and/or developed
13a TYPE DO PINAL TO 18. SUPPLEM IGAN 17 FIELD 1508	REPORT chaical Re iENTARY NO H Project COSATI GROUP 0905 CT (Continue ais document	Priori CODES SUI	is the	The computer sof references that computer software ta. SUBJECT TERMERE IN COMPUTER SOFTWARE SOFTWARE IN COMPUTER SOFTWARE SOFTWARE IN COMPUTER SOFTWARE IN COMPUTER SOFTWARE SOFT	1985 Note twee contained in no way reflection expenses on which we do not the contained in	tablishi	e theoretical ce-owned or	and/or developed
13a TYPE OF PIRAL TO SERVICE TO S	REPORT Chaical Re RENTARY NO R Project COSATI GROUP 0905 CT (Continue ais documentrol	Prioris CODES SUI CODES SUI CODES CODES SUI CODES CODE	is the compone	The computer sof references that computer software that computer software taken for the software that	ification entration Item	tablishi m PREO wh	e theoretical co-owned or	and/or developed
13a TYPE OF PIRAL TO SERVICE TO S	REPORT Chaical Re RENTARY NO R Project COSATI GROUP 0905 CT (Continue ais documentrol	Prioris CODES SUI CODES SUI CODES CODES SUI CODES CODE	is the compone	The computer sof references that computer software ta. SUBJECT TERMERE IN COMPUTER SOFTWARE SOFTWARE IN COMPUTER SOFTWARE SOFTWARE IN COMPUTER SOFTWARE IN COMPUTER SOFTWARE SOFT	ification entration Item	tablishi m PREO wh	e theoretical co-owned or	and/or developed
13a TYPE OF PIRAL TO SERVICE TO S	REPORT Chaical Re RENTARY NO R Project COSATI GROUP 0905 CT (Continue ais documentrol	Prioris CODES SUI CODES SUI CODES CODES SUI CODES CODE	is the compone	The computer sof references that computer software that computer software taken for the software that	ification entration Item	tablishi	e theoretical co-owned or	and/or developed
13a TYPE OF PIRAL TO SERVICE TO S	REPORT Chaical Re RENTARY NO R Project COSATI GROUP 0905 CT (Continue ais documentrol	Prioris CODES SUI CODES SUI CODES CODES SUI CODES CODE	is the compone	The computer sof references that computer software that computer software taken for the software that	ification entration Item	tablishi m PREO wh	e theoretical co-owned or	and/or developed
13a TYPE OF PIRAL TO THE SUPPLEMENT TO THE SUPPL	REPORT Chaical Re RENTARY NO REPOSCH COSATI GROUP 0905 ET (Conumus ais docuplemen ontrol anguage	TATION Prioris CODES SUM TATION TOTATION TO	is the compone	The computer sof references that computer software tasuaser Taract of the new product special supplies of the New piler.	ification estation Item	stablishin PREO wh	e theoretical ce-owned or The block number of the desired will at ion I - /	and/or developed
13a TYPE DO PINAL TO 18. SUPPLEM IGAN 17 PIELD 1308 18. ABSTRAC	REPORT CABICAL Re IENTARY NO RE Project COSATI GROUP 0905 CT (Continue ais docuplemen ontrol anguage	TATION Prioris CODES SUI MENTE (MENTE	is the compone	The computer sof references that computer softwar (a. SUBJECT TERMS of the New York number of the New York number of the New York number (a. SUBJECT TERMS of th	ification estration Ites	stablishin PREO when the Preo	e theoretical ce-owned or The block number of the desired will at ion I - /	and/or developed
134 TYPE DO PINAL TO 18. SUPPLEM 17 FIELD 1808 19. ASSTRACE La 20. DISTRIBUTE UNICLASSIFE	REPORT chaical Re chaical Re REPORT Chaical Re REPORT REPO	ument tation other (NDML	is the compone of Apetrace	The computer sof references that computer software tasuaser Taract of the new product special supplies of the New piler.	1985 Note twee contained in no way reflection extraction Items and the contained at the con	stablishin PREO who Manipula	e theoretical ce-owned or In by Mark number in the delich will at ion I - /	and/or developed
13a TYPE OF PIRAL TO PIRAL TO IS SUPPLEM IGAN IT PIELD ISON IS ABSTRACT IN	REPORT chaical Re chaical Re REPORT Chaical Re REPORT REPO	ument tation other (NDML	is the compone of Apetrace	The computer sof references that computer softwar (a. SUBJECT TERMS of the New York number of the New York number of the New York number (a. SUBJECT TERMS of th	ification estration Ites	stablishin PREO when the Manipula	e theoretical ce-owned or The block number of the desired will at ion I - /	and/or developed

11. Title

Integrated Information Support System (IISS)
Vol V - Common Data Model Subsystem
Part 10 - MDML Precompiler Control Module Product
Specification



Accesio	on For			
NTIS CRA&I NO DTIC TAB DULantion Ced Dustification				
By Distribution /				
Availability Codes				
Dist	Avail and Specia			
A-1				

PREFACE

This product specification covers the work performed under Air Force Contract F33615-80-C-5155 (ICAM Project 6201). This contract is sponsored by the Materials Laboratory, Air Force Systems Command, Vright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Gerald C. Shumaker, ICAM Program Manager, Manufacturing Technology Division, through Project Manager, Mr. David Judson. The Prime Contractor was Production Resources Consulting of the General Electric Company, Schenectady, New York, under the direction of Mr. Alan Rubenstein. The General Electric Project Manager was Mr. Myron Murlbut of Industrial Automation Systems Department, Albany, New York.

Certain work aimed at improving Test Bed Technology has been performed by other contracts with Project 6201 performing integrating functions. This work consisted of enhancements to Test Bed software and establishment and operation of Test Bed hardware and communications for developers and other users. Documentation relating to the Test Bed from all of these contractors and projects have been integrated under Project 6201 for publication and treatment as an integrated set of documents. The particular contributors to each document are noted on the Report Documentation Page (DD1473). A listing and description of the entire project documentation system and how they are related is contained in document FTR620100001, Project Overview.

The subcontractors and their contributing activities were as follows:

TASK 4.2

Subcontractors	Role
Boeing Military Aircraft Company (BMAC)	Reviewer
D. Appleton Company (DACOM)	Responsible for IDEF support, state-of-the-art literature search
General Dynamics/ Ft. Worth	Responsible for factory view function and information models

<u>Subcontractors</u> <u>Role</u>

Illinois Institute of Responsible for factory view function research (IITRI) and information models of

small and medium-size business

North American Rockwell Reviewer

Morthrop Corporation Responsible for factory view

function and information

models

Pritsker and Associates Responsible for IDEF2 support

SofTech Responsible for IDEFO support

TASKS 4.3 - 4.9 (TEST BED)

<u>Subcontractors</u> <u>Role</u>

Boeing Military Aircraft
Company (BMAC)

Responsible for consultation on applications of the technology

and on IBM computer technology.

Computer Technology Assisted in the areas of communications systems, system design and integration

methodology, and design of the Network Transaction Manager.

Control Data Corporation Responsible for the Common Data (CDC) Hodel (CDM) implementation and

part of the CDM design (shared

with DACOM).

D. Appleton Company Responsible for the overall CDM (DACOM) Subsystem design integration

Subsystem design integration and test plan, as well as part

of the design of the CDM

(shared with CDC). DACOM also developed the Integration

Methodology and did the schema mappings for the Application

Subsystems.

Subcontractors	Role
Digital Equipment Corporation (DEC)	Consulting and support of the performance testing and on DEC software and computer systems operation.
McDonnell Douglas Automation Company (McAuto)	Responsible for the support and enhancements to the Network Transaction Manager Subsystem during 1984/1985 period.
On-Line Software International (OSI)	Responsible for programming the Communications Subsystem on the IBM and for consulting on the IBM.
Rath and Strong Systems Products (RSSP) (In 1985 became McCormack & Dodge)	Responsible for assistance in the implementation and use of the MRP II package (PIOS) that they supplied.
SofTech, Inc.	Responsible for the design and implementation of the Network Transaction Manager (NTM) in 1981/1984 period.
Software Performance Engineering (SPE)	Responsible for directing the work on performance evaluation and analysis.
Structural Dynamics Research Corporation (SDRC)	Responsible for the User Interface and Virtual Terminal Interface Subsystems.

Prime contractors under other projects who have contributed to Test Bed Technology, their contributing activities and responsible projects are as follows:

Contractors	ICAM Project	Contributing Activities
Boeing Military Aircraft Company (BHAC)	1701, 2201, 2202	Enhancements for IBM node use. Technology Transfer to Integrated Sheet Metal Center (ISMC)

Contractors	ICAM Project	Contributing Activities
Control Data Corporation (CDC)	1502, 1701	IISS enhancements to Common Data Model Processor (CDMP)
D. Appleton Company (DACOM)	1502	IISS enhancements to Integration Methodology
General Electric	1502	Operation of the Test Bed and communications equipment.
Hughes Aircraft Company (HAC)	1701	Test Bed enhancements
Structural Dynamics Research Corporation (SDRC)	1502, 1701, 1705	IISS enhancements to User Interface/Virtual Terminal Interface (UI/VTI)
Systran	1502	Test Bed enhancements. Operation of Test Bed.

TABLE OF CONTENTS

		1	Page
SECTION	1.0	SCOPE	1-1
	1.1	Identification	
	1.2	Functional Summary	
SECTION	2.0	DOCUMENTS	2-1
5501102	2.1	Reference Documents	
	2.2	Terms and Abbreviations	
SECTION		REQUIREMENTS	
	3.1	Structural Description	
	3.2	Functional Flow	
	3.3	Interfaces	
	3.3.1	Inputs/Outputs	3-3
	3.4	Program Interrupts	3-4
	3.5	Timing and Sequencing Description	
	5.6	Special Control Features	3-4
	3.7	Storage Allocation	3-4
	3.7.1	Database Definition	3-4
	3.7.1.1	File Description	3-4
	3.7.1.2	Table Description	3-4
	3.7.1.3	Item Description	
	3.8	Object Code Creation	
	3.9	Adaptation Data	
	3.10	Detail Design Description	
	3.10.1	Main Program List	
	3.10.2	Module List	
	3.10.3	External Routines List	
	3.10.4	Include File List	
	3.10.5	Where Include File Used List	
	3.10.6	Where External Routine Used List	3-20
	3.10.7	Main Program Parts List	
	3.10.8	Module Documentation	
	3.10.9	Include File Description	
	3.10.10	Hierarchy Chart	
	3.11	Program Listings Comments	
SECTION	4.0	QUALITY ASSURANCE PROVISIONS	4_1
DECLION	4.1	Introduction and Definitions	
	4.2	Computer Programming and Test	4-7
	7.6	Evaluation	4-1

LIST OF ILLUSTRATIONS

Pigure	Title	Page
3-1	Interface of PREO with Other CPCI's	5-2

SECTION 1

SCOPE

Identification

This specification establishes the design of a number of software modules necessary for the precompiler that were not addressed in any of the MDML Precompiler Development Specification. They can be referred to as PREO, MDML Control Modules", to be built and formally accepted by the ICAM Program Office. This CI constitutes one of the subsystems of the Common Dyna da Fra T T. 1 Data Model Processor (CDNP). (6 +3 -, 17 JT)

Functional Summary

This configuration item consists of the following software modules:

- 1. CDMO1, APMANE
- MAIN, CDPRE
- CDECHK
- RPTERR
- 5. CDP13

The purpose of Computer Program Configuration Item (CPCI) and a brief description of the major functions follows:

- CDMO1 is designated to be a queue server process that accesses an ORACLE database. It is accessed by a call to the module APNAME. It determines the next available name to use for a software module that is to be generated. It is also accessed by a call to module RUMOD to signal reuse of a software module during error recovery.
- MAIN and CDPRE are designed to be the user interface entry point and top level NDML precompiler control module respectively. At this time, the user interface is the MDML precompiler and is designed to be a simple batch-oriented COBOL program. The inputs to the precompiler are "ACCEPTED" from a single file and the

outputs (the identification of generated code) are "DISPLAY" output. This user interface main, after having assembled the input, then calls CDPRE. CDPRE is the callable entry point to the precompiler itself. The precompiler has been made a callable routine to support many other user interfaces as yet unbuilt. CDPRE is essentially a control routine of other designed CPCI's of the NDML precompiler. It executes a loop while over the user input file. This allows for many user modules of a single logical unit of work to be precompiled at the same time (a requirement of the current design). After each user module is precompiled, CDECHK is called to perform any error handling chores. At the end of the user's batch, CDP14 (PRE14) is accessed to generate the necessary request processor main routines.

- 3. CDECHK is a module that localizes all error checking and handling for the precompilation of a single user module. If the precompile was successful, a record of all generated code is stored on the CDM ORACLE database. If unsuccessful, all module names assigned and generated during the precompilation process must be marked as re-useable.
- 4. A generalized routine, RPTERR, is used to report user errors during precompilation. This writes the specific message into an error file that contains all user input code along with the interspersed error messages in much the same way as a standard COBOL compiler.
- 5. CDP13 is a module designed to control all code generation activities of the precompiler. It is called by PRE5. Input to CDP13 consists of the logical specifications for each subtransaction to be generated. For each subtransaction, APNAME is called to get a new name for the module to be generated for a query, PRE8 is called to generate the CS to ES transformer. PRE10 is called to generate code into the user's AP. Also, one of the DBMS specific code generator's is called based upon the type of DBMS the subtransaction must access.

SECTION 2

DOCUMENTS

2.1 Reference Documents

- 1. ICAM Documentation Standards: IDS15012000A, 28 December 1981.
- 2. D. Appleton Co., <u>CDM Administrators Manual</u>: <u>UM620141000</u>, March 1984.
- 5. D. Appleton Co., <u>CDM1-IDEF1</u> <u>Model</u> <u>of the Common Data Model</u>; <u>CCS620141000</u>, 15 May 1985.
- 4. D. Appleton Co., Computer Program Development
 Specification (DS) for ICAM Integrated Support System
 (IISS) Configuration Item: NDML Precompiler;
 DS620141200, October 1984.
- 5. D. Appleton Co., Embedded NDML Programmer's Reference Manual; PRM620141200, March 1985.
- 6. Softech, Inc., NTM Programmer's Guide: UM620140001, July 1984.
- 7. Control Data Corp., Computer Program Development
 Specification (DS) for ICAM Integrated Support System
 (IISS) Configuration Item: NDDL Command Processor;
 DS620141100, June 1985.

2.2 Terms and Abbreviations

Attribute Use Class: (AUC)

Conceptual Schema: (CS)

Common Data Model Processor: (CDMP)

Common Data Model: (CDM) Describes common data application process formats, form definitions, etc, of the IISS and includes conceptual schema, external, internal schemas, and schema transformation operators.

Data Field: (DF) An element of data in the external schema. It

is by this name that an MDML programmer references data.

Database Management System: (DBMS)

<u>Distributed Request Supervisor</u>: (DRS) This IISS CDM subsystem configuration item controls the execution of distributed MDML queries and non distributed updates.

Domain: A logical definition of legal attribute class values.

Domain Constraint: Predicate that applies to a single domain.

External Schema: (ES)

<u>Forms</u>: Structured views which may be imposed on windows or other forms. A form is composed of fields where each field is a form, item, or window.

Forms Processor: (FP) A set of callable execution time routines available to an application program for form processing.

Internal Schema: (IS)

Integrated Information Support System: (IISS) A test computing environment used to investigate, demonstrate and test the concepts of information management and information integration in the context of Aerospace Manufacturing. The IISS addresses the problems of integration of data resident on heterogeneous databases supported by heterogeneous computers interconnected via a local Area Network.

Happing: The correspondence of independent objects in two
schemas: ES to CS or CS to IS.

<u>Network Transaction Manager</u>: (NTM) Performs the coordination, communication and housekeeping functions required to integrate the application processes and system services resident on the various hosts into a cohesive system.

<u>Meutral Data Manipulation Language</u>: (MDML) A language developed by the IISS project to provide uniform access to common data, regardless of database manager or distribution criteria. It provides distributed retrieved and single node updates.

ORACLE: Relational DBMS based on the SQL (Structured Query Language, a product of ORACLE Corp, Henlo Park, CA). The CDM is an ORACLE database.

<u>Parcel</u>: A sequential file containing sections source code of the input application program.

Request Processor: (RP) A COBOL program that will satisfy a retrieval or update NDML subtransaction against a particular Database Management System.

User Interface: (UI) Controls the user's terminal and interfaces with the rest of the system.

Virtual Terminal Interface: (VTI) Performs the interfacing between different terminals and the UI. This is done by defining a specific set of terminal features and protocols which must be supported by UI software which constitutes the Virtual Terminal Definition. Specific terminals are then mapped against the Virtual Terminal software by specific software modules written for each type of real terminal supported.

SECTION 3

REQUIREMENTS

3.1 Structural Description

A graphic portrayal of this CPCI is included in Section 3.10. This chart shows the hierarchical relationship of each module making up this CPCI. Since only those modules of this CPCI are shown in Section 3.10, the user is referred to the diagrams of Section 3.3 to show how these modules control the CPCI's of the NDML precompiler.

5.2 Functional Flow

A single execution of the NDML precompiler may have many logical units of work, each consisting of a batch of user modules. MAIN controls this loop. Each batch consists of many user modules which may be precompiled successfully or unsuccessfully. This loop is controlled by CDPRE. Error handling logic, for each user module, is controlled by CDECHK. Many NDML statements may be found in each user module. This logic is controlled by PRE2. Each NDML statement may require many conceptual transactions (the original request plus any integrity tests) which is controlled by PRE4. Each conceptual transaction may require many internal schema subtransactions. This is determined by PRE5. The generation of code for each subtransaction is controlled by CDP13.

3.3 Interfaces

Figure 3-1 depicts the interface of PREO with other CPCI's in the system.




Figure 5-1. Interface of PREO with Other CPCI's

3.3.1 Inputs/Outputs

The following tables depict the inputs and outputs of each module in this CPCI. A detailed description for each item can be found in the DS for this CPCI.

MODULE: CDM01

INPUT

OUTPUT

--NONE--

MODULE: APNAME

INPUT

OUTPUT

DBMS Mame

Application Process

Name

Module Status

MODULE: CDPRE

INPUT

OUTPUT

Application Process Input File

Error File

Code Generator Table

Number of Good

Precompiles

Application Process Target Host

Number of Bad Precompiles

Users Application Process Name

Module Status

MODULE: CDECHK

INPUT

OUTPUT

Precompile Status Last Module Used Users Module Name

Current Host Target Host

Parcel 1

Parcel 2

Parcel 3

Module Status

Parcel 4
Source Language
Code Generator
Oracle Logon Data Area

3.4 Program Interrupts

Not applicable to this CPCI.

3.5 Timing and Sequencing Description

Not applicable to this CPCI.

5.6 Special Control Features

Not applicable to this CPCI.

3.7 Storage Allocation

5.7.1 Database Definition

The database used by this CPCI is the Common Data Model (CDM) database. This model is defined by the CDM1, the IDEF1 model of the CDM, Reference Number 3.

5.7.1.1 File Description

Mo permanent files have been defined for this CPCI. It may use temporary scratch files for such things as generated program source code or temporary query results.

3.7.1.2 Table Description

Not applicable to this CPCI.

3.7.1.3 Item Description

Not applicable to this CPCI.

3.8 Object Code Creation

The object code for this CPCI will be created by the system integration test team by using defined IISS Software Configuration Management Procedures. This CPCI will use the COBOL language compiler.

ANN BECKE CANCELLOSSES

3.9 Adaptation Data

This CPCI has been coded using ANSI COBOL. The intent was to provide a transportable system. Any system environment supporting this language, a virtual memory management scheme, the COMM and NTM subsystem of IISS and the ORACLE Database Management System should be able to support this CPCI. Every possible attempt has been made to localize and identify any machine or environment dependent modules through the original design of the IISS and application of Configuration Management Procedures.

3.10 Detail Design Description

The following sections have been computer generated for this CPCI.

3.10.1 Main Program List

The following is a list of all "Main Programs" which are modules that are not called by any other module being documented here. These modules are either program entry points or, if they are hooked into another set of programs via subroutine calls, they are the points the external programs can call and therefore enter through. To differentiate between the two types of entry points, look at the individual Module Documentation (section 3.10.8) and look at Module Type for each of the Main Program modules listed. Note whether the routine is a Program, Subroutine, or Function. If it is a Program, it is truly a main program entry point. If not, then it is merely called by other programs not being documented here.

PRECOMPILER CONTROL Main Program List

Module Name	Purpose
CDM01	CONTROLS ALL REQUESTS FOR MODULE NAMES
CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
MAIN	PROGRAM NAME NDML MAIN AND UI
OPNFIL	THIS ROUTINE OPENS AN OUTPUT FILE.
STRMOV	MOVE THE STRING TO THE POOL
SUBMOV	FACILITATE A SUB-STRING MOVE

3.10.2 Module List

The following is a list of all the modules being documented here along with their purpose. Each module has a unique name, no matter what language it was written in.

PRECOMPILER CONTROL Module List

Module Name Purpose _____ APNAME INTERFACES WITH THE MODULE NAME QUEUE SERVER CDDGAP DELETE GENERATED AP ROWS IN THE GAP TABLES IN THE CDM CDECHK PROVIDE PRECOMPILER ERROR CHECKING CDIGAP CDIGAP INSERTS A ROW IN THE GENERATED AP TABLE. CDM01 CONTROLS ALL REQUESTS FOR MODULE NAMES CDP13 CONTROLS REQUEST PROCESSOR CODE GENERATION CDPRE CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER PROGRAM NAME MAIN NDML MAIN AND UI OPNFIL THIS ROUTINE OPENS AN OUTPUT FILE. RCMOD MARK PREVIOUSLY ASSIGNED MODULES AS REUSABLE RPTERR OUTPUT PRECOMPILER ERROR MESSAGES TO AP LISTING RUMOD SIGNAL REUSE OF A MODULE **STRMOV** MOVE THE STRING TO THE POOL **SUBMOV** FACILITATE A SUB-STRING MOVE

3.10.5 External Routines List

The following is a list of all routines or functions not documented here that are called by modules that are documented here. The first caller, in alphabetical order, is listed as well. The specification in which any module is documented may be found in the Module Documentation Index (Document Number CM 620100001). See section 3.10.6 for a list of the modules that call each of these external routines.

PRECOMPILER CONTROL External Routines List

Madula Mana	Times Wass
Module Name	First User
	~~~~~~
CDFUNC	APNAME
CDP10	CDP13
CDP12	CDPRE
CDP14	CDPRE
CDPRE1	CDPRE
CDPRE2	CDPRE
CDPRE7	CDP13
CDPRE8	CDP13
CDPRE9	CDP13
CDQPC	CDP13
CDOPO	CDP13
CDOPT	CDP13
CLSERR	CDPRE
DELFIL	CDECHK
ERRPRO	APNAME
POPEN	OPMFIL
INITAL	CDM01
INITEX	MAIN
NSEND	APNAME
OBINDN	CDIGAP
OCLOSE	CDIGAP
OCOM	CDMO1
ODFINN	CDM01
OEXEC	CDDGAP
OFETCH	CDM01
OLOGOF	CDM01
OLON	CDPRE
OOPEN	CDDGAP
OPNERR	CDPRE
OPNINPT	CDPRE
OROL	CDPRE
OSQL3	CDDGAP
PRINTF	OPNFIL
QSEND	CDM01
RCV	CDMO1
REDINPT	CDPRE
TRMNAT	CDM01
UNPLINE	CDPRE
WRITERR	CDPRE

#### 5.10.4 Include File List

The following is a list of all include files called in by modules being documented here. Each include file has a unique name regardless of the language being used. The purpose of each include file is listed as well. A more complete description of each include file is given in section 3.10.9. The purpose listed is the one that is in the source code of the include file.

A purpose of "**** PURPOSE NOT FOUND BY STRIPPER **** indicates that a purpose statement was not written into the include file itself. The most common reason for this is that the include file comes from system libraries that were not developed by the project, such as 'C' libraries that are provided with the 'C' compiler.

See section 3.10.6 for a set of lists which show all the modules which call in each of these include files.

## PRECOMPILER CONTROL Include File List

File Name	Purpose
ALFABET APAT	LETTERS CONTAINED IN THE ENGLISH ALPHABET ACCESS PATH TABLE
APGC	GENERIC CODASYL COMMAND TABLE
APINFO	
APL	JOIN QUERY ATTRIBUTE PAIR LIST
APRK CEWORK	TABLE OF RECORD KEYS FOR CODASYL ACCESS PATHS CS TO ES WORK LIST INFORMATION
CGTABLE	
CHKCDM	IISS CDMP CHECK STATUS CODES
CSAL	CONCEPTUAL SCHEMA ACTION LIST CONCEPTUAL SCHEMA QUALIFY LIST LISS ERROR STATUS CODES FOR CDMP MODULES
CSQUAL	CONCEPTUAL SCHEMA QUALIFY LIST
ERRPRO	PROCESS ERROR INCLUDE FILE
ESAL	EXTERNAL SCHEMA ACTION LIST
esqual	EXTERNAL SCHEMA QUALIFY LIST
	VARIABLE DEFINITION FOR FILE STATUS
ISAL	INTERNAL SCHEMA ACTION LIST
ISQUAL	INTERNAL SCHEMA QUALIFY LIST
JQGTBL	
	SUBTRANSACTIONS
ORCLEDA	
RFTABLE	
SETTAB	
SRVRET	AS THE RETURN GIVEN A TABLE-FULL ERROR
STDIO	
	SUBTRANSACTION PROCESSES ID TABLE
UVABBR	USER VIEW ABBREVIATION LIST

## 3.10.5 Where Include File Used List

The following lists each include file from 5.10.4 and all the modules documented in this specification which include them. The purpose of each module is listed as well.

Include File	Module Name	Module Purpose
ALFABET	CDM01	CONTROLS ALL REQUESTS FOR MODULE NAMES
APAT	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
APGC	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
APINFO	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
APL	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
APRK	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CEWORK	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION

**፧ቖዸቖዸጞቔቔቔቔቔዀዀዀጜጜዸዸዸጜኯጜጜዸ**ዀዄፙኯዄዄዄዄፙኯዄዄዀቜኇዄዄዄዀዀዀዹዹዹኯዄኯዄዄጚጚዀዄዀዄዹዄጜዄጜዹጜኯፚዹጜዹጜዹጜዹጜዹጜዹጜዹጜዹጜዹጜዹጜዹጜዹጜ

Include	Module	Module
File	Name	Purpose

#### **CGTABLE**

CDECHK PROVIDE PRECOMPILER ERROR CHECKING
CDP13 CONTROLS REQUEST PROCESSOR CODE GENERATION
CDPRE MAIN ENTRY POINT FOR THE NDML
PRECOMPILER
MAIN PROGRAM NAME NDML MAIN AND UI

#### CHKCDM

APNAME INTERFACES WITH THE MODULE NAME QUEUE SERVER DELETE GENERATED AP ROWS IN THE GAP CDDGAP TABLES IN THE CDM CDECHK PROVIDE PRECOMPILER ERROR CHECKING INSERTS A ROW IN THE GENERATED CDIGAP CDIGAP AP TABLE. CONTROLS ALL REQUESTS FOR MODULE NAMES CDM01 CONTROLS REQUEST PROCESSOR CODE GENERATION CDP13 MAIN ENTRY POINT FOR THE NDML CDPRE CDPRE PRECOMPILER MAIN PROGRAM NAME NDML MAIN AND UI MARK PREVIOUSLY ASSIGNED MODULES AS RCMOD REUSABLE SIGNAL REUSE OF A MODULE RUMOD

#### CSAL

CDP13 CONTROLS REQUEST PROCESSOR CODE GENERATION

Include File	Module Name	Module Purpose
CSQUAL	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION

## **ERRCDM**

APNAME	INTERFACES WITH THE MODULE NAME QUEUE SERVER
CDDGAP	DELETE GENERATED AP ROWS IN THE GAP TABLES IN THE CDM
CDECHK	PROVIDE PRECOMPILER ERROR CHECKING
CDIGAP	CDIGAP INSERTS A ROW IN THE GENERATED AP TABLE.
CDMO1	CONTROLS ALL REQUESTS FOR MODULE NAMES
CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
MAIN	PROGRAM NAME NDML MAIN AND UI
RCMOD	MARK PREVIOUSLY ASSIGNED MODULES AS REUSABLE
RUMOD	SIGNAL REUSE OF A MODULE

## **ERRPRO**

APNAME	INTERFACES WITH THE MODULE NAME QUEUE SERVER
CDDGAP	DELETE GENERATED AP ROWS IN THE GAP TABLES IN THE CDM
CDECHK	PROVIDE PRECOMPILER ERROR CHECKING
CDIGAP	CDIGAP INSERTS A ROW IN THE GENERATED
	AP TABLE.
CDMO1	CONTROLS ALL REQUESTS FOR MODULE NAMES
CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML
	PRECOMPILER
MAIN	PROGRAM NAME NDML MAIN AND UI

Include File	Module Mame	Module Purpose
	RCMOD RPTERR RUMOD	MARK PREVIOUSLY ASSIGNED MODULES AS REUSABLE OUTPUT PRECOMPILER ERROR MESSAGES TO AP LISTING SIGNAL REUSE OF A MODULE
ESAL	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
esqual	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
FILSTAT	MAIN RPTERR	PROGRAM NAME NDML MAIN AND UI OUTPUT PRECOMPILER ERROR MESSAGES TO AP LISTING
ISAL	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
ISQUAL	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION

Include Module Module Name Pile Purpose -----

JOGTEL

CDP13 CONTROLS REQUEST PROCESSOR CODE GENERATION

ORCLEDA

CDDGAP DELETE GENERATED AP ROWS IN THE GAP

TABLES IN THE COM

CDECHK PROVIDE PRECOMPILER ERROR CHECKING

CDIGAP INSERTS A ROW IN THE GENERATED CDIGAP

AP TABLE.

CONTROLS ALL REQUESTS FOR MODULE NAMES CDMO1

CONTROLS REQUEST PROCESSOR CODE GENERATION

CDP13 CDPRE CDPRE MAIN ENTRY POINT FOR THE NDML

PRECOMPILER

**RFTABLE** 

CDP13 CONTROLS REQUEST PROCESSOR CODE GENERATION

SETTAB

CDP13 CONTROLS REQUEST PROCESSOR CODE GENERATION

SRVRET

INTERFACES WITH THE MODULE NAME QUEUE APNAME

SERVER

CONTROLS ALL REQUESTS FOR MODULE NAMES CDMO1

Include File	Module Name	Module Purpose
	CDPRE	CDPRE HAIN ENTRY POINT FOR THE NDML PRECOMPILER
	MAIN RCMOD	PROGRAM NAME NDML MAIN AND UI MARK PREVIOUSLY ASSIGNED MODULES AS
	RUMOD	REUSABLE SIGNAL REUSE OF A MODULE
STDIO	OPNFIL	THIS ROUTINE OPENS AN OUTPUT FILE.
SUBPROC	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
UVABBR	<i>a</i> nn. •	
	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION

\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\

## 3.10.6 Where External Routine Used List

The following lists each external function or routine listed in 5.10.5 and all the documented modules which call it. The purpose of each module is listed as well.

System Module	Module Name	Module Purpose
CDFUNC	APNAME	INTERFACES WITH THE MODULE NAME QUEUE
	RCMOD	SERVER MARK PREVIOUSLY ASSIGNED MODULES AS
	RUMOD	REUSABLE SIGNAL REUSE OF A MODULE
CDP10	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CDP12	CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
CDP14	CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
CDPRE1	CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
CDPRE2	CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
CDPRE7	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION

System Module	Module Name	Module Purpose
CDPRE8	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CDPRE9	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CDQPC	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CDQPO	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CDQPT	CDP13	CONTROLS REQUEST PROCESSOR CODE GENERATION
CLSERR	CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
DELFIL	CDECHK	PROVIDE PRECOMPILER ERROR CHECKING

**ERRPRO** 

System Module	Module Name	Module Purpose
	APNAME	INTERFACES WITH THE MODULE NAME QUEUE SERVER
	CDDGAP	DELETE GENERATED AP ROWS IN THE GAP TABLES IN THE CDM
	CDECHK CDIGAP	
	CDM01 CDP13 CDPRE	CONTROLS ALL REQUESTS FOR MODULE NAMES
	MAIN RCMOD	MARK PREVIOUSLY ASSIGNED MODULES AS
	RPTERR	REUSABLE OUTPUT PRECOMPILER ERROR MESSAGES TO AP LISTING
	RUMOD	
FOPEN	OPNFIL	THIS ROUTINE OPENS AN OUTPUT FILE.
INITAL	CDM01	CONTROLS ALL REQUESTS FOR MODULE NAMES
INITEX	MAIN	PROGRAM NAME NDML MAIN AND UI
NSEND	APNAME RCMOD	INTERFACES WITH THE MODULE NAME QUEUE SERVER MARK PREVIOUSLY ASSIGNED MODULES AS
		REUSABLE

System Module Module Module Name Purpose

RUMOD SIGNAL REUSE OF A MODULE

**OBINDN** 

CDDGAP DELETE GENERATED AP ROWS IN THE GAP

TABLES IN THE CDM

CDIGAP CDIGAP INSERTS A ROW IN THE GENERATED

AP TABLE.

CDMO1 CONTROLS ALL REQUESTS FOR MODULE NAMES

**OCLOSE** 

CDDGAP DELETE GENERATED AP ROWS IN THE GAP

TABLES IN THE COM

CDIGAP CDIGAP INSERTS A ROW IN THE GENERATED

AP TABLE.

CDMO1 CONTROLS ALL REQUESTS FOR MODULE NAMES

OCOM

CDM01 CONTROLS ALL REQUESTS FOR MODULE NAMES

CDPRE CDPRE MAIN ENTRY POINT FOR THE NDML

PRECOMPILER

ODFINN

CDMO1 CONTROLS ALL REQUESTS FOR MODULE NAMES

**OEXEC** 

CDDGAP DELETE GENERATED AP ROWS IN THE GAP

TABLES IN THE CDM

CDIGAP CDIGAP INSERTS A ROW IN THE GENERATED

AP TABLE.

CDMO1 CONTROLS ALL REQUESTS FOR MODULE NAMES

1 11200		
System Module		Module Purpose
OFETCH	CDM01	CONTROLS ALL REQUESTS FOR MODULE NAMES
OLOGOF	CDM01 CDPRE	CONTROLS ALL REQUESTS FOR MODULE NAMES CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
OLON	CDM01 CDPRE	CONTROLS ALL REQUESTS FOR MODULE NAMES COPRE MAIN ENTRY POINT FOR THE NOML PRECOMPILER
OOPEN	CDDGAP CDIGAP CDM01	DELETE GENERATED AP ROWS IN THE GAP TABLES IN THE CDM CDIGAP INSERTS A ROW IN THE GENERATED AP TABLE. CONTROLS ALL REQUESTS FOR MODULE NAMES
OPNERR	CDPRE	CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER
^DV1WD#		

OPNINPT

CDPRE CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER

System Module Module Module Name Purpose

OROL

CDPRE CDPRE MAIN ENTRY POINT FOR THE NDML PRECOMPILER

OSQL3

CDDGAP DELETE GENERATED AP ROWS IN THE GAP

TABLES IN THE CDM

CDIGAP CDIGAP INSERTS A ROW IN THE GENERATED

AP TABLE.

CDM01 CONTROLS ALL REQUESTS FOR MODULE NAMES

PRINTF

OPNFIL THIS ROUTINE OPENS AN OUTPUT FILE.

**QSEND** 

CDM01 CONTROLS ALL REQUESTS FOR MODULE NAMES

**RCV** 

APNAME INTERFACES WITH THE MODULE NAME QUEUE

SERVER

CDMO1 CONTROLS ALL REQUESTS FOR MODULE NAMES

RCMOD MARK PREVIOUSLY ASSIGNED MODULES AS

REUSABLE

REDINPT

CDPRE CDPRE MAIN ENTRY POINT FOR THE NDML

PRECOMPILER

System Module Module Module Name Purpose

TRMMAT

CDMO1 CONTROLS ALL REQUESTS FOR MODULE NAMES MAIN PROGRAM NAME NDML MAIN AND UI

UMPLIME

CDPRE CDPRE MAIN ENTRY POINT FOR THE NDML

PRECOMPILER

**VRITERR** 

The second of th

COPRE COPRE MAIN ENTRY POINT FOR THE NUML

PRECOMPILER

<mark>የምንበር የፍርያ የመጀመር የመር</mark>ያ የመለከት ያለው እና ለተመሰለ ነው። እንደ መመስ የተመሰለ የሚያለው ለመስ የተመሰለ የሚያለው የሚያለው የሚያለው የሚያለው የሚያለው የሚያለው የመመር

## 3.10.7 Main Program Parts List

The following lists each Main Program listed in 3.10.1 and all the modules which are called either by that module itself or by any of the documented modules which it calls. It is possible for a non-main module to be listed more that once if it is called by multiple modules. The called modules, in this case known as program parts, are marked as to whether they are documented here. If so, the phrase "well-defined module" appears by the module name, if not it is an "external "routine". The Purpose of the Main Program module is listed as well.

## PRECOMPILER CONTROL Main Program Parts List

Main Pgm Name	Module Name	Module Type	
CDM01		Purpose CONTROLS	ALL REQUESTS FOR MODULE
	ERRPRO	External	routine
	INITAL	External	
	OBINDN	External	
	OCLOSE	External	
	OCOM	External	
	ODFINN	External	routine
	OEXEC	External	
	OFETCH	External	
	OLOGOF	External	routine
	OLON	External	
	OOPEN	External	
	OSQL3	External	
	QSEND	External	
	RCV	External	
	TRMNAT	External	

## PRECOMPILER CONTROL Main Program Parts List

Main Pgm Name	Module Name	Module Type
		and the the spe spe
CDP13		Purpose>CONTROLS REQUEST PROCESSOR CODE GENERATION
	APNAME	Well-defined module
	CDFUNC	External routine
	CDP10	External routine
	CDPRE7	External routine
	CDPRE8	External routine
	CDPRE9	External routine
	CDQPC	External routine
	CDQPO	External routine
	CDQPT	External routine
	ERRPRO	External routine
	MSEND	External routine
	RCV	External routine
	<b>RPTERR</b>	Well-defined module

## PRECOMPILER CONTROL Main Program Parts List

Main Pgm Name	Module Name	Module Type	
MAIN	Purpos	e PROGRAM NAME AND UI	NDML MAIN
	CDDGAP	Well-defined module	
	CDECHK	Well-defined module	
	CDFUNC	External routine	
	CDIGAP	Well-defined module	
	CDP12	External routine	
	CDP14	External routine	
	CDPRE	Well-defined module	
	CDPRE1	External routine	
	CDPRE2	External routine	
	CLSERR	External routine	
	DELFIL	External routine	
	ERRPRO	External routine	
	INITEX	External routine	
	NSEND	External routine	
	OBINDN	External routine	
	OCLOSE	External routine	
	OCOM	External routine	
	OEXEC	External routine	
	OLOGOF	External routine	
	OFON	External routine	
	OOPEN	External routine	
	OPNERR	External routine	
	OPNINPT	External routine External routine	
	OROL 7	External routine External routine	
	OSQL3 RCMOD	Vell-defined module	
	RCV	External routine	
	REDINPT	External routine	
	RPTERR	Well-defined module	
	RUMOD	Well-defined module	
	TRMNAT	External routine	
	UNPLINE	External routine	
	WRITERR	External routine	

## PS 620141200 1 November 1985

## PRECOMPILER CONTROL Main Program Parts List

Main Pgm	Module	Module
Name	Name	Type

OPMFIL Purpose--- THIS ROUTINE OPENS AN OUTPUT

FILE.

FOPEN External routine PRINTF External routine

## 3.10.8 Module Documentation

The following documentation describes information which is specific to each individual module being documented in this specification as listed in section 3.10.2. provides a compact way of getting information that would be otherwise buried within each module's source code.

The specific items in this module documentation have the following meanings:

NAME: Name of program Module.

Purpose of Module as detailed in the **PURPOSE:** 

source code.

LANGUAGE: Programming language source code is

written in.

The choices are:

VAX-11 FORTRAN

C (I/S-1 Workbench VAX-11 CO

MODULE TYPE: Whether a Program, Subroutine, or Function.

SOURCE FILE: Mame of Source File from file specification.

SOURCE FILE TYPE: Source File Extension from file specification.

HOST: Whether this is a host-dependent routine (VAX or IBM) or blank if host-independent.

SUBSYSTEM: IISS sub-system this file resides i which this file resides.

DOCUMENTATION GROUP: Name of documentation group of which this source file is a member.

DESCRIPTION: A description of the module as otal from the source code. (I/S-1 Workbench 'C') VAX-11 COBOL

IISS sub-system this file resides in.

Name of documentation group of which

A description of the module as otained

ARGUMENTS:

The arguments with which this routine

is called if it is a Subroutine or a

Function.

INCLUDE FILES:

A list of all the files that are included into this module as well as

their purposes.

ROUTINES CALLED:

Subroutines or Functions, either documented or external, called by

this module, if any.

CALLED DIRECTLY BY:

The documented routines which call

this module, if any.

USED IN MAIN PROGRAM(S): The documented Main Programs which

contain this module in their parts list according to the list in section

3.10.7.

The Module Documentation is arranged alphabetically according to Module Name.

NAME: APNAME

PURPOSE: INTERFACES WITH THE MODULE NAME QUEUE

SERVER

LANGUAGE: VAX-11 COBOL MODULE TYPE: SUBROUTINE SOURCE FILE: APNAME

SOURCE FILE TYPE: . COB

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

## DESCRIPTION:

THE PURPOSE OF THIS ROUTINE IS TO ACT AS A GENERALIZED INTERFACE TO THE MODULE NAME QUEUE SERVER. IT WILL GET NEW NAMES.

MOD 2.0 STANDARDIZED ERROR HANDLING,

### **ARGUMENTS:**

DBMS-NAME - DSPLY [X(30)] AP-NAME = DSPLY [X(10)]

RET-STATUS = DSPLY [X(5)]

## INCLUDE FILES: _____

ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES
CHKCDM - IISS CDMP CHECK STATUS CODES
ERRPRO - PROCESS EPPOR TECHNOLOGY

#### ROUTINES CALLED: -----

CDFUNC NSEND

RCV ERRPRO

## CALLED DIRECTLY BY:

CDP13 - CONTROLS REQUEST PROCESSOR CODE GENERATION

## USED IN MAIN PROGRAM(S):

CDP13 - CONTROLS REQUEST PROCESSOR CODE GENERATION

NAME:

**CDDGAP** 

PURPOSE:

DELETE GENERATED AP ROWS IN THE GAP

TABLES IN THE CDM

LANGUAGE:

VAX-11 COBOL

MODULE TYPE:

SUBROUTINE

SOURCE FILE:

CDDGAP

SOURCE FILE TYPE:

. COB

HOST:

SUBSYSTEM:

CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

## **DESCRIPTION:**

PERFORM SOL PELETE STATEMENT TO DELETE GENERATED AP

REFERENCES

BASED ON THE NAME OF THE USER MODULE SUCEESSFULLY

**RE-PRECOMPILED** 

#### **ARGUMENTS:**

USER-MOD-ID = DSPLY [X(10)]

ORACLE-LDA - RECRD

RET-STATUS - DSPLY [X(5)]

#### INCLUDE FILES: ______

ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES
CHKCDM - IISS CDMP CHECK STATUS CODES
ORCLEDA - WS DEFINITION FOR THE ORACLE LOGIN AREA
ERRPRO - PROCESS ERROR INCLUDE FILE

## ROUTINES CALLED:

OOPEN

OSQL3

OBINDN

PS 620141200 1 November 1985

OEXEC OCLOSE ERRPRO

CALLED DIRECTLY BY:

CDECHK - PROVIDE PRECOMPILER ERROR CHECKING

USED IN MAIN PROGRAM(S):

MAIN - PROGRAM NAME NDML MAIN AND UI

NAME: CDECHK

PURPOSE: PROVIDE PRECOMPILER ERROR CHECKING

LANGUAGE: VAX-11 COBOL MODULE TYPE: SUBROUTINE SOURCE FILE: CDECHK

SOURCE FILE TYPE: .COB

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

## **DESCRIPTION:**

THIS ROUTINE WILL TEST THE RET-STATUS AT END OF PRECOMPILING ONE USER MODULE. IF GOOD THEN RCMOD WILL BE CALLED TO MARK ALL SOFTWARE MODULES PREVIOUSLY ASSOCIATED WITH THE USER ROUTINE AS INACTIVE, THE DELETE ALL OLD GENERATED AP REFERENCES AND FINALLY, INSERT ALL NEW GENERATED AP REFERENCES. IF THE PRECOMPILE WAS UNSUCCESSFUL, THEN EACH MODULE NEWLY ASSOCIATED WITH THE USER MODULE MUST BE MARKED AS AVAILABLE FOR REUSE BY CALLING RUMOD AND THE FILES CONTAINING GENERATED CODE DELETED.

## **ARGUMENTS:**

PREC-STATUS = DSPLY [X(5)]

LAST-CGT-USED = DSPLY [S9(9)]

USER-MOD-ID = DSPLY [X(10)]

MY-HOST = DSPLY [XXX]

TARGET-HOST = DSPLY [XXX]

PARCL1 = DSPLY [X(30)]

PARCL2 = DSPLY [X(30)]

PARCL3 = DSPLY [X(30)]

PARCL4 = DSPLY [X(30)]

SOURCE-LANGUAGE = DSPLY [X(10)]

CODE-GENERATOR-TABLE = RECRD

ORACLE-LDA = RECRD

RET-STATUS = DSPLY [X(5)]

#### INCLUDE FILES:

ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES
- IISS CDMP CHECK STATUS CODES

CGTABLE - CODE GENERATING TABLE- TRACKS ALL GENERATED

SOFTWARE

ORCLEDA - WS DEFINITION FOR THE ORACLE LOGIN AREA ERRPRO - PROCESS ERROR INCLUDE FILE

## ROUTINES CALLED:

ERRPRO

- MARK PREVIOUSLY ASSIGNED MODULES AS REUSABLE RCMOD

- DELETE GENERATED AP ROWS IN THE GAP TABLES IN CDDGAP

THE CDM

CDIGAP

- CDIGAP INSERTS A ROW IN THE GENERATED AP

TABLE.

DELFIL

RUMOD - SIGNAL REUSE OF A MODULE

#### CALLED DIRECTLY BY:

CDPRE - CDPRE MAIN ENTRY POINT FOR THE NDML

PRECOMPILER

## USED IN MAIN PROGRAM(S): _____

MAIN

- PROGRAM NAME NDML MAIN AND UI

NAME: CDIGAP

PURPOSE: CDIGAP INSERTS A ROW IN THE

GENERATED AP TABLE.

LANGUAGE: VAX-11 COBOL MODULE TYPE: SUBROUTINE SOURCE FILE: CDIGAP

SOURCE FILE TYPE: .COB

HOST:

CDM SUBSYSTEM:

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

DESCRIPTION:

PERFORM SQL INSERT STATEMENT TO INSERT A SINGLE TUPLE INTO

THE

GENERATED AP TABLE.

## ARGUMENTS:

GENERATED-MOD-ID = DSPLY [X(10)]

USER-MOD-ID = DSPLY [X(10)]

GENERATED-BY - DSPLY [X(10)]

DB-ID = DSPLY [89(9)]

MOD-TYPE - DSPLY [X(10)]

CASE-NO - DSPLY [S9(9)]

IS-ACTION = DSPLY [X]

ORACLE-LDA - RECRD

RET-STATUS - DSPLY [X(5)]

## INCLUDE FILES:

ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES CHKCDM - IISS CDMP CHECK STATUS CODES

ORCLEDA - WS DEFINITION FOR THE ORACLE LOGIN AREA

- PROCESS ERROR INCLUDE FILE ERRPRO

<mark>መዘመዘመዘመዘመዘመዘመዘመ</mark>ለያ ለመስፈት የተለያዩ የተለያዩ የሚያስከው የሚያስከው የተለያዩ የሚያስከው የሚያስከው የሚያስከው የሚያስከው የሚያስከው የሚያስከው የሚያስከው የሚያስከው የ

PS 620141200 1 November 1985

## ROUTINES CALLED:

OOPEN

OSQL5

OBINDM

OEXEC

OCLOSE

ERRPRO

## CALLED DIRECTLY BY:

CDECHK - PROVIDE PRECOMPILER ERROR CHECKING

USED IN MAIN PROGRAM(S):

MAIN - PROGRAM NAME NDML MAIN AND UI

NAME:

CDM01

PURPOSE:

CONTROLS ALL REQUESTS FOR MODULE NAMES

LANGUAGE:

VAX-11 COBOL

MODULE TYPE: SOURCE FILE:

PROGRAM CDM01

SOURCE FILE TYPE:

. COB

HOST:

というから とうなけるという ないないない ないないない

SUBSYSTEM:

CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

## **DESCRIPTION:**

THIS ROUTINE IS A MAIN PROGRAM Q-SERVER.

IT WILL HANDLE 4 TYPES OF REQUESTS:

QO - PROVIDE A NEW UNUSED NAME FOR A SOFTWARE MODULE.

PD - PROVIDE A NAME FOR A SOFTWARE MODULE FROM A LIST

OF PREDETERMINED NAMES.

MARK A SINGLE MODULE NAMEAS AVAILABLE FOR REUSE

MARK ALL NAMES ASSOCIATED WITH A USER MODULE NAME RA -(THROUGH PREVIOUSLY BEING GENERATED) AS BEING AVAILABLE FOR REUSE.

NOTE LIMITATIONS SECTION!!

### INCLUDE FILES:

CHKCDM - IISS CDMP CHECK STATUS CODES
ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES
SRVRET - AS THE RETURN GIVEN A TABLE-FULL ERROR
ORCLEDA - WS DEFINITION FOR THE ORACLE LOGIN AREA
ALFABET - LETTERS CONTAINED IN THE ENGLISH ALPHABET
ERRPRO - PROCESS ERROR INCLUDE FILE

## ROUTINES CALLED:

TRMNAT

## PS 620141200 1 November 1985

INITAL
OLON
OLOGOF
OOPEN
OCLOSE
OSQL3
ODFINN
RCV
OEXEC
OFETCH
OBINDN
OCOM
QSEND
ERRPRO

NAME: CDP13

PURPOSE: CONTROLS REQUEST PROCESSOR CODE GENERATION

LANGUAGE: VAX-11 COBOL MODULE TYPE: SUBROUTINE

SOURCE FILE: CDP13
SOURCE FILE TYPE: .COB

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

#### DESCRIPTION:

- CDP13 IS CALLED FOR EACH CONCEPTUAL TRANSACTION AFTER THE CS-IS TRANSFORM DONE BY CDPRE6 IS COMPLETE.
IT PROCESSES THE SUBTRANSACTIONS IDENTIFIED BY THE CS TO IS DECOMPOSER, DETERMINING WHICH DBMS EACH SUBTRANS APPLIES TO, AND TAKING THE APPROPRIATE ACTION FOR EACH.

#### **ARGUMENTS:**

SUBTRANS-PROCESS-ID-TABLE = RECRD

IS-ACTION-LIST = RECRD

IS-QUALIFY-LIST - RECRD

ES-ACTION-LIST - RECRD

ES-QUALIFY-LIST - RECRD

CS-ACTION-LIST - RECRD

CE-WORK-LIST = RECRD

UV-ABBR-LIST = RECRD

CS-QUALIFY-LIST = RECRD

JQG - RECRD

JQG-ATTRIBUTE-PAIR-LIST = RECRD

SET-TABLE - RECRD

RFT - RECRD

MY-HOST - DSPLY [XXX]

TARGET-HOST - DSPLY [XXX]

ORACLE-LDA - RECRD

PARCL1 - DSPLY [X(30)]

PARCL2 - DSPLY [X(30)]

PARCL3 = DSPLY [X(30)]

PARCL4 = DSPLY [X(30)]

ERRFILE = DSPLY [X(30)]

SOURCE-LANGUAGE = DSPLY [X(10)]

IOSECTION-INDICATOR = DSPLY [9]

CODE-GENERATOR-TABLE = RECRD

RET-STATUS = DSPLY [X(5)]

#### INCLUDE FILES:

- IISS CDMP CHECK STATUS CODES CHKCDM - IISS ERROR STATUS CODES FOR CDMP MODULES ERRCDM APAT - ACCESS PATH TABLE APINFO - ACCESS PATH INFORMATION TABLE APRK - TABLE OF RECORD KEYS FOR CODASYL ACCESS PATHS APGC - GENERIC CODASYL COMMAND TABLE SUBPROC - SUBTRANSACTION PROCESSES ID TABLE - INTERNAL SCHEMA ACTION LIST ISAL ISQUAL - INTERNAL SCHEMA QUALIFY LIST CSQUAL - CONCEPTUAL SCHEMA QUALIFY LIST - JOIN QUERY GRAPH TELLS HOW TO CONNECT JOGTBL SUBTRANSACTIONS APL - JOIN QUERY ATTRIBUTE PAIR LIST SETTAB - LIST OF SETS OWNER-MEMBER RELATIONSHIPS RFTABLE - THE RESULT FIELD TABLE - EXTERNAL SCHEMA ACTION LIST ESAL ESQUAL - EXTERNAL SCHEMA QUALIFY LIST CEWORK - CS TO ES WORK LIST INFORMATION UVABBR - USER VIEW ABBREVIATION LIST CSAL - CONCEPTUAL SCHEMA ACTION LIST CGTABLE - CODE GENERATING TABLE- TRACKS ALL GENERATED SOFTWARE ORCLEDA - WS DEFINITION FOR THE ORACLE LOGIN AREA ERRPRO - PROCESS ERROR INCLUDE FILE

## ROUTINES CALLED:

APNAME - INTERFACES WITH THE MODULE NAME QUEUE SERVER
CDPRES
CDP10
RPTERR - OUTPUT PRECOMPILER ERROR MESSAGES TO AP LISTING
CDQPC
CDQPC
CDQPT
CDPRE7

PS 620141200 1 November 1985

CDPRE9 ERRPRO

NAME:

CDPRE

PURPOSE:

CDPRE MAIN ENTRY POINT FOR THE NDML

PRECOMPILER

LANGUAGE:

VAX-11 COBOL

MODULE TYPE:

SUBROUTINE

SOURCE FILE:

CDPRE

SOURCE FILE TYPE:

. COB

HOST:

SUBSYSTEM:

CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

#### DESCRIPTION:

- THIS IS THE MAIN ENTRY POINT FOR THE NDML PRECOMPILER ON INPUT THE USER INTERFACE HAS BEEN PERFORMED. IT CALLS CDPRE1 TO BREAK APART THE USER'S SOFTWARE MODULE INTO THE FOUR PARCELS, THEN CALLS

### **ARGUMENTS:**

AP-FILE-IN = DSPLY [X(30)] ERROR-FILE = DSPLY [X(30)] AP-TARGET-HOST = DSPLY [XXX] USER-AP-NAME = DSPLY [X(10)] CODE-GENERATOR-TABLE = RECRD GOOD-PRECOMPILES = DSPLY [S9(9)] BAD-PRECOMPILES = DSPLY [S9(9)] RET-STATUS = DSPLY [X(5)]

#### INCLUDE FILES:

ERRPRO

ORCLEDA - WS DEFINITION FOR THE ORACLE LOGIN AREA
SRVRET - AS THE RETURN GIVEN A TABLE-FULL ERROR
CHKCDM - IISS CDMP CHECK STATUS CODES
ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES
CGTABLE - CODE GENERATING TABLE- TRACKS ALL GENERATED
SOFTWARE

- PROCESS ERROR INCLUDE FILE

## ROUTINES CALLED:

OLON

OPNINPT

RPTERR - OUTPUT PRECOMPILER ERROR MESSAGES TO AP LISTING

CDPRE1

CDPRE2

CDP12

CDP14

OCOM

**OLOGOF** 

**ERRPRO** 

OROL

CDECHK - PROVIDE PRECOMPILER ERROR CHECKING

OPNERR

WRITERR

REDINPT

UNPLINE

CLSERR

#### CALLED DIRECTLY BY:

NDML MAIN AND UI MAIN - PROGRAM NAME

USED IN MAIN PROGRAM(S):

- PROGRAM NAME NDML MAIN AND UI MAIN

NDML MAIN AND UI

## PRECOMPILER CONTROL Module Documentation

NAME:

MAIN

PURPOSE:

PROGRAM NAME

LANGUAGE:

VAX-11 COBOL

MODULE TYPE:

PROGRAM

SOURCE FILE:

MAIN

DESCRIPTION:

### INCLUDE FILES:

FILSTAT - VARIABLE DEFINITION FOR FILE STATUS

ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES

CHKCDM - IISS CDMP CHECK STATUS CODES
SRVRET - AS THE RETURN GIVEN A TABLE-FULL ERROR
CGTABLE - CODE GENERATING TABLE- TRACKS ALL GENERATED

SOFTWARE

ERRPRO

- PROCESS ERROR INCLUDE FILE

## ROUTINES CALLED:

CDPRE - CDPRE MAIN ENTRY POINT FOR THE NDML

PRECOMPILER

TRMNAT

**ERRPRO** 

INITEX

NAME: OPNFIL

PURPOSE: THIS ROUTINE OPENS AN OUTPUT FILE.

LANGUAGE:

MODULE TYPE: FUNCTION FUNCTION TYPE: INT () SOURCE FILE: OPNFIL

SOURCE FILE TYPE: .C

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

DESCRIPTION:

SYNOPSIS

C -- OPNFIL(FFILE_NAME);

COBOL -- CALL "OPNFIL" USING

FILE-NAME.

FORTRAN -- CALL OPNFIL(FILENAME)

INPUT:

CHAR *FILE NAME ;

**OUTPUT:** 

DESCRPIPTION:

THE FILE WILL CONTAINS THE USER'S NDDL.

ARGUMENTS:

FILE NAME - CHAR *

INCLUDE FILES:

STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

PS 620141200 1 November 1985

FOPEN PRINTF

NAME: RCMOD

PURPOSE: MARK PREVIOUSLY ASSIGNED MODULES AS

REUSABLE

LANGUAGE: VAX-11 COBOL MODULE TYPE: SUBROUTINE

SOURCE FILE: RCMOD SOURCE FILE TYPE: .COB

HOST:

200000

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

## DESCRIPTION:

THIS ROUTINE MUST BE USED TO MARK ALL PREVIOUSLY ASSIGNED MODULES GENERATED FOR THE USER MODULE NAME AS REUSEABLE. IT EXPECTS THE NAME OF A USER MODULE.

## **ARGUMENTS:**

USER-MOD-NAME = DSPLY [X(10)]
RET-STATUS = DSPLY [X(5)]

# INCLUDE FILES:

SRVRET - AS THE RETURN GIVEN A TABLE-FULL ERROR
- IISS ERROR STATUS CODES FOR CDMP MODULES

CHKCDM - IISS CDMP CHECK STATUS CODES ERRPRO - PROCESS ERROR INCLUDE FILE

## ROUTINES CALLED:

CDFUNC NSEND RCV

ERRPRO

## CALLED DIRECTLY BY:

PS 620141200 1 November 1985

CDECHK - PROVIDE PRECOMPILER ERROR CHECKING

USED IN MAIN PROGRAM(S):

MAIN - PROGRAM NAME NDML MAIN AND UI

CONTRACTOR CONTRACTOR CONTRACTOR

NAME:

RPTERR

PURPOSE:

OUTPUT PRECOMPILER ERROR MESSAGES TO AP

LISTING

Language :

VAX-11 COBOL

MODULE TYPE:

SUBROUTINE

SOURCE FILE:

RPTERR

SOURCE FILE TYPE:

. COB

HOST:

SUBSYSTEM:

CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41200

# DESCRIPTION:

THIS PROGRAM OUTPUTS ERROR MESSAGES TO AP LISTING FROM PRECOMPILER-ENCOUNTERED ERRORS. THIS ROUTINE SIMPLY OPENS THE LISTING AT END, WRITES THE MESSAGE AND CLOSES THE LISTING.

## **ARGUNENTS:**

FWAME = DSPLY [X(30)] ERRMESS = DSPLY [X(60)]

#### INCLUDE FILES:

FILSTAT - VARIABLE DEFINITION FOR FILE STATUS

ERRPRO - PROCESS ERROR INCLUDE FILE

### ROUTINES CALLED:

ERRPRO

#### CALLED DIRECTLY BY:

CDP13 - CONTROLS REQUEST PROCESSOR CODE GENERATION

CDPRE - CDPRE HAIN ENTRY POINT POR THE NDML PRECOMPILER

## USED IN MAIN PROGRAM(S):

CDP15 - CONTROLS REQUEST PROCESSOR CODE GENERATION
- PROGRAM NAME NDHL MAIN AND UI

#### PRECOMPILER CONTROL Module Documentation

MAME:

RUMOD

PURPOSE:

SIGNAL REUSE OF A MODULE

LANGUAGE:

VAX-11 COBOL

MODULE TYPE:

SUBROUTINE

RUNOD

SOURCE FILE: RUNOR SOURCE FILE TYPE: .COB

MOST:

SUBSYSTEM:

CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: P\$41200

### DESCRIPTION:

THIS BOUTINE MUST BE USED TO MARK A SINGLE MODULE MANE AS AVAILABLE FOR REUSE. IT VILL SEND A MESSAGE TO THE MODULE NAME Q-SERVER.

#### ARGUNENTS:

DBMS-WANE - DSPLY [X(10)] AP-MANE - DSPLY [X(10)] RET-STATUS - DSPLY [X(8)]

#### INCLUDE FILES:

SRVRET - AS THE RETURN GIVEN A TABLE-FULL ERROR
ERRODN - IISS ERROR STATUS CODES FOR CDMP HODULES
CHKCDN - IISS CDMP CNECK STATUS CODES
ERRPRO - PROCESS ERROR INCLUDE FILE

# **ROUTINES CALLED:**

CDFUNC

MSEND

ERRPRO

#### CALLED DIRECTLY BY:

- PROVIDE PRECOMPILER ERROR CHECKING

USED IN MAIN PROGRAM(S):

HAIN - PROGRAM NAME NOML MAIN AND UI

<del>ĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸ</del>

### PRECOMPILER CONTROL Module Documentation

HAME:

STRHOV

PURPOSE:

MOVE THE STRING TO THE POOL

LANGUAGE:

VAX-11 FORTRAN

MODULE TYPE: SOURCE FILE:

SUBROUTINE

STRNOV

SOURCE FILE TYPE:

. POR

HOST: SUBSYSTEM:

SUBDIRECTORY:

CDM

DOCUMENTATION GROUP: P841200

DESCRIPTION: --------

### ARGUMENTS:

STRING - CHAR POOL - CHAR SIEE - I'4 BCHAR - I'4

<mark>ቜቔቔቔቔቔቔቔቔቔቔቔቔቔኯኯኯቔቔቔቔቔ</mark>ቔጜኯኯኯዄቔቜዿፚ፠ጜፙፙቜኯዄኯዄኯዀጚኯዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀዀ

### PRECOMPILER CONTROL Module Documentation

WAKE: SUBMOV

PURPOSE: FACILITATE A SUB-STRING MOVE

LANGUAGE: VAX-11 PORTRAN

MODULE TYPE: SUBMOV SOURCE FILE TYPE: . FOR

MOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: P841200

DESCRIPTION:

# ARGUNENTS:

GLAUS - CHAR SUBSTR - CHAR BCHAR - I'4 BCHAR - I'4

# 5.10.9 Include File Descriptions

The following list contains a purpose and description of each include file listed in 5.10.4 as specified in the source code. The language it is written in is also given.

# PRECOMPILER CONTROL Include File Description

FILE MANE: ALFABET

PURPOSE: LETTERS CONTAINED IN THE ENGLISH ALPHABET LANGUAGE: VAX-11 COBOL

## DESCRIPTION:

THIS IS THE ENGLISH ALPHABET, THE LETTERS ARE USED FOR ASSIGNING THE MEXT UNIQUE NAME WHEN THE NUMBERS RUN OUT.

ALFABET . INC

# PRECOMPILER CONTROL Include File Description

FILE NAME: APAT

PURPOSE: ACCESS PATH TABLE LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS THE ACCESS PATH FOR ONE SUBTRANSACTION FOR A WDML REQUEST.

# PRECOMPILER CONTROL Include File Description

FILE NAME: APGC

PURPOSE: GENERIC CODASYL COMMAND TABLE

LANGUAGE: VAX-11 GOBOL

DESCRIPTION:

HOLDS THE GENERIC CODASYL DML COMMANDS FOR AN ACCESS PATH OF A NDML REQUEST

## PRECOMPILER CONTROL Include File Description

FILE NAME: APINFO

PURPOSE: ACCESS PATH INFORMATION TABLE LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THIS IS A COLLECTION OF INFORMATION STORED IN A NUMBER OF VARIOUS TABLES USED BY THE ACCESS PATH TABLE AND THE GENERIC CODASYL TABLE. SEE CDMP SPEC, PRE6

APINFO. INC

## PRECOMPILER CONTROL Include File Description

FILE NAME: APL

PURPOSE: JOIN QUERY ATTRIBUTE PAIR LIST

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS INFORMATION ABOUT THE JOIN ATTRIBUTES FOR NDML SUBTRANSACTIONS

COLLEGE CONTRACTOR OF THE SECOND CONTRACTOR OF

# PRECOMPILER CONTROL Include File Description

FILE NAME: APRK

PURPOSE: TABLE OF RECORD KEYS FOR CODASYL ACCESS PATHS

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS INFORMATION FOR THE KEYS OF RECORDS CONTAINED IN THE CURRENT ACCESS

PATH

# PRECOMPILER CONTROL Include File Description

FILE NAME: CEWORK

PURPOSE: CS TO ES WORK LIST INFORMATION LANGUAGE: VAX-11 COBOL

DESCRIPTION: -----

# PRECOMPILER CONTROL Include File Description

FILE MANE OUTABLE

PURPOSE GENERATING TABLE- TRACKS ALL GENERATED SOFTVARE

TWOODE AWA 11 GOODF

### DECCRIPTION

GGGE GENERATOS TABLE NOLDS PERTINENT RESULTS
ABOUT ALL GGGE GENERATED OR NODIFIED BY THE
PREGOMPILES
NOTE NOW 100 RESERVED PUS SWAPPING DURING SORTING.

to the state of the said the said the said and said

# PRECOMPILER CONTROL Include File Description

FILE NAME: CHKCDM

PURPOSE: IISS CDMP CHECK STATUS CODES LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS ALL STATUS CODES FOR THE

CDMP MODULES

# PRECOMPILER CONTROL Include File Description

FILE NAME: CSAL

PURPOSE: CONCEPTUAL SCHEMA ACTION LIST

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

TABLE TO HOLD CONCEPTUAL DATA ABOUT THE REQUEST

***** THE CONCEPTUAL SCHEMA ACTION LIST

# PRECOMPILER CONTROL Include File Description

FILE MAME: CSQUAL

PURPOSE: CONCEPTUAL SCHEMA QUALIFY LIST

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS CONCEPTUAL SCHEMA INFORMATION FOR THE REQUESTS QUALIFICATION

THE CONCEPTUAL SCHEMA QUALIFY LIST

# PRECOMPILER CONTROL Include File Description

FILE NAME: ERRCDM

PURPOSE: IISS ERROR STATUS CODES FOR CDMP MODULES LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS ALL ERROR CODES USED BY CDMP

MODULES FOR ERROR HANDLING

# PRECOMPILER CONTROL Include File Description

FILE NAME: ERRPRO

PURPOSE: PROCESS ERROR INCLUDE FILE LANGUAGE: VAX-11 COBOL

DESCRIPTION:

# PRECOMPILER COMTROL Include File Description

FILE NAME: ESAL

PURPOSE: EXTERNAL SCHEMA ACTION LIST LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS THE EXTERNAL SCHEMA INFORMATION FOR AN NDML REQUEST

THE EXTERNAL SCHEMA ACTION LIST

# PRECOMPILER CONTROL Include File Description

FILE NAME: ESQUAL

PURPOSE: EXTERNAL SCHEMA QUALIFY LIST LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS EXTERNAL SCHEMA INFORMATION FOR THE NDML QUALIFICATION

THE EXTERNAL SCHEMA QUALIFY LIST

## PRECOMPILER CONTROL Include File Description

FILE NAME: FILSTAT

PURPOSE: VARIABLE DEFINITION FOR FILE STATUS

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

FILE USAGE FILE STATUS PARAMETER

**FILSTAT** 

FILE USAGE FILE STATUS PARAMETER
SIZE AND THE 88 VALUE ARE PROBABLY MACHINE
DEPENDENT
(THIS IS FOR VAX-11 COBOL)

# PRECOMPILER CONTROL Include File Description

FILE NAME: ISAL

PURPOSE: INTERNAL SCHEMA ACTION LIST

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS INTERNAL SCHEMA INFORMATION ABOUT AN NDML REQUEST

THE INTERNAL SCHEMA ACTION LIST

# PRECOMPILER CONTROL Include File Description

FILE NAME: ISQUAL

PURPOSE: INTERNAL SCHEMA QUALIFY LIST LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS INTERNAL SCHEMA INFORMATION FOR AM NDML QULIFICATION

THE INTERNAL SCHEMA QUALIFY LIST

# PRECOMPILER CONTROL Include File Description

FILE NAME: JQGTBL

PURPOSE: JOIN QUERY GRAPH TELLS HOW TO CONNECT

SUBTRANSACTIONS

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

# PRECOMPILER CONTROL Include File Description

FILE NAME: ORCLEDA


PURPOSE: WS DEFINITION FOR THE ORACLE LOGIN AREA

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THE ORACLE LOGON DATA AREA

Control of the Contro





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

# PRECOMPILER CONTROL Include File Description

FILE NAME: RFTABLE

PURPOSE: THE RESULT FIELD TABLE

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS CONCEPTUAL SCHEMA INFORMATION ABOUT THE RESULTS OF AN NDML REQUEST

THE RESULT FIELD TABLE

WHEN CHANGING THE STRUCTURE OF THIS TABLE BE SURE TO CHANGE THE LAYOUT IN THE

# PRECOMPILER CONTROL Include File Description

FILE NAME: SETTAB

PURPOSE: LIST OF SETS OWNER-MEMBER RELATIONSHIPS

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

SET TABLE TO KEEP TRACK OF CODASYL NDML REQUESTS IN TERMS OF OWNER AND MEMBER RELATIONSHIPS

## PRECOMPILER CONTROL Include File Description

FILE NAME: SRVRET

PURPOSE: AS THE RETURN GIVEN A TABLE-FULL ERROR

LANGUAGE: VAX-11 COBOL

#### DESCRIPTION:

MODIFIED 11/2/83 TO INCLUDE RET-CODE-5

MODIFIED 1/9/84 TO INCREASE ALL ERROR CODES TO PIC X(5)

AND TO ELIMINATE ALPHA'S

MODIFIED 1/26/84 TO ADD RET-CODE FOR GETUSR-NOT-SUCC

SRV-SUCCESSFUL ADDED FOR GENERIC RETURN

MODIFIED 2/7/84 TO ADD ERROR CODES FOR ENTRY-NOT-FOUND

MODIFIED 2/8/84 TO ADD WHTHST-NOT-SUCCESSFUL

MODIFIED 2/20/84 TO ADD TSTMOD NEW CODES.

MODIFIED 20 AUG 84 INITALIZE ALL LOCAL VARAIBLES TO

SPACES OR 0.

MODIFIED 5/21/85 TO ADD RCL AND FILGEN RETURN CODES

# PRECOMPILER CONTROL Include File Description

FILE NAME: SUBPROC

PURPOSE: SUBTRANSACTION PROCESSES ID TABLE

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THIS TABLE MUST HAVE THE SAME NUMBER OF OCCURS AS THE RITABLE. INC SINCE THEY ARE PARALLEL TABLES.

# PRECOMPILER CONTROL Include File Description

FILE NAME: UVABBR

PURPOSE: USER VIEW ABBREVIATION LIST LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS THE ABBREVIATIONS FOR ALL USER VIEW REFERENCED IN THE NDML REQUEST


## 3.10.10 Hierarchy Chart

The following hierarchy charts show the relationships between all of the modules mentioned in the above documentation. A module may call a subroutine several times within its code, but the call will only be shown once as a single relationship on this hierarchy chart. All modules shown at the top of the first page are considered Main Programs as described in section 3.10.1 above.


There is an internal paging scheme as marked by the numbers in the upper right corner of each page. An index after the last page of the chart shows where a routine and its calls are first defined. If a routine has no page reference, it either makes no calls or is an external routine. A continuation box on the end of a tree limb shows where that the tree continues on the page numbered mentioned. A number in a box with a routine name points to the page where the routine is further defined within the hierarchy tree. If there is no number in a box, the routine either makes no calls or is an external routine.


1

**መደመና የመጀመር የመመጀመር የመጀመር የመስከር የሚያለው የመጀመር የሚያለው የመ**ስከር የመስከር የሚያለው የሚያ



**የመጀመሪያ መመመመመመመመመመው የመፈርር እና እንዲያን እንዲያ** 





ICDPREI


+---
ICDPREI

+---
I


ICONT)I ICDP12I ICDP14I IOCOMI IOLOGOFI I(CONT)I

<del></del>


11




12



13



16



3-103

APNAME6	RUMOD16
CDDGAP14	TRMNAT
CDECHK10	UNPLINE
CDFUNC	WRITERR
CDIGAP15	
CDM012	
CDP10	
CDP12	
CDP133	
CDP14	
CDPRE4	
CDPRE1	
CDPRE2	
CDPRE7	
CDPRE8	
CDPRE9	
CDQPC	
CDQPO	
CDQPT	
CLSERR	
DELFIL	
ERRPRO	
FOPEN	
INITAL	
INITEX	
MAIN4 NSEND	
OBINDN CCLOSE	
OCOM ODFINN	
OEXEC	
OFETCH	
OLOGOF	
OLON	
OOPEN	
OPNERR	
OPNFIL1	
OPNINPT	
OROL	
OSQL3	
PRINTF	
QSEND	
RCMOD13	
RCV	
REDINPT	
RPTERR3	

# 3.11 Program Listings Comments

This information is contained in the Module Descriptions in section 3.10.

#### SECTION 4

#### QUALITY ASSURANCE PROVISIONS

### 4.1 Introduction and Definitions

"Testing" is a systematic process that may be preplanned and explicitly stated. Test techniques and procedures may be defined in advance, and a sequence of test steps may be specified. "Debugging" is the process of isolation and correction of the cause of an error.

"Antibugging" is defined as the philosophy of writing programs in such a way as to make bugs less likely to occur and when they do occur, to make them more noticeable to the programmer and the user. In other words, as much error checking as is practical and possible in each routine should be performed.

# 4.2 Computer Programming Test and Evaluation

The quality assurance provisions for test consists of the normal testing techniques that are accomplished during the construction process. They consist of design and code walk-throughs, unit testing, and integration testing. These tests are performed by the design team. Structured design, design walk-through and the incorporation of "antibugging" facilitate this testing by exposing and addressing problem areas before they become coded "bugs."

XXXXXXXXXXX