

AD-A103 612


HYBRID INORGANIC-ORGANIC POLYMERS DERIVED FROM
ORGANOFUNCTIONAL PHOSPHAZENES(U) VERMONT UNIV
BURLINGTON DEPT OF CHEMISTRY C W ALLEN 24 JUL 87 TR-7
N00014-85-K-0058 F/G 7/6

1/1

UNCLASSIFIED

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

12

DTIC FILE COPY

AD-A183 612

OFFICE OF NAVAL RESEARCH

Contract N00014-85-K-0058

R&T Code 413C012-01

TECHNICAL REPORT NO. 7

Hybird Inorganic-Organic Polymers Derived from
Organofunctional Phosphazenes

by

Christopher W. Allen

Accepted for publication

in

A.C.S. Sym.Ser., "Inorganic and Organometallic Polymers".

University of Vermont
Department of Chemistry
Burlington, VT 05405

July 24, 1987

DTIC
ELECTE
S JUL 31 1987 D
COE

Reproduction in whole or in part is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Available for public release. Distribution unlimited.	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report No. 7		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION University of Vermont	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION	
6c. ADDRESS (City, State, and ZIP Code) Department of Chemistry Cook Physical Science Bldg. Burlington, VT 05405		7b. ADDRESS (City, State, and ZIP Code) Office of Naval Research Arlington, VA 22217	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION ONR	8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State, and ZIP Code) Office of Naval Research 800 N. Quincy Arlington, VA 22217		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO. N00014-85	PROJECT NO. K-0558
		TASK NO. NR 413C012	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) Hybrid Inorganic-Organic Polymers Derived from Organofunctional Phosphazenes			
12. PERSONAL AUTHOR(S) Christopher W. Allen			
13a. TYPE OF REPORT Preprint	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) 1987/7/24	15. PAGE COUNT
16. SUPPLEMENTARY NOTATION Accepted for publication in ACS Symp. Ser.: Inorganic and Organometallic Polymers			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
			Cyclophosphazenes ; Thermal decomposition
			Vinyl polymerization ;
			Monomer reactivity ;
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Carbon chain polymers with pendant inorganic ring systems can be prepared by homo- or copolymerization reactions of cyclophosphazenes with olefinic exocyclic groups. The resulting polymers and copolymers exhibit flame retardancy and have a large number of reactive sites for further synthetic transformations. In alkenylpentafluorocyclotriphosphazenes the reactivity of the olefinic center may be mediated by placement of an electron donating group on the olefin or by the phosphazene. A broad range of homo- and copolymers have been prepared from vinyloxyphosphazenes. These materials undergo facile thermal decomposition. The volatile products of these processes have been identified and some insight has been gained into the kinetics and mechanism of the polymer thermolysis reactions.			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Kenneth J. Wynne		22b. TELEPHONE (Include Area Code) (202) 696-4410	22c. OFFICE SYMBOL NC

HYBRID INORGANIC-ORGANIC POLYMERS DERIVED
FROM ORGANOFUNCTIONAL PHOSPHAZENES

by

Christopher W. Allen
Department of Chemistry, University of Vermont
Burlington, VT 05405




Carbon chain polymers with pendant inorganic ring systems can be prepared by homo- or copolymerization reactions of cyclophosphazenes with olefinic exocyclic groups. The resulting polymers and copolymers exhibit flame retardancy and have a large number of reactive sites for further synthetic transformations. In alkenylpentafluorocyclotriphosphazenes the reactivity of the olefinic center may be mediated by placement of an electron donating group on the olefin or by placing an insulating function between the olefin and the phosphazene. A broad range of homo- and copolymers have been prepared from vinyloxyphosphazenes. These materials undergo facile thermal decomposition. The volatile products of these processes have been identified and some insight has been gained into the kinetics and mechanism of the polymer thermalysis reactions.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	




INTRODUCTION

The primary approach to the development of main group inorganic polymer chemistry has been in the preparation, characterization and utilization of polymers with an inorganic backbone which may, or may not, be protected by organic substituents (1a). Important members of this class of materials which are discussed in this volume and elsewhere include:



$x = 2-4$


poly(siloxanes), poly(phosphazenes) and more recently poly(silanes), poly(carbosilanes) and poly(silazanes). Our approach has been to invert the roles of the organic and inorganic entities thereby producing polymers with carbon chain backbones and inorganic substituents (1b). Vinyl polymers with transition metal substituents have been studied extensively, with most interest being shown in metallocene derivatives.^{1,2} Inorganic main group entities as substituents on carbon chain polymers have received sporadic study with the most interest being shown in acyclic substituents involving organosilanes.³ Vinyl carboranes can also be polymerized and copolymerized to polymeric species having the boron cluster as a substituent.⁴ Our primary focus has been on the use of organofunctional cyclophosphazenes as precursors to the desired polymers.⁵ We have conducted a systematic study of the effect of variation of both the phosphazene and olefinic components within the general structure of an organofunctional phosphazene (2). These studies have allowed for both an understanding of the polymerization behavior of this novel class of monomers and the incorporation of certain of the useful properties, such as flame retardancy, of the phosphazenes into traditional organic polymers.



2

ALKENYL PHOSPHAZENES


We initially demonstrated that our basic approach was feasible by preparing copolymers (3; R=Me) of 2-(propenyl)pentafluorocyclophosphazene (4) and styrene or related monomers.^{6,7} The copolymers, which have good solubility and thermal stability, do not burn or produce smoke when exposed to a flame. Nucleophilic substitution reactions of the types which are well known in phosphazene chemistry⁸ can be carried out on the phosphazene moiety in these copolymers thus allowing for the preparation of a broad spectrum of related materials. However, the strong electron withdrawing nature of the $\text{N}_3\text{P}_3\text{F}_5$ unit⁹ transforms the propenyl group into a highly polar olefin which undergoes competitive anionic addition in the course of its preparation¹⁰ and serves as a termination site in the copolymerization reaction.⁶



The electron deficient nature of the olefin can be mediated in two ways either by placement of an electron donating substituent on the olefin¹¹ or by insulating the olefin from the phosphazene ring by other groups. The introduction of an alkoxy function as the electron donating group on the olefin leads to 2-(1-ethoxy vinyl)pentafluorocyclotriphosphazene, $\text{N}_3\text{P}_3\text{F}_5\text{C}(\text{OEt})=\text{CH}_2$ (5).¹¹ A comparison of the ^{13}C nmr chemical shifts of the olefinic β -carbon in 4 and 5 gives evidence for a significant reduction in the olefin polarity by addition of the electron donating ethoxy function. The change in olefin polarity is also demonstrated by the absence of anionic addition to the olefinic center in 5. Facile copolymerization of 5 with styrene or methylmethacrylate occurs to yield materials (e.g. 3; $\text{R}=\text{OEt}$) with higher degrees of phosphazene incorporation but properties similar to the copolymers derived from 4. The use of an aryl group as an insulating function^{13,14} is exemplified in α -methylstyrylphosphazenes such as the meta and para isomers of $\text{N}_3\text{P}_3\text{F}_5\text{C}_6\text{H}_4\text{C}(\text{CH}_3)=\text{CH}_2$ (6) which also have been induced to undergo copolymerization with styrene and methylmethacrylate.¹⁴ These later compounds have the highest degree of phosphazene incorporation into copolymers which we have yet observed. Reactivity ratio and Q, e calculations show that, in general, (i.e., in 4,5,6) the phosphazene moiety exhibits a very strong electron withdrawing effect without any significant mesomeric interaction. Thus, the model of the electronic structure of the olefinic center in alkenylphosphazenes which arises from quantitative studies of reactivity in copolymerization reactions is very similar to that deduced from spectroscopic studies of arylphosphazenes.⁹

Further examination of these reactivity and Q, e data allow for a clear understanding of the polymerization behavior and how it is modified by the phosphazene. Although most systems are best described by the terminal model, the reactivity patterns exhibited in the copolymerization of α -methylstyryl pentafluorocyclophosphazene (6) with methylmethacrylate can only be quantitatively fit by a penultimate model.¹⁴

In order to obtain homopolymers from the organofunctional phosphazenes, monosubstituted rather than 1,1-disubstituted olefins of the type described above, are required. The styrene derivative, $N_3P_3F_5C_6H_4CH=CH_2$, was prepared from the phenylmethyl ether derivative, $N_3P_3F_5C_6H_4C(OMe)=CH_2$, via hydrostannation and subsequent β -elimination of the trialkyltin methoxide.¹⁴ Polymerization of the styryl phosphazene lead to a high molecular weight polymer with pentafluorocyclotriphosphazene units at the para position of each phenyl group (7; $E=C_6H_4$, $X=F$). The TGA of this material shows a significant retention of involatile material to over 1000° , suggesting the intriguing possibility



7

of using the pyrolysis of polymers of type 1b as a new route to ceramic solids.

VINYLOXYPHOSPHAZENES

In an attempt to generate convenient routes to organofunctional phosphazenes which could undergo homopolymerization reactions, we explored the reactions of lithium enolates, particularly that of acetaldehyde, with halophosphazenes which leads to the series of organofunctional monomers $N_3P_3Cl_{6-n}(OCH=CH_2)_n$ ^{15,16} ($n=1-6$), $N_3P_3F_{6-n}(OCH=CH_2)_n$ ($n=1-5$)¹⁷ and $N_4P_4Cl_{8-n}(OCH=CH_2)_n$ ($n=1,2$).¹⁸ In these systems, an oxygen atom acts as the insulating function between the phosphazene and the olefin. Other, related monomers, can be prepared by nucleophilic substitution reactions with, for example alkoxide ions, of the chlorine atoms in $N_3P_3Cl_5OCH=CH_2$ (8). The appropriate monosubstituted derivative ($n=1$) in many cases has been polymerized by radical initiation to yield the linear high polymer with a cyclophosphazene moiety as part of each repeating unit, e.g. 7; $E=O$, $X=Cl$.¹⁹ However, not all of the vinyloxyphosphazene monomers will undergo radical polymerization; those with amino substituents are unreactive. The ^{13}C nmr data indicate that these species electronically resemble vinyl ethers (which do not undergo radical polymerization) whereas the reactive derivatives resemble vinyl acetate. These data demonstrate an excellent example of electronic effect transmission in cyclophosphazene systems.

The large number of reactive sites per monomer unit in these highly functionalized polymers has allowed for further synthetic

transformations based on the chemistry of the phosphazene unit thereby allowing preparation of the amino substituted polymers by reaction of 7 (E=O, X=Cl) with the appropriate amine. The broad range of vinyloxyphosphazene monomers which are available allow for the formation of copolymers of two different organofunctional phosphazene monomers. Consequently, we can apply polymerization reactivity studies to directly explore differences in chemical behavior based on changes in substituent, ring size, etc. of the inorganic monomer. We have prepared a series of copolymers of 8 and its tetrameric analog, $N_4P_4Cl_7OCH=CH_2$ and shown that 8 has the greater reactivity in this system. In a joint study with Dr. van de Grampel of the University of Groningen, we have explored the copolymerization of 8 with a vinyloxycyclophosphazene.²⁰

As opposed to the alkenylphosphazene polymers, the vinyloxychlorophosphazene polymers are thermally labile undergoing an exothermic decomposition via HCl elimination as low as 100° followed by a more complex endothermic process at higher temperatures. The first step represents a mild thermal cross-linking reaction with low weight loss. The solid state kinetics of this first step have been measured. The activation energy for the first step is greater for the tetramer than for the trimer derivative. Since this is the reverse of the behavior observed for displacement reactions of the $(NPCl_2)_3$ and $(NPCl_2)_4$,⁸ it implies that the barrier is primarily associated with the chain reorganization energy needed to bring the phosphorus-chlorine bond in proximity with a carbon-hydrogen group. After the exothermic cross-linking step, there is a second process which appears to result in the elimination of oxobridged phosphazene dimers, e.g. $(N_3P_3Cl_5)_2O$ and, by implication, to build an oxo cross-link between the polymer chains. Copolymerization with organic monomers suggest a similarity of behavior between the vinyloxyphosphazene and vinylacetate. The thermal lability of the polymers containing the vinyloxyphosphazene is even more pronounced in the copolymers. In order to overcome some of these problems a larger insulating function was sought. The reactions of 2-hydroxyethyl methacrylate with $N_3P_3Cl_6$ leads to $N_3P_3Cl_5OCH_2CH_2OC(O)C(CH_3)_2=CH_2$ which undergoes radical or thermal homo and copolymerization which if not carefully controlled is accompanied by extensive cross-linking.

EXTENSIONS TO OTHER SYSTEMS

Our studies have convinced us that this approach to hybrid organic-inorganic polymers is a valuable one leading to a wide variety of new, interesting, materials. In addition to new phosphazenes, we are now expanding our studies to the preparation of pentamethylvinylcyclotriborazene polymers and we are investigating various silicon containing systems.

ACKNOWLEDGEMENTS

This work was supported in part by the Office of Naval Research; collaborative efforts with Dr. van de Grampel are supported, in part, by a NATO travel grant.

LITERATURE CITED

1. Pittmann, Jr., C.U.; Rausch, M.D., *Pure Appl. Chem.*, *Pure Appl. Chem.*, 1986, 58, 617.
2. Dzhardimalieva, G.I.; Zhorin, V.A.; Ivkva, I.N.; Pomogailo, A.D.; Enikopolyan, N.S., *Dokl. Akad. Nauk SSSR*, 1986, 287, 654.
3. Billingham, N.C.; Jenkins, A.D.; Kronfli, E.B.; Walton, D.R.M. *J. Polym. Sci., Polym. Chem. Ed.*, 1977, 15, 683; Lakshmana Rao, V.; Babu, G.N., *J. Macromol. Sci., Chem.*, 1983, A20, 527; Ledwith, A.; Chiellini, E.; Solaro, R., *Macromolecules*, 1979, 12, 240; Carbonaro, A.; Greco, A.; Vassi, I.W., *Eur. Polym. J.*, 1968, 4, 445; Tumanova, I.A.; Semenov, O.B.; Yanovsky, Yu. G., *Inter. J. Polym. Mater.*, 1980, 8, 225.
4. Wright, J.R.; Kingen, T.J., *J. Inorg. Nucl. Chem.* 1974, 36, 3667; Klingen, T.J., *ibid*, 1980, 42, 1109.
5. Allen, C.W., *J. Polym. Sci., Polym. Symp.*, 1983, 70, 79.
6. Dupont, J.G., Allen, C.W., *Macromolecules.*, 1979, 12, 169.
7. Allen, C.W.; Dupont, J.G., *Ind. Eng. Chem. Prod. Res. Dev.*, 1979, No. 18, 80.
8. Allcock, H.R., *Phosphorus-Nitrogen Compounds*; Academic Press: New York, 1972; Allen, C.W., "Cyclophosphazenes and Related Compounds" in *The Chemistry of Inorganic Rings*, Ed. I. Haiduc and D.B. Sowerby, Academic Press, in press.
9. Allen, C.W.; White, A.J., *Inorg. Chem.*, 1974, 13, 1220; Allen, C.W., *J. Organometal. Chem.*, 1977, 125, 215; Allen, C.W.; Green, J.C., *Inorg. Chem.*, 1980, 19, 1719.
10. Allen, C.W.; Bright, R.P.; Ramachandran, K., *ACS Symp. Ser., Phosphorus Chemistry*, 1981, 171, 321.
11. Allen, C.W.; Bright, R.P., *Inorg. Chem.* 1983, 22, 1291.
12. Allen, C.W.; Bright, R.P., *Macromolecules*, 1986, 19, 571.
13. Shaw, J.C.; Allen, C.W., *Inorg. Chem.*, 1986, 25, 4632.
14. Allen, C.W.; Shaw, J.C., *Phosphorus and Sulfur*, 1987, 30, 97.
15. Allen, C.W.; Ramachandran, K.; Bright, R.P.; Shaw, J.C., *Inorg. Chim. Acta*, 1982 64, L109.
16. Ramachandran, K.; Allen, C.W., *Inorg. Chem.* 1983, 22, 1445.
17. Allen, C.W.; Bright, R.P., *Inorg. Chim. Acta* 1985, 99, 107.
18. Brown, D.E.; Allen, C.W., *Inorg. Chem.*, 1987, 26, 934.
19. Allen, C.W.; Ramachandran, K.; Brown, D.E., *Inorg. Syn.*, in press.
20. van de Grampel, J.C.; Jekel, A.P.; Dhathathreyan, K.; Allen, C.W.; Brown, D.E., Abstract 319, 193rd American Chemical Society Meeting, Denver, April, 1987.

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1

END

9-87

DTIC