

NO-A190 174

SUPPORT FOR FY87 MIDLATITUDE ELECTROM-DENSITY
CALIBRATION CAMPAIGN (U) NORTHWEST RESEARCH ASSOCIATES
INC BELLEVUE WA J N LANSINGER 15 OCT 87
NMRA-CR-87-R018 AFGL-TR-87-0299


171

UNCLASSIFIED

F/G 4/1

NL





MICROCOPY RESOLUTION TEST CHART

1010A U.S. GOVERNMENT PRINTING OFFICE: 1963 O - 344-101

DTIC FILE COPY

4

AFGL-TR-87-0299

Support for FY87 Midlatitude
Electron-Density Calibration Campaign

John M. Lansinger

AD-A190 174

Northwest Research Associates
P.O. Box 3027
Bellevue, Washington 98009

15 October 1987

DTIC
ELECTE
JAN 13 1988
S D


Scientific Report No. 5

Approved for public release; distribution unlimited


AIR FORCE GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AIR FORCE BASE, MASSACHUSETTS 01731

4 R 1 1 1 2 1

This technical report has been reviewed and is approved for publication.




LOIS WLODYKA
Contract Manager



JOHN E. RASMUSSEN, Chief
Ionospheric Interactions Branch

FOR THE COMMANDER



ROBERT A. SKRIVANEK, Director
Ionospheric Physics Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFGL/DAA, Hanscom AFB, MA 01731. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE		4. PERFORMING ORGANIZATION REPORT NUMBER(S) NWRA-CR-87-R018	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) NWRA-CR-87-R018		5. MONITORING ORGANIZATION REPORT NUMBER(S) AFGL-TR-87-0299	
6a. NAME OF PERFORMING ORGANIZATION Northwest Research Associates	6b. OFFICE SYMBOL (if applicable) CR Division	7a. NAME OF MONITORING ORGANIZATION Air Force Geophysics Laboratory	
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 3027 Bellevue, WA 98009		7b. ADDRESS (City, State, and ZIP Code) Hanscom AFB MA 01731	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFGL	8b. OFFICE SYMBOL (if applicable) LIU	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F19628-87-C-0003	
8c. ADDRESS (City, State, and ZIP Code) Hanscom AFB MA 01731		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO. 62101F	PROJECT NO. 4643
		TASK NO. 08	WORK UNIT ACCESSION NO. 05
11. TITLE (Include Security Classification) Support for FY87 Midlatitude Electron-density Calibration Campaign			
12. PERSONAL AUTHOR(S) John M. Lansinger			
13a. TYPE OF REPORT Scientific No. 5	13b. TIME COVERED FROM 87/6/4 TO 87/10/15	14. DATE OF REPORT (Year, Month, Day) 87/10/15	15. PAGE COUNT 10
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
		Ionospheric profiles, electron density, vacuum ultraviolet, remote sensing	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) One of the applications of data from AFGL's Auroral and Ionospheric Remote sensor (AIRS) aboard the Polar BEAR Satellite is an attempt to produce electron-density profiles from remote passive topside sensing. Development of this procedure required real-time acquisition of AIRS data simultaneously and closely co-located with data from the Millstone Hill incoherent-scatter radar. The field procedure to accomplish this objective involved utilization of the DNA "Rover" ground station deployed in the vicinity of Westford, MA to receive AIRS and other support data from P.BEAR while the satellite overflew the radar. The radar provided "ground-truth" information on ionospheric electron-density profiles and measurements of electron and ion temperature, plasma drift, and the thermospheric neutral wind during selected satellite passes between 1 July and 11 August, 1987. This report describes the field operations in support of the stated objective and some observations related to attitude determination for the Polar BEAR Satellite.			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Lois Wlodzka		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL AFGL/LID

TABLE OF CONTENTS

	<u>Page</u>
DD Form 1473	v
I. Introduction	1
II. Field Preparations	1
III. Field Operations	2
IV. Attitude Determination	6
V. Deliverables	6

List of Figures

Figure 1 Details of the field-established interface between Rover and the Ground Support Equipment.	3
---	---

List of Tables

Table 1 Summary of Polar BEAR Passes Received and Processed at AFGL During the Test Phase of the Midlatitude Electron-density Calibration Campaign.	2
Table 2 Summary of Polar BEAR Passes Received and Processed at AFGL During the Midlatitude Electron-density Calibration Campaign.	4



Available For	
DTIC GRA&I	<input checked="" type="checkbox"/>
DTIC BR3	<input type="checkbox"/>
DTIC BR4	<input type="checkbox"/>
DTIC BR5	<input type="checkbox"/>
DTIC BR6	<input type="checkbox"/>
DTIC BR7	<input type="checkbox"/>
DTIC BR8	<input type="checkbox"/>
DTIC BR9	<input type="checkbox"/>
DTIC BR10	<input type="checkbox"/>
DTIC BR11	<input type="checkbox"/>
DTIC BR12	<input type="checkbox"/>
DTIC BR13	<input type="checkbox"/>
DTIC BR14	<input type="checkbox"/>
DTIC BR15	<input type="checkbox"/>
DTIC BR16	<input type="checkbox"/>
DTIC BR17	<input type="checkbox"/>
DTIC BR18	<input type="checkbox"/>
DTIC BR19	<input type="checkbox"/>
DTIC BR20	<input type="checkbox"/>
DTIC BR21	<input type="checkbox"/>
DTIC BR22	<input type="checkbox"/>
DTIC BR23	<input type="checkbox"/>
DTIC BR24	<input type="checkbox"/>
DTIC BR25	<input type="checkbox"/>
DTIC BR26	<input type="checkbox"/>
DTIC BR27	<input type="checkbox"/>
DTIC BR28	<input type="checkbox"/>
DTIC BR29	<input type="checkbox"/>
DTIC BR30	<input type="checkbox"/>
DTIC BR31	<input type="checkbox"/>
DTIC BR32	<input type="checkbox"/>
DTIC BR33	<input type="checkbox"/>
DTIC BR34	<input type="checkbox"/>
DTIC BR35	<input type="checkbox"/>
DTIC BR36	<input type="checkbox"/>
DTIC BR37	<input type="checkbox"/>
DTIC BR38	<input type="checkbox"/>
DTIC BR39	<input type="checkbox"/>
DTIC BR40	<input type="checkbox"/>
DTIC BR41	<input type="checkbox"/>
DTIC BR42	<input type="checkbox"/>
DTIC BR43	<input type="checkbox"/>
DTIC BR44	<input type="checkbox"/>
DTIC BR45	<input type="checkbox"/>
DTIC BR46	<input type="checkbox"/>
DTIC BR47	<input type="checkbox"/>
DTIC BR48	<input type="checkbox"/>
DTIC BR49	<input type="checkbox"/>
DTIC BR50	<input type="checkbox"/>
DTIC BR51	<input type="checkbox"/>
DTIC BR52	<input type="checkbox"/>
DTIC BR53	<input type="checkbox"/>
DTIC BR54	<input type="checkbox"/>
DTIC BR55	<input type="checkbox"/>
DTIC BR56	<input type="checkbox"/>
DTIC BR57	<input type="checkbox"/>
DTIC BR58	<input type="checkbox"/>
DTIC BR59	<input type="checkbox"/>
DTIC BR60	<input type="checkbox"/>
DTIC BR61	<input type="checkbox"/>
DTIC BR62	<input type="checkbox"/>
DTIC BR63	<input type="checkbox"/>
DTIC BR64	<input type="checkbox"/>
DTIC BR65	<input type="checkbox"/>
DTIC BR66	<input type="checkbox"/>
DTIC BR67	<input type="checkbox"/>
DTIC BR68	<input type="checkbox"/>
DTIC BR69	<input type="checkbox"/>
DTIC BR70	<input type="checkbox"/>
DTIC BR71	<input type="checkbox"/>
DTIC BR72	<input type="checkbox"/>
DTIC BR73	<input type="checkbox"/>
DTIC BR74	<input type="checkbox"/>
DTIC BR75	<input type="checkbox"/>
DTIC BR76	<input type="checkbox"/>
DTIC BR77	<input type="checkbox"/>
DTIC BR78	<input type="checkbox"/>
DTIC BR79	<input type="checkbox"/>
DTIC BR80	<input type="checkbox"/>
DTIC BR81	<input type="checkbox"/>
DTIC BR82	<input type="checkbox"/>
DTIC BR83	<input type="checkbox"/>
DTIC BR84	<input type="checkbox"/>
DTIC BR85	<input type="checkbox"/>
DTIC BR86	<input type="checkbox"/>
DTIC BR87	<input type="checkbox"/>
DTIC BR88	<input type="checkbox"/>
DTIC BR89	<input type="checkbox"/>
DTIC BR90	<input type="checkbox"/>
DTIC BR91	<input type="checkbox"/>
DTIC BR92	<input type="checkbox"/>
DTIC BR93	<input type="checkbox"/>
DTIC BR94	<input type="checkbox"/>
DTIC BR95	<input type="checkbox"/>
DTIC BR96	<input type="checkbox"/>
DTIC BR97	<input type="checkbox"/>
DTIC BR98	<input type="checkbox"/>
DTIC BR99	<input type="checkbox"/>
DTIC BR00	<input type="checkbox"/>
DTIC BR01	<input type="checkbox"/>
DTIC BR02	<input type="checkbox"/>
DTIC BR03	<input type="checkbox"/>
DTIC BR04	<input type="checkbox"/>
DTIC BR05	<input type="checkbox"/>
DTIC BR06	<input type="checkbox"/>
DTIC BR07	<input type="checkbox"/>
DTIC BR08	<input type="checkbox"/>
DTIC BR09	<input type="checkbox"/>
DTIC BR10	<input type="checkbox"/>
DTIC BR11	<input type="checkbox"/>
DTIC BR12	<input type="checkbox"/>
DTIC BR13	<input type="checkbox"/>
DTIC BR14	<input type="checkbox"/>
DTIC BR15	<input type="checkbox"/>
DTIC BR16	<input type="checkbox"/>
DTIC BR17	<input type="checkbox"/>
DTIC BR18	<input type="checkbox"/>
DTIC BR19	<input type="checkbox"/>
DTIC BR20	<input type="checkbox"/>
DTIC BR21	<input type="checkbox"/>
DTIC BR22	<input type="checkbox"/>
DTIC BR23	<input type="checkbox"/>
DTIC BR24	<input type="checkbox"/>
DTIC BR25	<input type="checkbox"/>
DTIC BR26	<input type="checkbox"/>
DTIC BR27	<input type="checkbox"/>
DTIC BR28	<input type="checkbox"/>
DTIC BR29	<input type="checkbox"/>
DTIC BR30	<input type="checkbox"/>
DTIC BR31	<input type="checkbox"/>
DTIC BR32	<input type="checkbox"/>
DTIC BR33	<input type="checkbox"/>
DTIC BR34	<input type="checkbox"/>
DTIC BR35	<input type="checkbox"/>
DTIC BR36	<input type="checkbox"/>
DTIC BR37	<input type="checkbox"/>
DTIC BR38	<input type="checkbox"/>
DTIC BR39	<input type="checkbox"/>
DTIC BR40	<input type="checkbox"/>
DTIC BR41	<input type="checkbox"/>
DTIC BR42	<input type="checkbox"/>
DTIC BR43	<input type="checkbox"/>
DTIC BR44	<input type="checkbox"/>
DTIC BR45	<input type="checkbox"/>
DTIC BR46	<input type="checkbox"/>
DTIC BR47	<input type="checkbox"/>
DTIC BR48	<input type="checkbox"/>
DTIC BR49	<input type="checkbox"/>
DTIC BR50	<input type="checkbox"/>
DTIC BR51	<input type="checkbox"/>
DTIC BR52	<input type="checkbox"/>
DTIC BR53	<input type="checkbox"/>
DTIC BR54	<input type="checkbox"/>
DTIC BR55	<input type="checkbox"/>
DTIC BR56	<input type="checkbox"/>
DTIC BR57	<input type="checkbox"/>
DTIC BR58	<input type="checkbox"/>
DTIC BR59	<input type="checkbox"/>
DTIC BR60	<input type="checkbox"/>
DTIC BR61	<input type="checkbox"/>
DTIC BR62	<input type="checkbox"/>
DTIC BR63	<input type="checkbox"/>
DTIC BR64	<input type="checkbox"/>
DTIC BR65	<input type="checkbox"/>
DTIC BR66	<input type="checkbox"/>
DTIC BR67	<input type="checkbox"/>
DTIC BR68	<input type="checkbox"/>
DTIC BR69	<input type="checkbox"/>
DTIC BR70	<input type="checkbox"/>
DTIC BR71	<input type="checkbox"/>
DTIC BR72	<input type="checkbox"/>
DTIC BR73	<input type="checkbox"/>
DTIC BR74	<input type="checkbox"/>
DTIC BR75	<input type="checkbox"/>
DTIC BR76	<input type="checkbox"/>
DTIC BR77	<input type="checkbox"/>
DTIC BR78	<input type="checkbox"/>
DTIC BR79	<input type="checkbox"/>
DTIC BR80	<input type="checkbox"/>
DTIC BR81	<input type="checkbox"/>
DTIC BR82	<input type="checkbox"/>
DTIC BR83	<input type="checkbox"/>
DTIC BR84	<input type="checkbox"/>
DTIC BR85	<input type="checkbox"/>
DTIC BR86	<input type="checkbox"/>
DTIC BR87	<input type="checkbox"/>
DTIC BR88	<input type="checkbox"/>
DTIC BR89	<input type="checkbox"/>
DTIC BR90	<input type="checkbox"/>
DTIC BR91	<input type="checkbox"/>
DTIC BR92	<input type="checkbox"/>
DTIC BR93	<input type="checkbox"/>
DTIC BR94	<input type="checkbox"/>
DTIC BR95	<input type="checkbox"/>
DTIC BR96	<input type="checkbox"/>
DTIC BR97	<input type="checkbox"/>
DTIC BR98	<input type="checkbox"/>
DTIC BR99	<input type="checkbox"/>
DTIC BR00	<input type="checkbox"/>
DTIC BR01	<input type="checkbox"/>
DTIC BR02	<input type="checkbox"/>
DTIC BR03	<input type="checkbox"/>
DTIC BR04	<input type="checkbox"/>
DTIC BR05	<input type="checkbox"/>
DTIC BR06	<input type="checkbox"/>
DTIC BR07	<input type="checkbox"/>
DTIC BR08	<input type="checkbox"/>
DTIC BR09	<input type="checkbox"/>
DTIC BR10	<input type="checkbox"/>
DTIC BR11	<input type="checkbox"/>
DTIC BR12	<input type="checkbox"/>
DTIC BR13	<input type="checkbox"/>
DTIC BR14	<input type="checkbox"/>
DTIC BR15	<input type="checkbox"/>
DTIC BR16	<input type="checkbox"/>
DTIC BR17	<input type="checkbox"/>
DTIC BR18	<input type="checkbox"/>
DTIC BR19	<input type="checkbox"/>
DTIC BR20	<input type="checkbox"/>
DTIC BR21	<input type="checkbox"/>
DTIC BR22	<input type="checkbox"/>
DTIC BR23	<input type="checkbox"/>
DTIC BR24	<input type="checkbox"/>
DTIC BR25	<input type="checkbox"/>
DTIC BR26	<input type="checkbox"/>
DTIC BR27	<input type="checkbox"/>
DTIC BR28	<input type="checkbox"/>
DTIC BR29	<input type="checkbox"/>
DTIC BR30	<input type="checkbox"/>
DTIC BR31	<input type="checkbox"/>
DTIC BR32	<input type="checkbox"/>
DTIC BR33	<input type="checkbox"/>
DTIC BR34	<input type="checkbox"/>
DTIC BR35	<input type="checkbox"/>
DTIC BR36	<input type="checkbox"/>
DTIC BR37	<input type="checkbox"/>
DTIC BR38	<input type="checkbox"/>
DTIC BR39	<input type="checkbox"/>
DTIC BR40	<input type="checkbox"/>
DTIC BR41	<input type="checkbox"/>
DTIC BR42	<input type="checkbox"/>
DTIC BR43	<input type="checkbox"/>
DTIC BR44	<input type="checkbox"/>
DTIC BR45	<input type="checkbox"/>
DTIC BR46	<input type="checkbox"/>
DTIC BR47	<input type="checkbox"/>
DTIC BR48	<input type="checkbox"/>
DTIC BR49	<input type="checkbox"/>
DTIC BR50	<input type="checkbox"/>
DTIC BR51	<input type="checkbox"/>
DTIC BR52	<input type="checkbox"/>
DTIC BR53	<input type="checkbox"/>
DTIC BR54	<input type="checkbox"/>
DTIC BR55	<input type="checkbox"/>
DTIC BR56	<input type="checkbox"/>
DTIC BR57	<input type="checkbox"/>
DTIC BR58	<input type="checkbox"/>
DTIC BR59	<input type="checkbox"/>
DTIC BR60	<input type="checkbox"/>
DTIC BR61	<input type="checkbox"/>
DTIC BR62	<input type="checkbox"/>
DTIC BR63	<input type="checkbox"/>
DTIC BR64	<input type="checkbox"/>
DTIC BR65	<input type="checkbox"/>
DTIC BR66	<input type="checkbox"/>
DTIC BR67	<input type="checkbox"/>
DTIC BR68	<input type="checkbox"/>
DTIC BR69	<input type="checkbox"/>
DTIC BR70	<input type="checkbox"/>
DTIC BR71	<input type="checkbox"/>
DTIC BR72	<input type="checkbox"/>
DTIC BR73	<input type="checkbox"/>
DTIC BR74	<input type="checkbox"/>
DTIC BR75	<input type="checkbox"/>
DTIC BR76	<input type="checkbox"/>
DTIC BR77	<input type="checkbox"/>
DTIC BR78	<input type="checkbox"/>
DTIC BR79	<input type="checkbox"/>
DTIC BR80	<input type="checkbox"/>
DTIC BR81	<input type="checkbox"/>
DTIC BR82	<input type="checkbox"/>
DTIC BR83	<input type="checkbox"/>
DTIC BR84	<input type="checkbox"/>
DTIC BR85	<input type="checkbox"/>
DTIC BR86	<input type="checkbox"/>
DTIC BR87	<input type="checkbox"/>
DTIC BR88	<input type="checkbox"/>
DTIC BR89	<input type="checkbox"/>
DTIC BR90	<input type="checkbox"/>
DTIC BR91	<input type="checkbox"/>
DTIC BR92	<input type="checkbox"/>
DTIC BR93	<input type="checkbox"/>
DTIC BR94	<input type="checkbox"/>
DTIC BR95	<input type="checkbox"/>
DTIC BR96	<input type="checkbox"/>
DTIC BR97	<input type="checkbox"/>
DTIC BR98	<input type="checkbox"/>
DTIC BR99	<input type="checkbox"/>
DTIC BR00	<input type="checkbox"/>
DTIC BR01	<input type="checkbox"/>
DTIC BR02	<input type="checkbox"/>
DTIC BR03	<input type="checkbox"/>
DTIC BR04	<input type="checkbox"/>
DTIC BR05	<input type="checkbox"/>
DTIC BR06	<input type="checkbox"/>
DTIC BR07	<input type="checkbox"/>
DTIC BR08	<input type="checkbox"/>
DTIC BR09	<input type="checkbox"/>
DTIC BR10	<input type="checkbox"/>
DTIC BR11	<input type="checkbox"/>
DTIC BR12	<input type="checkbox"/>
DTIC BR13	<input type="checkbox"/>
DTIC BR14	<input type="checkbox"/>
DTIC BR15	<input type="checkbox"/>
DTIC BR16	<input type="checkbox"/>
DTIC BR17	<input type="checkbox"/>
DTIC BR18	<input type="checkbox"/>
DTIC BR19	<input type="checkbox"/>
DTIC BR20	<input type="checkbox"/>
DTIC BR21	<input type="checkbox"/>
DTIC BR22	<input type="checkbox"/>
DTIC BR23	<input type="checkbox"/>
DTIC BR24	<input type="checkbox"/>
DTIC BR25	<input type="checkbox"/>
DTIC BR26	<input type="checkbox"/>
DTIC BR27	<input type="checkbox"/>
DTIC BR28	<input type="checkbox"/>
DTIC BR29	<input type="checkbox"/>
DTIC BR30	<input type="checkbox"/>
DTIC BR31	<input type="checkbox"/>
DTIC BR32	<input type="checkbox"/>
DTIC BR33	<input type="checkbox"/>
DTIC BR34	<input type="checkbox"/>
DTIC BR35	<input type="checkbox"/>
DTIC BR36	<input type="checkbox"/>
DTIC BR37	<input type="checkbox"/>
DTIC BR38	<input type="checkbox"/>
DTIC BR39	<input type="checkbox"/>
DTIC BR40	<input type="checkbox"/>
DTIC BR41	<input type="checkbox"/>
DTIC BR42	<input type="checkbox"/>
DTIC BR43	<input type="checkbox"/>
DTIC BR44	<input type="checkbox"/>
DTIC BR45	<input type="checkbox"/>
DTIC BR46	<input type="checkbox"/>
DTIC BR47	<input type="checkbox"/>
DTIC BR48	<input type="checkbox"/>
DTIC BR49	<input type="checkbox"/>
DTIC BR50	<input type="checkbox"/>
DTIC BR51	<input type="checkbox"/>
DTIC BR52	<input type="checkbox"/>
DTIC BR53	<input type="checkbox"/>
DTIC BR54	<input type="checkbox"/>
DTIC BR55	<input type="checkbox"/>
DTIC BR56	<input type="checkbox"/>
DTIC BR57	<input type="checkbox"/>
DTIC BR58	<input type="checkbox"/>
DTIC BR59	<input type="checkbox"/>
DTIC BR60	<input type="checkbox"/>
DTIC BR61	<input type="checkbox"/>
DTIC BR62	<input type="checkbox"/>
DTIC BR63	<input type="checkbox"/>
DTIC BR64	<input type="checkbox"/>
DTIC BR65	<input type="checkbox"/>
DTIC BR66	<input type="checkbox"/>
DTIC BR67	<input type="checkbox"/>
DTIC BR68	<input type="checkbox"/>
DTIC BR69	<input type="checkbox"/>
DTIC BR70	<input type="checkbox"/>
DTIC BR71	<input type="checkbox"/>
DTIC BR72	<input type="checkbox"/>
DTIC BR73	<input type="checkbox"/>
DTIC BR74	<input type="checkbox"/>
DTIC BR75	<input type="checkbox"/>
DTIC BR76	<input type="checkbox"/>
DTIC BR77	<input type="checkbox"/>
DTIC BR78	<input type="checkbox"/>
DTIC BR79	<input type="checkbox"/>
DTIC BR80	<input type="checkbox"/>
DTIC BR81	<input type="checkbox"/>
DTIC BR82	<input type="checkbox"/>
DTIC BR83	<input type="checkbox"/>
DTIC BR84	<input type="checkbox"/>
DTIC BR85	<input type="checkbox"/>
DTIC BR86	<input type="checkbox"/>
DTIC BR87	<input type="checkbox"/>
DTIC BR88	<input type="checkbox"/>
DTIC BR89	<input type="checkbox"/>
DTIC BR90	<input type="checkbox"/>
DTIC BR91	<input type="checkbox"/>
DTIC BR92	<input type="checkbox"/>
DTIC BR93	<input type="checkbox"/>
DTIC BR94	<input type="checkbox"/>
DTIC BR95	<input type="checkbox"/>
DTIC BR96	<input type="checkbox"/>
DTIC BR97	<input type="checkbox"/>
DTIC BR98	<input type="checkbox"/>
DTIC BR99	<input type="checkbox"/>
DTIC BR00	<input type="checkbox"/>
DTIC BR01	<input type="checkbox"/>
DTIC BR02	<input type="checkbox"/>
DTIC BR03	<input type="checkbox"/>
DTIC BR04	<input type="checkbox"/>
DTIC BR05	<input type="checkbox"/>
DTIC BR06	<input type="checkbox"/>
DTIC BR07	<input type="checkbox"/>
DTIC BR08	<input type="checkbox"/>
DTIC BR09	<input type="checkbox"/>
DTIC BR10	<input type="checkbox"/>
DTIC BR11	<input type="checkbox"/>
DTIC BR12	<input type="checkbox"/>
DTIC BR13	<input type="checkbox"/>
DTIC BR14	<input type="checkbox"/>
DTIC BR15	<input type="checkbox"/>
DTIC BR16	<input type="checkbox"/>
DTIC BR17	

SUPPORT FOR FY87 MIDLATITUDE ELECTRON DENSITY CALIBRATION CAMPAIGN

I Introduction

One of the applications of data from AFGL's Auroral and Ionospheric Remote sensor (AIRS) aboard the Polar BEacon and Auroral Research (Polar BEAR) Satellite is an attempt to produce electron-density profiles from remote passive topside sensing. During development of techniques for this challenging procedure, AIRS data are needed that are simultaneous and closely co-located with data from an independent, established technique. To provide such data was the objective of TRN 10.

To accomplish this objective, the transportable HiLat/P BEAR beacon and telemetry receiver, Rover, developed and operated by Northwest Research Associates (NWRA) for the Defense Nuclear Agency (DNA), received data from P BEAR (which contains no on-board recording capability) while the satellite over-flew the Millstone Hill incoherent-scatter radar. The radar provided "ground-truth" information on ionospheric electron-density profiles, as well as measurements of electron and ion temperature, plasma drift, and the thermospheric neutral wind, during selected satellite passes between 1 July and 11 August 1987. In addition to recording the down-link science data, Rover provided real-time AIRS information to ground-support equipment during the course of the scheduled field measurements.

II FIELD PREPARATIONS

Rover was operated, for mutual DNA/AFGL interests, at Poker Flat, AK, until 8 June 1987. Thereafter, NWRA prepared it for transport and shipped it to Hanscom AFB on 12 June. NWRA personnel arrived on site 22 June and commenced test operations on 24 June. Upon request from NWRA, the Naval Astronautics Group at Pt. Mugu, CA, reset the P BEAR instrument timer for lower-latitude operation, which became effective 27 June, thereby allowing full horizon-to-horizon coverage at Hanscom Field.

Test operations involved recording the raw data from passes selected from the pass plan. The Rover on-line and printer outputs indicate the number of science data frames recorded as a function of time. Adequate operation is confirmed when all data above approximately 10 degrees elevation angle are recovered successfully.

Table 1 summarizes the data base collected during test operations. The relatively low number of telemetry frame records recorded on Day 177 (26 June) was caused by turn-off of the beacon at 45 degrees latitude, which is normal for high-latitude operation. Subsequent passes had full coverage because of the timer reset.

Table 1 Summary of Polar BEAR Passes Received and Processed at AFGL During the Test Phase of the Midlatitude Electron density Calibration Campaign

Day	GMT Start Time	Maximum Elevation of Pass (degrees)	Telemetry Frame Records Received and Processed
177	05 05	47.1	687
179	17 52	63.5	1,577
180	16:37	37.8	1,404
180	18 22	34.7	1,603
181	17 06	68.9	0
182	17:36	67.2	1,616

The absence of telemetry frame records on day 181 (30 June) was caused by a faulty cable connector during the initial field tests. The faulty connector was corrected, and for the remainder of the operations no further difficulties were encountered related to this problem.

Upon verification of adequate Rover performance, personnel from NWRA and the Applied Physics Laboratory (APL) of Johns Hopkins University established an interface between Rover and APL's AIRS ground-support equipment (GSE). Figure 1 shows the details of the GSE interface required to obtain real-time AIRS observations from the Rover operations. This involved routing the down-link data stream from the integrate-dump-and-decode circuit board and the bit clock reference from the data clock circuit board in Rover to an interface board that provided an NRZ Bi-Phase Mark waveform utilized by the GSE.

Arrangements were made for the Millstone Hill incoherent scatter radar operations to provide ground-truth data sets corresponding to selected daytime passes of P-BEAR during the operation of the campaign. Raw data were made available for computer access by AFGL/NWRA personnel, and hard copies of electron-density contour plots, electron temperature contour plots, drift temperature, and electric field data were scheduled to be provided.

III FIELD OPERATIONS

Table 2 summarizes the P-BEAR passes that were received and recorded at AFGL during the ground truth campaign which extended from 1 July through 11 August. All 60 passes selected from the P-BEAR pass plan for the period were received and recorded. On Day 186 (4 July) P-BEAR was acquired at less than 10 degrees elevation and ascended to a maximum elevation angle of 28 degrees at which point the beacon signal no longer was received. No operational failure could be found with Rover to explain this sudden loss of data which resulted in only 513 science frames of data being received for this isolated satellite pass. From perusal of the recorded data base given in Table 2, it is evident that all other passes received during the operational portion of the campaign resulted in a normal complement of data frames.




Figure 1. Details of the field-established interface between Rover and the Ground Support Equipment.

Table 2 Summary of Polar BEAR Passes Received and Processed at AFGL During the Midlatitude Electron-density Calibration Campaign

Day	GMT Start Time	Maximum Elevation (degrees)	Telemetry Frame Records Received and Processed
183	16:21	35.9	1,437
183	18:06	36.7	1,650
184	16:51	65.3	1,570
185	17:21	70.9	1,620
186	16:06	34.2	1,432
186	17:51	28.1	513
187	16:36	62.0	1,604
188	17:05	74.7	1,577
189	15:51	32.5	1,537
189	17:35	41.2	1,627
190	16:20	50.0	1,573
191	16:50	78.4	1,538
192	15:35	30.9	1,386
192	17:30	43.4	1,548
193	16:04	55.7	1,577
194	16:34	82.1	1,576
195	15:20	29.4	1,380
195	17:04	45.9	1,587
196	15:49	52.8	1,577
196	17:34	25.4	1,604
197	16:19	86.3	1,536
198	15:05	27.9	1,358
198	16:49	48.5	1,643
199	15:34	50.0	1,506
199	17:19	26.8	1,498
200	16:04	87.7	1,533
201	14:49	26.5	1,336
201	16:33	51.2	1,577
202	15:18	47.4	1,519
202	17:02	28.3	1,643
203	15:48	84.4	1,536
204	16:17	54.0	1,636
205	15:03	44.9	1,496

Table 2. (continued)

Day	GMT Start Time	Maximum Elevation (degrees)	Telemetry Frame Records Received and Processed
205	15:03	44.9	1,496
205	16:48	29.8	1,601
206	15:33	80.6	1,640
206	17:20	16.2	1,235
207	14:19	23.8	1,295
207	16:02	57.0	1,639
208	14:47	42.5	1,531
208	16:32	31.4	1,657
209	15:17	76.7	1,597
209	17:02	17.1	1,487
210	14:04	22.5	1,304
210	15:47	60.1	1,640
211	14:33	40.2	1,451
211	16:17	33.0	1,670
212	15:02	72.8	1,608
212	16:47	16.1	1,541
213	13:48	21.3	1,282
213	15:32	63.4	1,637
214	14:17	38.1	1,438
214	16:01	34.7	1,698
215	14:46	69.1	1,578
215	16:31	19.1	1,613
216	13:33	20.1	1,245
216	15:16	66.8	1,635
217	14:02	36.0	1,381
217	15:46	36.6	1,697
218	14:31	65.5	1,580
218	16:16	20.1	1,601
219	13:18	18.9	1,235
219	15:01	70.4	1,628
220	13:46	34.1	1,470
220	15:30	38.5	1,696
221	14:15	61.9	1,639
221	16:01	21.2	1,612
222	14:45	74.3	1,656
223	15:15	40.5	1,502

NWRA terminated the contract with AEGC and processed B-10 for shipment to Bellevue, WA, and the shipper removed B-10 from the site at AEGC.

IV. ATTITUDE DETERMINATION

During the campaign, the AEGC personnel at the site and the NWRA's Bellevue, WA computing facility, raised a series of questions as to whether attitude of the satellite could be suitably determined from the radar data for a subset of the passes monitored during the campaign. Communication with AEGC personnel revealed that, in order to conduct at AEGC, the geometry of P-BEAR was such that severe limitations arose in the capability of attitude determination. This was a result of the satellite roll axis and magnetic field directions being nearly colinear. Additional geometrical limitations were caused by the Z axis of the satellite being nearly aligned with the sun direction, which resulted in shading of the sun sensor(s) by portions of the satellite. No attitude determinations could be made during major portions of several passes monitored during the campaign, because the sun sensors were in the dark due to this shading problem.

Software was used to reconstruct the missing attitude data using Kalman-filter techniques. Software was developed by AEGC for such application to the Naval Navigation Satellite System, and it has been installed on NWRA on an IBM-compatible PC similar to equipment used for analysis processing of AIRS data at AEGC. Therefore, NWRA suggest feasibility of reconstructing the missing attitude data, but software enhancement will be required to do so.

V. DELIVERABLES

Data from all passes collected during the campaign have been processed in Bellevue. Twenty-seven duplicate raw tapes and five tapes containing summary data were shipped from the NWRA facility on 2 October. Arrangements have been made for delivery of the incoherent-scatter radar data from Millstone Hill to Frank DeIGreco.

END

DATE

FILMED

5-88

DTIC