TTO LE OF

V an O

	Λ1	00	210	REPORT DOCUM	IENTATION PAG	6E		
AL	-A	ジフ	οιν	<u></u>	15. RESTRICTIVE	MARKINGS		
					3 DISTRIBUTION/AVAILABILITY OF REPORT			
					Approved for public release; distribution			
26. DECLASSIFICATION, DOWNGRADING SCHEDULE					unlimited.			
4 PERFORMING ORGANIZATION REPORT NUMBER(S)					5. MONITORING ORGANIZATION REPORT NUMBERISI			
					AFOSR.TR. 88-0967			
64 NAME OF PERFORMING ORGANIZATION 66. OFFICE SYMBO (If applicable)					7a. NAME OF MONITORING ORGANIZATION			
	of Wisco				Air Force Office of Scientific Research			
	ss (City, State for the			Sciences	7b. ADDRESS (City, State and ZIP Code) Directorate of Mathematical & Information			
Center for the Mathematical Sciences 610 Walnut Street					Sciences, Bolling AFB, DC 20332-6448			
Madiso	<u>n, WI, V</u>	Ni 537	05					
8a. NAME OF FUNDING/SPONSORING 8b. OFFICE SYMBOL ORGANIZATION (If applicable)					9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
AFOSR					AFOSR-87-0202			
Bc. ADDRESS (City, State and ZIP Code)					10 SOURCE OF FUNDING NOS			
Bolling AFB, DC 20332-6448					PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT
11 TITLE (Include Security Cashification)						2224		
Some Problems in Nonlinear Analysis					61102F	2304	A9	
	AL AUTHOP		. H. Rab	inowitz			-	· · · · · · · · · · · · · · · · · · ·
	OF REPORT		136. TIME		14. DATE OF REPOR	AT (YE Mo Day	1 15. PAGE	COLUMN NO.
Annual	Technic	al	FROM 6/	1/87 TO 5/31/88	3			
6. SUPPLE	MENTARY N	OTATION						
							2	
7	COSATI CODES 18. SUBJECT T				Continue on reverse if ne	cessary and identi	ITY by block numb	
FIELD	IELD GROUP SUB. GR.		8. G.R.	18. SUBJECT TERMS (Continue on reverse of necessary and identify by block number) abstract evolution equations, Hamilton-Jacobi equations,				
				connecting orb	its, periodic & subharmonic solutions of			
Hamiltonian systems, nor.linear parabolic equat 9 ABSTRACT (Continue on reverse if necessary and identify by block number)							<u>olic equati</u>	ons,
abstrac Serabol the con P. for cer Deriodi A maps of Darabol	t evolut ic, Ham trol of H. Rabi tain nor c and su post-doc interes	tion eq ilton-J partia inowitz ilinear ubharmo toral tin t tions s	uations, acobi, a l differ has bee pendulu nic solu fellow, he study	working on seve existence and nd degenerate e ential equation n studying the m type equation tions for famil S. Angenent has of dynamical s rise in modelli	uniqueness fo elliptic equat s. existence of s. He has ob ies of singul developed a ystems. He i	periodic a periodic a tained the ar Hamilto new approa s also wor g of solid	classes of questions and connect e existence onian syste ach to a cl king on no is and on p	related to ing orbits of ms. ass of nlinear roblems in
O DISTRIA	UTION/AVA	LABILITY	OF ABSTRA		21. ABSTRACT SECU		ed on reve	rse side)
				-				
	ED/UNLIMI	TEO 🖾 SA	ME AS BOT	O OTIC USERS	I UNCLASSIFIE	D		

AFOSR-TR- 88-0967

19. (continued)

'Four predoctoral students are treating problems on periodic solutions of finite and infinite dimensional Hamiltonian systems, on variational methods to treat ordinary and partial differential equations, and on the relationship between differential games and viscosity solutions of the Hamilton-Jacobi equation.

(du mister For ioni Genal TILC TAR Dhannounded Justification_ By_ Distribution/ Availability Codes Avail and/or Special Dist A-1



AFOSR-TR- 88-0967

STATEMENT AND STATUS OF WORK

Senior Investigators:

Michael Crandall has made considerable progress on several fronts. First, jointly with Souganidis, he has completed his program of obtaining Kato's quasilinear theory by simpler arguments using methods from the theory of nonlinear semigroups. Secondly, in joint work with P.-L. Lions and T. Souganidis, he has studied certain classes of parabolic and Hamilton-Jacobi equations, and has proved the existence and uniqueness of solutions of initial-boundary value problems with singular (e.g., indentically infinite) initial data and the continuous dependence of these singular solutions as the diffusion coefficient tends to zero. This work shows how certain questions in partial differential equations motivated by the theory of large deviations can be treated in greater generality. Moreover it provides an abstract framework for the treatment as well as concrete estimates. In another paper, written jointly with R. Newcomb and Y. Tomita, Crandall extends some previous work on growth classes for Hamilton-Jacobi equations in \mathbf{R}^n to obtain existence and uniqueness of viscosity solutions for degenerate elliptic problems in \mathbb{R}^n . Finally in a joint work with P.-L. Lions, viscosity solutions of Hamilton-Jacobi equations in infinite dimensions are studied for Hamiltonians with unbounded linear terms. This is the first major work using viscosity methods to treat the Hamilton-Jacobi equations for Hamiltonians which involve semigroup generators. It initiates the extension of viscosity theory to justify the equation of dynamic programming for the value function as it arises in the control of partial differential equations.

In current work, Crandall is attempting to extend the scope of the theory of viscosity solutions in infinite dimensions, which he has developed with P.-L. Lions. The extensions are in such directions as (a) the control of PDE's governed by self adjoint operators, (b) seeking the correct theory for the dynamic programming equation corresponding to boundary controls, and (c) unifying with the second order theory developed by Lions.

Paul Rabinowitz has mainly been working on applications of minimax techniques to problems involving Hamiltonian systems of ordinary differential equations. The first question he considered involves second order systems of "compound pendulum" type of which

$$\ddot{q} + V_{q}(t,q) = f(t)$$

is a special case. Here $q \in \mathbb{R}^n$, f and V are τ periodic in t, and V is periodic in q_i , $1 \le i \le n$. Assuming that

$$[f] \equiv \frac{1}{\tau} \int_0^{\tau} f(s) ds = 0 ,$$

he showed that the system has at least n + 1 distinct families of solutions. (Note that because of the periodicity of V in the components of q, if Q(t) is a solution, it is part of the family of solutions Q(t) + (k_1T_1, \dots, k_nT_n) where $(k_1, \dots, h_n) \in \mathbb{Z}^n$.)

In work now in progress, Rabinowitz has now been studying the time

when the above result applies for any given period $\tau > 0$ but the n + 1 solutions may merely be equilibrium solutions corresponding to critical points of V. He gives conditions on V under which there are nonequilibrium solutions and estimates for their number. Moreover if M denotes the set of $q \in \mathbb{R}^n$ at which the global maximum of V is attained, he proves that if M consists only of isolated points there exist connecting (heteroclinic) orbits joining each point in M to other points in M.

In another direction, Rabinowitz has been studying (HS) for singular potential energies, e.g. $V(q) \sim -|q|^{-\beta}$ where $\beta > 0$. In joint work with A. Bahri, he shows that under appropriate conditions on V, for any T > 0, (HS) has infinitely many distinct T periodic classical solutions. This result requires that V blows up sufficiently strongly at 0, e.g. $\beta > 2$ in the above example. For potentials with less violent singularities, the existence of generalized T periodic solutions was established. Further conditions on V which enable one to determine whether these solutions are collision or non-collision orbits remains an open question. In subsequent work, Rabinowitz used different minimax arguments to obtain somewhat analogous results for forced singular systems and also found subharmonic solutions. He is now thinking about the existence of periodic solutions of Hamiltonian systems with noncompact sets of singularities such as arise in the n-body problem.

Postdoctoral Investigator:

S. Angenent is working on problems in dynamical systems and partial differential equations. Monotone twist maps are an interesting class of maps that occur in the study of dynamical systems and have attracted much interest recently. Angenent has completed a paper on monotone recurrence relations, a generalization of twist maps. He has developed new methods to treat these objects using ideas from the theory of elliptic partial differential equations such as the maximum principle. His work gives new information about maps with 0 entropy, in particular ordering properties.

Angenent is also looking at problems concerning the evolution of curves on two dimensional surfaces, e.g. curves whose motion is determined by a relation of the form

$$v_{\parallel} = V(P, \underline{t}, k_{\alpha})$$

Here v_{\perp} is the normal velocity of the curve at the point P, <u>t</u> is its unit vector at that point, and k_{g} is its geodesic curvature. The function V is assumed to be known. The goal is to find the weakest conditions on V which guarantee that the initial value problem is well posed. Angenent has obtained some results for special cases in earlier published work.

The above is a simpler version of more complicated problems that Angenent is studying jointly with M. Gurtin. They are considering mathematical models for the melting of a solid or more general phase transitions in which the heat conductivity is assumed to be infinite and the most important physical phenomena occur at the (free) boundary of the solid, $\partial\Omega$. Here Ω is the

$$\beta(\theta)v_{\perp} = (f(\theta) + f''(\theta))k - F$$

Lastly, jointly with D. Aronson, Angenent is working on a degenerate parabolic initial value problem:

$$u_{t} = (u^{m})_{xx} tu(1-u)(u-a)$$
 -L < x < L, t > 0
 $u(+L,t) \equiv 0, u(0,0)$ given .

Here m > 1 is a constant. This equation which was originally proposed by Gurtin and McCamy models the evolution of a population which disperses to avoid crowding. The questions that are being studied are the existence and behavior of connecting orbits between steady states of this problem and how, in particular, their behavior differs from the corresponding orbits for the well understood non-degenerate case m = 1.

Predoctoral Investigators:

P. Felmer is beginning to work on a dissertation. He is studying generalized versions of the Birkhoff-Lewis Theorem on subharmonic solutions of Hamiltonian systems and also has some generalizations of work of Conley and Zehnder.

Y. Long completed his thesis which was on periodic solutions of finite and infinite dimensional Hamiltonian systems, the latter involving nonlinear wave and Schroedinger equations. He has developed new technical machinery to treat Hamiltonians which grow more rapidly than quadratically at infinity and significantly generalized known results. He won an award from our graduate school for an outstanding thesis.

R. Newcomb is working on the connection between the general existence and uniqueness theory for viscosity solutions of Hamilton-Jacobi equations and the theory of differential games. He has made considerable progress in unifying and clarifying these areas and will obtain his Ph.D. in August 1988.

E. Silva is developing various variational minimax tools to treat nonlinear elliptic PDE's and ODE's. He has obtained several generalizations of the so-called Saddle-Point Theorem and applications to differential equations.

PUBLICATIONS

M. G. Crandall

On nonlinear evolution equations, (with P. Souganidis), to appear in Nonlin. Anal. Th. Meth. Appl. (ms. 26 pages).

Maximal solutions and universal bounds for some quasilinear evolution equations of narabolic type (with P. L. Lions and P. Souganidis), to.... Existence and uniquenss of viscosity solutions of degenerate quasilinear elliptic equations in \mathbf{R}^n (with R. Newcomb and Y. Tomita), submitted, (ms. 19 pages).

Viscosity solutions of Hamilton-Jacobi equations in infinite dimensions. Part IV. Hamiltonians with unbounded linear terms, (with P. L. Lions), submitted, (ms. 50 pages)

Paul H. Rabinowitz

On a class of functionals Invariant under a Z^n action, to appear, Trans. A.M.S.

A minimax method for a class of Hamiltonian systems with singular potentials (with A. Bahri), to appear J. Functinal Analysis.

Periodic solutions for some forced singular Hamiltonian systems (to appear in volume in honor of Jürgen Moser's 60th birthday).

Periodic and heteorclinic orbits for a class of periodic Hamiltonian systems (in progress).

S. Angenent

Monotone recurrence relations, their Birkhoff orbits and topological entropy, to appear in Ergodic Theory and Dynamical Systems.

Parabolic equations for isometrically immersed curves on surfaces (in progress).

The motion of the boundary of a melting solid (with M. Gurtin), (in progress)

A model from population dynamics (with D. G. Arcnson), (in progress).

Y. Long

Multiple solutions of perturbed superquadratic second order Hamiltonian systems (to appear Trans. AMS).

PARTICIPATING PERSONNEL

Principle Investigators (unsalaried)

M. G. Crandall

P. H. Rabinowitz

Dostdostors1 fallow

Predoctoral fellows

1

- P. Felmer 5/87 7/87
- Y. Long 5/87 7/87 Ph.D. 12/87 "Periodic solutions of perturbed superquadratic Hamiltonian systems"
- R. Newcomb 8/86 7/88 Ph.D. 8/88 "Existence and correspondence of value functions and viscosity solutins of Hamilton-Jacobi equations"
- E. Silva 1/88 7/88

INTERACTIONS: INVITED LECTURES

M. G. Crandall

- Ecole Normale Superieure Paris June 1987 Maximal solutions and universal bounds for some nonlinear evolution problems.
- Autonoma University of Madrid June 1987 Continuous dependence and generalized solutions for some degeneral nonlinear diffusion problems.
- Brown University Aug. 1987 International Workshop on PDE's in Stochastic Control and Differential Games - Viscosity solutions of Hamilton-Jacobi equation in infinite dimensions.
- University of Besancon Sept.-Oct. 1987 Viscosity solutions of Hamilton-Jacobi equations in infinite dimensions (2 lectures), Maximal solutions and universal bounds for some nonlinear evolution problems.
- University of Paris VI Oct. 1987 Continuous dependence and generalized solutions for some degenerate nonlinear diffusion problems.
- Scuola Normale Superiore di Pisa Nov. 1987 Viscosity solutions of Hamilton-Jacobi equations in infinite dimensions.
- College de France Nov. 1987 Viscosity solutions of Hamilton-Jacobi equations in infinite dimensions.

University of Paris IX - Dec. 1987 A new framework for some nonlinear evolution problems. University of Nancy - Dec. 1987 Viscosity solutions of Hamilton-Jacobi equations in infinite dimensions. Brown University - March 1988 (conference in honor of W. H. Fleming) Theory of viscosity solutions. Institute for Advanced Study -2 seminars (Princeton) - March 1988 Viscosity solutions of Hamilton-Jacobi equations in infinite dimensions. University of Maryland - April 1988 (conference in honor of A. Douglis) Generalized solutions of Hamilton-Jacobi equations. P. H. Rabinowitz University of Miami - Feb. 1988 Periodic solutions to a class of nonlinear pendulum equations. Sochety for Natural Philosophy (Baltimore) - March 1988 Periodic solutions of Hamiltonian systems. Courant Institute - March 1988 Periodic solutions for a class of singular Hamiltonian systems. Institute for Advanced Studies (Princeton) - April 1988 Periodic solutions of Hamiltonian systems & Periodic solutions for a class of singular Hamiltonian systems. Rutgers University - April 1988 Periodic solutions to a class of nonlinear pendulum equations. Colloquium Lions (Paris) - June 1988 Periodic solutions of Singular Hamiltonian systems. International Symposium on Variational Problems (Paris) - June 1988 Periodic solutions of Singular Hamiltonian systems. S. Angenent University of Leiden, the Netherlands - Sept. 1987 On the zeroset of a solution of a linear parabolic equation. Dynamical Systems Seminar, Cal. Tech. - Jan. 1988

AMS Meeting, Maryland - April 1988 Parabolic equations that define local semiflows on the space of curves on a surface.
Univ. of Minnesota - May 1988 Analysis Seminar - Parabolic equations for curves on surfaces. Dynamical Systems Seminar - Twistmaps and topological entropy.

ſ

Univ. of California, San Diego - June 1988 Hamilton's Seminar - Parabolic equations for curves on surfaces.