

2

Unclassified

AD-A207 128

REPORT DOCUMENTATION PAGE

Unclassified		DTIC		1b. RESTRICTIVE MARKINGS		FILE COPY	
2a. SECURITY CLASSIFICATION AUTHORITY		SELECTED		3. DISTRIBUTION/AVAILABILITY OF REPORT			
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE		APR 18 1989		Approved for public release: Distribution unlimited			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		NA		5. MONITORING ORGANIZATION REPORT NUMBER(S)			
6a. NAME OF PERFORMING ORGANIZATION		6b. OFFICE SYMBOL (if applicable)		7a. NAME OF MONITORING ORGANIZATION			
Materials Research Society		NC		AFOSR/NC			
6c. ADDRESS (City, State, and ZIP Code)		9800 McKnight Road, Suite 327 Pittsburgh, PA 15237		7b. ADDRESS (City, State, and ZIP Code)			
Bldg. 410 Bolling AFB, D.C. 20332-6448		8a. NAME OF FUNDING/SPONSORING ORGANIZATION		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
AFOSR		8b. OFFICE SYMBOL (if applicable)		AFOSR - 88 - 0145			
8c. ADDRESS (City, State, and ZIP Code)		Bldg. 410 Bolling AFB, D.C. 20332-6448		10. SOURCE OF FUNDING NUMBERS			
				PROGRAM ELEMENT NO.		PROJECT NO.	TASK NO.
				61102F		2303	A3
11. TITLE (Include Security Classification)							
Symposium: Better Ceramics Through Chemistry III, Vol. 121							
12. PERSONAL AUTHOR(S)							
C. Jeffrey Brinker, David E. Clark, Donald R. Ulrich							
13a. TYPE OF REPORT		13b. TIME COVERED		14. DATE OF REPORT (Year, Month, Day)		15. PAGE COUNT	
Final		FROM 4-1-88 TO 3-31-89		8-26-88		869	
16. SUPPLEMENTARY NOTATION							
materials research society							
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)				
FIELD	GROUP	SUB-GROUP	Sol-gel, ceramic precursors, films, superconductors, ²⁹ Si NMR, polymerization, hydrolysis, insitu characterization, chemical synthesis				
19. ABSTRACT (Continue on reverse if necessary and identify by block number)							
<p>This third MRS symposium on Better Ceramics Through Chemistry was held April 5-9, 1988 in Reno, Nevada. It was intended to unite chemists and physicists with ceramists and material scientists in order to synthesize new and better ceramic materials by solution routes involving molecular precursors. This year's symposium was distinguished from the previous two by several factors: (1) the participation of a greater number of chemists and chemical engineers; (2) more extensive use of in situ methods of characterization; (3) emphasis on sol-gel derived films; and (4) the inclusion of a session on "Better Superconductors Through Chemistry."</p> <p>Highlights included the session on sol-gel chemistry of silicates where lively discussions focused on evidence for thermodynamic versus kinetic control in silicate polymerization pathways. Silicate speciation and hydrolysis and condensation kinetics were elucidated in several studies using ²⁹Si NMR, the most sophisticated approach employing 2D INADEQUATE ²⁹Si NMR. In addition to NMR, other in situ methods discussed in</p>							
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT				21. ABSTRACT SECURITY CLASSIFICATION			
<input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS				Unclassified			
22a. NAME OF RESPONSIBLE INDIVIDUAL				22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL	
Dr. Donald R. Ulrich				(202) 767-4963		NC	

the characterization and poster sessions included small angle scattering, photo-physical probes, surface acoustic wave (SAW) techniques, cryogenic transmission electron microscopy (TEM), ¹H spin relaxation, and positronium decay.

In the session on films, ellipsometric imaging was employed to study film formation in situ. An approach to thick (>1μm) films based on organic modification was presented, and an approach to novel zeolite/gel composites for sensor surfaces was described.

Over 300 conferees were in attendance for several of the seminars including sol-gel chemistry and superconductors.



Accession For	
NTIS (SP&I)	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

COMPLETED PROJECT SUMMARY

1. TITLE: Symposium on "Better Ceramics Through Chemistry III"
2. PRINCIPAL INVESTIGATORS: Dr. David E. Clark
Department of Materials Science and Engineering
University of Florida
Gainesville, FL 32611

Dr. C. Jeffrey Brinker
Division 1846
Sandia National Laboratory
Albuquerque, New Mexico 87185

Dr. John B. Ballance
Materials Research Society
9800 McKnight Road, Suite 327
Pittsburgh, PA 15237
3. INCLUSIVE DATES: 4/1/88 - 3/31/89
4. GRANT NUMBER: AFOSR 88-0145
5. COST AND FLY SOURCE: 20,395 FY 88
6. SENIOR RESEARCH PERSONNEL: NONE
7. JUNIOR RESEARCH PERSONNEL: NONE
8. PUBLICATIONS: Symposium Proceedings entitled "Better Ceramics Through Chemistry III" edited by C. Jeffrey Brinker, David E. Clark and Donald R. Ulrich, Vol. 121, Materials Research Society, Pittsburgh, Pennsylvania, 1988.
9. ABSTRACT OF OBJECTIVES AND ACCOMPLISHMENTS:

This third MRS symposium on Better Ceramics Through Chemistry was held April 5-9, 1988 in Reno, Nevada. It was intended to unite chemists and physicists with ceramists and material scientists in order to synthesize new and better ceramic materials by solution routes involving molecular precursors. This year's symposium was distinguished from the previous two by several factors: (1) the participation of a greater number of chemists and chemical engineers; (2) more extensive use of in situ methods of characterization; (3) emphasis on sol-gel derived films, and (4) the inclusion of a session on "Better Superconductors Through Chemistry."

Highlights included the session on sol-gel chemistry of silicates where lively discussions focused on evidence for thermodynamic versus kinetic control in silicate polymerization pathways. Silicate speciation and hydrolysis and condensation kinetics were elucidated in several studies using ^{29}Si NMR, the most sophisticated approach employing 2D INADEQUATE ^{29}Si NMR. In addition to NMR, other in situ methods discussed in the characterization and poster sessions included small angle scattering, photo-physical probes, surface acoustic wave (SAW) techniques, cryogenic transmission electron microscopy (TEM) ^1H spin relaxation, and positronium decay.

In the session on films, ellipsometric imaging was employed to study film formation

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

in situ. An approach to thick ($>1\mu\text{m}$) films based on organic modification was presented, and an approach to novel zeolite/gel composites for sensor surfaces was described.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

Final Technical Report

Dr. C. Jeffrey Brinker
Dr. David E. Clark
Dr. J. B. Ballance

could

The original intention was to establish a forum for uniting ceramists and chemists in order to synthesize ceramics with new or improved properties by chemical procedures that allow control of the structure on a molecular level. The success of the symposium does not rely only on the collaboration of ceramists and chemists, however. Better Ceramics Through Chemistry is truly an interdisciplinary topic that has benefited greatly by contributions from physicists, polymer scientists, geologists, chemical engineers, microscopists, etc. Certainly a multidisciplinary approach is essential to making yet further progress in this exciting field.

> Principal topics included sol-gel routes for preparing oxides, powder processing, and non-oxides. However, this symposium was distinguished from the prior ones by emphasizing thin film formation, high T_c ^{sub} superconductors, and in-situ methods of characterization. Highlights of the symposium included the session on Sol-Gel Chemistry of Silicates where lively discussions focussed on evidence for thermodynamic versus kinetic control in silicate polymerization pathways. Silicate speciation and hydrolysis and condensation kinetics were elucidated in several studies using ^{29}Si NMR, the most elegant approach employing 2D INADEQUATE ^{29}Si NMR. In addition to NMR other in-situ methods discussed in the Characterization and Poster sessions included small angle scattering, photo-physical probes, surface acoustic wave (SAW) techniques, cryogenic TEM, ^1H spin relaxation, and positronium decay. In the session on Films, ellipsometric imaging was employed to study film formation in-situ. An approach to thick (1 micrometer) films based on organic modification was presented, and novel zeolite/gel composites for sensor surfaces were described. About 130 papers were presented either orally or as posters.

*Keywords: thin films; thick films; ceramics;
Nuclear magnetic resonance; zeolite gel composites;
(KT) ←*