

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

UNCLASSIFIED

1a. REPORT SECURITY CLASSIFICATION

1b. RESTRICTIVE MARKINGS

2a. SECURITY CLASSIFICATION

DISTRIBUTION/AVAILABILITY OF REPORT

2b. DECLASSIFICATION/DOWNGRADING

Approved for public release, distribution unlimited

AD-A207 908

UNRESTRICTED

4. PERFORMING ORGANIZATION

MONITORING ORGANIZATION REPORT NUMBER(S)

447242

AFOSR-ER-89-0647

6a. NAME OF PERFORMING ORGANIZATION

6b. OFFICE SYMBOL (if applicable)

7a. NAME OF MONITORING ORGANIZATION

DTIC ELECTED MAY 16 1989

Department of Physics/EE
The City College of New York

AFOSR/NE

6c. ADDRESS (City, State, and ZIP Code)

7b. ADDRESS (City, State, and ZIP Code)

138th Street & Convent Avenue
New York, NY 10031

Building 410
Bolling AFB DC 2033-6448

8a. NAME OF FUNDING/SPONSORING ORGANIZATION

8b. OFFICE SYMBOL (if applicable)

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

AFOSR

NE

AFOSR-88-0039

8c. ADDRESS (City, State, and ZIP Code)

10. SOURCE OF FUNDING NUMBERS

Lee Giles/K. Malloy
Building 410
Bolling AFB DC 2033-6448

PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
61102E	2305	64	

11. TITLE (Include Security Classification)

Subpicosecond Optical Digital Computation Using Phase Conjugate Parametric Generators.....

12. PERSONAL AUTHOR(S)

Alfano, Robert; Eichmann, George; Dorsinville, Roger; Li, Yao

13a. TYPE OF REPORT

13b. TIME COVERED

14. DATE OF REPORT (Year, Month, Day)

15. PAGE COUNT

Scientific Final

FROM 12/87 TO 11/88

1989, March 31

7

16. SUPPLEMENTARY NOTATION

Final Report

17. COSATI CODES

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

FIELD	GROUP	SUB-GROUP

Ultrafast Technology; Optical Computation; Phase Conjugation
Nonlinear Optics. 410/c

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

Fundamental optical nonlinear processes based on X_3 of different materials: organic polymers and liquids, and semiconductors were investigated for size and speed. Ultrafast optical logic devices, switches, and processes based on these nonlinear optical materials were designed, built, and tested. Ten papers were published during 1988 and thirty-one papers were published during the period of the grant (1985-1987).

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

21. ABSTRACT SECURITY CLASSIFICATION

UNCLASSIFIED

UNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USERS

22a. NAME OF RESPONSIBLE INDIVIDUAL

22b. TELEPHONE (Include Area Code)

22c. OFFICE SYMBOL

Dr. Lee Giles

(202)767-4931

NE

INSTITUTE FOR ULTRAFAST SPECTROSCOPY AND LASERS
ELECTRICAL ENGINEERING AND PHYSICS DEPARTMENTS

FINAL REPORT

AFOSR 88-0039

Subpicosecond Optical Digital Computation Using Conjugate
Parametric Generators

Senior Researchers: Professors R. R. Alfano, G. Eichman, Yao Li, and
R. Dorsinville.

March 89

By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

The research program on optical digital computation had two components: (I) a device and application part and (II) a basic fundamental research part. Substantial progress has been achieved in both areas.

I. During 1988, we had the following significant accomplishments in our device and application part of the research:

Optical Computing Device and Application Research

[1] We have extensively studied the device application of an ultrafast optical phase conjugation processor to digital and symbolic logic and arithmetic computation. Despite of using relatively large power, the OPC-based devices offers $10^6 - 10^9$ times faster processing speed when proper large χ^3 nonlinear materials, such as organic polymers,



semiconductor-doped glasses are used. This huge gain of computation speed has been observed in our experiments.

[2] We have successfully implemented the following 33 picosecond OPC-based optical computing key elements: a 2 x 2 programmable two-input Boolean logic gate which can be reconfigured to perform all 16 possible logic operations; a 4 x 4 symbolic pattern recognition unit that can identify 14 different coded symbols needed for optical symbolic substitution operation; a 4 x 4 cross-bar switch array that performs parallel non-blocking interconnect, permutation and has the capability for reconfiguration; a modulo-4 based residue processor that performs optical parallel residue number addition, subtraction and multiplication operations.

[3] We have also studied the possibility of using ultrafast second-order optical nonlinearity for optical computing. In this category, we focused our attention to the use of the noncollinear second harmonic generation for parallel pico- and femtosecond nonabsorptive optical array processing. We have demonstrated both a time-integration-based and a space-integration-based array architectures for array processing. A 17 picosecond 4 x 4 switching array has been experimentally implemented which has been used to perform optical matrix-vector multiplication, dynamic cross-bar interconnect, and optical DMAC-based binary sequence convolution and correlation operations.

[4] We have also developed a new and efficient optical binary encoding scheme which can be referred to as the Venn diagram encoding. With this new scheme, the conventional binary shadow-casting logic can be extended to include multiple input variables. Recently, by combining this new encoding method with a polarization-based optical phase conjugation processor, we have demonstrated a 33 picosecond optical full-adder.

II. Significant accomplishments in the fundamental research program are:

Fundamental research

[1] Ultrafast relaxation kinetics of third-order nonlinear susceptibility χ^3 polysilane polymers was measured using both the picosecond Kerr gate and forward degenerate four-

wave mixing. The third order nonlinear response was on the order of $2.0 \pm 0.6 \times 10^{-12}$ and faster than 3 ps.

[2] The relaxation time of the transient degenerate four wave mixing grating in 4-butoxycarbonylmethylurethane polydiacetylene in polymethylmethacrylate matrix films has been found to be laser energy fluence dependent. This phenomenon is attributed to a transient reversible light-induced structure change in polydiacetylene films, involving a cooperative effect originating from side-chain intramolecular hydrogen bonding.

[3] We have measured the magnitude and response time of the third order nonlinear coefficient at resonance in a dilute solution of polyacetylene. The relatively large and fast response comparable to results in solid samples, indicates that interchain interactions do not play a significant role in the nonlinear response.

[4] The temperature dependence of transient photoconductivity in stretched trans-polyacetylene films was measured. For the first time, the activation energy for polaron hopping processes was measured (0.048 eV).

[5] Self phase-modulation in D₂O was used to generate 3 ps pulses by spectral selection of the continuum generated by a 25 ps second harmonic Nd:YAG laser pulse.

[6] The dephasing time of the 1086 cm mode in calcite has been measured as a function of temperature using innovative single shot streak camera technique that measures the phonon dephasing rate in real time. Phonon-phonon interaction models have been proposed and tested to explain the temperature dependence of the experimentally measured dephasing time.

[7] We have measured the magnitude and response time of the third order nonlinear coefficient in a series of polythiophene polymers using picosecond pulses from a mode-locked Nd:YAG laser and four wave mixing techniques. The relative contributions of different nonlinear mechanisms above and below gap were determined by varying the wavelength of the laser pulses and the composition of the polymeric materials. Above gap the nonlinear response was found to be fast (< 12 ps) with one of the largest values of χ^3

in a polymer ($> 10^{-9}$ e.s.u.). Below gap, no direct enhancement of the nonlinear response by the induced polaron absorption band was observed.

Publications

(1988)

- [1] "Demonstration of a picosecond optical phase-conjugation-based optical residue arithmetic processor," Y. Li, G. Eichmann, R. Dorsinville, and R. R. Alfano, *Opt. Lett.* **13**, (1988).
- [2] "Parallel ultrafast optical digital and symbolic computation via optical phase conjugation," Y. Li, G. Eichmann, R. Dorsinville, *Appl. Opt.* **27**, 2025 (1988).
- [3] "Ultrafast time response of optical nonlinearity in polysilane polymers," Lina Yang, Q. Z. Wang, P. P. Ho, R. Dorsinville, R. R. Alfano, W. K. Zou, N.L. Yang, *Appl. Phys. Lett.*, **53**, 1245 (1988).
- [4] "Intensity dependence of picosecond nonlinear response time of polydiacetylene," Lina Yang, R. Dorsinville, P. P. Ho, W. K. Zou, N. L. Yang, R. R. Alfano, *Appl. Phys. Lett.*, **53**, 2008 (1988).
- [5] " Temperature dependence of transient photoconductivity in stretched trans-polyacetylene films," A. Walser, A. Seas, R. Dorsinville, R. R. Alfano, *Solid State Communications*, **67**, 333 (1988).
- [6] "Generation of 3 ps pulses by spectral selection of the continuum generated by 25 ps second harmonic Nd:YAG laser pulse in a liquid," Roger Dorsinville, P. J. Delfyett, R.R. Alfano, *Applied Optics*, **27**, 16 (1988).
- [7] "Multiphonon dephasing of the 1086 cm mode in calcite," P. J. Delfyett, R. Dorsinville, R. R. Alfano, *Phys. Rev. B*, **39**, 3845 (1988).
- [8] "Demonstration of a 4 x 4 noncollinear optical second harmonic generation based optical switching array," Y. Li, L. Wang, P. Neos, G. Zhang, X. Liang, and R. R. Alfano, *Opt. Lett.* **14** (1989) in print.

[9] "Optical binary full-adder implementation using Venn diagram and optical phase-conjugation," Y. Li, M. Turner, P. Neos, R. Dorsinville, and R. R. Alfano, submitted to Opt. Lett. for publication.

[10] "Picosecond Optical Nonlinear Response in Polycondensed Thiophene Based Polymer Films," Lina Yang, R. Dorsinville and R. R. Alfano, C. Taliani, submitted to JOSA B.

(1987)

[11] "Parallel Optical Logic Generation Using Optical Phase Conjugation," G. Eichmann, Y. Li, and R. R. Alfano, Appl. Opt. 26, (1987) p.194-196.

[12] "Hough Transform Based Circle Detection Using A Multimode Optical Fiber Array," Y. Li and G. Eichmann, Opt. Comm. 61, (1987) p.248-251

[13] "Ultrafast Second Harmonic Generation Based Parallel Signal Processing for Optical Computation," Y. Li, G. Eichmann, X. Luo, P. P. Ho, and R. R. Alfano, Opt. Comm. 64, (1987) p.322-326.

[14] "Digital Optical Isochronous Array Processing," G. Eichmann, Y. Li, and R. R. Alfano, Appl. Opt. 26, p.2726-2732.

[15] "Fast Parallel Optical Digital Multiplication," Y. Li, G. Eichmann, and R. R. Alfano, Opt. Comm. 64, (1987) p.99-104.

[16] "An AND Operation-based Optical Symbolic Recognizer," Y. Li, G. Eichmann, R. Dorsinville, and R. R. Alfano, Opt. Comm. 63, (1987) p.375-379.

[17] "Real time phonon lifetime measurements using streak camera- Raman phase conjugation method," P. J. Delfyett, R. Dorsinville, and R.R. Alfano. Optics Letters, 12, 1002 (1987)

[18] "Generation of 3 ps pulses by spectral selection of the supercontinuum generated by a 25 ps second harmonic Nd YAG laser," R. Dorsinville, P. Delfyett, R. R. Alfano. Applied Optics, 27, 16 (1987)

[19] "Raman Induced Phase Conjugation in Liquids and Solids," R. Dorsinville, P. Delfyett, and R.R. Alfano. Applied Optics. 26, 3655 (1987)

(1985 - 1986)

- [20] "Pulsed Mode Sagnac Interferometry with Applications in Nonlinear Optics and Optical Switching," Y. Li, G. Eichmann and R. R. Alfano, *Appl. Opt.* 25, Jan.15, (1986) p 209-214.
- [21] "Optical Computing and Logic Using Sagnac Interferometric Switches," G. Eichmann, Y. Li, M. Conner and R. R. Alfano, *Proc. SPIE*, 625 (1986) p.79-86.
- [22] "Digital Optical Logic Using Sagnac Interferometer Switches," G. Eichmann, Y. Li and R. R. Alfano, *Opt. Eng.* 25, Jan. (1986) p. 91-97.
- [23] "Optical Computing Using Hybrid Encoded Shadow Casting," Y. Li and G. Eichmann, *Appl. Opt.* 25, Aug.15, (1986) p. 2636-2638.
- [24] "Optical Binary Coded Ternary Arithmetic and Logic," G. Eichmann, Y. Li, and R. R. Alfano, *Appl. Opt.* 25, Sept.15, (1986) p.3113-3121.
- [25] "Ultrafast Nonlinear Optical Processes in 4BCMU-Polydiacetylene," P. P. Ho, R. Dorsinville, N. L. Yang, G. Odian, G. Eichmann, T. Jimbo, Q. Z. Wang, G. C. Tang, N. D. Chen, W. K. Zou, Y. Li, and R. R. Alfano. *Proc. SPIE*, 682, (1986) p.36-43.
- [26] "Multistable Fabry-Perot Resonator with An Active Sagnac Interferometer as Its Retro-reflector," Y. Li, G. Eichmann, and R. R. Alfano, *Opt. Comm.* 61, (1986) p.75-80.
- [27] "Optical Binary Coded Multivalued Arithmetic and Logic Using Two-port Sagnac Interferometric Switches," G. Eichmann, Y. Li, and R. R. Alfano, *Proc. SPIE*, 700. (1986) p.251-258.
- [28] "Time Resolved Picosecond Raman Induced Phase Conjugation in Liquids and Solids," R. Dorsinville, P. Delfyett, and R.R. Alfano. *Picosecond Phenomena V*, Springer-Verlag, 521 (1986).
- [29] "Single Shot Autocorrelator Based on Degenerate Four Wave Mixing," J. Buchert, R. Dorsinville, P. Delfyett and R.R. Alfano. *Proceedings of the International Conference on LASERS'85* ed. by C. Wang, 780 (1986).

[30] "Time Resolved Picosecond Raman Induced Phase Conjugation in Liquids and Solids," P. Delfyett, R. Dorsinville, and R.R. Alfano. Proceedings of the International Laser Science Conference (ILSC) (1986).

[31] "Determination of Temporal Correlation of Ultrafast Laser Pulses Using Phase Conjugation," J. Buchert, R. Dorsinville, P. Delfyett, S. Krimchansky and R.R. Alfano. Opt. Comm., 52, 433 (1985).