	0		· · · · · · · · · · · · · · · · · · ·			
▲ AD-A209 20		N PAGE			Form Approved OMB No. 0704-0188	
UNCLASSIFIED		16. RESTRICTIVE MARKINGS				
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT				
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		Approved for public release; distribution unlimited.				
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)				
. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MO	ONITORING ORGA	ANIZATION		
University of Deleware		AFOSR/NM				
6c ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (City, State, and ZIP Code)				
Department of Mathematical Sciences 501 Ewing Hall Newark, DE 19716		Building 410 Bolling, AFB DC 20332-6448				
a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATIO		DENTIFICATION		
AFOSR NM Sc. ADDRESS (City, State, and ZIP Code)		AFOSR-86-0087 10. SOURCE OF FUNDING NUMBERS				
Building 410		PROGRAM	PROJECT	TASK	WORK UNIT	
Bolling, AFB DC 20332-6448		ELEMENT NO.	NO.	NO.	ACCESSION NO.	
11. TITLE (Include Security Classification)		61102F	2304	A9		
5. SUPPLEMENTARY NOTATION 7. COSATI CODES	18. SUBJECT TERMS	Continue on revers	e if necessary an	d identify hy l	block number)	
FIELD GROUP SUB-GROUP		Continue on reverse if necessary and identify by block number)				
9. ABSTRACT (Continue on reverse if necessary a This research project was conce geometric properties of an obst electromagnetic waves. A new m type based on the theory of Her the Helmholtz and Maxwell equat of acoustic waves.	erned with the p acle by probing method has been glotz wave func	problem of de with time h developed to ctions and co	armonic aco solve prob mplete sets	oustic or olems of t of solut ven for t	his ions to	
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT		21. ABSTRACT SE		CATION	<u>~</u>	
UNCLASSIFIED/UNLIMITED SAME AS RI	PT. DTIC USERS	UNCLASSIFI 22b. TELEPHONE (		e) 22c OFFIC		
Dr. Arie Nachman		(202) 767	-4939	NM		
895	Previous editions are	obsolete. 2Ú9		ULADO	DE TRE PAGE	

# AFOSR TR. 89-0608

## FINAL REPORT

AFOSR Grant 86-0087

1 June 1986 – 31 May 1989

<u>Summary</u>: This research project was concerned with the problem of determining the physical and geometric properties of an obstacle by probing with time harmonic acoustic or electromagnetic waves. A new method has been developed to solve problems of this type based on the theory of Herglotz wave functions and complete sets of solutions to the Helmholtz and Maxwell equations. Numerical examples have been given for the case of acoustic waves.

### Professional Personnel

Dr. David Colton Professor of Mathematics University of Delaware Principal Investigator

Dr. Peter Monk Associate Professor of Mathematics University of Delaware Co-Principal Investigator

R.L. Ochs Graduate Research Assistant Ph.D. awarded June, 1986 University of Delaware Thesis Title: The Limited Aperature Problem of Inverse Acoustic Scattering



Accession For

Justification

Distribution/

Availability Codes

Avail and/or Special

NTIS

By\_

Dist

DTIC TAB Unannounced

GRA&I

П

1

### J. Blöhbaum

Graduate Research Assistant Ph.D awarded June 1988 Universität Göttingen Thesis Title: Optimization Methods for an Inverse Problem for the Time Harmonic Maxwell Equations

### Report on Research

The research of AFOSR Grant 86-0087 was concerned with the problem of determining the physical properties of a scattering obstacle (e.g. shape, density, etc.) from a knowledge of the incident wave and the far field pattern of the scattered wave. Inverse scattering problems of this type can be divided into two major subproblems: the inverse obstacle problem and the inverse medium problem. In the inverse obstacle problem, one is asked to determine the shape of a scattering obstacle of known physical composition, whereas in the inverse medium problem one needs to determine the constitutive parameters in an inhomogeneous medium. For the inverse obstacle problem for time harmonic acoustic waves, it was shown by Colton and Monk ([3]-[6], [11], [12], [17]) that for a fixed frequency the far field patterns of the scattered waves corresponding to different directions of the incident field are all clustered around a hyperplane in  $L^2(\partial\Omega)$  where  $\partial\Omega$  is the unit sphere. The normal to this hyperplane is, of course, a function of the scattering obstacle D. Hence, one has two distinct optimization schemes for finding D from the far field data: (1) Find D whose far field pattern best fits the measured data and (2) Find D whose associated normal vector in  $L^2(\partial \Omega)$  is orthogonal to the measured far field data. Both of these methods have been numerically implemented and tested for numerical efficiency and flexibility ([12], [18], [20]). It should be noted that there is only one such problem that can be solved exactly: If the acoustic far field pattern is of the form  $F(\hat{x}, \alpha) = F_0(\hat{x} \cdot \alpha)$  where  $\hat{x}$  is the direction of observation and  $\alpha$ the direction of illumination then the obstacle is a ball ([9]). An analogous result, but one which now involves the polarization of the incident field, is also true for electromagnetic waves ([10]).

Optimization methods (with numerical examples) have also been developed for the inverse medium problem for time harmonic acoustic waves ([7], [8], [13], [14], [21]). In the inverse medium problem, a central role is played by a new class of boundary value problems for the Helmholtz equation called interior transmission problems. These problems have eigenvalues which are intimately connected with the nature of the scattering object. Since these eigenvalues can be found from the far field data, such an investigation of the interior transmission problem could lead to new methods for solving the inverse scattering problem.

For the case of an impenetrable medium, the above results have been extended in two different directions by R. Ochs and J. Blöhbaum, students of David Colton. In particular, R. Ochs has shown how to extend the method of Colton and Monk to the case when the far field data is only known in a limited aperature ([18]) and J. Blöhbaum has shown that for the case of the scattering of electromagnetic waves by a perfectly conducting obstacle the far field patterns are all clustered around a hyperplane. A characterization has been given of the normal to this hyperplane and, analogous to the case of acoustic waves, two distinct optimization schemes have been formulated, each of which yields a solution to the inverse obstacle problem for electromagnetic waves ([2], [5], [15]). The extension of these results to the inverse medium problem for electromagnetic waves was given in [16]. The research described above involved a strong interplay between mathematical theory and numerical analysis. Although not directly related to the inverse scattering problem, the papers [1], [19] and [22]-[24] appeared during the time period of this report and can be viewed as "spin-offs" of the main project.

#### **Publications**

- 1. K. Aziz and P. Monk, Continuous finite elements in space and time for the heat equation, *Math. Comp.*, to appear.
- 2. J. Blöhbaum, On two methods for solving the inverse scattering problem for electromagnetic waves, technical report, University of Delaware, 1987.
- 3. D. Colton, Partial Differential Equations: An Introduction, Random House, 1988.
- 4. D. Colton, Analytic continuation of solutions to partial differential equations with inexact data, in *Qualitative Properties of Differential Equations*, W. Allegretto and G. J. Butler, editors, University of Alberta, 1987, 79-94.
- 5. D. Colton, A new method for solving the inverse scattering problem, in Ordinary and Partial Differential Equations, Longman Ltd., 1987, 37-51.
- 6. D. Colton, Optimal methods for determining the shape of an obstacle, in Theory and Applications of Inverse Problems, Longman Ltd., 1988, 1-7.
- 7. D. Colton, Dense sets and far field patterns for acoustic waves in an inhomogeneous medium, Proc. Edinburgh Math. Soc. 31 (1988), 401-407.
- 8. D. Colton, Far field patterns and the inverse scattering problem for acoustic waves in an inhomogeneous medium, Quart. J. Mech. Appl. Math., to appear.
- 9. D. Colton and A. Kirsch, Karp's theorem in acoustic scattering theory, Proc. Amer. Math. Soc. 103 (1988), 783-788.
- 10. D. Colton and R. Kress, Karp's theorem in electromagnetic scattering theory, Proc. Amer. Math. Soc. 104 (1988), 764-769.
- 11. D. Colton and P. Monk, Projection theorems for far field patterns and the inverse scattering problem, in *Inverse and Ill-Posed Problems*, Academic Press, 1987, 261-277.
- 12. D. Colton and P. Monk, The inverse scattering problem for time harmonic acoustic waves in a penetrable medium, *Quart. J. Mech. Appl. Math.* 40 (1987), 189-212.

- 13. D. Colton and P. Monk, The inverse scattering problem for time harmonic acoustic waves in an inhomogeneous medium, Quart. J. Mech. Appl. Math.41 (1988), 97-125.
- 14. D. Colton and P. Monk, The inverse scattering problem for time harmonic acoustic waves in an inhomogenous medium: numerical experiments, IMA J. Appl. Math., to appear.
- 15. D. Colton and P. Monk, The inverse scattering problem for time harmonic electromagnetic waves, in *Proceedings of the Conference on Integral Equations* and Inverse Problems, to appear.
- 16. D. Colton and L. Päivärinta, Far field patterns and the inverse scattering problem for electromagnetic waves in an inhomogeneous medium, *Math. Proc. Camb. Phil. Soc.* 103 (1988), 561-575.
- 17. D. Colton, P. Monk, and F. Santosa, Inverse problems in scattering theory, in Oakland Conference on Partial Differential Equations and Applied Mathematics, Longman Ltd., 39-73.
- 18. R.L. Ochs, The limited aperature problem of inverse acoustic scattering: Dirichlet boundary conditions, SIAM J. Appl. Math. 47 (1987), 1320-1341.
- 19. G.C. Hsiao and P. Monk, A singular perturbation problem on microcomputers, in New Computing Environments: Microcomputers in Large Scale Computing SIAM Publications, 1987, 68-79.
- 20. A. Kirsch, R. Kress, P. Monk, and A. Zinn, Two methods for solving the inverse acoustic scattering problem, *Inverse Problems* 4 (1988), 749-770.
- 21. A. Kirsch and P. Monk, Convergence analysis of a coupled finite element and expansion method in acoustic scattering, to appear.
- 22. P. Monk, An iterative finite element method for approximating the biharmonic equation, *Math. Comp.* 5 (1988), 451-476.
- 23. P. Monk, A mixed finite element method for the biharmonic equation, SIAM J. Numer. Anal. 24 (1987), 737-749.
- 24. J. Wimp, B. Kline, A. Galardi, and D. Colton, Some preliminary observations on an algorithm for the computation of moment integrals, J. Comp. Appl. Math. 19 (1987), 117-124.