

BY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

AD-A214 924

1. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS			
2. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release; distribution unlimited.			
4. DECLASSIFICATION / DOWNGRADING SCHEDULE			5. MONITORING ORGANIZATION REPORT NUMBER(S) ARO 25774.3-LS			
6. PERFORMING ORGANIZATION REPORT NUMBER(S)			7a. NAME OF MONITORING ORGANIZATION U. S. Army Research Office			
7a. NAME OF PERFORMING ORGANIZATION Univ of Calif., Irvine		6b. OFFICE SYMBOL (if applicable)		7b. ADDRESS (City, State, and ZIP Code) P. O. Box 12211 Research Triangle Park, NC 27709-2211		
8. ADDRESS (City, State, and ZIP Code) Irvine, CA 92717			9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DAAL03-88-K-0077			
8a. NAME OF FUNDING / SPONSORING ORGANIZATION U. S. Army Research Office		8b. OFFICE SYMBOL (if applicable)		10. SOURCE OF FUNDING NUMBERS		
8c. ADDRESS (City, State, and ZIP Code) P. O. Box 12211 Research Triangle Park, NC 27709-2211			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) Functional Reconstitution of Olfactory Receptor for Analytical Application						
12. PERSONAL AUTHOR(S) Vitaly Vodyanoy						
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM 5/1/88 TO 8/15/89		14. DATE OF REPORT (Year, Month, Day) October 1989		15. PAGE COUNT 3
16. SUPPLEMENTARY NOTATION The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.						
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)			
FIELD	GROUP	SUB-GROUP	Olfactory Receptors; Enzymes; Proteins; Metabolism; Chemosensitive Devices; Protein Kinases			
19. ABSTRACT (Continue on reverse if necessary and identify by block number)						
A model system was used to study the initial electrochemical membrane events in chemoreception by the mammalian olfactory epithelium: Membrane from rat olfactory epithelial homogenates incorporated into planar bimolecular lipid membranes and patch-bilayers. Data was obtained to support our hypothesis that the above described system in which we have demonstrated the presence of ion selective channels coupled with an activated enzyme cascade bears functional relationship to the initial chemoreceptive steps in olfaction. Chemosensitivity is manifested as a change in the mean open time of single channel events in response to small (subnanomolar) concentrations of the odorants in the medium bathing the membrane under control of the activity of cyclic nucleotide-processing enzymes. The kinetics of single channel events associated with the initial steps of olfaction (OVER)						
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS				21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL			22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL	

DTIC
ELECTE
NOV 27 1989
S
E

have been studied.

Involvement of guanine nucleotide-binding regulatory proteins (G-proteins), of second messenger (c-AMP), and protein kinases have been studied using voltage and patch-clamp techniques together with application of pharmacological agents known to alter the metabolism or effects of the second messenger.

The study of the molecular mechanisms underlying the initial chemoreceptive events together with the development of stable reconstitution system should contribute toward the development of a practical analytical chemosensitive device.

Figure 1. The effect of ...

FUNCTIONAL RECONSTITUTION OF OLFACTORY RECEPTOR FOR ANALYTICAL APPLICATION.

Final report.

VITALY VODYANOV

**October 15, 1989
U.S. ARMY RESEARCH OFFICE**

GRANT NUMBER DAAL03-88-K-0077

**CENTER FOR NEUROBIOLOGY OF LEARNING AND MEMORY
UNIVERSITY OF CALIFORNIA, IRVINE**

**APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.**

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

A. FOREWORD.

This proposal is entitled "Functional reconstitution of olfactory receptor for analytical application."

The basic objectives of the project were as the following:

1. Examination of the initial chemoreceptive events in the olfactory system of the rats, using the functional transfer of olfactory receptor membrane from homogenates of the olfactory epithelium into artificial systems.
2. Study of the physical and chemical properties of the chemosensitive ion channels in the reconstituted model system. Investigation of the functional relationship of these ion channels to the olfactory system.
3. Exploration of new approaches to increase the stability and sensitivity of the model chemosensitive system.

The key question of the project was: "How is odorant concentration translated into a functional electrical event in the olfactory receptor cell?"

Significant progress has been made for most of the objectives of the project.

B. STATEMENT OF THE PROBLEM STUDIED.

We have used a model system to study the initial electrochemical membrane events in chemoreception by the mammalian olfactory epithelium: Membrane from rat olfactory epithelial homogenates incorporated into planar bimolecular lipid membranes and patch-bilayers.

We have obtained data to support our hypothesis that the above described system in which we have demonstrated the presence of ion selective channels coupled with an activated enzyme cascade bears functional relationship to the initial chemoreceptive steps in olfaction.

Chemosensitivity is manifested as a change in the mean open time of single channel events in response to small (subnanomolar) concentrations of the odorants in the medium bathing the membrane under control of the activity of cyclic nucleotide-processing enzymes.

We have studied the kinetics of single channel events associated with the initial steps of olfaction.

Involvement of guanine nucleotide-binding regulatory proteins (G-proteins), of second messenger (c-AMP), and protein kinases have been studied using voltage and patch-clamp techniques together with application of pharmacological agents known to alter the metabolism or effects of the second messenger.

The study of the molecular mechanisms underlying the initial chemoreceptive events together with the development of stable reconstitution system should contribute toward the development of a practical analytical chemosensitive device.

C. SUMMARY OF THE MOST IMPORTANT RESULTS.

This work is concerned with the functional reconstitution of chemosensitive receptors from olfactory epithelium of the rat and also with molecular mechanisms of ion transport associated with olfaction.

We have used three different techniques to transfer the native membrane macromolecules into a model system: (1) Chemosensitive membrane fragments from olfactory cilia were incorporated into bimolecular lipid membranes of large surface area (1 mm^2); (2) Vesicles which contained chemosensitive membrane fragments were attached to the large planar bilayer, and conductance of the membrane system

was modified with ion carrier; and (3) The cilia membrane was functionally reconstituted in patch electrode membranes.

We have developed and used an interactive software capable of identifying single-channel transitions in the presence of substantial levels of noise and drift.

Clustering of single-channel openings was found in presence of cAMP and ATP. We suggest that cyclic gating scheme may result in correlation of successive dwell times, and the irreversible steps included in this cycle may require an energy supply to maintain the steady state.

We have demonstrated that cAMP mimicked the effect of odorant. The statistical analysis of our patch-clamp data suggested the multiple mode of cAMP action on the single channel activity: (a) directly, and (b) via protein kinase system. We hypothesize, that chemosensitivity of functionally reconstituted olfactory receptor is manifested as a change in the mean open time of single channel events in response to small (subnanomolar) concentrations of the odorants in the medium bathing the membrane under control of the activity of cyclic nucleotide-processing enzymes.

Functional transfer of chemosensitive monolayers, membranes and multilayers on to solid substrates can be proposed as a structural basis for development of membrane sensor.

Functional transfer of chemosensitive monolayers, membranes and multilayers on to solid substrates can be proposed as a structural basis for development of membrane sensor.

D. LIST OF PUBLICATIONS ACKNOWLEDGING THE ARO.

1. "Alamethicin-induced voltage-dependent capacitance in planar lipid bilayers". I.Vodyanoy, J.E.Hall and V.Vodyanoy, *Biophys J.*, 53, 649-658, 1988.

2. "Cyclic Nucleotide-gated Electrical Activity in Olfactory Receptors". V.Vodyanoy, in: *Receptor and transduction mechanisms in taste and olfaction.* Joseph G. Brand and John H. Teeter (Eds.). Marcel Dekker, New York, 1989, pp. 319-345.

3. "Olfactory sensor". V.Vodyanoy, *IEEE 1988 Engineering in Medicine and Biology*, G.F. Harris, C.Walker (Eds.) Core Communications, Arlington, 10, 997-998, 1988.

4. "Molecular sensor based on olfactory transduction" in: *Molecular Electronics: Biosensors and Biocomputers*, Felix T. Hong (Ed.), Plenum Publishing Corp., New York, 1989, in press.

5. "Small odorant molecules affect steady state properties of monolayers." H.Ito, T.H.Morton, and V.Vodyanoy, *Thin solid films*, in press.

6. "Non-random fluctuations and ATP-dependent dwell time of cAMP-gated ion channel from olfactory receptor functionally reconstituted into bilayers." V.Vodyanoy and I.Vodyanoy, *Biophysical J.*, 53, 505a, 1988.

7. "Aggregation of alamethicin molecules in the planar lipid bilayer." I.Vodyanoy, J.Hall, and V.Vodyanoy, *Biophysical J.*, 514a, 1988.

THE VIEW, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.