

DTIC FILE COPY

2



# Naval Research Laboratory

Washington, DC 20375-5000

NRL Memorandum Report 6615

AD-A220 722

## Critique of Nondiffracting Beams

P. SPRANGLE AND B. HAFIZI\*

*Beam Physics Branch  
Plasma Physics Division*

*\*Science Applications International Corp.  
McLean, VA*

DTIC  
ELECTE  
APR 23 1990  
S D

April 3, 1990

Approved for public release; distribution unlimited.

AD 94 20 229

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 1990 April 3	3. REPORT TYPE AND DATES COVERED Interim	
4. TITLE AND SUBTITLE  Critique of Nondiffracting Beams		5. FUNDING NUMBERS  JO #47-0899-0-0	
6. AUTHOR(S)  P. Sprangle and B. Hafizi*		8. PERFORMING ORGANIZATION REPORT NUMBER  NRL Memorandum Report 6615	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Naval Research Laboratory Washington, DC		10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)  ONR Arlington, VA		11. SUPPLEMENTARY NOTES  *SAIC, McLean, VA	
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution is unlimited.		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  None			
14. SUBJECT TERMS  Nondiffracting beams Bessel beam Electromagnetic directed energy pulse train		15. NUMBER OF PAGES 21	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		16. PRICE CODE	
18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR	

## CRITIQUE OF NONDIFFRACTING BEAMS

A number of researchers have discussed the possibility of generating electromagnetic beams or pulses which can propagate without the usual degree of transverse spreading. Nondiffracting directed radiation beams have been the subject of a number of special sessions at various conferences.<sup>1,2</sup> Our intention in this note is to discuss i) the Bessel beam<sup>3,4</sup> which has been called<sup>4</sup> 'remarkably resistant to the diffractive spreading commonly associated with all wave propagation'; and ii) the electromagnetic directed energy pulse train<sup>5-7</sup> which is claimed<sup>7</sup> to be 'significantly improved over conventional, diffraction-limited beams', and to<sup>5</sup> 'defeat diffraction'. In this note we show that diffraction is not eliminated or reduced in any of the proposed schemes and that conventional Gaussian beams will propagate at least as far for a given transmitting antenna dimension.

Durnin et al.<sup>4</sup> have studied, analytically and experimentally, a solution of the scalar wave equation whose transverse profile is that of a Bessel function of order zero,  $J_0$ . The field  $\psi(r, z, t) = J_0(k_1 r) \exp[i(k_2 z - \omega t)]$  is a solution of the scalar wave equation where  $k_1$ , the

<sup>1</sup>Manuscript approved February 27, 1990.



	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
By _____	
Distribution / _____	
Availability Codes	
Dist _____	Avail and/or Special _____
A-1	

transverse wave number, is given by  $k_{\perp}^2 = \omega^2/c^2 - k_z^2$ ,  $\omega$  is the frequency and  $k_z$  is the axial wave number. Some of the properties of the solution are: i) the transverse profile of  $\psi$  is independent of  $z$ , ii) the intensity function,  $J_0^2(k_{\perp}r)$ , falls off like  $1/r$  for  $r \gg 1/k_{\perp}$ , iii) the power contained in each transverse lobe, between the adjacent zeros of  $J_0^2(k_{\perp}r)$ , is of the same order, and iv)  $J_0(k_{\perp}r)$  is an axisymmetric superposition of plane waves propagating at an angle  $\sim k_{\perp}/k_z$  to the  $z$  axis. In most of what follows, we will be interested in the qualitative comparison and scaling of various quantities and, hence, will not be concerned with factors of order unity.

Using arguments based on geometric optics, Durnin et al.<sup>4</sup> found the propagation distance of the central lobe of the Bessel beam to be given by  $\sim 2Rr_0/\lambda$ , where  $R$  is the radius of the aperture (radius of clipped Bessel beam),  $r_0$  is the typical spacing between adjacent zeros of  $J_0$ , i.e.,  $r_0 = \pi/k_{\perp}$ , and  $\lambda$  is the wavelength. They compare the propagation distance (diffraction length) of the apertured Bessel beam with a Gaussian beam which has a spot size of approximately  $r_0$ . That is, the center lobe of the Bessel beam nearly matches the Gaussian beam as shown in Fig. 1. The diffraction distance (Rayleigh length) of the Gaussian beam is given by the well-known formula,  $Z_G \approx \pi r_0^2/\lambda$ . Since  $R \gg r_0$ , they observed that the Bessel beam propagated further than the Gaussian beam, by a factor  $\sim (2/\pi)R/r_0$ .

Our interpretation of the results of Durnin and co-workers differs in a number of fundamental ways. We first note that the cartesian counterpart of  $J_0(k_{\perp}r)$  is  $\cos(k_{\perp}x)$ , which is simply a plane wave propagating at an angle to the  $z$  axis. Plane waves do not diffract since there is no spatial variation transverse to the propagation direction; however, when clipped or

apertured, plane waves diffract. Bessel beams, when apertured, will diffract in a similar way.

To be specific, let us consider a Bessel beam limited by a finite aperture of radius  $R$ . If  $N \gg 1$  is the number of lobes within the aperture radius, then  $R \approx Nr_0$ . For the Bessel beam, the diffraction length is given by  $Z_B \approx R/\theta_B$ , where  $\theta_B = k_\perp/k_z = \lambda/2r_0$  is the diffraction angle and  $\lambda = 2\pi(k_z^2 + k_\perp^2)^{-1/2}$  is the wavelength. The diffraction length associated with the central lobe of the apertured Bessel beam is, therefore,  $Z_B \approx 2Nr_0^2/\lambda = 2Rr_0/\lambda = (2/\pi)NZ_G$ . Since the lobes carry about equal power, there is sufficient power in the off-axis lobes to replenish the central lobe. Each of the  $N$  lobes diffract away sequentially starting with the outermost one. Roughly speaking, the outermost lobe diffracts after a distance  $\sim \pi r_0^2/\lambda$ , the next one diffracts after a distance  $2\pi r_0^2/\lambda$  and so on until the central lobe diffracts away after a distance  $\sim N\pi r_0^2/\lambda$ , which is approximately equal to  $Z_B$ . The central lobe persists as long as there are off-axis lobes to replenish its diffraction losses.

A far more meaningful measure for comparing the diffractive properties of beams would be to ask the following question. For a given aperture (source) size and a target size, which is some distance away, what beam configuration or shape will maximize the power transmitted to the target? If this procedure is used to compare a Bessel beam with a Gaussian beam, we would use a Gaussian beam having a spot size equal to the aperture,  $R = Nr_0$ . The power through the aperture is the same if the peak amplitude of the Bessel beam is  $\sim N^{1/2}$  larger than that of the Gaussian beam. In this case the Gaussian beam will propagate  $N$  times further than the Bessel beam. In addition, by appropriately focusing the Gaussian beam, nearly all the power can be focused on a target of dimension  $r_0$  in a distance  $Z_B$ . For

the same total power through the aperture, a focused Gaussian beam delivers ~ N times more power on the target than the Bessel beam.

Another solution to the wave equation which has been studied for its diffractive properties is the electromagnetic directed energy pulse train.<sup>5-7</sup> This pulse form is a superposition of fundamental Gaussian pulses,  $\psi_k$ , which are exact solutions to the homogeneous wave equation  $(\nabla^2 - c^{-2}\partial^2/\partial t^2)\psi_k = 0$ , where  $\psi_k(r, z, t) = (4\pi iV)^{-1}\exp(ik\eta - kr^2/V)$ ,  $1/V = 1/A - i/R$ ,  $A = z_0 + \xi^2/z_0$ ,  $R = \xi + z_0^2/\xi$ ,  $\eta = z + ct$ ,  $\xi = z - ct$ ,  $k = \omega/c$  and  $z_0$  is a constant. The solution,  $\psi_k$ , which has been studied by Ziolkowski and co-workers,<sup>6</sup> represents a pulse train traveling to the left which is modulated by an envelope traveling to the right (z direction). The functions  $\psi_k$ , for all k, form a complete set and each basis function has infinite energy, i.e.,  $\int_{-\infty}^{\infty} d^3\underline{r} |\psi_k|^2 \rightarrow \infty$ . A finite energy pulse can be formed by a superposition of the basis functions with the weight function F(k), i.e.,  $f = \text{Re} \int_0^{\infty} dk \psi_k(r, z, t) F(k)$ . Ziolkowski and co-workers<sup>6</sup> have examined a particular pulse form both numerically and experimentally. This pulse form is called a modified power spectrum (MPS) pulse which is given by

$$f(r, \xi, \eta) = \text{Re} \left[ (z_0 + i\xi)^{-1} (a + r^2/\beta(z_0 + i\xi) - i\eta/\beta)^{-\alpha} \exp\left( i b \eta / \beta - b r^2 / \beta (z_0 + i\xi) \right) \right],$$

where the function f is an exact solution to the scalar wave equation for the pulse amplitude and a, b,  $\alpha$ ,  $\beta$ , and  $z_0$  are arbitrary constants. The initial shape of the MPS pulse is shown in Fig. 2 for particular values of a, b,  $\alpha$ ,  $\beta$  and  $z_0$ . The MPS pulse has finite energy and its shape evolves as it propagates. To determine the propagation distance of this pulse, Ziolkowski and co-workers note that the radial profile is dominated by the factor  $\exp(-b z_0 r^2 / (\beta(z_0^2 + \xi^2)))$ . They use the minimum spot size,  $w_0 = (\beta z_0 / b)^{1/2}$ , (which occurs at the pulse's center,  $\xi=0$ ) to calculate the

diffraction length,  $Z \approx \pi w_0^2 / \lambda = \pi \beta z_0 / (b\lambda)$ . The numerical and experimental results indicate that the MPS pulse propagates significantly further than this diffraction length ( $Z \approx \pi w_0^2 / \lambda$ ) before the amplitude begins to fall off like  $1/z$ .

In our interpretation of their results, the diffraction length for the MPS pulse is not  $\sim \pi w_0^2 / \lambda$ , but is properly given by  $Z_{\text{MPS}} \approx \pi w_0 R / \lambda$ , where  $R$  is the transmitting antenna dimension (radius of aperture) and  $R > w_0$ . This can be understood by first noting that the diffraction angle associated with a pulse having a typical transverse spatial variation of  $\sim w_0$  is  $\theta_{\text{MPS}} \approx \lambda / (\pi w_0)$ . As in the case of the Bessel beam, we note that the energy in the MPS pulse is radially spread out, typically over the full width,  $R$ , of the aperture. Consequently, the diffraction distance is given by  $Z_{\text{MPS}} \approx R / \theta_{\text{MPS}}$ . The numerical and experimental studies of the MPS pulse span a wide range of values for  $\lambda$ ,  $w_0$  and  $R > w_0$ . In all cases we find that the observed propagation distance is fully consistent with the length  $Z_{\text{MPS}} \approx \pi w_0 R / \lambda$  for wavelengths within the main part of the spectrum. Utilizing the same transmitting antenna radius  $R$ , an unfocused Gaussian beam with spot size  $R$ , would propagate a distance  $\sim \pi R^2 / \lambda$ ; this is greater than the MPS pulse propagation distance since  $R > w_0$ . An appropriately focused Gaussian beam can be focused to a dimension  $\sim w_0$  in the distance  $\sim Z_{\text{MPS}}$ . Such a Gaussian beam focuses more power on the target than a corresponding MPS pulse.

Other researchers have considered alternative approaches for propagating electromagnetic beams or pulses. One such study indicates the possibility of generating wave packets with a broad frequency spectrum.<sup>8</sup> The high-frequency end of the spectrum determines the furthest distance the pulse can propagate, in complete accord with our understanding of diffraction.

In conclusion, we find that when a proper comparison is made, Bessel Beams and Electromagnetic Directed Energy Pulse Trains have no particular range advantage over conventional Gaussian beams.

#### Acknowledgment

This work is supported by the Office of Naval Research.



## References

1. Proceedings of the SPIE Conference 873 on Microwave and Particle Beam Sources and Propagation, Los Angeles, 1988, edited by N. Rostoker (Society of Photo-Optical Instrumentation Engineers, Bellingham, WA, 1988).
2. Proceedings of the SPIE Conference 1061 on Microwave and Particle Beam Sources and Directed Energy Concepts, Los Angeles, 1989, edited by H. E. Brandt (Society of Photo-Optical Instrumentation Engineers, Bellingham, WA, 1989).
3. J. Durnin, J. Opt. Soc. Am. A4, 651 (1987).
4. J. Durnin, J. J. Miceli and J. H. Eberly, Phys. Rev. Lett. 58, 1499 (1987).
5. R. W. Ziolkowski, in Ref. 1, p. 312.
6. R. W. Ziolkowski, D. K. Lewis and B. D. Cook, Phys. Rev. Lett. 62, 147 (1989).
7. R. W. Ziolkowski, Phys. Rev. A 39, 2005 (1989).
8. T. T. Wu, J. Appl. Phys. 57, 2370 (1985).

### Figure Captions

Fig. 1 Transverse intensity profiles of a Bessel beam and a Gaussian beam.

The full width at half maximum (FWHM) of the Gaussian beam is the same as that of the central lobe of the Bessel beam. The parameters are the same as those in the experiment of Ref. 4:  $\lambda = 6328\text{\AA}$  and FWHM = 70  $\mu\text{m}$ .

Fig. 2 Plot of modified-power spectrum pulse  $f(r, \xi, \eta)$  at  $t = 0$ , i.e.,

$\xi = \eta = z$ . The parameters for this pulse are the same as those in Ref. 7:  $a = 1 \text{ cm}$ ,  $\alpha = 1$ ,  $b = 1 \times 10^{10} \text{ cm}^{-1}$ ,  $\beta = 6 \times 10^{15}$ , and  $z_0 = 1.667 \times 10^{-3} \text{ cm}$ .




Figure 1




Figure 2

## DISTRIBUTION LIST

Naval Research Laboratory  
4555 Overlook Avenue, S.W.  
Washington, DC 20375-5000

Attn: Code 1000 - Commanding Officer, CAPT John J. Donegan, Jr.  
1001 - Dr. T. Coffey  
1005 - Head, Office of Management & Admin.  
1005.1-Deputy Head, Office of Management & Admin.  
1005.6-Head, Directives Staff  
1200 - CAPT R. W. Michaux  
1201 - Deputy Head, Command Support Division  
1220 - Mr. M. Ferguson  
2000 - Director of Technical Services  
2604 - NRL Historian  
3000 - Director of Business Operations  
4000 - Dr. W. R. Ellis  
0124 - ONR  
4600 - Dr. D. Nagel  
4603 - Dr. W. W. Zachary  
4700 - Dr. S. Ossakow (26 copies)  
4707 - Dr. W. M. Manheimer  
4730 - Dr. R. Elton  
4770 - Dr. G. Cooperstein  
4780 - Dr A. W. Ali  
4790 - Dr. C. M. Tang  
4790 - Dr. G. Joyce  
4790 - Dr. M. Lampe  
4790 - Dr. Y. Y. Lau  
4790 - Dr. A. Ting  
4790 - Dr. E. Esarey  
4790 - Dr. J. Krall  
4790A- B. Pitcher (20 copies)  
4790 - Dr. P. Sprangle  
4793 - Dr. W. Black  
4793 - Dr. S. Gold  
4793 - Dr. D. L. Hardesty  
4793 - Dr. A. K. Kinkead  
4794 - Dr. A. W. Fliflet  
4794 - Dr. M. Rhinewine  
4795 - Dr. C. A. Kapetanakos  
4795 - Dr. J. Mathew  
5700 - Dr. L. A. Cosby  
5745 - Dr. J. Condon  
6840 - Dr. S. Y. Ahn  
6840 - Dr. A. Ganguly  
6840 - Dr. R. K. Parker  
6843 - Dr. R. H. Jackson  
6843 - Dr. N. R. Vanderplaats  
6843 - Dr. C. M. Armstrong  
6875 - Dr. R. Wagner  
2628 - Documents (22 copies)  
2634 - D. Wilbanks

NOTE: Every name listed on distribution gets one copy except for those where extra copies are noted.

Dr. R. E. Aamodt  
Lodestar Research Corp.  
2400 Central Ave., P-5  
Boulder, CO 80306-4545

Dr. J. Adamski  
Boeing Aerospace Company  
P.O. Box 3999  
Seattle, WA 98124

Dr. T. M. Antonsen  
University of Maryland  
College Park, MD 20742

Assistant Secretary of the  
Air Force (RD&L)  
Room 4E856, The Pentagon  
Washington, D.C. 20330

Dr. W. A. Barletta  
Lawrence Livermore National Lab.  
P. O. Box 808  
Livermore, CA 94550

Dr. W. Becker  
Univ. of New Mexico  
Institute for Mod. Opt.  
Albuquerque, NM 87131

Dr. Robert Behringer  
9342 Balcon Ave.  
Northridge, CA 91325

Dr. G. Bekefi  
Mass. Institute of Tech.  
Room 36-213  
Cambridge, MA 02139

Dr. Steven V. Benson  
Physics Building  
Duke University  
Durham, NC 27706

Dr. I. B. Bernstein  
Mason Laboratory  
Yale University  
400 Temple Street  
New Haven, CT 06520

Dr. Amitava Bhattacharjee  
Columbia University  
S. W. Mudd 210  
Dept. of Applied Phys.  
New York, NY 10027

Dr. Anup Bhowmik  
Rockwell International/Rocketdyne Div.  
6633 Canoga Avenue, FA-40  
Canoga Park, CA 91304

Dr. G. Bourianoff  
1901 Rutland Drive  
Austin, TX 78758

Dr. Charles Brau  
Vanderbilt University  
Nashville, TN 37235

Dr. R. Briggs  
SSC Laboratory  
Stoneridge Office Park  
2550 Beckleymeade Ave.  
Suite 260  
Dallas, TX 75237

Prof. William Case  
Dept. of Physics  
Grinnell College  
Grinnell, IA 50112

Dr. R. Center  
Spectra Tech., Inc.  
2755 Northrup Way  
Bellevue, WA 98004

Dr. K. C. Chan  
Los Alamos National Laboratory  
P. O. Box 1663  
Los Alamos, NM 87545

Prof. Frank Chen  
School of Eng. & Applied Sciences  
Univ. of Calif. at Los Angeles  
7731 K Boelter Hall  
Los Angeles, CA 90024

Dr. S. Chen  
MIT Plasma Fusion Center  
NW16-176  
Cambridge, MA 01890

Dr. D. P. Chernin  
Science Applications Intl. Corp.  
1720 Goodridge Drive  
McLean, VA 22102

Dr. William Colson  
Naval Postgraduate School  
Physics Dept.  
Monterey, CA 93940

Dr. Richard Cooper  
Los Alamos National Scientific  
Laboratory  
P.O. Box 1663  
Los Alamos, NM 87545

Dr. R. A. Cover  
Rockwell International/Rocketdyne Div.  
6633 Canoga Avenue, FA-38  
Canoga Park, CA 91304

Dr. Bruce Danly  
MIT  
NW16-174  
Cambridge, MA 02139

Dr. R. Davidson  
Plasma Fusion Center  
Mass. Institute of Tech.  
Cambridge, MA 02139

Dr. John Dawson  
Physics Department  
University of California  
Los Angeles, CA 90024

Dr. David A. G. Deacon  
Deacon Research  
2440 Embarcadero Road  
Palo Alto, CA 94303

Dr. Philip Debenham  
Center for Radiation Research  
National Bureau of Standards  
Gaithersburg, MD 20899

Director  
National Security Agency  
Fort Meade, MD 20755  
ATTN: Dr. Richard Foss, A42  
Dr. Thomas Handel, A243  
Dr. Robert Madden, R/SA

Director of Research (2 copies)  
U. S. Naval Academy  
Annapolis, MD 21402

Dr. A. Drobot  
Science Applications Intl. Corp.  
1710 Goodridge Road  
McLean, VA 22102

Dr. Dwight Duston  
SDIO/IST  
The Pentagon  
Washington, DC 20301-7100

Dr. Luis R. Elias  
Creol-FEL Research Pavillion  
Suite 400  
12424 Research Parkway  
Orlando, FL 32826

Dr. C. James Elliott  
X1-Division, M.S. 531  
Los Alamos Natl. Scientific Lab.  
P. O. Box 1663  
Los Alamos, NM 87545

Dr. Anne-Marie Fauchet  
Brookhaven National Laboratories  
Associated Universities, Inc.  
Upton, L.I., NY 11973

Dr. R. Gajewski  
Div. of Advanced Energy Projects  
U. S. Dept of Energy  
Washington, DC 20545

Dr. J. Gallardo  
Brookhaven National Laboratory  
Associated Universities, Inc.  
Upton, L.I., NY 11973

Dr. B. B. Godfrey,  
Chief Scientist  
WL/CA  
Kirtland AFB, NM 87117-6008

Dr. John C. Goldstein, X-1  
Los Alamos Natl. Scientific Lab.  
P.O. Box 1663  
Los Alamos, NM 87545

Dr. V. L. Granatstein  
Dept. of Electrical Engineering  
University of Maryland  
College Park, MD 20742

Dr. K. Halbach  
Lawrence Berkeley Laboratory  
University of California, Berkeley  
Berkeley, CA 94720

Dr. R. Harvey  
Hughes Research Laboratory  
3011 Malibu Canyon Road  
Malibu, CA 90265

Prof. Herman A Haus  
Mass. Institute of Technology  
Rm. 36-351  
Cambridge, MA 02139

Dr. B. Hui  
Defense Advanced Research Projects Agency  
1400 Wilson Blvd.  
Arlington, VA 22209

Prof. V. Jaccarino  
Univ. of Calif. at Santa Barbara  
Santa Barbara, CA 93106

Dr. B. Carol Johnson  
Ctr. for Radiation Research  
National Inst. of Standards and Tech.  
Gaithersburg, MD 20899

Dr. Ron Johnson  
Ctr. for Radiatiuon Research  
Natl. Inst. of Standards and Tech.  
Gaithersburg, MD 20899

Dr. Shayne Johnston  
Physics Department  
Jackson State University  
Jackson, MS 39217

Dr. R. A. Jong  
Lawrence Livermore National Laboratory  
P. O. Box 808/L626  
Livermore, CA 94550

Dr. Howard Jory  
Varian Associates, Bldg. 1  
611 Hansen Way  
Palo Alto, CA 94303

Dr. C. Joshi  
University of California  
Los Angeles, CA 90024

Dr. K. J. Kim, MS-101  
Lawrence Berkeley Lab.  
Rm. 223, B-80  
Berkeley, CA 94720

Dr. Brian Kincaid  
Lawrence Berkeley Laboratory  
University of California, Berkeley  
Berkeley, CA 94720

Prof. N. M. Kroll  
Department of Physics  
B-019, UCSD  
La Jolla, CA 92093

Dr. Thomas Kwan  
Los Alamos National Scientific  
Laboratory, MS608  
P. O. Box 1663  
Los Alamos, NM 87545

Dr. J. LaSala  
Physics Dept.  
U. S. M. A.  
West Point, NY 10996

Dr. Michael Lavan  
U.S. Army Strategic Def. Command  
ATTN: Code CSSD-H-D  
P. O. Box 1500  
Huntsville, AL 35807-3801

Dr. B. Levush  
Dept. of Physics & Astronomy  
University of Maryland  
College Park, MD 20742

Dr. Anthony T. Lin  
Dept. of Physics  
University of California  
Los Angeles, CA 90024

Dr. Chuan S. Liu  
Dept. of Physics & Astronomy  
University of Maryland  
College Park, MD 20742

Dr. N. C. Luhmann, Jr.  
UCLA  
7702 Boelter Hall  
Los Angeles, CA 90024

Dr. A. Luccio  
Brookhaven National Laboratory  
Accelerator Dept.  
Upton, NY 11973



Prof. J.M.J. Madey  
117 Physics Bldg.  
Duke University  
Durham, NC 27706

Dr. R. Mako  
205 South Whiting Street  
Alexandria, VA 22304

Dr. Joseph Mangano  
Science Research Laboratory  
1600 Wilson Blvd.  
Suite 1200  
Arlington, VA 22209

Dr. Siva A. Mani  
Science Applications Intl. Corp.  
1040 Waltham Street  
Lexington, MA 02173-8027

Dr. T. C. Marshall  
Applied Physics Department  
Columbia University  
New York, NY 10027

Dr. Xavier K. Maruyama  
Dept. of Physics  
Naval Postgraduate School  
Monterey, CA 93943

Dr. B. McVey  
Los Alamos National Laboratory  
P. O. Box 1663  
Los Alamos, NM 87545

Dr. David Merritt  
Space & Naval Warfare Command  
Attn: PMW 145A  
Washington, DC 20363-5100

Dr. A. Mondelli  
Science Applications Intl. Corp.  
1710 Goodridge Drive  
P.O. Box 1303  
McLean, VA 22101

Dr. Mel Month  
Brookhaven National Laboratories  
Associated Universities, Inc.  
Upton, L.I., NY 11973

Dr. Gerald T. Moore  
University of New Mexico  
Albuquerque, NM 87131

Dr. Philip Morton  
Stanford Linear Accelerator Center  
P.O. Box 4349  
Stanford, CA 94305

Prof. J. Nation  
224 Phillips Hall  
School of Elec. Eng.  
Cornell University  
Ithaca, NY 14850

Dr. George Neil  
TRW  
One Space Park  
Redondo Beach, CA 90278

Dr. Kelvin Neil  
Lawrence Livermore National Lab.  
Code L-321, P.O. Box 808  
Livermore, CA 94550

Dr. Brian Newnam  
MSJ 564  
Los Alamos National Scientific Lab.  
P.O. Box 1663  
Los Alamos, NM 87545

Dr. T. Orzechowski  
L-436  
Lawrence Livermore National Lab.  
P. O. Box 808  
Livermore, CA 94550

Prof. E. Ott  
Department of Physics  
University of Maryland  
College Park, MD 20742

OUSDRE (R&AT)  
Room 3D1067, The Pentagon  
Washington, D.C. 20301

Dr. Robert B. Palmer  
Brookhaven National Laboratories  
Associated Universities, Inc.  
Upton, L.I., NY 11973

Dr. J. Palmer  
Hughes Research Laboratory  
Malibu, CA 90265

Dr. Richard H. Pantell  
Stanford University  
Stanford, CA 94305

Dr. Dennis Papadopoulos  
Astronomy Department  
University of Maryland  
College Park, Md. 20742

Dr. John A. Pasour  
Mission Research Laboratory  
8560 Cinderbed Road  
Suite 700  
Newington, VA 22122

Dr. C. K. N. Patel  
Bell Laboratories  
Murray Hill, NJ 07974

Dr. Claudio Pellegrini  
Brookhaven National Laboratory  
Associated Universities, Inc.  
Upton, L.I., NY 11973

Dr. S. Penner  
Center for Radiation Research  
Natl. Inst. of Standards and Tech.  
Gaithersburg, MD 20899

Dr. M. Piestrup  
Adelphi Technology  
13800 Skyline Blvd. No. 2  
Woodside, CA 94062

Dr. D. J. Pistoresi  
Boeing Aerospace Company  
P. O. Box 3999  
Seattle, WA 98124-2499

Major E. W. Pogue  
SDIO  
The Pentagon, T-DE Rm. 1E180  
Washington, DC 20301-7100

Major Donald Ponikvar  
U. S. Army SDC  
P. O. Box 15280  
Arlington, VA 22245-0280

Dr. Donald Prosnitz  
Lawrence Livermore National Lab.  
Box 5511 L-626  
Livermore, CA 94550

Dr. D. C. Quimby  
Spectra Technology  
2755 Northup Way  
Bellevue, WA 98004

Dr. G. Ramian  
Quantum Institute  
University of California  
Santa Barbara, CA 93106

Dr. M. Reiser  
University of Maryland  
Department of Physics  
College Park, MD 20742

Dr. S. Ride  
Arms Control  
Stanford University  
Stanford, CA 94305

Dr. C. W. Roberson  
Office of Naval Research  
Code 112S  
800 N. Quincy Street  
Arlington, VA 22217

Dr. K. Robinson  
Spectra Technology  
2755 Northup Way  
Bellevue, WA 98004

Dr. Marshall N. Rosenbluth  
Dept. of Physics  
B-019  
Univ. of Calif., San Diego  
LaJolla, CA 92093

Dr. N. Rostoker  
Department of Physics  
University of California at Irvine  
Irvine, CA 92717

Dr. A. Saxman  
Los Alamos National Scientific Lab.  
P. O. Box 1663, MSE523  
Los Alamos, NM 87545

Dr. E. T. Scharlemann  
L626  
Lawrence Livermore National Lab  
P. O. Box 808  
Livermore, CA 94550

Prof. S. P. Schlesinger  
Dept. of Electrical Engineering  
Columbia University  
New York, NY 10027

Dr. Howard Schlossberg  
AFOSR  
Bolling AFB  
Washington, D.C. 20332

Dr. George Schmidt  
Stevens Institute of Technology  
Physics Department  
Hoboken, NJ 07030

Dr. M. J. Schmitt  
Los Alamos National Laboratory  
P. O. Box 1663  
Los Alamos, NM 87545

Dr. H. Schwettmann  
Phys. Dept. & High Energy  
Physics Laboratory  
Stanford University  
Stanford, CA 94305

Dr. Marlan O. Scully  
Dept. of Physics & Astronomy  
Univ. of New Mexico  
800 Yale Blvd. NE  
Albuquerque, NM 87131

Dr. S. B. Segall  
KMS Fusion  
3941 Research Park Dr.  
P.O. Box 1567  
Ann Arbor, MI 48106

Prof. P. Serafim  
Northeastern University  
Boston, MA 02115

Dr. A. M. Sessler  
Lawrence Berkeley Laboratory  
University of California  
1 Cyclotron Road  
Berkeley, CA 94720

Dr. W. Sharp  
L-626  
Lawrence Livermore National Laboratory  
P. O. Box 808  
Livermore, CA 94550

Dr. Earl D. Shaw  
Bell Laboratories  
600 Mountain Avenue  
Murray Hill, NJ 07974

Dr. R. L. Sheffield  
Los Alamos National Laboratory  
P.O. Box 1663  
Los Alamos, NM 87545

Dr. D. Shoffstall  
Boeing Aerospace Company  
P.O. Box 3999  
Seattle, WA 98124

Dr. Jack Slater  
Spectra Technology  
2755 Northup Way  
Bellevue, WA 98004

Dr. Todd Smith  
Hansen Labs  
Stanford University  
Stanford, CA 94305

Dr. R. Sudan  
Lab. of Plasma Studies  
Cornell University  
Ithaca, NY 14850

Dr. David F. Sutter  
ER 224, GTN  
Department of Energy  
Washington, D.C. 20545

Dr. T. Tajima  
Institute for Fusion Studies  
University of Texas at Austin  
Austin, TX 78712

Dr. R. Temkin  
Mass. Institute of Technology  
Plasma Fusion Center  
Cambridge, MA 02139

Dr. L. Thode  
Los Alamos National Laboratory  
P. O. Box 1663  
Los Alamos, NM 87545

Dr. Norman H. Tolk  
Physics Department  
Vanderbilt University  
Nashville, TN 37240

Dr. Kang Tsang  
Science Applications Intl. Corp.  
1710 Goodridge Dr.  
McLean, VA 22102

Dr. H. S. Uhm  
Naval Surface Warfare Center  
White Oak Lab.  
Silver Spring, MD 20903-5000

Naval Research Laboratory  
Washington, DC 20375-5000  
Code 4830  
Tim Calderwood

Under Secretary of Defense (R&D)  
Office of the Secretary of Defense  
Room 3E1006, The Pentagon  
Washington, D.C. 20301

Dr. John E. Walsh  
Wilder Laboratory  
Department of Physics (HB 6127)  
Dartmouth College  
Hanover NH 03755

Do NOT make labels for  
Records----- (01 cy )

Dr. Jiunn-Ming Wang  
Brookhaven National Laboratories  
Associated Universities, Inc.  
Upton, L.I., NY 11973

Dr. Roger W. Warren  
Los Alamos National Scientific Lab.  
P.O. Box 1663  
Los Alamos, NM 87545

Dr. J. Watson  
Los Alamos National Laboratory  
P. O. Box 1663  
Los Alamos, NM 87545

Dr. Mark Wilson  
Natl. Inst. of Standards and Tech.  
Bldg. 245, Rm. B-119  
Gaithersburg, MD 20899

Dr. J. Wurtele  
M.I.T.  
NW 16-234  
Plasma Fusion Center  
Cambridge, MA 02139

Dr. Ming Xie  
Dept. of Physics  
Stanford University  
Stanford, CA 94305

Dr. Simon S. Yu  
Lawrence Livermore National Laboratory  
P. O. Box 808  
Livermore, CA 94550