TECHNICAL REPORT BRL-TR-3099

BRL

AN ENTROPIC SOLUTION TO THE PARTICLE CORRESPONDENCE PROBLEM

CSABA K. ZOLTANI
B. ROY FRIEDEN
MONTE W. COLEMAN

APRIL 1990

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

NOTICES

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	APRIL 1990	Final Jun 88 - Dec 89

4. TITLE AND SUBTITLE
An Entropic Solution to the Particle Correspondence Problem

5. FUNDING NUMBERS
P: 1L161102AH43

6. AUTHOR(S)
Csaba K. Zoltani, B. Roy Frieden and Monte W. Coleman

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)
USA Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-5066

10. SPONSORING / MONITORING AGENCY REPORT NUMBER
BRL-TR-3099

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT
Approved for Public Resease - Distribution Unlimited

sub c

12b. DISTRIBUTION CODE

13. ABSTRACT *(Maximum 200 words)*

An automatic tracking algorithm for particle-image velocimetry (PIV) has been developed that satisfactorily tracks 1000 or more identical particles. Time and storage requirements are modest, with a CPU time requirement of 7 sec for 100 particles and 300 sec for 1000 particles on the CRAY 2. The approach works from an artificial pairings matrix V_{ij} that defines the identification of particle i in picture 1 with j in 2 by a value $V_{ij} = 1$. An entropy-modified distance measure of total particle movement is minimized by a standard Newton-Raphson technique. Values V_{ij} are made to go to either 0 or 1 by the approach. As values V_{ij} approach 1 they are removed from the problem, reducing problem size and CPU time requirements.

14. SUBJECT TERMS
Multiple particle tracking, particle image velocimetry, correspondence problem, maximum entropy, dynamic scene analysis

15. NUMBER OF PAGES
24

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	SAR

INTENTIONALLY LEFT BLANK.

TABLE OF CONTENTS

INTENTIONALLY LEFT BLANK.

NOMENCLATURE

A	area
D	distance, objective function
E	Eq. (4)
F	Eq. (6)
F	Eq. (7)
i	index
j	index
L_m	mean distance between particles
N	number of particles
P_k	permutation of the index array
Δr_{ij}	distance moved
Δt	time between frames
V_{ij}	matrix
v_m	mean velocity of particles
λ_i	Lagrange multiplier
μ_j	Lagrange multiplier
ρ	weight factor

INTENTIONALLY LEFT BLANK.

1. INTRODUCTION

Particle tracking, as in particle image velocimetry (PIV), requires the identification of each particle in one picture with another in a second picture. The second picture shows the particles after a short amount of time has elapsed so that the particles have moved from their positions in the first picture. The identification problem is particularly difficult when the particles must be regarded as indistinguishable, i.e., individual shapes or intensities cannot be used as reliable cues of identification. A further difficulty arises when a history of particle trajectories, i.e. many pictures of the particle field, is not available as further tracking information. The tracking algorithm described below was developed for specifically these circumstances. A summary of past attempts at solving this problem is given in Ref. 1 and 2.

2. THE TRACKING PROBLEM

2.1 Minimum Movement Criterion

Let there be N particles present in each of pictures 1 and 2. Let $| \Delta r |_{ij}$ represent the inferred distance of movement due to identifying particle i in picture 1 with particle j in picture 2. It is assumed that both pictures have been digitized so that all possible particle movements $| \Delta r |_{ij}$ are known and tabulated. For any set of pairings i, j(i) chosen, there is an inferred total distance of movement

$$D = \sum_{i=1}^{N} | \Delta r |_{ij}. \tag{1}$$

Since the particles are assumed indistinguishable, and assuming a relatively short time duration between the two pictures, it is logical to choose a pairing rule j(i) such that the total inferred movement of the particles is a minimum.

$$D = \min_{P_k} \sum_{i=1}^{N} | \Delta r |_{ij(i)}. \tag{2}$$

This problem, by its nature, is discrete. The number j to associate with each i must be an integer lying between 1 and N. Therefore, the minimization to be accomplished in (2) does not, at least outwardly, lend itself to solution by a continuous minimum seeking algorithm such as Newton-Raphson. On the other hand, the Newton-Raphson technique is very powerful and easily programmed. For these reasons, it would be nice to convert our discrete problem to an equivalent continuous one.

2.2 Continuous Formulation

A method for accomplishing this is as follows. Introduce a matrix V_{ij} which, temporarily, represents for each particle i a fractional or partial association with each particle j. Thus, each element V_{ij} is selected from the continuum of values between 0 and 1, such that

$$0 \leq V_{ij} \leq 1, \tag{3}$$

Now the total distance D may be replaced by [compare with (2)]

$$E = \sum_i \sum_j V_{ij} \mid \Delta r \mid_{ij}. \tag{4}$$

(All sums go from 1 to N, unless otherwise indicated.) Of course in the final analysis, for each i all V_{ij} should be zero except for one, corresponding to the choice j(i), which will have value unity. However, with a minimization technique, such as Newton-Raphson, with continuously varying parameters, it would be permissible to allow values V_{ij} away from target values 0 or 1, provided they converge in some limiting sense to 0 or 1 eventually. This is the philosophy behind the approach described next.

The Newton-Raphson technique lends itself nicely to equality constraints. The loose requirements (3) may be further refined to a useful set of equalities.

$$\sum_j^N V_{ij} = 1, \quad i = 1, \ldots, N,$$

$$\sum_i^N V_{ij} = 1, \quad j = 1, \ldots, N - 1. \tag{5}$$

The problem is to minimize E subject to the constraints (5). Introducing Lagrange multipliers λ_i and μ_i we obtain a modified objective function,

$$F = \sum_i \sum_j V_{ij} \, | \, \Delta r |_{ij} + \sum_i \lambda_i \left(\sum_j V_{ij} - 1 \right) + \sum_j \mu_j \left(\sum_i V_{ij} - 1 \right) = \text{minimum} \quad (6)$$

for unconstrained minimization with respect to V_{ij}, λ_i and μ_i.

However, there is one problem with this approach. There is nothing in it that forces values V_{ij} toward either 0 or 1. There is, it turns out, a rather simple way to accomplish this.

2.3 An Entropic Approach

An image restoration technique was introduced some years ago, (Ref. 3) that confines its outputs to lie between 0 and 1. It does this by adding an entropy sum, plus a "complementary entropy" sum, to the quantity that is to be minimized. We can do the same here. The new objective function is

$$G = \sum_i^N \sum_j^N V_{ij} | \, \Delta r \, |_{ij} + \sum_i^N \lambda_i \left(\sum_j^N V_{ij} - 1 \right) + \sum_j^{N-1} \mu_j \left(\sum_i^N V_{ij} - 1 \right)$$

$$+ \rho \sum_i^N \sum_j^N [V_{ij} \ln V_{ij} + (1 - V_{ij}) \ln(1 - V_{ij})] \, . \quad (7)$$

The last double sum consists of entropy VlnV terms and "complementary entropy" (1 - V) ln (1 - V) terms. Weight factor ρ is at the user's disposal and is taken up below.

We now seek the calculus-extremum solution to (7), and see if it can be forced toward 0 or 1, as claimed. Setting $\partial / \partial V_{ij} = 0$ of Eq. (7) yields the intriguing result

$$V_{ij} = \frac{1}{1 + \exp \left[(1/\rho) \left(| \, \Delta r |_{ij} + \lambda_i + \mu_j \right) \right]} \, , \quad i, j = 1,...N. \quad (8)$$

The action of weight ρ is now apparent. If we make ρ very small then the exponent tends toward either $+\infty$ or $-\infty$ forcing V_{ij} toward either 0 or 1, just as we want.

There are four double sums, or terms, in G, Eq. (7). The size of ρ determines the relative weight of the last term for the minimization. Because we want all the emphasis to be upon the first terms our objective function F, Eq. (6), we want ρ to approach zero.

The particulars of the Newton-Raphson approach that solves the problem (7), (8) are as follows.

3. Newton-Raphson Tracking Algorithm

The aim is to arrive at a set of parameters $\{\lambda_i\}$, $\{\mu_j\}$ such that V_{ij} given by representation (8) satisfies the equality constraints (5). This is accomplished as follows.

(a) Fix weight ρ, e.g., $\rho = 10$. ρ must be positive.

(b) Start with a trial solution $\{\lambda_i\}$, $\{\mu_j\}$.

(c) Form V_{ij} by Eq. (8), all i,j.

(d) Form sums $t_i = \sum_j V_{ij}$, $u_j = \sum_i V_{ij}$, all i,j

(e) If all t_i and all u_j equal 1, STOP.

(f) If not, set $\Delta t_i = 1 - t_i$, $\Delta u_j = 1 - u_j$, all i, j. (9)

(g) Solve for changes $\Delta\lambda_i$, $\Delta\mu_j$, all i, j, in 2N equations

$$\Delta t_i = \frac{1}{\rho} \sum_j V_{ij}(1 - V_{ij}) (\Delta\lambda_i + \Delta\mu_j)$$

$$\Delta u_j = \frac{1}{\rho} \sum_i V_{ij}(1 - V_{ij}) (\Delta\lambda_i + \Delta\mu_j)$$

The coefficients of $\{\Delta\lambda_i\}$, $\{\Delta\mu_j\}$ comprise matrix (11) below

(h) Update $\lambda_i \rightarrow \lambda_i + \Delta\lambda_i$, $\mu_j \rightarrow \mu_j + \Delta\mu_j$

(i) Go to (c).

Once the loop STOPS , at step (e), weight parameter ρ is reduced by a factor 1/2, and step (c) starts a new Newton-Raphson problem, using a previous solution set $\{\lambda_i\}$, $\{\mu_j\}$ as the new trial solution. Weight factor ρ is reduced, problem by problem, until all V_{ij} values are sufficiently close to either 0 or 1. This solves the correspondence problem (2).

3.1 Accuracy

Can we be assured that a stationary solution to (7) is a minimum, and in particular, the global minimum? To judge this effect, take the second partial derivative of form (7). This yields a quantity

$$\rho[\, 1 \,/V_{ij} + 1/(\, 1 - V_{ij})] \qquad (10)$$

Since V_{ij} must be positive, by representation (8), and also ρ is positive, quantity (10) must be positive. Therefore function (7) is concave downwards, and there is only one stationary solution, a minimum. Hence, the output of algorithm (9) must always attain the absolute minimum to the problem.

This was confirmed by experimentation with the algorithm. For small dimensioned problems, where $N \leq 8$, the absolute minimum solution can be obtained by simply trying out all possible particle pairings. In all cases tried, where particle positions were generated with uniform randomness, the solution obtained by algorithm (9) matched that by simple permutation. A case $N = 20$ is shown in Fig. 1.



Figure 1. A case of N=20 particle pairs. Arrows designate connections established by algorithm (9).

3.2 Efficiency

The objective is to use the algorithm on very large problems, where N is the order of 1000 or more particles. On the other hand, step (g) of algorithm (9) requires inversion of a 2N x 2N matrix, and this is done repeatedly during enaction of the algorithm. To avoid the requirement for multiple inversion of 2000 x 2000 (and more) matrices, two tactics were taken. These dramatically speed up execution of the algorithm.

(1) The V_{ij} values that approach 1 do so at different rates. Some do after only 3 or 4 iterations, while others require 40 or more. Also, once a V_{ij} is close to 1, it rarely backs up and approaches 1 ultimately. Hence, to avoid the need for carrying along this unnecessary baggage, the algorithm removes from the problem any i, j pair whose V is close enough to 1, and then continues the problem with the remaining elements. In this way, the problem rapidly reduces in dimensionality after but a few iterations. For larger problems of $N \geq 50$, the saving in CPU time due to this tactic is greater than 90

(2) The inversion subroutine, that is used in step (g) contains three nested DO loops. This makes it the major user of time for the algorithm. However, the matrix that is inverted has the special form

$$\begin{bmatrix}
\sum_j W_{1j} & 0 & \cdots & 0 & W_{11} & W_{12} & \cdots & W_{1N} \\
0 & \sum_j W_{2j} & & 0 & W_{21} & W_{22} & \cdots & W_{2N} \\
0 & 0 & & 0 & \cdot & & & \cdot \\
\cdot & \cdot & & \cdot & \cdot & & & \cdot \\
\cdot & \cdot & & \cdot & \cdot & & & \cdot \\
0 & 0 & \cdots & \sum_j W_{Nj} & W_{N1} & W_{N2} & \cdots & W_{NN} \\
W_{11} & W_{21} & \cdots & W_{N1} & \sum_j W_{j1} & 0 & \cdots & 0 \\
W_{12} & W_{22} & \cdots & W_{N2} & 0 & \sum_j W_{j2} & \cdots & 0 \\
\cdot & \cdot & & \cdot & \cdot & \cdot & & \cdot \\
\cdot & \cdot & & \cdot & \cdot & \cdot & & \cdot \\
\cdot & \cdot & & \cdot & \cdot & \cdot & & \cdot \\
W_{1N} & W_{2N} & \cdots & W_{NN} & 0 & 0 & \cdots & \sum_j W_{jN}
\end{bmatrix} \qquad (11)$$

where $W_{ij} \equiv V_{ij}(1 - V_{ij})$. Since all V_{ij} are positive, the diagonal elements of this matrix dominate.

On the other hand, the innermost DO loop operates on off-diagonal elements. Hence, it was possible to replace this DO by a single operation, effectively changing the three nested DO's to two. It should be emphasized that the result is now only an approximate inversion of the matrix. However, since the Newton-Raphson algorithm is iterative anyhow, it can recover from the inaccuracy. In practice, it does: the method reduces execution time by about 30 to 40%.

Another opportunity for time saving grows out of the off diagonal zeros in the upper left hand quadrant of (11). This permits the inner DO loop to be contracted by about a factor of 25%, and without further loss of accuracy in the inversion.

3.3 Empirical Results

We generated random particle configurations for the two frames, and then processed them by use of the tracking algorithm (9). With up to N = 8 particles in each picture, results were confirmed by permutations-algorithm that searches for the absolute minimum in D by exhaustive search of all solution space. For values of N greater than 8 quantitative assessment of the method is possible based on computer experiments, such as simulated Brownian motion. There, both the initial and final position of particles are known and the accuracy of the matching by the algorithm can be quantified.

Three cases, consisting of 100, 250 and 1000 particles each, see Figs. 2, 3 and 4, were run. The particles were displaced by amounts determined by a random number generator and the algorithm was used to attempt matching of the particles. The results, in CPU seconds on a Cray-2 running UNICOS 5.0, may be summarized as follows:

TABLE 1.

No of particles	Case 1	Case 2	Case 3**
100	4.6	4.1	8.2
250	43.5	27.6	31.5
1000	1329.0*	283.7	237.3

* This case did not run to completion. In this length of time the problem had been reduced to 138 particles.

** Sample cases with three different matrix inversion strategies were run. Exact inversion was used in case 1. In case 2 inexact inversion was used until the number of iterations exceeded 9. Case 3 employed inexact inversion. In each case three samples consisting of 100, 250 and 1000 particles were analyzed. The results are summarized in Table 1 showing the CPU seconds utilized.

The memory requirements for the test cases that were run on the Cray-2 are:

TABLE 2.

100 particles:	158,345 words***
250 particles:	582,321 words
1000 particles:	8,102,321 words

*** Each word consists of 64 bits (8 bytes).

For reasonable expectation for a solution to the identification problem, several conditions need to be met:

(1). In their initial distribution, in the plane of observation, the particles must not be packed too closely. In situations where particles are in close proximity and where there is not a well defined flow direction, such as for example in Brownian motion, crossing of trajectories may occur, possibly leading to erroneous selection of terminal positions. (2). Condition 1 implies that the maximum allowable displacement between frames should be limited. It has been found that

$$\Delta t \mid v_m \mid < 0.5\, L_m \tag{12}$$

is a reasonable choice. Here, Δt is the time elapsed between frames and L_m the mean distance between particles in the initial distribution and v_m the mean velocity of the particles. In general, the mean distance between particles in a plane can be expressed as

$$L_m = \sqrt{4A/\pi N} \tag{13}$$

where L_m is the mean distance and A is the area, N the number of particles.

(3). Finally, it must be ascertained that there is no temporal variation in the number of particle between frames. This ensures that pairing of all the particles is possible.



Figure 2. A case with N = 100 particles. Arrows indicate established connections between particles in the two frames.



Figure 3. The matchup of 250 particle pairs. Arrows indicate matched particles.



Figure 4. The case with N = 1000 particles. Arrows indicate matched particle pairs.

4. CONCLUSIONS

A tracking algorithm has been developed that automatically minimizes total distance of movement as a criterion of identification of particle pairs. The algorithm always produced the absolute minimum distance-pairings as its solution. Cases of up to 1000 particle pairs were run successfully, and with small CPU time requirement. The algorithm is unsuitable for situations where the volume particle density is high. Effort is under way to extend the applicability of this methodology to such cases.

REFERENCES

1. B.R. Frieden and C.K. Zoltani, "Fast tracking algorithm for multi-frame particle-image velocimetry data," Appl. Opt. 28, 652-655 (1989).

2. E. J. M. Rignot, "Applications of neural networks to three-dimensional particle tracking in fluid flows,". Department of Aerospace Engineering, University of Southern California, USCAE 146 (1988). The analogous tack was taken by J.J Hopfield and D.W. Tank, in "Neural computation of decision in optimization problems", Biolog. Cybern. 52, 141-152 (1985).

3. B.R. Frieden, "Statistical estimates of bounded optical scenes by the method of 'prior probabilities'". IEEE Trans. Information Theory, IT-19, 118-119 (1973).

No of Copies	Organization
1	Office of the Secretary of Defense OUSD(A) Director, Live Fire Testing ATTN: James F. O'Bryon Washington, DC 20301-3110
2	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145
1	HQDA (SARD-TR) WASH DC 20310-0001
1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001
1	Commander US Army Laboratory Command ATTN: AMSLC-DL Adelphi, MD 20783-1145
2	Commander US Army, ARDEC ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000
2	Commander US Army, ARDEC ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000
1	Director Benet Weapons Laboratory US Army, ARDEC ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050
1	Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299-5000
1	Commander US Army Aviation Systems Command ATTN: AMSAV-DACL 4300 Goodfellow Blvd. St. Louis, MO 63120-1798

No of Copies	Organization
1	Director US Army Aviation Research and Technology Activity Ames Research Center Moffett Field, CA 94035-1099
1	Commander US Army Missile Command ATTN: AMSMI-RD-CS-R (DOC) Redstone Arsenal, AL 35898-5010
1	Commander US Army Tank-Automotive Command ATTN: AMSTA-TSL (Technical Library) Warren, MI 48397-5000
1	Director US Army TRADOC Analysis Command ATTN: ATAA-SL White Sands Missile Range, NM 88002-5502
(Class. only) 1	Commandant US Army Infantry School ATTN: ATSH-CD (Security Mgr.) Fort Benning, GA 31905-5660
(Unclass. only) 1	Commandant US Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905-5660
1	Air Force Armament Laboratory ATTN: AFATL/DLODL Eglin AFB, FL 32542-5000
	Aberdeen Proving Ground
2	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
1	Cdr, USATECOM ATTN: AMSTE-TD
3	Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-MSI
1	Dir, VLAMO ATTN: AMSLC-VL-D

No. of Copies	Organization
1	Commander USA Concepts Analysis Agency ATTN: D. Hardison 8120 Woodmont Avenue Bethesda, MD 20014-2797
1	C.I.A. 01R/DB/Standard Washington, DC 20505
1	US Army Ballistic Missile Defense Systems Command Advanced Technology Center P.O. Box 1500 Huntsville, AL 35807-3801
1	Chairman DoD Explosives Safety Board Room 856-C Hoffman Bldg. 1 2461 Eisenhower Avenue Alexandria, VA 22331-0600
1	Commander US Army Materiel Command ATTN: AMCPM-GCM-WF 5001 Eisenhower Avenue Alexandria, VA 22333-5001
1	Commander US Army Materiel Command ATTN: AMCDE-DW 5001 Eisenhower Avenue Alexandria, VA 22333-5001
4	Project Manager Autonomous Precision-Guided Munition (APGM) Armament RD&E Center US Army AMCCOM ATTN: AMCPM-CW AMCPM-CWW AMCPM-CWS, M. Fisette AMCPM-CWA-S, R. DeKleine Picatinny Arsenal, NJ 07806-5000
2	Project Manager Production Base Modernization Agency ATTN: AMSMC-PBM, A. Siklosi AMSMC-PBM-E, L. Laibson Picatinny Arsenal, NJ 07806-5000
3	PEO-Armaments Project Manger Tank Main Armament Systems ATTN: AMCPM-TMA, K. Russell AMCPM-TMA-105 AMCPM-TMA-120 Picatinny Arsenal, NJ 07806-5000
1	Commander Armament RD&E Center US Army AMCCOM ATTN: SMCAR-AEE Picatinny Arsenal, NJ 07806-5000
8	Commander Armament RD&E Center US Army AMCCOM ATTN: SMCAR-AEE-B A. Beardell B. Brodman D. Downs S. Einstein S. Westley S. Bernstein C. Roller J. Rutkowski Picatinny Arsenal, NJ 07806-5000
2	Commander US Army ARDEC ATTN: SMCAR-AES, S. Kaplowitz; D. Spring Picatinny Arsenal, NJ 07806-5000
2	Commander Armament RD&E Center US Army AMCCOM ATTN: SMCAR-HFM, E. Barrieres SMCAR-CCH-V, C. Mandala Picatinny Arsenal, NJ 07806-5000
1	Commander Armament RD&E Center US Army AMCCOM ATTN: SMCAR-FSA-T, M. Salsbury Picatinny Arsenal, NJ 07806-5000
1	Commander, USACECOM R&D Technical Library ATTN: ASQNC-ELC-I-T, Myer Center Fort Monmouth, NJ 07703-5301

No. of Copies	Organization
1	Commander US Army Harry Diamond Laboratories ATTN: SLCHD-TA-L 2800 Powder Mill Rd Adelphi, MD 20783-1145
1	Commandant US Army Aviation School ATTN: Aviation Agency Fort Rucker, AL 36360
1	Project Manager US Army Tank-Automotive Command Improved TOW Vehicle ATTN: AMCPM-ITV Warren, MI 48397-5000
2	Program Manager US Army Tank-Automotive Command ATTN: AMCPM-ABMS, T. Dean Warren, MI 48092-2498
1	Project Manager US Army Tank-Automotive Command Fighting Vehicle Systems ATTN: AMCPM-BFVS Warren, MI 48092-2498
1	President US Army Armor and Engineer Board ATTN: ATZK-AD-S Fort Knox, KY 40121-5200
1	Project Manager US Army Tank-Automotive Command M-60 Tank Development ATTN: AMCPM-ABMS Warren, MI 48092-2498
1	Commander US Army Training and Doctrine Command ATTN: ATCD-MA, MAJ Williams Fort Monroe, VA 23651
2	Director US Army Materials Technology Laboratory ATTN: SLCMT-ATL Watertown, MA 02172-0001
1	Commander US Army Research Office ATTN: Technical Library P. O. Box 12211 Research Triangle Park, NC 27709-2211

No. of Copies	Organization
1	Commander US Army Belvoir Research and Development Center ATTN: STRBE-WC Fort Belvoir, VA 22060-5006
1	Director US Army TRAC-Ft Lee ATTN: ATRC-L, (Mr. Cameron) Fort Lee, VA 23801-6140
1	Commandant US Army Command and General Staff College Fort Leavenworth, KS 66027
1	Commandant US Army Special Warfare School ATTN: Rev and Tng Lit Div Fort Bragg, NC 28307
3	Commander Radford Army Ammunition Plant ATTN: SMCAR-QA/HI LIB Radford, VA 24141-0298
1	Commander US Army Foreign Science and Technology Center ATTN: AMXST-MC-3 220 Seventh Street, NE Charlottesville, VA 22901-5396
2	Commander Naval Sea Systems Command ATTN: SEA 62R SEA 64 Washington, DC 20362-5101
1	Commander Naval Air Systems Command ATTN: AIR-954-Technical Library Washington, DC 20360
1	Assistant Secretary of the Navy (R, E, and S) ATTN: R. Reichenbach Room 5E787 Pentagon Bldg Washington, DC 20375

No. of Copies	Organization
1	Naval Research Laboratory Technical Library Washington, DC 20375
1	Commandant US Army Command and General Staff College Fort Leavenworth, KS 66027
2	Commandant US Army Field Artillery Center and School ATTN: ATSF-CO-MW, B. Willis Ft. Sill, OK 73503-5600
1	Office of Naval Research ATTN: Code 473, R. S. Miller 800 N. Quincy Street Arlington, VA 22217-9999
3	Commandant US Army Armor School ATTN: ATZK-CD-MS, M. Falkovitch Armor Agency Fort Knox, KY 40121-5215
2	Commander US Naval Surface Warfare Center ATTN: J. P. Consaga C. Gotzmer Indian Head, MD 20640-5000
4	Commander Naval Surface Warfare Center ATTN: Code 240, S. Jacobs Code 730 Code R-13, K. Kim R. Bernecker Silver Spring, MD 20903-5000
2	Commanding Officer Naval Underwater Systems Center ATTN: Code 5B331, R. S. Lazar Technical Library Newport, RI 02840
5	Commander Naval Surface Warfare Center ATTN: Code G33, J. L. East W. Burrell J. Johndrow Code G23, D. McClure Code DX-21 Technical Library Dahlgren, VA 22448-5000

No. of Copies	Organization
3	Commander Naval Weapons Center ATTN: Code 388, C. F. Price Code 3895, T. Parr Information Science Division China Lake, CA 93555-6001
1	Program Manager AFOSR Directorate of Aerospace Sciences ATTN: L. H. Caveny Bolling AFB Washington, DC 20332-0001
5	Commander Naval Ordnance Station ATTN: L. Torreyson T. C. Smith D. Brooks W. Vienna Technical Library Indian Head, MD 20640-5000
1	AL/TSTL (Technical Library) ATTN: J. Lamb Edwards AFB, CA 93523-5000
1	AFSC/SDOA Andrews AFB, MD 20334
1	AFATL/DLYV Eglin AFB, FL 32542-5000
1	AFATL/DLXP Eglin AFB, FL 32542-5000
1	AFATL/DLJE Eglin AFB, FL 32542-5000
1	NASA/Lyndon B. Johnson Space Center ATTN: NHS-22 Library Section Houston, TX 77054
1	AFELM, The Rand Corporation ATTN: Library D 1700 Main Street Santa Monica, CA 90401-3297
3	AAI Corporation ATTN: J. Herbert J. Frankle D. Cleveland P. O. Box 126 Hunt Valley, MD 21030-0126

No. of Copies	Organization
1	Aerojet Ordnance Company ATTN: D. Thatcher 2521 Michelle Drive Tustin, CA 92680-7014
1	Aerojet Solid Propulsion Company ATTN: P. Micheli Sacramento, CA 96813
1	Atlantic Research Corporation ATTN: M. King 5390 Cherokee Avenue Alexandria, VA 22312-2302
4	AL/LSCF ATTN: J. Levine L. Quinn D. Williams T. Edwards Edwards AFB, CA 93523-5000
1	AVCO Everett Research Laboratory ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149-5936
2	Calspan Corporation ATTN: C. Murphy P. O. Box 400 Buffalo, NY 14225-0400
1	General Electric Company Armament Systems Department ATTN: M. J. Bulman 128 Lakeside Avenue Burlington, VT 05401-4985
1	IITRI ATTN: M. J. Klein 10 W. 35th Street Chicago, IL 60616-3799
1	Hercules, Inc. Allegheny Ballistics Laboratory ATTN: William B. Walkup P. O. Box 210 Rocket Center, WV 26726
1	Hercules, Inc. Radford Army Ammunition Plant ATTN: J. Pierce Radford, VA 24141-0299
3	Lawrence Livermore National Laboratory ATTN: L-355, A. Buckingham M. Finger L-324, M. Constantino P. O. Box 808 Livermore, CA 94550-0622
1	Olin Corporation Badger Army Ammunition Plant ATTN: R. J. Thiede Baraboo, WI 53913
1	Olin Corporation Smokeless Powder Operation ATTN: D. C. Mann P. O. Box 222 St. Marks, FL 32355-0222
1	Paul Gough Associates, Inc. ATTN: Dr. Paul S. Gough 1048 South Street Portsmouth, NH 03801
1	Physics International Company ATTN: Library, H. Wayne Wampler 2700 Merced Street San Leandro, CA 98457-5602
1	Princeton Combustion Research Laboratory, Inc. ATTN: M. Summerfield 475 US Highway One Monmouth Junction, NJ 08852-9650
2	Rockwell International Rocketdyne Division ATTN: BA08, J. E. Flanagan J. Gray 6633 Canoga Avenue Canoga Park, CA 91303-2703
3	Thiokol Corporation Huntsville Division ATTN: D. Flanigan Dr. John Deur Technical Library Huntsville, AL 35807

No. of Copies	Organization
2	Thiokol Corporation Elkton Division ATTN: R. Biddle Technical Library P. O. Box 241 Elkton, MD 21921-0241
1	Veritay Technology, Inc. ATTN: E. Fisher 4845 Millersport Highway East Amherst, NY 14501-0305
1	Universal Propulsion Company ATTN: H. J. McSpadden Black Canyon Stage 1 Box 1140 Phoenix, AZ 84029
1	Battelle Memorial Institute ATTN: Technical Library 505 King Avenue Columbus, OH 43201-2693
1	Brigham Young University Department of Chemical Engineering ATTN: M. Beckstead Provo, UT 84601
1	California Institute of Technology 204 Karman Laboratory Main Stop 301-46 ATTN: F.E.C. Culick 1201 E. California Street Pasadena, CA 91109
1	California Institute of Technology Jet Propulsion Laboratory ATTN: L. D. Strand, MS 512/102 4800 Oak Grove Drive Pasadena, CA 91109-8099
1	University of Illinois Department of Mechanical/Industrial Engineering ATTN: H. Krier 144 MEB; 1206 N. Green Street Urbana, IL 61801-2978
1	University of Massachusetts Department of Mechanical Engineering ATTN: K. Jakus Amherst, MA 01002-0014
1	University of Minnesota Department of Mechanical Engineering ATTN: E. Fletcher Minneapolis, MN 55414-3368
1	Case Western Reserve University Division of Aerospace Sciences ATTN: J. Tien Cleveland, OH 44135
3	Georgia Institute of Technology School of Aerospace Engineering ATTN: B.T. Zim E. Price W.C. Strahle Atlanta, GA 30332
1	Institute of Gas Technology ATTN: D. Gidaspow 3424 S. State Street Chicago, IL 60616-3896
1	Johns Hopkins University Applied Physics Laboratory Chemical Propulsion Information Agency ATTN: T. Christian Johns Hopkins Road Laurel, MD 20707-0690
1	Massachusetts Institute of Technology Department of Mechanical Engineering ATTN: T. Toong 77 Massachusetts Avenue Cambridge, MA 02139-4307
1	Pennsylvania State University Applied Research Laboratory ATTN: G.M. Faeth University Park, PA 16802-7501
1	Pennsylvania State University Department of Mechanical Engineering ATTN: K. Kuo University Park, PA 16802-7501
1	Purdue University School of Mechanical Engineering ATTN: J. R. Osborn TSPC Chaffee Hall West Lafayette, IN 47907-1199

No. of Copies	Organization
1	SRI International Propulsion Sciences Division ATTN: Technical Library 333 Ravenwood Avenue Menlo Park, CA 94025-3493
1	Rensselaer Ploytechnic Institute Department of Mathematics Troy, NY 12181
2	Director Los Alamos Scientific Laboratory ATTN: T3, D. Butler M. Division, B. Craig P. O. Box 1663 Los Alamos, NM 87544
1	General Applied Sciences Laboratory ATTN: J. Erdos 77 Raynor Avenue Ronkonkama, NY 11779-6649
1	Battelle PNL ATTN: Mr. Mark Garnich P. O. Box 999 Richland, WA 99352
1	Stevens Institute of Technology Davidson Laboratory ATTN: R. McAlevy, III Castle Point Station Hoboken, NJ 07030-5907
1	Rutgers University Department of Mechanical and Aerospace Engineering ATTN: S. Temkin University Heights Campus New Brunswick, NJ 08903
1	University of Southern California Mechanical Engineering Department ATTN: 0HE200, M. Gerstein Los Angeles, CA 90089-5199
2	University of Utah Department of Chemical Engineering ATTN: A. Baer G. Flandro Salt Lake City, UT 84112-1194
1	Washington State University Department of Mechanical Engineering ATTN: C. T. Crowe Pullman, WA 99163-5201
1	Honeywell, Inc. ATTN: R. E. Tompkins MN38-3300 10400 Yellow Circle Drive Minnetonka, MN 55343
1	Science Applications, Inc. ATTN: R. B. Edelman 23146 Cumorah Crest Drive Woodland Hills, CA 91364-3710
	Aberdeen Proving Ground
	Cdr, CSTA ATTN: STECS-LI, R. Hendricksen

INTENTIONALLY LEFT BLANK.

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number BRL-TR-3099 Date of Report APRIL 1990

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT ADDRESS

Name

Organization

Address

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD ADDRESS

Name

Organization

Address

City, State, Zip Code

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

FOLD HERE

DEPARTMENT OF THE ARMY
Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 2100 -5066
OFFICIAL BUSINESS

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT No 0001, APG, MD

POSTAGE WILL BE PAID BY ADDRESSEE

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-9989

FOLD HERE