REPORT DOC	UMENTATION	PAGE UIIG THE C	
Whit reparting therein for this solution of interme meaning and maintaining the data needed, and cam- mercup of intermetation, including publications for n	NOR IS CONTRACTOR TO AVERAGE 1 YOUR Noting and revenues the contection Sectors this markets, to Washington	of information. Send comments reparating inger of information. Send comments reparating this busi-	there, searching earling data sources
an regime, Sure 1364, Artingun, VA 22202-6302 AGENCY USE ONLY (Lague Mark)	and to the Office of Management	A BURGET, FAREWINGT AND USED FRANCE (1704418	A. Westington, OC 2012
		EINAL REPORT, 1JI	N 86 - 30 Seo 89
SYSTEMS RELIABILITY AND	D INFERENCE	S. FUND Afos	R-86-0208
		6110	2F 2304/A5
AUTHOR(S)		· · · · · · · · · · · · · · · · · · ·	Q.
William S. Jewell			$\mathbf{C}$
NERCENTE ORGANIZATION NAME			
University of Californi	a	REPO	RT NUMBER
Engineering Systems Res 3115 Etcheverry Hall	search Center		•
		ALOSR R. 9	0 0778
Berkeley, CA 94720	NAME(S) AND ADDRESS	(65) 18. 5201	SCRINE / MONITORING
AFOSR/IM		AGE	nty report number
Bidý 410		[	
DOINING AFB DC 20332-6448			
. SUPPLEMENTARY NOTES			
		DIIC	
LA. DISTRIBUTION / AVAILABILITY STAT	TEMENT	ELECTE SAL	TRIBUTION CODE
		JUL 2 6 1990	
Approved for public relea	se;	n Cz L	
distribution during ted.	5.0°	U~	
. ABSTRACT (Maximum 200 words)			
Research on systems	reliability an	nd inference were for	ussed on three
major areas: linear moments for a variet	approximations v of different	for estimating firs	st and second
with emphasis on pre	dicting unrepo	orted counts generate	ed over a fixed
exposure interval; a incomplete data.	nd generalized	l models of life test	ing with
-			
A. SUBJECT TERMS			15. NUMBER OF PAGES 9
			16. MICE CODE
. SIGNITY CLASSIFICATION 18.	SECURITY CLASSIFICATION	19. SECUNITY CLASSIFICATION	28. LIMITATION OF ABSTR
UNCLASSIFIED U	NCLASSIFIED	UNCLASSIFIED	SAR

AD-A224 433

## AFOSR-86-0208 SYSTEMS RELIABILITY AND INFERENCE

#### SUMMARY OF ACCOMPLISHMENTS 1988-1990

#### Research of William S. Jewell

#### SUMMARY

Research on systems reliability and inference were focussed on three major areas: linear approximations for estimating first and second moments for a variety of different models; delayed reporting models, with emphasis on predicting unreported counts generated over a fixed exposure interval; and generalized models of life testing with incomplete data.

# Approximations for Bayesian Estimation and Prediction

A continuing research theme has been the development of approximation methods for Bayesian estimation and prediction. Our primary approach has been the use of "credibility theory" to provide linear approximations to the predictive means and variances of various applied models where prior information is available. In these applications, the availability of simple point prediction formulae and the resulting analytic insight is more important than obtaining full-distributional numerical results.

A case in point is the simultaneous prediction of co-product quality, for example, in the fabrication of semiconductor microchips, where output is sorted into "different" product types, based upon performance. A natural model for making predictions of this "binned" output is the multinomial distribution; however, the underlying sorting probabilities are only imprecisely known after each "tweaking" by the process engineeers. Another difficulty, from an analytic point of view, is that the usual "natural-conjugate" Dirichlet prior is much too "thin" to describe possible process variation, since preliminary examination of industrial data indicates that, in fact, some prior output covariances may be positive. Since only the means and covariances of co-product are useful in production planning, the use of linear approximation techniques is justified. This work led to a Ph.D. dissertation (Chou, 1988) and has been reported in Jewell and Chou (1988).

A general approach to linear approximations for Bayesian predictive means and covariances in problems which are of high dimensionality, or in which exact analysis requires impractically detailed prior opinion and knowledge may be found in Jewell (1989a). In this paper, a number of special cases, including the multinomial and multinormal model densities, are outlined in which the required number of hyperparameters is substantially reduced; these models are currently under inverstigation. Jewell (1989c) shows how to predict the first and second moments in a two-stage hierarchical model; comparison is made with exact results previously obtained for the multinormal hierarchical model (Jewell, 1988). A substantial reduction in dimensionality is obtained through analysis of the inversion of a large matrix with a new special covariance structure, reported in Jewell (1990b).

Dist

) Are- (To St

D

O

m

Avail and/or

Special

### Delaved Reporting Models

An interesting partial information problem occurs when an unknown number of samples is generated from a point process during some fixed exposure interval, but the reporting of the events is *delayed*; both the process and delay parameters are assumed to be unknown, a priori. The problem is to predict the *actual* number of events that occured, based only upon the partial number of events reported by some fixed date. This model describes, *inter alia*: the delayed reporting of effects from some catastrophe or environmental insult (Chernobyl, asbestosis, etc.); the financially important problem of estimating IBNYR (Incurred But Not Yet Beported) claims in insurance; problems in predicting with "incomplete returns" in sample surveys, voting; *et cetera*.

net por

Jewell (1989b) assumes that events are generated according to a stationary Poisson process; delays are independent samples from an exponential distribution, and that reporting consists of exact measurements of various combinations of (i) occurence dates, and/or reporting dates for events recorded by the end of the sampling interval. The exact predictive distribution is obtained in a recursive form that involves the ratio of certain integrals; these ratios are then accurately approximated using a Gammoid approximation, in a manner similar to the approach of Morris (1988). The paper examines the effect of four different assumptions on the availability of data. The two worst cases lead to identifiability problems with MLE estimators or to convergence problems with Bayesian estimators; this result has important practical significance for data gathering for IBNYR prediction.

Jewell (1990) considers the same problem with quantized delayed reporting, where the process is sampled only periodically. This variation is of great practical interest in applications where the volume of data precludes gathering exact dates of event occurence and reporting. The main focii of the paper are comparing the effects of the two possible types of quantized data reporting, and investigation of the prediction accuracy of increasingly longer reporting cycles. Comparisons with our previous continuous data results are also made. The results of this investigation were reported at the ASTIN Colloquium in New York City, November, 1989.

Currently in progress is an investigation of the effect of adding cohort data from earlier exposure intervals (the so-called *IBNR Triangle* data); our hope here is to show that, with sufficient data, the Bayesian predictive mode for the total number of unreported events from *all* exposure years converges to one of the many heuristic IBNR Triangle estimators currently used in the risk industry. We will also develop Bayesian predictive densities using the Gammoid approximation used in the earlier papers.

# Life Testing with Incomplete Data , (|< R]

Another research topic currently in progress is the investigation of partial information samples. For instance, the classical protocol for predicting future lifetimes of unreliable components is the *censored* test, terminated at some fixed time T with certain of the components having failed and the remainder still functioning. (A wide variety of model variations are possible, include renewal testing, withdrawn components, etc.) As is well known, it is important to use not only the completed failure data for estimation and prediction, but also the number of remaining components still "on test"; for exponential lifetimes, this leads to the classic "total-time-on-test" statistic and estimator. With the choice of a Gamma prior for the failure rate, Bayesian prediction of the lifetime distribution can then be made in closed form. This approach works even for a slightly generalized model, called the proportional hazard family [Jewell (1977)]. There remains the question as to the effect of censoring or truncating the samples in other models and densities; this problem is analytically difficult because of the presence of the tail distribution function in the likelihood.

A related problem occurs when it assumed that components to be tested include two or more types with different failure rates; usually, the proportion of defective parts and the failure rates are all unknown, *a priori*. Standard engineering practice is to "burn in" all the components for a fixed time, possibly under accelerated stress conditions, with the hope that the proportion of "good" parts will be higher in the remaining population. Here again, both the data furnished by the failed lifetimes and the number of survivors is important in making useful predictions.

Truncated tests are also of interest. For example, in the pricing of stop-loss coverage in reinsurance, only the the excess losses above a certain, usually high, limit are insured by the primary carrier. Because of sampling costs, values of losses below this limit are not reported, leaving reinsurers in the unenviable position of of estimating the tail of a distribution only from the largest samples, with no information about the bulk of the distribution ! In reliability terms, this would be the same as estimating mean residual life after an extended mission duration, using only a few samples of lifetimes that were longer than than the mission duration. Clearly, a Bayesian approach that integrates prior experience is mandatory here. Jewell (1990c) presents a preliminary approach to approximate prediction in this difficult problem.

#### PH.D. THESIS SUPPORTED IN PART BY AFOSR-86-0208

November, 1988. Shrane Kuong Chou, Control and Planning of Co-Product Production, I.E.O.R. Department, U. C. Berkeley.

### PUBLICATIONS SUPPORTED BY AFOSR-86-0208

- Jewell, W.S. (1988). A Heteroscedastic Hierarchical Model, pp. 657-663 in Bayesian Statistics 3, Proceedings of the Third Valencia International Meeting June 1-5, 1987, Bernardo, J.M., M. H. Degroot, D.V. Lindley, and A.F.M. Smith (eds), Clarendon Press, Oxford.
- Jewell, W.S. (1989a). A General Framework for Credibility Prediction of Multidimensional First and Second Moments. Insurance: Mathematics and Economics, 8, pp. 127-136.
- Jewell, W.S. (1989b). Predicting IBNYR Events and Delays I. Continuous Time. ASTIN Bulletin, 19, pp. 25-55.
- Jewell, W.S. (1989c). Credibility Prediction of First and Second Moments in the Hierarchical Model. Bulletin of the Swiss Association of Actuaries, 1989, 301-330.
- Jewell, W.S. (1990a). Predicting IBNYR Events and Delays II. Discrete Time. To appear, ASTIN Bulletin.
- Jewell, W.S. (1990b). Covariance Matrix Patterns Invariant under Multiplication and Inversion. To appear, Insurance: Mathematics and Economics.
- Jewell, W.S. (1990c). Up the Misty Staircase with Credibility. Invited lecture at a Symposium on the Occasion of the Sixtieth Birthday of Hans Bühlmann, ETH-Zürich, February 2, 1990. To appear, ESRC Technical Report.

1

Jewell, W.S. & S.-K. Chou (1988). Predicting Multinomial Bin Splits With Arbitrary Yield Information. ESRC 88-24, Engineering Systems Research Center, University of California, Berkeley.

#### ADDITIONAL REFERENCES

- Jewell, W.S. (1977). Bayesian Life Testing Using the Total Q on Test, pp. 49-66 in The Theory and Applications of Reliability, Vol 1, Tsokos, C. P. & I. N. Shimi (eds), Academic Press, New York.
- Jewell, W.S. (1982). Enriched Multinormal Priors Revisited, Journal of Econometrics 23, pp. 5-35.
- Morris, C.N. (1988). Approximating Posterior Distributions and Posterior Moments, pp. 327-344 in Bayesian Statistics 3, Proceedings of the Third Valencia International Meeting June 1-5, 1987, Bernardo, J.M., M. H. Degroot, D.V. Lindley, and A.F.M. Smith (eds), Clarendon Press, Oxford.

# UNIVERSITY OF CALIFORNIA, BERKELEY

BEREELEY . DAVIS . IRVINE . LOS ANGELES . RIVERSIDE . SAN DIEGO . SAN FRANCISCO



SANTA BARBARA · SANTA CRUZ

COLLEGE OF ENGINEERING DEPARTMENT OF INDUSTRIAL ENGINEERING AND OPERATIONS RESEARCH

BERKELEY, CALIFORNIA 94720

May 11, 1990

Dr. Jon Sjogren AFOSR/NM Bolling Air Force Base Washington, D. C. 20332-6448

Dear Dr. Sjogren:

Enclosed is a report of AFOSR supported research for the last two years. Current work in draft was not mentioned.

As you know, there is currently no money in the AFOSR budget for Ph.D. thesis student support. As a consequence none of our Ph.D. thesis students mentioned in our reports have been supported since Summer 1989. We hope that somehow it will be possible to restore AFOSR funding for graduate U. S. research assistants in our next year's budget.

Sincerely,

E. Buloz

Richard E. Barlow

5/11/90

May 11, 1990

#### AFOSR-90-0087

#### SYSTEM RELIABILITY AND INFERENCE

#### Research of Richard E. Barlow

Our best research results in the 1989-90 time period concern algorithms for computing posterior probabilities in probabilistic influence diagrams. Influence diagrams are one of the chief tools used by consulting companies concerned with decision analysis; e.g. the Strategic Decisions Group, Menlo Park, CA. This is also used in decision analysis courses at Berkeley in the IEOR department and the Engineering Economic Systems department at Stanford among others. As a consequence, elaborate software packages to analyze influence diagrams have been created at Stanford and also Aalborg, Denmark. For example, DAVID is a program developed by Prof. R. Shachter and Leonard J. Bertrand at Stanford. A more elaborate program has been developed by the Strategic Decisions Group, Menlo, Park, California. Another competing program, HUGIN, has very recently been advertised by Hugin Expert in Aalborg, Denmark. This program is based on the research of Lauritzen and Spiegelhalter (1988). DAVID is based on the directed graph and arc reversals while HUGIN is based on the underlying undirected graph. Although the program codes are not available, the algorithms are in the published literature.

In the AFOSR sponsored technical report **Decomposable Probabilistic Influence Diagrams** (ESRC 90-2, Jan. 1990) the theoretical connection between these different approaches is laid bare. Although it has been claimed that the Lauritzen and Spiegelhalter approach is superior, it is shown that the two approaches are essentially the same. An improved algorithmic approach based on this research is given. This work was first reported at the DIMACS Workshop on Reliability of Computer and Communication Networks at Rutgers University Dec. 2-4. A copy of

1

5/11/90

the technical report will appear in the Proceedings of this Workshop. This and further work was reported at the recent, May 7-9 meeting of ORSA/TIMS in Las Vegas by Steven Chyu. It will form the core of his Ph.D. thesis. Professor Shachter also reviewed this work in an expository paper, "Directed Reduction Algorithms and Decomposable Graphs" at the March1990 **Conference on Uncertainty in Artificial** Intelligence.

In the 1988-89 period perhaps the best work was the paper on environmental stress screening. Models and methods for determining optimal environmental stress screening procedures were analyzed and a new approach suggested.

There are many loopholes in the modeling and practical application of Environmental Stress Screening (ESS) for electronic parts. The most serious problem is that of optimizing the design and conduct of ESS programs. ESS is conducted to purge parts populations of parts that would experience early failure if used. ESS is also used later in the production phase to eliminate weak parts and production flaws in subassemblies and assemblies. One of the unanswered questions is how long and/or how strong ESS should be applied to products coming from a production line so as to obtain products which meet the specified reliability level. We summarize below some results from our paper "Classical and Bayesian Approaches to ESS: A Comparison" (1989).

Let T be the optimal duration for the screen (under a given stress level  $\lambda$ ). Let  $c_b$  be the cost of having a "bad" part escape the screen and  $c_g$  be the cost of having a "good" part destroyed by the screen. The costs  $c_b$  and  $c_g$  are "decision" costs in the sense that they describe the cost of wrong "decisions" regarding the part. The cost  $c_b$ is usually much larger than  $c_g$ . In any event, it will only be necessary to specify the ratio  $c_b/c_g$ . Set  $K = \tau^{-1}$  (b/a)  $c_g/c_b$ , then  $T = K^{-1}[1 - K\theta + \sqrt{1 + K(\theta - \tau)}]$ 

is the optimal duration for the screen where  $1/\theta$   $(1/\theta + 1/\tau)$  is the **expected** failure rate of good (bad) parts and  $\frac{a}{a+b}$  is the **expected** 

fraction defective.

5/11/90

#### PUBLICATIONS SUPPORTED BY

#### AFOSR -86- 0208

- Barlow, R. E. and F. Proschan (1988). Life Distribution Models and Incomplete Data. Handbook of Statistics, Vol. 7. Elsevier Science Publishers B. V. pp. 225-249.
- Barlow, R. E., I. Bazovsky, Sr., and S. Wechsler (1989). Classical and Bayesian Approaches to Environmental Stress Screening (ESS): A Comparison. 1990 Proceedings Annual Reliability and Maintainability Symposium, January 1990, Los Angeles, pp. 81-84.
- Barlow, R. E. (1989). Influence Diagrams. Encyclopedia of Statistical Sciences Supplement Volume. J. Wiley and Sons, pp. 72-74.
- Barlow, R. E. and Pereira, C. (1990). Conditional Independence and Probabilistic Influence Diagrams. IMS Lecture Note Series:
  Proceedings of the Symposium on Dependence in Statistics and Probability, pp. 1-14.
- Barlow, R. E., R. W. Mensing and N. G. Smiriga (1988). An Application of Influence Diagrams. Accelerated Life Testing and Experts'
  Opinions, ed. D. V. Lindley and C. Clarotti, Soc. Italiana di Fisica, Bologna, Italy, pp. 203-236.
- Barlow, R. E., R. W. Mensing and N. G. Smiriga (1988). Computing the Optimal Design for a Calibration Experiment. **ZSRC 88-17 Technical Report**. Engineering Systems Research Center, U. C. Berkeley. (To appear in a special issue of **Journal of Statistical Planning and Inference** devoted to Reliability and Quality Control, Asit P. Basu, editor.)

Barlow, R. E. and Irony, T. Shor S. W. W. (1990). Informative Sampling Methods: The Influence of Experimental Design on Decision.
Influence Diagrams, Belief Nets and Decision Analysis, R. M. Oliver and J. Q. Smith, pp. 177-197 ed. J. Wiley & Sons Ltd.

#### ADDITIONAL REFERENCE

Lauritzen, S. L. and D. J. Spiegelhalter (1988). Local Computations with Probabilities on Graphical Structures and their Application to Expert Systems. Journal of the Royal Statistical Society, B., 50 No. 2, pp.157-224.

#### STUDENTS PARTIALLY SUPPORTED BY AFOSR GRANT

- Irony, Telba (Brazil). Berkeley IEOR department Ph.D. thesis:
  Modeling, Information Extraction and Decision Making: A
  Bayesian Approach to Some Engineering Problems completed
  December 1989. Accepted faculty position with the department
  of Operations Research, George Washington University, Wash.
  D. C.
- Ling, Mei-Hsiu (Taiwan). Berkeley Statistics Department Ph.D. thesis: Robustness in the Bayesian Framework completed December 1 1989. Now with a pharmaceutical company in New Jersey.
- Wechsier, Sergio (Brazil). Berkeley Statistics Department Ph.D. thesis: On de Finettian Decision Making completed August 1989. Now on the faculty in the department of statistics, Universidade de São Paulo, Brazil.