

DTIC FILE COPY

2

AFOEHL REPORT 90-193EQ00131KHH



**Medical and Hazardous Waste
Technical Assistance Survey
Minot AFB ND**

LINDA B. ALBRECHT, Capt, USAF, BSC

DTIC
ELECTE
JAN 29 1991
S D

OCTOBER 1990

Final Report

Distribution is unlimited; approved for public release

**AF Occupational and Environmental Health Laboratory (AFSC)
Human Systems Division
Brooks Air Force Base, Texas 78235-5501**

91 1 28 117

AD-A231 295

NOTICES

When Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government incurs no responsibility or any obligation whatsoever. The fact that the Government may have formulated, or in any way supplied the drawing, specifications, or other data, is not to be regarded by implication, or otherwise, as in any manner licensing the holder or any other person or corporation; or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

The mention of trade names or commercial products in this publication is for illustration purposes and does not constitute endorsement or recommendation for use by the United States Air Force.


The Public Affairs Office has reviewed this report, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nations.

This report has been reviewed and is approved for publication.

Air Force installations may direct requests for copies of this report to: Air Force Occupational and Environmental Health Laboratory (AFOEHL) Library, Brooks AFB TX 78235-5501.

Other Government agencies and their contractors registered with the DTIC should direct requests for copies of this report to: Defense Technical Information Center (DTIC), Cameron Station, Alexandria VA 22304-6145.

Non-Government agencies may purchase copies of this report from: National Technical Information Service (NTIS), 5285 Port Royal Road, Springfield VA 22161



LINDA B. ALBRECHT, Capt, USAF, BSC
Consultant, Hazardous Waste Function



EDWIN C. BANNER III, Col, USAF, BSC
Chief, Environmental Quality Division

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE October 1990	3. REPORT TYPE AND DATES COVERED Final 4 - 7 Jun 90		
4. TITLE AND SUBTITLE Medical and Hazardous Waste Technical Assistance Survey, Minot AFB ND		5. FUNDING NUMBERS		
6. AUTHOR(S) Linda B. Albrecht, Capt, USAF, BSC				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) AF Occupational and Environmental Health Laboratory Brooks AFB TX 78235-5501		8. PERFORMING ORGANIZATION REPORT NUMBER AFOEHL Report 90-193 EQ00131KHH		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Same as Blk 7		10. SPONSORING / MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Statement A. Unlimited, approved for public release		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) At the request of HQ SAC/SGPB, the AFOEHL conducted a medical and hazardous waste technical assistance survey at Minot AFB (MAFB) from 4-7 June 1990. The scope of this survey was to address infectious and hazardous waste management practices, explore opportunities for waste minimization, and to determine wastestreams. The survey team performed a shop-by-shop evaluation of waste management practices and met with both infectious and hazardous waste managers to discuss their waste programs. Recommendations include: (1) conduct additional training on infectious waste segregation; (2) develop a hospital policy on segregation; (3) ensure the proper materials are available for segregation; (4) one-way valve masks, spill response kits, and full-faced organic vapor masks should be ordered for emergency response; (5) conduct a spill response exercise to familiarize personnel with emergency procedures; (6) dispose of all excess chemicals properly; (7) keep minimal amounts of chemicals available; (8) increase the operating temperature of the incinerator; (9) transport all infectious waste in a government vehicle; (10) develop a contingency plan for infectious waste disposal.				
14. SUBJECT TERMS Hazardous Waste Management Minot AFB Albrecht Infectious Waste Management			15. NUMBER OF PAGES 40	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT none	

(This page left blank)

ACKNOWLEDGMENT

The author greatly appreciates the support and assistance given by Minot AFB. Major Ellis and the entire staff of the Bioenvironmental Engineering Section provided essential information and assistance needed to accomplish this survey.



Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Availability for Specimen
A-1	

CONTENTS

	Page
Standard Form 298	i
Acknowledgments	iii
I. INTRODUCTION	1
II. DISCUSSION	1
III. PROCEDURES	2
IV. RESULTS AND DISCUSSION	2
V. OBSERVATIONS	3
VI. RECOMMENDATIONS	4
VII. CONCLUSIONS	6
REFERENCES	7
APPENDIX	
A REQUEST LETTER	9
B SECTION SURVEY FORM	13
C FACILITY MANAGER SURVEY	23
D SUMMARY OF WASTE TRAINING	29
E SUMMARY OF INFECTIOUS WASTE BY TYPE	33
Distribution List	37

I. INTRODUCTION

On 5 February 1990, the 857th Strategic Hospital, Minot Air Force Base ND requested through HQ SAC/SGPB that the Air Force Occupational and Environmental Health Laboratory (AFOEHL) perform a hazardous and medical waste survey of their hospital (see Appendix A). Base personnel were particularly concerned with medical waste storage and disposal practices.

Capt Albrecht conducted the hazardous and medical waste survey at the 857th Strategic Hospital from 4 to 7 June 1990. The scope of this survey was to evaluate the hospital's medical and hazardous waste management practices from the point of generation to their ultimate disposal. The survey also addressed areas of regulatory compliance, program effectiveness, and waste minimization.

II. DISCUSSION

A. Base Description: Minot AFB is a Strategic Air Command base which has a dual mission. Both a flying wing of combat ready B-52s and KC-135s and a missile wing are assigned to Minot. The hospital provides medical care for all active duty, retirees, and dependents. Additionally, the hospital provides care for all the veterans and an Indian reservation.

B. Current Disposal Practices and Limitations: Currently the 857th Strategic Hospital burns all medical waste in the incinerator. The majority of medical waste is transported within the facility by Housekeeping and stored in the incinerator room until it's burned by housekeeping personnel. The hospital's civil engineering personnel are responsible for operating and maintaining the incinerator.

The incinerator is two years old and has had no downtime. Its capacity is 100 pounds an hour. The only stack testing done to date was visible emissions. The emissions ranged from 1.3 to 36.9%. The federal government currently regulates visible emissions at 40% for an average of 6 minutes. The incinerator costs 2,900 dollars a year to operate.

Some infectious waste and hazardous waste that is exempt under the laboratory waste exemption in 40 CFR 261.3, generated in process are discharged into the sanitary sewer. This sewage is collected and transported by gravity and pressure lines to the Minot Wastewater Treatment Plant. The wastewater discharge limits are set by the Code of Federal Regulations Title 40, Sections 261.3, 403, 433, 459, and 460 and the State of North Dakota Clean Water Laws.

The remainder of the hazardous waste from the 857th Strategic Hospital is collected and turned in to facility management for disposal through the Defense Reutilization and Marketing Office (DRMO). Additionally, the X-ray Department uses a silver recovery system. The fixers are then discharged to the sanitary sewer.

III. PROCEDURES

The first step of the survey was to review the hospital's hazardous and medical waste plan, infection control program, and the bioenvironmental engineer's hazardous chemical inventory. The survey team visited all sections generating medical or hazardous waste. Their operations were observed, disposal practices were discussed, and survey forms (Appendix B) were completed by shop personnel. The survey forms were used to document medical waste disposal practices. A second survey form was completed by facility management (Appendix C) to document treatment options and costs.

During this survey the hospital personnel completed surveys on training and infectious waste disposal. The disposal practices and training frequencies are summarized in Appendixes D and E, respectively. The team visited all hazardous waste satellite sites and evaluated them. The following personnel were contacted about their responsibility and involvement in the hospital hazardous waste program:

Mr Atkinson, Environmental Coordinator
Maj Ellis, Bioenvironmental Engineer
Mr Finneseth, Facility Manager
MSgt Good, Medical Logistics NCOIC

The survey team also visited and evaluated the medical waste storage area. The following offices were contacted about their involvement and responsibility in the medical waste program:

Capt Kurn, Environmental Health Office
Mr Finneseth, Facility Management Infection Control Officer

IV. RESULTS AND DISCUSSION

A. Medical Waste Program

The current medical waste program is operating fairly well. The infection control officer is responsible for training all the hospital personnel on infection control, and the facility manager is responsible for medical waste disposal. The regulations on medical waste addressed all aspects of infection control and infectious waste disposal including antineoplastic drug administration and disposal.

B. Hazardous Waste Program

The facility manager also manages the hospital's hazardous waste. Because these programs are so different, it may be better to assign responsibility to two different people. The medical logistics officer is already responsible for several portions of the hospital's hazardous waste program. They have developed material turn-in procedures, and coordinated with the bioenvironmental engineer and the base environmental coordinator. However, they do not have the responsibility for the program. Appointing the medical logistics officer or the NCOIC as the hazardous waste program manager will close this loop and allow the hospital more control over its hazardous waste program.

V. OBSERVATIONS

A. Medical Logistics has developed an excellent hazardous material and hazardous waste disposal program. Their program involves the bioenvironmental engineer for waste characterization and the environmental coordinator for hazardous waste disposal. While developing this program took a substantial amount of work and delayed routine destructions, it ensured that the hospital complied with the federal laws.

B. Hospital personnel are confused about what is infectious waste. Some sections define infectious waste as waste saturated with blood, while others define it as waste with any blood or body fluids on it. Therefore, different sections are red bagging different items. This not only causes internal problems, it increases the quantity of infectious waste.

C. In the laboratory, paper, carbon paper, alcohol pads, and gloves were found in the infectious waste bags. Both infectious waste and trash bags are available in the area. The laboratory believes all their waste is incinerated including the paper waste. This unsegregated waste greatly increases the amount of infectious waste the hospital is incinerating.

D. The Dental Clinic is storing infectious waste next to the sterilizer. This increases the potential for contamination of the sterilized instruments. Also, several vials were found in their infectious waste bag. These vials could puncture the bag.

E. All waste on the labor and delivery ward is considered infectious. The ward red bags all the patients' waste and all the nursery waste, including the diapers. The lack of segregation increases the quantity of infectious waste that is disposed of.

F. The surgery department also considers all waste infectious. All waste is red bagged. Any waste generated prior to beginning the operation could be segregated because it is not infectious.

G. The Emergency Room has no method to identify infectious patients, especially trauma patients, prior to treatment. Personnel are susceptible to both blood and airborne diseases when dealing with trauma cases; however, they do wear gloves while treating patients.

H. Hospital personnel generally knew the procedures for cleaning up spills; although, some personnel still believe bioenvironmental engineering will clean up the spills.

I. There were antineoplastic spill response kits in the pharmacy and medical logistics. However, no antineoplastic kit was available on the multiservice ward where the antineoplastic medication is administered.

J. The antineoplastic spill response kits have a disposable dust mist respirator in them. However, this respirator will not provide adequate protection in a large spill greater than 5 grams.

K. The hospital regulation, 127-2, "Hazardous Material and Disposal," includes infectious waste as a category of hazardous waste. It is not.

L. The bioenvironmental engineering section laboratory has stored chemicals which they haven't used in over a year. They currently have both xylene and formaldehyde, which are both RCRA-regulated hazardous wastes.

M. The dental laboratory is currently storing all flammable chemicals in a drawer in the laboratory. The chemicals are all in glass bottles and could easily break.

N. The Dental Clinic bottles all x-ray fixers, takes it to the hospital's x-ray department, and recovers the silver. One of the hospital's x-ray processors is not on the silver recovery system.

O. The incinerator currently operates at 600° F in the primary chamber and 1800° F in the secondary chamber with no retention time.

P. The Veterinary Clinic is transporting infectious waste to the hospital in a privately owned vehicle.

Q. The hospital has no alternate disposal method if the incinerator breaks down.

VI. RECOMMENDATIONS

A. Additional training on infectious waste will reduce the confusion about what is infectious waste. This training should emphasize how and why the infectious waste is segregated.

B. The hospital needs to use a standard segregation policy. The infection control committee should review the segregation and infectious waste disposal operating instructions used by the sections. Randomly inspecting sections will ensure that infection control policies are being followed and the waste is being segregated properly.

C. The laboratory should segregate paper, carbon paper, alcohol pads, and other routine trash from the infectious waste. Two cans are available.

D. The Dental Clinic should move the infectious waste container away from the sterilizer, preferably into another room. All vials and other glass waste should be placed in sharps containers.

E. All waste on the labor and delivery ward is not infectious. The majority of the patients' waste is not infectious (in most cases only the peri-pad is saturated with blood). The diapers do not have to be red bagged unless the baby is infectious.

F. All waste generated by the surgery department is not infectious. The waste generated before the procedure begins (usually dressing wrappers and other paper waste) is not infectious and should be segregated. If space is a significant problem, this waste can be removed and replaced with an infectious waste bag immediately before the operation begins. However, a second trash can will probably fit in the operating room.

G. Because the Emergency Room cannot identify infectious patients, especially trauma patients, prior to treatment, it should have one-way valve masks available in all emergency response vehicles for administering mouth-to-mouth resuscitation.

H. An internal exercise involving spill cleanup may help eliminate the misconception that bioenvironmental engineering will clean up spills. It will also emphasize the training that personnel have already received.

I. The multiservice ward needs an antineoplastic spill response kit. One should be ordered from Medical Logistics.

J. All the antineoplastic spill response kits need to be augmented with a full face organic vapor respirator with a HEPA filter. This is the respirator OSHA has approved for large antineoplastic spills greater than 5 ml or 5 g in accordance with OSHA work-practices for personnel dealing with cytotoxic (antineoplastic) guidelines.

K. The hospital regulation, 127-2, "Hazardous Material and Waste Disposal," should be two regulations: one on hazardous waste and one on infectious waste. The infectious waste regulation could be combined with 127-1, "Sharps."

L. All excess chemicals which are not going to be used in the future should be disposed of properly. Chemicals which are RCRA hazardous waste should be packaged according to 40 CFR 264.170. An inventory containing the type and quantity of each waste put into the waste container should be maintained for each container. The waste can then be disposed of by a hazardous waste disposal contractor. Chemicals which are not RCRA hazardous waste can be either disposed of as municipal waste or discharged to the sanitary sewer system (whichever is appropriate).

M. The dental laboratory should only be keeping minimal amounts of chemicals on hand. The excess chemicals should be returned to dental supply where there is a flammable chemical storage cabinet. The chemicals in the laboratory should be moved either to a cabinet or the back of the countertop against the wall. Both of these locations have a lower accident potential than a drawer.

N. The Dental Clinic may want to acquire their own silver recovery system. This will save them the substantial amount of time they currently spend bottling the fixers. The x-ray department should include the other processor on the silver recovery program. DoD policy and AFM 67-1, Vol 4 states the silver will be recovered from all x-ray fixers. The information on how to acquire a silver recovery system is found in AFM 67-1, Chapter 4, paragraph 8C.

O. The hospital must increase the operating temperature of the incinerator and contact the manufacture to verify if it has a 2-second retention time. The new Clean Air Act, expected to pass this summer, will require pathological incinerators to operate between 1600 and 1800° F in the primary chamber and 1800° and 2000° F with a 2-second retention time in the secondary chamber.

P. All infectious waste should be transported in a government vehicle. Using a POV increases the Air Force's liability.

Q. An alternate plan for disposal of infectious waste should be developed immediately. Two possibilities are a memorandum of understanding with a nearby medical facility or crematorium and a contingency contract with an infectious waste disposal firm.

R. The hospital was concerned about whether contracting might be more cost effective than incineration. The hospital is disposing of just under 100 pounds of infectious waste a day. That is approximately 25,000 pounds per year, not including holidays and weekends, at about \$.12 per pound. Most infectious waste disposal contracts cost between \$.20 and \$1.00 a pound depending on the facility's location and size. Minot would probably be closer to the \$1.00 rate. It is more cost effective to incinerate the waste on-site.

VII. CONCLUSIONS

The 857th Strategic Hospital, Minot AFB ND, has good initial infection control and an excellent hazardous waste program. The base now needs to refine these programs. Education and training are the keys to developing better programs.

REFERENCES

1. Agency For Toxic Substances and Disease Registry, "The Public Health Implications of Medical Waste: A Report to Congress," April 1990.
2. Environmental Protection Agency, "Guidelines for Infectious Waste Management," 1986.
3. 40 CFR part 260 through 265.
4. National Institute for Occupational Safety and Health, "Guidelines for Protecting the Safety and Health of Health Care Workers," 1988.

(This page left blank)

Appendix A
Request Letter

(This page left blank)



DEPARTMENT OF THE AIR FORCE
HEADQUARTERS STRATEGIC AIR COMMAND
OFFUTT AIR FORCE BASE, NEBRASKA 68113 5001



REPLY TO
ATTN OF SGPB

9 FEB 1990

SUBJECT Request for Medical Hazardous Waste Assessment

TO AFOEHL/CC

We support the attached request from Minot AFB for an assessment of their medical hazardous waste handling and disposal operations. Please respond directly to the 857 Strategic Hospital/SGPB, with an information copy to this office, if you can or cannot respond to their request.

Ronald L. Schiller

RONALD L. SCHILLER, Colonel, USAF, BSC
Chief, Bioenvironmental Engineering Division
Office of the Surgeon

1 Atch
857 Strat Hosp/SG Ltr,
5 Feb 90

cc: HQ AFSC/SGPB w/Atch
857 Strat Hosp/SGPB

DEPARTMENT OF THE AIR FORCE
857 STRATEGIC HOSPITAL (SAC)
MINOT AIR FORCE BASE ND 58705-5500


REPLY TO
ATTN OF: SG

5 FEB 1990

SUBJECT: Request for Medical Hazardous Waste Assessment

TO: HQ SAC/SGPB *JKY*
AF OEHL/CC
IN TURN

1. The assistance of the AF OEHL is requested to perform an assessment of medical hazardous waste handling and disposal operations. The following areas are of primary concern:
 - a. Disposal of small quantities of hazardous medical waste, to include out of date drugs.
 - b. Storage of regulated medical waste prior to transport, treatment, destruction or disposal.
 - c. Record keeping and reporting requirements.
 - d. The cost effectiveness of contracting for medical waste disposal.
 - e. The proper use of our pathological incinerator.
2. My point of contact for this project is Major John Ellis, SGPB, AV453-3398.


JOSEPH E. KELLY, LtCol, USAF, MC, SFS
Commander

Appendix B
Section Survey Form

(This page left blank)

DEPARTMENTAL SURVEY FORM

PLEASE COMPLETE AND RETURN THIS FORM TO THE INFECTION CONTROL NURSE BY _____.

DEPARTMENT : _____

CONTACT : _____ AUTOVON: _____

This form will be used to compile the following:

- (1) the specific locations where wastes are generated in the medical facility
- (2) how different types of wastes are segregated
- (3) if the wastes are treated in each section
- (4) how the wastes are packaged and labeled for disposal
- (5) the disposal methods used in each section

The following pages give the EPA's statutory definitions of seven types of regulated medical wastes. Please read each of the definitions carefully, decide which ones apply to your department, and then answer the following questions as completely as possible.

If you have any questions on filling out this form, please call Captain Albrecht or Lt Hedgecock at AV 240-3306.

SIGNATURE OF PERSON FILLING OUT THIS FORM _____

TRAINING

1. Have you ever received training in medical waste management?
____ YES ____ NO

2. Have the other personnel in this department been trained?
____ YES ____ NO ____ SOME

APPROXIMATE PERCENTAGE _____

3. How often does training occur? _____

4. Describe the training you recieved. _____

5. Have you ever seen or read the hospital's waste management

____ YES ____ NO

8. Is other personnel? ____ YES ____ NO

9. PERCENTAGE PERCENTAGE _____

1. CULTURES AND STOCKS

Cultures and stocks of infectious agents and associated biologicals, including: cultures from medical and pathological laboratories; cultures and stocks of infectious agents from research and industrial laboratories; wastes from the production of biologicals; discarded live and attenuated vaccines; and culture dishes and devices used to transfer, inoculate, and mix cultures.

A. Describe the process(es) in which any of the above wastes are generated

B. Are the wastes treated (e.g., chemical or steam sterilization) in the area?

If so, describe the method of treatment?

C. Are the wastes segregated from other wastes generated in the area?

If so, describe the method of segregation.

D. How are the wastes packaged for disposal (What type of bags, boxes, etc.)?

E. Are the waste containers labeled before being removed from the area?

If so, describe the method of labeling.

F. How many times per day are wastes removed from this area?

G. What is the estimated daily poundage of wastes removed?

H. Who is responsible for removing wastes from the area, how are wastes transported from the area, and where are the wastes taken?

COMMENTS - PLEASE PROVIDE ANY ADDITIONAL INFORMATION THAT YOU FEEL MAY BE HELPFUL (USE THE BACK OF PAGE IF NECESSARY).

2. PATHOLOGICAL WASTES

Human pathological wastes, including tissues, organs, and body parts and body fluids that are removed during surgery or autopsy, or other medical procedures, and specimens of body fluids and their containers.

A. Describe the process(es) in which any of the above wastes are generated. _____

B. Are the wastes treated (e.g., chemical or steam sterilization) in the area? _____

If so, describe the method of treatment? _____

C. Are the wastes segregated from other wastes generated in the area? _____

If so, describe the method of segregation. _____

D. How are the wastes packaged for disposal (What type of bags, boxes, etc.)? _____

E. Are the waste containers labeled before being removed from the area? _____

If so, describe the method of labeling. _____

F. How many times per day are wastes removed from this area? _____

G. What is the estimated daily poundage of wastes removed? _____

H. Who is responsible for removing wastes from the area, how are wastes transported from the area, and where are the wastes taken? _____

COMMENTS - PLEASE PROVIDE ANY ADDITIONAL INFORMATION THAT YOU FEEL MAY BE HELPFUL (Use the back of page if necessary).

3. HUMAN BLOOD AND BLOOD PRODUCTS

(1) Liquid waste human blood; (2) products of blood; (3) items saturated and/or dripping with human blood; or (4) items that were saturated and/or dripping with human blood that are now caked with dried human blood; including serum, plasma, and other blood components, and their containers, which were used or intended for use in either patient care, testing and laboratory analysis or the development of pharmaceuticals. Intravenous bags are also included in this category.

A. Describe the process(es) in which any of the above wastes are generated. _____

B. Are the wastes treated (e.g., chemical or steam sterilization) in the area? _____

If so, describe the method of treatment? _____

C. Are the wastes segregated from other wastes generated in the area? _____

If so, describe the method of segregation. _____

D. How are the wastes packaged for disposal (What type of bags, boxes, etc.)? _____

E. Are the waste containers labeled before being removed from the area? _____

If so, describe the method of labeling. _____

F. How many times per day are wastes removed from this area? _____

G. What is the estimated daily poundage of wastes removed? _____

H. Who is responsible for removing wastes from the area, how are wastes transported from the area, and where are the wastes taken? _____

COMMENTS - PLEASE PROVIDE ANY ADDITIONAL INFORMATION THAT YOU FEEL MAY BE HELPFUL (Use the back of page if necessary).

4. SHARPS

Sharps that have been used in animal or human patient care or treatment or in medical, research, or industrial laboratories, including hypodermic needles, syringes (with or without the attached needle), Pasteur pipettes, scalpel blades, blood vials, needles with attached tubing, and culture dishes (regardless of presence of infectious agents). Also included are other types of broken or unbroken glassware that were in contact with infectious agents, such as used slides and cover slips.

A. Describe the process(es) in which any of the above wastes are generated

B. Are the wastes treated (e.g., chemical or steam sterilization) in the area?

If so, describe the method of treatment?

C. Are the wastes segregated from other wastes generated in the area?

If so, describe the method of segregation.

D. How are the wastes packaged for disposal (What type of bags, boxes, etc.)?

E. Are the waste containers labeled before being removed from the area?

If so, describe the method of labeling.

F. How many times per day are wastes removed from this area?

G. What is the estimated daily poundage of wastes removed?

H. Who is responsible for removing wastes from the area, how are wastes transported from the area, and where are the wastes taken?

COMMENTS - PLEASE PROVIDE ANY ADDITIONAL INFORMATION THAT YOU FEEL MAY BE HELPFUL (Use the back of page if necessary).

5. ANIMAL WASTE

Contaminated animal carcasses, body parts, and bedding of animals that were exposed to infectious agents during research (including research in veterinary hospitals), production of biologicals, or testing of pharmaceuticals.

A. Describe the process(es) in which any of the above wastes are generated

B. Are the wastes treated (e.g., chemical or steam sterilization) in the area? _____

If so, describe the method of treatment? _____

C. Are the wastes segregated from other wastes generated in the area? _____

If so, describe the method of segregation. _____

D. How are the wastes packaged for disposal (What type of bags, boxes, etc.)? _____

E. Are the waste containers labeled before being removed from the area? _____

If so, describe the method of labeling. _____

F. How many times per day are wastes removed from this area? _____

G. What is the estimated daily poundage of wastes removed? _____

H. Who is responsible for removing wastes from the area, how are wastes transported from the area, and where are the wastes taken?

COMMENTS - PLEASE PROVIDE ANY ADDITIONAL INFORMATION THAT YOU FEEL MAY BE HELPFUL (Use the back of page if necessary).

7. UNUSED SHARPS

The following unused, discarded sharps: hypodermic needles, suture needles syringes, and scalpel blades.

A. How are the wastes packaged for disposal (What type of bags, boxes, etc.)? _____

B. Are the waste containers labeled before disposal? _____

If so, describe the method of labeling _____

COMMENTS - PLEASE PROVIDE ANY ADDITIONAL INFORMATION THAT YOU FEEL MAY BE HELPFUL.

6. ISOLATION WASTE

Biological waste and discarded materials contaminated with blood, excretion exudates, or secretions from humans who are isolated to protect others from certain highly communicable diseases, or isolated animals known to be infected with highly communicable diseases.

A. Describe the process(es) in which any of the above wastes are generated

B. Are the wastes treated (e.g., chemical or steam sterilization) in the area? _____

If so, describe the method of treatment? _____

C. Are the wastes segregated from other wastes generated in the area? _____

If so, describe the method of segregation. _____

D. How are the wastes packaged for disposal (What type of bags, boxes, etc.)? _____

E. Are the waste containers labeled before being removed from the area? _____

If so, describe the method of labeling. _____

F. How many times per day are wastes removed from this area? _____

G. What is the estimated daily poundage of wastes removed? _____

H. Who is responsible for removing wastes from the area, how are wastes transported from the area, and where are the wastes taken? _____

COMMENTS - PLEASE PROVIDE ANY ADDITIONAL INFORMATION THAT YOU FEEL MAY BE HELPFUL (Use the back of page if necessary).

Appendix C
Facility Manager Survey

(This page left blank)

FACILITIES MANAGEMENT SURVEY FORM

This form will be used to compile the following:

- (1) how different types of regulated medical wastes are segregated
- (2) how and where regulated medical wastes are stored before treatment and disposal
- (3) how the regulated medical wastes are packaged and labeled for disposal
- (4) how the regulated medical wastes are disposed

If you have any questions on filling out this form, please call Captain Albrecht or Lt Hedgecock at AV 240-3306.

SIGNATURE OF PERSON FILLING OUT THIS FORM _____

1. How is the medical waste treated and disposed? _____

2. Estimated pounds of medical waste produced per month _____
3. Estimated cost to dispose of medical waste per month _____
4. Is the waste disposed of _____ off-site _____ on-site
5. Are different types of medical waste segregated before treatment or disposal? _____ YES _____ NO _____ SOMETIMES

WHICH ONES? _____

6. If off-site, how is the waste transported to the site?
_____ base personnel _____ contractor

If by contractor, what is the name, address, and the telephone number of the contractor? _____

Is the contractor permitted by the EPA? _____ NO _____ YES

If yes, what is the permit number? _____

7. If the waste is treated off-site, how is it packaged before transporting off-site? _____

Are the containers _____ Rigid?
_____ Leak-resistant?
_____ Impervious to moisture?
_____ Of sufficient strength to prevent tearing or bursting under normal conditions of use and handling?
_____ Sealed to prevent leakage during transport?

8. Are any medical waste containers labeled?

_____ YES _____ NO _____ SOMETIMES

WHICH ONES? _____

What type of information is included on the label? _____

Are the containers marked with the biohazard symbol? _____

9. If the waste is disposed of onsite by incineration, complete the following questions.

Total number of incinerators _____

Age of each incinerator _____

Capacity of each incinerator _____

Permit Number _____

Approximate down time per month _____

Type of stack testing done and frequency _____

Type of ash testing and frequency _____

Operating Cost (including fuel consumption and maintenance) _____

10. Does the hospital have a waste management plan? ☐ YES ☐ NO

11. Are facilities management employees trained in medical waste management? ☐ YES ☐ NO ☐ SOMETIMES

WHICH ONES? _____

HOW OFTEN? _____

12. Is this medical facility subject to any regulatory requirements other than EPA requirements? ☐ YES ☐ NO

WHICH ONES? _____

13. Does this medical facility utilize any recordkeeping practices? ☐ YES ☐ NO ☐ SOME

How is this done? _____

14. Does this facility accept any regulated medical waste from sections that are not co-located with the hospital or off-site? ☐ YES ☐ NO

If yes, list below the facilities and the approximate distances to these facilities and how the waste is transported.s.

SITE	DISTANCE (miles)	TRANSPORTOR

TREATMENT AND DISPOSAL OF MEDICAL WASTES

C	P	B	S	A	I	U
U	A	L	H	N	S	N
L	T	O	A	I	O	U
T	H	O	R	M	L	S
/	O	D	P	A	A	E
S	L	/	S	L	T	D
T	O	P			I	
O	G	R			O	S
C	I	O			N	H
K	C	D				A
	A					R
	L					P
						S

ONSITE TREATMENT

A. INCINERATION

B. AUTOCLAVING

C. CHEMICAL
TREATMENT

D. GRINDING

E. OTHER

ONSITE DISPOSAL

A. INCINERATION

B. BURNING ONSITE

C. BURIAL ONSITE

D. INTO SEWER OR
SEPTIC TANK

E. OTHER

OFFSITE TREATMENT & DISPOSAL

A. PICKED UP WITH
OTHER SOLID
WASTE

B. UNDER CONTRACT
WITH MEDICAL
WASTE HAULER

C. TREATED OFFSITE

D. LANDFILLED OFFSITE

E. SENT TO RENDERING
PLANT

F. OTHER

Appendix D
Summary of Waste Training

(This page left blank)

Training

Section	% Trained	% Reviewed Hospital's Waste Plan	Training Frequency
Aeromedical	100%	0%	Annual
Dental	100%	100%	Quarterly
Emergency	0%	0%	Annual
Immunizations	90%	85%	Annual
Lab	0%	0%	None
Multiservice			
Ward	100%	100%	Annual
Pediatrics	100%	75%	Annual
Pharmacy	0%	0%	None
Primary	100%	100%	Annual
Ob Clinic	100%	0%	Monthly
Ob Ward	100%	0%	Annual
Surgery	100%	0%	Daily
Surgery			
Clinic	90%	85%	Annual
Vet Clinic	0%	0%	None

(This page left blank)

Appendix E
Summary of Infectious Waste
By Type

(This page left blank)

**Disposal of Blood, Pathological, and Culture Infectious
Wastes in Pounds per Day**

Section	Quantity of Blood Waste	Quantity of Pathological Waste	Quantity of Cultures and Stocks Waste
Aeromedical	None	None	None
Dental	1	1	None
Emergency	.5	None	None
Immunization	None	None	.007
Lab	20	1	25
Multiservice			
Ward	.5	None	None
Pediatrics	None	None	None
Pharmacy	None	None	None
Primary	None	None	None
Ob Clinic	None	None	None
Ob Ward	2	None	None
Surgery	15	None	None
Surgery			
Clinic	5-10	None	None
Vet Clinic	1 *	None	1

* Animal blood and blood products

**Disposal of Isolation Waste, Used and Unused Sharps,
and Who Transports It**

Section	Quantity of Isolation Waste	Quantity of Used Sharps	Quantity of Unused Sharps	Removed by
Aeromedical	None	1 qt/mo	None	Housekeeping
Dental	Varies	1 lb/day	Included in Sharps	Housekeeping
Emergency	None	1 lb/day	Included in Sharps	Housekeeping
Lab	None	1 lb/day	Included in Sharps	Housekeeping
Multiservice				
Ward	Varies	2 qt/mo	Included in sharps	Housekeeping
Pediatrics	None	1 qt/mo	None	Housekeeping
Pharmacy	None	1 qt/wk	Included in Sharps	Housekeeping
Primary	None	2 qt/mo	Included in Sharps	Housekeeping
Ob Clinic	None	1 lb/mo	Included in Sharps	Ob-Gyn Clinic
Ob Ward	None	1 lb/mo	Included in Sharps	Housekeeping
Surgery	None	1 lb/day	Included in sharps	Housekeeping
Surgery Clinic	None	5 oz/day	Included in Sharps	Housekeeping
Vet Clinic	< 1 Lb/day *	1 lb/day	Included in Sharps	By POV to hosp

* Rabies suspect. The head goes to a state lab for testing, the body is incinerated if the animal is small. If it is a large animal entomology disposes of the body.

Distribution

	Copies
HQ AFSC/SGPB Andrews AFB DC 20334-5000	1
HQ USAF/SGPA Bolling AFB DC 20332-6188	1
HQ SAC/SGPB Offutt AFB NE 68113-5001	2
HQ SAC/SGA Offutt AFB NE 68113-5001	2
HQ SAC/DE Offutt AFB NE 68113-5001	1
HQ SAC/LGMW Offutt AFB NE 68113-5001	2
AAMRL/TH Wright-Patterson AFB OH 45433-6573	1
7100 CSW Med Cen/SGB APO New York 09220-5300	1
Det 1, AFOEHL APO San Francisco 96274-5000	1
USAFSAM/TSK Brooks AFB TX 78235-5301	1
USAFSAM/ED/EDH/EDZ Brooks AFB TX 78235/5301	1
Defense Technical Information Center (DTIC) Cameron Station Alexandria VA 22304-6145	2
HQ USAF/LEEV Bolling AFB DC 20330-5000	1
HQ AFESR/RDV Tyndall AFB FL 32403-6001	1
857 Strategic Hospital/SGPB Minot AFB ND 58705-5300	2

Distribution Cont'd

	Copies
857 Strategic Hospital/SGA Minot AFB ND 58705-5300	2
857 CES/DEEV Minot AFB ND 58705-5000	2
HSD/XA Brooks AFB TX 78235-5000	1