

DTIC FILE COPY

INSTALLATION RESTORATION PROGRAM

2

REMEDIAL INVESTIGATION  
REPORT

MINNESOTA AIR NATIONAL GUARD BASE  
DULUTH INTERNATIONAL AIRPORT  
DULUTH, MINNESOTA  
VOLUME 3

AD-A231 745

DTIC  
ELECTE  
FEB 20 1991  
S D D



DISTRIBUTION STATEMENT A  
Approved for public release  
Distribution Unlimited

HAZWRAP SUPPORT CONTRACTOR OFFICE  
Oak Ridge, Tennessee 37831  
Operated by MARTIN MARIETTA ENERGY SYSTEMS, INC.  
For the U.S. DEPARTMENT OF ENERGY under contract DE-AC05-84OR21400

91 2 11 054

"This report has been prepared for the Martin Marietta Energy Systems, Inc. by Engineering-Science, Inc. for the purpose of aiding in the implementation of the Department of Defense Installation Restoration Program. It is not an endorsement of any product. The views expressed herein are those of the Contractor and do not necessarily reflect the official views of the publishing agency, the United States Air National Guard, nor the Department of Defense."

REPORT DOCUMENTATION PAGE

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE: January 1990

3. REPORT TYPE AND DATES COVERED: Final Remedial Investigation Report

4. TITLE AND SUBTITLE: Remedial Investigation Report  
 Minnesota Air National Guard Base  
 Duluth International Airport  
 Duluth, Minnesota Volume 1-final report

5. AUTHOR(S): N/A

6. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES):  
 Engineering-Science  
 710 South Illinois Ave., Suite F-103  
 Oak Ridge, TN

7. PERFORMING ORGANIZATION REPORT NUMBER

8. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES):  
 Hazardous Waste Remedial Actions Program  
 Oak Ridge, TN

9. SPONSORING/MONITORING AGENCY REPORT NUMBER

10. SUPPLEMENTARY NOTES:  
 Volume 2 - Appendices Volume 3 - Appendices Volume 4 - Appendices  
 Volume 5 - Appendices Volume 6 - Appendices Volume 7 - Appendices

11a. DISTRIBUTION/AVAILABILITY STATEMENT:  
 Approved for public release;  
 distribution is unlimited

11b. DISTRIBUTION CODE

12. ABSTRACT (Maximum 200 words):  
 The report describes the remedial actions performed on sites confirmed to contain hazardous waste contamination which endangers the human health. The actions performed are described and the potential for future problems. The study was conducted under the Air National Guard's Installation Restoration Program.

13. SUBJECT TERMS:  
 Installation Restoration Program  
 Remedial Investigation Report  
 Minnesota Air National Guard

14. NUMBER OF PAGES

15. PRICE CODE

16. SECURITY CLASSIFICATION OF REPORT: Unclassified

17. SECURITY CLASSIFICATION OF THIS PAGE

18. SECURITY CLASSIFICATION OF ABSTRACT

19. LIMITATION OF ABSTRACT

# REMEDIAL INVESTIGATION REPORT

MINNESOTA AIR NATIONAL GUARD BASE  
DULUTH INTERNATIONAL AIRPORT  
Duluth, Minnesota

VOLUME 3

JANUARY 1990

Prepared By  
ENGINEERING-SCIENCE  
710 South Illinois Ave., Suite F-103  
Oak Ridge, Tennessee

Prepared For  
HAZARDOUS WASTE  
REMEDIAL ACTIONS PROGRAM  
Oak Ridge, Tennessee

Submitted To  
MINNESOTA AIR NATIONAL GUARD  
Duluth International Airport  
Duluth, Minnesota



Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification .....	
By .....	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

This page intentionally left blank.

## PREFACE

Engineering-Science (ES) entered into an agreement with the HAZWRAP Support Contractor office operated by Martin Marietta Energy Systems, Inc. for the U.S. Department of Energy (DOE) to perform a Remedial Investigation at the Minnesota Air National Guard Base, Duluth International Airport, Duluth, Minnesota, to be submitted to the National Guard Bureau, Andrews Air Force Base, Maryland. This investigation was initiated in July, 1988 under Task Order Y02, General Order 18B-97387C, which is under DOE contract DE-AC05-84OR21400, with Martin Marietta Energy Systems under Interagency Agreement 1489-1489-A1. The overall objectives of this effort were to define the magnitude, extent, direction, and rate of movement of identified contaminants and to summarize the need for remedial actions based on an assessment of risks to human health and the environment.

This investigation was performed by Engineering-Science personnel from the Oak Ridge, Tennessee office with oversight provided by Martin Marietta Energy Systems. Mr. Larry Janssen, of Martin Marietta Energy Systems was the Technical Monitor for Lt. Col. Michael Washeleski of the National Guard Bureau. Major Joel D. Mannis, Minnesota Air National Guard Base, Duluth, Minnesota, provided field support. Engineering-Science personnel included Mr. Robert S. McLeod, P.E., P.G., who served as Project Manager and Mr. John D. Hardeman, P.G., who served as the Field Team Leader. Mr. Robert L. Thoen, P.E. was the ES Technical Director for the project.

Engineering-Science wishes to acknowledge North Star Drilling, Little Falls, Minnesota as the drilling and well installation subcontractor. Salo Engineering, Duluth, Minnesota, provided professional surveying services. ES Berkeley Laboratory, Berkeley, California; ES Atlanta Laboratory, Atlanta, Georgia; MetaTrace, Inc., St. Louis, Missouri; NUS Corporation, Pittsburgh, Pennsylvania; and IT Radiological Sciences Laboratory, Oak Ridge, TN provided analytical laboratory services for sample analyses.

This work was accomplished between July 1988 and March 1989.

This page intentionally left blank.

TABLE OF CONTENTS  
VOLUME I

	Page
LIST OF FIGURES	xvii
LIST OF TABLES	xxvii
EXECUTIVE SUMMARY	ES-1
SECTION 1 INTRODUCTION	1-1
1.1 PURPOSE OF REPORT	1-4
1.1.1 Description of Installation Restoration Program	1-4
1.1.2 Report Organization	1-6
1.2 BACKGROUND OF DULUTH AIR NATIONAL GUARD BASE	1-7
1.2.1 Description of Duluth Air National Guard Base	1-7
1.2.1.1 Physiography, Climate and Drainage	1-10
1.2.1.2 Demography and Land Use	1-13
1.2.1.3 Geology	1-16
1.2.1.4 Hydrogeology	1-17
1.2.1.5 Water Quality	1-18
1.2.1.6 Water Use	1-18
1.2.2 History of Duluth Air National Guard Base	1-26
1.2.3 Previous Investigations	1-26
1.2.4 Description and History of Site 2	1-30
1.2.4.1 Description	1-30
1.2.4.2 History	1-31
1.2.4.3 Previous Investigations	1-33
1.2.5 Description and History of Site 3	1-37
1.2.5.1 Description	1-37
1.2.5.2 History	1-43
1.2.5.3 Previous Investigations	1-43
1.2.6 Description and History of Site 4	1-45
1.2.6.1 Description	1-53
1.2.6.2 History	1-53
1.2.6.3 Previous Investigations	1-53
1.2.7 Description and History of Site 8	1-62
1.2.7.1 Description	1-62
1.2.7.2 History	1-62
1.2.7.3 Previous Investigations	1-62



TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
1.2.8 Description and History of Site 10	1-68
1.2.8.1 Description	1-68
1.2.8.2 History	1-72
1.2.8.3 Previous Investigations	1-72
SECTION 2 REMEDIAL INVESTIGATION DESCRIPTION	2-1
2.1 AREA LOCATIONS	2-3
2.1.1 Surface Feature Investigation	2-9
2.1.2 Surface Water and Sediment Investigations	2-9
2.1.2.1 Background Surface Drainage Location	2-9
2.1.2.2 Airport Surface Drainage Locations	2-9
2.1.3 Geological Investigation	2-12
2.1.4 Soil Investigation	2-12
2.1.5 Ground-Water Investigation	2-12
2.1.5.1 Water Level Investigation	2-12
2.1.5.2 Ground-Water Sampling Investigation	2-15
2.2 SITE 2	2-15
2.2.1 Surface Feature Investigation	2-20
2.2.2 Surface Water and Sediment Investigations	2-20
2.2.3 Geologic Investigation	2-20
2.2.4 Soil Investigation	2-20
2.2.5 Ground-Water Investigation	2-23
2.2.5.1 Aquifer Investigation	2-23
2.2.5.2 Ground-Water Sampling Investigation	2-25
2.3 SITE 3	2-25
2.3.1 Surface Feature Investigation	2-31
2.3.2 Surface Water and Sediment Investigations	2-31
2.3.3 Geologic Investigation	2-36
2.3.4 Soil Investigations	2-36

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
2.3.5 Ground-Water Investigation	2-38
2.3.5.1 Aquifer Investigation	2-38
2.3.5.2 Ground-Water Sampling Investigation	2-41
2.4 SITE 4	2-41
2.4.1 Surface Feature Investigation	2-47
2.4.2 Surface Water and Sediment Investigations	2-47
2.4.3 Geologic Investigation	2-47
2.4.4 Soil Investigation	2-50
2.4.5 Ground-Water Investigation	2-50
2.4.5.1 Aquifer Investigation	2-50
2.4.5.2 Ground-Water Sampling Investigation	2-50
2.5 SITE 8	2-53
2.5.1 Surface Feature Investigation	2-60
2.5.2 Surface Water and Sediment Investigations	2-60
2.5.3 Geologic Investigation	2-60
2.5.4 Soil Investigations	2-63
2.5.5 Ground-Water Investigation	2-63
2.5.5.1 Aquifer Investigation	2-63
2.5.5.2 Ground-Water Sampling Investigation	2-66
2.6 SITE 10	2-66
2.6.1 Surface Feature Investigation	2-66
2.6.2 Ground-Water Investigation	2-66
2.6.2.1 Aquifer Investigation	2-69
2.6.2.2 Ground-Water Sampling Investigation	2-69
SECTION 3 INVESTIGATION RESULTS	3-1
3.1 AREA LOCATIONS	3-3
3.1.1 Surface Features	3-3
3.1.2 Surface Water Hydrology	3-3

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
3.1.3 Geology	3-7
3.1.4 Hydrogeology	3-11
3.2 SITE 2	3-11
3.2.1 Surface Features	3-11
3.2.2 Surface Water Hydrology	3-18
3.2.3 Geology	3-21
3.2.4 Hydrogeology	3-22
3.3 SITE 3	3-29
3.3.1 Surface Features	3-29
3.3.2 Surface Water Hydrology	3-30
3.3.3 Geology	3-30
3.3.4 Hydrogeology	3-32
3.4 SITE 4	3-41
3.4.1 Surface Features	3-41
3.4.2 Surface Water Hydrology	3-41
3.4.3 Geology	3-43
3.4.4 Hydrogeology	3-44
3.5 SITE 8	3-48
3.5.1 Surface Features	3-50
3.5.2 Surface Water Hydrology	3-50
3.5.3 Geology	3-50
3.5.4 Hydrogeology	3-53
3.6 SITES 3, 4, 8	3-56
3.6.1 Surface Features	3-56
3.6.2 Surface Water Hydrology	3-56

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
3.6.3 Geology	3-65
3.6.4 Hydrogeology	3-67
3.7 SITE 10	3-72
3.7.1 Surface Features	3-72
3.7.2 Surface Water Hydrology	3-78
3.7.3 Geology	3-78
3.7.4 Hydrogeology	3-78
 SECTION 4 NATURE AND EXTENT OF CONTAMINATION	 4-1
4.1 DEFINITION OF BACKGROUND CONDITIONS	4-3
4.1.1 Surface Water and Sediment Quality	4-4
4.1.2 Soil Quality	4-4
4.1.3 Ground-Water Quality	4-4
4.2 AIRPORT AREA SURFACE WATER AND SEDIMENT SAMPLES	4-8
4.2.1 Airport Area Surface Water and Sediment Quality	4-8
4.2.2 Extent of Airport Area Contamination	4-11
4.3 NATURE AND EXTENT OF CONTAMINATION AT SITE 2	4-11
4.3.1 Source of Contamination	4-14
4.3.2 Surface Water and Sediment Contamination	4-14
4.3.2.1 Surface Water and Sediment Quality	4-14
4.3.2.2 Extent of Surface Water and Sediment Contamination	4-14
4.3.3 Soil Contamination	4-17
4.3.3.1 Soil Quality	4-17
4.3.3.2 Extent of Soil Contamination	4-21
4.3.4 Ground-Water Contamination	4-21
4.3.4.1 Ground-Water Quality	4-21
4.3.4.2 Extent of Ground-water Contamination	4-24

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
4.4 NATURE AND EXTENT OF CONTAMINATION AT SITE 3	4-29
4.4.1 Source of Contamination	4-29
4.4.2 Soil Gas Survey Results	4-29
4.4.3 Surface Water and Sediment Contamination	4-29
4.4.3.1 Surface Water and Sediment Quality	4-30
4.4.3.2 Extent of Surface Water and Sediment Contamination	4-35
4.4.4 Soil Contamination	4-35
4.4.4.1 Soil Quality	4-35
4.4.4.2 Extent of Soil Contamination	4-43
4.4.5 Ground-Water Contamination	4-44
4.4.5.1 Ground-Water Quality	4-44
4.4.5.2 Extent of Ground-Water Contamination	4-46
4.5 NATURE AND EXTENT OF CONTAMINATION AT SITE 4	4-51
4.5.1 Source of Contamination	4-51
4.5.2 Surface Water and Sediment Contamination	4-51
4.5.2.1 Surface Water and Sediment Quality	4-51
4.5.2.2 Extent of Sediment and Surface Water Contamination	4-56
4.5.3 Soil Contamination	4-60
4.5.3.1 Soil Quality	4-60
4.5.3.2 Extent of Soil Contamination	4-60
4.5.4 Ground-Water Contamination	4-60
4.5.4.1 Ground-Water Quality	4-62
4.5.4.2 Extent of Ground-Water Contamination	4-62
4.6 NATURE AND EXTENT OF CONTAMINATION AT SITE 8	4-62
4.6.1 Source of Contamination	4-64
4.6.2 Surface Water and Sediment Contamination	4-64
4.6.2.1 Surface Water and Sediment Quality	4-64
4.6.2.2 Extent of Surface Water and Sediment Contamination	4-64

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
4.6.3 Soil Contamination	4-64
4.6.3.1 Soil Quality	4-64
4.6.3.2 Extent of Soil Contamination	4-69
4.6.4 Ground-Water Contamination	4-69
4.6.4.1 Ground-Water Quality	4-69
4.6.4.2 Extent of Ground-Water Contamination	4-69
4.7 NATURE AND EXTENT OF CONTAMINATION AT SITE 10	4-72
4.7.1 Source of Contamination	4-72
4.7.2 Ground-Water Contamination	4-72
4.7.2.1 Ground-Water Quality	4-72
4.7.2.2 Extent of Ground-Water Contamination	4-75
SECTION 5 CONTAMINANT FATE AND TRANSPORT	5-1
5.1 Introduction	5-3
5.1.1 Contaminant Fate	5-3
5.1.2 Contaminant Transport	5-5
5.2 CONTAMINANT FATE AND TRANSPORT AT SITE 2	5-7
5.2.1 Summary of Contaminants	5-7
5.2.2 Potential Routes of Migration	5-7
5.2.3 Contaminant Persistence	5-8
5.2.4 Contaminant Mobility and Migration	5-9
5.2.4.1 Contaminant Migration in Surface Water	5-9
5.2.4.2 Contaminant Migration in Soil	5-9
5.2.4.3 Contaminant Migration in Ground Water	5-9
5.3 CONTAMINANT FATE AND TRANSPORT AT SITE 3	5-10
5.3.1 Summary of Contaminant	5-11
5.3.2 Potential Routes of Migration	5-11
5.3.3 Contaminant Persistence	5-12
5.3.4 Contaminant Mobility and Migration	5-13
5.3.4.1 Contaminant Migration in Surface Water	5-13
5.3.4.2 Contaminant Migration in Soil	5-13
5.3.4.3 Contaminant Migration in Ground Water	5-14

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
5.4 CONTAMINANT FATE AND TRANSPORT AT SITE 4	5-15
5.4.1 Summary of Contaminants	5-15
5.4.2 Potential Routes of Migration	5-16
5.4.3 Contaminant Persistence	5-16
5.4.4 Contaminant Migration in Surface Water and Ground Water	5-17
5.5 CONTAMINANT FATE AND TRANSPORT AT SITE 8	5-17
5.5.1 Summary of Contaminants	5-17
5.5.2 Potential Routes of Migration	5-17
5.5.3 Contaminant Persistence	5-17
5.5.4 Contaminant Mobility and Migration in Soil	5-18
5.6 CONTAMINANT FATE AND TRANSPORT AT SITE 10	5-18
5.6.1 Summary of Contaminants	5-18
5.6.2 Potential Routes of Migration	5-18
5.6.3 Contaminant Persistence	5-18
5.6.4 Contaminant Mobility and Migration	5-18
SECTION 6 RISK ASSESSMENT	6-1
6.1 EVALUATION METHODOLOGY	6-3
6.1.1 Step 1 Selection of Indicator Chemicals	6-5
6.1.2 Step 2 Estimation of Exposure Point Concentrations	6-9
6.1.2.1 Exposure Pathway Analysis	6-9
6.1.2.2 Exposure Point Concentrations	6-11
6.1.2.3 Applicable and Appropriate Requirements and Other Criteria	6-17
6.1.3 Step 3 Estimation of Chemical Intakes	6-21
6.1.3.1 Fugitive Dust Generation Resulting from Wind Erosion	6-22

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
6.1.3.2 Volatilization of Organic Compounds from Surface Water	6-24
6.1.3.3 Dermal Contact with Surface Water	6-27
6.1.3.4 Ingestion of Surface Water During Recreation	6-29
6.1.3.5 Ingestion of Ground Water as Drinking Water	6-30
6.1.3.6 Ingestion of Soil	6-31
6.1.4 Step 4 Toxicity Assessment	6-32
6.1.5 Step 5 Risk Characterization	6-34
6.1.5.1 Noncarcinogenic Effects	6-34
6.1.5.2 Potential Carcinogenic Effects	6-35
6.2 SITE 2 RISK ASSESSMENT	6-36
6.2.1 Selection of Indicator Chemicals	6-36
6.2.2 Estimation of Exposure Point Concentrations or Emission Rates	6-38
6.2.2.1 Exposure Pathway Analysis	6-38
6.2.2.2 Exposure Point Concentrations	6-41
6.2.2.3 Comparison of Exposure Point Concentrations to ARARs	6-42
6.2.3 Estimation of Chemical Intakes	6-44
6.2.4 Toxicity Assessment	6-44
6.2.5 Risk Characterization	6-45
6.2.5.1 Risk Characterization of Noncarcinogenic Compounds	6-45
6.2.5.2 Risk Characterization of Potentially Carcinogenic Compounds	6-45
6.3 SITE 3 RISK ASSESSMENT	6-50
6.3.1 Selection of Indicator Chemicals	6-50
6.3.2 Estimation of Exposure Point Concentrations or Emission Rates	6-50
6.3.2.1 Exposure Pathway Analysis	6-52
6.3.2.2 Exposure Point Concentrations	6-55
6.3.2.3 Comparison of Exposure Point Concentrations to ARARs	6-56
6.3.3 Estimation of Chemical Intakes	6-58
6.3.4 Toxicity Assessment	6-58



TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
6.3.5 Risk Characterization	6-59
6.3.5.1 Risk Characterization of Noncarcinogenic Compounds	6-59
6.3.5.2 Risk Characterization of Potentially Carcinogenic Compounds	6-59
6.4 SITE 4 RISK ASSESSMENT	6-62
6.4.1 Selection of Indicator Chemicals	6-62
6.4.2 Estimation of Exposure Point Concentrations or Emission Rates	6-62
6.4.2.1 Exposure Pathway Analysis	6-62
6.4.2.2 Exposure Point Concentrations	6-69
6.4.2.3 Comparison of Exposure Point Concentrations to ARARs	6-71
6.4.3 Estimation of Chemical Intakes	6-72
6.4.4 Toxicity Assessment	6-72
6.4.5 Risk Characterization	6-72
6.4.5.1 Risk Characterization of Noncarcinogenic Compounds	6-73
6.4.5.2 Risk Characterization of Potentially Carcinogenic Compounds	6-73
6.5 SITE 8 RISK ASSESSMENT	6-73
6.5.1 Selection of Indicator Chemicals	6-73
6.5.2 Estimation of Exposure Point Concentrations or Emission Rates	6-73
6.5.2.1 Exposure Pathway Analysis	6-79
6.5.2.2 Exposure Point Concentrations	6-82
6.5.2.3 Comparison of Exposure Point Concentrations to ARARs	6-82
6.5.3 Estimation of Chemical Intakes	6-83
6.5.4 Toxicity Assessment	6-83
6.5.5 Risk Characterization	6-84
6.5.5.1 Risk Characterization of Noncarcinogenic Compounds	6-84
6.5.5.2 Risk Characterization of Potentially Carcinogenic Compounds	6-86
6.6 SUMMARY AND CONCLUSIONS	6-86

TABLE OF CONTENTS (continued)  
VOLUME 1 (continued)

	Page
SECTION 7 SUMMARY AND RECOMMENDATIONS	7-1
7.1 INTRODUCTION	7-1
7.2 SIGNIFICANT CONTAMINATION AT SITE 2	7-8
7.3 SIGNIFICANT CONTAMINATION AT SITE 3	7-9
7.4 SIGNIFICANT CONTAMINATION AT SITE 4	7-11
7.5 SIGNIFICANT CONTAMINATION AT SITE 8	7-12
7.6 SIGNIFICANT CONTAMINATION AT SITE 10	7-12
7.7 SUMMARY OF SIGNIFICANT CONTAMINATION AT ALL SITES	7-12
7.8 RECOMMENDATIONS	7-13
SECTION 8 REFERENCES	8-1

VOLUME 2

APPENDIX A	DEFINITIONS, NOMENCLATURE AND UNITS OF MEASUREMENT
APPENDIX B	STATEMENT OF WORK
APPENDIX C	PROJECT TEAM BIOGRAPHICAL SUMMARIES
APPENDIX D	PROCEDURES AND PROTOCOLS
APPENDIX E	DRILLING RECORDS
APPENDIX F	WELL CONSTRUCTION RECORDS
APPENDIX G	AQUIFER SLUG TEST ANALYSIS
APPENDIX H	ALTITUDE AND COORDINATE SURVEY FOR SAMPLING SITES
APPENDIX I	GROUND-WATER LEVEL MEASUREMENT SUMMARY
APPENDIX J	STREAMFLOW MEASUREMENT SUMMARY
APPENDIX K	GRAIN SIZE ANALYSES
APPENDIX L	CHEMICAL ANALYSES RESULTS FOR SOIL, GROUND WATER, SURFACE WATER AND SEDIMENT SAMPLES

TABLE OF CONTENTS (continued)

VOLUME 3

APPENDIX M LABORATORY DATA AND QUALITY ASSURANCE  
FORMS, DATA PACKAGES #1 THROUGH #12

VOLUME 4

APPENDIX M LABORATORY DATA AND QUALITY ASSURANCE  
FORMS, DATA PACKAGES #13 THROUGH #25

VOLUME 5

APPENDIX M LABORATORY DATA AND QUALITY ASSURANCE  
FORMS, DATA PACKAGES #26 THROUGH #41

VOLUME 6

APPENDIX M LABORATORY DATA AND QUALITY ASSURANCE  
FORMS, DATA PACKAGES #42 THROUGH #68

VOLUME 7

APPENDIX N QA REPORT FOR SAMPLE ANALYSES RESULTS

APPENDIX O SOIL GAS RESULTS

APPENDIX P RISK ASSESSMENT TABLES

APPENDIX Q FIELD NOTEBOOKS AND DRILLING LOGS

## LIST OF FIGURES

	Page
1-1 Location Map.	1-8
1-2 Site Vicinity Map.	1-9
1-3 Airport Configuration.	1-12
1-4 St. Louis River Watershed.	1-15
1-5 Location Scheme for Water Wells in the State of Minnesota.	1-20
1-6 Sites Defined and Ranked During IRP Phase I Study.	1-29
1-7 Aerial Photograph of Site 2, April 1988.	1-32
1-8 Site 2 Sampling Locations Utilized During Phase II Investigations.	1-35
1-9 Aerial Photograph of Site 3, April 1988.	1-38
1-10 Site 3 Sampling Locations Utilized During Phase II Investigations.	1-47
1-11 Aerial Photograph of Site 4, April 1988.	1-54
1-12 Site 4 Sampling Locations Utilized During Phase II Investigations.	1-57
1-13 Aerial Photograph of Site 8, April 1988.	1-64
1-14 Site 8 Sampling Locations Utilized During Phase II, Stage 2 Investigations.	1-65
1-15 Site 10 Aerial Photograph, April 1988.	1-70
1-16 Site 10 Sampling Locations Utilized During Phase II, Stage 2 Investigation.	1-73
2-1 Airport Area Sampling Locations Utilized During Remedial Investigations.	2-5
2-2 Site 2 Boreholes, Surface Locations and Trenched Area of Remedial Investigation.	2-16
2-3 Site 2 Sampling Locations Utilized During Remedial Investigation.	2-17
2-4 Site 3 Boreholes, Surface Locations, and Surveyed Soil Gas Grid Points of Remedial Investigation.	2-26
2-5 Site 3 Soil Gas and Shallow Soil Sample Locations.	2-27

## LIST OF FIGURES (continued)

	Page
2-6 Site 3 Monitoring Wells Utilized During Remedial Investigation.	2-28
2-7 Site 4 Sampling Locations Established During Remedial Investigation.	2-43
2-8 Site 4 Sampling Locations Utilized During Remedial Investigation.	2-44
2-9 Site 8 Sampling Locations Established During Remedial Investigation.	2-55
2-10 Site 8 Sampling Locations Utilized During Remedial Investigation.	2-56
3-1 Aerial Photograph of the Airport Area, August 1952.	3-5
3-2 Lithologic Logs From Paired Well Points at Site 2.	3-8
3-3 Lithologic Logs From Paired Well Points at Site 8.	3-9
3-4 Bedrock Contour Map of the Airport Area.	3-10
3-5 Geologic Cross-Sections of the Airport Area.	3-13
3-6 Index to Cross-Sections of the Airport Area.	3-14
3-7 Aerial Photograph of Site 2, August 1952.	3-15
3-8 Aerial Photograph of Site 2, October 1965.	3-16
3-9 Aerial Photograph of Site 2, May 1979.	3-17
3-10 Surface Drainage of Site 2.	3-20
3-11 Index to Cross-Section Locations for Site 2.	3-23
3-12 Geologic Cross-Sections for Site 2.	3-24
3-13 Water Table and Direction of Ground Water Movement at Site 2.	3-25
3-14 Variation in Vertical Hydraulic Head in the Glacial Till at Site 2 and Generalized Direction of Ground-Water Movement.	3-26
3-15 Surface Drainage of Site 3.	3-31
3-16 Index to Cross-Sections for Sites 3, 4, and 8.	3-34
3-17 Geologic Cross-Sections for Site 3.	3-35

## LIST OF FIGURES (continued)

	Page
3-18 Water Table and Direction of Ground Water Movement for Site 3.	3-38
3-19 Variation in Vertical Hydraulic Head in the Glacial Till at Site 3 and Generalized Direction of Ground-Water Movement.	3-39
3-20 Surface Drainage at Site 4.	3-42
3-21 Geologic Cross-Sections for Site 4.	3-45
3-22 Water Table and Direction of Ground Water Movement for Site 4.	3-46
3-23 Variation in Vertical Hydraulic Head in the Glacial Till at Site 4 and Generalized Direction of Ground-Water Movement.	3-47
3-24 Surface Drainage at Site 8.	3-52
3-25 Geologic Cross-Sections at Site 8.	3-55
3-26 Water Table and Direction of Ground-Water Movement for Site 8.	3-58
3-27 Variation in Vertical Hydraulic Head in the Glacial Till at Site 8 and Generalized Direction of Ground-Water Movement.	3-59
3-28 Aerial Photograph of Sites 3, 4, and 8, April 1988.	3-60
3-29 Aerial Photograph of Sites 3, 4, and 8, August 1952.	3-61
3-30 Aerial Photograph of Sites 3, 4, and 8, October 1965.	3-62
3-31 Aerial Photograph of Sites 3, 4, and 8, May 1979.	3-63
3-32 Bedrock Contour Map of Sites 3, 4, and 8.	3-66
3-33 Geologic Cross-Section for Sites 3, 4 and 8.	3-69
3-34 Water Table and Direction of Ground-Water Movement for Sites 3, 4 and 8.	3-70
3-35 Variation in Vertical Hydraulic Head in the Glacial Till at Sites 3, 4 and 8, and Generalized Direction of Ground-Water Movement.	3-71
3-36 Aerial Photograph of Site 10, August 1952.	3-74
3-37 Aerial Photograph of Site 10, October 1965.	3-75

## LIST OF FIGURES (continued)

	Page
3-38 Aerial Photograph of Site 10, May 1979.	3-76
3-39 Aerial Photograph of Site 10, April 1988 Showing Surface Drainage.	3-77
3-40 Water Table and Direction of Ground Water Movement for Site 10.	3-80
4-1 Estimated Areal Extent of Trichloroethene Contamination in Ground Water at Site 2.	4-25
4-2 Estimated Areal Extent of Trans-1,2-Dichloroethene Contamination in Ground Water at Site 2.	4-26
4-3 Distribution of Near Surface Soil Pesticide and PCB Occurrences at Site 3.	4-39
4-4 Estimated Areal Extent of Trichloroethene Contamination in Ground Water at Site 3.	4-48
4-5 Estimated Areal Extent of Tetrachloroethene Contamination in Ground Water at Site 3.	4-49
4-6 Estimated Areal Extent of 1,1,1 Trichloroethane Contamination in Ground Water at Site 3.	4-50
4-7 Vertical Distribution of Trichloroethene Contamination in Ground Water at Site 3	4-52
4-8 Vertical Distribution of Tetrachloroethene Contamination in Ground Water at Site 3.	4-53
4-9 Vertical Distribution of 1,1,1 Trichloroethane Contamination in Ground Water at Site 3.	4-54
4-10 Location of Pesticide and PCB Occurrences in Surface Soils at Site 8.	4-65

## LIST OF TABLES

	Page
1-1 Climatic Data for Duluth International Airport	1-14
1-2 Well Data, 1-Mile Radius of Site, Duluth IAP, Duluth, Minnesota	1-21
1-3 Phase I Priority Ranking of Potential Contamination Sources <sup>(1)</sup>	1-28
1-4 Parameters Analyzed and Detected in Site 2 Ground Water Samples During the Phase II, Stage 1 Investigation	1-36
1-5 Parameters Analyzed in Site 2 Soil Samples During the Phase II, Stage 2 Investigation	1-39
1-6 Parameters Detected in Site 2 Soil Samples During the Phase II, Stage 2 Investigation	1-40
1-7 Parameters Analyzed in Site 2 Water Samples During the Phase II, Stage 2 Study	1-41
1-8 Parameters Detected in Site 2 Water Samples During the Phase II, Stage 2 Investigation	1-42
1-9 Parameters Detected in Site 3 Soil Samples During the Phase II, Stage 1 Investigation	1-44
1-10 Parameters Analyzed in Site 3 Soil and Sediment Samples During the Phase II, Stage 2 Investigation	1-48
1-11 Parameters Detected in Site 3 Soil Samples During the Phase II, Stage 2 Investigation	1-49
1-12 Parameters Detected in Site 3 Sediment Samples During the Phase II, Stage 2 Investigation	1-50
1-13 Parameters Analyzed in Site 3 Water Samples During the Phase II, Stage 2 Investigation	1-51
1-14 Parameters Detected in Site 3 Water Samples During the Phase II, Stage 2 Investigation	1-52
1-15 Parameters Analyzed and Detected in Site 4 Water Samples During the Phase II, Stage 1 Investigation	1-58
1-16 Parameters Analyzed in Site 4 Soil Samples During the Phase II, Stage 2 Investigation	1-59
1-17 Parameters Detected in Site 4 Soil Samples During the Phase II, Stage 2 Investigation	1-60
1-18 Parameters Detected in Site 4 Water Samples During the Phase II, Stage 2 Investigation	1-61



## LIST OF TABLES (continued)

		Page
1-19	Parameters Analyzed in Site 8 Soil and Water Samples During the Phase II, Stage 2 Investigation	1-66
1-20	Parameters Detected in Site 8 Soil Samples During the Phase II, Stage 2 Investigation	1-67
1-21	Parameters Detected in Site 8 Water Samples During the Phase II, Stage 2 Investigation	1-71
1-22	Parameters Analyzed and Detected in Site 10 Ground-Water Samples During the Phase II, Stage 2 Investigation	1-74
2-1	Summary of Remedial Investigation Work by Site	2-6
2-2	Drilling and Sampling Summary	2-7
2-3	Summary of Work Performed at Area Locations	2-8
2-4	Chemical Analyses Performed on Background and Airport Area Surface Water Samples	2-10
2-5	Chemical Analyses Performed on Background and Airport Area Sediment Samples	2-11
2-6	Chemical Analyses Performed on Area Background Soil Samples	2-13
2-7	Summary of Water Level Measurement Rounds at Area Background Monitoring Wells	2-14
2-8	Chemical Analysis Performed on Area Background Ground-Water Samples	2-18
2-9	Summary of Work Performed at Site 2 Locations	2-19
2-10	Chemical Analyses Performed on Site 2 Surface Water Samples	2-21
2-11	Chemical Analyses Performed on Site 2 Sediment Samples	2-22
2-12	Chemical Analyses Performed on Site 2 Soil Samples	2-24
2-13	Summary of Site 2 Water Level Measurement Rounds	2-29
2-14	Chemical Analyses Performed on Site 2 Ground-Water Samples	2-30
2-15	Summary of Work Performed at Site 3 Locations	2-32
2-16	Chemical Analyses Performed on Site 3 Surface Water Samples	2-34
2-17	Chemical Analyses Performed on Site 3 Sediment Samples	2-35

LIST OF TABLES (continued)

	Page
2-18 Targeted Compounds for Soil Gas Analysis at Site 3	2-37
2-19 Chemical Analyses Performed on Site 3 Soil Samples	2-39
2-20 Summary of Site 3 Water Level Measurement Rounds	2-40
2-21 Chemical Analysis Performed on Site 3 Ground-Water Samples	2-45
2-22 Summary of Work Performed at Site 4 Locations	2-46
2-23 Chemical Analyses Performed on Site 4 Surface Water Samples	2-48
2-24 Chemical Analyses Performed on Site 4 Sediment Samples	2-49
2-25 Chemical Analyses Performed on Site 4 Soil Samples	2-51
2-26 Summary of Site 4 Water Level Measurement Rounds	2-52
2-27 Chemical Analyses Performed on Site 4 Ground-Water Samples	2-57
2-28 Summary of Work Performed at Site 8 Locations	2-58
2-29 Chemical Analyses Performed on Site 8 Surface Water Samples	2-61
2-30 Chemical Analyses Performed on Site 8 Sediment Samples	2-62
2-31 Chemical Analyses Performed on Site 8 Soil Samples	2-64
2-32 Summary of Site 8 Water Level Measurement Rounds	2-65
2-33 Chemical Analyses Performed on Site 8 Ground-Water Samples	2-67
2-34 Summary of Work Performed at Site 10 Locations	2-68
2-35 Summary of Site 10 Water Level Measurement Rounds	2-70
2-36 Chemical Analyses Performed on Site 10 Ground-Water Samples	2-71
3-1 Streamflow at Three Airport Area Locations	3-6
3-2 Hydraulic Parameters for Site 2	3-28
3-3 Summary of Site 3 Slug Test Results	3-40
3-4 Summary of Site 4 Slug Test Results	3-49
3-5 Summary of Site 8 Slug Test Results	3-64
4-1 Metals Detected in the Background Sediment Sample	4-5
4-2 Metals Detected in Background Soil Samples	4-6

## LIST OF TABLES (continued)

	Page
4-3 Metals Detected in Background Ground-Water Samples	4-7
4-4 Radiological Parameters Detected in Background Ground-Water and Surface Water Samples	4-9
4-5 Temperature, pH and Specific Conductance Measurements for Background Location Water Samples	4-10
4-6 Metals Detected in Sediment at Airport Area Locations	4-12
4-7 Temperature, pH and Specific Conductance Measurements for Airport Area Surface Water Samples	4-13
4-8 Metals Detected in Site 2 Sediment Samples	4-15
4-9 Temperature, pH and Specific Conductance Measurements for Site 2 Water Samples	4-16
4-10 Volatile Organic Compounds Detected in Site 2 Soil Samples From Soil Sampling Boreholes	4-18
4-11 Semi-Volatile Organic Compounds Detected in Site 2 Soil Samples	4-19
4-12 Petroleum Hydrocarbons Detected in Site 2 Soil Samples	4-20
4-13 Metals Detected in Site 2 Soil Samples	4-22
4-14 Volatile Organic Compounds Detected in Site 2 Ground-Water Samples	4-27
4-15 Temperature, pH and Specific Conductance Measurements For Site 2 Water Samples	4-28
4-16 Volatile and Semi-Volatile Organic Compounds Detected in Site 3 Surface Water and Sediment Samples	4-31
4-17 Petroleum Hydrocarbons Detected in Site 3 Sediment and Soil Samples	4-32
4-18 Metals Detected in Site 3 Sediment Samples	4-33
4-19 Summary of Temperature, pH and Specific Conductance Measurements For Site 3 Water Samples	4-34
4-20 Volatile Organic Compounds Detected in Site 3 Soil Samples	4-36
4-21 Organochlorine Pesticides and PCBs Detected in Site 3 Soil and Ground-Water Samples	4-40

LIST OF TABLES (continued)

	Page
4-22 Metals Detected in Site 3 Soil Samples	4-41
4-23 Volatile Organic Compounds Detected in Site 3 Ground-Water Samples	4-45
4-24 Volatile Organic Compounds Detected in Site 4 Surface Water and Sediment Samples	4-55
4-25 Petroleum Hydrocarbons Detected in Site 4 Soil Samples	4-57
4-26 Metals Detected in Site 4 Sediment Samples	4-58
4-27 Temperature, pH and Specific Conductance Measurements For Site 4 Water Samples	4-59
4-28 Metals Detected in Site 4 Soil Samples	4-61
4-29 Metals Detected in Site 4 Ground-Water Samples	4-63
4-30 Metals Detected in Site 8 Sediments Samples	4-66
4-31 Temperature, pH and Specific Conductance Measurements For Site 8 Water Samples	4-67
4-32 Organochlorine Pesticides and PCBs Detected in Site 8 Soil Samples	4-68
4-33 Metals Detected in Site 8 Soil Samples	4-70
4-34 Metals Detected in Site 8 Ground-Water Samples	4-71
4-35 Summary of Radiological Results For Ground-Water Samples Taken at Site 10	4-73
4-36 Temperature, pH and Specific Conductance Measurements For Site 10 Water Samples	4-74
5-1 Summary of Chemical and Physical Properties For Organic Compounds Detected at Duluth ANGB <sup>(1)</sup>	5-4
6-1 Severity Ratings for Noncarcinogens	6-7
6-2 Weight-of-Evidence Categories For Potential Carcinogens	6-8
6-3 Indicator Chemicals and Relevant Physical Properties - Sites 2, 3, 4 and 8	6-10
6-4 Matrix of Potential Exposure Pathways	6-12

## LIST OF TABLES (continued)

	Page
6-5 Applicable, Relevant and Appropriate Requirements and Other Criteria For Indicator Chemicals at Sites 2, 3, 4 and 8	6-19
6-6 Sites 2, 3, 4 and 8 Critical Toxicity Values	6-33
6-7 Site 2 Indicator Chemical Concentrations	6-37
6-8 Pathways Contributing to Total Exposure For Each Potential Receptor at Site 2	6-39
6-9 Comparison of Exposure Point Concentrations of Site 2 Indicator Chemicals in Air	6-43
6-10 Summary of Hazard Index Values For Site 2 - Upper Bound	6-46
6-11 Summary of Hazard Index Values For Site 2 - Best Estimate	6-47
6-12 Summary of Risk From Potential Carcinogens For Site 2 - Upper Bound	6-48
6-13 Summary of Risk From Potential Carcinogens For Site 2 - Best Estimate	6-49
6-14 Site 3 Indicator Chemical Concentrations	6-51
6-15 Pathways Contributing to Total Exposure For Each Potential Receptor at Site 3	6-53
6-16 Comparison of Ambient Exposure Point Concentrations With Air Criteria - Site 3	6-57
6-17 Summary of Hazard Index Values for Site 3 - Upper Bound	6-60
6-18 Summary of Hazard Index Values for Site 3 - Best Estimate	6-61
6-19 Summary of Risk From Potential Carcinogens for Site 3 - Upper Bound	6-63
6-20 Summary of Risk From Potential Carcinogens for Site 3 - Best Estimate	6-64
6-21 Site 4 Indicator Chemical Concentrations	6-65
6-22 Pathways Contributing to Total Exposure for Each Potential Receptor at Site 4	6-67
6-23 Comparison of Ambient Exposure Point Concentrations With Air Criteria - Site 4	6-70
6-24 Summary of Hazard Index Values For Site 4 - Upper Bound	6-74

LIST OF TABLES (continued)

	Page
6-25 Summary of Hazard Index Values for Site 4 - Best Estimate	6-75
6-26 Summary of Risk From Potential Carcinogens For Site 4 - Upper Bound	6-76
6-27 Summary of Risk From Potential Carcinogens For Site 4 - Best Estimate	6-77
6-28 Site 8 Indicator Chemical Concentrations	6-78
6-29 Pathways Contributing to Total Exposure For Each Potential Receptor at Site 8	6-80
6-30 Summary of Hazard Index Values For Site 8	6-85
6-31 Summary of Risk From Potential Carcinogens For Site 8	6-87
6-32 Summary of Hazard Index Values for Sites 2, 3, 4 and 8	6-88
6-33 Summary of Risk From Potential Carcinogens For Sites 2, 3, 4 and 8	6-89
6-34 Commonplace Risks	6-91
7-1 Summary of Surface Water Contaminants by Site	7-3
7-2 Summary of Sediment Contaminants by Site	7-6
7-3 Summary of Soil Contaminants by Site	7-7
7-4 Summary of Ground-Water Contaminants by Site	7-8
7-5 Summary of Findings by Site	7-16

This page intentionally left blank.

APPENDIX M  
LABORATORY DATA AND QUALITY ASSURANCE FORMS



APPENDIX M  
TABLE OF CONTENTS

	Page
M.1 INTRODUCTION	M-7
M.2 DATA PACKAGES	M-11
Data Package #1	M-13
Data Package #2	M-
Data Package #3	M-
Data Package #4	M-
Data Package #5	M-
Data Package #6	M-
Data Package #7	M-
Data Package #8	M-
Data Package #9	M-
Data Package #10	M-
Data Package #11	M-
Data Package #12	M-
Data Package #13	M-
Data Package #14	M-
Data Package #15	M-
Data Package #16	M-
Data Package #17	M-
Data Package #18	M-
Data Package #19	M-
Data Package #20	M-
Data Package #21	M-
Data Package #22	M-
Data Package #23	M-
Data Package #24	M-
Data Package #25	M-
Data Package #26	M-
Data Package #27	M-
Data Package #28	M-
Data Package #29	M-
Data Package #30	M-

APPENDIX M  
TABLE OF CONTENTS(continued)

	Page
Data Package #63	M-
Data Package #64	M-
Data Package #65	M-
Data Package #66	M-
Data Package #67	M-
Data Package #68	M-

This page intentionally left blank.

SECTION M.1  
INTRODUCTION

This page intentionally left blank.

## SECTION M.1 INTRODUCTION

This Appendix contains all of the original data in the form they were delivered by the laboratory that performed the analyses. The analytical data, completed chain of custody forms and required deliverable laboratory quality control forms are included. The included laboratory quality control forms are the case narratives; method blank spikes; surrogate recovery data; tuning, calibration and internal standards; and metal analysis quality control.

Tables containing the analytical results by site and media are given in Appendix L.

The quality assurance report for the analytical results is given in Appendix M.

The analytical data, completed chain of custody and required quality control forms are grouped together in Data Packages numbered 1 through 64, 67 and 68. To find the data package for a certain analysis of a specific sample, look up the sample and analysis in the appropriate table in Appendix L. The data package number is listed for each analysis performed for each sample.

This page intentionally left blank.


SECTION M.2  
DATA PACKAGES



This page intentionally left blank.

DATA PACKAGE #1

This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water samples received by this laboratory on 9-24-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092677	DANGB-BG-SL4-SW1	AS-F	9-23-88		10-16-88	
88092677	DANGB-BG-SL4-SW1	BA-I	9-23-88		10-13-88	
88092677	DANGB-BG-SL4-SW1	CD-F	9-23-88		10-26-88	
88092677	DANGB-BG-SL4-SW1	CR-F	9-23-88		10-19-88	
88092677	DANGB-BG-SL4-SW1	HG-C	9-23-88		10-14-88	
88092677	DANGB-BG-SL4-SW1	PB-F	9-23-88		10-21-88	
88092677	DANGB-BG-SL4-SW1	418.1	9-23-88	10-11-88	10-20-88	
88092677	DANGB-BG-SL4-SW1	8010	9-23-88		9-28-88	
88092677	DANGB-BG-SL4-SW1	8020	9-23-88		9-28-88	
88092677	DANGB-BG-SL4-SW1	8080	9-23-88	9-28-88	10-24-88	
88092677	DANGB-BG-SL4-SW1	8270	9-23-88	9-29-88	11-08-88	
88092678	DANGB-BG-SL25-SW1	AS-F	9-23-88		10-16-88	
88092678	DANGB-BG-SL25-SW1	BA-I	9-23-88		10-13-88	
88092678	DANGB-BG-SL25-SW1	CD-F	9-23-88		10-26-88	
88092678	DANGB-BG-SL25-SW1	CR-F	9-23-88		10-19-88	
88092678	DANGB-BG-SL25-SW1	HG-C	9-23-88		10-22-88	
88092678	DANGB-BG-SL25-SW1	PB-F	9-23-88		10-24-88	
88092678	DANGB-BG-SL25-SW1	418.1	9-23-88	10-11-88	10-20-88	
88092678	DANGB-BG-SL25-SW1	8010	9-23-88		9-28-88	
88092678	DANGB-BG-SL25-SW1	8020	9-23-88		9-28-88	
88092678	DANGB-BG-SL25-SW1	8080	9-23-88	9-28-88	10-24-88	
88092678	DANGB-BG-SL25-SW1	8270	9-23-88	9-29-88	11-08-88	

\* If applicable



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092679	DANGB-4-SL12-SW1	BA-I	9-23-88		10-13-88	
88092679	DANGB-4-SL12-SW1	CD-F	9-23-88		10-26-88	
88092679	DANGB-4-SL12-SW1	CR-F	9-23-88		10-19-88	
88092679	DANGB-4-SL12-SW1	PB-F	9-23-88		10-24-88	
88092679	DANGB-4-SL12-SW1	418.1	9-23-88	10-08-88	10-20-88	
88092679	DANGB-4-SL12-SW1	8010	9-23-88		9-29-88	9-28-88
88092679	DANGB-4-SL12-SW1	8020	9-23-88		9-29-88	
88092680	DANGB-4-SL11-SW1	BA-I	9-23-88		10-13-88	
88092680	DANGB-4-SL11-SW1	CD-F	9-23-88		10-26-88	
88092680	DANGB-4-SL11-SW1	CR-F	9-23-88		10-19-88	
88092680	DANGB-4-SL11-SW1	PB-F	9-23-88		10-24-88	
88092680	DANGB-4-SL11-SW1	418.1	9-23-88	10-08-88	10-20-88	
88092680	DANGB-4-SL11-SW1	8010	9-23-88		9-30-88	9-28-88
88092680	DANGB-4-SL11-SW1	8020	9-23-88		9-30-88	9-28-88
88092681	DANGB-BG-SL5-SW1	AS-F	9-23-88		10-16-88	
88092681	DANGB-BG-SL5-SW1	BA-I	9-23-88		10-13-88	
88092681	DANGB-BG-SL5-SW1	CD-F	9-23-88		10-26-88	
88092681	DANGB-BG-SL5-SW1	CR-F	9-23-88		10-19-88	
88092681	DANGB-BG-SL5-SW1	HG-C	9-23-88		10-22-88	
88092681	DANGB-BG-SL5-SW1	PB-F	9-23-88		10-24-88	
88092681	DANGB-BG-SL5-SW1	418.1	9-23-88	10-08-88	10-20-88	
88092681	DANGB-BG-SL5-SW1	8010	9-23-88		9-28-88	
88092681	DANGB-BG-SL5-SW1	8020	9-23-88		9-28-88	
88092681	DANGB-BG-SL5-SW1	8080	9-23-88	9-28-88	10-24-88	
88092681	DANGB-BG-SL5-SW1	8270	9-23-88	9-29-88	11-08/23-88	

\* If applicable

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
8270 ANALYSIS  
SAMPLE NO(S).: 88092677-88092681  
WORK ORDER NO.: 1037

These water samples were received at the ES Berkeley Laboratory on 9-24-88. They were received cold and intact, except for 1 VOA for sample DANGB-B6-SL25-SW1 (88092678) which was broken in transit.

When sample 88092681 was first analyzed, the area counts for the latest eluting internal standard were low. Re-analysis, out of holding time, resulted in sufficient area counts for all internal standards. This low internal standard area does not affect the results for target compounds, because none of the acidic target compounds use this internal standard to calculate results.

# CHAIN OF CUSTODY RECORD

ES JOB NO.	PROJECT NAME/LOCATION	NO. OF CONTAINERS	SHIP TO:	WATER ANALYSES REQUIRED							
OR001	Duluth ANGB/Duluth, Mn.		ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">EPA 808, 8020</td> <td style="width: 10%;">EPA 815</td> <td style="width: 10%;">EPA 416-1</td> <td style="width: 10%;">SW 6310, 7000, 7121</td> <td style="width: 10%;">SW 7421, 7470</td> <td style="width: 10%;">SW 9370, 9378</td> <td style="width: 10%;">SM 420</td> </tr> </table>	EPA 808, 8020	EPA 815	EPA 416-1	SW 6310, 7000, 7121	SW 7421, 7470	SW 9370, 9378	SM 420
EPA 808, 8020	EPA 815	EPA 416-1	SW 6310, 7000, 7121	SW 7421, 7470	SW 9370, 9378	SM 420					
SAMPLE(S): (Signature) <i>Rhody L. Davis</i>											
DATE	TIME	SAMPLE DESCRIPTION	REMARKS								
9-23-58	0945	DANGB-BG-SLS-SW-1	1500								
9-23-58	0945	DANGB-BG-SLA-SW-1									
9-23-58	1045	DANGB-4-SL11-SW-1									
9-23-58	1015	DANGB-BG-SL25-SW-1	Do not analyze for SW7470 + SW7060								
9-23-58	1100	DANGB-4-SL12-SW-1	Do not analyze for SW7470 + SW7060								
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p>Relinquished by: (Signature) <i>Rhody L. Davis</i></p> </div> <div style="text-align: center;"> <p>Received by: (Signature) <i>Fed Ex Airbill # 9490309931</i></p> </div> </div>											
Relinquished by: (Signature)		Date/Time	Relinquished by: (Signature)	Date/Time							
Relinquished by: (Signature)		Date/Time	Relinquished by: (Signature)	Date/Time							

**FEDERAL EXPRESS**

**AIRBILL**  
 USE THIS AIRBILL FOR DOMESTIC SHIPMENTS WITHIN THE CONTINENTAL U.S., ALASKA AND HAWAII.  
 USE THE INTERNATIONAL AIR WAYBILL FOR SHIPMENTS TO PORTS RICO.  
 POSTMASTER: CALL 800-235-3353 TOLL FREE.

**PACKAGE TRACKING NUMBER**  
 193377931

**SENDER'S COPY**

**SENDER'S COPY**

Sender's Federal Express Account Number: **11111111111111111111**  
 Date: **11/25/88**

From (Your Name) Please Print: **ENGINEERING**  
 Your Phone Number (Very Important): **(618) 515-3120**  
 Department/Floor No.: **STE. F103**

To (Recipient's Name) Please Print: **ENGINEERING**  
 Recipient's Phone Number (Very Important): **(618) 515-3120**  
 Department/Floor No.: **STE. F103**

Company: **ENGINEERING**  
 Street Address: **1101 S. LINCOLN AVE.**  
 City: **SPRINGFIELD** State: **IL** ZIP Required: **62760**

IF HOLD FOR PICK-UP, PRINT FEDEX ADDRESS HERE  
 Street Address: **1101 S. LINCOLN AVE.** City: **SPRINGFIELD** State: **IL** ZIP Required: **62760**

**YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)**  
 02000202

**PAYMENT**  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill 3rd Party FedEx Acct. No.  Bill Credit Card

SERVICES	DELIVERY AND SPECIAL HANDLING	PACKETS	WEIGHT	PRICE PER POUND (Rate Table)	DATE	TIME
1 <input checked="" type="checkbox"/> PRIORITY 1 Overnight Delivery	1 <input type="checkbox"/> HOLD FOR PICK-UP (Rate Table)	5	1.25			
2 <input type="checkbox"/> COURIER-PAK OVERNIGHT ENVELOPE*	2 <input type="checkbox"/> DELIVER SATURDAY (Rate Table)		1.25			
3 <input type="checkbox"/> OVERNIGHT BOX	3 <input type="checkbox"/> DELIVER WEEKDAY (Rate Table)		1.25			
4 <input type="checkbox"/> OVERNIGHT TUBE	4 <input type="checkbox"/> DANGEROUS GOODS (Rate Table)		1.25			
5 <input type="checkbox"/> STANDARD AIR Delivery not later than second business day*	5 <input type="checkbox"/> CONSTANT SURVEILLANCE SERVICE (CSS) (Rate Table) (Insurance Not Applicable)		1.25			
	6 <input type="checkbox"/> MAT ICE (Rate Table)		1.25			
	7 <input type="checkbox"/> OTHER SPECIAL SERVICE (Rate Table)		1.25			
	8 <input type="checkbox"/> SATURDAY PICK-UP (Rate Table)		1.25			
	9 <input type="checkbox"/> HOLIDAY DELIVERY (Rate Table)		1.25			
	10 <input type="checkbox"/>		1.25			
	11 <input type="checkbox"/>		1.25			
	12 <input type="checkbox"/>		1.25			

\* Declared Value Limit \$100.

SERVICE CONDITIONS, DECLARED VALUE AND LIMIT OF LIABILITY	
Use of this bill constitutes your agreement to the service conditions in the Service Code for the service selected. See back of sender's copy of this bill for further information.	
We will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay or non-delivery, unless you specify a higher amount in the space to the left, pay 40¢ per additional \$100 specified and document your actual loss in the event of a claim. Maximum claim amount: Insured items found in the current Federal Express for loss of the net cost value of the package, as well as for loss of sales, income, interest, profit, attorney's fees, costs and any other form of damage whether direct, incidental, consequential or special is limited to the greater of \$100 or the declared value specified to the left. In no event shall your recovery exceed your actual loss in the event of untimely delivery. Federal Express will at your request and upon receipt of satisfactory evidence of loss, indemnify you for the actual loss of the contents of the package. Federal Express will not be responsible for loss of contents of the package if the package is not properly sealed and labeled. Federal Express will not be responsible for loss of contents of the package if the package is not properly sealed and labeled. Federal Express will not be responsible for loss of contents of the package if the package is not properly sealed and labeled.	
Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.	
Release Signature: <b>11/25/88</b>	

FEDERAL EXPRESS  
 193377931





# CHAIN OF CUSTODY RECORD

KS JOB NO.	PROJECT NAME/LOCATION		NO. OF CONTAINERS	WATER ANALYSES REQUIRED						SHIP TO:
	Duluth ANGB/Duluth, Mn.			SW 800, 8020	EPA 825	EPA 470.1	SW 421, 7479	SW 920, 9318	SW 429	
SAMPLEM SI: (Signature)	SAMPLE DESCRIPTION		TAINERS	REMARKS						
9-23-88 0900	DAN6B-BG-SL5-SW1		5	5120341						
9-23-88 1100	DAN6B-41-SL12		5	502670						
9-23-88 0915	DAN6B-BG-SL4-SW1		5	502077						
9-23-88 1015	DAN6B-BG-SL25-SW1		5	502079						
9-23-88 1045	DAN6B-41-SL11-SW1		5	502050						
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Received by: (Signature)</p> <p><i>[Signature]</i></p> </div> <div style="text-align: center;"> <p>Date/Time</p> <p>9-23-88 1230</p> </div> <div style="text-align: center;"> <p>Received by: (Signature)</p> <p>FIC Air BUC # 9990.509931</p> </div> <div style="text-align: center;"> <p>Date/Time</p> <p>9-23-88 1230</p> </div> </div>										
Relinquished by: (Signature)				Relinquished by: (Signature)				Date/Time		Received by: (Signature)
<p><i>[Signature]</i></p>				<p><i>[Signature]</i></p>				<p>9-23-88</p>		<p><i>[Signature]</i></p>
Relinquished by: (Signature)				Relinquished by: (Signature)				Date/Time		Remarks
<p><i>[Signature]</i></p>				<p><i>[Signature]</i></p>				<p>9-23-88</p>		<p>Remarks: Samples for all 11 samples analyzed on 9/23/88 at Engineering Science Laboratory, Berkeley, CA.</p>

"airbutton: Original Accompanies Shipment, Copy to Coordinator Field File"





ANALYSIS REPORT

ORK ORDER NUMBER: 1037  
OB NUMBER : Z8000000440  
RK ORDER DATE : 09/24/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
AK RIDGE, TN 37830  
ILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

OF REPORT COPIES: 1

ONTRACT / PO.# : OR001  
ONTACT : BILL HAYDEN  
(615)-481-3920

ASK: \* 2, UNITS: mg/L

EST COMPOUND	DANGB-BG-SL4-SW-1 88092677	DANGB-BG-SL25-SW1 88092678	DANGB-4-SL12-SW1 88092679	DANGB-4-SL11-SW1 88092680	DANGB-BG-SL5-SW1 88092681
CID DIG FLAME	NA	NA	NA	NA	NA
CID DIG FURNACE	NA	NA	NA	NA	NA
ARSENIC	<0.01	<0.01			<0.01
ARIUM	<0.2	<0.2	<0.2	<0.2	<0.2
ADMIUM	<0.005	<0.005	<0.005	<0.005	<0.005
ROMIUM	<0.01	<0.01	<0.01	<0.01	<0.1
ERCURY	<.0002	<.0002			<.0002
EAD	<0.005	<0.005	<0.005	<0.005	<0.005

) - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1037  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/24/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-BG-SL4-SW-1 88092677	DANGB-BG-SL25-SW1 88092678	DANGB-4-SL12-SW1 88092679	DANGB-4-SL11-SW1 88092680	DANGB-BG-SL5-SW1 88092681
18.1-PETROLEUM HYDROCARBONS	<1B	<1B	<1	<1	<1

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1037  
JOB NUMBER : Z80000000440  
WORK ORDER DATE : 09/24/88

APPROVED BY



Lab Supervisor

REPORT DATA:  
OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8010

TEST COMPOUND	DANGB-BG-SL4-SW-1 88092677	DANGB-BG-SL25-SW1 88092678	DANGB-4-SL12-SW1 88092679	DANGB-4-SL11-SW1 88092680	DANGB-BG-SL5-SW1 88092681
ETHYL CHLORIDE	ND	ND	ND	ND	ND
ETHYL (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND	ND
ETHYL (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND	ND
ETHYLBENZENE	ND	ND	ND	ND	ND
ETHYLCHLOROMETHANE	ND	ND	ND	ND	ND
ETHYLFORM	ND	ND	ND	ND	ND
ETHYL METHANE	ND	ND	ND	ND	ND
ETHYL CARBON TETRACHLORIDE	ND	ND	ND	ND	ND
ETHYL CHLORACETALDEHYDE	ND	ND	ND	ND	ND
ETHYL CHLORAL	ND	ND	ND	ND	ND
ETHYL CHLOROBENZENE	ND	ND	ND	ND	ND
ETHYL CHLOROETHANE	ND	ND	ND	ND	ND
ETHYL CHLOROFORM	ND	ND	ND	ND	ND
ETHYL CHLOROHEXANE	ND	ND	ND	ND	ND
ETHYL CHLOROETHYL VINYL ETHER	ND	ND	ND	ND	ND
ETHYL CHLOROMETHANE	ND	ND	ND	ND	ND
ETHYL CHLOROMETHYL METHYL ETHER	ND	ND	ND	ND	ND
ETHYL CHLOROTOLUENE	ND	ND	ND	ND	ND
ETHYL BROMOCHLOROMETHANE	ND	ND	ND	ND	ND
ETHYL BROMOMETHANE	ND	ND	ND	ND	ND
ETHYL 1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND
ETHYL 1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND
ETHYL 1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND
ETHYL CHLORODIFLUOROMETHANE	ND	ND	ND	ND	ND
ETHYL 1,1-DICHLOROETHANE	ND	ND	ND	ND	ND
ETHYL 1,2-DICHLOROETHANE	ND	ND	ND	ND	ND
ETHYL 1,1-DICHLOROETHYLENE	ND	ND	ND	ND	ND
ETHYL TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND	ND	ND
ETHYL CHLOROMETHANE	ND	ND	1.08	1.08	ND
ETHYL 2-DICHLOROPROPANE	ND	ND	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1037

TEST COMPOUND	DANGB-BG-SL4- SW-1 88092677	DANGB-BG-SL25- SW1 88092678	DANGB-4-SL12- SW1 88092679	DANGB-4-SL11- SW1 88092680	DANGB-BG-SL5- SW1 88092681
1,3-DICHLOROPROPYLENE	ND	ND	ND	ND	ND
1,1,2,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND
TETRACHLOROETHYLENE	ND	ND	ND	ND	ND
1,1,1-TRICHLOROETHANE	ND	ND	ND	ND	ND
1,1,2-TRICHLOROETHANE	ND	ND	ND	ND	ND
TRICHLOROETHYLENE	ND	ND	0.23	ND	ND
TRICHLOROFLUOROMETHANE	ND	ND	ND	ND	ND
TRICHLOROPROPANE	ND	ND	ND	ND	ND
VINYL CHLORIDE	ND	ND	ND	ND	ND

ND - Not Detected



ANALYSIS REPORT

WORK ORDER NUMBER: 1037  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/24/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
5 OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANGB-BG-SL4-SW-1 88092677	DANGB-BG-SL25-SW1 88092678	DANGB-4-SL12-SW1 88092679	DANGB-4-SL11-SW1 88092680	DANGB-BG-SL5-SW1 88092681
BENZENE	ND	ND	ND	14	ND
CHLOROBENZENE	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	6.2	ND
TOLUENE	ND	ND	ND	4.3	ND
XYLENES	ND	ND	ND	20.7	ND

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1037  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/24/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8080.

TEST COMPOUND	DANGB-BG-SL4- SW-1 88092677	DANGB-BG-SL25- SW1 88092678	DANGB-BG-SL5- SW1 88092681
DRIN	ND	ND	ND
PHA-BHC	ND	ND	ND
BETA-BHC	ND	ND	ND
DELTA-BHC	ND	ND	ND
AMMA-BHC	ND	ND	ND
ILORDANE	ND	ND	ND
4,4'-DDD	ND	ND	ND
4,4'-DDE	ND	ND	ND
4,4'-DDT	ND	ND	ND
DELDRIN	ND	ND	ND
ENDOSULFAN I	ND	ND	ND
ENDOSULFAN II	ND	ND	ND
ENDOSULFAN SULFATE	ND	ND	ND
ENDRIN	ND	ND	ND
ENDRIN ALDEHYDE	NA	NA	NA
HEPTACHLOR	ND	ND	ND
HEPTACHLOR EPOXIDE	ND	ND	ND
KEPONE	ND	ND	ND
METHOXYCHLOR	ND	ND	ND
DIXAPHENE	ND	ND	ND
CB-1016	ND	ND	ND
PCB-1221	ND	ND	ND
PCB-1232	ND	ND	ND
PCB-1242	ND	ND	ND
PCB-1248	ND	ND	ND
PCB-1254	ND	ND	ND
PCB-1260	ND	ND	ND

ND - Not Detected

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

ate Received: September 24, 1988  
 ate Reported: December 9, 1988

Work Order: 1037  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

ab Number:	88092677	88092678
ample No.:	DANGB-BG-SL4-SW1	DANGB-BG-SL25-SW1
ate Sampled:	09-23-88	09-23-88
ime Sampled:	09:45	10:15
ate Extracted:	09-29-88	09-29-88
ate Analyzed:	11-08-88	11-08-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
,3-Dichlorobenzene	10	ND	ND
,4-Dichlorobenzene	10	ND	ND
exachloroethane	10	ND	ND
is(2-chloroethyl)ether	10	ND	ND
,2-Dichlorobenzene	10	ND	ND
-Nitrosodimethylamine	10	ND	ND
is(2-chloroisopropyl)ether	10	ND	ND
-Nitrosodi-n-propylamine	10	ND	ND
exachlorobutadiene	10	ND	ND
,2,4-Trichlorobenzene	10	ND	ND
itrobenzene	10	ND	ND
sophorone	10	ND	ND
aphthalene	10	ND	ND
is(2-chloroethoxy)methane	10	ND	ND
-Chloronaphthalene	10	ND	ND
exachlorocyclopentadiene	10	ND	ND
cenaphthylene	10	ND	ND
cenaphthene	10	ND	ND
imethyl phthalate	10	ND	ND
,6-Dinitrotoluene	10	ND	ND
luorene	10	ND	ND
,4-Dinitrotoluene	10	ND	ND
iethyl phthalate	10	ND	ND
-Nitrosodiphenylamine	10	ND	ND
exachlorobenzene	10	ND	ND

= Compound was detected in the blank.

Priority Pollutant Analysis

Base Neutrals - SW 8270

Matrix: Water

(continued)

Date Received: September 24, 1988  
 Date Reported: December 9, 1988

Work Order: 1037  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092677	88092678
Sample No.:	DANGB-BG-SL4-SW1	DANGB-BG-SL25-SW1
Date Sampled:	09-23-88	09-23-88
Time Sampled:	09:45	10:15
Date Extracted:	09-29-88	09-29-88
Date Analyzed:	11-08-88	11-08-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
2-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	ND	ND
Chrysene	10	ND	ND
2-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

ND = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 24, 1988  
 Date Reported: December 9, 1988

Work Order: 1037  
 Job Number: OR001

Location: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092677	88092678
Sample No.:	DANGB-BG-SL4-SW1	DANGB-BG-SL25-SW1
Date Sampled:	09-23-88	09-23-88
Time Sampled:	09:45	10:15
Date Extracted:	09-29-88	09-29-88
Date Analyzed:	11-08-88	11-08-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
acetophenone	--*	ND	ND
aniline	--*	ND	ND
-Aminobiphenyl	--*	ND	ND
-Chloroaniline	20	ND	ND
-Chloronaphthalene	--*	ND	ND
benzofuran	10	ND	ND
-Dimethylaminoazobenzene	--*	ND	ND
,12-Dimethylbenz(a)anthracene	--*	ND	ND
-,a-Dimethylphenethylamine	--*	ND	ND
diphenylamine	--*	ND	ND
,2-Diphenylhydrazine	--*	ND	ND
ethyl methanesulfonate	--*	ND	ND
-Methylcholanthrene	--*	ND	ND
ethyl methanesulfonate	--*	ND	ND
-Methylnaphthalene	10	ND	ND
-Naphthylamine	--*	ND	ND
-Naphthylamine	--*	ND	ND
-Nitroaniline	50	ND	ND
-Nitroaniline	50	ND	ND
-Nitroaniline	50	ND	ND
-Nitroso-di-n-butylamine	--*	ND	ND
-Nitrosopiperidine	--*	ND	ND
pentachlorobenzene	--*	ND	ND
pentachloronitrobenzene	--*	ND	ND
phenacetin	--*	ND	ND
-Picoline	--*	ND	ND
protonamide	--*	ND	ND
,2,4,5-Tetrachlorobenzene	--*	ND	ND

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 24, 1988  
Date Reported: December 9, 1988

Work Order: 1037  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092677	88092678
Sample No.:	DANGB-BG-SL4-SW1	DANGB-BG-SL25-SW1
Date Sampled:	09-23-88	09-23-88
Time Sampled:	09:45	10:15
Date Extracted:	09-29-88	09-29-88
Date Analyzed:	11-08-88	11-08-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	__*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 24, 1988  
 Date Reported: December 9, 1988


Work Order: 1037  
 Job Number: OR001


OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092677	88092678
Sample No.:	DANGB-BG-SL4-SW1	DANGB-BG-SL25-SW1
Date Sampled:	09-23-88	09-23-88
Time Sampled:	09:45	10:15
Date Extracted:	09-29-88	09-29-88
Date Analyzed:	11-08-88	11-08-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
-Chlorophenol	10	ND	ND
-Nitrophenol	10	ND	ND
phenol	10	ND	ND
, 4-Dimethylphenol	10	ND	ND
, 4-Dichlorophenol	10	ND	ND
, 4,6-Trichlorophenol	10	ND	ND
-Chloro-3-methylphenol	20	ND	ND
, 4-Dinitrophenol	50	ND	ND
, 6-Dichlorophenol	--*	ND	ND
-Methyl-4,6-Dinitrophenol	50	ND	ND
pentachlorophenol	50	ND	ND
-Nitrophenol	50	ND	ND
benzoic Acid	50	ND	ND
-Methylphenol	10	ND	ND
- & 4-Methylphenol	10	ND	ND
, 3,4,6-Tetrachlorophenol	--*	ND	ND
, 4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

OJE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water

page 1 of 5

Date Received: September 24, 1988  
Date Reported: December 9, 1988

Work Order: 1037  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092681  
Sample No.: DANGB-BG-SL5-SW1  
Date Sampled: 09-23-88  
Time Sampled: 09:00  
Date Extracted: 09-29-88  
Date Analyzed: 11-08-88/11-23-88

Compound	Detection	ANALYTICAL RESULTS
	Limits ug/L	ug/L
1,3-Dichlorobenzene	10	ND
1,4-Dichlorobenzene	10	ND
Hexachloroethane	10	ND
Bis(2-chloroethyl)ether	10	ND
1,2-Dichlorobenzene	10	ND
N-Nitrosodimethylamine	10	ND
Bis(2-chloroisopropyl)ether	10	ND
N-Nitrosodi-n-propylamine	10	ND
Hexachlorobutadiene	10	ND
1,2,4-Trichlorobenzene	10	ND
Nitrobenzene	10	ND
Sophorone	10	ND
Naphthalene	10	ND
Bis(2-chloroethoxy)methane	10	ND
2-Chloronaphthalene	10	ND
Hexachlorocyclopentadiene	10	ND
Acenaphthylene	10	ND
Acenaphthene	10	ND
Dimethyl phthalate	10	ND
2,6-Dinitrotoluene	10	ND
Fluorene	10	ND
2,4-Dinitrotoluene	10	ND
Diethyl phthalate	10	ND
N-Nitrosodiphenylamine	10	ND
Hexachlorobenzene	10	ND

B = Compound was detected in the blank.



Priority Pollutant Analysis

page 2 of 5

Base Neutrals - SW 8270

Matrix: Water

(continued)

Sample Received: September 24, 1988  
 Date Reported: December 9, 1988

Work Order: 1037  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092681  
 Sample No.: DANGE-BG-SL5-SW1  
 Date Sampled: 09-23-88  
 Time Sampled: 09:00  
 Date Extracted: 09-29-88  
 Date Analyzed: 11-08-88/11-23-88

Compound	Detection	ANALYTICAL RESULTS
	Limits	ug/L
phenanthrene	10	ND
anthracene	10	ND
isobutyl phthalate	10	ND
fluoranthene	10	ND
1-Chlorophenyl phenyl ether	10	ND
pyrene	10	ND
isobutyl Benzyl phthalate	10	ND
diis(2-ethylhexyl) phthalate	10	ND
chrysene	10	ND
1-Bromophenyl phenyl ether	10	ND
benzo(a)anthracene	10	ND
di-n-octylphthalate	10	ND
benzo(b)fluoranthene	10	ND
benzo(k)fluoranthene	10	ND
benzidine	60	ND
2,3'-Dichlorobenzidine	20	ND
benzo(a)pyrene	10	ND
benz(b)fluoranthene	10	ND
benzo(a,h)anthracene	10	ND
benzo(ghi)perylene	10	ND
benzyl Alcohol	20	ND

ND = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 24, 1988  
 Date Reported: December 9, 1988

Work Order: 1037  
 Job Number: OR001

For: ES: Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092681  
 Sample No.: DANGB-BG-SL5-SW1  
 Date Sampled: 09-23-88  
 Time Sampled: 09:00  
 Date Extracted: 09-29-88  
 Date Analyzed: 11-08-88/11-23-88

Compound	Detection	Analytical Results
	Limits ug/L	ug/L
Acetophenone	--*	ND
Aniline	--*	ND
4-Aminobiphenyl	--*	ND
4-Chloroaniline	20	ND
1-Chloronaphthalene	--*	ND
Dibenzofuran	10	ND
p-Dimethylaminoazobenzene	--*	ND
7,12-Dimethylbenz(a)anthracene	--*	ND
1,4-Dimethylphenethylamine	--*	ND
Diphenylamine	--*	ND
1,2-Diphenylhydrazine	--*	ND
Ethyl methanesulfonate	--*	ND
3-Methylcholanthrene	--*	ND
Methyl methanesulfonate	--*	ND
2-Methylnaphthalene	10	ND
1-Naphthylamine	--*	ND
2-Naphthylamine	--*	ND
2-Nitroaniline	50	ND
3-Nitroaniline	50	ND
4-Nitroaniline	50	ND
N-Nitroso-di-n-butylamine	--*	ND
N-Nitrosopiperidine	--*	ND
Pentachlorobenzene	--*	ND
Pentachloronitrobenzene	--*	ND
Phenacetin	--*	ND
2-Picoline	--*	ND
Pronamide	--*	ND
1,2,4,5-Tetrachlorobenzene	--*	ND

EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 24, 1988  
Date Reported: December 9, 1988

Work Order: 1037  
Job Number: OR001

DR: ES: Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092681  
Sample No.: DANGB-BG-SL5-SW1  
Date Sampled: 09-23-88  
Time Sampled: 09:00  
Date Extracted: 09-29-88  
Date Analyzed: 11-08-88/11-23-88

Compound	Detection	ANALYTICAL RESULTS
	Limits ug/L	ug/L
alpha-BHC	--*	ND
gamma-BHC	--*	ND
delta-BHC	20	ND
heptachlor	10	ND
delta-BHC	15	ND
dieldrin	10	ND
heptachlor epoxide	10	ND
endosulfan I	--*	ND
dieldrin	15	ND
1,4'-DDE	30	ND
dieldrin	--*	ND
endosulfan II	--*	ND
1,4'-DDD	15	ND
1,4'-DDT	25	ND
endosulfan Sulfate	30	ND
dieldrin aldehyde	--*	ND
dieldrin Ketone	--*	ND
nonachlor	60	ND
methoxychlor	--*	ND
oxyphen	60	ND
rochlor-1016	60	ND
rochlor-1221	60	ND
rochlor-1232	60	ND
rochlor-1242	60	ND
rochlor-1248	60	ND
rochlor-1254	60	ND
rochlor-1260	60	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
Acid Extractables -- SW 8270  
Matrix: Water

page 5 of 5

Date Received: September 24, 1988  
Date Reported: December 9, 1988


Work Order: 1037  
Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092681  
Sample No.: DANGB-BG-SL5-SW1  
Date Sampled: 09-23-88  
Time Sampled: 09:00  
Date Extracted: 09-29-88  
Date Analyzed: 11-08-88/11-23-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS ug/L
2,4-Dichlorophenol	10	ND
2-Nitrophenol	10	ND
Phenol	10	ND
1,4-Dimethylphenol	10	ND
2,4-Dichlorophenol	10	ND
2,4,6-Trichlorophenol	10	ND
1-Chloro-3-methylphenol	20	ND
2,4-Dinitrophenol	50	ND
2,6-Dichlorophenol	--*	ND
1-Methyl-4,6-Dinitrophenol	50	ND
Pentachlorophenol	50	ND
4-Nitrophenol	50	ND
Benzoic Acid	50	ND
1-Methylphenol	10	ND
3- & 4-Methylphenol	10	ND
2,3,4,6-Tetrachlorophenol	--*	ND
1,4,5-Trichlorophenol	10	ND

  
-----  
Analyst

  
-----  
Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: AAF-W-0052-88  
Sample Matrix: Water  
Conc. Unit: mg/L  
Date Received: NA  
Date Reported: 2-27-89  
Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
88092548-88092551, 88092573-88092579  
88092677-88092681, 88092695, 88092612-88092614

Laboratory Supervisor Approval:



Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	Spike Recovery		Notes	
										SA	SR		
Arsenic	88092677	88092677	10-16-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.0383	96
Cadmium	88092677	88092677	10-26-88	NA	6010	<0.005	<0.005	<0.005	NC	0.010	<0.005	0.011	110
Chromium	88092677	88092677	10-19-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0218	109
Lead	88092677	88092677	10-21-88	NA	7421	<0.005	<0.005	<0.005	NC	0.020	<0.005	0.0227	114

$$\text{Relative Percent Difference (RPD)} = \frac{C1 - C2}{(C1 + C2)/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{SSR - SR \times 100}{SA}$$

CI = Concentration One  
C2 = Concentration Two  
SSR = Spiked Sample Result  
SR = Sample Result  
SA = Spike Added (Concentration)

NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: ICP-W-0059-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614



Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate	RPD	SA	Spike Recovery		Notes
												SR	SSR	
Barium	88092677	88092677	10-13-88	NA	6010	<0.2	<0.2	<0.2	<0.2	NC	2.0	<0.2	1.96	98

41

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected


Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: CVM-W-0030-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANGB  
 QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Laboratory Supervisor Approval: 

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	SA	Spike Recovery		Notes
											SR	SSR	
Mercury	88092677	88092677	10-14-88	NA	7471	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.00087	87

42

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR \times 100}{SA}$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TPH-W-0062-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Prepared: 10-11-88  
 Date Analyzed: 10-20-88  
 Date Reported: 10-28-88  
 Dilution Factor: 4

Job No.: ORO01

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

*[Signature]*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092677	418.1	1.1	<1B	10	6.2	62	8.1	81	27	*

43

\* See Case Narrative attached.  
 B See Legend attached.

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected



QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: ORO01  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0062-88B  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-10-88  
 Date Analyzed: 10-11-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

*Bill Hayden*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1	<1	10	1.1	1.10	1.1	1.10	0	*

44

\* See Case Narrative attached.

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO(S):; TPH-W-0062-88

Relative percent difference for the quality control sample exceed the ES Laboratory limit. A blank spike analysis shows the laboratory to be in control.

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TP11-W-0057-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-19-88  
 Date Prepared: 10-03-88  
 Date Analyzed: 10-05-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Job No.: 0R001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092514, 88092679-88092681

*William J. ...*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092514	413.1	<1	<1	10.	2.9	29	2.9	29	0	A

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL MULTIMEDIA  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TPH-W-0057-88B  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-01-88  
 Date Analyzed: 10-05-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB  
 Laboratory Supervisor Approval: *[Signature]*

QC Report for Laboratory Sample No(s):  
 88092514, 88092679-88092681

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1	<1	10	7.5	75	6.8	68	10	*

47

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO(S): TPH-W-0057-88  
QC REPORT NO(S): TPH-W-0057-88B

Percent recoveries for the quality control samples are lower than ES laboratory limits. A blank spike analysis shows the laboratory to be in control.

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: 0R001  
Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0045-88  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: 9-24-88  
Date Prepared: NA  
Date Analyzed: 10-05-88  
Date Reported: 10-25-88  
Dilution Factor: NA

Project: Duluth ANGB  
QC Report for Laboratory Sample No(s):  
88092677-88092681

Laboratory Supervisor Approval:  
*[Signature]*

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092677	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	10.1	101	9.97	100	1	26	70-130
	Trichloroethene	10	ND	10.1	101	9.85	98	3	19	65-131
	Chlorobenzene	10	ND	10.3	103	10.0	100	3	40	59-137
88092677	Aromatics: 8020									
	Benzene	10	ND	10.5	105	10.3	103	2	20	56-146
	Toluene	10	ND	11.3	113	10.5	105	7	41	42-150
	Chlorobenzene	10	ND	11.0	110	10.1	101	9	36	76-133

Relative Percent Difference (PR) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR}{SA} \times 100$

MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)

NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

METHOD BLANK SUMMARY

Job No: 0R001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-28-88

Laboratory Supervisor Approval:

*[Signature]*

Project: Duluth ANGB

File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
79	9-28-88	VGC	Vocol	75-09-2 79-01-6	Dichloromethane Trichloroethylene	11 0.80	0.25 0.12	88092677-88092678, 88092681
34	9-29-88	VGC	Carbopack	75-09-2 67-66-3	Dichloromethane Chloroform	2.5 0.65	0.25 0.05	88092679-88092680

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: 02901  
Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No.: MCP-S-0037-88  
QC Sample No.: 88092490  
Level (Low/Med): Low  
Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
88092490, 88092488, 88092494-88092495  
88092511, 88092513-88092517, 88092525-88092528  
88092677-88092678, 88092681, 88092617

*Bill Hayden*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.195	99	56-123
Heptachlor epoxide	200	ND	0.214	105	40-131
Aldrin	200	ND	0.195	99	40-120
Dieldrin	500	ND	0.463	93	52-126
Endrin	500	ND	0.488	98	56-121
4,4'-DDT	500	ND	0.365	73	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.173	87	99	13	15	56-123
Heptachlor epoxide	0.224	112	105	6	20	40-131
Aldrin	ND	NC*	99	NC*	22	40-120
Dieldrin	0.461	92	93	1	18	52-126
Endrin	0.466	93	98	5	21	56-121
4,4'-DDT	0.401	80	73	9	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 1 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits



PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: JCP-W-0037-888  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):

88092490, 88092488, 88092494-88092495  
 88092511, 88092513-88092517, 88092525-88092528  
 88092677-88092678, 88092681, 88092617

*[Signature]*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.184	92	56-123
Heptachlor epoxide	200	ND	0.210	105	40-131
Aldrin	200	ND	0.186	93	40-120
Dieldrin	500	ND	0.436	87	52-126
Endrin	500	ND	0.455	91	56-121
4,4'-DDT	500	ND	0.490	98	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.211	105	92	13	15	56-123
Heptachlor epoxide	0.224	112	105	6	20	40-131
Aldrin	0.210	105	93	12	22	40-120
Dieldrin	0.551	110	87	23*	18	52-126
Endrin	0.292	58	91	44*	21	56-121
4,4'-DDT	0.461	92	98	6	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 2 out of 6 outside limits

**52**

Spike Recovery: 0 out of 12 outside limits

PESTICIDE METHOD BLANK SUMMARY

Job No.: OR901  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 719 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Lab Name: Engineering Science  
 Lab Sample No.: Blank  
 Matrix: Water  
 Level (low/med): Low  
 Extraction:  
 (SepF/Cont/Sonc): Sonc  
 Date Reported: 11-03-88

Project: Duluth ANGB

Date Extracted: 9-28-88  
 Date Analyzed (1): 10-24-88  
 Time Analyzed (1): 09:09  
 Instrument ID (1): 5890 #2  
 GC Column ID (1): OV-1

Date Analyzed (2):  
 Time Analyzed (2):  
 Instrument ID (2):  
 GC Column ID (2):

This Method Blank applies to the following samples, MS and MSD:

EPA Sample No.	Lab Sample ID (1)	Date Analyzed 1	Lab Sample ID (2)	Date Analyzed 2
-	88092617	10-24-88		
-	88092677	10-24-88		
-	88092678	10-24-88		
-	88092681	10-24-88		

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0037-88  
QC REPORT NO.: OCP-W-0037-88B

Analysis of matrix spikes resulted in a matrix interference that swamped the response for aldrin in the matrix spike duplicate. This interference was somewhat lower in the matrix spike sample, so that the response would be quantitated. Thus, the recovery of aldrin in the MSD and the RPD for aldrin could not be calculated. Analysis of spiked blanks resulted in acceptable recoveries for all spiked compounds, but the RPD was higher than EPA guidelines for endrin and dieldrin. The analytical data associated with these analyses were closely examined. No errors or problems were found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, In. 37830

QC Report No: BNA-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-23-88  
 Date Prepared: 9-28-88  
 Date Analyzed: 11-07-88  
 Date Reported: 12-28-88  
 Dilution Factor: 1.0

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092612-88092617, 88092677-88092678  
 88092681, 88092694-88092695, 88092724, 88092762  
 88092765-88092766, 88092768-88092770, 88092772, 88092777

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092617	1,2,4-Trichlorobenzene	100	ND	63.3	63	71.6	72	13	28 39-98
	Acenaphthene	100	ND	71.2	71	73.9	74	4	31 46-118
	2,4-Dinitrotoluene	100	ND	71.3	71	68.0	68	4	38 24-96
	Pyrene	100	ND	91.7	92	80.6	81	13	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	80.0	80	80.9	81	1	38 41-116
	1,4-Dichlorobenzene	100	ND	70.4	70	76.7	77	10	28 36-97
ACID Laboratory Sample # 88092617	Pentachlorophenol	200	ND	53.4	27	74.5	37	31	50 9-103
	Phenol	200	ND	59.4	30	68.0	34	12	42 12-89
	2-Chlorophenol	200	ND	118	59	129	64	8	40 27-123
	4-Chloro-3-Methylphenol	200	ND	132	66	135	68	3	42 23-97
	4-Nitrophenol	200	ND	81.1	41	88.0	44	7	50 10-80

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)} \times 100$

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 12-28-88

Project: Duluth ANGB

Laboratory Supervisor Approval:



File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E6124	11-07-88	AC	2	-	None Detected.	-	-	88092622, 88092624, 88092642, 88092646
E6125	11-07-88	BN	2	117-81-7	Bis(2ethylhexyl)phthalate	12	10	
<b>56</b>								

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S): 88092681  
WORK ORDER NO.: 1037  
METHOD 8270

When sample 88092681 was first analyzed, the area counts for the latest eluting internal standard were low. Re-analysis, out of holding time, resulted in sufficient area counts for all internal standards. This low internal standard area does not affect the results for target compounds, because none of the acidic target compounds use this internal standard to calculate results.

418.1 INITIAL & CONTINUING CALIBRATION DATA

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Calibration Date: 10-20-88  
 Instrument I.D.: Perkin Elmer 257  
 Grating Infrared Spectrophotometer

Unit: mg/L  
 Date Reported: 11-09-88  
 R= 0.9972

Project: Duluth ANGB

Laboratory Supervisor Approval:

Laboratory Sample No(s):  
 88092677-88092681

*RWB*

Standard	Concentration	Absorbance	/Continuous RF /Calibration /Verification
No. 1	0.59	0.0924	RF = 6.99
No. 2	1.2	0.165	
No. 3	1.8	0.250	
No. 4	2.4	0.350	
Cont. Cal. No. 2 (88092687-88092688) (88092679-88092681)	1.22	0.174	102%
Cont. Cal. No. 2 (88092677-88092678) (88092762)+QC	1.23	0.148	103%





QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0057-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-19-88  
 Date Prepared: 10-03-88  
 Date Analyzed: 10-05-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

*W. B. Bunker*

QC Report for Laboratory Sample No(s):  
 88092514, 88092679-88092681

Laboratory Sample No.	Anal. Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092516	418.1	<1	<1	10	2.9	29	2.9	29	0	*

60

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR} \times 100}{\text{SA}}$$

SR = Sample Result  
 SA = Spike Added (Concentration)



36

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTPP)

Case No. 123456

Contractor Engineering, Scien Contract No. 99999999

Instrument ID: #1

Date / Time 11/08/88 8:55

Lab ID: >D1108::D3

Data Release Authorized By:

*Diana Kueck*

m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	53.34 OK
68	less than 2.0% of mass 69	0.00 OK (#1)
69	mass 69 relative abundance	68.30
70	less than 2.0% of mass 69	0.00 OK (#1)
127	40.0 - 60.0% of mass 198	43.43 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.04 OK
275	10.0 - 30.0% of mass 198	20.06 OK
365	greater than 1.00% of mass 198	1.78 OK
441	present, but less than mass 443	10.66 OK
442	greater than 40.0% of mass 198	74.91 OK
443	17.0 - 23.0% of mass 442	13.96 OK (#2)

*Sprint  
10/12/88*

*all SS good  
all IS good*

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.


#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
150 NG DFPPP FOR TUNING	>D1108	11/08/88	8:55
<i>Long 1/1 Std</i>	<i>E6129</i>		<i>9:17</i>
<i>88092677 AC</i>	<i>E6130</i>		<i>10:20</i>
<i>88092677 AC</i>	<i>E6131</i>		<i>11:15</i>
<i>88092677 BN</i>	<i>E6132</i>		<i>12:10</i>
<i>88092625 AC</i>	<i>E6133</i>		<i>13:05</i>
<i>88092625 BN</i>	<i>E6134</i>		<i>14:00</i>
<i>BLK AC</i>	<i>E6135</i>		<i>14:59</i>
<i>BLK BN</i>	<i>E6136</i>		<i>16:02</i>
<i>88092663 AC</i>	<i>E6137</i>		<i>16:57</i>
<i>88092663 BN</i>	<i>E6138</i>		<i>17:52</i>
<i>88092664 AC</i>	<i>E6139</i>		<i>18:47</i>
<i>88092664 BN</i>	<i>E6140</i>		<i>19:42</i>

*me  
↓  
date*

*another project*

*Run 2:1*



File: >D1108 Scan #: 28 Retn. time: 4.31

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	.331	102.95	.872	153.00	.497	201.30	.508	264.95	.541
42.00	.894	103.95	1.093	153.95	.751	203.00	.552	271.85	.121
45.00	.905	104.95	2.219	154.95	1.126	203.90	2.318	272.95	1.336
50.00	13.808	106.05	.541	155.95	1.623	204.90	4.238	273.95	3.355
51.00	53.344	106.95	12.053	157.05	.430	206.00	17.892	274.95	20.055
52.00	2.704	108.05	2.241	157.95	.309	207.00	2.263	276.05	2.351
53.10	.022	109.90	33.102	159.05	.331	208.00	.574	276.95	1.523
56.00	1.854	111.00	3.985	159.95	.596	208.90	.177	282.05	.066
57.00	3.433	112.10	.375	161.05	.993	210.10	.419	284.15	.044
58.10	.243	113.00	.497	163.05	.585	211.10	.740	284.90	.177
59.20	.132	115.00	.110	164.95	.751	213.00	.088	293.00	.287
61.10	.486	116.00	.817	165.95	.596	216.90	4.923	296.00	4.117
62.00	.740	116.90	7.395	166.95	3.709	217.90	.640	296.90	.563
63.00	2.373	118.00	.762	167.85	1.325	220.90	5.442	313.80	.166
65.10	.762	119.00	.508	171.95	.287	222.90	.938	314.40	.143
65.90	.188	122.00	.795	173.05	.375	224.00	10.328	321.00	.177
68.95	68.300	122.90	1.170	173.95	.751	225.00	2.561	323.00	1.490
71.05	.695	124.00	.640	174.95	1.203	226.90	3.753	324.00	.243
73.95	4.746	125.00	.353	175.95	.618	227.90	.486	326.80	.210
74.95	8.411	126.90	43.433	176.95	.497	228.90	1.170	327.95	.254
77.05	49.084	128.00	3.510	177.95	.375	230.90	.508	333.95	.740
77.95	3.068	129.00	19.073	178.15	.375	233.70	.132	340.95	.210
79.05	3.852	129.90	1.843	178.95	2.925	235.00	.419	345.95	.309
79.95	2.715	130.90	.210	179.95	1.854	236.00	.143	351.95	.430
80.95	3.885	131.90	.143	181.05	.927	237.10	.419	352.95	.342

85:05	1.236:135.00	1.600:183.05	.254:242.05	.640:364.95	1.777
85:05	.850:136.00	.740:183.95	.177:242.95	.574:372.00	.662
85:95	.905:137.00	1.060:184.25	.166:243.95	8.576:372.80	.132
86:95	.298:137.90	.232:184.95	.795:244.95	1.181:389.90	.132
88:95	.055:138.10	.243:185.95	11.071:245.95	1.302:401.70	.221
90:95	.916:139.10	.210:187.05	2.318:246.95	.309:403.00	.342
92.15	.817:141.00	1.645:189.05	.530:248.95	.298:403.90	.166
92.95	1.492:142.00	.706:190.85	.099:250.85	.166:420.85	.430
94:05	.177:143.00	.199:191.95	.784:252.85	.088:422.95	3.775
97.05	.044:146.00	.375:192.95	.717:254.95	37.837:423.95	.817
98.05	2.914:147.00	.728:193.95	.254:255.95	5.530:440.95	10.662
98.95	2.837:147.90	2.174:196.05	2.627:257.05	.453:441.95	74.912
100.25	.397:149.00	.960:197.90	100.000:257.95	1.987:443.05	13.962
100.95	1.788:151.00	.298:198.90	6.038:258.95	.353:444.05	1.512
101:85	.265:152.00	.442:200.00	.331:264.05	.210	

Continuing Calibration Check

HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/08/88  
 Contractor: \_\_\_\_\_ Time: 09:17  
 Contract No: \_\_\_\_\_ Laboratory ID: XE6129  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/88

Minimum  $\bar{Rf}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{Rf}$	Rf	%Diff	CCC SPCC
N-Nitroso-Dimethylamine	1.24043	1.04738	15.56	
2-Fluorophenol	1.41912	1.32954	6.31	
bis(2-Chloroethyl)ether	1.41737	1.25715	11.30	
Phenol	1.78209	1.65036	7.39	*
Phenol-d5	1.35470	1.52054	12.24	
Aniline	.74553	.55708	25.28	
2-Chlorophenol	1.32089	1.35307	-2.44	
1,3-Dichlorobenzene	1.51101	1.50490	.40	
1,4-Dichlorobenzene	1.51574	1.49125	-1.62	*
Benzyl Chloride	-	-	-	
Benzyl Alcohol	.56944	.45139	20.73	
1,2-Dichlorobenzene	1.45179	1.53431	5.68	
2-Methylphenol	1.42392	1.32938	6.64	
3,5-4-Methylphenol	1.58422	1.42528	10.03	
bis(2-chloroisopropyl)Ether	2.35722	2.42859	3.03	
N-Nitroso-Di-n-Propylamine	1.13410	1.28202	13.04	**
Hexachloroethane	.70056	.70797	-1.06	
Dibromochloropropane	-	-	-	
Nitrobenzene	.56683	.50326	11.21	
Nitrobenzene-d5	.49938	.49439	1.00	
2-Nitrophenol	.22040	.23951	8.67	*
Isophorone	.87207	.87957	.86	
bis(2-Chloroethoxy)methane	.58240	.58193	.08	
2,4-Dimethylphenol	.40662	.40108	1.85	
Benzoic Acid	.29595	.27397	7.43	
2,4-Dichlorophenol	.53135	.51315	3.42	*
1,2,4-Trichlorobenzene	.31739	.32924	3.73	
Naphthalene	.98196	.97063	1.15	
4-Chloroaniline	.33116	.32065	3.17	
Hexachlorobutadiene	.18652	.18701	-.27	*
4-Chloro-3-Methylphenol	.28631	.32023	11.85	*
2-Methylnaphthalene	.54168	.54348	-.22	

Rf - Response Factor from daily standard file at 60.00 ng/L

$\bar{Rf}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/06/88  
 Contractor: \_\_\_\_\_ Time: 09:17  
 Contract No: \_\_\_\_\_ Laboratory ID: 2E6129  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/88

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.33289	.23249	30.16	**	
2,4-Trichlorophenol	.32295	.37800	17.05	*	
2,4,5-Trichlorophenol	.49539	.36401	26.52		
2-Fluorobiphenyl	1.26699	1.15416	8.91		
2-Chloronaphthalene	1.24653	1.16127	6.84		
2-Nitroaniline	.63129	.60278	4.52		
Dimethylphthalate	1.33033	1.33936	.68		
2,6-Dinitrotoluene	.31816	.36693	15.33		
Acenaphthylene	1.65820	1.53051	7.70		
3-Nitroaniline	.63702	.60846	4.48		
2,4-Dinitrophenol	.05753	.07635	32.72	**	
Acenaphthene	1.12644	1.04610	7.13	*	
Dibenzofuran	1.50204	1.53051	1.89		
2,4-Dinitrotoluene	.32099	.35727	11.30		
4-Nitrophenol	.18425	.18403	.09	**	
Fluorene	1.09332	1.13409	3.73		
Diethylphthalate	1.32354	1.27757	3.47		
4-Chlorophenyl-phenylether	.48214	.46830	2.86		
4-Nitroaniline	.27495	.32613	18.62		
2,4,6-Tribromophenol	.14218	.23043	62.07		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.44983	.44386	1.33	*	
4,6-Dinitro-2-Methylphenol	.08606	-	-		
4-Bromophenyl-phenylether	.22979	.25616	11.48		
Hexachlorobenzene	.28768	.32540	13.11		
Pentachlorophenol	.11390	.14026	23.14	*	

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form 01

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/08/88  
 Contractor: \_\_\_\_\_ Time: 09:17  
 Contract No: \_\_\_\_\_ Laboratory ID: E6129  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/88

Minimum RF for SPC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	% Diff	CCC-SPEC
Phenanthrene	1.07960	1.00316	7.08	
Anthracene	1.13331	1.09732	3.18	
Di-n-Butylphthalate	1.71746	1.81650	5.77	
4,4'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.17568	1.15034	2.16	*
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
4,4'-DDE	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
4,4'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
4,4'-DDT	-	-	-	
Endosulfan Sulfate	-	-	-	
Dibutylchloroate	-	-	-	
Benzydine	.03775	.00195	94.84	
Pyrene	1.65617	1.42082	14.23	
Terphenyl-d14	1.09617	1.02040	6.94	
Butylbenzylphthalate	1.15097	1.14113	.85	
3,3'-Dichlorobenzidine	.12990	.23449	80.52	
Chrysene	1.01423	1.03079	1.63	
Benzo(a)Anthracene	1.09006	1.14190	4.76	
bis(2-Ethylhexyl)Phthalate	1.34247	1.41483	5.39	
Di-n-octylphthalate	3.72331	2.89838	22.16	*
Benzo(a)Pyrene	1.27071	1.20003	5.56	*
Benzo(b)Fluoranthene	1.48902	1.81686	22.02	
Indeno(1,2,3-cd)Pyrene	.62543	.64713	21.60	
Dibenzo(a,h)Anthracene	.78966	.97523	23.50	
Benzo(k)Fluoranthene	1.51900	.67223	55.75	
Benzo(g,h,i)Perylene	.74580	1.03691	39.03	

RF -- Response factor from daily standard file at 60.00 ng/L

RF -- Average Response Factor from Initial Calibration Form VI

% Diff -- % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPC - System Performance Check Compounds (\*\*)



SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): \_\_\_\_\_ Date Analyzed: \_\_\_\_\_  
 Lab File ID (Standard): \_\_\_\_\_ Time Analyzed: \_\_\_\_\_  
 Instrument ID: 1

	IS1 (DCB)	RT	IS2 (NPT)	RT	IS3 (ANT)	RT
	AREA #		AREA #		AREA #	
12 HOUR STD	113405	7.99	413878	11.50	221409	16.89
UPPER LIMIT	226810		827756		442818	
LOWER LIMIT	56702		206939		110704	
EPA SAMPLE NO.						
01 88092677 AC	105709	7.96	365421	11.46	199338	16.85
02 " BN	108499	7.96	377282	11.47	191175	16.86
03 88092625 BA	120926	7.96	427403	11.47	218506	16.87
04 AC	123542	7.97	426426	11.46	226577	16.86
05 BLK AC	116651	7.96	408202	11.45	202450	16.85
06 BN	125340	7.96	415145	11.45	218318	16.86
07 88092663 AC	113299	7.97	398196	11.46	209559	16.86
08 BN	115245	7.97	405572	11.46	209378	16.86
09 88092664 AC	122444	7.97	420658	11.46	219892	16.86
10 BN	149043	7.97	514263	11.46	265021	16.86
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = - 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 EPA Sample No. (Standard): \_\_\_\_\_ Date Analyzed: \_\_\_\_\_  
 Lab File ID (Standard): \_\_\_\_\_ Time Analyzed: \_\_\_\_\_  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT	
12 HOUR STD	314728	21.47	236350	29.85	208505	34.78	
UPPER LIMIT	629456		472600		417610		
LOWER LIMIT	157364		118150		104252		
EPA SAMPLE NO.							
01	89092677 AC	291097	21.44	208953	29.81	159106	34.72
02	BN	270269	21.44	187240	29.81	12892.9	34.71
03	89092625 BN	333930	21.45	262865	29.83	206603	34.76
04	AC	328397	21.44	254044	29.82	180708	34.73
05	BULK BIP	293438	21.44	210682	29.81	163470	34.74
06	BN	311590	21.44	229913	29.82	179589	34.72
07	89092663 AC	307161	21.45	240866	29.82	196902	34.74
08	BN	309123	21.45	231415	29.81	184763	34.73
09	88072644 AC	334605	21.45	255672	29.83	193937	34.74
10	BN	411036	21.45	314344	29.83	248856	34.75
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_

Instrument IDVOCAL \_\_\_\_\_ Calibration Date(s): 9/28/88

LAB FILE ID: 76,77 \_\_\_\_\_ Init. Calib. Date(s): 9/22/88, 9/14/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	4.43	11.00	-148.31
bis (2-chloroethoxy) methane	0.12		100.00
bis (2-chloroisopropyl ether	0.12		100.00
Bromobenzene	3.08	5.00	-62.34
Bromodichloromethane	4.91	5.10	-3.87
Bromoform	3.32	3.70	-11.45
Bromomethane	0.43	0.00	100.00
Carbon tetrachloride	5.00	5.20	-4.00
Chloroacetaldehyde	0.07		100.00
Chlorobenzene	1.38	1.60	-15.94
Chloroethane	0.73	0.00	100.00
Chloroform	4.22	4.60	-9.00
1-Chlorohexane	0.82	1.40	-70.73
2-Chloroethyl vinyl ether	0.12		100.00
Chloromethane	1.84	0.00	100.00
Chloromethyl methyl ether	0.02		100.00
o, m, & p-Chlorotoluenes	3.34	5.20	-55.69
Dibromochloromethane	4.68	5.00	-6.84
Dibromomethane	3.06	4.90	-60.13
1,2-Dichlorobenzene	2.22	2.50	-12.61
1,3-Dichlorobenzene	1.79	2.10	-17.32
1,4-Dichlorobenzene	1.83	1.90	-3.83
Dichlorodifluoromethane	0.54		100.00
1,1-Dichloroethane	2.74	2.70	1.46
1,2-Dichloroethane	3.74	3.70	1.07
1,1-Dichloroethylene	1.32	1.40	-6.06
trans-1,2-dichloroethylene	2.96	2.80	5.41
Dichloromethane	4.72	2.30	51.27
1,2-Dichloropropane	3.18	3.30	-3.77
1,3-Dichloropropylene	0.47	0.83	-76.60
1,1,2,2-Tetrachloroethane	4.04	4.30	-6.44
1,1,1,2-Tetrachloroethane	4.83	7.50	-55.28
Tetrachloroethylene	5.06	5.10	-0.79
1,1,1-Trichloroethane	2.77	2.90	-4.69
1,1,2-Trichloroethane	4.42	6.90	-56.11
Trichloroethylene	4.06	4.40	-8.37
Trichlorofluoromethane	0.78	0.88	-12.82
Trichloropropane	3.08	5.00	-62.34
Vinyl chloride	1.84	0.00	100.00

VOLATILE CONTINUING CALIBRATION CHECK

LabName: ENGINEERING SCIENCE Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: Voccal Calibration Date(s): 9/28/88

LAB FILE ID: RRF 50 76

*Initial calib = 9/22/88*

COMPOUND	RRF	RRF50	%D
Benzene	4.45	4.00	-10.11
Chlorobenzene	4.74	4.70	-0.84
1,2_Dichlorobenzene	3.79	3.80	0.26
1,3_Dichlorobenzene	4.18	4.20	0.48
1,4_Dichlorobenzene	3.35	3.40	1.49
Ethyl Benzene	3.10	3.00	-3.23
Toluene	3.55	3.60	1.41
Xylenes	10.40	10.00	-3.85

## VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_

Instrument IDVOCAL \_\_\_\_\_ Calibration Date(s): 9/30/88LAB FILE ID: 21,22 Init. Calib. Date(s): 9/22/88 19.14 88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	4.43	5.70	-28.67
bis (2-chloroethoxy) methane	0.12		100.00
bis (2-chloroisopropyl) ether	0.12		100.00
Bromobenzene	3.08	3.00	2.60
Bromodichloromethane	4.91	4.10	16.50
Bromoform	3.32	3.00	9.64
Bromomethane	0.43	0.00	100.00
Carbon tetrachloride	5.00	4.40	12.00
Chloroacetaldehyde	0.07		100.00
Chlorobenzene	1.38	1.30	5.80
Chloroethane	0.73	0.00	100.00
Chloroform	4.22	4.00	5.21
1-Chlorohexane	0.82	0.71	13.41
2-Chloroethyl vinyl ether	0.12		100.00
Chloromethane	1.84	0.00	100.00
Chloromethyl methyl ether	0.02		100.00
o, m, & p Chlorotoluenes	3.34	3.10	7.19
Dibromochloromethane	4.68	4.30	8.12
Dibromomethane	3.06	2.90	5.23
1,2-Dichlorobenzene	2.22	2.00	9.91
1,3-Dichlorobenzene	1.79	1.70	5.03
1,4-Dichlorobenzene	1.83	1.70	7.10
Dichlorodifluormethane	0.54		100.00
1,1-Dichloroethane	2.74	2.60	5.11
1,2-Dichloroethane	3.74	3.20	14.44
1,1-Dichloroethylene	1.32	1.20	9.09
trans-1,2-dichloroethylene	2.96	2.60	12.16
Dichloromethane	4.72	2.30	51.27
1,2-Dichloropropane	3.18	2.60	18.24
1,3-Dichloropropylene	0.47	0.44	6.38
1,1,2,2-Tetrachloroethane	4.04	3.40	15.84
1,1,1,2-Tetrachloroethane	4.83	4.20	13.04
Tetrachloroethylene	5.06	4.40	13.04
1,1,1-Trichloroethane	2.77	2.40	13.36
1,1,2-Trichloroethane	4.42	4.50	-1.81
Trichloroethylene	4.06	3.60	11.33
Trichlorofluormethane	0.78	0.58	25.64
Trichloropropane	3.08	3.00	2.60
Vinyl chloride	1.84	0.00	100.00

VOLATILE CONTINUING CALIBRATION CHECK

LabName: ENGINEERING SCIENCE \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: \_\_\_\_\_ Calibration Date(s): 9/30/88

LAB FILE ID: RRF 50 21

*Initial cal = 9/22/86*

COMPOUND	RRF	RRF50	%D
Benzene	4.45	4.25	-4.42
Chlorobenzene	4.74	5.04	6.24
1,2_Dichlorobenzene	3.79	4.01	5.73
1,3_Dichlorobenzene	4.18	4.42	5.68
1,4_Dichlorobenzene	3.35	3.55	5.84
Ethyl Benzene	3.10	3.28	5.79
Toluene	3.55	3.87	8.90
Xylenes	10.40	10.97	9.00

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

This page intentionally left blank.

DATA PACKAGE #2



This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY
BERKELEY, CALIFORNIA 94710
(415) 548-7970

Job No.: OR001

Client: ES Oak Ridge
Attention: Bill Hayden
Address: 710 S. Illinois Avenue
Suite F-103
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water samples received
by this laboratory on 9-28-88.

Sample Preparation Data

Table with 7 columns: Laboratory Sample No., Client Sample ID, Test, Date collected, Date\* extracted, Date analyzed, Date\* 2nd col. It lists various sample IDs like DANGB-TB16, DANGB-4-SL16-SW1, etc., with their respective test results and dates.

\* If applicable

88-A1-DULU0393 1



CL-FRM01

-CASE NARRATIVE-  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S): 88092776-88092777  
WORK ORDER NO.: 1056

These water samples were received at the ES Berkeley Laboratory on 9-28-88. They were received cold and intact.

ANALYSIS REPORT

WORK ORDER NUMBER: 1056  
JOB NUMBER: ZB0000000440  
WORK ORDER DATE: 09/28/88

APPROVED BY:   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 2, UNITS: mg/L

TEST COMPOUND	DANGB-4-SL16-SW1 88092777	DANGB-3-SL10-SW1 88092778	DANGB-3-SL9-SW1 88092779	DANGB-3-SL8-SW1 88092780
ACID DIG FLAME	NA	NA	NA	NA
ACID DIG FURNACE	NA	NA	NA	NA
ARSENIC		<0.01	<0.01	<0.01
BARIUM	<0.2	<0.2	<0.2	<0.2
CADMIUM	<0.005	<0.005	<0.005	<0.005
CHROMIUM	<0.01	<0.01	<0.01	<0.01
MERCURY		<.0002	<.0002	<.0002
LEAD	<0.005	<0.005	<0.005	<0.005

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1056  
JOB NUMBER : ZB000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
S OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

COPIES OF REPORT: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 3, UNITS: mg/L

DANB-4-SL16-  
SW1  
88092777


TEST COMPOUND.

-----  
18.1 PETROLEUM HYDROCARBONS <1

• - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1056  
JOB NUMBER : Z8000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY:   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8010

	DANGB-TB16	DANGB-4-SL16-SW1
TEST COMPOUND:	88092776	88092777
-----		
ETHYL CHLORIDE	ND	ND
BIS (2-CHLOROETHOXY)METHANE	ND	ND
BIS (2-CHLOROISOPROPYL)ETHER	ND	ND
BROMOBENZENE	ND	ND
BROMODICHLOROMETHANE	ND	ND
BROMOFORM	17	ND
BROMOETHANE	ND	ND
CARBON TETRACHLORIDE	ND	ND
CHLORACETALDEHYDE	ND	ND
CHLORAL	ND	ND
CHLOROETHANE	ND	ND
CHLOROFORM	0.20	ND
1-CHLOROHEXANE	ND	ND
2-CHLOROETHYL VINYL ETHER	ND	ND
CHLOROMETHANE	ND	ND
CHLOROMETHYL METHYL ETHER	ND	ND
CHLOROTOLUENE	ND	ND
DIBROMOCHLOROMETHANE	2.6	ND
DIBROMOMETHANE	ND	ND
1,2-DICHLOROBENZENE	ND	ND
1,3-DICHLOROBENZENE	ND	ND
1,4-DICHLOROBENZENE	ND	ND
DICHLORODIFLUOROMETHANE	ND	ND
1,1-DICHLOROETHANE	ND	ND
1,2-DICHLOROETHANE	ND	ND
1,1-DICHLOROETHYLENE	ND	ND
TRANS-1,2-DICHLOROETHYLENE	ND	5.3
DICHLOROMETHANE	4.5B	0.50B
1,2-DICHLOROPROPANE	ND	ND

ND - Not Detected


ANALYSIS REPORT FOR WORK ORDER NUMBER 1056

TEST COMPOUND	DANGB-TB16	DANGB-4-SL16-
	88092776	SW1 88092777
3-DICHLOROPROPYLENE	ND	ND
1,2,2-TETRACHLOROETHANE	ND	ND
1,1,2-TETRACHLOROETHANE	ND	ND
TRACHLOROETHYLENE	ND	ND
1,1-TRICHLOROETHANE	ND	ND
1,2-TRICHLOROETHANE	ND	ND
DICHLOROETHYLENE	ND	0.59
DICHLOROFLUOROMETHANE	ND	ND
DICHLOROPROPANE	ND	ND
NYL CHLORIDE	ND	ND

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1056  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
SITES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
MILL HAYDEN

CLIENT DATA:  
SITES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ANALYSIS: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANGB-TB16	DANGB-4-SL16-SW1
BENZENE	ND	1.2
CHLOROBENZENE	ND	ND
1,2-DICHLOROBENZENE	ND	ND
1,3-DICHLOROBENZENE	ND	ND
1,4-DICHLOROBENZENE	ND	ND
ETHYL BENZENE	ND	ND
TOLUENE	ND	ND
ETHYLENES	ND	ND

ND - Not Detected





ENGINEERING SCIENCE  
Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water

page 1 of 5

Date Received: September 28, 1988  
Date Reported: December 9, 1988

Work Order: 1056  
Job Number: OR001

FOR: ES: Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092777  
Sample No.: DANGB-4-SL16-SW1  
Date Sampled: 9-27-88  
Time Sampled: 09:05  
Date Extracted: 10-03-88  
Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
1,3-Dichlorobenzene	10	ND
1,4-Dichlorobenzene	10	ND
Hexachloroethane	10	ND
Bis(2-chloroethyl)ether	10	ND
1,2-Dichlorobenzene	10	ND
N-Nitrosodimethylamine	10	ND
Bis(2-chloroisopropyl)ether	10	ND
N-Nitrosodi-n-propylamine	10	ND
Hexachlorobutadiene	10	ND
1,2,4-Trichlorobenzene	10	ND
Nitrobenzene	10	ND
Isophorone	10	ND
Naphthalene	10	ND
Bis(2-chloroethoxy)methane	10	ND
2-Chloronaphthalene	10	ND
Hexachlorocyclopentadiene	10	ND
Acenaphthylene	10	ND
Acenaphthene	10	ND
Dimethyl phthalate	10	ND
2,6-Dinitrotoluene	10	ND
Fluorene	10	ND
2,4-Dinitrotoluene	10	ND
Diethyl phthalate	10	ND
N-Nitrosodiphenylamine	10	ND
Hexachlorobenzene	10	ND

Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water  
(continued)

page 2 of 5

Date Received: September 28, 1988  
Date Reported: December 9, 1988

Work Order: 1056  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092777  
Sample No.: DANGB-4-SL16-SW1  
Date Sampled: 9-27-88  
Time Sampled: 09:05  
Date Extracted: 10-03-88  
Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
Phenanthrene	10	ND
Anthracene	10	ND
Dibutyl phthalate	10	ND
Fluoranthene	10	ND
4-Chlorophenyl phenyl ether	10	ND
Pyrene	10	ND
Butyl Benzyl phthalate	10	19
Bis(2-ethylhexyl) phthalate	10	12 B
Chrysene	10	ND
4-Bromophenyl phenyl ether	10	ND
Benzo(a)anthracene	10	ND
Di-n-octylphthalate	10	14
Benzo(b)fluoranthene	10	ND
Benzo(k)fluoranthene	10	ND
Benzidine	60	ND
3,3'-Dichlorobenzidine	20	ND
Benzo(a)pyrene	10	ND
Indeno(1,2,3-cd)pyrene	10	ND
Dibenzo(a,h)anthracene	10	ND
Benzo(ghi)perylene	10	ND
Benzyl Alcohol	20	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1056  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092777  
 Sample No.: DANGB-4-SL16-SW1  
 Date Sampled: 9-27-88  
 Time Sampled: 09:05  
 Date Extracted: 10-03-88  
 Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	Analytical Results (dry weight) ug/L
Acetophenone	---	ND
Aniline	---	ND
4-Aminobiphenyl	---	ND
4-Chloroaniline	20	ND
1-Chloronaphthalene	---	ND
Dibenzofuran	10	ND
p-Dimethylaminoazobenzene	---	ND
7,12-Dimethylbenz(a)anthracene	---	ND
a-,a-Dimethylphenethylamine	---	ND
Diphenylamine	---	ND
1,2-Diphenylhydrazine	---	ND
Ethyl methanesulfonate	---	ND
3-Methylcholanthrene	---	ND
Methyl methanesulfonate	---	ND
2-Methylnaphthalene	10	ND
1-Naphthylamine	---	ND
2-Naphthylamine	---	ND
2-Nitroaniline	50	ND
3-Nitroaniline	50	ND
4-Nitroaniline	50	ND
N-Nitroso-di-n-butylamine	---	ND
N-Nitrosopiperidine	---	ND
Pentachlorobenzene	---	ND
Pentachloronitrobenzene	---	ND
Phenacetin	---	ND
2-Picoline	---	ND
Pronamide	---	ND
1,2,4,5-Tetrachlorobenzene	---	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 28, 1988  
Date Reported: December 9, 1988

Work Order: 1056  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number: 88092777  
Sample No.: DANGB-4-SL16-  
SW1  
Date Sampled: 9-27-88  
Time Sampled: 09:05  
Date Extracted: 10-03-88  
Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
Alpha-BHC	--*	ND
Gamma-BHC	--*	ND
Beta-BHC	20	ND
Heptachlor	10	ND
Delta-BHC	15	ND
Aldrin	10	ND
Heptachlor epoxide	10	ND
Endosulfan I	--*	ND
Dieldrin	15	ND
4,4'-DDE	30	ND
Endrin	--*	ND
Endosulfan II	--*	ND
4,4'-DDD	15	ND
4,4'-DDT	25	ND
Endosulfan Sulfate	30	ND
Endrin aldehyde	--*	ND
Endrin Ketone	--*	ND
Chlordane	60	ND
Methoxychlor	--*	ND
Toxaphene	60	ND
Aroclor-1016	60	ND
Aroclor-1221	60	ND
Aroclor-1232	60	ND
Aroclor-1242	60	ND
Aroclor-1248	60	ND
Aroclor-1254	60	ND
Aroclor-1260	60	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Acid Extractables -- SW 8270  
Matrix: Water

page 5 of 5

Date Received: September 28, 1988  
Date Reported: December 9, 1988

Work Order: 1056  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092777  
Sample No.: DANGB-4-SL16-  
SW1  
Date Sampled: 9-27-88  
Time Sampled: 09:05  
Date Extracted: 10-03-88  
Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
2-Chlorophenol	10	ND
2-Nitrophenol	10	ND
Phenol	10	ND
2,4-Dimethylphenol	10	ND
2,4-Dichlorophenol	10	ND
2,4,6-Trichlorophenol	10	ND
4-Chloro-3-methylphenol	20	ND
2,4-Dinitrophenol	50	ND
2,6-Dichlorophenol	--*	ND
2-Methyl-4,6-Dinitrophenol	50	ND
Pentachlorophenol	50	ND
4-Nitrophenol	50	ND
Benzoic Acid	50	ND
2-Methylphenol	10	ND
3- & 4-Methylphenol	10	ND
2,3,4,6-Tetrachlorophenol	--*	ND
2,4,5-Trichlorophenol	10	ND



Analyst



Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

89







QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: AAF-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-27-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092615-88092616, 88092719-88092722  
 88092724-88092725, 88092763-88092764  
 88092768-88092771, 88092777-88092780

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	CI	Duplicate C2	RPD	SA	SR	SSR	PR	Notes
Arsenic	88092724	88092724	10-21-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.0364	91	
Cadmium	88092724	88092724	10-27-88	NA	6010	<0.005	<0.005	<0.005	NC	0.010	<0.005	0.010	100	
Chromium	88092724	88092724	10-21-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0199	100	
Lead	88092724	88092724	10-22-88	NA	7421	<0.005	<0.0063	<0.0063	0	0.020	0.0063	0.0252	94	

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

CI = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: ICP-W-0061-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-27-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
 88092615-88092616, 88092719-88092722  
 88092724-88092725, 88092763-88092764  
 88092768-88092771, 88092777-88092780

Laboratory Supervisor Approval:



Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	Duplicate	SA	SR	SSR	PR	Notes
Barium	88092724	88092724	10-27-88	NA	6010	<0.2	<0.2	2.0	<0.2	0.190	95	

22

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: CVM-W-0032-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-27-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092615-88092616, 88092719-88092722  
 88092724-88092725, 88092763-88092764  
 88092768-88092771, 88092777-88092780

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	Cl	C2	Duplicate RPD	SA	SR	Spike Recovery SSR	PR	Notes
Mercury	88092724	88092724	10-22-88	NA	245.1	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.00091	91	

$$\text{Relative Percent Difference (RPD)} = \frac{\text{Cl} - \text{C2}}{(\text{Cl} + \text{C2})/2} \times 100$$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR} \times 100}{\text{SA}}$$

SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TPH-W-0062-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Prepared: 10-11-88  
 Date Analyzed: 10-20-88  
 Date Reported: 10-28-88  
 Dilution Factor: 4

Job No.: ORO01

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

*[Signature]*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092677	418.1	1.1	<1R	10	6.2	62	8.1	81	27	*

\* See Case Narrative attached.

B See Legend attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULT SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TP4-W-0062-88B  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-10-88  
 Date Analyzed: 10-11-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

*Bill Hayden*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1	<1	10	11	110	11	110	0	*

\* See Case Narrative attached.

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO(S): TPH-W-0062-88

Relative percent difference for the quality control sample exceed the ES Laboratory limit. A blank spike analysis shows the laboratory to be in control.

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0039-88  
 QC Sample No.: 88092694  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s).:  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777  
 88092806, 88092721

*[Signature]*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.196	98	56-123
Heptachlor epoxide	200	ND	0.239	120	40-131
Aldrin	200	ND	0.253	127*	40-120
Dieldrin	500	ND	0.532	106	52-126
Endrin	500	ND	0.475	95	56-121
4,4'-DDT	500	ND	0.435	87	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.217	109	98	10	15	56-123
Heptachlor epoxide	0.356	128	120	7	20	40-131
Aldrin	0.251	126*	127*	1	22	40-120
Dieldrin	0.606	121	106	13	18	52-126
Endrin	0.543	109	95	13	21	56-121
4,4'-DDT	0.518	104	87	17	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 0 out of 6 outside limits

Spike Recovery: 2 out of 12 outside limits





Job No: OR001

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Sample Matrix: Water  
Conc. Unit: ug/L  
Date Reported: 10-31-88

Laboratory Supervisor Approval:

*[Signature]*

Project: Duluth ANGB

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
31	10-3-88	VGC	Carbopack	75-09-2 67-66-3	Dichloromethane Chloroform	1.5 1.7	0.25 0.05	88092777
53	10-5-88	VGC	Carbopack	75-09-2	Dichloromethane	5.4	0.25	88092776

800

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0039-388  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777, 88092806

*RWB*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.169	85	56-123
Heptachlor epoxide	200	ND	0.184	92	40-131
Aldrin	200	ND	0.155	78	40-120
Dieldrin	500	ND	0.419	84	52-126
Endrin	500	ND	0.193	39*	56-121
4,4'-DDT	500	ND	0.385	77	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.236	118	85	33*	15	56-123
Heptachlor epoxide	0.263	132	92	35*	20	40-131
Aldrin	0.231	116	78	39*	22	40-120
Dieldrin	0.608	122	84	37*	18	52-126
Endrin	0.522	104	39*	92*	21	56-121
4,4'-DDT	0.567	113	77	38*	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 6 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits

PESTICIDE METHOD BLANK SUMMARY

Job No.: 0R001 Lab Name: Engineering Science  
 Lab Sample No.: Blank  
 Client: ES Oak Ridge  
 Attn: Bill Hayden Matrix: Soil  
 Address: 710 S. Illinois Avenue Level (low/med): Low  
 Suite F-103 Extraction:  
 Oak Ridge, Tn. 37830 (Sep/Cont/Sonc): Sonc  
 Date Reported: 11-03-88

Project: Duluth ANGB

Date Extracted: 10-03-88  
 Date Analyzed (1): 10-25-88 Date Analyzed (2): 10-25-88  
 Time Analyzed (1): 03:10 Time Analyzed (2): 22:06  
 Instrument ID (1): 5890 #2 Instrument ID (2): 5880  
 GC Column ID (1): OV-1 GC Column ID (2): Mixed

This Method Blank applies to the following samples, MS and MSD.

EPA Sample No.	Lab Sample ID (1)	Date Analyzed 1	Lab Sample ID (2)	Date Analyzed 2
-	88092772	10-25-88	88092772	10-26-88
-	88092777	10-25-88		
-	88092806	10-25-88		

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0039-88  
QC REPORT NO.: OCP-W-0039-88B

Analysis of matrix spikes resulted in recoveries for aldrin that were slightly above EPA recommended limits. Subsequent analysis of spiked blanks resulted in poor precision for all spiked compounds, although the recoveries were within limits for all but endrin in one of the two spiked blanks. The analytical data associated with these analyses were closely examined. No errors or problems were found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-23-88  
 Date Prepared: 9-28-88  
 Date Analyzed: 11-07-88  
 Date Reported: 12-28-88  
 Dilution Factor: 1.0

Project: Duluth ANGB

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092612-88092617, 88092677-88092678  
 88092681, 88092694-88092695, 88092724, 88092762  
 88092765-88092766, 88092768-88092770, 88092772, 88092777

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092617	1,2,4-Trichlorobenzene	100	ND	63.3	63	71.6	72	13	28
	Acenaphthene	100	ND	71.2	71	73.9	74	4	31
	2,4-Dinitrotoluene	100	ND	71.3	71	68.0	68	4	38
	Pyrene	100	ND	91.7	92	80.6	81	13	31
	N-Nitroso-di-n-Propylamine	100	ND	80.0	80	80.9	81	1	38
	1,4-Dichlorobenzene	100	ND	70.4	70	76.7	77	10	28
ACID Laboratory Sample # 88092617	Pentachlorophenol	200	ND	53.4	27	74.5	37	31	50
	Phenol	200	ND	59.4	30	68.0	34	12	42
	2-Chlorophenol	200	ND	118	59	129	64	8	40
	4-Chloro-3-Methylphenol	200	ND	132	66	135	68	3	42
	4-Nitrophenol	200	ND	81.1	41	88.0	44	7	50

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

10

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR \times 100}{SA}$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)


NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 12-28-88

Project: Duluth ANGB

Laboratory Supervisor Approval:  


File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E6180	11-11-88	AC	2	-	None Detected	-	-	88092742-88092747 88092772, 88092777
E6183	11-11-88	BN	2	117-81-7	Bis(2ethylhexyl)phthalate	20	10	

108



5B  
SEMIVOLATILE ORGANIC GC/MS TUNING AND MASS  
CALIBRATION - DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Engineering Science      Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_      Case No.: \_\_\_\_\_      SAS No.: \_\_\_\_\_      SDG No.: \_\_\_\_\_  
 Lab File ID: >T1111      DFTPP Injection Date: 11/11/88  
 Instrument ID: 70      1      DFTPP Injection Time: 14:18

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	54.6
68	Less than 2.0% of mass 69	0.0( 0.0)1
69	Mass 69 relative abundance	68.
70	Less than 2.0% of mass 69	0.0( 0.0)1
127	40.0 - 60.0% of mass 198	47.9
197	Less than 1.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100.
199	5.0 - 9.0% of mass 198	7.2
275	10.0 - 30.0% of mass 198	15.8
365	Greater than 1.00% of mass 198	1.15
441	Present, but less than mass 443	6.4
442	Greater than 40.0% of mass 198	44.1
443	17.0 - 23.0% of mass 442	8.6( 19.6)2

1-Value is % mass 69

2-Value is % mass 442


*SPoint  
10/12/88*

THIS TUNE APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	60 ug/ml BNA STD	>S0484	11/11/88	14:39
02	88092777 AC 1ml	>S0485	11/11/88	16:13
03	88092777 BN 1ml	>S0486	11/11/88	17:13
04	88092806 AC MS 1ml	>S0487	11/11/88	18:11
05	88092806 BN MS 1ml	>S0488	11/11/88	19:10
06	88092806 AC MSD 1ml	>S0489	11/11/88	20:10
07	88092806 BN MSD 1ml	>S0490	11/11/88	21:09
08	88092629 1ml	>S0491	11/11/88	22:08
09	88092630 1ml	>S0492	11/11/88	23:08
10	88092631 1ml	>S0493	11/12/88	0:06
11	88092632 1ml	>S0494	11/12/88	1:05
12	88092633 1ml	>S0495	11/12/88	2:05
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

*another project*





File: >T1111 Scan #: 80 Retn. time: 5.01

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
43.10	5.032	83.10	2.259	122.95	1.790	175.05	.973	225.10	2.520
44.10	2.850	84.00	.547	124.05	.278	175.95	.582	227.00	4.170
50.10	15.510	85.10	1.338	125.05	.643	176.95	.504	229.00	.573
51.10	54.587	87.10	.626	127.05	47.932	178.95	3.319	244.00	7.715
52.10	3.067	93.00	4.813	128.05	4.301	180.05	1.833	245.10	.643
55.10	2.850	94.00	.261	129.05	21.034	181.05	.791	246.00	1.364
56.00	2.302	95.10	.782	130.05	1.972	185.05	1.746	255.00	37.472
57.10	6.090	96.10	1.607	132.95	.626	186.05	10.382	256.00	5.786
61.10	.321	97.10	.860	135.05	2.294	186.95	3.154	258.00	1.937
62.00	.313	98.00	3.475	137.05	.973	191.95	.921	264.90	.443
63.10	1.668	99.00	3.467	141.05	2.250	196.10	3.354	273.00	.860
65.00	1.173	101.00	2.085	142.05	.608	198.00	100.000	274.05	2.789
67.20	.808	102.90	.912	146.95	1.694	199.00	7.246	275.05	15.812
69.00	68.488	104.00	1.234	147.95	2.068	201.50	.304	276.05	2.415
71.10	.886	105.00	1.807	149.05	.434	203.10	.295	277.05	1.277
73.10	2.042	106.00	.565	153.05	.261	204.10	2.745	296.05	3.849
74.10	4.883	107.00	13.076	155.05	1.129	205.10	4.448	303.05	.235
75.00	7.672	108.10	2.242	156.05	1.937	206.10	16.864	323.05	1.121
76.10	3.067	110.00	34.136	157.25	.217	207.10	5.699	333.95	.617
77.10	53.414	111.00	5.239	161.05	.817	208.10	1.573	365.00	1.147
78.10	4.118	112.00	.356	165.05	1.043	211.00	.386	423.00	2.632
79.10	3.779	116.10	.652	166.05	.608	217.00	4.492	424.00	.539
80.10	2.789	117.00	8.054	167.05	4.770	221.10	6.108	441.05	6.412
81.00	4.700	118.05	.269	168.05	1.877	222.90	1.277	442.05	44.118
82.10	1.703	122.15	.660	174.05	.860	224.00	9.861	443.05	8.645

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/11/88  
 Contractor: ENGINEERING SCIENCE Time: 14:39  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0484  
 Instrument ID: A Initial Calibration Date: 10/13/88  
DAD

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.90169	.83865	6.99		
2-Fluorophenol	1.15802	1.37235	18.51		
bis(2-Chloroethyl)ether	1.11892	1.16123	3.78		
Phenol	1.41657	1.67480	18.23	*	
Phenol-d5	1.22488	1.32021	7.78		
Aniline	.54193	.43421	19.88		
2-Chlorophenol	1.23175	1.36217	10.59		
1,3-Dichlorobenzene	1.47535	1.44648	1.96		
1,4-Dichlorobenzene	1.40530	1.42097	1.12	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.50060	31.34		
1,2-Dichlorobenzene	1.32240	1.45594	10.10		
2-Methylphenol	1.17367	1.85489	58.04		
3- & 4-Methylphenol	1.07139	1.50118	40.12		
bis(2-chloroisopropyl)Ether	2.15627	2.76679	28.31		
N-Nitroso-Di-n-Propylamine	.84050	.94590	12.54	**	
Hexachloroethane	.53840	.62120	15.38		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.43644	8.27		
Nitrobenzene-d5	.39137	.44340	13.29		
2-Nitrophenol	.24657	.26754	8.50	*	
Isophorone	.74170	.86589	16.74		
bis(2-Chloroethoxy)methane	.49386	.57438	16.31		
2,4-Dimethylphenol	.34849	.38946	11.76		
Benzoic Acid	.29725	.35468	19.32		
2,4-Dichlorophenol	.56733	.58993	3.98	*	
1,2,4-Trichlorobenzene	.36915	.34281	7.13		
Naphthalene	.94589	.92347	2.37		
4-Chloroaniline	.36309	.33540	7.63		
Hexachlorobutadiene	.20283	.17445	13.99	*	
4-Chloro-3-Methylphenol	.31360	.36109	15.14	*	
2-Methylnaphthalene	.56397	.56695	.53		

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/11/88  
 Contractor: ENVIRONMENTAL SCIENCE Time: 14:39  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0484  
 Instrument ID: 1 Initial Calibration Date: 10/17/88  
REP

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29568	.33217	12.34		**
2,4,6-Trichlorophenol	.42280	.34961	17.31	*	
2,4,5-Trichlorophenol	.52897	.55226	4.40		
2-Fluorobiphenyl	1.27220	1.09379	14.02		
2-Chloronaphthalene	1.23784	1.16363	5.99		
2-Nitroaniline	.47288	.54552	15.36		
Dimethylphthalate	1.40629	1.35349	3.75		
2,6-Dinitrotoluene	.37415	.39041	4.35		
Acenaphthylene	1.68918	1.60520	4.97		
3-Nitroaniline	.44557	.50246	12.77		
2,4-Dinitrophenol	.11898	.16456	38.31		**
Acenaphthene	1.13011	.98671	12.69	*	
Dibenzofuran	1.64131	1.52070	7.35		
2,4-Dinitrotoluene	.28418	.31976	12.52		
4-Nitrophenol	.28450	.30530	7.31		**
Fluorene	1.12850	.89212	20.95		
Diethylphthalate	1.20939	1.09105	17.23		
4-Chlorophenyl-phenylether	.59183	.55115	6.87		
4-Nitroaniline	.35956	.38543	7.20		
2,4,6-Tribromophenol	.21023	.18355	12.69		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40286	.48342	20.00	*	
4,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.21403	.48		
Hexachlorobenzene	.26273	.24826	5.51		
Pentachlorophenol	.14536	.13049	10.23	*	

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds.

Case No: \_\_\_\_\_ Calibration Date: 11/11/88  
 Contractor: ENGINEERING Science Time: 14:39  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0484  
 Instrument ID: 4 Initial Calibration Date: 10/15/88  
DES

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC-SPCC
Phenanthrene	1.03431	1.01533	1.84	
Anthracene	1.05155	1.12098	6.60	
Di-n-Butylphthalate	1.51956	1.73672	14.29	
4,4'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.19047	1.18648	.34	*
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
4,4'-DDE	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
4,4'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
4,4'-DDT	-	-	-	
Endosulfan Sulfate	-	-	-	
Dibutylchlorendate	-	-	-	
Benzidine	.04023	.07419	84.41	
Pyrene	1.56086	1.49911	3.96	
Terphenyl-d14	1.05835	1.01758	3.85	
Butylbenzylphthalate	1.03390	1.12290	8.61	
3,3'-Dichlorobenzidine	.13689	.21808	59.31	
Chrysene	.99655	1.04078	4.44	
Benzo(a)Anthracene	1.10407	1.17226	6.18	
bis(2-Ethylhexyl)Phthalate	1.21073	1.35675	12.06	
Di-n-octylphthalate	3.40275	3.26459	4.06	*
Benzo(a)Pyrene	1.32098	1.33341	.94	*
Benzo(b)Fluoranthene	1.60850	1.52187	5.39	
Indeno(1,2,3-cd)Pyrene	.96800	1.20132	24.10	
Dibenzo(a,h)Anthracene	.87481	1.02348	16.99	
Benzo(k)Fluoranthene	1.44370	1.38126	4.33	
Benzo(g,h,i)Perylene	.89761	1.05445	17.47	

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)



8C  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science

Contract: \_\_\_\_\_

Lab Code: ES01

Case No.: \_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: \_\_\_\_\_

Lab File ID (Standard): >S0484

Date Analyzed: 11/11/88

Instrument ID: 70 1

Time Analyzed: 14:39

	IS4 (PHN)	RT	IS5 (CRY)	RT	IS3 (PRY)	RT	
	AREA #		AREA #		AREA #		
12 HOUR STD	216225.	22.88	166449.	31.36	128688.	37.38	
UPPER LIMIT	432450.		332898.		257376.		
LOWER LIMIT	108113.		83225.		64344.		
EPA SAMPLE NO.							
01	88092777 AC	177835.	22.87	122938.	31.32	73989.	37.32
02	88092777 BN	189171.	22.86	136228.	31.30	78152.	37.28
03	88092806 AC	184794.	22.88	156091.	31.30	101808.	37.31
04	88092806 BN	166669.	22.87	134582.	31.31	82947.	37.29
05	88092806 AC	146007.	22.87	120624.	31.30	85667.	37.28
06	88092806 BN	168050.	22.86	130393.	31.31	74733.	37.28
07	88092629 1ml	121974.	22.85	89544.	31.31	62845.*	37.30
08	88092630 1ml	142703.	22.85	109903.	31.29	82245.	37.30
09	88092631 1ml	166261.	22.86	129522.	31.30	92814.	37.29
10	88092632 1ml	97227.*	22.86	86150.	31.30	65240.	37.32
11	88092633 1ml	105010.*	22.87	90832.	31.31	64180.*	37.32
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

LAB FILE ID: RRF10=55 RRF20=56  
 RRF 50=57 RRF100=58 RRF200=59

COMPOUND	RRF10	RRF20	RRF50	RRF100	RRF200	RRF	%RSD
Benzyl chloride	5.21	4.65	4.05	3.70	4.56	4.43	13.11
bis (2-chloroethoxy) methane	0.09	0.12	0.12	0.14	0.12	0.12	15.16
bis (2-chloroisopropyl ether	0.09	0.12	0.12	0.14	0.12	0.12	15.16
Bromobenzene	3.10	3.02	3.45	2.94	2.87	3.08	7.35
Bromodichloromethane	4.35	4.90	4.10	4.30	4.10	4.35	7.54
Bromoform	3.33	3.10	3.40	3.40	3.40	3.33	3.91
Bromomethane	0.70	0.64	0.28	0.29	0.25	0.43	50.65
Carbon tetrachloride	4.95	5.50	4.80	4.90	4.60	4.95	6.78
Chloroacetaldehyde	0.07	0.08	0.08	0.07	0.05	0.07	17.50
Chlorobenzene	1.25	1.20	1.30	1.30	1.20	1.25	4.00
Chloroethane	1.10	1.08	0.63	0.55	0.29	0.73	48.21
Chloroform	4.23	5.20	4.00	3.90	3.80	4.23	13.43
1-Chlorohexane	0.80	0.80	0.94	0.79	0.79	0.82	7.89
2-Chloroethyl vinyl ether	0.09	0.12	0.12	0.14	0.12	0.12	15.16
Chloromethane	2.11	1.21	2.21	1.76	1.90	1.84	21.36
Chloromethyl methyl ether	0.02	0.02	0.03	0.02	0.03	0.02	22.82
o, m, & p Chlorotoluenes	3.60	3.45	3.67	3.10	2.87	3.34	10.24
Dibromochloromethane	4.20	4.20	4.10	4.30	4.10	4.18	2.00
Dibromomethane	2.95	2.94	3.42	2.95	3.03	3.06	6.72
1,2_Dichlorobenzene	1.88	1.80	1.90	2.00	1.80	1.88	4.42
1,3_Dichlorobenzene	1.73	1.70	1.70	1.80	1.70	1.73	2.51
1,4_Dichlorobenzene	1.70	1.80	1.70	1.70	1.60	1.70	4.16
Dichlorodifluormethane	0.59	0.77	0.44	0.42	0.49	0.54	26.46
1,1_Dichloroethane	3.10	4.60	3.00	2.60	2.20	3.10	29.39
1,2_Dichloroethane	3.20	3.90	3.20	2.80	2.90	3.20	13.44
1,1_Dichloroethylene	2.28	2.30	2.30	2.30	2.20	2.28	1.90
trans_1,2_dichloroethylene	5.15	10.32	5.30	2.90	2.40	5.15	58.39
Dichloromethane	33.03	89.44	34.00	6.50	2.60	33.11	*****
1,2_Dichloropropane	2.83	3.10	2.70	2.80	2.70	2.83	5.80
1,3_Dichloropropylene	0.48	0.47	0.54	0.45	0.43	0.47	8.77
1,1,2,2_Tetrachloroethane	3.78	4.00	3.80	3.80	3.50	3.78	4.73
1,1,1,2_Tetrachloroethane	5.32	4.93	5.25	4.40	4.25	4.83	10.08
Tetrachloroethylene	4.70	5.30	4.60	4.60	4.30	4.70	7.82
1,1,1_Trichloroethane	2.88	3.20	2.80	2.80	2.70	2.88	6.68
1,1,2_Trichloroethane	3.91	5.38	5.19	3.91	3.69	4.42	18.14
Trichloroethylene	3.80	4.10	3.70	3.80	3.60	3.80	4.92
Trichlorofluormethane	1.18	1.23	1.10	1.20	1.20	1.18	4.07
Trichloropropane	3.10	3.02	3.45	2.95	2.87	3.08	7.30
Vinyl chloride	2.11	1.21	2.21	1.76	1.90	1.84	21.36

VOLATILE ORGANICS INITIAL CALIBRATION DATA

LabName: ENGINEERING SCIENCE \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: VOCAL \_\_\_\_\_ Calibration Date(s) 10/3/89 \_\_\_\_\_

LAB FILE ID: RRF 10 \_\_\_\_\_ 55 \_\_\_\_\_ RRF 20 \_\_\_\_\_ 56 \_\_\_\_\_  
 RRF 50= \_\_\_\_\_ 57 \_\_\_\_\_ RRF100= \_\_\_\_\_ 58 \_\_\_\_\_ RRF200= \_\_\_\_\_ 59 \_\_\_\_\_

COMPOUND	RRF10	RRF20	RRF50	RRF100	RRF200	RRF
Benzene _____	4.46	5.02	4.51	6.68	6.09	5.35
Chlorobenzene _____	7.32	7.84	7.12	7.54	7.04	7.37
1,2_Dichlorobenzene _____	4.83	6.76	5.79	6.04	5.57	5.80
1,3_Dichlorobenzene _____	5.47	7.39	6.55	6.90	6.50	6.56
1,4_Dichlorobenzene _____	4.41	5.91	5.26	5.65	5.23	5.29
Ethyl Benzene _____	4.01	5.48	4.90	4.95	4.71	4.81
Toluene _____	6.19	7.10	6.08	6.02	5.56	6.19
Xylenes _____	16.66	18.23	16.03	16.58	15.78	16.65



VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_

Instrument ID: VOCAL \_\_\_\_\_ Calibration Date(s): 10/5/88

LAB FILE ID: 87,88 \_\_\_\_\_ Init. Calib. Date(s): 10/3/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	4.43	6.10	-37.70
bis (2-chloroethoxy) methane	0.12		100.00
bis (2-chloroisopropyl ether	0.12		100.00
Bromobenzene	3.08	3.24	-5.19
Bromodichloromethane	4.35	4.10	5.75
Bromoform	3.33	3.10	6.91
Bromomethane	0.43	0.00	100.00
Carbon tetrachloride	4.95	4.10	17.17
Chloroacetaldehyde	0.07		100.00
Chlorobenzene	1.25	1.10	12.00
Chloroethane	0.73	0.00	100.00
Chloroform	4.23	3.50	17.26
1-Chlorohexane	0.82	0.80	2.44
2-Chloroethyl vinyl ether	0.12		100.00
Chloromethane	1.84	0.00	100.00
Chloromethyl methyl ether	0.02		100.00
o, m, & p Chlorotoluenes	3.34	3.10	7.19
Dibromochloromethane	4.18	3.90	6.70
Dibromomethane	3.06	2.96	3.27
1,2_Dichlorobenzene	1.88	1.80	4.26
1,3_Dichlorobenzene	1.73	1.60	7.51
1,4_Dichlorobenzene	1.70	1.60	5.88
Dichlorodifluormethane	0.54		100.00
1,1_Dichloroethane	3.10	2.40	22.58
1,2_Dichloroethane	3.20	3.00	6.25
1,1_Dichloroethylene	2.28	1.70	25.44
trans_1,2_dichloroethylene	5.15	3.30	35.92
Dichloromethane	4.72	14.00	-196.61
1,2_Dichloropropane	2.83	2.60	8.13
1,3_Dichloropropylene	0.47	0.46	2.13
1,1,2,2_Tetrachloroethane	3.78	3.50	7.41
1,1,1,2_Tetrachloroethane	4.83	4.10	15.11
Tetrachloroethylene	4.70	4.10	12.77
1,1,1_Trichloroethane	2.88	2.30	20.14
1,1,2_Trichloroethane	4.42	4.52	-2.19
Trichloroethylene	3.80	3.30	13.16
Trichlorofluormethane	1.18	0.70	40.68
Trichloropropane	3.08	3.24	-5.18
Vinyl chloride	1.84	0.00	100.00

VOLATILE CONTINUING CALIBRATION CHECK

LabName: ENGINEERING SCIENCE \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: VOCAL \_\_\_\_\_ Calibration Date(s) 10/5/89 \_\_\_\_\_

LAB FILE ID: RRF 50 \_\_\_\_\_ 87 \_\_\_\_\_

*Initial Deal = 10/3/88*

---

COMPOUND	RRF	RRF50	%D
Benzene _____	5.35	6.58	22.92
Chlorobenzene _____	7.37	6.50	-11.80
1,2_Dichlorobenzene _____	5.80	5.30	-8.62
1,3_Dichlorobenzene _____	6.50	6.10	-6.15
1,4_Dichlorobenzene _____	5.23	5.00	-4.40
Ethyl Benzene _____	4.71	4.30	-8.70
Toluene _____	5.56	5.30	-4.68
Xylenes _____	15.78	15.00	-4.94

This page intentionally left blank.

DATA PACKAGE #3

This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Work Order No.: 1055

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-28-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092763	DANGB-BG-SL1-SW1	AS-F	9-25-88		10-21-88	
88092763	DANGB-BG-SL1-SW1	BA-I	9-25-88		10-21-88	
88092763	DANGB-BG-SL1-SW1	CD-F	9-25-88		10-27-88	
88092763	DANGB-BG-SL1-SW1	CR-F	9-25-88		10-21-88	
88092763	DANGB-BG-SL1-SW1	HG-C	9-25-88		10-22-88	
88092763	DANGB-BG-SL1-SW1	PB-F	9-25-88		10-22-88	
88092764	DANGB-BG-SL1-SW1	AS-F	9-25-88		10-21-88	
88092764	DANGB-BG-SL1-SW1	BA-I	9-25-88		10-21-88	
88092764	DANGB-BG-SL1-SW1	CD-F	9-25-88		10-27-88	
88092764	DANGB-BG-SL1-SW1	CR-F	9-25-88		10-21-88	
88092764	DANGB-BG-SL1-SW1	HG-C	9-25-88		10-22-88	
88092764	DANGB-BG-SL1-SW1	PB-F	9-25-88		10-22-88	
88092765	DANGB-3-SL28-SW1	418.1	9-26-88	10-12-88	10-21-88	
88092765	DANGB-3-SL28-SW1	8010	9-26-88		10-03-88	9-30-88
88092765	DANGB-3-SL28-SW1	8020	9-26-88		10-03-88	
88092765	DANGB-3-SL28-SW1	8080	9-26-88	9-30-88	10-24-88	
88092765	DANGB-3-SL28-SW1	8270	9-26-88	9-30-88	11-9/10-88	
88092766	DANGB-3-SL-8-SW1	418.1	9-26-88	10-12-88	10-21-88	
88092766	DANGB-3-SL-8-SW1	8080	9-26-88	9-30-88	10-24/25-88	
88092766	DANGB-3-SL-8-SW1	8270	9-26-88	9-30-88	11-09-88	
88092767	DANGB-3-SL10-SW1	8010	9-26-88		10-03-88	9-30-88
88092767	DANGB-3-SL10-SW1	8020	9-26-88		10-03-88	

\* If applicable

89-DULU0926 1

CL-FRM01

Job No.: OR001

Work Order No.: 1055

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
38092768	DANGB-2-SL29-SW1	BA-I	9-26-88		10-21-88	
38092768	DANGB-2-SL29-SW1	CD-F	9-26-88		10-27-88	
38092768	DANGB-2-SL29-SW1	CR-F	9-26-88		10-21-88	
38092768	DANGB-2-SL29-SW1	PB-F	9-26-88		10-22-88	
38092768	DANGB-2-SL29-SW1	418.1	9-26-88	10-12-88	10-21-88	
38092768	DANGB-2-SL29-SW1	8010	9-26-88		10-04-88	9-30-88
38092768	DANGB-2-SL29-SW1	8020	9-26-88		9-30-88	
38092768	DANGB-2-SL29-SW1	8270	9-26-88	9-30-88	11-09-88	
38092769	DANGB-2-SL-6-SW1	BA-I	9-26-88		10-21-88	
38092769	DANGB-2-SL-6-SW1	CD-F	9-26-88		10-27-88	
38092769	DANGB-2-SL-6-SW1	CR-F	9-26-88		10-21-88	
38092769	DANGB-2-SL-6-SW1	PB-F	9-26-88		10-22-88	
38092769	DANGB-2-SL-6-SW1	418.1	9-26-88	10-12-88	10-21-88	
38092769	DANGB-2-SL-6-SW1	8010	9-26-88		10-04-88	9-30-88
38092769	DANGB-2-SL-6-SW1	8020	9-26-88		9-30-88	
38092769	DANGB-2-SL-6-SW1	8270	9-26-88	9-30-88	11-09-88	
38092770	DANGB-2-SL-7-SW1	BA-I	9-26-88		10-21-88	
38092770	DANGB-2-SL-7-SW1	CD-F	9-26-88		10-27-88	
38092770	DANGB-2-SL-7-SW1	CR-F	9-26-88		10-22-88	
38092770	DANGB-2-SL-7-SW1	PB-F	9-26-88		10-22-88	
38092770	DANGB-2-SL-7-SW1	418.1	9-26-88	10-12-88	10-21-88	
38092770	DANGB-2-SL-7-SW1	8010	9-26-88		10-04-88	9-30-88
38092770	DANGB-2-SL-7-SW1	8020	9-26-88		9-30-88	
38092770	DANGB-2-SL-7-SW1	8270	9-26-88	9-30-88	11-09-88	
38092771	DANGB-4-SL14-SW1	BA-I	9-26-88		10-21-88	
38092771	DANGB-4-SL14-SW1	CD-F	9-26-88		10-31-88	
38092771	DANGB-4-SL14-SW1	CR-F	9-26-88		10-21-88	
38092771	DANGB-4-SL14-SW1	PB-F	9-26-88		10-24-88	
38092772	DANGB-3-SL-9-SW1	418.1	9-26-88	10-12-88	10-21-88	
38092772	DANGB-3-SL-9-SW1	8010	9-26-88		10-03-88	9-30-88
38092772	DANGB-3-SL-9-SW1	8020	9-26-88		09-30-88	
38092772	DANGB-3-SL-9-SW1	8080	9-26-88	10-03-88	10-24-88	
38092772	DANGB-3-SL-9-SW1	8270	9-26-88	10-03-88	11-10/23-88	
38092773	TB-14	8010	9-26-88		10-03-88	9-30-88
38092773	TB-14	8020	9-26-88		10-03-88	
38092774	DANGB-FB19	8010	9-26-88		10-03-88	10-04-88
38092774	DANGB-FB19	8020	9-26-88		10-03-88	
38092775	DANGB-FB20	8010	9-26-88		10-03-88	10-04-88
38092775	DANGB-FB20	8020	9-26-88		10-03-88	

If applicable

ANALYSIS REPORT

WORK ORDER NUMBER: 1055  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
JILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB. ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 2, UNITS: mg/L

TEST COMPOUND	DANGB-BG-SL1-SW1 88092763	DANGB-BG-SL2-SW1 88092764	DANGB-2-SL29-SW1 88092768	DANGB-2-SL6-SW1 88092769	DANGB-2-SL7-SW1 88092770	DANGB-4-SL14-SW1 88092771
CID DIG FLAME	NA	NA	NA	NA	NA	NA
CID DIG FURNACE	NA	NA	NA	NA	NA	NA
ARSENIC	<0.01	<0.01				
ARIUM	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
ADMUM	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
CHROMIUM	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
MERCURY	<.0002	<.0002				
EAD	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005

ND - Not Detected



ANALYSIS REPORT

RK ORDER NUMBER: 1055  
B NUMBER : ZB0000000440  
RK ORDER DATE : 09/28/88

APPROVED BY   
Lab Supervisor

PORT DATA:  
OAK RIDGE/DULUTH ANGB.  
0 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
LL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

OF REPORT COPIES: 1

INTRACT / PO # : OR001  
INTRACT : BILL HAYDEN  
(615)-481-3920

SK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-3-SL28-SW1	DANGB-3-SL8-SW1	DANGB-2-SL29-SW1	DANGB-2-SL6-SW1	DANGB-2-SL7-SW1	DANGB-3-SL9-SW1
8.1 PETROLEUM HYDROCARBONS	<1	1.5	<1	<1	<1	<1

\* - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1055  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NUMBER OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8010

TEST COMPOUND	DANGB-3-SL28-SW1 88092765	DANGB-3-SL10-SW1 88092767	DANGB-2-SL29-SW1 88092768	DANGB-2-SL6-SW1 88092769	DANGB-2-SL7-SW1 88092770	DANGB-3-SL9-SW1 88092772
ETHYL CHLORIDE	ND	ND	ND	ND	ND	ND
BIS (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND	ND	ND
BIS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND	ND	ND
BROMOBENZENE	ND	ND	ND	ND	ND	ND
BROMODICHLOROMETHANE	ND	ND	ND	ND	ND	ND
BROMOFORM	ND	ND	ND	ND	ND	ND
BROMOETHANE	ND	ND	ND	ND	ND	ND
CARBON TETRACHLORIDE	ND	ND	ND	ND	ND	ND
CHLORACETALDEHYDE	ND	ND	ND	ND	ND	ND
CHLORAL	ND	ND	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND	ND	ND
CHLOROETHANE	ND	ND	ND	ND	ND	ND
CHLOROFORM	ND	ND	ND	ND	ND	ND
1-CHLOROHEXANE	ND	ND	ND	ND	ND	ND
1-CHLOROETHYL VINYL ETHER	ND	ND	ND	ND	ND	ND
CHLOROMETHANE	ND	ND	ND	ND	ND	ND
CHLOROMETHYL METHYL ETHER	ND	ND	ND	ND	ND	ND
CHLOROTOLUENE	ND	ND	ND	ND	ND	ND
1-BROMOCHLOROMETHANE	ND	ND	ND	ND	ND	ND
1-BROMOMETHANE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,1-DICHLORODIFLUOROMETHANE	ND	ND	ND	ND	ND	ND
1,1-DICHLOROETHANE	ND	ND	ND	ND	ND	1.8
1,2-DICHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1-DICHLOROETHYLENE	ND	ND	ND	ND	ND	0.56
TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND	ND	ND	9.3
1,1-DICHLOROMETHANE	0.29B	ND	ND	ND	0.24B	0.58B
1,2-DICHLOROPROPANE	ND	ND	ND	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1055

ST COMPOUND	DANGB-3-SL28-SW1 88092765	DANGB-3-SL10-SW1 88092767	DANGB-2-SL29-SW1 88092768	DANGB-2-SL6-SW1 88092769	DANGB-2-SL7-SW1 88092770	DANGB-3-SL9-SW1 88092772
3-DICHLOROPROPYLENE	ND	ND	ND	ND	ND	ND
1,2,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
TRACHLOROETHYLENE	ND	ND	ND	ND	ND	1.1
1,1-TRICHLOROETHANE	ND	ND	ND	ND	ND	8.6
1,2-TRICHLOROETHANE	ND	ND	ND	ND	ND	ND
ICHLOROETHYLENE	ND	ND	ND	ND	ND	110
ICHLOROFLUOROMETHANE	ND	ND	ND	ND	ND	ND
ICHLOROPROPANE	ND	ND	ND	ND	ND	ND
NYL CHLORIDE	ND	ND	ND	ND	ND	ND

- Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1055

TASK: 4, UNITS: ug/L, GROUP 8010

	TB-14	DANGB-FB-19	DANGB-FB-20
TEST COMPOUND	88092773	88092774	88092775
BENZYL CHLORIDE	ND	ND	ND
BIS (2-CHLOROETHOXY)METHANE	ND	ND	ND
BIS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND
BROMOBENZENE	ND	ND	ND
BROMOCHLOROMETHANE	ND	ND	ND
BROMOFORM	24	ND	ND
BROMETHANE	ND	ND	ND
CARBON TETRACHLORIDE	ND	ND	ND
CHLORACETALDEHYDE	ND	ND	ND
CHLORAL	ND	ND	ND
CHLOROBENZENE	ND	ND	ND
CHLOROETHANE	ND	ND	ND
CHLOROFORM	ND	ND	ND
1-CHLOROHEXANE	ND	ND	ND
2-CHLOROETHYL VINYL ETHER	ND	ND	ND
CHLOROMETHANE	ND	ND	ND
CHLOROMETHYL METHYL ETHER	ND	ND	ND
CHLOROTOLUENE	ND	ND	ND
DIBROMOCHLOROMETHANE	ND	ND	ND
DIBROMOMETHANE	3.6	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND
DICHLORODIFLUOROMETHANE	ND	ND	ND
1,1-DICHLOROETHANE	ND	ND	ND
1,2-DICHLOROETHANE	ND	ND	ND
1,1-DICHLOROETHYLENE	ND	ND	ND
TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND
DICHLOROMETHANE	1.2B	1.3B	0.96B
1,2-DICHLOROPROPANE	ND	ND	ND
1,3-DICHLOROPROPYLENE	ND	ND	ND
1,1,2,2-TETRACHLOROETHANE	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	ND	ND	ND
TETRACHLOROETHYLENE	ND	ND	ND
1,1,1-TRICHLOROETHANE	ND	ND	ND
1,1,2-TRICHLOROETHANE	ND	ND	ND
TRICHLOROETHYLENE	ND	ND	ND
TRICHLOROFLUOROMETHANE	ND	ND	ND
TRICHLOROPROPANE	ND	ND	ND
VINYL CHLORIDE	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1055  
WORK NUMBER : Z8000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY   
Lab Supervisor

PORT DATA:  
OAK RIDGE/DULUTH ANGB  
60 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
LL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB (C 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615) 481-3920

SK: 4, UNITS: ug/L, GROUP: 8020

ST COMPOUND	DANGB-3-SL28-SW1 88092765	DANGB-3-SL10-SW1 88092767	DANGB-2-SL29-SW1 88092768	DANGB-2-SL6-SW1 88092769	DANGB-2-SL7-SW1 88092770	DANGB-3-SL9-SW1 88092772
BENZENE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ETHYLBENZENE	ND	ND	ND	ND	ND	ND
TOLUENE	ND	ND	ND	ND	ND	ND
XYLENES	ND	ND	ND	ND	ND	ND

- Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1055

TASK: 4, UNITS: ug/L, GROUP 8020

	TB-14	DANGB-FB-19	DANGB-FB-20
TEST COMPOUND	88092773	88092774	88092775
-----			
BENZENE	ND	ND	ND
CHLOROBENZENE	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND
METHYL BENZENE	ND	ND	ND
TOLUENE	ND	ND	ND
XYLENES	ND	ND	ND

0 - Not Detected

ANALYSIS REPORT

RK ORDER NUMBER: 1055  
B NUMBER: ZB000000440  
RK ORDER DATE: 09/28/88

APPROVED BY

  
Lab Supervisor

PORT DATA:  
OAK RIDGE/DULUTH ANGB  
0 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
LL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

SK: 4, UNITS: ug/L, GROUP 8080

TEST COMPOUND	DANGB-3-SL8-	DANGB-3-SL9-
	SW1	SW1
-----	88092766	88092772
DRIN	ND	ND
PHA-BHC	ND	ND
TA-BHC	ND	ND
LTA-BHC	ND	ND
MMA-BHC	ND	ND
CLORDANE	ND	ND
4'-DDD	ND	ND
4'-DDE	ND	ND
4'-DDT	ND	ND
ELDRIN	ND	ND
DOSULFAN I	ND	ND
DOSULFAN II	ND	ND
DOSULFAN SULFATE	ND	ND
DRIN	ND	ND
DRIN ALDEHYDE	NA	NA
PTACHLOR	ND	ND
PTACHLOR EPOXIDE	ND	ND
PONE	NA	NA
THOXYCHLOR	ND	ND
XAPHENE	ND	ND
B-1016	ND	ND
B-1221	ND	ND
B-1232	ND	ND
B-1242	ND	ND
B-1248	ND	ND
B-1254	ND	ND
B-1260	ND	ND
ETHOXYCHLOR	ND	ND
- CHLORDANE	ND	ND
- CHLORDANE	ND	ND
DRIN KETONE	ND	ND

- Not Detected

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1055  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092765.	88092766
Sample No.:	DANGB-3-SL28-SW1	DANGB-3-SL8-SW1
Date Sampled:	09-24-88	09-26-88
Time Sampled:	14:20	15:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88/11-10-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

B = Compound was detected in the blank.



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1055  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092765	88092766
Sample No.:	DANGB-3-SL28-SW1	DANGB-3-SL8-SW1
Date Sampled:	09-24-88	09-26-88
Time Sampled:	14:20	15:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88/11-10-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Benanthrene	10	ND	ND
Anthracene	10	ND	ND
Di-n-butyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
1-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Di-n-butyl Benzyl phthalate	10	ND	ND
Diis(2-ethylhexyl) phthalate	10	10 B	ND
Chrysene	10	ND	ND
1-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzenzidine	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Benzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

B = Compound was detected in the blank.

Priority Pollutant Analysis

Base Neutrals - SW 8270

Matrix: Water

(continued):

Date Received: September 28, 1988

Work Order: 1055

Date Reported: December 9, 1988

Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092765	88092766
Sample No.:	DANGB-3-SL28-SW1	DANGB-3-SL8-SW1
Date Sampled:	09-24-88	09-26-88
Time Sampled:	14:20	15:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88/11-10-88	11-09-88

Compound	Detection	Analytical Results	
	Limits	ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
a-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW: 8270  
Matrix: Water

page 4 of 5

Date Received: September 28, 1988  
Date Reported: December 9, 1988

Work Order: 1055  
Job Number: OR001

DR: ES: Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092765	88092766
Sample No.:	DANGB-3-SL28-SW1	DANGB-3-SL8-SW1
Date Sampled:	09-24-88	09-26-88
Time Sampled:	14:20	15:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88/11-10-88	11-09-88

Compound	Detection	ANALYTICAL RESULTS	
	Limits ug/L	ug/L	ug/L
alpha-BHC	--*	ND	ND
gamma-BHC	___*	ND	ND
delta-BHC	20	ND	ND
heptachlor	10	ND	ND
delta-BHC	15	ND	ND
dieldrin	10	ND	ND
heptachlor epoxide	10	ND	ND
endosulfan I	--*	ND	ND
dieldrin	15	ND	ND
1,4'-DDE	30	ND	ND
dieldrin	--*	ND	ND
endosulfan II	--*	ND	ND
1,4'-DDD	15	ND	ND
1,4'-DDT	25	ND	ND
endosulfan Sulfate	30	ND	ND
dieldrin aldehyde	--*	ND	ND
dieldrin Ketone	--*	ND	ND
nonachlor	60	ND	ND
methoxychlor	--*	ND	ND
dieldrin	60	ND	ND
rochlor-1016	60	ND	ND
rochlor-1221	60	ND	ND
rochlor-1232	60	ND	ND
rochlor-1242	60	ND	ND
rochlor-1248	60	ND	ND
rochlor-1254	60	ND	ND
rochlor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 28, 1988  
 Date Reported: December 9, 1988


Work Order: 1055  
 Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092765	88092766
Sample No.:	DANGB-3-SL28-SW1	DANGB-3-SL8-SW1
Date Sampled:	09-24-88	09-26-88
Time Sampled:	14:20	15:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88/11-10-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
3-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.  
 ‡ = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1055  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092768	88092769
Sample No.:	DANGB-2-SL29-SW1	DANGB-2-SL6-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:00	09:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	11 B	34 B
Chrysene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

B = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1055  
 Job Number: OR001

Location: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092768	88092769
Sample No.:	DANGB-2-SL29-SW1	DANGB-2-SL6-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:00	09:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
acetophenone	--*	ND	ND
aniline	--*	ND	ND
-Aminobiphenyl	--*	ND	ND
-Chloroaniline	20	ND	ND
-Chloronaphthalene	--*	ND	ND
benzofuran	10	ND	ND
-Dimethylaminoazobenzene	--*	ND	ND
,12-Dimethylbenz(a)anthracene	--*	ND	ND
-,a-Dimethylphenethylamine	--*	ND	ND
diphenylamine	--*	ND	ND
,2-Diphenylhydrazine	--*	ND	ND
ethyl methanesulfonate	--*	ND	ND
-Methylcholanthrene	--*	ND	ND
ethyl methanesulfonate	--*	ND	ND
-Methylnaphthalene	10	ND	ND
-Naphthylamine	--*	ND	ND
-Naphthylamine	--*	ND	ND
-Nitroaniline	50	ND	ND
-Nitroaniline	50	ND	ND
-Nitroaniline	50	ND	ND
-Nitroso-di-n-butylamine	--*	ND	ND
-Nitrosopiperidine	--*	ND	ND
pentachlorobenzene	--*	ND	ND
pentachloronitrobenzene	--*	ND	ND
phenacetin	--*	ND	ND
-Picoline	--*	ND	ND
protonamide	--*	ND	ND
,2,4,5-Tetrachlorobenzene	--*	ND	ND

EPA has not yet determined detection limits for these compounds.

--\* = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

Date Received: September 28, 1988  
Date Reported: December 9, 1988

Work Order: 1055  
Job Number: OR001

FOR: ES: Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092768	88092769
Sample No.:	DANGB-2-SL29-SW1	DANGB-2-SL6-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:00	09:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.



Priority Pollutant Analysis  
 Acid Extractables -# SW 8270  
 Matrix: Water

ate Received: September 28, 1988  
 ate Reported: December 9, 1988


Work Order: 1055  
 Job Number: OR001


DR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092768	88092769
Sample No.:	DANGB-2-SL29-SW1	DANGB-2-SL6-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:00	09:30
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection Limits	ANALYTICAL RESULTS	
	ug/L	ug/L	ug/L
-Chlorophenol	10	ND	ND
-Nitrophenol	10	ND	ND
phenol	10	ND	ND
, 4-Dimethylphenol	10	ND	ND
, 4-Dichlorophenol	10	ND	ND
, 4, 6-Trichlorophenol	10	ND	ND
-Chloro-3-methylphenol	20	ND	ND
, 4-Dinitrophenol	50	ND	ND
, 6-Dichlorophenol	--*	ND	ND
-Methyl-4, 6-Dinitrophenol	50	ND	ND
pentachlorophenol	50	ND	ND
-Nitrophenol	50	ND	ND
benzoic Acid	50	ND	ND
-Methylphenol	10	ND	ND
- & 4-Methylphenol	10	ND	ND
, 3, 4, 6-Tetrachlorophenol	--*	ND	ND
, 4, 5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1055  
 Job Number: OR001

FOR: ES: Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092770	88092772
Sample No.:	DANGB-2-SL7-SW1	DANGB-3-SL9-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:45	16:15
Date Extracted:	09-30-88	10-03-88
Date Analyzed:	11-09-88	11-10-88/11-23-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	12
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

B = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1055  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092770	88092772
Sample No.:	DANGB-2-SL7-SW1	DANGB-3-SL9-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:45	16:15
Date Extracted:	09-30-88	10-03-88
Date Analyzed:	11-09-88	11-10-88/11-23-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
benzanthrene	10	ND	ND
anthracene	10	ND	ND
di-n-butyl phthalate	10	ND	ND
fluoranthene	10	ND	ND
2-Chlorophenyl phenyl ether	10	ND	ND
pyrene	10	ND	ND
di-n-butyl Benzyl phthalate	10	ND	ND
diis(2-ethylhexyl) phthalate	10	ND	ND
chrysene	10	ND	ND
2-Bromophenyl phenyl ether	10	ND	ND
benzo(a)anthracene	10	ND	ND
di-n-octylphthalate	10	ND	ND
benzo(b)fluoranthene	10	ND	ND
benzo(k)fluoranthene	10	ND	ND
benzimidazole	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
benzo(a)pyrene	10	ND	ND
benz(b)fluoranthene	10	ND	ND
benzo(a,h)anthracene	10	ND	ND
benzo(ghi)perylene	10	ND	ND
benzyl Alcohol	20	ND	ND

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 28, 1988  
 Date Reported: December 9, 1988

Work Order: 1055  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103,  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092770	88092772
Sample No.:	DANGB-2-SL7-SW1	DANGB-3-SL9-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:45	16:15
Date Extracted:	09-30-88	10-03-88
Date Analyzed:	11-09-88	11-10-88/11-23-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
a-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

Date Received: September 28, 1988  
Date Reported: December 9, 1988

Work Order: 1055  
Job Number: OR001

JR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092770	88092772
Sample No.:	DANGB-2-SL7-SW1	DANGB-3-SL9-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:45	16:15
Date Extracted:	09-30-88	10-03-88
Date Analyzed:	11-09-88	11-10-88/11-23-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
alpha-BHC	--*	ND	ND
gamma-BHC	___*	ND	ND
delta-BHC	20	ND	ND
gamma-chlor	10	ND	ND
delta-BHC	15	ND	ND
lindrin	10	ND	ND
gamma-chlor epoxide	10	ND	ND
endosulfan I	--*	ND	ND
lindrin	15	ND	ND
,4'-DDE	30	ND	ND
lindrin	--*	ND	ND
endosulfan II	--*	ND	ND
,4'-DDD	15	ND	ND
,4'-DDT	25	ND	ND
endosulfan Sulfate	30	ND	ND
lindrin aldehyde	--*	ND	ND
lindrin Ketone	--*	ND	ND
chlordan	60	ND	ND
methoxychlor	--*	ND	ND
dioxaphene	60	ND	ND
rochlor-1016	60	ND	ND
rochlor-1221	60	ND	ND
rochlor-1232	60	ND	ND
rochlor-1242	60	ND	ND
rochlor-1248	60	ND	ND
rochlor-1254	60	ND	ND
rochlor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 28, 1988  
 Date Reported: December 9, 1988


Work Order: 1055  
 Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092770	88092772
Sample No.:	DANGB-2-SL7-SW1	DANGB-3-SL9-SW1
Date Sampled:	09-26-88	09-26-88
Time Sampled:	10:45	16:15
Date Extracted:	09-30-88	10-03-88
Date Analyzed:	11-09-88	11-10-88/11-23-88

Compound	Detection	ANALYTICAL RESULTS	
	Limits ug/L	ug/L	ug/L
2-Chlorophenol	10	ND	NT
2-Nitrophenol	10	ND	NT
Phenol	10	ND	NT
2,4-Dimethylphenol	10	ND	NT
2,4-Dichlorophenol	10	ND	NT
2,4,6-Trichlorophenol	10	ND	NT
4-Chloro-3-methylphenol	20	ND	NT
2,4-Dinitrophenol	50	ND	NT
2,6-Dichlorophenol	--*	ND	NT
2-Methyl-4,6-Dinitrophenol	50	ND	NT
Pentachlorophenol	50	ND	NT
4-Nitrophenol	50	ND	NT
Benzoic Acid	50	ND	NT
2-Methylphenol	10	ND	NT
3- & 4-Methylphenol	10	ND	NT
2,3,4,6-Tetrachlorophenol	--*	ND	NT
2,4,5-Trichlorophenol	10	ND	NT

  
 -----  
 Analyst

  
 -----  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S).: 88092763-88092775  
WORK ORDER NO.: 1055

These water samples were received at the ES Berkeley Laboratory on 9-28-88. They were received cold and intact.











# ENGINEERING-SCIENCE

1055

## CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED								SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710	
	SAMPLE(S): (Signature) <i>John Sherwin</i>	SAMPLE DESCRIPTION		EPA 609, 8020	EPA 623	EPA 478.1	SM 6048, 7049, 7179	SM 7421, 7478	SM 3330, 3315	SM 428			
DATE	TIME											REMARKS	
9/26	1530	DAN6B-3-SL8-SW1	2	X								882766	
9/26	1615	DAN6B-3-SL9-SW1	2	X								382773	
9/26	1615	DAN6B-3-SL9-SW1	2		X								
9/26	1615	DAN6B-3-SL9-SW1	2	X									
9/26	1615	DAN6B-3-SL9-SW1	5	X									
9/26	1615	TB 14*	3	X								382773	
9/26	1400	DAN6B-3-SL28-SW1	5	X								982765	
9/26	1400	DAN6B-FB-19	2	X								382771	
/													
Relinquished by: (Signature)			Received by: (Signature)			Relinquished by: (Signature)			Received by: (Signature)			Date/Time	
<i>John Sherwin</i>			<i>9/26</i>						<i>John Sherwin</i>			<i>9/26</i>	
Relinquished by: (Signature)			Received for Laboratory by: (Signature)			Date/Time			Remarks			Date/Time	
									<i>John Sherwin</i>				



CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED	SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710
	SAMPLER(S): (Signature) <i>July 7 88</i>	SAMPLE DESCRIPTION			
9/26 10:00	DAN6B-2-SL29-SW1	2	EPA 808, 8020	SW 8030, 8020	REMARKS  All 6 samples by Henry Hase & Associates
9/26 10:00	DAN6B-2-SL29-SW1	2	EPA 828	EPA 408.1	
9/26 10:00	DAN6B-2-SL29-SW1	2	EPA 828	SW 8030, 8020	
9/26 10:00	DAN6B-1-SL6-SW1	2	EPA 828	SW 8030, 8020	
9/26 10:00	DAN6B-2-SL7-SW1	2	EPA 828	SW 8030, 8020	
9/26 10:00	DAN6B-4-SL14-SW1	2	EPA 828	SW 8030, 8020	
9/26 10:00	DAN6B-1-SL6-SW1	2	EPA 828	SW 8030, 8020	
<i>July 7 88</i>					
Relinquished by: (Signature) <i>W. P. D.</i>		Date/Time 9-26-88 1000	Received by: (Signature) Fed Ex Am-bull # 9490308872	Date/Time	
Relinquished by: (Signature)		Date/Time	Received for Laboratory by: (Signature)	Date/Time	







**FEDERAL EXPRESS**  
 AIRBILL  
 SEE THE AIRBILL FOR DOMESTIC SHIPMENTS. USE THE INTERNATIONAL AIR MAILBILL FOR SHIPMENTS TO PORTS OUT.  
 PLEASE THIRST CALL 800-234-3333 TOLL FREE.

**PACKAGE TRACKING NUMBER** 9490309850

**SENDER'S COPY**

Sender's Federal Express Account Number: 1146-4727-58 Date: 11-27-58  
 From (Your Name) Please Print: K. M. Wilson  
 Company: Fulfilling - Science Fair  
 Street Address: 11111 Phillips Ave  
 City: Dallas TX State: TX ZIP Required: 75228  
 Department/Floor No.: 105  
 Recipient's Name Please Print: K. M. Wilson  
 Company: Fulfilling - Science Fair  
 Street Address: 1100 Bancroft Way  
 City: Berkeley CA State: CA ZIP Required: 94710  
 Department/Floor No.:  
 Recipient's Phone Number (Very Important): (415) 848-3772

**YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)**  
 AIR-001-02  
 PAYMENT:  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill 3rd Party FedEx Acct. No.  Bill Credit Card  Cash

SERVICES	DELIVERY AND SPECIAL HANDLING	PACKAGES	WEIGHT	FEDERAL EXPRESS RATE (per pound)	OTHER CHARGES
1 <input checked="" type="checkbox"/> PRIORITY 1 <input type="checkbox"/> OVERNIGHT LETTER <sup>®</sup>	1 <input type="checkbox"/> HOLD FOR PICK-UP <sup>See Form 19</sup>	1	4.1		
2 <input type="checkbox"/> COURIER-PAK <input type="checkbox"/> OVERNIGHT ENVELOPE <sup>®</sup>	2 <input checked="" type="checkbox"/> DELIVER SATURDAY <sup>Extra charge</sup>	1	1.8		
3 <input type="checkbox"/> BOX	3 <input type="checkbox"/> DELIVER WEEKDAY <sup>See Form 19</sup>				
4 <input type="checkbox"/> OVERNIGHT TUBE	4 <input type="checkbox"/> BULKY GOODS <sup>Extra charge</sup>				
5 <input type="checkbox"/> STANDARD AIR Delivery not later than second business day <sup>Declared Value Limit \$100.</sup>	5 <input type="checkbox"/> CONSTANT SURVEILLANCE SERVICE (CSS) <sup>Extra charge</sup>				
	6 <input type="checkbox"/> BRT WE <sup>USA</sup>				
	7 <input type="checkbox"/> OTHER SPECIAL SERVICE				
	8 <input type="checkbox"/> SATURDAY PICK-UP <sup>Extra charge</sup>				
	9 <input type="checkbox"/> HOLIDAY DELIVERY <sup>Extra charge</sup>				
	10 <input type="checkbox"/>				
	11 <input type="checkbox"/>				
	12 <input type="checkbox"/>				
	Received At: 1 Regular Stop 2 On-Call Stop 3 Drop Box 4 B.S.C. Station				
	FEDEX Corp. Employee No. 11111111				
	Date/Time for FEDEX Use 11-27-58				

**SERVICE CONDITIONS, DECLARED VALUE AND LIMIT OF LIABILITY**  
 Use of this label constitutes your agreement to the service conditions in our current Service Guide which is available upon request. See back of sender's copy of this label for further information. We will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay or non-delivery, unless you specify a higher amount in the space to the left, pay 40¢ per additional \$100 specified and document your actual loss in the Federal Express Service Guide copy. Your rights to recover from Federal Express for loss of the intrinsic value of the package, as well as for loss of sales, income, interest, profit, attorneys fees, costs and any other form of damage, whether direct, incidental, consequential or otherwise, are hereby waived. Federal Express will not be held liable to the extent in no event that your recovery exceeds your actual loss. In the event you do not wish to pay for Federal Express, you may use the service with some limitations, information available upon request. See Service Guide for further information.

Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.

Released Signature: \_\_\_\_\_

**FEDERAL EXPRESS**  
 AIRBILL  
 SEE THE AIRBILL FOR DOMESTIC SHIPMENTS. USE THE INTERNATIONAL AIR MAILBILL FOR SHIPMENTS TO PORTS OUT.  
 PLEASE THIRST CALL 800-234-3333 TOLL FREE.

**PACKAGE TRACKING NUMBER** 9490309850

**SENDER'S COPY**

Sender's Federal Express Account Number: 1146-4727-58 Date: 11-27-58  
 From (Your Name) Please Print: K. M. Wilson  
 Company: Fulfilling - Science Fair  
 Street Address: 11111 Phillips Ave  
 City: Dallas TX State: TX ZIP Required: 75228  
 Department/Floor No.: 105  
 Recipient's Name Please Print: K. M. Wilson  
 Company: Fulfilling - Science Fair  
 Street Address: 1100 Bancroft Way  
 City: Berkeley CA State: CA ZIP Required: 94710  
 Department/Floor No.:  
 Recipient's Phone Number (Very Important): (415) 848-3772

**YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)**  
 AIR-001-02  
 PAYMENT:  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill 3rd Party FedEx Acct. No.  Bill Credit Card  Cash

SERVICES	DELIVERY AND SPECIAL HANDLING	PACKAGES	WEIGHT	FEDERAL EXPRESS RATE (per pound)	OTHER CHARGES
1 <input checked="" type="checkbox"/> PRIORITY 1 <input type="checkbox"/> OVERNIGHT LETTER <sup>®</sup>	1 <input type="checkbox"/> HOLD FOR PICK-UP <sup>See Form 19</sup>	1	4.1		
2 <input type="checkbox"/> COURIER-PAK <input type="checkbox"/> OVERNIGHT ENVELOPE <sup>®</sup>	2 <input checked="" type="checkbox"/> DELIVER SATURDAY <sup>Extra charge</sup>	1	1.8		
3 <input type="checkbox"/> BOX	3 <input type="checkbox"/> DELIVER WEEKDAY <sup>See Form 19</sup>				
4 <input type="checkbox"/> OVERNIGHT TUBE	4 <input type="checkbox"/> BULKY GOODS <sup>Extra charge</sup>				
5 <input type="checkbox"/> STANDARD AIR Delivery not later than second business day <sup>Declared Value Limit \$100.</sup>	5 <input type="checkbox"/> CONSTANT SURVEILLANCE SERVICE (CSS) <sup>Extra charge</sup>				
	6 <input type="checkbox"/> BRT WE <sup>USA</sup>				
	7 <input type="checkbox"/> OTHER SPECIAL SERVICE				
	8 <input type="checkbox"/> SATURDAY PICK-UP <sup>Extra charge</sup>				
	9 <input type="checkbox"/> HOLIDAY DELIVERY <sup>Extra charge</sup>				
	10 <input type="checkbox"/>				
	11 <input type="checkbox"/>				
	12 <input type="checkbox"/>				
	Received At: 1 Regular Stop 2 On-Call Stop 3 Drop Box 4 B.S.C. Station				
	FEDEX Corp. Employee No. 11111111				
	Date/Time for FEDEX Use 11-27-58				

**SERVICE CONDITIONS, DECLARED VALUE AND LIMIT OF LIABILITY**  
 Use of this label constitutes your agreement to the service conditions in our current Service Guide which is available upon request. See back of sender's copy of this label for further information. We will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay or non-delivery, unless you specify a higher amount in the space to the left, pay 40¢ per additional \$100 specified and document your actual loss in the Federal Express Service Guide copy. Your rights to recover from Federal Express for loss of the intrinsic value of the package, as well as for loss of sales, income, interest, profit, attorneys fees, costs and any other form of damage, whether direct, incidental, consequential or otherwise, are hereby waived. Federal Express will not be held liable to the extent in no event that your recovery exceeds your actual loss. In the event you do not wish to pay for Federal Express, you may use the service with some limitations, information available upon request. See Service Guide for further information.

Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.

Released Signature: \_\_\_\_\_

**FEDERAL EXPRESS**  
 AIRBILL  
 SEE THE AIRBILL FOR DOMESTIC SHIPMENTS. USE THE INTERNATIONAL AIR MAILBILL FOR SHIPMENTS TO PORTS OUT.  
 PLEASE THIRST CALL 800-234-3333 TOLL FREE.

**PACKAGE TRACKING NUMBER** 9490309850

**SENDER'S COPY**

Sender's Federal Express Account Number: 1146-4727-58 Date: 11-27-58  
 From (Your Name) Please Print: K. M. Wilson  
 Company: Fulfilling - Science Fair  
 Street Address: 11111 Phillips Ave  
 City: Dallas TX State: TX ZIP Required: 75228  
 Department/Floor No.: 105  
 Recipient's Name Please Print: K. M. Wilson  
 Company: Fulfilling - Science Fair  
 Street Address: 1100 Bancroft Way  
 City: Berkeley CA State: CA ZIP Required: 94710  
 Department/Floor No.:  
 Recipient's Phone Number (Very Important): (415) 848-3772

**YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)**  
 AIR-001-02  
 PAYMENT:  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill 3rd Party FedEx Acct. No.  Bill Credit Card  Cash

SERVICES	DELIVERY AND SPECIAL HANDLING	PACKAGES	WEIGHT	FEDERAL EXPRESS RATE (per pound)	OTHER CHARGES
1 <input checked="" type="checkbox"/> PRIORITY 1 <input type="checkbox"/> OVERNIGHT LETTER <sup>®</sup>	1 <input type="checkbox"/> HOLD FOR PICK-UP <sup>See Form 19</sup>	1	4.1		
2 <input type="checkbox"/> COURIER-PAK <input type="checkbox"/> OVERNIGHT ENVELOPE <sup>®</sup>	2 <input checked="" type="checkbox"/> DELIVER SATURDAY <sup>Extra charge</sup>	1	1.8		
3 <input type="checkbox"/> BOX	3 <input type="checkbox"/> DELIVER WEEKDAY <sup>See Form 19</sup>				
4 <input type="checkbox"/> OVERNIGHT TUBE	4 <input type="checkbox"/> BULKY GOODS <sup>Extra charge</sup>				
5 <input type="checkbox"/> STANDARD AIR Delivery not later than second business day <sup>Declared Value Limit \$100.</sup>	5 <input type="checkbox"/> CONSTANT SURVEILLANCE SERVICE (CSS) <sup>Extra charge</sup>				
	6 <input type="checkbox"/> BRT WE <sup>USA</sup>				
	7 <input type="checkbox"/> OTHER SPECIAL SERVICE				
	8 <input type="checkbox"/> SATURDAY PICK-UP <sup>Extra charge</sup>				
	9 <input type="checkbox"/> HOLIDAY DELIVERY <sup>Extra charge</sup>				
	10 <input type="checkbox"/>				
	11 <input type="checkbox"/>				
	12 <input type="checkbox"/>				
	Received At: 1 Regular Stop 2 On-Call Stop 3 Drop Box 4 B.S.C. Station				
	FEDEX Corp. Employee No. 11111111				
	Date/Time for FEDEX Use 11-27-58				

**SERVICE CONDITIONS, DECLARED VALUE AND LIMIT OF LIABILITY**  
 Use of this label constitutes your agreement to the service conditions in our current Service Guide which is available upon request. See back of sender's copy of this label for further information. We will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay or non-delivery, unless you specify a higher amount in the space to the left, pay 40¢ per additional \$100 specified and document your actual loss in the Federal Express Service Guide copy. Your rights to recover from Federal Express for loss of the intrinsic value of the package, as well as for loss of sales, income, interest, profit, attorneys fees, costs and any other form of damage, whether direct, incidental, consequential or otherwise, are hereby waived. Federal Express will not be held liable to the extent in no event that your recovery exceeds your actual loss. In the event you do not wish to pay for Federal Express, you may use the service with some limitations, information available upon request. See Service Guide for further information.

Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.

Released Signature: \_\_\_\_\_

**FEDEX EXPRESS**

**AIRBILL**  
 USE THIS AIRBILL FOR DOMESTIC SHIPMENTS WITHIN THE CONTINENTAL U.S., ALASKA AND HAWAII.  
 USE THE INTERNATIONAL AIRWAY BILL FOR SHIPMENTS TO PORTS ABROAD.  
 PRESTIMATED CALL 800-238-5255 TOLL FREE.

**PACKAGE TRACKING NUMBER**  
 9490309894

Sender's Federal Express Account Number  
 9490309894

Date  
 11-16-82

From (Your Name) Please Print  
 Kevin Davis

Your Phone Number (Very Important)  
 (615) 452-1111

Company  
 Engineering

Department/Floor No.  
 101

Street Address  
 7000 Tullahoma Ave

City  
 Oak Ridge TN 37834

State  
 TN

ZIP Required  
 37834

**YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)**  
 11201-02

**PAYMENT**  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill 3rd Party FedEx Acct. No.  Bill Check Card

**SERVICES**

- 1  **PRIORITY 1** Overnight Delivery
- 2  **COURIER-PAK** Overnight Envelope
- 3  **OVERNIGHT BOX**
- 4  **OVERNIGHT TUBE**
- 5  **STANDARD** All other services for second business day
- 6  **OVERNIGHT LETTER\***
- 7  **DELIVER SATURDAY** (extra charge)
- 8  **CONSISTENT SURVEILLANCE SERVICE (CSS)** (extra charge)
- 9  **OTHER SPECIAL SERVICE**
- 10  **SATURDAY PICK-UP** (extra charge)
- 11  **HOLIDAY DELIVERY** (extra charge)
- 12  **REGULAR STOP** (extra charge)

**DELIVERY AND SPECIAL HANDLING**

- 1  **HOLD FOR PICK-UP** (extra charge)
- 2  **DELIVER WEEKDAY** (extra charge)
- 3  **DELIVER SATURDAY** (extra charge)
- 4  **PARCELS POST**
- 5  **CONSISTENT SURVEILLANCE SERVICE (CSS)** (extra charge)
- 6  **BUY ICE** (extra charge)
- 7  **OTHER SPECIAL SERVICE**
- 8  **SATURDAY PICK-UP** (extra charge)
- 9  **HOLIDAY DELIVERY** (extra charge)
- 10  **REGULAR STOP** (extra charge)
- 11  **ON-CALL STOP** (extra charge)
- 12  **DEEP BOX** (extra charge)

**PACKAGES**

WEIGHT	INDECLASSIFIED VALUE (per report)	OTHER SIZE
1.25		
1.25		
1.25		
<b>Total</b>		

Received At  
 Regular Stop  
 On-Call Stop  
 Deep Box  
 BSC  
 Station

FEDEX Corp. Employee No.

Date/Time for FEDEX Use

**SENDER'S COPY**

To (Recipient's Name) Please Print  
 JDS Corporation

Company  
 JDS Corporation

Exact Street Address (We Cannot Deliver to P.O. Boxes or R.F. Zip Codes)  
 7500 Tullahoma Ave

City  
 Oak Ridge TN 37834

State  
 TN

ZIP Required  
 37834

**IF HOLD FOR PICK-UP, Print FEDEX Address Here**  
 Street Address  
 City  
 State  
 ZIP Required

**SERVICE CONDITIONS, DECLARED VALUE AND LIMIT OF LIABILITY**

Use of this label constitutes your agreement to the service conditions and limitations of liability set forth in the Service Guide. See back of service's copy of this label for further information.  
 We will not be responsible for any claim in excess of \$100 per package, or the actual value of the contents, whichever is less, unless you specify a higher amount in the space to the left, pay 40¢ per additional \$100 specified and document your actual loss in the event of a claim. Maximum amount limitations found in the current Federal Express Service Guide apply. Your rights to recover from Federal Express are limited to the actual value of the contents, less any other form of damage, interest, expense, attorney's fees, costs and special is limited to the greater of \$100 or the declared value specified to the left. In no event shall your recovery exceed your actual loss. In the event of untimely delivery, Federal Express will at your request and with some limitations, return at its discretion charges paid. See Service Guide for further information.

Federal Express Use  
 Base Charges  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

PART 72041738900  
 REVISION DATE 7/84  
 PRINTED IN USA GBFE  
 009  
 © 1988 F.E.C.

Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.  
 Release Signature: \_\_\_\_\_

**SENDER'S COPY**

HEADFORM 4

WAB

**FEDERAL EXPRESS**

**AIRBILL**  
 USE THIS AIRBILL FOR DOMESTIC SHIPMENTS WITHIN THE CONTINENTAL U.S.A., ALASKA AND HAWAII.  
 USE THE INFORMATION ON THIS AIRBILL FOR SHIPMENTS TO PUERTO RICO.  
 QUESTIONS? CALL 800-236-5353 TOLL FREE

PACKAGE TRACKING NUMBER

5490309072

Sender's Federal Express Account Number  
 1146-4707-8

Sender's Phone Number (Very Important)  
 (415) 481-970

From (Your Name) Please Print: **DAVID DAVIS**  
 Company: **ES**  
 Street Address: **11000 FINE RIDGE DR**  
 City: **DUBLIN CA** State: **CA** ZIP Required: **94568**

To (Recipient's Name) Please Print: **PAUL M. ...**  
 Company: **...**  
 Exact Street Address (We Cannot Deliver to P.O. Boxes or R.F.D. Zip Codes): **600 ...**  
 City: **...** State: **...** ZIP Required: **...**

Department/Floor No.: **...**  
 Department/Floor No.: **...**

SENDER'S COPY

YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)  
 1146-4707-8

PAYMENT  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill Third Party FedEx Acct. No.  Bill Credit Card

SERVICES	DELIVERY AND SPECIAL HANDLING	PACKAGES	WEIGHT	TIME INCLUDES (min./hr.)	OTHER SIZE
1 <input checked="" type="checkbox"/> PRIORITY 1 2 <input type="checkbox"/> COURIER-PAK 3 <input type="checkbox"/> OVERNIGHT 4 <input type="checkbox"/> OVERNIGHT TUBE 5 <input type="checkbox"/> STANDARD AIR Delivery not later than second business day 6 <input type="checkbox"/> OVERNIGHT LETTER* 7 <input type="checkbox"/> OVERNIGHT ENVELOPES 8 <input type="checkbox"/> OVERNIGHT BOX 9 <input type="checkbox"/> OVERNIGHT TUBE 10 <input type="checkbox"/> STANDARD AIR Delivery not later than second business day 11 <input type="checkbox"/> ... 12 <input type="checkbox"/> ...	1 <input type="checkbox"/> HOLD FOR PICK-UP 2 <input checked="" type="checkbox"/> DELIVER SATURDAY 3 <input type="checkbox"/> DELIVER WEEKDAY 4 <input type="checkbox"/> DANGEROUS GOODS 5 <input type="checkbox"/> CONSTANT SURVEILLANCE SERVICE (CSS) 6 <input type="checkbox"/> BAY KE 7 <input type="checkbox"/> OTHER SPECIAL SERVICE 8 <input type="checkbox"/> SATURDAY PICK-UP 9 <input type="checkbox"/> ... 10 <input type="checkbox"/> ... 11 <input type="checkbox"/> ... 12 <input type="checkbox"/> ...	Total Received At: 1 Regular Stop 2 On-Call Stop 3 Drop Box 4 BSC 5 Station FEDEX Corp. Employee No.	Total Total Total Total	Total Total Total Total	Total Total Total Total

IF HOLD FOR PICK-UP, PRINT FEDEX ADDRESS HERE

City: \_\_\_\_\_ State: \_\_\_\_\_ ZIP Required: \_\_\_\_\_

Service Conditions: DECLARED VALUE AND LIMIT OF LIABILITY  
 Use of this article constitutes your agreement to the service conditions in your Service Guide which is available upon request. See back of sender's copy of this article for further information.  
 We will not be responsible for any claim in excess of \$100 per package, unless you specify a higher amount in the delivery or non-delivery event of a claim. Maximum amount limitations found in the current Federal Express Service Guide apply. Your rights to recover from any other form of damage whether direct, incidental, consequential or special is limited to the greater of \$100 or the declared value specified in the bill. In no event shall your recovery exceed your actual loss in the event of unretrieved delivery. Federal Express will not be responsible for any loss of or damage to, or destruction of, contents of packages and with some limitations, return of transportation charges paid. See Service Guide for further information.

Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.

Release Signature: \_\_\_\_\_


PART 42041739900  
 RETRANSMIT RATE 7/M  
 PRINTED IN USA GBFE  
 009  
 © 1988 F.E.C.

SENDER'S COPY

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: AAF-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-27-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth, ANGB  
 Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092615-88092616, 88092719-88092722  
 88092724-88092725, 88092763-88092764  
 88092768-88092771, 88092777-88092780

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	Cl	C2	RPD	SA	SSR	PR	Notes
Arsenic	88092724	88092724	10-21-88	NA	7060	<0.01	<0.01	NC	0.040	<0.01	0.0364	91	
Cadmium	88092724	88092724	10-27-88	NA	6010	<0.005	<0.005	NC	0.010	<0.005	0.010	100	
Chromium	88092724	88092724	10-21-88	NA	6010	<0.01	<0.01	NC	0.020	<0.01	0.0199	100	
Lead	88092724	88092724	10-22-88	NA	7421	<0.005	<0.0063	0	0.020	0.0063	0.0252	94	

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR \times 100}{SA}$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

Job No.: OR001.02

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: ICP-W-0061-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-27-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANCB

QC Report for Laboratory Sample No(s):  
 88092615-88092616, 88092719-88092722  
 88092724-88092725, 88092763-88092764  
 88092768-88092771, 88092777-88092780

Laboratory Supervisor Approval:



Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	CI	C2	RPD	SA	SR	SSR	PR	Notes
---------	-----------------------	-------------------	-----------	-----------	-------------	-------	----	----	-----	----	----	-----	----	-------

Barium	88092724	88092724	10-27-88	NA	6010	<0.2	<0.2	<0.2	NC	2.0	<0.2	0.190	95	
--------	----------	----------	----------	----	------	------	------	------	----	-----	------	-------	----	--

180

$$\text{Relative Percent Difference (RPD)} = \frac{C1 - C2}{(C1 + C2)/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)



QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0055-88  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: 9-28-88  
Date Prepared: NA  
Date Analyzed: 10-10-88  
Date Reported: 10-28-88  
Dilution Factor: NA

Project: Duluth ANGB  
Laboratory Supervisor Approval:  
*M. B. Binkley*

QC Report for Laboratory Sample No(s):  
88092747-88092749  
88092765, 88092767-88092770  
88092772-88092777

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092789*	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	10.5	105	9.55	96	9	26	70-130
	Trichloroethene	10	ND	11.6	116	10.6	106	9	19	65-131
	Chlorobenzene	10	ND	12.5	125	12.5	125	0	40	59-137
88092789*	Aromatics: 8020									
	Benzene	10	ND	10.5	105	10.3	103	2	20	56-146
	Toluene	10	ND	10.7	107	10.6	106	1	41	42-150
	Chlorobenzene	10	ND	10.4	104	10.5	105	1	36	76-133

\* The quality control sample is from a different project.

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)

NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-28-88

Laboratory Supervisor Approval:

*[Signature]*

Project: Duluth ANGB

File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
1	10-4-88	VGC	Porasil	75-09-2	Dichloromethane	20	0.25	88092768-88092770
1	10-3-88	VGC	Carbopack	75-09-2 67-66-3	Dichloromethane Chloroform	1.5 1.7	0.25 0.05	88092772-88092775 88092765-88092766

163



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0039-88  
QC REPORT NO.: OCP-W-0039-88B

Analysis of matrix spikes resulted in recoveries for aldrin that were slightly above EPA recommended limits. Subsequent analysis of spiked blanks resulted in poor precision for all spiked compounds, although the recoveries were within limits for all but endrin in one of the two spiked blanks. The analytical data associated with these analyses were closely examined. No errors or problems were found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0039-88  
 QC Sample No.: 88092694  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777  
 88092806, 88092721

*[Signature]*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.116	98	56-123
Heptachlor epoxide	200	ND	0.239	120	40-131
Aldrin	200	ND	0.253	127*	40-120
Dieldrin	500	ND	0.532	106	52-126
Endrin	500	ND	0.475	95	56-121
4,4'-DDT	500	ND	0.435	87	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.217	109	98	10	15	56-123
Heptachlor epoxide	0.256	128	120	7	20	40-131
Aldrin	0.251	126*	127*	1	22	40-120
Dieldrin	0.606	121	106	13	18	52-126
Endrin	0.543	109	95	13	21	56-121
4,4'-DDT	0.513	104	87	17	27	38-127

# Column to be used to flag Recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 0 out of 6 outside limits

Matrix Recovery: 2 out of 12 outside limits

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0039-88B  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777, 88092806

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.169	85	56-123
Heptachlor epoxide	100	ND	0.184	92	40-131
Aldrin	200	ND	0.155	78	40-120
Dieldrin	500	ND	0.419	84	52-126
Endrin	500	ND	0.193	39*	56-121
4,4'-DDT	500	ND	0.385	77	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.236	118	85	33*	15	56-123
Heptachlor epoxide	0.263	132	92	35*	20	40-131
Aldrin	0.231	116	78	39*	22	40-120
Dieldrin	0.608	122	84	37*	18	52-126
Endrin	0.522	104	39*	92*	21	56-121
4,4'-DDT	0.567	113	77	38*	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 6 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits

PESTICIDE METHOD BLANK SUMMARY

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite E-103  
 Oak Ridge, Tn. 37830

Lab Name: Engineering Science  
 Lab Sample No.: Blank  
 Matrix: Water  
 Level (low/med): Low  
 Extraction:  
 (SepF/Cont/Sonc): Sonc  
 Date Reported: 11-03-88

Project: Duluth ANGB

Date Extracted: 9-30-88  
 Date Analyzed (1): 10-24-88  
 Time Analyzed (1): 20:26  
 Instrument ID (1): 5890 #2  
 GC Column ID (1): OV-1

Date Analyzed (2): 10-26-88  
 Time Analyzed (2): 01:29  
 Instrument ID (2): 5880  
 GC Column ID (2): Mixed

This Method Blank applies to the following samples, MS and MSD.

EPA Sample No.	Lab Sample ID (1)	Date Analyzed 1	Lab Sample ID (2)	Date Analyzed 2
-	88092726	10-24-88	88092721	10-26-88
-	88092727	10-24-88		
-	88092765	10-24-88		
-	88092766	10-24-88		
-	88092721	10-25-88		



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
WORK ORDER NO(S). 1055  
EPA METHOD 8270 ANALYSIS

Samples 88092765, 88092766, 88092768, 88092769 and 88092770 were first extracted on September 30, 1988. Sample 88092772 was first extracted on October 3, 1988. The samples were first analyzed on November 9-10, 1988. Thus, all holding times were met. When sample 88092766 was first analyzed, recoveries of two base neutral surrogates were below EPA QC limits. The extract was re-analyzed. Surrogate spike recoveries met EPA QC criteria, but area counts for the sixth internal standard were low. The acid extract of sample 88092772 was lost during the extraction procedure. There was no more sample for re-extraction. When the base neutral extract of this sample was analyzed, area counts for one or more internal standards were outside of EPA QC limits. The extract was re-analyzed with the same result, suggesting a matrix effect.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830  
 Project: Duluth ANGB

QC Report No: BNA-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-23-88  
 Date Prepared: 9-28-88  
 Date Analyzed: 11-07-88  
 Date Reported: 12-28-88  
 Dilution Factor: 1.0

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092612-88092617, 88092677-88092678  
 88092681, 88092694-88092695, 88092724,  
 88092765-88092766, 88092768-88092770, 88092772, 88092777

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092617	1,2,4-Trichlorobenzene	100	ND	63.3	63	71.6	72	13	28
	Acenaphthene	100	ND	71.2	71	73.9	74	4	31
	2,4-Dinitrotoluene	100	ND	71.3	71	68.0	68	4	38
	Pyrene	100	ND	91.7	92	80.6	81	13	31
	N-Nitroso-di-n-Propylamine	100	ND	80.0	80	80.9	81	1	38
	1,4-Dichlorobenzene	100	ND	70.4	70	76.7	77	10	28
ACID Laboratory Sample # 88092617	Pentachlorophenol	200	ND	53.4	27	74.5	37	31	50
	Phenol	200	ND	59.4	30	68.0	34	12	42
	2-Chlorophenol	200	ND	118	59	129	64	8	40
	4-Chloro-3-Methylphenol	200	ND	132	66	135	68	3	42
	4-Nitrophenol	200	ND	81.1	41	88.0	44	7	50

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$


$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830  
 Project: Duluth ANGB

Work Order No.: 1055  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 3-23-89  
 Laboratory Supervisor Approval: 

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E6135	11-08-88	AC	2	-	None Detected	-	-	88092765-88092770
E6136	11-08-88	BN	2	117-81-7	Bis(2-ethylhexyl)phthalate	59	10	88092765-88092770



METHOD BLANK SUMMARY

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Work Order No.: 1055  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 3-23-89

Laboratory Supervisor Approval:

Duluth ANGB

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E6180	11-11-88	AC	2	-	None Detected	-	-	88092772, 88092777
E6183	11-11-88	BN	2	117-81-7	Bis(2-ethylhexyl)phthalate	20	10	88092772, 88092777

172

**SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS**

Job No.: OR001	Work Order No.: 1055
	Matrix: Water
	Conc Unit: ug/L
Client: ES Oak Ridge	Lab Sample ID: 88092663-85 Blank
Attn: Bill Hayden	88092766-70 AC
Address: 710 S. Illinois Avenue	Lab File ID: E6135
Suite F-103	Date Received: NA
Oak Ridge, Tn. 37830	Date Extracted: 09-30-88
	Date Analyzed: 11-08-88
	Date Reported: 04-11-89
Project: Duluth ANGB	Dilution Factor: NA
	% Moisture:

# TICs Found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.20	10	

**SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS**

Job No.:	OR001	Work Order No.:	1055
Client:	ES Oak Ridge	Matrix:	Water
Attn:	Bill Hayden	Conc Unit:	ug/L
Address:	710 S. Illinois Avenue	Lab Sample ID:	88092663-85 Blank
	Suite F-103		88092766-70 BN
	Oak Ridge, Tn. 37830	Lab File ID:	E6136
		Date Received:	NA
		Date Extracted:	09-30-88
		Date Analyzed:	11-08-88
		Date Reported:	04-11-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture:	

# TICs Found: 3

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.20	10	
-	Unknown	25.07	17	
-	Unknown	28.77	7	

**SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS**

Job No.: OR001

Work Order No.: 1055  
Matrix: Water  
Conc Unit: ug/L  
Lab Sample ID: 88092770 AC

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: E6159  
Date Received: 09-28-88  
Date Extracted: 09-30-88  
Date Analyzed: 11-09-88  
Date Reported: 04-11-89  
Dilution Factor: 1  
% Moisture:

Project: Duluth ANGB

# TICs Found: 3

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.16	11 B	
-	Unknown	4.49	7	
-	Unknown	28.77	38	

**SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS**

Job No.: OR001

Work Order No.: 1055  
Matrix: Water  
Conc Unit: ug/L  
Lab Sample ID: 88092770 BN

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: E6160  
Date Received: 09-28-88  
Date Extracted: 09-30-88  
Date Analyzed: 11-09-88  
Date Reported: 04-11-89  
Dilution Factor: 1  
% Moisture:

Project: Duluth ANGB

# TICs Found: 3

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.17	15 B	
-	Unknown	25.06	5	
-	Unknown	28.78	54	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1055

Matrix: Water

Conc Unit: ug/L

Lab Sample ID: 88092768 AC

Client: ES Oak Ridge

Attn: Bill Hayden

Address: 710 S. Illinois Avenue

Suite F-103

Oak Ridge, Tn. 37830

Lab File ID: S0452

Date Received: 09-28-88

Date Extracted: 09-30-88

Date Analyzed: 11-09-88

Date Reported: 04-11-89

Project: Duluth ANGB

Dilution Factor: 1

% Moisture:

# TICs Found: 8.

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.28	81	
-	Unknown	3.33	110	
79-01-6	Trichloroethene	3.44	11	
-	Unknown	4.86	10	
127-18-4	Tetrachloroethene	5.10	18	B
-	Unknown	5.42	7	
79-34-5	1,1,2,2-Tetrachloroethane	7.07	4	
-	Unknown	26.74	5	

**SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET**  
**TENTATIVELY IDENTIFIED COMPOUNDS**

Job No.: OR001	Work Order No.: 1055
	Matrix: Water
	Conc Unit: ug/L
Client: ES Oak Ridge	Lab Sample ID: 88092768 BN
Attn: Bill Hayden	
Address: 710 S. Illinois Avenue	Lab File ID: S0453
Suite F-103	Date Received: 09-28-88
Oak Ridge, Tn. 37830	Date Extracted: 09-30-88
	Date Analyzed: 11-09-88
	Date Reported: 04-11-89
Project: Duluth ANGB	Dilution Factor: 1
	% Moisture:

# TICs Found: 13

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.00	4	
-	Unknown	4.86	15	
127-18-4	Tetrachloroethene	5.07	13 B	
-	Unknown	5.44	13	
79-34-5	1,1,2,2-Trichloroethane	7.07	9	
-	Unknown	25.07	14	
-	Unknown	26.46	53	
-	Unknown	29.18	9	
-	Unknown	29.82	18	
-	Unknown	30.13	15	
-	Unknown	31.15	4	
-	Unknown Saturated Aliphatic	32.23	4	
-	Unknown	34.76	20	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1055

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Matrix: Water  
Conc Unit: ug/L  
Lab Sample ID: 88092769 AC

Lab File ID: S0454  
Date Received: 09-28-88  
Date Extracted: 09-30-88  
Date Analyzed: 11-09-88  
Date Reported: 04-11-89  
Dilution Factor: 1  
% Moisture:

Project: Duluth ANGB

# TICs Found: 9

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.24	19	
-	Unknown	3.35	7	
79-01-6	Trichloroethene	3.43	13	
-	Unknown	4.88	39	
127-18-4	Tetrachloroethene	5.09	17	B
-	Unknown	5.45	34	
-	Unknown	7.08	11	
-	Unknown	8.12	12	
-	Unknown	30.12	16	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1055
	Matrix: Water
Client: ES Oak Ridge	Conc Unit: ug/L
Attn: Bill Hayden	Lab Sample ID: 88092769 BN
Address: 710 S. Illinois Avenue	Lab File ID: S0455
Suite F-103	Date Received: 09-28-88
Oak Ridge, Tn. 37830	Date Extracted: 09-30-88
	Date Analyzed: 11-09-88
Project: Duluth ANGB	Date Reported: 04-11-89
	Dilution Factor: 1
	% Moisture:

# TICs Found: 7

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.28	90	
79-01-6	Trichloroethene	3.42	10	
-	Unknown	4.88	45	
127-18-4	Tetrachloroethene	5.08	18 B	
-	Unknown	5.46	38	
79-34-5	1,1,2,2-Tetrachloroethane	7.07	25	
-	Unknown	26.70	12	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1055  
Matrix: Water  
Conc Unit: ug/L  
Lab Sample ID: 88092765 AC

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: E6155  
Date Received: 09-28-88  
Date Extracted: 09-30-88  
Date Analyzed: 11-09-88  
Date Reported: 04-11-89  
Dilution Factor: 1  
% Moisture:

Project: Duluth ANGB

# TICs Found: 4

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.16	13 B	
-	Unknown	4.20	12	
-	Unknown	4.50	16	
-	Unknown	25.03	8	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1055
	Matrix: Water
Client: ES Oak Ridge	Conc Unit: ug/L
Attn: Bill Hayden	Lab Sample ID: 88092765 BN
Address: 710 S. Illinois Avenue	Lab File ID: S0469
Suite F-103	Date Received: 09-28-88
Oak Ridge, Tn. 37830	Date Extracted: 09-30-88
	Date Analyzed: 11-10-88
	Date Reported: 04-11-89
Project: Duluth ANGB	Dilution Factor: 1
	% Moisture:

# TICs Found: 14

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.27	39	
-	Unknown	3.35	120	
79-01-6	Trichloroethene	3.45	9	
-	Unknown	4.87	26	
127-18-4	Tetrachloroethene	5.10	12 B	
-	Unknown	5.43	18	
79-34-5	1,1,2,2-Trichloroethane	7.06	15	
-	Unknown	26.75	6	
-	Unknown	29.57	6	
-	Unknown	29.82	21	
-	Unknown	30.13	8	
-	Unknown	34.76	36	
-	Unknown	39.63	35	
-	Unknown	40.17	13	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1055  
Matrix: Water  
Conc Unit: ug/L  
Lab Sample ID: 88092766 AC

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: S0450  
Date Received: 09-28-88  
Date Extracted: 09-30-88  
Date Analyzed: 11-09-88  
Date Reported: 04-11-89  
Dilution Factor: 1  
% Moisture:

Project: Duluth ANGB

# TICs Found: 5

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.90	68	
127-18-4	Tetrachloroethene	5.06	11 B	
-	Unknown	5.47	55	
79-34-5	1,1,2,2-Tetrachloroethane	7.07	40	
-	Unknown	26.66	6	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1055  
Matrix: Water  
Conc Unit: ug/L  
Lab Sample ID: 88092766 BN

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: S0451  
Date Received: 09-28-88  
Date Extracted: 09-30-88  
Date Analyzed: 11-09-88  
Date Reported: 04-11-89  
Dilution Factor: 1  
% Moisture:

Project: Duluth ANGB

# TICs Found: 21

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.25	31	
-	Unknown	3.30	75	
-	Unknown	4.22	8	
-	Unknown	5.07	390	
-	Unknown	5.25	11	
-	Unknown	5.62	230	
-	Unknown	6.01	11	
-	Unknown	7.00	11	
-	Unknown	7.14	79	
-	Unknown	7.29	69	
-	Unknown	7.54	11	
-	Chlorinated Unknown	8.10	11	
-	Chlorinated Unknown	8.38	14	
-	Unknown	8.45	17	
-	Unknown	9.95	13	
-	Unknown	10.01	38	
-	Chlorinated Unknown	12.29	5	
-	Unknown	25.04	11	
-	Unknown	26.46	15	
-	Unknown	29.82	8	
-	Unknown	34.75	18	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1055  
Matrix: Water  
Conc Unit: ug/L  
Lab Sample ID: 88092766 BN  
Re-analysis

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: S0613  
Date Received: 09-28-88  
Date Extracted: 09-30-88  
Date Analyzed: 11-30-88  
Date Reported: 04-11-89

Project: Duluth ANGB

Dilution Factor: 1  
% Moisture:

# TICs Found: 22

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.26	110	
-	Unknown	3.94	27	
-	Unknown	4.01	15	
-	Unknown	4.16	64	
-	Unknown	4.22	13	
-	Unknown	4.27	12	
-	Unknown	4.62	210	
-	Unknown	4.66	33	
-	Unknown	4.87	88	
-	Unknown	4.98	23	
127-18-4	Tetrachloroethene	5.02	16	B
-	Unknown	5.09	15	
-	Unknown	5.21	15	
-	Unknown	5.41	51	
-	Unknown	5.45	53	
-	Unknown	6.01	150	
-	Unknown	6.57	15	
79-34-5	1,1,2,2-Tetrachloroethane	7.01	36	
-	Unknown	7.43	14	
-	Unknown	8.81	25	
-	Unknown	24.94	13	
-	Unknown	26.38	14	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1055
	Matrix: Water
	Conc Unit: ug/L
Client: ES Oak Ridge	Lab Sample ID: 88092742-47 Blank
Attn: Bill Hayden	88092772-77 AC
Address: 710 S. Illinois Avenue	Lab File ID: E6180
Suite F-103	Date Received: NA
Oak Ridge, Tn. 37830	Date Extracted: 10-03-88
	Date Analyzed: 11-10-88
	Date Reported: 04-11-89
Project: Duluth ANGB	Dilution Factor: NA
	% Moisture:

# TICs Found: 2

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.14	19	
-	Unknown	28.68	17	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1055
	Matrix: Water
	Conc Unit: ug/L
Client: ES Oak Ridge	Lab Sample ID: 88092742-47 Blank
Attn: Bill Hayden	88092772-77 BN
Address: 710 S. Illinois Avenue	Lab File ID: E6183
Suite F-103	Date Received: NA
Oak Ridge, Tn. 37830	Date Extracted: 10-03-88
	Date Analyzed: 11-11-88
	Date Reported: 04-11-89
Project: Duluth ANGB	Dilution Factor: NA
	% Moisture:

# TICs Found: 3

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.99	20	
127-18-4	Tetrachloroethene	4.16	21	
-	Unknown	4.49	12	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1055

Matrix: Water

Conc Unit: ug/L

Client: ES Oak Ridge

Lab Sample ID: 88092772 BN

Attn: Bill Hayden

Re-analysis

Address: 710 S. Illinois Avenue

Lab File ID: E6320

Suite F-103

Date Received: 09-28-88

Oak Ridge, Tn. 37830

Date Extracted: 10-03-88

Date Analyzed: 11-23-88

Date Reported: 04-11-89

Project: Duluth ANGB

Dilution Factor: 1

% Moisture:

# TICs Found: 8

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.73	4	
-	Unknown	3.94	66	
127-18-4	Tetrachloroethene	4.08	25 B	
-	Unknown	4.46	55	
79-34-5	1,1,2,2-Tetrachloroethane	5.88	9	
-	Unknown	28.64	120	
-	Unknown	31.20	4	
-	Unknown	34.01	4	

418.1 INITIAL & CONTINUING CALIBRATION DATA

Job No.: OR001 Calibration Date: 10-21-88  
 Instrument I.D.: Bausch & Lomb Spectronic 270 IR  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830  
 Unit: mg/L  
 Date Reported: 11-09-88  
 R= 0.9986

Project: Duluth ANGB Laboratory Supervisor Approval: *MW Burton*

Laboratory Sample No(s).:  
 88092765-88092766, 88092768-88092770  
 88092772, 88092777, 88092806

Standard	Concentration	Absorbance	/Continuous RF /Calibration /Verification
No. 1	0.59	0.079	
No. 2	1.2	0.146	RF = 8.15
No. 3	1.8	0.218	
No. 4	2.4	0.301	
Cont. Cal. No. 2	1.3	0.148	CCV = 108%





QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0062-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Prepared: 10-11-88  
 Date Analyzed: 10-20-88  
 Date Reported: 10-28-88  
 Dilution Factor: 4

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

*[Signature]*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092677	418.1	1.1	<1B	10	6.2	62	8.1	81	27	*

192

\* See Case Narrative attached.

B See Legend attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate

SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TPH-W-0062-88B  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: N/A  
 Date Prepared: 10-10-88  
 Date Analyzed: 10-11-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Lab No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, In. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

*William Benton*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1	<1	10	11	110	11	110	0	*

193

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{MS - MSD}{(MS + MSD)/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{SSR - SR}{SA} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTFP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 11/09/88 11:32

Lab ID >D1109:15C

Data Release Authorized By:

*Lama Kuek*

m/z	ID# ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.3 - 60.0% of mass 198	54.75 OK
69	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	mass 69 relative abundance	75.11
76	less than 2.0% of mass 69	1.37 OK (1.765) #1
127	40.0 - 60.0% of mass 198	43.86 OK
197	less than 1.0% of mass 198	0.60 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.62 OK
277	10.0 - 30.0% of mass 198	17.33 OK
365	greater than 1.00% of mass 198	1.27 OK
441	present, but less than mass 443	9.65 OK
442	greater than 40.0% of mass 198	69.59 OK
443	17.6 - 23.0% of mass 442	12.95 OK (18.58) #2

*5 point  
10/12/88*

*all IS of*

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.


SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
50 ng DFTFP	>D1109	11/09/88	11:32
60mg/6std	E6152		11:50
88092685 AC	E6153		12:44
BN	E6154		13:39
88092665 AC	E6155		14:59
BN	E6156		15:54
88092762 AC	E6157		16:49
BN	E6158		17:45
88092770 AC	E6159		18:40
BN	E6160		19:35
88092601 Inl	E6161		20:30
" MS	E6162		21:25
" MSD	E6163		22:26
88092602 Inl	E6164		23:15

*another project*

*SS out, reext  
- good - use  
- actually AC 4*

*use  
use*

*SS out, reext*



File: 01105 Scan #: 22 Ret. time: 4.30

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.00	3.350	91.95	.925	140.00	.442	191.05	.471	246.85	.206
42.10	.667	92.95	5.540	141.00	2.320	192.05	.869	252.95	.231
43.10	4.715	94.05	.590	142.10	.825	193.05	1.179	254.95	36.850
44.00	9.395	95.05	1.430	142.60	.455	193.85	.206	255.95	5.496
45.05	.589	96.05	1.400	144.00	.221	194.05	3.227	256.85	.339
49.00	.614	97.05	1.950	145.00	.265	197.90	160.000	257.15	.354
50.00	13.762	98.05	3.970	147.00	1.425	198.90	6.616	257.95	1.798
51.00	54.753	99.05	3.418	148.00	1.812	200.10	.309	258.85	.354
52.00	2.853	100.95	1.930	149.00	.977	201.50	.530	264.95	.855
53.00	.600	103.05	.943	151.00	.457	203.10	.393	272.85	1.341
54.10	.513	104.95	1.532	152.10	.575	204.00	2.446	274.05	3.094
55.10	5.216	105.75	.280	153.00	.751	204.90	4.361	274.95	17.327
56.00	3.006	107.05	13.467	153.95	.619	206.00	17.180	276.05	2.446
57.10	7.615	108.05	2.078	155.05	1.031	207.00	2.947	276.95	1.046
58.00	.575	109.05	1.120	155.95	1.577	207.90	.840	277.95	.206
58.50	.356	109.90	31.663	157.05	.570	209.90	.162	283.95	.295
60.00	.941	110.90	4.759	157.95	.575	210.40	.413	283.15	.236
61.00	1.072	111.90	.495	158.95	.545	211.00	.678	284.15	.177
62.10	.717	114.00	.736	159.95	.678	211.80	.162	285.00	.324
63.00	2.155	114.50	.324	161.05	1.002	216.90	4.700	292.80	.250
65.00	1.149	116.00	.678	161.85	.236	218.00	.589	296.00	3.978
67.05	1.591	116.90	7.020	164.95	.840	218.90	.192	297.00	.566



68.05	75.114	117.00	.781	155.95	.767	221.00	5.186	305.00	.516
70.05	1.321	115.00	.471	166.55	3.956	222.90	.869	314.00	.221
71.05	1.315	125.00	.152	167.50	1.473	224.00	5.975	325.10	.845
73.05	1.256	121.00	.563	168.95	.324	225.00	2.549	334.95	.585
74.05	5.553	122.00	.269	170.95	.280	226.00	.265	334.95	.250
74.55	8.244	122.50	1.724	171.85	.368	227.00	3.610	351.05	.398
74.95	1.450	124.00	.781	173.05	.457	228.00	.604	354.05	.501
75.05	4.757	125.00	1.002	173.95	.855	229.00	.869	364.95	1.262
78.05	3.445	127.00	43.863	175.05	1.209	231.00	.457	372.00	.645
78.55	4.405	128.00	3.669	175.95	.604	234.90	.295	387.00	.221
79.95	2.559	129.00	12.771	176.95	.610	236.10	.221	401.90	.309
81.05	5.010	129.95	1.642	178.95	3.065	237.10	.383	420.95	.516
81.05	1.627	131.00	.634	179.95	2.092	240.85	.309	421.95	.413
82.05	2.844	133.00	.427	180.95	1.105	241.95	.545	423.05	3.178
83.95	1.149	134.00	.604	133.05	.162	245.05	.471	424.05	.619
85.05	1.915	135.00	1.901	165.95	1.209	243.95	8.060	441.05	9.651
85.95	.693	136.00	.619	185.95	9.887	245.05	1.105	442.05	69.692
86.95	.722	137.10	.928	187.05	2.858	245.95	1.135	443.05	12.951
87.95	.385	138.10	.321	188.05	.722	246.25	.192	444.05	1.164
90.05	1.356	139.00	.182						

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/03/66  
 Contractor: \_\_\_\_\_ Time: 11:50  
 Contract No: \_\_\_\_\_ Laboratory ID: XE6152  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/66

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	1.24043	.92526	25.41		
2-Fluorophenol	1.41912	1.23959	12.65		
bis(2-Chloroethyl) Ether	1.41737	1.24523	12.14		
Phenol	1.78209	1.62342	8.90	*	
Phenol-d5	1.35470	1.47515	6.69		
Aniline	.74553	.49930	32.96		
2-Chlorophenol	1.32069	1.33762	1.27		
1,3-Dichlorobenzene	1.51101	1.46533	1.70		
1,4-Dichlorobenzene	1.51574	1.43829	1.15	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.56944	.85395	49.96		
1,2-Dichlorobenzene	1.45179	1.53620	5.81		
2-Methylphenol	1.42392	1.34726	5.36		
3- & 4-Methylphenol	1.59422	1.45965	7.86		
bis(2-chloroisopropyl) Ether	2.35722	2.35625	.04		
N-Nitroso-Bi-n-Propylamine	1.13410	1.23576	14.27	**	
Hexachloroethane	.76056	.74201	6.03		
Dibromochloropropane	-	-	-		
Nitrobenzene	.56683	.54310	4.19		
Nitrobenzene-d5	.49938	.51361	2.86		
2-Nitrophenol	.22040	.24907	13.02	*	
Isophorone	.87207	.69464	2.59		
bis(2-Chloroethoxy)methane	.58240	.63407	8.87		
2,4-Dimethylphenol	.40662	.41961	2.69		
Benzoic Acid	.29595	.29961	1.24		
2,4-Dichlorophenol	.53135	.52311	1.55	*	
1,2,4-Trichlorobenzene	.31739	.33676	6.11		
Naphthalene	.98196	1.02428	4.31		
4-Chloroaniline	.33116	.33075	.12		
Hexachlorobutadiene	.16652	.16741	.48	*	
4-Chloro-3-Methylphenol	.28631	.32719	14.28	*	
2-Methylnaphthalene	.54466	.56614	3.91		

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/09/68  
 Contractor: \_\_\_\_\_ Time: 11:50  
 Contract No: \_\_\_\_\_ Laboratory ID: XE6152  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/15/68

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC SPCC
Hexachlorocyclopentadiene	.33285	.33525	.71	**
2,4,6-Trichlorophenol	.32295	.37133	14.96	*
2,4,5-Trichlorophenol	.49539	.50162	1.30	
2-Fluorobiphenyl	1.26699	1.20680	4.75	
2-Chloronaphthalene	1.24653	1.16370	6.64	
2-Nitroaniline	.63125	.66422	4.29	
Dimethylphthalate	1.33033	1.33500	4.71	
2,6-Dinitrotoluene	.31816	.36631	15.76	
Acenaphthylene	1.65620	1.56422	4.46	
3-Nitroaniline	.63702	.57762	9.32	
2,4-Dinitrophenol	.05753	.06607	13.33	**
Acenaphthene	1.12644	1.08007	4.12	*
Dibenzofuran	1.50204	1.53049	1.89	
2,4-Dinitrotoluene	.32059	.36943	15.09	
4-Nitrophenol	.18425	.20147	9.35	**
Fluorene	1.05332	1.12300	2.71	
Diethylphthalate	1.32354	1.35267	2.20	
4-Chlorophenyl-phenylether	.48214	.47069	2.37	
4-Nitroaniline	.27495	.30776	11.94	
2,4,6-Tribromophenol	.14218	.20631	46.52	
1,2-Diphenylhydrazine	-	-	-	
Alpha-BHC	-	-	-	
Eta-BHC	-	-	-	
Gamma-BHC	-	-	-	
Delta-BHC	-	-	-	
Heptachlor	-	-	-	
Aldrin	-	-	-	
N-Nitrosodiphenylamine	.44583	.45736	1.67	*
4,6-Dinitro-2-methylphenol	.08606	-	-	
4-Bromophenyl-phenylether	.22979	.25454	10.77	
Hexachlorobenzene	.26768	.31323	8.86	
Pentachlorophenol	.11350	.13924	22.25	*

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/03/66  
 Contractor: \_\_\_\_\_ Time: 11:50  
 Contract No: \_\_\_\_\_ Laboratory ID: XE6152  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/66

Minimum  $\bar{Rf}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{Rf}$	Rf	%Diff	CCC	SPCC
Phenanthrene	1.07960	.99650	7.51		
Anthracene	1.13351	1.13043	.26		
Di-n-butylphthalate	1.71746	1.93331	12.57		
4,4'-Dibromobiphenyl	-	-	-		
Fluoranthene	1.17568	1.13368	3.56	*	
Heptachlor Epoxide	-	-	-		
Endosulfan I	-	-	-		
4,4'-DDE	-	-	-		
Dieldrin	-	-	-		
Endrin	-	-	-		
4,4'-DDD	-	-	-		
Endosulfan II	-	-	-		
Endrin alcoholide	-	-	-		
4,4'-DDT	-	-	-		
Endosulfan Sulfate	-	-	-		
Di-butylchlorodate	-	-	-		
Benzidine	.05775	.10503	172.96		
Pyrene	1.65647	1.62563	1.86		
Terphenyl-d14	1.09647	1.16297	7.89		
Butylbenzylphthalate	1.15097	1.32276	14.93		
5,5'-Dichlorobenzidine	.12950	.24054	65.17		
Chrysene	1.01423	1.03242	1.79		
Benzo(a)Anthracene	1.09006	1.20197	10.27		
bis(2-Ethylhexyl)Phthalate	1.34247	1.67855	25.03		
Di-n-octylphthalate	3.72331	3.30508	11.23	*	
Benzo(a)Pyrene	1.27071	1.25535	1.21	*	
Benzo(b)Fluoranthene	1.48902	1.72796	16.05		
Indeno(1,2,3-cd)Pyrene	.82543	1.25637	52.21		
Dibenzo(a,h)Anthracene	.78366	1.00451	27.21		
Benzo(k)Fluoranthene	1.51960	.92062	39.39		
Benzo(g,h,i)Perylene	.74560	.93537	33.53		

Rf - Response Factor from daily standard file at 60.00 ng/L

$\bar{Rf}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

8B  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 EPA Sample No. (Standard): \_\_\_\_\_ Date Analyzed: \_\_\_\_\_  
 Lab File ID (Standard): \_\_\_\_\_ Time Analyzed: \_\_\_\_\_  
 Instrument ID: \_\_\_\_\_

	IS1 (DCB) AREA #	RT	IS2 (NPT) AREA #	RT	IS3 (ANT) AREA #	RT
12 HOUR STD	109017	7.97	378492	11.50	203479	16.88
UPPER LIMIT	218034		756984		406958	
LOWER LIMIT	54508		189246		101739	
EPA SAMPLE NO.						
01 88092685AC	112127	7.95	394951	11.44	204956	16.83
02 BN	117554	7.93	457733	11.44	239914	16.88
03 88092765AC	116035	7.96	412237	11.45	207109	16.85
04 (checked) BN	110330	7.97	389667	11.44	199494	16.86
05 88092762AC	116248	7.96	408374	11.45	217893	16.85
06 BN	117745	7.95	413133	11.44	205366	16.85
07 88092770AC	111901	7.95	379748	11.44	190155	16.84
08 BN	112428	7.96	395475	11.45	195320	16.85
09 88092601 ml	83539	7.96	300928	11.44	155756	16.84
10 " MS	79962	7.97	294036	11.44	147279	16.84
11 " MSD	83420	7.97	304020	11.44	157939	16.84
12 88042602 ml	81496	7.94	294980	11.42	150634	16.82
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk

8C  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 EPA Sample No. (Standard): \_\_\_\_\_ Date Analyzed: \_\_\_\_\_  
 Lab File ID (Standard): \_\_\_\_\_ Time Analyzed: \_\_\_\_\_  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT
12 HOUR STD	278100	21.42	179911	29.84	153308	34.43
UPPER LIMIT	556250		359622		306616	
LOWER LIMIT	139650		89905		76654	
EPA SAMPLE NO.						
01 88092685AC	294041	21.42	226921	29.79	172734	34.69
02 BN	342693	21.47	265574	29.86	221123	34.78
03 88092765AC	291828	21.43	223496	29.80	153452	34.70
04 (actually AC) BN	286028	21.43	231143	29.80	144518	34.69
05 88092712 AC	307328	21.44	218171	29.80	155284	34.70
06 BN	289691	21.43	219851	29.79	146441	34.70
07 88092770 AC	265877	21.43	203632	29.80	148032	34.68
08 BN	274548	21.44	201784	29.82	145818	34.71
09 88092601 ml	223521	21.42	175285	29.79	138342	34.71
10 'MS	209608	21.45	160083	29.80	122125	34.69
11 'MSD	238783	21.45	172724	29.79	132293	34.70
12 88092602 ml	215542	21.41	146619	29.80	101954	34.68
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

file: LUNILAL  
24 Oct 88

2719; 2720, 2765 50.d Continuing Calibration Check  
2767; 2772; 2773; 2774; 2775; 2777 Run 79 10/3/88

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: \_\_\_\_\_ Calibration Date(s): 10/3/88

LAB FILE ID: 79, 80 Init. Calib. Date(s): 9/19/88 9/23/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	0.32	<del>0.36</del>	12
bis (2-chloroethoxy methane			
bis (2-chloroisopropyl ether			
Bromobenzene	1.4	1.1	21
Bromodichloromethane	3.7	3.4	8
Bromoform	1.7	1.6	6
Bromomethane	0.40	0.16	60
Carbon tetrachloride	4.2	3.8	10
Chloroacetaldehyde			
Chlorobenzene	1.4	1.2	14
Chloroethane	0.72	0.36	50
Chloroform	3.9	3.7	5
1-Chlorohexane	1.2	0.90	25
2-Chloroethyl vinyl ether			
Chloromethane	0.46	0.32	30
Chloromethyl methyl ether			
o, m, & p Chlorotoluenes	4.6	3.6	22
Dibromochloromethane	3.7	3.5	5
Dibromomethane	3.2	2.4	25
1,2 Dichlorobenzene	2.5	2.1	16
1,3 Dichlorobenzene	2.1	1.9	10
1,4 Dichlorobenzene	2.3	1.9	17
Dichlorodifluormethane			
1,1 Dichloroethane	2.4	2.0	17
1,2 Dichloroethane	2.6	2.2	15
1,1 Dichloroethylene	2.6	2.7	4
trans 1,2 dichloroethylene	2.4	2.1	12
Dichloromethane	4.1	4.5	10
1,2 Dichloropropane	2.5	2.0	20
1,3 Dichloropropylene	5.9	4.4	25
1,1,2,2 Tetrachloroethane	7.5	6.2	17
1,1,1,2 Tetrachloroethane	5.2	3.8	27
Tetrachloroethylene	7.5	6.2	17
1,1,1 Trichloroethane	3.0	2.7	10
1,1,2 Trichloroethane	5.9	4.4	25
Trichloroethylene	4.0	3.3	18
Trichlorofluormethane	2.3	2.0	13
Trichloropropane	2.1	1.4	33
Vinyl chloride	0.44	0.67	29

50. d Continuing Calibration Check

10/3/88

Q.79

file: 80200CNT  
3 Nov 88

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: CAR Calibration Date(s): 10/3/88

LAB FILE ID: 79 Init. Calib. Date(s): 9/19/88

COMPOUND	RRF	RRF50	%D
Benzene	4.9	4.1	16
Chlorobenzene	5.3	5.2	2
1,2-Dichlorobenzene	4.4	3.4	23
1,3-Dichlorobenzene	5.0	4.1	18
1,4-Dichlorobenzene	4.1	3.4	17
Ethyl Benzene	4.4	3.7	16
Toluene	3.9	3.8	2
Xylenes	13	11	15



## VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_

Instrument IDVOCAL \_\_\_\_\_ Calibration Date(s): 10/4/88

LAB FILE ID: 70,71 \_\_\_\_\_ Init. Calib. Date(s) 10/3/88, 9/14/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride _____	4.43	2.20	50.34
bis (2-chloroethoxy) methane _____	0.12		100.00
bis (2-chloroisopropyl ether _____	0.12		100.00
Bromobenzene _____	3.08	3.32	-7.80
Bromodichloromethane _____	4.35	3.75	13.84
Bromoform _____	3.33	2.68	19.40
Bromomethane _____	0.43	0.00	100.00
Carbon tetrachloride _____	4.95	4.30	13.04
Chloroacetaldehyde _____	0.07		100.00
Chlorobenzene _____	1.25	1.10	12.30
Chloroethane _____	0.73	0.00	100.00
Chloroform _____	4.23	3.47	17.88
1-Chlorohexane _____	0.82	0.86	-5.07
2-Chloroethyl vinyl ether _____	0.12		100.00
Chloromethane _____	1.84	0.00	100.00
Chloromethyl methyl ether _____	0.02		100.00
o, m, & p Chlorotoluenes _____	3.34	3.37	-0.80
Dibromochloromethane _____	4.18	3.68	11.87
Dibromomethane _____	3.06	2.90	5.24
1,2-Dichlorobenzene _____	1.88	1.62	14.09
1,3-Dichlorobenzene _____	1.73	1.45	16.23
1,4-Dichlorobenzene _____	1.70	1.49	12.14
Dichlorodifluormethane _____	0.54		100.00
1,1-Dichloroethane _____	3.10	2.35	24.23
1,2-Dichloroethane _____	3.20	2.94	8.15
1,1-Dichloroethylene _____	2.28	1.90	16.55
trans-1,2-dichloroethylene _____	5.15	2.75	46.55
Dichloromethane _____	4.72	6.48	-37.21
1,2-Dichloropropane _____	2.83	2.42	14.55
1,3-Dichloropropylene _____	0.47	0.48	-1.14
1,1,2,2-Tetrachloroethane _____	3.78	3.33	11.87
1,1,1,2-Tetrachloroethane _____	4.83	4.33	10.28
Tetrachloroethylene _____	4.70	4.09	13.02
1,1,1-Trichloroethane _____	2.88	2.50	13.21
1,1,2-Trichloroethane _____	4.42	4.74	-7.21
Trichloroethylene _____	3.80	3.29	13.47
Trichlorofluormethane _____	1.18	1.18	-0.22
Trichloropropane _____	3.08	3.32	-7.80
Vinyl chloride _____	1.84	0.00	100.00

VOLATILE CONTINUING CALIBRATION CHECK

LabName: ENGINEERING SCIENCE \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: VOCAL \_\_\_\_\_ Calibration Date(s): 10/4/89 \_\_\_\_\_

LAB FILE ID: RRF 50 \_70\_\_\_\_\_

*Initial calibration = 10/3/88*

COMPOUND	RRF	RRF50	%D
Benzene_____	5.35	3.90	-27.10
Chlorobenzene_____	7.37	6.30	-14.52
1,2_Dichlorobenzene_____	5.80	4.90	-15.52
1,3_Dichlorobenzene_____	6.50	5.70	-12.31
1,4_Dichlorobenzene_____	5.23	4.60	-12.05
Ethyl Benzene_____	4.71	4.30	-8.70
Toluene_____	5.56	4.90	-11.87
Xylenes_____	15.78	14.00	-11.28

This page intentionally left blank.

DATA PACKAGE #4

This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Work Order No.: 1064

Client: ES Oak Ridge  
Attention: Bill Havden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-28-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092806	DANGB-3-SL10-SW1	418.1	9-26-88	10-12-88	10-21-88	
88092806	DANGB-3-SL10-SW1	8080	9-26-88	10-03-88	10-25-88	
88092806	DANGB-3-SL10-SW1	8270	9-26-88	10-04-88	11-11-88	
88092807	DANGB-3-SL8-SW1	8010	9-26-88		9-30-88	10-04-88
88092807	DANGB-3-SL8-SW1	8020	9-26-88		9-30-88	

\* If applicable

ANALYSIS REPORT

WORK ORDER NUMBER: 1064  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY *[Signature]*  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-3-SL10- SW1 88092806
-----	-----
418.1 PETROLEUM HYDROCARBONS	<1

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1064  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY Bill Hayden  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8010

DANGB-3-SL8-  
SW1  
88092807

TEST COMPOUND	
BENZYL CHLORIDE	ND
BIS (2-CHLOROETHOXY) METHANE	ND
BIS (2-CHLOROISOPROPYL) ETHER	ND
BROMOBENZENE	ND
BROMODICHLOROMETHANE	ND
BROMOFORM	ND
BROMOETHANE	ND
CARBON TETRACHLORIDE	ND
CHLORACETALDEHYDE	ND
CHLORAL	ND
CHLOROENZENE	ND
CHLOROETHANE	ND
CHLOROFORM	ND
1-CHLOROHEXANE	ND
2-CHLOROETHYL VINYL ETHER	ND
CHLOROMETHANE	ND
CHLOROMETHYL METHYL ETHER	ND
CHLOROTOLUENE	ND
DIBROMOCHLOROMETHANE	ND
DIBROMOMETHANE	ND
1,2-DICHLOROENZENE	ND
1,3-DICHLOROENZENE	ND
1,4-DICHLOROENZENE	ND
DICHLORODIFLUOROMETHANE	ND
1,1-DICHLOROETHANE	ND
1,2-DICHLOROETHANE	ND
1,1-DICHLOROETHYLENE	ND
TRANS-1,2-DICHLOROETHYLENE	ND
DICHLOROMETHANE	0.26B
1,2-DICHLOROPROPANE	ND

ND - Not Detected



ANALYSIS REPORT FOR WORK ORDER NUMBER 1064

DANGB-3-SL8-  
SWI  
88092807

TEST COMPOUND

1,3-DICHLOROPROPYLENE	ND
1,1,2,2-TETRACHLOROETHANE	ND
1,1,1,2-TETRACHLOROETHANE	ND
TETRACHLOROETHYLENE	ND
1,1,1-TRICHLOROETHANE	ND
1,1,2-TRICHLOROETHANE	ND
TRICHLOROETHYLENE	10
TRICHLOROFLUOROMETHANE	ND
TRICHLOROPROPANE	ND
VINYL CHLORIDE	ND

ND - Not Detected

11/29/88

## ANALYSIS REPORT

WORK ORDER NUMBER: 1064  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY [Signature]  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND DANGB-3-SL8-  
SW1  
88092807

BENZENE	ND
CHLOROBENZENE	ND
1,2-DICHLOROBENZENE	ND
1,3-DICHLOROBENZENE	ND
1,4-DICHLOROBENZENE	ND
ETHYL BENZENE	ND
TOLUENE	ND
XYLENES	ND

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1064  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/28/88

APPROVED BY Bill Hayden  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8080

TEST COMPOUND  
-----  
DANGB-3-SL10-  
SW1  
88092806

ALDRIN	ND
ALPHA-BHC	ND
BETA-BHC	ND
DELTA-BHC	ND
GAMMA-BHC	ND
CHLORDANE	ND
4,4'-DDD	ND
4,4'-DDE	ND
4,4'-DDT	ND
DIELDRIN	ND
ENDOSULFAN I	ND
ENDOSULFAN II	ND
ENDOSULFAN SULFATE	ND
ENDRIN	ND
ENDRIN ALDEHYDE	NA
HEPTACHLOR	ND
HEPTACHLOR EPOXIDE	ND
KEPONE	ND
METHOXYCHLOR	ND
TOXAPHENE	ND
PCB-1016	ND
PCB-1221	ND
PCB-1232	ND
PCB-1242	ND
PCB-1248	ND
PCB-1254	ND
PCB-1260	ND

ND - Not Detected

ENGINEERING SCIENCE  
Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water

page 1 of 5

Date Received: September 26, 1988  
Date Reported: December 9, 1988

Work Order: 1064  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092806  
Sample No.: DANGB-3-SL10-SW1  
Date Sampled: 9-26-88  
Time Sampled: 14:00  
Date Extracted: 10-04-88  
Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
1,3-Dichlorobenzene	10	ND
1,4-Dichlorobenzene	10	ND
Hexachloroethane	10	ND
Bis(2-chloroethyl)ether	10	ND
1,2-Dichlorobenzene	10	ND
N-Nitrosodimethylamine	10	ND
Bis(2-chloroisopropyl)ether	10	ND
N-Nitrosodi-n-propylamine	10	ND
Hexachlorobutadiene	10	ND
1,2,4-Trichlorobenzene	10	ND
Nitrobenzene	10	ND
Isophorone	10	ND
Naphthalene	10	ND
Bis(2-chloroethoxy)methane	10	ND
2-Chloronaphthalene	10	ND
Hexachlorocyclopentadiene	10	ND
Acenaphthylene	10	ND
Acenaphthene	10	ND
Dimethyl phthalate	10	ND
2,6-Dinitrotoluene	10	ND
Fluorene	10	ND
2,4-Dinitrotoluene	10	ND
Diethyl phthalate	10	ND
N-Nitrosodiphenylamine	10	ND
Hexachlorobenzene	10	ND

Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water  
(continued)

page 2 of 5

Date Received: September 26, 1988  
Date Reported: December 9, 1988

Work Order: 1064  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092806  
Sample No.: DANGB-3-SL10-SW1  
Date Sampled: 9-26-88  
Time Sampled: 14:00  
Date Extracted: 10-04-88  
Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
Phenanthrene	10	ND
Anthracene	10	ND
Dibutyl phthalate	10	ND
Fluoranthene	10	ND
4-Chlorophenyl phenyl ether	10	ND
Pyrene	10	ND
Butyl Benzyl phthalate	10	ND
Bis(2-ethylhexyl) phthalate	10	ND
Chrysene	10	ND
4-Bromophenyl phenyl ether	10	ND
Benzo(a)anthracene	10	ND
Di-n-octylphthalate	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(k)fluoranthene	10	ND
Benzidine	60	ND
3,3'-Dichlorobenzidine	20	ND
Benzo(a)pyrene	10	ND
Indeno(1,2,3-cd)pyrene	10	ND
Dibenzo(a,h)anthracene	10	ND
Benzo(ghi)perylene	10	ND
Benzyl Alcohol	20	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 26, 1988  
 Date Reported: December 9, 1988

Work Order: 1064  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:  
 Sample No.:

88092306  
 DANGB-3-SL10-  
 SW1

Date Sampled:  
 Time Sampled:  
 Date Extracted:  
 Date Analyzed:

9-26-88  
 14:00  
 10-04-88  
 11-11-88

Compound	Detection Limits ug/L	Analytical Results (dry weight) ug/L
Acetophenone	--*	ND
Aniline	--*	ND
4-Aminobiphenyl	--*	ND
4-Chloroaniline	20	ND
1-Chloronaphthalene	--*	ND
Dibenzofuran	10	ND
p-Dimethylaminoazobenzene	--*	ND
7,12-Dimethylbenz(a)anthracene	--*	ND
a-,a-Dimethylphenethylamine	--*	ND
Diphenylamine	--*	ND
1,2-Diphenylhydrazine	--*	ND
Ethyl methanesulfonate	--*	ND
3-Methylcholanthrene	--*	ND
Methyl methanesulfonate	--*	ND
2-Methylnaphthalene	10	ND
1-Naphthylamine	--*	ND
2-Naphthylamine	--*	ND
2-Nitroaniline	50	ND
3-Nitroaniline	50	ND
4-Nitroaniline	50	ND
N-Nitroso-di-n-butylamine	--*	ND
N-Nitrosopiperidine	--*	ND
Pentachlorobenzene	--*	ND
Pentachloronitrobenzene	--*	ND
Phenacetin	--*	ND
2-Picoline	--*	ND
Pronamide	--*	ND
1,2,4,5-Tetrachlorobenzene	--*	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 26, 1988  
Date Reported: December 9, 1988

Work Order: 1064  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number: 88092806  
Sample No.: DANGB-3-SL10-  
SW1  
Date Sampled: 9-26-88  
Time Sampled: 14:00  
Date Extracted: 10-04-88  
Date Analyzed: 11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
Alpha-BHC	--*	ND
Gamma-BHC	--*	ND
Beta-BHC	20	ND
Heptachlor	10	ND
Delta-BHC	15	ND
Aldrin	10	ND
Heptachlor epoxide	10	ND
Endosulfan I	--*	ND
Dieldrin	15	ND
4,4'-DDE	30	ND
Endrin	--*	ND
Endosulfan II	--*	ND
4,4'-DDD	15	ND
4,4'-DDT	25	ND
Endosulfan Sulfate	30	ND
Endrin aldehyde	--*	ND
Endrin Ketone	--*	ND
Chlordane	60	ND
Methoxychlor	--*	ND
Toxaphene	60	ND
Aroclor-1016	60	ND
Aroclor-1221	60	ND
Aroclor-1232	60	ND
Aroclor-1242	60	ND
Aroclor-1248	60	ND
Aroclor-1254	60	ND
Aroclor-1260	60	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Acid Extractables -- SW 8270  
Matrix: Water

page 5 of 5

Date Received: September 26, 1988

Work Order: 1064

Date Reported: December 9, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:

88092806

Sample No.:

DANGB-3-SL10-  
SW1

Date Sampled:

9-26-88

Time Sampled:

14:00


Date Extracted:


10-04-88

Date Analyzed:

11-11-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
2-Chlorophenol	10	ND
2-Nitrophenol	10	ND
Phenol	10	ND
2,4-Dimethylphenol	10	ND
2,4-Dichlorophenol	10	ND
2,4,6-Trichlorophenol	10	ND
4-Chloro-3-methylphenol	20	ND
2,4-Dinitrophenol	50	ND
2,6-Dichlorophenol	--*	ND
2-Methyl-4,6-Dinitrophenol	50	ND
Pentachlorophenol	50	ND
4-Nitrophenol	50	ND
Benzoic Acid	50	ND
2-Methylphenol	10	ND
3- & 4-Methylphenol	10	ND
2,3,4,6-Tetrachlorophenol	--*	ND
2,4,5-Trichlorophenol	10	ND

  
Analyst

  
Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



# CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710	
	SAMPLE(S): (Signature) <i>Joanna Williams</i>	SAMPLE DESCRIPTION		WATER ANALYSES REQUIRED	REMARKS
9/26/88 14:00	DA06B-3-SL10-SW1	2	EPA 808, 8020		
9/26/88 14:00	DA06B-3-SL10-SW1	2	EPA 825	X	
9/26/88 14:00	DA06B-3-SL10-SW1	2	EPA 410.1	X	
9/26/88 15:30	DA06B-3-SL8-SW1	5	SW 7421, 7470		
			SW 8010, 7000, 7101		
			SW 9200, 9375		
			SM 420		
<b>220</b>					
Relinquished by: (Signature) <i>Joanna Williams</i>		Date/Time 9/26 6:30p	Received by: (Signature) <i>Air Cargo</i>	Date/Time	Relinquished by: (Signature)
Relinquished by: (Signature)		Date/Time	Received for Laboratory by: (Signature)	Date/Time	Relinquished by: (Signature)

Distribution: Original Accompanies Shipment, Copy to Coordinator Field Files

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO(S):: TPH-W-0062-88

Relative percent difference for the quality control sample exceed the ES Laboratory limit. A blank spike analysis shows the laboratory to be in control.

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TPH-W-0062-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Prepared: 10-11-88  
 Date Analyzed: 10-20-88  
 Date Reported: 10-28-88  
 Dilution Factor: 4

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinc's Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  
*[Signature]*

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092677	418.1	1.1	<1B	10	6.2	62	8.1	81	27	*

222

\* See Case Narrative attached.  
 B See Legend attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 HA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0062-88B  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 10-10-88  
 Date Prepared: 10-11-88  
 Date Analyzed: 10-28-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  
*Bill Hayden*

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

Laboratory Sample No.	Anal. Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1	<1	10	11	110	11	110	0	*

223

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{MS - MSD}{(MS + MSD)/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{SSR - SR}{SA} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO(S): VGC-W-0056-88

Percent recoveries for trichloroethene and benzene are below the ES Laboratory limit. Relative percent differences exceed the limit for 1,1-dichloroethene. A method blank spike analysis shows the laboratory to be in control.

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: ORO01  
Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0056-88  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: 9-28-88  
Date Prepared: NA  
Date Analyzed: 10-10-88  
Date Reported: 10-28-88  
Dilution Factor: NA

Project: Duluth ANGB  
Laboratory Supervisor Approval:  
*R. N. B. [Signature]*

QC Report for Laboratory Sample No(s):  
88092807

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits Recovery
88092807	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	9.78	98	6.86	69	35*	26	70-130
	Trichloroethene	10	9.0	13.5	*45	12.8	*35	5	19	65-131
	Chlorobenzene	10	ND	10.5	105	10.2	102	3	40	59-137
88092807	Aromatics: 8020									
	Benzene	10	ND	3.0	*30	2.83	*28	6	20	56-146
	Toluene	10	ND	8.03	80	5.69	57	34	41	42-150
	Chlorobenzene	10	ND	11.0	110	10.7	107	3	36	76-133

\* See Case Narrative attached.

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)

NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0056-88B  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: NA  
Date Prepared: NA  
Date Analyzed: 10-10-88  
Date Reported: 10-28-88  
Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
88092807

Laboratory Supervisor Approval:

*[Signature]*

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
Blank	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	10.1	101	10.3	103	2	26	70-130
	Trichloroethene	10	ND	10.5	105	9.81	98	7	19	65-131
	Chlorobenzene	10	ND	10.0	100	9.37	94	7	40	59-137
Blank	Aromatics: 8020									
	Benzene	10	ND	10.3	103	9.72	97	6	20	56-146
	Toluene	10	ND	10.1	101	10.1	101	0	41	42-150
	Chlorobenzene	10	ND	10.2	102	9.70	97	5	36	76-133

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)  
NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-28-88

Laboratory Supervisor Approval:

Project: Duluth ANGB

*[Signature]*

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
23	9-30-88	VGC	Vocol	75-09-2	Dichloromethane	39	0.25	88092807

227



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0039-88  
QC REPORT NO.: OCP-W-0039-88B

Analysis of matrix spikes resulted in recoveries for aldrin that were slightly above EPA recommended limits. Subsequent analysis of spiked blanks resulted in poor precision for all spiked compounds, although the recoveries were within limits for all but endrin in one of the two spiked blanks. The analytical data associated with these analyses were closely examined. No errors or problems were found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0039-88  
 QC Sample No.: 88092694  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777  
 88092806, 88092721

*RWB*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.196	98	56-123
Heptachlor epoxide	200	ND	0.239	120	40-131
Aldrin	200	ND	0.253	127*	40-120
Dieldrin	500	ND	0.532	106	52-126
Endrin	500	ND	0.475	95	56-121
4,4'-DDT	500	ND	0.435	87	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.217	109	98	10	15	56-123
Heptachlor epoxide	0.256	128	120	7	20	40-131
Aldrin	0.251	126*	127*	1	22	40-120
Dieldrin	0.606	121	106	13	18	52-126
Endrin	0.543	109	95	13	21	56-121
4,4'-DDT	0.518	104	87	17	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 0 out of 6 outside limits

**PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER**

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-003<sup>c</sup>-88B  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s).:  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777, 88092806

*R.W. Burton*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.169	85	56-123
Heptachlor epoxide	200	ND	0.184	92	40-131
Aldrin	200	ND	0.155	78	40-120
Dieldrin	500	ND	0.419	84	52-126
Endrin	500	ND	0.193	39*	56-121
4,4'-DDT	500	ND	0.385	77	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.236	118	85	33*	15	56-123
Heptachlor epoxide	0.263	132	92	35*	20	40-131
Aldrin	0.231	116	78	39*	22	40-120
Dieldrin	0.608	122	84	37*	18	52-126
Endrin	0.522	104	39*	92*	21	56-121
4,4'-DDT	0.567	113	77	38*	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 6 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: BNA-W-0072-88.  
QC REPORT NO.: BNA-W-0072-88B  
WORK ORDER NO(S): 1072/1069  
EPA METHOD 625

Results of analysis of matrix spikes showed one recovery of 2,4-dinitrotoluene of 100%, which is higher than EPA QC limits. Spiked blanks were analyzed after the extract holding time had expired. The results showed one recovery of trichlorobenzene and one of acenaphthene that were slightly below EPA QC limits. RPD's for all of the base neutral spikes were higher than EPA QC limits.

The data associated with these analyses was carefully inspected. No errors or problems were found. Since the only target compound found was a small amount of phthalate (also found in the blank), the lack of precision in the spike analyses should not affect the data quality objectives of this project.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: 0R001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0072-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 09-28-88  
 Date Prepared: 10-04-88  
 Date Analyzed: 11-11-88  
 Date Reported: 03-07-89  
 Dilution Factor: NA

Project: Duluth ANGB

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
88092806

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092806	1,2,4-Trichlorobenzene	100	ND	69.8	70	72.5	72	4	28 39-98
	Acenaphthene	100	ND	78.8	79	77.9	78	1	31 46-118
	2,4-Dinitrotoluene	100	ND	99.8	100*	95.6	96	4	38 24-96
	Pyrene	100	ND	74.7	75	77.4	77	4	31 26-127
	Nitroso-di-n-Propylamine	100	ND	105	105	104	104	1	38 41-116
ACID Laboratory Sample # 88092806	1,4-Dichlorobenzene	100	ND	78.4	78	80.1	80	2	28 36-97
	Pentachlorophenol	200	ND	116	58	136	68	16	50 9-103
	Phenol	200	ND	112	56	121	60	8	42 12-89
	2-Chlorophenol	200	ND	122	61	131	65	7	40 27-123
	4-Chloro-3-Methylphenol	200	ND	155	78	149	74	4	42 23-97
4-Nitrophenol	200	ND	142	71	124	62	14	50 10-80	

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830  
 Project: Duluth ANGB

QC Report No: BNA-W-0072-88B  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 10-04-88  
 Date Prepared: 12-15-88  
 Date Analyzed: 03-07-89  
 Date Reported: NA  
 Dilution Factor: NA

QC Report for Laboratory Sample No(s): 88092806  
 Laboratory Supervisor Approval: 

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # BLANK	1,2,4-Trichlorobenzene	100	ND	35.8	36*	66.8	67	60*	28 39-98
	Acenaphthene	100	ND	36.7	37*	74.2	74	68*	31 46-118
	2,4-Dinitrotoluene	100	ND	33.0	33	85.3	85	88*	38 24-96
	Pyrene	100	ND	47.6	48	93.6	94	65*	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	49.0	49	94.5	94	65*	38 41-116
	1,4-Dichlorobenzene	100	ND	37.8	38	70.0	70	60*	28 36-97
ACID Laboratory Sample # BLANK	Pentachlorophenol	200	ND	140	70	162	81	15	50 9-103
	Phenol	200	ND	98.8	49	118	59	18	42 12-89
	2-Chlorophenol	200	ND	148	74	162	81	9	40 27-123
	4-Chloro-3-Methylphenol	200	ND	144	72	156	78	8	42 23-97
	4-Nitrophenol	200	ND	86.5	43	110	55	24	50 10-80

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, In. 37830  
 Project: Duluth ANGB

Work Order No.: 1064  
 Sample Matrix: WATER  
 Conc. Unit: ug/L  
 Date Reported: 03-09-89  
 Laboratory Supervisor Approval:  


File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
S0475	11-11-88	AC	1	-	None Detected	-	-	88092806
S0476	11-11-88	BN	1 1	117-81-7	Bis(2-Ethylhexyl)phthalate	16	10	88092806

235

S0931 = REX BLANK



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1064
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092806 AC
Address:	710 S. Illinois Avenue	Lab File ID:	S0477
	Suite F-103	Date Received:	09-26-88
	Oak Ridge, Tn. 37830	Date Extracted:	10-04-88
		Date Analyzed:	11-11-88
		Date Reported:	03-28-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	NA
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	8		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
79-01-6	Trichloroethene	3.45	16	
108-88-3	Toluene	4.38	4	
-	Unknown	4.87	12	
127-18-4	Tetrachloroethene	5.09	25 B	
-	Unknown	5.43	7	
79-34-5	1,1,2,2-Tetrachloroethene	7.07	8	
-	Unknown Aromatic	12.50	4	
-	Unknown	27.14	11	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1064
Client:	ES Oak Ridge	Matrix: (soil/water)	Water
Attn:	Bill Hayden	Sample Wt/vol:	1000 ml
Address:	710 S. Illinois Avenue	Client Sample ID:	
	Suite F-103	Lab Sample ID:	88092806 BN
	Oak Ridge, Tn. 37830	Lab File ID:	S0478
		Date Received:	09-26-88
		Date Extracted:	10-04-88
		Date Analyzed:	11-11-88
		Date Reported:	03-28-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	NA
			.not dec:
		GPC Clean up: (Y/N)	N
# TICs Found:	12	Extraction:	(SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
79-01-6	Trichloroethene	3.44	18	
108-88-3	Toluene	4.38	5	
-	Unknown	4.88	30	
127-18-4	Tetrachloroethene	5.09	29	B
-	Unknown	5.44	21	
79-34-5	1,1,2,2-Tetrachloroethene	7.07	16	
-	Unknown	26.88	11	
-	Unknown Saturated Hydrocarbons	36.55	5	
-	Unknown Saturated Hydrocarbons	38.57	5	
-	Unknown Saturated Hydrocarbons	41.05	6	
-	Unknown Saturated Hydrocarbons	44.07	5	
-	Unknown Saturated Hydrocarbons	47.81	4	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1064
		Matrix: (soil/water)	Water
		Sample Wt/vol:	
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092806,24,35 AC BLK
Address:	710 S. Illinois Avenue	Lab File ID:	S0475
	Suite F-103	Date Received:	NA
	Oak Ridge, Tn. 37830	Date Extracted:	10-04-88
		Date Analyzed:	11-11-88
		Date Reported:	03-28-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	NA
		not dec:	
		GPC Clean up: (Y/N)	
		Extraction:	
		(SepF/Cont/Conc)	

# TICs Found: 4

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.33	98	
-	Unknown	3.43	10	
127-18-4	Tetrachloroethene	5.08	14	
-	Unknown	5.69	4	

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: 0R001

Work Order No.: 1064

Matrix: (soil/water) Water

Sample Wt/vol:

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn, 37830

Client Sample ID:

Lab Sample ID: 88092806,24,35 BN BLK

Lab File ID: S0476

Date Received: 09-26-88

Date Extracted: 10-04-88

Date Analyzed: 11-11-88

Date Reported: 03-28-89

Project: Duluth ANGB

Dilution Factor: NA

% Moisture: dec: NA

not dec:

GPC Clean up: (Y/N)

Extraction:  
(SedF/Cont/Conc)

# TICs Found: 4

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.26	39	
-	Unknown	3.32	120	
-	Unknown	3.44	13	
127-18-4	Tetrachloroethene	5.08	16 B	



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S).: 88092806-88092807  
WORK ORDER NO.: 1064

These water samples were received at the ES Berkeley Laboratory on 9-28-88. They were received cold and intact.



5B  
SEMIVOLATILE ORGANIC GC/MS TUNING AND MASS  
CALIBRATION: - DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

66

Lab Name: Engineering Science      Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_      Case No.: \_\_\_\_\_      SAS No.: \_\_\_\_\_      SDG No.: \_\_\_\_\_  
 Lab File ID: >T1214      DFTPP Injection Date: 12/14/88  
 Instrument ID: 70      1      DFTPP Injection Time: 14:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	55.0
68	Less than 2.0% of mass 69	0.0 ( 0.0 ) 1
69	Mass 69 relative abundance	66.
70	Less than 2.0% of mass 69	0.0 ( 0.0 ) 1
127	40.0 - 60.0% of mass 198	47.1
197	Less than 1.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100.
199	5.0 - 9.0% of mass 198	6.3
275	10.0 - 30.0% of mass 198	16.8
365	Greater than 1.00% of mass 198	1.33
441	Present, but less than mass 443	7.4
442	Greater than 40.0% of mass 198	46.0
443	17.0 - 23.0% of mass 442	9.0 ( 19.6 ) 2

1-Value is % mass 69

2-Value is % mass 442


*Sp. int  
10/11*

THIS TUNE APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01: 80 mg/L BNA STD + IS	>S0720	12/14/88	14:55
02: 88113102 AC 1ml?	>S0721	12/14/88	16:07
03: 88113102 BN 1ml?	>S0722	12/14/88	17:09
04: 88113102 AC MS 1ml?	>S0723	12/14/88	18:08
05: 88113102 BN MS 1ml?	>S0724	12/14/88	19:07
06: 88113102 AC MSD 1ml?	>S0725	12/14/88	20:07
07: 88113102 BN MSD 1ml?	>S0726	12/14/88	21:06
08: 88113105 BN 1ml	>S0727	12/14/88	22:05
09: 88092806 AC BLK MS	>S0728	12/14/88	23:05
10: 88092806 BN BLK MS	>S0729	12/15/88	0:04
11: 88092806 AC BLK MSD	>S0730	12/15/88	1:03
12: 88092806 BN BLK MSD	>S0731	12/15/88	2:02
13:			
14:			
15:			
16:			
17:			
18:			
19:			
20:			
21:			
22:			

*AN  
P*





File: >T1214 Scan #: 77 Retn. time: 4.98

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
44.10	.082	95.10	.435	135.15	1.518	180.05	1.989	231.10	.694
45.00	1.342	95.10	.305	136.15	.471	181.15	1.000	234.00	.282
50.10	13.854	97.20	.388	137.15	.541	182.25	.282	242.10	.506
51.10	54.957	98.10	3.955	138.05	.235	185.15	1.956	243.10	.577
52.10	2.907	99.00	3.037	139.15	.400	186.15	11.817	244.20	7.933
54.20	.200	101.10	1.283	141.05	2.154	187.15	3.672	245.00	.942
55.10	.541	103.10	.235	142.05	.919	189.05	.671	246.00	1.259
56.10	1.224	104.10	1.036	147.15	1.118	191.05	.365	247.00	.530
57.10	4.555	105.10	.589	148.15	2.130	192.15	.719	253.00	.447
61.00	.871	106.10	.718	149.15	.812	193.05	1.283	255.10	38.630
62.10	.930	107.00	10.923	151.05	.541	196.10	3.225	256.10	5.603
63.10	1.624	108.10	2.283	151.25	.530	198.10	100.000	257.10	.624
64.00	.600	109.20	.789	153.15	.789	199.10	6.262	258.10	1.813
65.20	1.224	110.10	35.052	154.05	.577	201.50	.589	265.10	.777
67.20	.353	111.10	4.696	155.15	.589	204.20	2.542	273.10	1.342
69.00	65.913	112.10	.824	156.05	1.671	205.20	4.626	274.15	3.460
73.10	.035	113.10	.294	157.25	.647	206.20	18.526	275.15	16.761
74.10	5.355	116.20	.341	159.25	.447	207.10	2.436	276.25	2.495
75.10	8.416	117.10	6.358	160.15	.871	208.10	.589	277.15	1.283
76.20	2.825	118.05	.871	161.05	1.000	210.40	4.94	281.05	.412
77.10	50.693	119.15	.224	165.15	.977	210.70	.565	296.15	4.014
78.10	3.319	122.05	.742	166.15	.683	211.20	.671	297.15	.612
79.10	2.825	123.15	1.824	167.05	3.543	216.00	.435	323.15	1.507
80.10	2.601	124.15	.812	168.15	2.260	217.10	5.061	354.30	.471

83.10	.533	126.15	9.001	167.15	1.057	225.20	1.337	702.00	.300
85.20	.330	129.05	20.009	175.15	1.354	224.10	9.334	423.20	3.094
85.10	.494	130.05	1.789	176.05	.636	225.20	2.648	441.25	7.427
87.20	.212	131.05	.718	177.05	1.106	227.10	3.343	442.25	15.975
91.10	.202	132.05	.424	178.15	.471	228.00	.483	443.25	9.016
92.00	1.189	134.05	.659	179.15	3.519	229.10	1.095	444.25	1.036
93.10	4.002								

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 12/14/88  
 Contractor: ENVIRONMENTAL SCIENCE Time: 14:55  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0720  
 Instrument ID: 1 Initial Calibration Date: 10/27/88

Minimum RF for SPCC is \_\_\_\_\_ Maximum X Diff for CCC is X

Compound	$\bar{RF}$	RF	XDiff	CCC	SPCC
N-Nitroso-Dimethylamine	.90169	1.08165	19.95		
2-Fluorophenol	1.15802	1.35546	17.05		
bis(2-Chloroethyl)ether	1.11892	1.18673	6.06		
Phenol	1.41657	1.64513	16.14	*	
Phenol-d5	1.22488	1.11750	8.77		
Aniline	.54193	.56793	4.80		
2-Chlorophenol	1.23175	1.29341	5.01		
1,3-Dichlorobenzene	1.47535	1.38865	5.88		
1,4-Dichlorobenzene	1.40530	1.42249	1.22	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.68824	5.60		
1,2-Dichlorobenzene	1.32240	1.45035	9.68		
2-Methylphenol	1.17367	1.75820	49.80		
3-6-4-Methylphenol	1.07139	1.28445	19.89		
bis(2-chloroisopropyl)ether	2.15627	3.40008	57.68		
N-Nitroso-Di-n-Propylamine	.84050	1.03178	22.76	**	
Hexachloroethane	.53840	.60595	12.55		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.53464	32.63		
Nitrobenzene-d5	.39137	.46464	18.72		
2-Nitrophenol	.24657	.26686	8.23	*	
Isophorone	.74170	.89619	20.83		
bis(2-Chloroethoxy)methane	.49386	.60742	23.00		
2,4-Dimethylphenol	.34849	.43206	23.98		
Benzoic Acid	.29725	.37184	25.09		
2,4-Dichlorophenol	.56733	.62919	10.90	*	
1,2,4-Trichlorobenzene	.36913	.32954	10.73		
Naphthalene	.94589	.93096	1.58		
4-Chloroaniline	.36309	.37448	3.14		
Hexachlorobutadiene	.20283	.18960	6.52	*	
4-Chloro-3-Methylphenol	.31360	.34492	9.99	*	
2-Methylnaphthalene	.56397	.61434	8.93		

RF - Response factor from daily standard file at 80.00 ng/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form UI

XDiff - X Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

## Continuing Calibration Check

HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 12/14/88  
 Contractor: Everette - Science Time: 14:55  
 Contract No: \_\_\_\_\_ Laboratory ID: 750720  
 Instrument ID: 1 Initial Calibration Date: 10/13/88  
DAD

Minimum RF for SPCC is

Maximum % Diff for CCC is X

Compound	RF	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29568	.29749	.61	**	
2,4,6-Trichlorophenol	.42280	.35691	15.58	*	
2,4,5-Trichlorophenol	.52897	.49370	6.67		
2-Fluorobiphenyl	1.27220	1.07731	15.32		
2-Chloronaphthalene	1.23784	1.07257	13.35		
2-Nitroaniline	.47288	.57531	21.66		
Dimethylphthalate	1.40629	1.23580	12.12		
2,6-Dinitrotoluene	.37415	.35211	5.89		
Acenaphthylene	1.68918	1.50431	10.94		
3-Nitroaniline	.44557	.62619	40.54		
2,4-Dinitrophenol	.11898	.12133	1.97	**	
Acenaphthene	1.13011	.95986	15.06	*	
Dibenzofuran	1.64131	1.47185	10.32		
2,4-dinitrotoluene	.28418	.31302	10.15		
4-nitrophenol	.28450	.13993	50.81	**	
Fluorene	1.12850	.90285	20.00		
Diethylphthalate	1.20939	1.06911	11.60		
4-Chlorophenyl-phenylether	.59183	.48341	18.32		
4-Nitroaniline	.35956	.36348	1.09		
2,4,6-Tribromophenol	.21023	.15777	24.95		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40266	.46282	14.88	*	
4,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.21431	.61		
Hexachlorobenzene	.26273	.24253	7.69		
Pentachlorophenol	.14536	.12564	13.56	*	

RF - Response Factor from daily standard file at 80.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 12/14/88  
 Contractor: ENGINEERING - SCIENCE Time: 14:55  
 Contract No: \_\_\_\_\_ Laboratory ID: 9S9720  
 Instrument ID: 4 Initial Calibration Date: 10/13/88  
 DAD

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
Phenanthrene	1.03431	.98717	4.56		
Anthracene	1.05155	1.08977	3.63		
Di-n-Butylphthalate	1.51956	1.43836	5.34		
4,4'-Dibromobiphenyl	-	-	-		
Fluoranthene	1.19047	1.11867	6.03	*	
Heptachlor Epoxide	-	-	-		
Endosulfan I	-	-	-		
4,4'-DDE	-	-	-		
Dieldrin	-	-	-		
Endrin	-	-	-		
4,4'-DDD	-	-	-		
Endosulfan II	-	-	-		
Endrin Aldehyde	-	-	-		
4,4'-DDI	-	-	-		
Endosulfan Sulfate	-	-	-		
Dibutylchlorodate	-	-	-		
Benzidine	.04023	.17553	336.31		
Pyrene	1.56086	1.66455	6.64		
Terphenyl-d14	1.05835	1.10370	4.28		
Butylbenzylphthalate	1.03390	1.17712	13.85		
3,3'-Dichlorobenzidine	.13689	.23426	71.13		
Chrysene	.99655	1.05878	6.24		
Benzo(a)Anthracene	1.10407	1.10013	.36		
bis(2-Ethylhexyl)Phthalate	1.21073	1.35859	12.21		
Di-n-octylphthalate	3.40275	3.32381	2.32	*	
Benzo(a)Pyrene	1.32098	1.30430	1.26	*	
Benzo(b)Fluoranthene	1.60850	1.75942	10.00		
Indeno(1,2,3-cd)Pyrene	.96800	1.04885	8.35		
Dibenzo(a,h)Anthracene	.87461	.93848	7.28		
Benzo(k)Fluoranthene	1.44370	1.15007	20.34		
Benzo(g,h,i)Perylene	.89761	.94551	5.34		

RF - Response Factor from daily standard file at 80.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average, or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

SEMI-VOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering science Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Lab File ID (Standard): >S0720 Date Analyzed: 12/14/88

Instrument ID: 70 1 Time Analyzed: 14:55

	IS1(DCB)		IS2(NPT)		IS3(ANT)		
	AREA #	RT	AREA #	RT	AREA #	RT	
12 HOUR STD	149004.	9.13	512954.	12.75	329220.	18.21	
UPPER LIMIT	298008.		1025908.		658440.		
LOWER LIMIT	74502.		256477.		164610.		
SAMPLE NO.							
01	88113102 AC	204764.	9.14	767532.	12.84	382204.	18.26
02	88113102 BN	131090.	9.15	472793.	12.81	255268.	18.27
03	88113102 AC	135141.	9.12	523234.	12.78	273939.	18.21
04	88113102 BN	160886.	9.13	595773.	12.78	322161.	18.24
05	88113102 AC	120825.	9.11	445795.	12.89	258923.	18.21
06	88113102 BN	130680.	9.13	483532.	12.77	275084.	18.23
07	88113105 BN	142129.	9.15	501364.	12.80	283682.	18.26
08	88092806 AC	124006.	9.12	448322.	12.86	186323.	18.21
09	88092806 BN	190844.	9.12	722547.	12.75	397398.	18.23
10	88092806 AC	142534.	9.11	589711.	12.82	227046.	18.21
11	88092806 BN	180629.	9.11	715890.	12.75	371523.	18.21
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
IS2 (NPT) = Naphthalene-d8  
IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100%  
of internal standard area.  
LOWER LIMIT = - 50%  
of internal standard area.

\* Column used to flag internal standard area values with an asterisk

00

Name: Engineering Science

Contract: \_\_\_\_\_

Code: E501

Case No.: \_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: \_\_\_\_\_

Lab File ID (Standard): >S0720

Date Analyzed: 12/14/88

Instrument ID: 70 1

Time Analyzed: 14:55

	IS4 (PHN)	RT	IS5 (CRY)	RT	IS6 (PRY)	RT	
	AREA #		AREA #		AREA #		
12 HOUR STD	478498.	22.88	305434.	31.35	202436.	37.50	
UPPER LIMIT	956996.		610868.		404872.		
LOWER LIMIT	239249.		152717.		101218.		
EPA SAMPLE NO.							
01	88113102 AC	554815.	22.99	277892.	31.45	147079.	37.65
02	88113102 BN	363625.	22.92	191838.	31.42	100213.*	37.58
03	88113102 AC	399598.	22.90	209434.	31.40	118883.	37.53
04	88113102 EN	476034.	22.99	228246.	31.46	117679.	37.61
05	88113102 AC	369952.	22.94	180693.	31.45	97065.*	37.62
06	88113102 BN	421073.	22.92	235748.	31.40	133389.	37.51
07	88113105 BN	417706.	22.95	215142.	31.44	113044.	37.59
08	88092806 AC	357720.	22.91	170618.	31.47	10107.*	37.85
09	88092806 BN	596996.	22.95	286760.	31.43	41726.*	37.72
10	88092806 AC	428356.	22.90	199801.	31.44	16729.*	37.82
11	88092806 BN	588806.	22.96	296463.	31.42	39890.*	37.73
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

DATA PACKAGE #5



This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

RESEARCH AND DEVELOPMENT  
LABORATORY  
600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 841-7353

Job No.: OR001

Work Order No.: 953

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-08-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092291	DANG-BR1	AS-F	9-07-88		11-04-88	
88092291	DANG-BR1	BA-I	9-07-88		10-17-88	
88092291	DANG-BR1	CD-F	9-07-88		10-26-88	
88092291	DANG-BR1	CR-F	9-07-88		10-28-88	
88092291	DANG-BR1	HG-C	9-07-88		9-27-88	
88092291	DANG-BR1	PB-F	9-07-88		10-20-88	
88092291	DANG-BR1	418.1	9-07-88	9-23-88	9-26-88	
88092291	DANG-BR1	8010	9-07-88		9-14-88	9-16-88
88092291	DANG-BR1	8020	9-07-88		9-14-88	
88092291	DANG-BR1	8080	9-07-88	9-09-88	10-06-88	
88092291	DANG-BR1	8270	9-07-88	9-12-88	10-21-88	

\* If applicable

89-DULU1054 1

CL-FRM01

Job No.: OR001

Work Order No.: 953

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092292	DANG-BG-MW50-GW1	AS-F	9-07-88		11-04-88	
88092292	DANG-BG-MW50-GW1	BA-I	9-07-88		10-17-88	
88092292	DANG-BG-MW50-GW1	CD-F	9-07-88		10-26-88	
88092292	DANG-BG-MW50-GW1	CR-F	9-07-88		10-28-88	
88092292	DANG-BG-MW50-GW1	HG-C	9-07-88		9-27-88	
88092292	DANG-BG-MW50-GW1	PB-F	9-07-88		10-20-88	
88092292	DANG-BG-MW50-GW1	418.1	9-07-88	9-23-88	9-26-88	
88092292	DANG-BG-MW50-GW1	8010	9-07-88		9-14-88	9-16-88
88092292	DANG-BG-MW50-GW1	8020	9-07-88		9-14-88	
88092292	DANG-BG-MW50-GW1	8080	9-07-88	9-09-88	10-06-88	
88092292	DANG-BG-MW50-GW1	8270	9-07-88	9-12-88	10-21-88	
88092293	DANG-BG-MW43-GW1	AS-F	9-07-88		11-04-88	
88092293	DANG-BG-MW43-GW1	BA-I	9-07-88		10-17-88	
88092293	DANG-BG-MW43-GW1	CD-F	9-07-88		10-26-88	
88092293	DANG-BG-MW43-GW1	CR-F	9-07-88		10-28-88	
88092293	DANG-BG-MW43-GW1	HG-C	9-07-88		9-27-88	
88092293	DANG-BG-MW43-GW1	PB-F	9-07-88		10-20-88	
88092293	DANG-BG-MW43-GW1	418.1	9-07-88	9-23-88	9-26-88	
88092293	DANG-BG-MW43-GW1	8010	9-07-88		9-14-88	9-16-88
88092293	DANG-BG-MW43-GW1	8020	9-07-88		9-14-88	
88092293	DANG-BG-MW43-GW1	8080	9-07-88	9-09-88	10-06-88	
88092293	DANG-BG-MW43-GW1	8270	9-07-88	1-03-89	1-13-89	

\* If applicable

12/05/88

## ANALYSIS REPORT

WORK ORDER NUMBER: 953  
 JOB NUMBER : ZB0000000440  
 WORK ORDER DATE : 09/08/88

APPROVED BY \_\_\_\_\_  
 Lab Supervisor

REPORT DATA:  
 ES OAK RIDGE/DULUTH ANGB  
 710 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830  
 BILL HAYDEN

CLIENT DATA:  
 ES OAK RIDGE/DULUTH ANGB ( 134)  
 710 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : AR001  
 CONTACT : BILL HAYDEN  
 (615)-481-3920

TASK: 2, UNITS: mg/L

TEST COMPOUND	DANG-BR1	DANGB-BG-MW50- GW-1	DANGB-BG-MW43- GW-1
ACID DIG FLAME	88092291	88092292	88092293
ACID DIG FURNACE	NA	NA	NA
ARSENIC	NA	NA	NA
BARIUM	<0.005	<0.005	<0.005
CADMIUM	<0.05N	0.13BN	0.13BN
CHROMIUM	<0.001	<0.001	<0.001
MERCURY	<0.002	<0.002	0.003B
LEAD	<.0002	<.0002	<.0002
	<0.005	<0.005	<0.005

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 953  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/08/88

APPROVED BY \_\_\_\_\_  
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : AR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

CONCENTRATION: 3, UNITS: mg/L

TEST COMPOUND	DANG-BR1	DANGB-BG-MW50- GW-1	DANGB-BG-MW43- GW-1
	88092291	88092292	88092293
18.1 PETROLEUM HYDROCARBONS	<1.5	<1.5	<1.5

- Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 953  
JOB NUMBER : ZB000000440  
WORK ORDER DATE : 09/08/88

APPROVED BY \_\_\_\_\_  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : AR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8010

TEST COMPOUND	DANG-BR1 88092291	DANGB-BG-MW50- GW-1 88092292	DANGB-BG-MW43- GW-1 88092293
BENZYL CHLORIDE	ND	ND	ND
BIS (2-CHLOROETHOXY) METHANE	ND	ND	ND
BIS (2-CHLOROISOPROPYL) ETHER	ND	ND	ND
BROMOBENZENE	ND	ND	ND
BROMODICHLOROMETHANE	ND	ND	ND
BROMOFORM	ND	ND	ND
BROMOETHANE	ND	ND	ND
CARBON TETRACHLORIDE	ND	ND	ND
CHLORACETALDEHYDE	ND	ND	ND
CHLORAL	ND	ND	ND
CHLOROBENZENE	ND	ND	ND
CHLOROETHANE	ND	ND	ND
CHLOROFORM	14	ND	ND
1-CHLOROHEXANE	ND	ND	ND
2-CHLOROETHYL VINYL ETHER	ND	ND	ND
CHLOROMETHANE	ND	ND	ND
CHLOROMETHYL METHYL ETHER	ND	ND	ND
CHLOROTOLUENE	ND	ND	ND
DIBROMOCHLOROMETHANE	ND	ND	ND
DIBROMOMETHANE	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND
DICHLORODIFLUOROMETHANE	ND	ND	ND
1,1-DICHLOROETHANE	ND	ND	ND
1,2-DICHLOROETHANE	ND	ND	ND
1,1-DICHLOROETHYLENE	ND	ND	ND
TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND
DICHLOROMETHANE	1.1B	0.80B	1.6B
1,2-DICHLOROPROPANE	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 953

TEST COMPOUND	DANG-BR1 88092291	DANGB-EG-MW50- GW-1 88092292	DANGB-BG-MW43- GW-1 88092293
1,3-DICHLOROPROPYLENE	ND	ND	ND
1,1,2,2-TETRACHLOROETHANE	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	ND	ND	ND
TETRACHLOROETHYLENE	ND	ND	ND
1,1,1-TRICHLOROETHANE	ND	ND	ND
1,1,2-TRICHLOROETHANE	ND	ND	ND
TRICHLOROETHYLENE	ND	ND	ND
TRICHLOROFLUOROMETHANE	ND	ND	ND
TRICHLOROPROPANE	ND	ND	ND
VINYL CHLORIDE	ND	ND	ND

ID - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 953  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/08/88

APPROVED BY \_\_\_\_\_  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB.  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : AR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANG-BR1 88092291	DANGB-BG-MW50- GW-1 88092292	DANGB-BG-MW43- GW-1 88092293
BENZENE	ND	ND	ND
CHLOROBENZENE	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND
ETHYL BENZENE	ND	ND	ND
TOLUENE	ND	ND	ND
XYLENES	ND	ND	ND

ND - Not Detected



ANALYSIS REPORT

ORK ORDER NUMBER: 953  
 OB NUMBER : ZB0000000440  
 ORK ORDER DATE : 09/08/88

APPROVED BY \_\_\_\_\_  
 Lab Supervisor

REPORT DATA:  
 S OAK RIDGE/DULUTH ANGB  
 10 S. ILLINOIS AVE. STE. S103  
 AK RIDGE, TN 37830  
 ILL HAYDEN

CLIENT DATA:  
 ES OAK RIDGE/DULUTH ANGB ( 134)  
 710 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830

OF REPORT COPIES: 1

CONTRACT / PO # : AR001  
 CONTACT : BILL HAYDEN  
 (615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8080

EST COMPOUND	DANG-BR1 88092291	DANGB-BG-MW50- GW-1 88092292	DANGB-BG-MW43- GW-1 88092293
LDLRIN	ND	ND	ND
LPHA-BHC	ND	ND	ND
ETA-BHC	ND	ND	ND
ELTA-BHC	ND	ND	ND
AMMA-BHC	ND	ND	ND
HLORDANE	ND	ND	ND
,4'-DDD	ND	ND	ND
,4'-DDE	ND	ND	ND
,4'-DDT	ND	ND	ND
IELDLRIN	ND	ND	ND
NDOSULFAN I	ND	ND	ND
NDOSULFAN II	ND	ND	ND
NDOSULFAN SULFATE	ND	ND	ND
NDLRIN	ND	ND	ND
NDLRIN ALDEHYDE	NA	NA	NA
HEPTACHLOR	ND	ND	ND
HEPTACHLOR EPOXIDE	ND	ND	ND
EPONE	ND	ND	ND
ETHOXYCHLOR	ND	ND	ND
OXAPHENE	ND	ND	ND
CB-1016	ND	ND	ND
CB-1221	ND	ND	ND
CB-1232	ND	ND	ND
CB-1242	ND	ND	ND
CB-1248	ND	ND	ND
CB-1254	ND	ND	ND
CB-1260	ND	ND	ND

D - Not Detected





Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 8, 1988  
 Date Reported: December 8, 1988

Work Order: 953  
 Job Number: OR001

From: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092291	88092292
Sample No.:	DANG-BR1	DANGB-B6-MW50-GW1
Date Sampled:	09-07-88	09-07-88
Time Sampled:	09:00	15:05
Date Extracted:	09-12-88	09-12-88
Date Analyzed:	10-21-88	10-21-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
1-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
1-benzofuran	10	ND	ND
o-Dimethylaminoazobenzene	--*	ND	ND
1,2-Dimethylbenz(a)anthracene	--*	ND	ND
o,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Dimethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
1-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
5-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

EPA has not yet determined detection limits for these compounds.

3 = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 8, 1988  
Date Reported: December 8, 1988

Work Order: 953  
Job Number: OR001

Location: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Sample Number:	88092291	88092292
Sample No.:	DANG-BR1	DANGB-B6-MW50-GW1
Date Sampled:	09-07-88	09-07-88
Time Sampled:	09:00	15:05
Date Extracted:	09-12-88	09-12-88
Date Analyzed:	10-21-88	10-21-88

Compound	Detection	ANALYTICAL RESULTS	
	Limits ug/L	ug/L	ug/L
alpha-BHC	--*	ND	ND
gamma-BHC	--*	ND	ND
delta-BHC	20	ND	ND
o,p'-DDE	10	ND	ND
alpha-BHC	15	ND	ND
lindrin	10	ND	ND
o,p'-DDE	10	ND	ND
Endosulfan I	--*	ND	ND
lindrin	15	ND	ND
p,p'-DDE	30	ND	ND
lindrin	--*	ND	ND
Endosulfan II	--*	ND	ND
p,p'-DDD	15	ND	ND
p,p'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
lindrin aldehyde	--*	ND	ND
lindrin Ketone	--*	ND	ND
Endosulfan	60	ND	ND
o,p'-DDE	--*	ND	ND
o,p'-DDE	60	ND	ND
o,p'-DDE	60	ND	ND
o,p'-DDE	60	ND	ND
o,p'-DDE	60	ND	ND
o,p'-DDE	60	ND	ND
o,p'-DDE	60	ND	ND
o,p'-DDE	60	ND	ND
o,p'-DDE	60	ND	ND

EPA has not yet determined detection limits for these compounds.

\* Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 8, 1988  
 Date Reported: December 8, 1988

Work Order: 953  
 Job Number: OR001

OR: ES: Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092291	88092292
Sample No.:	DANG-BR1	DANGB-B6-MW50-GW1
Date Sampled:	09-07-88	09-07-88
Time Sampled:	09:00	15:05
Date Extracted:	09-12-88	09-12-88
Date Analyzed:	10-21-88	10-21-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
4-Dimethylphenol	10	ND	ND
1,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
1,2,4-Trichlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
3-Methylphenol	10	ND	ND
3 & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
1,2,4,5-Tetrachlorophenol	10	ND	ND

*Raura Kuck*  
 Analyst

*MWBurton*  
 Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water

page 1 of 5

ate Received: September 8, 1988  
ate Reported: February 28, 1989

Work Order: 953  
Job Number: OR001

OR: ES: Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092293 REEXTRACT  
Sample No.: DANGB-BG-MW43-GW1  
Date Sampled: 09-07-88  
Time Sampled: 14:35  
Date Extracted: 01-03-89  
Date Analyzed: 01-13-89

Compound	Detection	ANALYTICAL RESULTS
	Limits	ug/L
,3-Dichlorobenzene	10	ND
,4-Dichlorobenzene	10	ND
hexachloroethane	10	ND
is(2-chloroethyl)ether	10	ND
,2-Dichlorobenzene	10	ND
-Nitrosodimethylamine	10	ND
is(2-chloroisopropyl)ether	10	ND
-Nitrosodi-n-propylamine	10	ND
hexachlorobutadiene	10	ND
,2,4-Trichlorobenzene	10	ND
nitrobenzene	10	ND
sophorone	10	ND
naphthalene	10	ND
is(2-chloroethoxy)methane	10	ND
-Chloronaphthalene	10	ND
hexachlorocyclopentadiene	10	ND
benzophenone	10	ND
benzophenone	10	ND
dimethyl phthalate	10	ND
,6-Dinitrotoluene	10	ND
fluorene	10	ND
,4-Dinitrotoluene	10	ND
diethyl phthalate	10	ND
-Nitrosodiphenylamine	10	ND
hexachlorobenzene	10	ND

= Compound was detected in the blank.

Priority Pollutant Analysis

Base Neutrals - SW 8270

Matrix: Water

(continued)

Date Received: September 8, 1988  
Date Reported: February 28, 1989

Work Order: 953  
Job Number: OR001

OR: ES: Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092293 REEXTRACT  
Sample No.: DANGB-BG-MW43-GW1  
Date Sampled: 09-07-88  
Time Sampled: 14:35  
Date Extracted: 01-03-89  
Date Analyzed: 01-13-89

Compound	Detection	ANALYTICAL RESULTS
	Limits	
	ug/L	ug/L
Phenanthrene	10	ND
Anthracene	10	ND
Dibutyl phthalate	10	ND
Fluoranthene	10	ND
4-Chlorophenyl phenyl ether	10	ND
Pyrene	10	ND
Butyl Benzyl phthalate	10	10
Bis(2-ethylhexyl) phthalate	10	13 B <i>MSB 3-3-89</i>
Chrysene	10	ND
2-Bromophenyl phenyl ether	10	ND
Benzo(a)anthracene	10	ND
Di-n-octylphthalate	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(k)fluoranthene	10	ND
Benzidine	60	ND
2,3'-Dichlorobenzidine	20	ND
Benzo(a)pyrene	10	ND
Indeno(1,2,3-cd)pyrene	10	ND
Dibenz(a,h)anthracene	10	ND
Benzo(ghi)perylene	10	ND
Benzyl Alcohol	20	ND

B = Compound was detected in the blank.



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 8, 1988  
 Date Reported: February 28, 1989

Work Order: 953  
 Job Number: OR001

From: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092293 REEXTRACT  
 Sample No.: DANGB-BG-MW43-GW1  
 Date Sampled: 09-07-88  
 Time Sampled: 14:35  
 Date Extracted: 01-03-89  
 Date Analyzed: 01-13-89

Compound	Detection Limits ug/L	Analytical Results ug/L
acetophenone	---	ND
aniline	---	ND
-Aminobiphenyl	---	ND
-Chloroaniline	20	ND
-Chloronaphthalene	---	ND
benzofuran	10	ND
-Dimethylaminoazobenzene	---	ND
,12-Dimethylbenz(a)anthracene	---	ND
-,a-Dimethylphenethylamine	---	ND
iphenylamine	---	ND
,2-Diphenylhydrazine	---	ND
thyl methanesulfonate	---	ND
-Methylcholanthrene	---	ND
ethyl methanesulfonate	---	ND
-Methylnaphthalene	10	ND
-Naphthylamine	---	ND
-Naphthylamine	---	ND
-Nitroaniline	50	ND
-Nitroaniline	50	ND
-Nitroaniline	50	ND
-Nitroso-di-n-butylamine	---	ND
-Nitrosopiperidine	---	ND
entachlorobenzene	---	ND
entachloronitrobenzene	---	ND
enacetin	---	ND
-Picoline	---	ND
ronamide	---	ND
,2,4,5-Tetrachlorobenzene	---	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

Date Received: September 8, 1988  
Date Reported: February 28, 1989

Work Order: 953  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092293 REEXTRACT  
Sample No.: DANGB-BG-14W43-GW1  
Date Sampled: 09-07-88  
Time Sampled: 14:35  
Date Extracted: 01-03-89  
Date Analyzed: 01-13-89

Compound	Detection	ANALYTICAL RESULTS
	Limits ug/L	ug/L
Alpha-BHC	--*	ND
Gamma-BHC	--*	ND
Beta-BHC	20	ND
Heptachlor	10	ND
Delta-BHC	15	ND
Aldrin	10	ND
Heptachlor epoxide	10	ND
Endosulfan I	--*	ND
Dieldrin	15	ND
1,4'-DDE	30	ND
Endrin	--*	ND
Endosulfan II	--*	ND
4,4'-DDD	15	ND
4,4'-DDT	25	ND
Endosulfan Sulfate	30	ND
Endrin aldehyde	--*	ND
Endrin Ketone	--*	ND
Chlordane	60	ND
Methoxychlor	--*	ND
Toxaphene	60	ND
Aroclor-1016	60	ND
Aroclor-1221	60	ND
Aroclor-1232	60	ND
Aroclor-1242	60	ND
Aroclor-1248	60	ND
Aroclor-1254	60	ND
Aroclor-1260	60	ND

EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
Acid Extractables -- SW 8270  
Matrix: Water

page 5 of 5

Site Received: September 8, 1988  
Site Reported: February 28, 1989


Work Order: 953  
Job Number: OR001


DR: ES: Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092293 REEXTRACT  
Sample No.: DANGB-BG-MW43-GW1  
Date Sampled: 09-07-88  
Time Sampled: 14:35  
Date Extracted: 01-03-89  
Date Analyzed: 01-13-89

Compound	Detection	ANALYTICAL RESULTS
	Limits ug/L	
-Chlorophenol	10	ND
-Nitrophenol	10	ND
phenol	10	ND
,4-Dimethylphenol	10	ND
,4-Dichlorophenol	10	ND
,4,6-Trichlorophenol	10	ND
-Chloro-3-methylphenol	20	ND
,4-Dinitrophenol	50	ND
,6-Dichlorophenol	--*	ND
-Methyl-4,6-Dinitrophenol	50	ND
pentachlorophenol	50	ND
-Nitrophenol	50	ND
benzoic Acid	50	ND
-Methylphenol	10	ND
- & 4-Methylphenol	10	ND
,3,4,6-Tetrachlorophenol	--*	ND
,4,5-Trichlorophenol	10	ND

  
Analyst

  
Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

OITE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



# ENGINEERING-SCIENCE

## CHAIN OF CUSTODY RECORD

ES JOB NO.	PROJECT NAME/LOCATION	NO. OF CONTAINERS	SHIP TO:	WATER ANALYSES REQUIRED	REMARKS																					
OR001	Duluth ANGB/Duluth, Mn.		ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">SW 8000, 8020</td> <td style="width: 15%;">EPA 608</td> <td style="width: 15%;">EPA 605</td> <td style="width: 15%;">EPA 401</td> <td style="width: 15%;">SW 6000, 7000, 7201</td> <td style="width: 15%;">SW 6000, 6010</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	SW 8000, 8020	EPA 608	EPA 605	EPA 401	SW 6000, 7000, 7201	SW 6000, 6010																
SW 8000, 8020	EPA 608	EPA 605	EPA 401	SW 6000, 7000, 7201	SW 6000, 6010																					
<p>SAMPLE(S): (Signature) <i>[Signature]</i></p>																										
DATE	SAMPLE DESCRIPTION																									
9-7-88	PANGB-36-MW50-GW-1	8		X X X X X	882292																					
<p><i>[Large Signature]</i></p>																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Relinquished by: (Signature)</th> <th style="width: 20%;">Date/Time</th> <th style="width: 20%;">Received by: (Signature)</th> <th style="width: 20%;">Date/Time</th> <th style="width: 20%;">Relinquished by: (Signature)</th> <th style="width: 20%;">Date/Time</th> <th style="width: 20%;">Received by: (Signature)</th> </tr> <tr> <td><i>[Signature]</i></td> <td>9-7-88 1800</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><i>[Signature]</i></td> <td></td> <td><i>[Signature]</i></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	<i>[Signature]</i>	9-7-88 1800						<i>[Signature]</i>		<i>[Signature]</i>				
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Date/Time	Received by: (Signature)																				
<i>[Signature]</i>	9-7-88 1800																									
<i>[Signature]</i>		<i>[Signature]</i>																								
<p>Remarks: Samples received cold and intact</p>																										

Distribution: Original Accompanies Shipment, Copy to Coordinator Field Files



# ENGINEERING-SCIENCE

## CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED	SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710
	DATE	TIME			
SAMPLE(S): (Signature) <i>Phob 2 de</i>					
9-7-88	1435	DANGB-BG-MW43-GW-1	5	SW 608, 609, 620 EPA 608 EPA 625 EPA 478.1 SW 6010, 7000, 7121 SW 7421, 7470, 7191 SW 9370, 9375 SW 429	882291
9-7-88	1505	DANGB-BG-MW50-GW-1	5		882292
9-7-88	1330	DANGB-FB-1	2		882291
9-7-88	0900	DANGB-BR-1	5		882291
<i>Phob 2 de</i>					
Relinquished by: (Signature) _____ Date/Time _____ Received by: (Signature) _____ Date/Time _____					
Relinquished by: (Signature) <i>Phob 2 de</i> Date/Time 9-7-88 1800 Received by: (Signature) _____ Date/Time _____					
Relinquished by: (Signature) _____ Date/Time _____ Received for Laboratory by: (Signature) <i>Phob 2 de</i> Date/Time 090888 10:30					
Remarks: Samples received cold and intact.					

Distribution: Original Accompanies Shipment, Copy to Coordinator Field Files

# ENGINEERING-SCIENCE

## CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED						SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710	
	SAMPLE(S): (Signature) <i>P. Kelly J. Davis</i>			EPA 808, 8028	EPA 825	EPA 470.1	SM 6018, 7000, 7131	SM 7421, 7470	SM 9200, 9318		SM 4229
DATE	TIME	SAMPLE DESCRIPTION								REMARKS	
11/11	8:00	LAN'E - LIVE	1								
11/11	14:5	DANIEL - 145 MW14 - GW - 1	1				X				
11/11	15:05	DANIEL - 146 - MW50 - GW - 1	1				X				
9/28	0900	DANIEL - 146 - 1	1				X				
<del>REMAINDER OF SHEET</del>											
Relinquished by: (Signature) <i>P. Kelly J. Davis</i>				Received by: (Signature)				Date/Time 11/18 1:00		Remarks	
Relinquished by: (Signature)				Received for Laboratory by: (Signature)				Date/Time		Remarks	

Distribution: Original Accompanies Shipment, Copy to Coordinator Field Files



**EXPRESS**  
**AIRBILL**  
 USE THIS AIRBILL FOR  
 ESTIMATES WITHIN THE CONTINENTAL U.S., ALASKA AND HAWAII.  
 USE THE INTERNATIONAL AIRBILL FOR SHIPMENTS TO PUERTO RICO.  
 QUESTION? CALL 800-333-3333 TOLL FREE.

**EXPRESS**  
**TRACKING NUMBER**  
 949 314352

**SENDER'S COPY**

**SENDER'S COPY**

**SENDER'S COPY**

**SENDER'S COPY**

**SENDER'S COPY**

Sender's Federal Est. # Account Number  
 1196 4007-8

From (Your Name) Please Print  
 1196 4007-8

Date  
 7-7-88

Your Phone Number (Very Important)  
 (715) 761-376

Department/Floor No.  
 Department/Floor No.

Company  
 Company

Street Address  
 Street Address

City  
 City

State  
 State

ZIP Required  
 ZIP Required

IF HOLD FOR PICK-UP, Print FEDEX Address Here  
 IF HOLD FOR PICK-UP, Print FEDEX Address Here

Street Address  
 Street Address

City  
 City

State  
 State

ZIP Required  
 ZIP Required

Department/Floor No.  
 Department/Floor No.

Company  
 Company

Receiver's Phone Number (Very Important)  
 Receiver's Phone Number (Very Important)

Exact Street Address (We Cannot Deliver to P.O. Boxes or P.O. Zip Codes.)  
 Exact Street Address (We Cannot Deliver to P.O. Boxes or P.O. Zip Codes.)

City  
 City

State  
 State

ZIP Required  
 ZIP Required

Department/Floor No.  
 Department/Floor No.

Company  
 Company

YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)  
 YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)

PAYMENT  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill 3rd Party FedEx Acct. No.  Bill Credit Card

DELIVERY AND SPECIAL HANDLING

1  HOLD FOR PICK-UP (in Box 14)

2  DELIVER SATURDAY (extra charge)

3  DANGEROUS GOODS (extra charge)

4  CONSTANT SURVEILLANCE SERVICE (CSS) (extra charge) (Signature Not Applicable)

5  DRY ICE (extra charge)

6  OTHER SPECIAL SERVICE

7  SATURDAY PICK-UP (extra charge)

8  HOLIDAY DELIVERY (if other)

9  HOLIDAY DELIVERY (if other)

10  HOLIDAY DELIVERY (if other)

11  HOLIDAY DELIVERY (if other)

12  HOLIDAY DELIVERY (if other)

13  HOLIDAY DELIVERY (if other)

14  HOLIDAY DELIVERY (if other)

15  HOLIDAY DELIVERY (if other)

16  HOLIDAY DELIVERY (if other)

17  HOLIDAY DELIVERY (if other)

18  HOLIDAY DELIVERY (if other)

19  HOLIDAY DELIVERY (if other)

20  HOLIDAY DELIVERY (if other)

21  HOLIDAY DELIVERY (if other)

22  HOLIDAY DELIVERY (if other)

23  HOLIDAY DELIVERY (if other)

24  HOLIDAY DELIVERY (if other)

25  HOLIDAY DELIVERY (if other)

26  HOLIDAY DELIVERY (if other)

27  HOLIDAY DELIVERY (if other)

SERVICES

1  PRIORITY 1 Overnight Delivery

2  COUNTER-PAK Overnight Envelope

3  OVERNIGHT BOX

4  OVERNIGHT TUBE

5  STANDARD A/M Delivery not later than second business day

6  OVERNIGHT LETTER\*

7  COUNTER-PAK Overnight Envelope

8  OVERNIGHT BOX

9  OVERNIGHT TUBE

10  STANDARD A/M Delivery not later than second business day

11  OVERNIGHT LETTER\*

12  COUNTER-PAK Overnight Envelope

13  OVERNIGHT BOX

14  OVERNIGHT TUBE

15  STANDARD A/M Delivery not later than second business day

16  OVERNIGHT LETTER\*

17  COUNTER-PAK Overnight Envelope

18  OVERNIGHT BOX

19  OVERNIGHT TUBE

20  STANDARD A/M Delivery not later than second business day

21  OVERNIGHT LETTER\*

22  COUNTER-PAK Overnight Envelope

23  OVERNIGHT BOX

24  OVERNIGHT TUBE

25  STANDARD A/M Delivery not later than second business day

26  OVERNIGHT LETTER\*

27  COUNTER-PAK Overnight Envelope

28  OVERNIGHT BOX

29  OVERNIGHT TUBE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

REVISION DATE 7/88

PRINTED IN U.S.A. GBFE

© 1988 F.E.C.

REVISION DATE 7/88

PRINTED IN U.S.A. GBFE

© 1988 F.E.C.

REVISION DATE 7/88

PRINTED IN U.S.A. GBFE

© 1988 F.E.C.

REVISION DATE 7/88

PRINTED IN U.S.A. GBFE

© 1988 F.E.C.

REVISION DATE 7/88

PRINTED IN U.S.A. GBFE

© 1988 F.E.C.

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

SENDER'S COPY

276

**EXPRESS**  
**AIRBILL**  
 USE THIS AIRBILL FOR  
 AIR MAIL SHIPMENTS WITHIN THE CONTINENTAL U.S.A., ALASKA AND HAWAII  
 USE THE INTERMEDIATE AIRBILL FOR SHIPMENTS TO PUERTO RICO.  
 QUESTIONS? CALL 800-333-3333 TOLL FREE.

Sender's Federal Express Account Number  
**1196 4007-8**  
 Date  
**4-27-88**

From (Your Name) Please Print  
**Tom Williams**  
 Your Phone Number (Very Important)  
**(415) 961-326**  
 Department/Floor No.  
**100**

Company  
**Food Mart**  
 Street Address  
**13715 Food Mart Blvd**  
 City  
**San Diego**  
 State  
**CA**  
 ZIP Required  
**92124**

Recipient's Name (Please Print)  
**Tom Williams**  
 Recipient's Phone Number (Very Important)  
**(415) 961-326**  
 Department/Floor No.  
**100**

Company  
**Food Mart**  
 Street Address  
**13715 Food Mart Blvd**  
 City  
**San Diego**  
 State  
**CA**  
 ZIP Required  
**92124**

Exact Street Address (We Cannot Deliver to P.O. Boxes or P.O. Zip Codes.)  
**13715 Food Mart Blvd**  
 City  
**San Diego**  
 State  
**CA**  
 ZIP Required  
**92124**

IF HOLD FOR PICK-UP, PRINT FEDEX ADDRESS HERE  
 Street Address  
 City  
 State  
 ZIP Required

YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)  
**1196-4007-8**

PAYMENT  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill 3rd Party FedEx Acct. No.  Bill Credit Card

DELIVERY AND SPECIAL HANDLING

1  HOLD FOR PICK-UP (Fee in Box 1)

2  DELIVER SATURDAY (Fee in Box 1)

3  DELIVER WEEKNIGHT (Fee in Box 1)

4  DANGEROUS GOODS (Fee in Box 1)

5  CONSTANT SURVEILLANCE SERVICE (CSS) (Fee in Box 1)

6  BRT ICE (Fee in Box 1)

7  OTHER SPECIAL SERVICE (Fee in Box 1)

8  SATURDAY PICK-UP (Fee in Box 1)

9  HOLIDAY DELIVERY (Fee in Box 1)

10  HOLIDAY DELIVERY (Fee in Box 1)

11  HOLIDAY DELIVERY (Fee in Box 1)

12  HOLIDAY DELIVERY (Fee in Box 1)

13  HOLIDAY DELIVERY (Fee in Box 1)

14  HOLIDAY DELIVERY (Fee in Box 1)

1  PRIORITY MAIL  OVERNIGHT LETTER\*

2  COURIER-PAK  OVERNIGHT ENVELOPE\*

3  OVERNIGHT BOX

4  OVERNIGHT TUBE

5  STANDARD AIR Delivery not later than second business day

\* Declared Value Limit \$100.

PACKAGES

WEIGHT

INCLAS (per info)

SIZE (per info)

Total

Received At

1  Regular Stop

2  On-Call Stop

3  Drip Box

4  BSC

5  Station

FEDEX Corp. Employee No.

Date/Time for FEDEX Use

11/1/88

11:25

11/1/88

11:25

11/1/88

11:25

11/1/88

11:25

11/1/88

11:25

11/1/88

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

BASE CHARGES

DECLARED VALUE CHARGE

OTHER 1

OTHER 2

TOTAL CHARGES

FEDERAL EXPRESS USE

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S): 88092291-88092293  
WORK ORDER NO.: 953

These water samples were received at the ES Berkeley  
Laboratory on 9-08-88.

They were received cold and intact.





IF  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

DAN68-86  
MW50-6W1

Name: Engineering Science Contract: ORD01

Code: \_\_\_\_\_ Case No.: 953 SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_

Mix: (soil/water) water Lab Sample ID: 88082292

Sample wt/vol: 1000 (g/mL) ml Lab File ID: E5945 + E5946

Level: (low/med) low Date Received: 9-8-88

Disturbance: not dec.  dec. \_\_\_\_\_ Date Extracted: 9-12-88

Extraction: (SepF/Cont/Sonc) SepF Date Analyzed: 10/21/88

Cleanup: (Y/N) N pH: \_\_\_\_\_ Dilution Factor: none

Number TICs found: 10 CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. <u>127-18-4</u>	<u>tetrachloroethene</u>	<u>4.29</u>	<u>13</u>	
2.	<u>Unknown</u>	<u>4.28</u>	<u>6</u>	
3.		<u>4.74</u>	<u>5</u>	
4.		<u>6.22</u>	<u>37</u>	
5.		<u>6.43</u>	<u>7</u>	
6.		<u>6.77</u>	<u>24</u>	
7.		<u>6.82</u>	<u>14</u>	
8.		<u>6.91</u>	<u>5</u>	
9.		<u>25.28</u>	<u>64</u>	
10.		<u>28.01</u>	<u>15</u>	
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1P  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

DANGB-36-  
mw43-GW1

Lab Name: Engineering Science Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 953 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) Water Lab Sample ID: 88092293  ReX

Sample wt/vol: 1000 (g/mL) ml Lab File ID: E6627 + E6628

Level: (low/med) low Date Received: 9-8-88

% Moisture: not dec.  dec. \_\_\_\_\_ Date Extracted: 1-3-89

Extraction: (SepF/Cont/Sonc) Sep F Date Analyzed: 1/13/89

GPC Cleanup: (Y/N) N pH: \_\_\_\_\_ Dilution Factor: 1

Number TICs found: 3 CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. <u>127-18-4</u>	<u>tetrachloroethene</u>	<u>3.86</u>	<u>13</u>	
2.	<u>unknown</u>	<u>24.46</u>	<u>190</u>	
3.	<u>unknown</u>	<u>27.31</u>	<u>7</u>	
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

QUALITY CONTROL RESULTS SUMMARY  
METALS

OC Report No: AAF-W-0032-88  
 Sample Matrix: Water  
 Conc. Unit: ug/l.  
 Date Received: 9-01-88  
 Date Reported: 11-07-88  
 Dilution Factor: NA

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092256, 88092303-88092306, 88092291-88092293  
 88092312-88092316, 88092321-88092327

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery		Notes
											SR	SSR	
Arsenic	88092256	88092256	11-04-88	10-11-88	7060	<0.010	<0.005	<0.005	NC	0.040	<0.005	0.0410	102
Cadmium	88092256	88092256	10-26-88	10-11-88	7131	<0.005	<0.001	<0.001	NC	5.0	<0.001	5.26	105
Chromium	88092256	88092256	10-28-88	10-11-88	6010	<0.005	<0.002	<0.002	NC	20.0	<0.002	20.07	100
Lead	88092256	88092256	10-20-88	10-11-88	7421	<0.010	<0.005	<0.005	NC	0.020	<0.005	0.0229	114

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)



QUALITY CONTROL SUMMARY  
METALS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: ICP-11-0051-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-08-88  
 Date Reported: 11-07-88  
 Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
 88092291-88092293, 88092256, 88092303-88092306  
 88092312-88092317, 88092321-88092327

Laboratory Supervisor Approval:  
*[Signature]*

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	SA	SR	SSR	PR	Notes
Barium	88092291	88092291	10-17-88	10-14-88	6010	<0.2	<0.05	<0.05	NC	2.0	<0.05	1.38	69N	

284

N - See Legend attached.

$$\text{Relative Percent Difference (RPD)} = \frac{C1 - C2}{(C1 + C2)/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{SSR - SR}{SA} \times 100$$

C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected


QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: CVM-W-0014-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-08-88  
 Date Reported: 10-10-88  
 Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
 88092291-88092293  
 88092305-88092306

Laboratory Supervisor Approval:  


Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	SA	SR	SSR	PR	Notes
Mercury	88092291	88092291	9-27-88	9-26-88	245.1	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.000958	96	

285

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY

QC REPORT NO.: TPH-W-0072-88

Insufficient sample was available for quality control purposes.  
The laboratory control sample is designated as a quality control sample  
for this batch.

The reporting limit for the samples in this batch is provided by  
the sub-contract laboratory.

QUALITY CONTROL - QUALITY PARAMETERS  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0072-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 9-23-88  
 Date Analyzed: 9-26-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
 88092291-88092293, 88092305-88092306  
 88092314-88092317, 88092312, 88092321,  
 88092354, 88092324, 88092349, 88092388-88092390

Laboratory Supervisor Approval:

*[Signature]*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
418.1		<1.5	<1.5	39.5	38.5	97	37.5	95	3	

See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

88-A1-DULU0263 1

QC-FRMO 7W

VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0047-88  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: 9-12-88  
Date Prepared: NA  
Date Analyzed: 9-22-88  
Date Reported: 10-25-88  
Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
88082256, 88092291-88092294  
88092303-88092309, 88092312-88092317  
88092321, 88082189

Laboratory Supervisor Approval:

*[Signature]*

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits % Recovery
88092321	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	9.59	96	9.28	93	3	26	70-130
	Trichloroethene	10	ND	10.2	102	10.3	103	1	19	65-131
88092321	Chlorobenzene	10	ND	10.5	105	10.7	107	2	40	59-137
	Aromatics: 8020									
	Benzene	10	20	30.8	108	30.8	108	0	20	56-146
88092321	Toluene	10	ND	10.7	107	9.72	97	10	41	42-150
	Chlorobenzene	10	ND	10.1	101	9.37	94	7	36	76-133

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$


MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)  
NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-25-88

Project: Duluth ANGB

Laboratory Supervisor Approval:  


File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
19	9-14-88	VGC	Carbopack	75-09-2	Dichloromethane	1.5	0.25	88092291-88092294

289

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0036-88  
QC REPORT NO.: OCP-W-0036-88B

Analysis of matrix spikes gave one recovery and the RPD for aldrin that were higher than EPA QC guidelines. Analysis of spiked blanks gave one recovery each for aldrin, endrin, and lindane and RPDs for dieldrin and endrin that are outside of EPA QC guidelines. Data associated with these analyses were closely examined, no analytical problem was found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0036-88  
 QC Sample No.: 88082256  
 Level (Low/Med): Low  
 Date Reported: 11-10-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88082189, 88082256  
 88092291-88092293

*AW Burdett*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	400	ND	0.378	95	56-123
Heptachlor epoxide	400	ND	0.443	111	40-131
Aldrin	400	ND	0.747	187*	40-120
Dieldrin	1000	ND	1.19	119	52-126
Endrin	1000	ND	1.03	103	56-121
4,4'-DDT	1000	ND	1.19	119	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.361	91	95	5	15	56-123
Heptachlor epoxide	0.431	108	111	2	20	40-131
Aldrin	0.473	118	187*	46*	22	40-120
Dieldrin	1.18	118	119	<1	18	52-126
Endrin	1.12	112	103	8	21	56-121
4,4'-DDT	1.10	111	119	8	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 1 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits



PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0036-88B  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-10-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88082189, 88082256  
 88092291-88092293

*RWB*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.157	79	56-123
Heptachlor epoxide	200	ND	0.208	104	40-131
Aldrin	200	ND	0.271	136*	40-120
Dieldrin	500	ND	0.513	103	52-126
Endrin	500	ND	0.461	92	56-121
4,4'-DDT	500	ND	0.392	78	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.0966	48*	79	49	15	56-123
Heptachlor epoxide	0.186	93	104	12	20	40-131
Aldrin	0.227	111	136*	20	22	40-120
Dieldrin	0.287	57	103	56*	18	52-126
Endrin	0.0298	6*	92	176*	21	56-121
4,4'-DDT	0.313	63	78	22	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 3 out of 6 outside limits

Spike Recovery: 2 out of 12 outside limits



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
EPA 8270 ANALYSIS  
WORK ORDER NO.: 953

These samples were first extracted on September 12, 1988, within holding time. Samples 88092291 and 88092292 were analyzed on October 21-22, 1988, also within holding time. Sample 88092293 was analyzed on October 23, 1988, one day out of holding time. Two or more base neutral surrogate spike recoveries for this sample were lower than EPA QC limits. The sample was re-extracted and analyzed. Surrogate spike recoveries in the second analysis met EPA criteria. Base neutral surrogate spike recoveries were also low in the laboratory blank that was extracted with these samples. Surrogate spike recoveries in the blank extracted with 88092293RE met EPA QC criteria.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830  
 Project: Duluth ANGB

QC Report No: BNA-W-0051-88

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-08-88  
 Date Prepared: 9-12-88  
 Date Analyzed: 10-21-88  
 Date Reported: 12-13-88  
 Dilution Factor: 1

Laboratory Supervisor Approval:

*[Signature]*

QC Report for Laboratory Sample No(s):  
 88082305-88082306  
 88092291-88092293, 88092423-88092427

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092291	1,2,4-Trichlorobenzene	100	ND	58.2	58	55.0	55	5	28 39-98
	Acenaphthene	100	ND	56.5	56	56.5	57	2	31 46-118
	2,4-Dinitrotoluene	100	ND	59.2	59	59.0	59	0	38 24-96
	Pyrene	100	ND	77.1	77	79.0	79	3	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	71.8	72	70.6	71	1	38 41-116
	1,4-Dichlorobenzene	100	ND	50.4	50	48.5	49	2	28 36-97
ACID Laboratory Sample # 88092291	Pentachlorophenol	200	ND	105	52	114	57	9	50 9-103
	Phenol	200	ND	72.3	36	52.3	26	32	42 12-89
	2-Chlorophenol	200	ND	92.4	46	63.6	32	36	40 27-123
	4-Chloro-3-Methylphenol	200	ND	114	57	95.2	48	17	42 23-97
	4-Nitrophenol	200	ND	94.7	47	61.7	31	41	50 10-80

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Work Order No.: 953  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 4-21-89

Project: Duluth ANGB

Laboratory Supervisor Approval:

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
S0216	10-23-88	AC	1	-	None Detected	-	-	88092291-88092293
S0215	10-23-88	BN	1	117-81-7	bis(2-ethylhexyl) phthalate	11	10	88092291-88092293
<b>296</b>								

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0005-89  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 12-20-88  
 Date Prepared: 12-28-88  
 Date Analyzed: 01-17-89  
 Date Reported: 02-23-89  
 Dilution Factor: NA

Project: Oak Ridge, Tn. 37830

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s): 88092293Re

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88123521	1,2,4-Trichlorobenzene	100	ND	64.7	65	58.4	58	10	28 39-98
	Acenaphthene	100	ND	68.7	69	57.0	57	19	31 46-118
	2,4-Dinitrotoluene	100	ND	45.7	46	36.1	36	24	38 24-96
	Pyrene	100	ND	55.7	56	51.3	51	8	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	69.3	69	47.5	48	37	38 41-116
	1,4-Dichlorobenzene	100	ND	53.3	53	44.9	45	17	28 36-97
ACID Laboratory Sample # 88123521	Pentachlorophenol	200	ND	50.6	25	70.5	35	33	50 9-103
	Phenol	200	ND	60.3	30	82.3	41	31	42 12-89
	2-Chlorophenol	200	ND	71.6	36	102	51	35	40 27-123
	4-Chloro-3-Methylphenol	200	ND	68.6	34	81.2	41	17	42 23-97
	4-Nitrophenol	200	ND	68.9	34	83.3	42	19	50 10-80

The quality control sample for this batch is from a different project.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 4-20-89

Laboratory Supervisor Approval:

Project: Duluth ANGB

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E6620	1-13-89	AC	2	-	None Detected	-	-	88092293Re
E6621	1-13-89	BN	2	117-81-7	bis(2-ethylhexyl) phthalate	26	10	88092293Re
<b>298</b>								







GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTPP)

Case No. 123456


Contractor: Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 10/23/88 14:15

Lab ID Y11023:02

Data Release Authorized By:




m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	50.24 OK
68	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	mass 69 relative abundance	59.15
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	40.0 - 60.0% of mass 198	45.46 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.66 OK
275	10.0 - 30.0% of mass 198	18.08 OK
365	greater than 1.00% of mass 198	1.74 OK
441	present, but less than mass 443	7.54 OK
442	greater than 40.0% of mass 198	50.43 OK
443	17.0 - 23.0% of mass 442	10.17 OK (20.17) #2

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
50KG DFTPP	Y11023	10/23/88	14:15
SSTD0600	S0210		14:39
88092293 BA	S0211		15:46
88092293 AC	S0212		16:46
88092291 BA	S0213		17:46
88092291 AC	S0214		18:45
88092295 BA	S0215		19:47
88092305 AC	S0216		21:43
88092305 AC	S0217		22:42
88092305 BA	S0218		23:42
88092306 AC	S0219	10/24/88	00:41
88092306 BA	S0220		01:41
88082249 BA	S0221		02:40 #



File: >T1023 Scan #: 87 Retn. time: 5.05

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	2.054	98.00	2.815	135.95	.531	180.05	1.997	245.00	.977
43.10	.934	99.00	2.887	137.15	1.005	181.05	1.049	246.10	1.365
44.00	.632	101.00	1.882	141.05	3.146	185.05	1.781	255.00	35.967
50.10	12.439	102.80	.718	141.95	1.178	186.05	11.764	256.00	5.228
51.10	50.244	103.90	.977	144.95	.733	187.05	3.059	257.90	2.183
52.10	2.456	105.10	2.399	147.05	1.637	189.05	.819	265.00	1.077
55.20	.891	106.10	.689	148.05	2.255	191.05	.646	273.00	1.278
56.10	1.479	107.00	12.699	149.15	3.735	193.05	.962	274.05	2.945
57.10	5.559	108.00	2.011	150.05	.646	196.10	3.347	275.05	18.084
62.10	.531	110.00	31.586	153.05	.833	198.00	100.000	276.05	2.327
63.10	1.839	111.00	4.108	153.95	.819	199.00	6.665	276.95	1.250
65.10	1.049	112.00	.402	155.15	2.126	201.50	.704	284.15	.704
69.00	59.150	117.00	8.302	156.05	1.896	203.10	.790	295.95	4.510
71.10	4.180	118.05	1.005	157.95	.431	204.00	2.499	296.95	.689
75.10	7.354	119.15	1.163	159.95	.747	205.10	4.395	302.95	.546
76.10	2.413	121.15	2.083	161.05	6.421	206.10	17.811	314.95	.445
77.10	47.673	122.05	.919	162.15	1.178	207.10	3.964	323.05	1.738
78.10	3.620	123.05	1.566	162.85	.546	211.20	.876	334.05	.934
79.00	2.959	124.05	.718	164.15	4.165	216.10	.402	340.25	1.594
80.00	2.327	125.05	.531	165.05	1.566	217.00	5.415	341.15	.503
81.00	4.252	127.05	45.461	166.15	.804	218.00	.431	354.00	.488
82.10	.934	128.15	3.993	167.05	4.481	221.00	6.593	365.00	1.738
83.10	1.365	129.05	22.134	168.05	2.040	222.90	1.034	372.00	.531
85.10	.661	130.05	1.853	173.95	.689	224.00	9.221	423.00	2.528
86.00	1.163	130.95	.804	175.05	1.853	225.00	2.643	424.00	.646
91.00	1.738	132.05	.675	176.15	.891	227.00	3.634	441.05	7.541
92.10	.819	133.15	1.408	177.15	7.153	228.00	.747	442.05	50.431
93.00	4.352	134.05	.776	178.15	1.163	229.00	.934	443.05	10.169

302

96.00 .474 135.05 1.781 178.95 3.131 244.00 8.087 444.05 .934

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/23/88  
 Contractor: ENVIRONMENTAL SCIENCE Time: 14:39  
 Contract No: \_\_\_\_\_ Laboratory ID: 256210  
 Instrument ID: 1 Initial Calibration Date: 10/23/88  
13  
(S)

Minimum RF for SPEC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC SPEC
N-Nitroso-Dimethylamine	.90159	.91015	.94	
2-Fluorophenol	1.15602	1.32037	14.62	
bis(2-Chloroethyl) Ether	1.11892	1.01119	9.63	
Phenol	1.41657	1.57623	11.27 *	
Phenol-d5	1.22488	1.43002	16.75	
Aniline	.54193	.70965	30.98	
2-Chlorophenol	1.23175	1.30257	5.75	
1,3-Dichlorobenzene	1.47535	1.42076	3.70	
1,4-Dichlorobenzene	1.40530	1.35350	3.66 *	
Benzyl Chloride	-	-	-	
Benzyl Alcohol	.72906	1.05716	45.05	
1,2-Dichlorobenzene	1.32240	1.42201	7.53	
2-Methylphenol	1.17367	1.40481	19.69	
3,6-4-Methylphenol	1.07139	1.40072	30.74	
bis(2-chloroisopropyl) Ether	2.15627	2.42117	12.30	
N-Nitroso-Di-n-Propylamine	.84050	.80157	4.63	**
Hexachloroethane	.53640	.56597	5.12	
Dibromochloropropane	-	-	-	
Nitrobenzene	.40312	.44097	9.39	
Nitrobenzene-d5	.39137	.41641	6.91	
2-Nitrophenol	.24657	.26496	7.46 *	
Isophorone	.74170	.83745	12.91	
bis(2-Chloroethoxy)methane	.49386	.52502	7.12	
2,4-Dimethylphenol	.34619	.34700	.43	
Benzoic Acid	.29725	.30652	3.79	
2,4-Dichlorophenol	.55733	.60991	7.51 *	
1,2,4-Trichlorobenzene	.36913	.36202	1.93	
Naphthalene	.94589	.94342	.26	
4-Chloroaniline	.36369	.42475	16.98	
Hexachlorobutadiene	.20293	.20475	.95 *	
4-Chloro-3-Methylphenol	.31360	.36916	17.72 *	
2-Methylnaphthalene	.56397	.62052	10.03	

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPEC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/23/88  
 Contractor: ENGINEERING SCIENCE Time: 14:39  
 Contract No: \_\_\_\_\_ Laboratory ID: X50210  
 Instrument ID: 1 Initial Calibration Date: 10/23/88  
DA

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29568	.35271	19.29	**	
2,4,6-Trichlorophenol	.42260	.36697	13.20	*	
2,4,5-Trichlorophenol	.52857	.57656	9.00		
2-Fluorobiphenyl	1.27220	1.16507	8.42		
2-Chloronaphthalene	1.23781	1.17191	5.35		
2-Nitroaniline	.47289	.48556	2.89		
Dimethylphthalate	1.40629	1.32523	5.76		
2,6-Dinitrotoluene	.37415	.37767	.94		
Acenaphthylene	1.68918	1.57896	6.53		
3-Nitroaniline	.44557	.44657	.67		
2,4-Dinitrophenol	.11898	.10617	10.77	**	
Acenaphthene	1.13011	.99917	12.47	*	
Dibenzofuran	1.64131	1.53667	6.36		
2,4-Dinitrotoluene	.28418	.28800	1.34		
1-Nitrophenol	.28450	.34524	21.35	**	
Fluorene	1.12850	.96321	14.12		
Bisethylphthalate	1.20939	1.10667	8.46		
4-Chlorophenyl-phenylether	.59163	.57597	2.60		
4-Nitroaniline	.35956	.37392	3.99		
2,4,6-Trichlorophenol	.21023	.20530	2.35		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40286	.50038	24.21	*	
1,6-Dinitro-2-methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.23729	11.39		
Hexachlorobenzene	.26273	.28806	9.64		
Pentachlorophenol	.14536	.14054	3.32	*	

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) - SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSE Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/23/88  
 Contractor: ENGINEERING SCIENCE Time: 14:39  
 Contract No: \_\_\_\_\_ Laboratory ID: 150210  
 Instrument ID: 1 Initial Calibration Date: 10/1/88  
JD

Minimum RF for SPEC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC SPEC
Phenanthrene	1.03131	1.02330	1.06	
Anthracene	1.05155	1.08512	3.19	
Di-n-Butylphthalate	1.51955	1.61475	6.26	
1,1'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.19017	1.05707	11.21	*
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
1,1'-DDE	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
1,1'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
1,1'-DDI	-	-	-	
Endosulfan Sulfate	-	-	-	
Dibutylchloroborate	-	-	-	
Benizidine	.04023	.15315	280.69	
Pyrene	1.56086	1.77013	13.41	
Terphenyl-di+	1.05835	1.26161	21.09	
Butylbenzylphthalate	1.03390	1.23504	19.45	
3,3'-Dichlorobenzidine	.13689	.21575	57.61	
Chrysene	.99655	.97586	2.08	
Benzo(a)Anthracene	1.10107	1.15168	4.31	
bis(2-Ethylhexyl)phthalate	1.21073	1.57316	29.94	
Di-n-octylphthalate	3.40275	3.64161	7.02	=
Benzo(a)Pyrene	1.32098	1.28988	2.35	*
Benzo(b)Fluoranthene	1.60850	1.63240	1.49	
Indeno(1,2,3-cd)Pyrene	.96808	1.14389	18.17	
Dibenzo(a,h)Anthracene	.87161	1.04460	19.41	
Benzo(k)Fluoranthene	1.41370	1.20364	16.63	
Benzo(g,h,i)Perylene	.87761	1.00641	21.03	

RF - Response Factor from daily standard file at 60.00 ng/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): SSTD:060 Date Analyzed: 10/23/88  
 Lab File ID (Standard): S0210 Time Analyzed: 14:39  
 Instrument ID: 1

	IS1 (DCB)		IS2 (NPT)		IS3 (ANT)	
	AREA #	RT	AREA #	RT	AREA #	RT
12 HOUR STD	55322	9.24	180905	12.87	107837	18.35
UPPER LIMIT	110644	9.74	361810	13.37	215674	18.85
LOWER LIMIT	27661	8.74	90453	12.37	53919	17.85
EPA SAMPLE NO.						
01	88092243 BN 59189	9.22	209506	12.82	114668	18.33
02	88092243 AC 55631	9.22	198465	12.82	111266	18.31
03	88092243 BLK BN 66136	9.22	220656	12.82	126616	18.32
04	88092241-93 BLK AC 56212	9.21	196602	12.82	107443	18.32
05	88092305-06 BLK BN 48730	9.21	169716	12.82	97374	18.32
06	88092305-06 BLK AC 52148	9.21	181225	12.82	104440	18.31
07	88092305 AC 54388	9.21	188768	12.82	104541	18.31
08	88092305 BN 49756	9.21	180183	12.81	102183	18.30
09	88092306 AC 48282	9.22	167999	12.82	97026	18.31
10	88092306 BN 55003	9.21	194194	12.82	112310	18.31
11	88082249 RE 46261	9.23	164505	12.83	91982	18.32
12	88082248 RE 53600	9.23	192902	12.81	105973	18.30
13	88082247 RE 52125	9.26	180955	12.86	100282	18.37
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8  
 UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk



SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: ORD01  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): SSTD060 Date Analyzed: 10/23/88  
 Lab File ID (Standard): S0210 Time Analyzed: 14:39  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN)	RT	IS5 (CRY)	RT	IS4 (PRY)	RT
	AREA #		AREA #		AREA #	
12 HOUR STD	161718	23.00	92243	31.46	61626	37.56
UPPER LIMIT	323436	23.50	184486	31.96	122052	38.16
LOWER LIMIT	80859	22.50	46122	30.96	30513	37.16
EPA SAMPLE NO.						
01 88092293 BN	17854.7	22.98	102590	31.43	65203	37.54
02 88092293 AC	169706	22.98	91647	31.43	50869	37.54
03 88092291-93 BLK BN	196914	22.99	108430	31.43	69668	37.55
04 88092291-93 BLK AC	164646	22.97	75492	31.44	37420	37.55
05 88092305-06 BLK BN	140419	22.98	65586	31.44	37159	37.55
06 88092305-06 BLK AC	158423	22.96	78019	31.44	41305	37.54
07 88092305 AC	158841	22.96	75665	31.43	41953	37.54
08 88092305 BN	158165	22.97	77615	31.42	43483	37.51
09 88092306 AC	151445	22.96	81786	31.42	116401	37.52
10 88092306 BN	171327	22.97	94902	31.43	58090	37.52
11 88082249 RE	139548	22.97	72442	31.43	38105	37.52
12 88082248 RE	1166456	22.96	84406	31.42	43505	37.52
13 88082247 RE	58880*	23.13	69961	31.61	23597*	37.74
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS4 (PRY) = Perylene-d12  
 UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

\* Column used to flag internal standard area values with an asterisk

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DTFP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 10/24/88 15:00

Lab ID >11024:01

Data Release Authorized By:

*Dennis J. [Signature]*


m/z	ION ABUNDANCE CRITERIA	RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	42.53 OK
66	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	mass 69 relative abundance	47.48
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	10.0 - 60.0% of mass 198	43.21 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.96 OK
275	10.0 - 30.0% of mass 198	18.42 OK
365	greater than 1.00% of mass 198	1.74 OK
441	present, but less than mass 443	7.30 OK
442	greater than 40.0% of mass 198	60.63 OK
443	17.0 - 23.0% of mass 442	10.60 OK (17.81) #2

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
150 ng DTFP	>11024	10/24/88	15:00
8809 55TD/60	S0224		15:18
8809 2093 B/LN	S0225		16:50
8809 2091/17 B/LN	S0226		17:51
8809 2252 R/LN	S0227		18:50
8809 2357 AC	S0228		19:49
8809 2357 B/LN	S0229		20:48
8809 2358 AC	S0230		21:48
8809 2358 B/LN	S0231		22:47
8809 2359 AC	S0232		23:47
8809 2359 B/LN	S0233	10/25/88	00:40
8809 2357 S1 MAX	S0234		01:45
8809 2357 S1 B/LN	S0235		02:45

another project



File: 771024 Scan #: 86 Retn. time: 5.06

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
45.26	.916	105.10	.378	141.05	1.929	179.95	1.891	245.10	.689
50.10	10.552	101.00	.662	142.15	1.229	181.05	1.395	241.00	7.867
51.10	42.530	105.10	.189	143.05	.189	185.05	1.834	245.10	.851
52.10	2.364	106.10	.889	145.15	.113	186.05	11.422	246.00	1.834
56.10	.057	107.00	9.153	147.05	.927	187.05	2.477	249.00	.670
57.10	.916	108.00	1.721	148.05	1.248	192.05	1.721	250.10	.681
58.10	.359	110.00	26.952	152.15	.416	193.05	1.475	251.10	1.286
59.10	1.191	111.10	3.272	153.05	.889	196.10	3.347	252.10	.397
63.10	1.918	113.10	.132	154.15	.908	198.00	100.000	253.00	.738
65.26	.567	115.10	.227	155.05	.511	199.00	6.959	255.00	43.268
69.00	47.485	116.00	.492	156.05	2.175	200.10	.889	256.00	5.891
71.00	2.269	117.00	5.843	159.05	.170	201.30	1.002	257.00	.681
75.00	5.711	118.05	.738	159.95	1.116	203.10	1.097	258.00	2.288
76.10	1.797	120.15	.870	161.05	.303	201.10	3.026	259.00	.586
77.10	41.289	122.15	.435	165.15	.208	205.10	4.955	265.00	.132
78.10	3.067	123.15	.794	166.05	1.305	206.10	18.419	272.90	1.172
79.00	2.005	124.15	.019	167.05	3.423	207.10	1.948	274.05	3.820
80.10	1.664	125.15	.246	168.05	2.089	208.10	.435	275.05	18.419
81.10	3.688	127.05	43.211	169.05	.151	211.10	.870	276.05	2.458
82.10	.454	128.05	3.807	170.15	.662	215.00	.454	276.95	1.759
84.10	.416	129.05	19.875	171.05	1.589	217.00	5.541	283.05	.435
85.10	.662	129.05	1.607	172.05	.738	218.10	1.097	295.95	4.595
87.10	.719	131.05	.246	173.15	.794	221.10	7.470	315.05	.643
91.10	.473	132.15	1.513	174.05	1.210	222.10	.813	323.05	1.418
92.00	.567	134.15	1.267	175.05	1.343	223.00	1.513	365.00	1.740
93.10	3.120	135.15	1.002	176.05	1.002	221.00	10.458	423.00	3.309
94.10	2.061	136.15	.378	177.15	.813	225.00	2.969	441.05	7.300
98.00	2.175	137.15	.151	178.05	.170	227.00	4.652	442.05	60.628

99.00	1.882 138.15	.095 178.35	.756 229.10	1.362 413.05	10.798
101.00	3.326 140.15	.775 178.95	2.591 242.00	.605 444.05	.889

Continuing Calibration Check  
HPL Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/24/88.

Contractor: ENGINEERING SCIENCE Line: 15:18

Contract No: \_\_\_\_\_ Laboratory ID: J50224

Instrument ID: 1 Initial Calibration Date: 10/13/88  
DES

Minimum RF for SPCC is \_\_\_\_\_ Maximum X Diff for CCC is X

Compound	RF	RF	XDiff	CCC SPCC
N-Nitroso-Dimethylamine	.90169	.89255	1.01	
2-Fluorophenol	1.15802	1.23035	6.25	
bis(2-Chloroethyl)ether	1.11892	.92762	17.10	
Phenol	1.41657	1.46014	3.08	*
Phenol-d5	1.22488	1.11828	8.70	
Aniline	.54193	.62737	15.77	
2-Chlorophenol	1.23175	1.26534	2.73	
1,3-Dichlorobenzene	1.47535	1.41165	4.32	
1,4-Dichlorobenzene	1.40530	1.38622	1.36	*
Benzyl Chloride	-	-	-	
Benzyl Alcohol	.72906	.51689	29.10	
1,2-Dichlorobenzene	1.32240	1.43132	8.24	
2-Methylphenol	1.17367	1.46216	24.58	
3,4-Methylphenol	1.07139	1.61083	50.35	
bis(2-chloroisopropyl)Ether	2.15627	2.39841	11.23	
N-Nitroso-Di-n-Propylamine	.84050	.80911	3.74	**
Hexachloroethane	.53840	.55653	3.37	
Dibromochloropropane	-	-	-	
Nitrobenzene	.40312	.42445	5.29	
Nitrobenzene-d5	.39137	.41068	4.98	
2-Nitrophenol	.24657	.26327	6.77	*
Isophorone	.74170	.76316	5.59	
bis(2-Chloroethoxy)methane	.49386	.51176	3.63	
2,4-Dimethylphenol	.34819	.39034	12.01	
Benzoic Acid	.29725	.29143	1.96	
2,4-Dichlorophenol	.56733	.61232	7.93	*
1,2,4-Trichlorobenzene	.36913	.37736	2.23	
Naphthalene	.94589	.92536	2.17	
4-Chloroaniline	.36309	.38218	5.26	
Hexachlorobutadiene	.20283	.20585	1.49	*
4-Chloro-3-Methylphenol	.31360	.33215	5.92	*
2-Methylnaphthalene	.56397	.58568	3.85	

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form UI

XDiff - X Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check

HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/24/88  
 Contractor: ENGINEERING SCIENCE Time: 15:18  
 Contract No: \_\_\_\_\_ Laboratory ID: YS0224  
 Instrument ID: 1 Initial Calibration Date: <sup>13</sup>10/13/88  
<sub>DS</sub>

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is X

Compound	RF	RF	% Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29568	.33202	12.29	**	
2,4,6-Trichlorophenol	.42280	.39467	6.65	*	
2,4,5-Trichlorophenol	.52897	.53641	1.41		
2-Fluorobiphenyl	1.27220	1.10253	13.34		
2-Chloronaphthalene	1.23784	1.14239	7.71		
2-Nitroaniline	.47288	.46239	2.22		
Dinethylphthalate	1.40629	1.28208	8.83		
2,6-Dinitrotoluene	.37415	.36352	2.84		
Acenaphthylene	1.68918	1.51357	10.40		
3-Nitroaniline	.44557	.40845	8.33		
2,4-Dinitrophenol	.11898	.09098	23.53	**	
Acenaphthene	1.13011	.94134	16.70	*	
Dibenzofuran	1.64131	1.50692	8.19		
2,4-Dinitrotoluene	.28418	.26507	6.72		
4-Nitrophenol	.28450	.21558	24.23	**	
Fluorene	1.12850	.92665	17.89		
Diethylphthalate	1.20939	1.00863	16.60		
4-Chlorophenyl-phenylether	.59183	.55363	6.45		
4-Nitroaniline	.35956	.32328	10.09		
2,4,6-Tribromophenol	.21023	.21112	.42		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40286	.48544	20.50	*	
4,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.24560	15.30		
Hexachlorobenzene	.26273	.30870	17.50		
Pentachlorophenol	.14536	.13768	5.28	*	

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

% Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL: Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/24/88

Contractor: ENGINEERING SCIENCE Time: 15:18

Contract No: \_\_\_\_\_ Laboratory ID: 750224

Instrument ID: 1 Initial Calibration Date: 10/13/88  
DRP

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	% Diff - CCC - SPCC
Phenanthrene	1.03431	1.01066	2.29
Anthracene	1.05155	1.08799	3.47
Di-n-Butylphthalate	1.51956	1.54914	1.95
4,4'-Dibromobiphenyl	-	-	-
Fluoranthene	1.19047	1.02649	13.77 *
Heptachlor Epoxide	-	-	-
Endosulfan I	-	-	-
4,4'-DDE	-	-	-
Dieldrin	-	-	-
Endrin	-	-	-
4,4'-DDD	-	-	-
Endosulfan II	-	-	-
Endrin Aldehyde	-	-	-
4,4'-DDI	-	-	-
Endosulfan Sulfate	-	-	-
Dibutylchloroendate	-	-	-
Benzidine	.04023	.04925	22.42
Pyrene	1.56086	1.84285	18.07
Terphenyl-d14	1.05835	1.33864	26.48
Butylbenzylphthalate	1.03390	1.27915	23.72
3,3'-Dichlorobenzidine	.13689	.21217	54.99
Chrysene	.99655	1.02044	2.40
Benzo(a)Anthracene	1.10407	1.16164	5.21
bis(2-Ethylhexyl)Phthalate	1.21073	1.62631	34.33
Di-n-octylphthalate	3.40275	3.81348	12.07 *
Benzo(a)Pyrene	1.32098	1.30919	.89 *
Benzo(b)Fluoranthene	1.60850	1.49160	7.27
Indeno(1,2,3-cd)Pyrene	.96800	1.19028	22.96
Dibenzo(a,h)Anthracene	.87481	1.04812	19.81
Benzo(k)Fluoranthene	1.44370	1.14891	20.42
Benzo(g,h,i)Perylene	.89761	1.09852	22.38

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

% Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*): SPCC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): SSTD060 Date Analyzed: 10/24/88  
 Lab File ID (Standard): S0224 Time Analyzed: 15:18  
 Instrument ID: 1

		IS1 (DCB)	RT	IS2 (NPT)	RT	IS3 (ANT)	RT	
		AREA #		AREA #		AREA #		
12 HOUR STD		57529	9.25	191708	12.88	118667	18.37	
UPPER LIMIT		115058	9.75	383416	13.38	237334	18.87	
LOWER LIMIT		28765	8.75	95854	12.38	59334	17.87	
EPA SAMPLE NO.								
Sc225	01	88092393 BN RE	60294	9.24	227398	12.83	124288	18.33
	26	88092391-93 BK RE	63830	9.23	206104	12.83	125931	18.34
	27	88092352 RE	52394	9.23	194903	12.84	107798	18.33
	28	88092357 AC	57584	9.22	193491	12.83	109775	18.31
	29	88092357 BN	57318	9.22	192699	12.83	108415	18.32
Sc230	06	88092358 AC	53572	9.22	188880	12.82	105882	18.32
	30	88092358 BN	52014	9.22	179819	12.83	97894	18.32
	31	88092359 AC	53762	9.23	181511	12.83	112734	18.32
	33	88092359 BN	59634	9.22	208679	12.83	120040	18.32
	34	88092359 BK AC	56442	9.23	190436	12.83	111605	18.31
	35	88092359 BK BN	59804	9.22	210337	12.83	122915	18.33
	36	88091871 3:1 dl	60843	9.22	233417	12.82	123269	18.32
	37	88091872 3:1 dl	64095	9.22	230282	12.83	125463	18.32
Sc238	14	88091873 3:1 dl	61700	9.22	217391	12.82	126105	18.32
	15							
	16							
	17							
	18							
	19							
	20							
	21							
	22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk



SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): STD 060 Date Analyzed: 10/24/88  
 Lab File ID (Standard): S0224 Time Analyzed: 15:18  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT	
12 HOUR STD	174551	23.02	90140	31.48	59827	37.62	
UPPER LIMIT	349102	23.52	180280	31.98	119654	38.12	
LOWER LIMIT	87276	22.52	45070	30.98	29914	37.12	
EPA SAMPLE NO.							
01	88092297-BU RE	186258	23.00	92069	31.45	54609	37.60
02	88092291-93-BU BK RE	182310	23.00	77749	31.47	44244	37.62
03	88082252 RE	151346	23.01	64216	31.46	<del>20922</del>	37.59
04	88092357 AC	164521	22.99	82995	31.45	53083	37.60
05	88092357-BU	168526	22.00	<del>82960</del>	31.45	46565	37.57
06	88092358 AC	147699	22.99	55922	31.46	29373*	37.59
07	88092358-BU	145318	22.99	86623	31.46	46473	37.61
08	88092359 AC	165498	22.99	68443	31.46	33963	37.61
09	88092359-BU	175809	22.99	85269	31.46	49282	37.59
10	88092357-54-BU AC	157865	23.00	58952	31.48	29222*	37.64
11	88092357-54-BU BK	178355	23.01	82772	31.48	47296	37.64
12	88091871-31-BU	183939	22.99	82430	31.47	31120	37.60
13	88091872-31-BU	182852	22.99	78683	31.46	30407	37.59
14	88091873-31-BU	184386	22.98	87255	31.45	43516	37.59
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

\* Column used to flag internal standard area values with an asterisk

58.  
 SEMI-VOLATILE ORGANIC GC/MS TUNING AND MASS  
 CALIBRATION - DECAFLUOROTRIPHENYLPHOSPHINE (DFTFP)

Lab Name: Engineering Science      Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_      Case No.: \_\_\_\_\_      SAS No.: \_\_\_\_\_      SOG No.: \_\_\_\_\_  
 Lab File ID: >D0113      DFTFP Injection Date: 1/13/89  
 Instrument ID: 70      2      DFTFP Injection Time: 14:02

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	53.9
58	Less than 2.0% of mass 69	0.0 ( 0.0 )
69	Mass 69 relative abundance	60.
70	Less than 2.0% of mass 69	.9 ( 1.4 )
127	40.0 - 60.0% of mass 198	44.2
157	Less than 1.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100.
199	5.0 - 9.0% of mass 198	6.8
275	10.0 - 30.0% of mass 198	22.9
365	Greater than 1.00% of mass 198	2.30
441	Present, but less than mass 443	10.9
442	Greater than 40.0% of mass 198	71.5
443	17.0 - 23.0% of mass 442	13.9 ( 19.4 )

1-Value is % mass 69

2-Value is % mass 442

THIS TUNE APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	01: 80 mg/L BNA STD + IS	>E6618	1/13/89	14:21
<i>another project</i>	02: 88092553 REX RA + IS	>E6619	1/13/89	15:24
<i>BLK 2293 REX</i>	03: BLANK P651 B4 AC+ IS	>E6620	1/13/89	16:19
<i>B-K 2293 REX</i>	04: BLANK P651 B4 BN+ IS	>E6621	1/13/89	17:14
	05: 88092686 REX AC + IS	>E6622	1/13/89	18:09
<i>another project</i>	06: 88092696 REX BN + IS	>E6623	1/13/89	19:04
	07: 88092817 REX AC + IS	>E6624	1/13/89	19:59
	08: 88092817 REX BN + IS	>E6625	1/13/89	20:54
	09: 88092793 REX AC + IS	>E6626	1/13/89	21:49
	10: 88092293 REX BN + IS	>E6627	1/13/89	22:45
<i>another project</i>	11: 88092340 REX RA + IS	>E6628	1/13/89	23:40
	12: 88092341 REX RA + IS	>E6629	1/14/89	0:34
	13: 88092554 REX RA + IS	>E6630	1/14/89	1:29
	14:			
	15:			
	16:			
	17:			
	18:			
	19:			
	20:			
	21:			
	22:			

*12/21/95  
SIF*

*all 55  
all I*

*use  
use*

*use  
use*

## GC/MS PERFORMANCE STANDARD

## Decafluorotriphenylphosphine (DFTPP)


m/z	Ion Abundance Criteria	% Relative Abundance		Status
		Base Peak	Appropriate Peak	
121	20-60% of mass 128	53.85	53.85	OK
69	Less than 1% of mass 69 (reference only)	0.00	0.00	OK
69	(reference only)	60.47	60.47	OK
73	Less than 1% of mass 69	1.37	1.45	OK
127	40-60% of mass 198	44.15	44.15	OK
137	Less than 1% of mass 198	0.00	0.00	OK
196	Base peak, 100% relative abundance	100.00	100.00	OK
199	5-9% of mass 198	6.84	6.84	OK
273	10-30% of mass 198	22.93	22.93	OK
305	Greater than 1% of mass 198	2.30	2.30	OK
441	70-100% of mass 442	10.87	78.15	OK
442	Greater than 40% of mass 198	71.50	71.50	OK
443	17-23% of mass 442	13.90	19.45	OK

Injection Date: 01/13/89

Injection Time: 14:02

Data File: &gt;D0113

Scan: 23



File: >00113 Scan #: 23 Retn. time: 4.06

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	.579	93.95	3.240	147.90	2.601	197.85	100.000	255.00	41.575
43.10	.714	100.05	.322	148.00	.806	198.85	6.837	256.00	7.251
47.05	.806	100.95	1.588	153.00	.990	199.95	.806	257.00	.529
47.70	.460	102.85	.785	154.90	1.128	200.85	.368	257.90	2.878
49.10	1.055	103.05	.829	156.00	2.072	201.45	.852	265.00	1.361
50.00	15.697	104.05	1.151	157.10	.466	202.85	.760	272.70	1.358
51.00	53.870	105.05	1.220	158.90	.668	203.95	2.762	273.95	3.497
52.00	3.591	105.95	.760	160.90	.921	204.95	4.926	274.95	22.928
56.00	2.072	106.55	11.625	164.90	1.381	205.95	20.005	275.85	2.578
57.00	4.708	107.95	2.256	165.90	.875	206.95	1.197	276.75	1.727
57.80	.391	109.95	31.745	167.00	4.351	207.95	.829	283.05	.460
61.00	.852	110.95	3.775	168.00	1.727	208.95	.506	295.95	5.018
61.80	.460	111.85	.622	169.00	.253	210.15	.875	296.95	1.128
62.90	2.417	112.95	.322	172.90	1.013	210.95	1.059	302.95	.783
67.20	.483	116.55	1.082	173.90	.967	215.65	.668	314.85	.552
67.50	.668	116.95	6.577	174.45	.391	216.95	5.364	315.75	.250
69.00	60.474	117.95	.829	174.95	1.289	217.95	.691	323.00	1.657
70.00	.875	120.95	.483	175.95	.898	220.95	5.824	326.80	.506
73.00	.255	121.55	.622	176.85	.875	221.65	1.312	345.80	.506
74.00	3.225	123.05	1.289	177.95	.460	223.05	.944	352.00	.460
74.95	7.781	124.60	.414	178.95	3.568	223.90	13.697	352.80	.322
76.95	42.449	124.90	.414	180.05	2.026	224.90	2.785	353.80	.714
77.95	4.627	126.90	44.153	180.85	.875	225.80	.276	354.00	.668
78.95	2.739	127.90	3.384	183.85	.460	226.90	4.489	364.80	2.302
80.05	2.601	128.90	22.007	185.05	1.588	227.90	.737	366.00	.506
80.95	3.660	129.90	1.750	185.95	12.040	228.80	.944	371.90	.875
81.95	.691	134.00	.645	186.95	3.683	231.00	.829	402.05	.368
82.95	1.220	135.00	2.210	188.75	.645	233.90	.414	402.75	.391
84.05	1.312	135.90	1.059	190.85	.783	241.90	.483	421.95	.760
84.95	1.358	136.90	.576	191.65	.875	243.90	9.070	422.90	3.890

71.55	1.059	141.30	.921	193.85	.391	246.60	.460	441.90	71.501
92.95	4.780	143.00	.506	194.95	.345	248.80	.414	442.90	13.904
97.15	.457	145.90	.322	195.95	2.647	249.00	.437	444.00	1.312
98.65	3.127	147.10	1.450						

Continuing Calibration Check  
HSC Compounds

Case No: \_\_\_\_\_ Calibration Date: 01/13/89  
 Contractor: \_\_\_\_\_ Line: 14:21  
 Contract No: \_\_\_\_\_ Laboratory ID: JEG618  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 12/22/88

Minimum RF for SPEC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC SPEC
N-Nitroso-Dimethylamine	1.26766	.74969	40.86	
2-Fluorophenol	1.44580	.94143	34.89	
bis(2-Chloroethyl) Ether	1.40051	1.64138	17.20	
Phenol	1.55425	1.37684	14.63	
Phenol-d5	1.27053	1.15352	9.21 *	
Aniline	.99940	1.24947	150.19	
2-Chlorophenol	1.35193	1.17954	12.75	
1,3-Dichlorobenzene	1.45417	1.36889	5.86	
1,4-Dichlorobenzene	1.46835	1.48710	1.28 *	
Benzyl Chloride	-	-	-	
Benzyl Alcohol	.44030	.50731	15.22	
1,2-Dichlorobenzene	1.59406	1.28274	19.53	
2-Methylphenol	1.51111	1.01947	32.53	
3,6-4-Methylphenol	1.02617	.54547	46.85	(conc=160.00)
bis(2-chloroisopropyl) Ether	1.93284	2.94497	41.02	
N-Nitroso-Di-n-Propylamine	1.74322	1.47253	15.24 **	
Hexachloroethane	.69801	.59275	15.08	
Dibromochloropropane	-	-	-	
Nitrobenzene	.75536	.65950	12.69	
Nitrobenzene-d5	.56823	.42669	24.91	
2-Nitrophenol	.30890	.24745	19.89 *	
Isophorone	1.15969	.79318	31.62	
bis(2-Chloroethoxy)methane	.77293	.51452	33.43	
2,4-Dimethylphenol	.31600	.37653	19.15	
Benzoic Acid	.39793	.23104	41.94	
2,4-Dichlorophenol	.48395	.46009	4.93 *	
1,2,4-Trichlorobenzene	.34216	.35953	5.08	
Naphthalene	1.06107	.99815	5.93	
1-Chloroaniline	.39342	.35559	9.59	
Hexachlorobutadiene	.19669	.22358	13.67 *	
4-Chloro-3-Methylphenol	.47207	.37998	19.51 *	
2-Methylnaphthalene	.71360	.62961	11.80	

RF - Response factor from daily standard file at 80.00 ug/L

RF - Average Response Factor from Initial Calibration Form UI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPEC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 01/13/89  
 Contractor: \_\_\_\_\_ Time: 14:21  
 Contract No: \_\_\_\_\_ Laboratory ID: XE6610  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 12/22/88

Minimum RF for SPEC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	% Diff	CCC SPEC
Hexachlorocyclopentadiene	.33887	.41542	22.59	**
2,4,6-Trichlorophenol	.32158	.33427	3.95	*
2,4,5-Trichlorophenol	.33276	.42452	27.58	
2-Fluorobiphenyl	1.16908	1.28989	10.33	
2-Chloronaphthalene	1.21333	1.12767	-7.06	
2-Nitroaniline	.82802	.50620	38.87	
Diethylphthalate	1.37376	1.41958	3.34	
2,6-Dinitrotoluene	.37574	.33487	11.82	
Acenaphthylene	1.66804	1.60812	3.59	
3-Nitroaniline	.89360	.51627	42.23	
2,4-Dinitrophenol	.17317	.13518	21.94	**
Acenaphthene	1.13491	1.12262	1.08	*
Nitrobenzene	1.71826	1.65167	3.89	
2,4-Dinitrotoluene	.41224	.27514	33.26	
4-Nitrophenol	.26174	.21530	17.74	**
Fluorene	1.20871	1.20305	.47	
Diethylphthalate	1.34749	1.31717	2.25	
4-Chlorobenzyl-phenylether	.52112	.56089	7.63	
4-Nitroaniline	.42297	.32120	24.06	
2,4,6-Trichlorophenol	.19798	.24933	25.94	
1,2-Diphenylhydrazine	-	-	-	
Alpha-BHC	-	-	-	
Beta-BHC	-	-	-	
Gamma-BHC	-	-	-	
Delta-BHC	-	-	-	
Heptachlor	-	-	-	
Alc: m	-	-	-	
N-Nitrosodiphenylamine	.41328	.44379	7.38	*
4,6-Dinitro-2-Methylphenol	.11586	-	-	
4-Bromophenyl-phenylether	.24457	.26577	8.67	
Hexachlorobenzene	.29405	.33127	12.66	
Pentachlorophenol	.14065	.15296	8.75	*

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

% Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPEC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 01/13/89  
 Contractor: \_\_\_\_\_ Time: 14:21  
 Contract No: \_\_\_\_\_ Laboratory ID: 0E6618  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 12/22/88

Minimum RF for SPC is \_\_\_\_\_ Maximum % Diff for CCC is .7

Compound	RF	RF	%Diff	CCC SPC
Phenanthrene	.94887	1.00489	5.89	
Anthracene	1.20764	1.07688	10.83	
Di-n-Butylphthalate	1.71347	1.50094	12.40	
4,4'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.27407	1.08616	14.75 *	
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
4,4'-DDE	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
4,4'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
4,4'-DDT	-	-	-	
Endosulfan Sulfate	-	-	-	
Dibutylchloroendate	-	-	-	
Benzidine	.15204	.01116	92.65	
Pyrene	1.60282	1.36259	13.74	
Terphenyl-d14	1.09290	1.07099	2.00	
Butylbenzylphthalate	1.10739	.87217	21.24	
3,3'-Dichlorobenzidine	.21405	.12342	42.34	
Chrysene	1.08347	1.02019	5.84	
Benzo(a)Anthracene	1.04612	.91003	13.01	
bis(2-Ethylhexyl)Phthalate	1.25492	1.01232	19.32	
Di-n-octylphthalate	2.80651	2.50250	10.83 *	
Benzo(a)Pyrene	1.21831	1.25850	3.30 *	
Benzo(b)Fluoranthene	1.01975	1.20420	18.09	
Indeno(1,2,3-cd)Pyrene	.91688	.94825	3.42	
Dibenzo(a,h)Anthracene	.81330	.76106	6.42	
Benzo(k)Fluoranthene	1.59568	1.02631	14.45	
Benzo(g,h,i)Perylene	.80070	.91014	13.66	

RF - Response Factor from daily standard file at 80.00 ng/L

RF - Average Response Factor from Initial Calibration Form UI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPC - System Performance Check Compounds (\*\*)



WATER SEMIVOLATILE SURROGATE RECOVERY

1/13/89

Lab Name: Job No.:

Client:

Project: Duluth

Attn:

Address:

Level-(low/med):

EPA Sample No.	S1 (NBZ)#	S2 (FBP)#	S3 (THP)#	S4 (PHL)#	S5 (2FP)#	S6 (TBP)#	OTHER	TOT OUT
88092293 Rex B4K	53	86	114	10	54	12		4
88092293 Recontact	34	62	78	23	19*	80		1

QC LIMITS

- S1 (NBZ) = Nitrobenzene-d5 (35-114)
- S2 (FBP) = 2-Fluorobiphenyl (43-116)
- S3 (TPH) = Terphenyl-d14 (33-141)
- S4 (PHL) = Phenol-d5 (10-94)
- S5 (2FP) = 2-Fluorophenol (21-100)
- S6 (TBP) = 2,4,6-Tribromophenol (10-123)

# Column to be used to flag recovery values with an asterisk

\* Values outside of contract required QC limits



00  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science                      Contract: \_\_\_\_\_  
 Lab Code: ES01                      Case No.: \_\_\_\_\_                      SAS No.: \_\_\_\_\_                      SOG No.: \_\_\_\_\_  
 Lab File ID (Standard): >E6618                      Date Analyzed: 1/13/69  
 Instrument ID: 70 2                      Time Analyzed: 14:21

	IS4(PHN) *	IS5(CRY)	IS3(PRY)
	AREA #   RT	AREA #   RT	AREA #   RT
12 HOUR STD	309377.   20.99	215988.   29.34	137071.   34.10
UPPER LIMIT	618754.	431976.	274142.
LOWER LIMIT	154689.	107994.	68535.
EPA SAMPLE NO.			
01188092553 REX	265983.   20.96	177852.   29.30	86888.   34.05
021BLANK P651 B	272522.   21.04	177474.   29.42	70046.   34.19
031BLANK P651 B	277645.   21.06	177940.   29.43	112287.   34.18
04188092686 REX	280664.   21.05	173239.   29.41	117894.   34.16
05188092686 REX	301994.   21.07	220006.   29.41	123491.   34.18
06188092817 REX	296526.   20.99	209581.   29.40	109055.   34.19
07188092817 REX	274982.   21.03	224409.   29.39	161587.   34.11
08188092293 REX	258199.   21.08	189240.   29.45	123376.   34.21
09188092293 REX	377565.   20.97	304260.   29.34	168892.   34.03
10188092340 REX	368515.   20.97	262198.   29.33	124767.   34.08
11188092341 REX	370875.   20.97	316592.   29.36	79390.   34.03
12188092554 REX	414010.   20.98	322450.   29.32	171226.   34.07
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

\* Column used to flag internal standard area values with an asterisk

## VOLATILE ORGANICS INITIAL CALIBRATION DATA

LabName: ENGINEERING SCIENCE Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: VOCOL Calibration Date(s): 9/14/88

LAB FILE ID:	RRF10= <u>77, 84</u>	RRF20= <u>78, 85</u>
RRF 50= <u>79, 86</u>	RRF100= <u>80, 87</u>	RRF200= <u>81, 88</u>

COMPOUND	RRF10	RRF20	RRF50	RRF100	RRF200	RRF	%RSD
Benzyl chloride	5.21	4.65	5.19	4.05	3.70	4.56	14.82
bis (2-chloroethoxy) methane	0.09	0.12	0.12	0.14	0.12	0.12	15.16
bis (2-chloroisopropyl ether	0.09	0.12	0.12	0.14	0.12	0.12	15.16
Bromobenzene	3.10	3.02	3.45	2.95	2.87	3.08	7.30
Bromodichloromethane	5.26	4.87	4.57	4.24	3.91	4.57	11.52
Bromoform	3.35	2.40	3.36	3.28	3.25	3.13	13.12
Bromomethane	0.70	0.64	0.28	0.29	0.25	0.43	50.65
Carbon tetrachloride	4.97	5.28	4.84	4.37	4.15	4.72	9.70
Chloroacetaldehyde	0.07	0.08	0.08	0.07	0.05	0.07	17.50
Chlorobenzene	1.42	1.41	1.38	1.27	1.20	1.33	7.20
Chloroethane	1.10	1.08	0.63	0.55	0.29	0.73	48.21
Chloroform	4.14	4.52	4.18	3.68	3.44	3.99	10.83
1-Chlorohexane	0.80	0.80	0.94	0.79	0.79	0.82	7.89
2-Chloroethyl vinyl ether	0.09	0.12	0.12	0.14	0.12	0.12	15.16
Chloromethane	2.11	1.21	2.21	1.76	1.90	1.84	21.36
Chloromethyl methyl ether	0.02	0.02	0.03	0.02	0.03	0.02	22.82
o, m, & p Chlorotoluenes	3.60	3.45	3.67	3.10	2.87	3.34	10.24
Dibromochloromethane	4.49	3.80	4.47	4.32	4.00	4.22	7.23
Dibromomethane	2.95	2.94	3.42	2.95	3.03	3.06	6.72
1,2_Dichlorobenzene	2.30	2.09	2.13	1.94	1.72	2.04	10.70
1,3_Dichlorobenzene	1.83	1.80	1.80	1.70	1.62	1.75	5.10
1,4_Dichlorobenzene	1.84	1.83	1.75	1.61	1.49	1.70	8.95
Dichlorodifluormethane	0.59	0.77	0.44	0.42	0.49	0.54	26.46
1,1_Dichloroethane	3.21	3.01	2.65	2.39	2.22	2.70	15.33
1,2_Dichloroethane	3.89	3.41	3.39	3.01	2.74	3.29	13.28
1,1_Dichloroethylene	1.75	1.73	1.71	1.58	1.41	1.64	8.62
trans_1,2_dichloroethylene	3.13	3.04	2.63	2.41	2.22	2.69	14.57
Dichloromethane	4.00	4.64	2.40	2.09	1.77	2.98	42.29
1,2_Dichloropropane	3.41	3.30	3.02	2.74	2.59	3.01	11.62
1,3_Dichloropropylene	0.48	0.47	0.54	0.45	0.43	0.47	8.77
1,1,2,2_Tetrachloroethane	4.24	2.69	3.48	3.32	3.16	3.38	16.74
1,1,1,2_Tetrachloroethane	5.32	4.93	5.25	4.40	4.25	4.83	10.08
Tetrachloroethylene	5.38	4.96	4.53	4.12	3.78	4.55	14.05
1,1,1_Trichloroethane	2.63	2.91	2.79	2.53	2.41	2.65	7.55
1,1,2_Trichloroethane	3.91	5.38	5.19	3.91	3.69	4.42	18.14
Trichloroethylene	4.34	4.29	3.91	3.62	3.34	3.90	10.98
Trichlorofluormethane	1.04	0.94	0.86	0.80	0.74	0.88	13.40
Trichloropropane	3.10	3.02	3.45	2.95	2.87	3.08	7.30
Vinyl chloride	2.11	1.21	2.21	1.76	1.90	1.84	21.36

VOLATILE ORGANICS INITIAL CALIBRATION DATA

LabName:ENGINEERING SCIENCE \_\_\_\_\_ Contract:\_\_\_\_\_

Lab Code:\_\_\_\_\_ Case No.:\_\_\_\_\_ SAS No.:\_\_\_\_\_ SDG No.:\_\_\_\_\_

Instrument ID.:VOCOL\_\_\_\_\_ Calibration Date(s):9/14/88:\_\_\_\_\_

LAB FILE ID: RRF 10 \_\_\_\_\_ 77 \_\_\_\_\_ RRF 20 \_\_\_\_\_ 78 \_\_\_\_\_  
 RRF 50= \_\_\_\_\_ 79 \_\_\_\_\_ RRF100= \_\_\_\_\_ 80 \_\_\_\_\_ RRF200= \_\_\_\_\_ 81 \_\_\_\_\_

COMPOUND	RRF10	RRF20	RRF50	RRF100	RRF200	RRF	%RSD
Benzene	5.45	4.67	4.17	3.65	6.72	4.93	24.33
Chlorobenzene	5.27	5.04	4.72	4.24	3.99	4.65	11.51
1,2_Dichlorobenzene	8.34	4.30	3.87	3.43	3.23	4.64	45.57
1,3_Dichlorobenzene	4.30	4.18	4.15	3.76	3.58	3.99	7.74
1,4_Dichlorobenzene	3.47	3.30	3.31	3.04	2.89	3.20	7.31
Ethyl Benzene	3.31	3.22	3.03	2.76	2.60	2.98	10.09
Toluene	4.14	3.73	3.59	3.23	3.03	3.54	12.21
Xylenes	10.88	10.42	10.10	9.17	8.76	9.87	8.95

9/14/88

VOLATILE ORGANICS INITIAL CALIBRATION DATA

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: CARBOPAK Calibration Date(s): 9/14/88

LAB FILE ID: \_\_\_\_\_ RRF10= 6, 13 RRF20= 7, 14  
 RRF 50= 8, 15 RRF100= 9, 16 RRF200= 10, 17

COMPOUND	RRF10	RRF20	RRF 50	RRF100	RRF200	RRF	% RSD	
Benzyl chloride	0.31	0.27	0.34	0.37	0.30	0.32	1.3	0.004
bis (2-chloroethoxy methane)	0.03	0.03	0.05	0.04	0.06	0.04	2.5	0.001
bis (2-chloroisopropyl ether)	0.24	0.27	0.26	0.24	0.30	0.26	9.6	0.025
Bromobenzene	0.80	0.88	1.0	1.3	1.1	1.0	20	0.196
Bromodichloromethane	4.1	3.6	3.6	3.6	2.5	3.5	17	0.59
Bromoform	1.5	1.5	1.7	1.9	1.4	1.7	12	0.20
Bromomethane	-	0.43	0.23	0.20	0.10	0.20	60	
Carbon tetrachloride	4.8	4.2	4.2	4.1	2.6	4.0	21	0.82
Chloroacetaldehyde	0.001	0.002	0.001	0.0005	0.0003	0.0005	1.4	6.6x10 <sup>-4</sup>
Chlorobenzene	1.4	1.3	1.3	1.3	0.87	1.2	18	0.21
Chloroethane	0.48	0.42	0.51	0.49	0.32	0.45	13	0.06
Chloroform	5.5	4.4	4.4	4.2	2.7	4.2	24	1.00
1-Chlorohexane	0.84	0.82	0.86	0.99	0.82	0.87	8.0	0.007
2-Chloroethyl vinyl ether	0.03	0.03	0.05	0.04	0.06	0.04	2.5	0.001
Chloromethane	0.94	0.83	0.78	0.70	0.70	0.79	13	0.10
Chloromethyl methyl ether	0.72	0.21	0.22	0.16	0.15	0.17	25	
o, m, & p Chlorotoluenes	3.7	3.2	2.5	4.0	3.1	3.5	10	0.37
Dibromochloromethane	3.8	3.4	3.5	3.8	2.5	3.4	18	0.60
Dibromomethane	2.1	2.1	2.3	2.9	2.5	2.4	14	0.33
1,2 Dichlorobenzene	2.7	2.5	2.2	2.3	1.5	2.2	21	0.46
1,3 Dichlorobenzene	2.3	2.1	2.0	2.0	1.3	1.9	19	0.36
1,4 Dichlorobenzene	2.3	2.0	1.9	1.9	1.2	1.9	21	0.40
Dichlorodifluormethane	0.51	0.49	0.50	0.57	0.64	0.54	11	0.006
1,1 Dichloroethane	2.8	2.3	2.4	2.4	1.6	2.3	19	0.44
1,2 Dichloroethane	3.2	2.7	2.7	2.7	1.8	2.6	20	0.51
1,1 Dichloroethylene	3.2	2.6	2.6	2.6	1.8	2.6	19	0.50
trans 1,2 dichloroethylene	3.0	2.4	2.6	2.5	1.7	2.4	20	0.47
Dichloromethane	6.0	4.1	3.3	1.9	2.0	3.5	48	1.7
1,2 Dichloropropane	2.9	2.4	2.4	2.4	1.6	2.3	20	0.47
1,3 Dichloropropylene	4.9	4.4	4.4	4.8	3.9	4.5	8	0.36
1,1,2,2 Tetrachloroethane	8.3	7.1	6.6	6.5	4.2	6.5	23	1.5
1,1,1,2 Tetrachloroethane	4.6	4.0	4.1	4.3	3.5	4.1	20	0.41
Tetrachloroethylene	8.3	7.1	6.6	6.5	4.2	6.5	23	1.5
1,1,1 Trichloroethane	3.6	3.0	3.0	3.1	2.0	2.9	20	0.58
1,1,2 Trichloroethane	4.9	4.4	4.4	4.8	3.9	4.5	8	0.36
Trichloroethylene	5.1	4.2	3.0	3.7	2.5	3.9	24	0.94
Trichlorofluormethane	2.9	2.5	2.5	2.5	1.7	2.4	19	0.44
Trichloropropane	2.2	1.9	1.9	2.2	1.9	2.0	8	0.16
Vinyl chloride	1.2	1.0	1.0	0.96	0.75	0.98	16	0.16

file: 8020CAL  
21 Oct '88

9/14/88

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
Instrument ID.: CARBOPAK Calibration Date(s): 9/14/88

LAB FILE ID: \_\_\_\_\_ RRF10= 6 RRF20= 7  
RRF 50= 8 RRF100= 9 RRF200= 10

COMPOUND	RRF10	RRF20	RRF 50	RRF100	RRF200	RRF	% RSD	
Benzene	5.4	5.6	3.7	4.4	3.8	4.6	19	0.48
Chlorobenzene	4.6	5.6	3.9	5.0	4.4	4.7	14	0.64
1,2-Dichlorobenzene	3.8	4.3	2.9	4.1	3.5	3.7	15	0.55
1,3-Dichlorobenzene	4.4	4.9	3.5	4.6	3.9	4.3	13	0.56
1,4-Dichlorobenzene	3.3	3.8	2.7	3.7	3.2	3.3	13	0.44
Ethyl Benzene	5.1	3.7	2.5	3.3	2.9	3.5	29	1
Toluene	3.7	4.3	3.2	3.8	3.3	3.7	12	0.44
Xylenes	14	15	10	12	10	12	19	0.3

DATA PACKAGE #6



This page intentionally left blank.



**ENGINEERING-SCIENCE, INC.**

RESEARCH AND DEVELOPMENT  
LABORATORY  
600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 841-7353

Job No.: OR001

Work Order No.: 1041

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-26-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092694	DANGB-BG-SL1-SW1	418.1	9-24-88	10-10-88	10-11-88	
88092694	DANGB-BG-SL1-SW1	8010	9-24-88		9-28-88	
88092694	DANGB-BG-SL1-SW1	8020	9-24-88		9-28-88	
88092694	DANGB-BG-SL1-SW1	8080	9-24-88	9-29-88	10-24-88	
88092694	DANGB-BG-SL1-SW1	8270	9-24-88	9-30-88	11-09-88	
88092695	DANGB-BG-SL2-SW1	AS-F	9-24-88		10-16-88	
88092695	DANGB-BG-SL2-SW1	BA-I	9-24-88		10-13-88	
88092695	DANGB-BG-SL2-SW1	CD-F	9-24-88		10-26-88	
88092695	DANGB-BG-SL2-SW1	CR-F	9-24-88		10-19-88	
88092695	DANGB-BG-SL2-SW1	HG-C	9-24-88		10-22-88	
88092695	DANGB-BG-SL2-SW1	PB-F	9-24-88		10-24-88	
88092695	DANGB-BG-SL2-SW1	418.1	9-24-88	10-10-88	10-11-88	
88092695	DANGB-BG-SL2-SW1	8010	9-24-88		9-28-88	10-03-88
88092695	DANGB-BG-SL2-SW1	8020	9-24-88		9-28-88	
88092695	DANGB-BG-SL2-SW1	8080	9-24-88	9-29-88	10-24-88	
88092695	DANGB-BG-SL2-SW1	8270	9-24-88	9-30-88	11-09-88	
88092696	DANGB-BG-SL3-SW1	8010	9-24-88		9-29-88	9-28-88
88092696	DANGB-BG-SL3-SW1	8020	9-24-88		9-29-88	9-28-88
88092696	DANGB-BG-SL3-SW1	8080	9-24-88	9-29-88	10-24-88	
88092697	DANGB-TB12	8010	9-24-88		9-28-88	9-29-88
88092697	DANGB-TB12	8020	9-24-88		9-28-88	
88092698	DANGB-FB16	8010	9-24-88		9-29-88	10-03-88
88092698	DANGB-FB16	8020	9-24-88		9-29-88	

\* If applicable

89-DULU0355 1

CL-FRM01

DETECTION LIMITS  
ENVIRONMENTAL QUALITY PARAMETERS  
SAMPLE NO(S): 88092694-88092695

<u>Parameter</u>	<u>Detection Limits</u>
418.1 Petroleum Hydrocarbons	1 mg/L

The method detection limits listed are based upon the EPA method listed. Dilution or other deviations from the normal procedures, required due to characteristics of a sample, will influence these values. These changes are described in the report narrative if applicable.

ANALYSIS REPORT

WORK ORDER NUMBER: 1041  
JOB NUMBER : Z8000000440  
WORK ORDER DATE : 09/26/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN. 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN. 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 2, UNITS: mg/L

TEST COMPOUND DANGB-BG-SL2-SW1  
88092695

-----  
ACID DIG FLAME NA  
ACID DIG FURNACE NA  
ARSENIC <0.01  
BARIUM <0.2  
CADMIUM <0.005  
CHROMIUM <0.01  
MERCURY <.0002  
LEAD <0.005

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1041  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/26/88

APPROVED BY:   
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB.  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
S OAK RIDGE/DULUTH ANGB. ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 3, UNITS: mg/L

EST COMPOUND	DANGB-BG-SL1- SW1 88092694	DANGB-BG-SL2- SW1 88092695
18.1 PETROLEUM HYDROCARBONS	<1	<1

> - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1041  
JOB NUMBER : Z8000000440  
WORK ORDER DATE : 09/26/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN. 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8010

TEST COMPOUND	DANGB-BG-SL1-SW1 88092694	DANGB-BG-SL2-SW1 88092695	DANGB-BG-SL3-SW1 88092696	DANGB-TB-12 88092697	DANGB-FB-16 88092698
BENZYL CHLORIDE	ND	ND	ND	ND	ND
BIS (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND	ND
BIS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND	ND
BROMOBENZENE	ND	ND	ND	ND	ND
BROMODICHLOROMETHANE	ND	ND	ND	ND	ND
BROMOFORM	ND	ND	ND	26	ND
BROMOETHANE	ND	ND	ND	ND	ND
CARBON TETRACHLORIDE	ND	ND	ND	ND	ND
CHLORACETALDEHYDE	ND	ND	ND	ND	ND
CHLORAL	ND	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND	ND
CHLOROETHANE	ND	ND	ND	ND	ND
CHLOROFORM	ND	ND	ND	ND	4.2B
1-CHLOROHXANE	ND	ND	ND	ND	ND
2-CHLOROETHYL VINYL ETHER	ND	ND	ND	ND	ND
CHLOROMETHANE	ND	ND	ND	ND	ND
CHLOROMETHYL METHYL ETHER	ND	ND	ND	ND	ND
CHLOROTOLUENE	ND	ND	ND	ND	ND
DIBROMOCHLOROMETHANE	ND	ND	ND	4.7	ND
DIBROMOMETHANE	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND
DICHLORODIFLUOROMETHANE	ND	ND	ND	ND	ND
1,1-DICHLOROETHANE	ND	ND	ND	ND	ND
1,2-DICHLOROETHANE	ND	ND	ND	ND	ND
1,1-DICHLOROETHYLENE	ND	ND	ND	ND	ND
TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND	ND	ND
DICHLOROMETHANE	ND	ND	6.9B	0.84B	2.3B
1,2-DICHLOROPROPANE	ND	ND	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1041

TEST COMPOUND	DANGB-BG-SL1-SW1 88092694	DANGB-BG-SL2-SW1 88092695	DANGB-BG-SL3-SW1 88092696	DANGB-TB-12 88092697	DANGB-FB-16 88092698
1,3-DICHLOROPROPYLENE	ND	ND	ND	ND	ND
1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND
1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND
TETRACHLOROETHYLENE	ND	ND	ND	ND	ND
1,1-TRICHLOROETHANE	ND	ND	ND	ND	ND
1,2-TRICHLOROETHANE	ND	ND	ND	ND	ND
TRICHLOROETHYLENE	ND	ND	ND	ND	ND
TRICHLOROFLUOROMETHANE	ND	ND	ND	ND	ND
TRICHLOROPROPANE	ND	ND	ND	ND	ND
VINYL CHLORIDE	ND	ND	ND	ND	ND

ND - Not Detected

12/12/88

## ANALYSIS REPORT

WORK ORDER NUMBER: 1041  
 JOB NUMBER : ZB0000000440  
 WORK ORDER DATE : 09/26/88

APPROVED BY

  
 Lab Supervisor

## REPORT DATA:

ES OAK RIDGE/DULUTH ANGB  
 710 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830  
 BILL HAYDEN

## CLIENT DATA:

ES OAK RIDGE/DULUTH ANGB ( 134)  
 710 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
 CONTACT : BILL HAYDEN  
 (615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANGB-BG-SL1-SW1 88092694	DANGB-BG-SL2-SW1 88092695	DANGB-BG-SL3-SW1 88092696	DANGB-TB-12 88092697	DANGB-FB-16 88092698
BENZENE	ND	ND	18	ND	ND
CHLOROBENZENE	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	ND	ND
TOLUENE	ND	ND	19	ND	ND
XYLENES	ND	ND	ND	ND	ND

ND - Not Detected



ANALYSIS REPORT

DRK-ORDER NUMBER: 1041  
 JOB NUMBER : Z8000000440  
 DRK ORDER DATE : 09/26/88

APPROVED BY

  
 Lab Supervisor

REPORT DATA:  
 5 OAK RIDGE/DULUTH ANGB  
 10 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830  
 BILL HAYDEN

CLIENT DATA:  
 ES OAK RIDGE/DULUTH ANGB ( 134)  
 710 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830

OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
 CONTACT : BILL HAYDEN  
 (615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8080

TEST COMPOUND	DANGB-BG-SL1-SW1 88092694	DANGB-BG-SL2-SW1 88092695	DANGB-BG-SL3-SW1 88092696
DRIN	ND	ND	ND
PHA-BHC	ND	ND	ND
ETA-BHC	ND	ND	ND
ELTA-BHC	ND	ND	ND
AMMA-BHC	ND	ND	ND
ILORDANE	ND	ND	ND
.4'-DDD	ND	ND	ND
.4'-DDE	ND	ND	ND
.4'-DDT	ND	ND	ND
ELDRIN	ND	ND	ND
DOSULFAN I	ND	ND	ND
DOSULFAN II	ND	ND	ND
DOSULFAN SULFATE	ND	ND	ND
DRIN	ND	ND	ND
DRIN ALDEHYDE	NA	NA	NA
PTACHLOR	ND	ND	ND
PTACHLOR EPOXIDE	ND	ND	ND
PONE	ND	ND	ND
THOXYCHLOR	ND	ND	ND
XAPHENE	ND	ND	ND
B-1016	ND	ND	ND
B-1221	ND	ND	ND
B-1232	ND	ND	ND
B-1242	ND	ND	ND
B-1248	ND	ND	ND
B-1254	ND	ND	ND
B-1260	ND	ND	ND

- Not Detected

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

Date Received: September 26, 1988  
 Date Reported: December 9, 1988

Work Order: 1041  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092694	88092695
Sample No.:	DANGB-BG-SL1-SW1	DANGB-BG-SL2-SW1
Date Sampled:	09-24-88	09-24-88
Time Sampled:	10:45	09:15
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

B = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

page 2 of 5

Date Received: September 26, 1988  
 Date Reported: December 9, 1988

Work Order: 1041  
 Job Number: OR001

DR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092694	88092695
Sample No.:	DANGB-BG-SL1-SW1	DANGB-BG-SL2-SW1
Date Sampled:	09-24-88	09-24-88
Time Sampled:	10:45	09:15
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
benzanthrene	10	ND	ND
anthracene	10	ND	ND
di-n-butyl phthalate	10	ND	ND
fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
pyrene	10	ND	ND
di-n-butyl Benzyl phthalate	10	ND	ND
diis(2-ethylhexyl) phthalate	10	ND	ND
benzofluoranthene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
benzo(a)anthracene	10	ND	ND
di-n-octylphthalate	10	ND	ND
benzo(b)fluoranthene	10	ND	ND
benzo(k)fluoranthene	10	ND	ND
benzimidazole	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
benzo(a)pyrene	10	ND	ND
benzofluoranthene(1,2,3-cd)pyrene	10	ND	ND
benzo(a,h)anthracene	10	ND	ND
benzo(ghi)perylene	10	ND	ND
benzyl Alcohol	20	ND	ND

= Compound was detected in the blank.

Priority Pollutant Analysis

Base Neutrals - SW 8270

Matrix: Water

(continued)

Date Received: September 26, 1988  
 Date Reported: December 9, 1988

Work Order: 1041  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092694	88092695
Sample No.:	DANGB-BG-SL1-SW1	DANGB-BG-SL2-SW1
Date Sampled:	09-24-88	09-24-88
Time Sampled:	10:45	09:15
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
Acetophenone	---*	ND	ND
Aniline	---*	ND	ND
4-Aminobiphenyl	---*	ND	ND
1-Chloroaniline	20	ND	ND
1-Chloronaphthalene	---*	ND	ND
Dibenzofuran	10	ND	ND
o-Dimethylaminoazobenzene	---*	ND	ND
7,12-Dimethylbenz(a)anthracene	---*	ND	ND
a-,a-Dimethylphenethylamine	---*	ND	ND
Diphenylamine	---*	ND	ND
1,2-Diphenylhydrazine	---*	ND	ND
Ethyl methanesulfonate	---*	ND	ND
3-Methylcholanthrene	---*	ND	ND
Methyl methanesulfonate	---*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	---*	ND	ND
2-Naphthylamine	---*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	---*	ND	ND
N-Nitrosopiperidine	---*	ND	ND
Pentachlorobenzene	---*	ND	ND
Pentachloronitrobenzene	---*	ND	ND
Phenacetin	---*	ND	ND
2-Picoline	---*	ND	ND
Pronamide	---*	ND	ND
1,2,4,5-Tetrachlorobenzene	---*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

Date Received: September 26, 1988  
Date Reported: December 9, 1988

Work Order: 1041  
Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092694	88092695
Sample No.:	DANGB-BG-SL1-SW1	DANGB-BG-SL2-SW1
Date Sampled:	09-24-88	09-24-88
Time Sampled:	10:45	09:15
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection	ANALYTICAL RESULTS	
	Limits ug/L	ug/L	ug/L
alpha-BHC	--*	ND	ND
gamma-BHC	___*	ND	ND
delta-BHC	20	ND	ND
heptachlor	10	ND	ND
delta-BHC	15	ND	ND
dieldrin	10	ND	ND
heptachlor epoxide	10	ND	ND
endosulfan I	--*	ND	ND
dieldrin	15	ND	ND
1,4'-DDE	30	ND	ND
dieldrin	--*	ND	ND
endosulfan II	--*	ND	ND
1,4'-DDD	15	ND	ND
1,4'-DDT	25	ND	ND
endosulfan Sulfate	30	ND	ND
dieldrin aldehyde	--*	ND	ND
dieldrin Ketone	--*	ND	ND
chlordane	60	ND	ND
methoxychlor	--*	ND	ND
dioxaphene	60	ND	ND
rochlor-1016	60	ND	ND
rochlor-1221	60	ND	ND
rochlor-1232	60	ND	ND
rochlor-1242	60	ND	ND
rochlor-1248	60	ND	ND
rochlor-1254	60	ND	ND
rochlor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

page 5 of 5

Date Received: September 26, 1988  
 Date Reported: December 9, 1988


Work Order: 1041  
 Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092694	88092695
Sample No.:	DANGB-BG-SL1-SW1	DANGB-BG-SL2-SW1
Date Sampled:	09-24-88	09-24-88
Time Sampled:	10:45	09:15
Date Extracted:	09-30-88	09-30-88
Date Analyzed:	11-09-88	11-09-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

1041

CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED							SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710
	SAMPLE(S) (Signature) <i>J. Dan Sherrin</i>	SAMPLE DESCRIPTION		EPA 825	EPA 478.1	SM 8010, 7050, 7131	SM 9310, 9315	SM 423	REMARKS		
9/24/88 10:45	DANAB-BG-SL1-SW1	2	X						882694		
9/24/88 9:24	DANAB-BG-SL2-SW1	2	X						882695		
9/24/88 12:45	DANAB-TB-12	3	X						882697		
9/24/88 10:45	DANAB-BG-SL2-SW1	5	X						882698		
9/24/88 10:45	DANAB-BG-SL2-SW1	2	X								
9/24/88 10:45	DANAB-BG-SL2-SW1	2	X								
9/24/88 10:45	DANAB-BG-SL2-SW1	2	X								
346											

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
<i>J. Dan Sherrin</i>	9/24/88 4:30	<i>Floyd D. Dreyer</i>	9/24/88
Relinquished by: (Signature)	Date/Time	Received for Laboratory by: (Signature)	Date/Time

Remarks: SAMPLES RECEIVED COLLECTED AND ANALYZED IN CONTACT.

# ENGINEERING-SCIENCE

## CHAIN OF CUSTODY RECORD

1041

ES JOB NO. OR001		PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO.		WATER ANALYSES REQUIRED		SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710	
SAMPLE(S): (Signature) <i>J. Lewis Sherwin</i>		SAMPLE DESCRIPTION		UF	CON-	EPA 823	EPA 825	EPA 826	REMARKS
DATE	TIME			TAINERS		SW 809, 8020	SW 808	SW 807, 7000, 7031	
9/24	9:15	DANGB-BG-SL1-SW1		5		X			
9/24	9:15	DANGB-BG-SL1-SW1		2		X			
9/24	9:15	DANGB-BG-SL1-SW1		2			X		
9/24	10:45	DANGB-BG-SL2-SW1		2		X			
9/24	14:05	DANGB-BG-SL3-SW1		5		X			
9/24	14:05	DANGB-BG-SL3-SW1		2		X			982096
347									
Relinquished by: (Signature) <i>J. Lewis Sherwin</i>		Date/Time 9/24 4:30		Relinquished by: (Signature)		Date/Time		Remarks: SAMPLES RECEIVED	
Received by: (Signature) <i>Fred J. ...</i>		Date/Time 9/26/88		Received by: (Signature)		Date/Time		Remarks: SAMPLES RECEIVED	



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S):: 88092694-88092698  
WORK ORDER NO.: 1041

These water samples were received at the ES Berkeley Laboratory on 9-26-88. They were received cold and intact.

IF  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

BLANK

Lab Name: Engineering Science Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 1041 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) water Lab Sample ID: 2766-70 AC  
88092663-85 BLAN  
88092694, 95, 2724

Sample wt/vol: \_\_\_\_\_ (g/mL) Lab File ID: EL35

Level: (low/med) \_\_\_\_\_ Date Received: NA

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 9-30-88

Extraction: (SepF/Cont/Sonc) \_\_\_\_\_ Date Analyzed: 11-8-88

GPC Cleanup: (Y/N) \_\_\_\_\_ pH: \_\_\_\_\_ Dilution Factor: NA

Number TICs found: 1 CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. <sup>3-3-87</sup> <u>184</u>	<u>Tetrachloroethane</u>	<u>4.20</u>	<u>10</u>	
2. <u>127-18-4</u>				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

IF  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.:

BLANK

Lab Name: Engineering Science Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 1641 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) water Lab Sample ID: 8709.2663-8515 <sup>2766-70B</sup>

Sample wt/vol: \_\_\_\_\_ (g/mL) \_\_\_\_\_ Lab File ID: E6136 <sup>87092694, 95, 272</sup>

Level: (low/med) \_\_\_\_\_ Date Received: \_\_\_\_\_

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 9-30-88

Extraction: (SepF/Cont/Sonc) \_\_\_\_\_ Date Analyzed: 11-8-88

GPC Cleanup: (Y/N) \_\_\_\_\_ pH: \_\_\_\_\_ Dilution Factor: NA

Number TICs found: 3 CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. <sup>127-18-44</sup> <del>184</del> <sup>EA</sup> <sub>3383</sub>	Tetrachloroethane	4.16	10	
2. _____	Unknown	25.07	17	
3. _____	↓	28.77	7	
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
9. _____				
10. _____				
11. _____				
12. _____				
13. _____				
14. _____				
15. _____				
16. _____				
17. _____				
18. _____				
19. _____				
20. _____				
21. _____				
22. _____				
23. _____				
24. _____				
25. _____				
26. _____				
27. _____				
28. _____				
29. _____				
30. _____				

1F  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

DANGB-86-  
521-SW1

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 1041 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) Water Lab Sample ID: 88092694 AC

Sample wt/vol: 1000 (g/mL) mL Lab File ID: 50443

Level: (low/med) low Date Received: 9-26-88

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 9-30-88

Extraction: (SepF/Cont/Sonc) SepF Date Analyzed: 11/9/88

GPC Cleanup: (Y/N) N pH: \_\_\_\_\_ Dilution Factor: NA

Number TICs found: 6 CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. <u>—</u>	<u>unknown</u>	<u>3.29</u>	<u>220</u>	
2. <u>—</u>	<u>unknown</u>	<u>4.99</u>	<u>66</u>	
3. <u>127-18-4</u>	<u>tetrachloroethene</u>	<u>5.21</u>	<u>30 B</u>	
4. <u>—</u>	<u>unknown</u>	<u>5.57</u>	<u>48</u>	
5. <u>—</u>	<u>unknown</u>	<u>7.24</u>	<u>21</u>	
6. <u>—</u>	<u>unknown</u>	<u>21.61</u>	<u>6.</u>	
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

IF  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

DANB-B-86-  
SL-SW1

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 1041 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) Water Lab Sample ID: 88092694 BN

Sample wt/vol: 1000 (g/mL) mls Lab File ID: S0444

Level: (low/med) low Date Received: 9-26-88

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 9-30-88

Extraction: (SepF/Cont/Sonc) SepF Date Analyzed: 11/9/88

GPC Cleanup: (Y/N) N pH: \_\_\_\_\_ Dilution Factor: NA

Number TICs found: 3

CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. —	<u>unknown</u>	<u>3.26</u>	<u>98</u>	
2. —	<u>unknown</u>	<u>3.32</u>	<u>250</u>	
3. —	<u>unknown</u>	<u>4.96</u>	<u>6</u>	
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

IF  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

DA17B-06-  
SL2-SW1

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 1041 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) Water Lab Sample ID: 88092695 AC

Sample wt/vol: 1000 (g/mL) ml Lab File ID: 50445

Level: (low/med) low Date Received: 9-26-88

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 9-30-88

Extraction: (SepF/Cont/Sonc) SepF Date Analyzed: 11/9/88

GPC Cleanup: (Y/N) N pH: \_\_\_\_\_ Dilution Factor: NA

Number TICs found: 4 CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. —	<u>unknown</u>	<u>3.35</u>	<u>320</u>	
2. <u>127-18-4</u>	<u>tetrachloroethene</u>	<u>5.20</u>	<u>18 B</u>	
3. —	<u>unknown</u>	<u>5.25</u>	<u>21</u>	
4. —	<u>unknown</u>	<u>8.28</u>	<u>15</u>	
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

IF  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

DAMB-BG-  
SL2-SW/

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 1041 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) Water Lab Sample ID: 88092695 BN

Sample wt/vol: 1000 (g/mL) ml Lab File ID: S0446

Level: (low/med) low Date Received: 9-26-88

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 9-30-88

Extraction: (SepF/Cont/Sonc) SepF Date Analyzed: 11/9/88

GPC Cleanup: (Y/N) N pH: \_\_\_\_\_ Dilution Factor: NA

Number TICs found: 6 CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. —	<u>unknown</u>	<u>3.28</u>	<u>150</u>	
2. —	<u>unknown</u>	<u>3.34</u>	<u>390</u>	
3. —	<u>unknown</u>	<u>4.98</u>	<u>19</u>	
4. <u>127-18-4</u>	<u>tetrachloroethene</u>	<u>5.20</u>	<u>17 B</u>	
5. —	<u>unknown</u>	<u>5.55</u>	<u>10</u>	
6. <u>79-34-5</u>	<u>1,1,2,2-tetrachloroethane</u>	<u>7.23</u>	<u>12</u>	
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: AAF-W-0052-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth..ANGB

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	CI	Duplicate C2	RPD	SA	Spike Recovery SR	SSR	PR	Notes
Arsenic	88092677	88092677	10-16-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.0383	96	
Cadmium	88092677	88092677	10-26-88	NA	6010	<0.005	<0.005	<0.005	NC	0.010	<0.005	0.011	110	
Chromium	88092677	88092677	10-19-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0218	109	
Lead	88092677	88092677	10-21-88	NA	7421	<0.005	<0.005	<0.005	NC	0.020	<0.005	0.0227	114	


35

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)



QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02      QC Report No: ICP-W-0059-88.  
 Client: ES Oak Ridge      Sample Matrix: Water  
 Attn: Bill Hayden      Conc. Unit: mg/L  
 Address: 710 S. Illinois Avenue      Date Received: 9-24-88  
          Suite F-103      Date Reported: 2-27-89  
          Oak Ridge, Tn. 37830      Dilution Factor: NA

Project: Duluth ANGB      Laboratory Supervisor Approval: 

QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos.	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	SA	SR	SSR	PR	Notes
Barium	88092677	88092677	10-13-88	NA	6010	<0.2	<0.2	<0.2	NC	2.0	<0.2	1.96	98	

356

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$       NA = Not Applicable  
 C1 = Concentration One      NC = Not Calculated  
 C2 = Concentration Two      ND = Not Detected

Percent Recovery (PR) =  $\frac{SSR - SR \times 100}{SA}$   
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: CVM-W-0030-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth..ANGB  
 Laboratory Supervisor Approval: 

QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614.

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	RPD	SA	SR	SSR	PR	Notes
Mercury	88092677	88092677	10-14-88	NA	7471	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.00087	87	

357

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0062-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Prepared: 10-11-88  
 Date Analyzed: 10-20-88  
 Date Reported: 10-28-88  
 Dilution Factor: 4

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092677-88092678, 88092765-88092766  
 88092768-88092770, 88092772, 88092777  
 88092694-88092695, 88092806

*[Signature]*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092677	418.1	1.1	<1B	10	6.2	62	8.1	81	27	*

258

\* See Case Narrative attached.  
 B See Legend attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = .Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO(S): TPH-W-0062-88

Relative percent difference for the quality control sample exceed the ES Laboratory limit. A blank spike analysis shows the laboratory to be in control.

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: VGC-W-0052-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-27-88  
 Date Prepared: NA  
 Date Analyzed: 10-07-88  
 Date Reported: 10-27-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval: *[Signature]*

QC Report for Laboratory Sample No(s):  
 88092694-88092699  
 88092719-88092723  
 88092726-88092730

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092744*	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	10.2	102	10.2	102	0	26	70-130
	Trichloroethane	10	ND	10.0	100	10.2	102	2	19	65-131
	Chlorobenzene	10	ND	10.2	102	10.1	101	1	40	59-137
88092744*	Aromatics: 8020									
	Benzene	10	ND	10.0	100	10.6	106	6	20	56-146
	Toluene	10	ND	10.8	108	10.6	106	2	41	42-150
	Chlorobenzene	10	ND	10.6	106	10.4	104	2	36	76-133

\* The quality control sample is from a different project.

Relative Percent Difference (PR) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Sample Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, In. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-28-88

Project: Duluth ANGB

Laboratory Supervisor Approval: *M. B. ...*

File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
79	9-28-88	VGC	Vocol	75-09-2 79-01-6	Dichloromethane Trichloroethylene	11 0.80	0.25 0.12	88092694-88092695
34	9-29-88	VGC	Carbopack	75-09-2 67-66-3	Dichloromethane Chloroform	2.5 0.65	0.25 0.05	88092696, 88092698
18	9-28-88	VGC	Carbopack	75-09-2 67-66-3	Dichloromethane Chloroform	1.0 0.74	0.25 0.05	88092697

361

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0039-88  
 QC Sample No.: 88092694  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777  
 88092806, 88092721

*[Signature]*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.196	98	56-123
Heptachlor epoxide	200	ND	0.239	120	40-131
Aldrin	200	ND	0.253	127*	40-120
Dieldrin	500	ND	0.532	106	52-126
Endrin	500	ND	0.475	95	56-121
4,4'-DDT	500	ND	0.435	87	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.217	109	98	10	15	56-123
Heptachlor epoxide	0.256	128	120	7	20	40-131
Aldrin	0.251	126*	127*	1	22	40-120
Dieldrin	0.606	121	106	13	18	52-126
Endrin	0.543	109	95	13	21	56-121
4,4'-DDT	0.518	104	87	17	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 0 out of 6 outside limits

Spike Recovery: 2 out of 12 outside limits

**362**

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0039-98B  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092694-88092696, 88092726-88092727  
 88092765-88092766, 88092772, 88092777, 88092806

*[Signature]*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.169	85	56-123
Heptachlor epoxide	200	ND	0.184	92	40-131
Aldrin	200	ND	0.155	78	40-120
Dieldrin	500	ND	0.419	84	52-126
Endrin	500	ND	0.193	39*	56-121
4,4'-DDT	500	ND	0.385	77	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.236	118	85	33*	15	56-123
Heptachlor epoxide	0.263	132	92	35*	20	40-131
Aldrin	0.231	116	78	39*	22	40-120
Dieldrin	0.608	122	84	37*	18	52-126
Endrin	0.522	104	39*	92*	21	56-121
4,4'-DDT	0.567	113	77	38*	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 6 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0039-88  
QC REPORT NO.: OCP-W-0039-88B

Analysis of matrix spikes resulted in recoveries for aldrin that were slightly above EPA recommended limits. Subsequent analysis of spiked blanks resulted in poor precision for all spiked compounds, although the recoveries were within limits for all but endrin in one of the two spiked blanks. The analytical data associated with these analyses were closely examined. No errors or problems were found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
EPA 8270 ANALYSIS  
WORK ORDER NO.: 1041

When sample 88092694 was first analyzed, it was obvious that the base neutral surrogate spikes had been omitted. There was no more sample for re-extraction.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-23-88  
 Date Prepared: 9-28-88  
 Date Analyzed: 11-07-88  
 Date Reported: 12-28-88  
 Dilution Factor: 1.0

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092612-88092617, 88092677-88092678  
 88092681, 88092694-88092695, 88092724,  
 88092765-88092766, 88092768-88092770, 88092772, 88092777

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092617	1, 2, 4-Trichlorobenzene	100	ND	63.3	63	71.6	72	13	28
	Acenaphthene	100	ND	71.2	71	73.9	74	4	31
	2, 4-Dinitrotoluene	100	ND	71.3	71	68.0	68	4	38
	Pyrene	100	ND	91.7	92	80.6	81	13	31
	N-Nitroso-di-n-Propylamine	100	ND	80.0	80	80.9	81	1	38
ACID Laboratory Sample # 88092617	1, 4-Dichlorobenzene	100	ND	70.4	70	76.7	77	10	28
	Pentachlorophenol	200	ND	53.4	27	74.5	37	31	50
	Phenol	200	ND	59.4	30	68.0	34	12	42
	2-Chlorophenol	200	ND	118	59	129	64	8	40
	4-Chloro-3-Methylphenol	200	ND	132	66	135	68	3	42
4-Nitrophenol	4-Nitrophenol	200	ND	81.1	41	88.0	44	7	50

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)} \times 100$

302

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Work Order No.: 1041

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 4-21-89

Project: Duluth ANGB

Laboratory Supervisor Approval:



File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E6135	11-08-88	AC	2	-	None Detected	-	-	88092694-88092695
E6136	11-08-88	BN	2	117-81-7	bis(2-ethylhexyl) phthalate	59	10	88092694-88092695

368



58  
 SEMIVOLATILE ORGANIC GC/MS TUNING AND MASS  
 CALIBRATION - DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Engineering Science      Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Lab File ID: >T3108      DFTPP Injection Date: 11/08/88  
 Instrument ID: 70      1      DFTPP Injection Time: 22:30

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	49.0
68	Less than 2.0% of mass 69	0.0( 0.0)1
69	Mass 69 relative abundance	62.
70	Less than 2.0% of mass 69	0.0( 0.0)1
127	40.0 - 60.0% of mass 198	48.0
197	Less than 1.0% of mass 198	.5
198	Base Peak, 100% relative abundance	100.
199	5.0 - 9.0% of mass 198	6.6
275	10.0 - 30.0% of mass 198	17.1
365	Greater than 1.00% of mass 198	1.78
441	Present, but less than mass 443	7.2
442	Greater than 40.0% of mass 198	50.6
443	17.0 - 23.0% of mass 442	8.9( 17.5)2

1-Value is % mass 69


2-Value is % mass 442

*Spint 10/12/88*

THIS TUNE APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	60 ug/ml BNA STD	>S0436	11/08/88	22:47
02	88092690 AC w/o 1040	>S0437	11/08/88	23:46
03	88092690 BN w/o 1040	>S0438	11/09/88	0:45
04	88092691 AC w/o 1040	>S0439	11/09/88	1:45
05	88092691 BN w/o 1040	>S0440	11/09/88	2:44
06	88092692 AC w/o 1040	>S0441	11/09/88	3:43
07	88092692 BN w/o 1040	>S0442	11/09/88	4:42
08	88092694 AC w/o 1041	>S0443	11/09/88	5:41
09	88092694 BN w/o 1041	>S0444	11/09/88	6:40
10	88092695 AC w/o 1041	>S0445	11/09/88	7:39
11	88092695 BN w/o 1041	>S0446	11/09/88	8:39
12	88092724 AC w/o 1047	>S0447	11/09/88	9:36
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

*another project*



>T3108 50 ng DFTPP w/o 1040 1ml ES:Cleveland/RICKENBACKER ANGB  
 85 NRH

File: >T3108 Scan #: 85 Retn. time: 5.02

n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.
43.10	.918	83.10	1.309	134.05	.547	186.05	11.934	244.00	8.184
44.10	1.133	85.00	.625	135.15	1.777	186.95	3.184	245.00	1.035
49.10	.645	91.10	.820	136.05	.586	191.05	.430	246.00	1.191
50.10	13.477	93.00	4.980	141.05	2.305	193.05	1.016	255.00	37.168
51.10	48.984	98.00	3.145	143.05	1.016	196.00	3.457	256.00	5.137
52.10	2.090	99.00	3.418	147.05	1.133	196.80	.547	257.90	2.363
55.00	.645	101.00	1.973	148.05	2.031	198.00	100.000	265.00	.586
56.00	1.973	105.10	1.113	152.95	.586	199.00	6.641	273.00	1.289
57.10	4.043	105.10	.605	154.15	.840	204.10	2.832	274.05	3.555
62.00	.801	107.00	13.398	156.15	1.992	205.10	4.805	275.05	17.148
63.10	2.305	108.00	2.168	160.05	.645	206.10	18.398	276.05	2.637
65.10	.996	110.00	35.039	161.05	1.113	207.10	3.730	277.05	1.426
69.00	62.344	111.10	4.688	165.05	.957	208.10	.996	295.95	4.512
73.20	.996	115.80	.664	165.95	.625	211.10	.957	302.95	.547
74.00	4.141	116.10	.703	167.05	4.512	217.00	4.805	323.15	1.406
75.10	7.773	117.00	7.930	167.95	1.953	221.00	6.055	333.95	.820
76.20	3.125	122.05	.820	174.05	.820	223.10	1.309	365.00	1.777
77.10	45.879	123.15	1.543	175.05	1.504	224.10	9.688	372.00	.703
78.00	3.770	125.05	1.035	177.05	.977	225.00	2.852	423.00	2.344
79.10	3.848	127.05	48.027	179.05	3.203	227.00	4.336	441.05	7.168
80.00	1.992	128.05	4.082	180.05	2.090	228.00	.781	442.05	50.645
81.00	4.219	129.05	20.410	185.05	1.367	229.00	.762	443.05	8.867
82.10	1.211	178.05	2.227						



Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/08/88  
 Contractor: ENGINEERING SCIENCE Time: 22:47  
 Contract No: \_\_\_\_\_ Laboratory ID: S0436  
 Instrument ID: 4 Initial Calibration Date: 10/13/88  
 \_\_\_\_\_ 2  
 \_\_\_\_\_ 202

Minimum  $\bar{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylanine	.90169	1.05124	16.59		
2-Fluorophenol	1.15802	1.36032	17.47		
bis(2-Chloroethyl)ether	1.11892	1.15207	2.96		
Phenol	1.41657	1.73547	22.51	*	
Phenol-d5	1.22488	1.58861	29.70		
Aniline	.54193	.57496	6.10		
2-Chlorophenol	1.23175	1.35548	10.05		
1,3-Dichlorobenzene	1.47535	1.52286	3.22		
1,4-Dichlorobenzene	1.40530	1.54308	9.80	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.54144	25.74		
1,2-Dichlorobenzene	1.32240	1.49654	13.17		
2-Methylphenol	1.17367	1.50696	28.40		
3-6-4-Methylphenol	1.07139	1.52347	42.20		
bis(2-chloroisopropyl)Ether	2.15627	2.54138	17.86		
N-Nitroso-Di-n-Propylanine	.84050	.94106	11.96	**	
Hexachloroethane	.53840	.61681	14.56		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.45878	13.81		
Nitrobenzene-d5	.39137	.40743	4.10		
2-Nitrophenol	.24657	.25094	1.77	*	
Isophorone	.74170	.78756	6.18		
bis(2-Chloroethoxy)methane	.49386	.52851	7.02		
2,4-Dimethylphenol	.34849	.36992	6.15		
Benzoic Acid	.29725	.27377	7.90		
2,4-Dichlorophenol	.56733	.52760	7.00	*	
1,2,4-Trichlorobenzene	.36913	.32014	13.27		
Naphthalene	.94589	.93585	1.06		
4-Chloroaniline	.36309	.34810	4.13		
Hexachlorobutadiene	.20283	.15550	23.33	*	
4-Chloro-3-Methylphenol	.31360	.33437	6.62	*	
2-Methylnaphthalene	.56397	.58581	3.87		

RF - Response Factor from daily standard file at 60.00 ng/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

372

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/08/88  
 Contractor: ENGINEERING SCIENCE Time: 22:47  
 Contract No: \_\_\_\_\_ Laboratory ID: YS0436  
 Instrument ID: 1 Initial Calibration Date: 10/13/88  
DD

Minimum RF for SPEC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC SPEC
Hexachlorocyclopentadiene	.29568	.27193	8.03	**
2,4,6-Trichlorophenol	.42280	.33146	21.60	*
2,4,5-Trichlorophenol	.52897	.52942	.09	
2-Fluorobiphenyl	1.27220	1.15366	9.32	
2-Chloronaphthalene	1.23781	1.17713	4.90	
2-Nitroaniline	.47288	.47807	1.10	
Dimethylphthalate	1.40629	1.38367	1.61	
2,6-Dinitrotoluene	.37415	.36234	3.16	
Acenaphthylene	1.68918	1.69671	.45	
3-Nitroaniline	.44557	.43962	1.33	
2,4-Dinitrophenol	.11898	.10340	13.10	**
Acenaphthene	1.13011	1.06817	5.48	*
Dibenzofuran	1.64131	1.54255	6.02	
2,4-Dinitrotoluene	.28418	.29357	3.31	
4-Nitrophenol	.28450	.16267	42.82	**
Fluorene	1.12850	1.04492	7.41	
Diethylphthalate	1.20939	1.26453	4.56	
4-Chlorophenyl-phenylether	.59183	.53356	9.85	
4-Nitroaniline	.35956	.29299	18.51	
2,4,6-Tribromophenol	.21023	.15715	25.25	
1,2-Diphenylhydrazine	-	-	-	
Alpha-BHC	-	-	-	
Beta-BHC	-	-	-	
Gamma-BHC	-	-	-	
Delta-BHC	-	-	-	
Heptachlor	-	-	-	
Aldrin	-	-	-	
N-Nitrosodiphenylamine	.40286	.47430	17.73	*
4,6-Dinitro-2-Methylphenol	.10514	-	-	
4-Bromophenyl-phenylether	.21301	.21434	.62	
Hexachlorobenzene	.26273	.25251	3.89	
Pentachlorophenol	.14536	.12098	16.77	*

RF - Response Factor from daily standard file at 60.00 ng/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPEC - System Performance Check Compounds (\*\*)

373

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/08/88  
 Contractor: ENGINEERING-SCIENCE Time: 22:47  
 Contract No: \_\_\_\_\_ Laboratory ID: >50436  
 Instrument ID: 4 Initial Calibration Date: 10/13/88  
 \_\_\_\_\_

Minimum  $\bar{RF}$  for SPEC is \_\_\_\_\_ Maximum X Diff for CCC is % \_\_\_\_\_

Compound	$\bar{RF}$	RF	XDiff	CCC-SPEC
Phenanthrene	1.03431	.97725	5.52	
Anthracene	1.05155	1.18256	12.46	
Di-n-Butylphthalate	1.51956	1.79388	18.05	
4,4'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.19047	1.14840	3.53 *	
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
4,4'-DDE	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
4,4'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
4,4'-DDT	-	-	-	
Endosulfan Sulfate	-	-	-	
Dibutylchloroendate	-	-	-	
Benzidine	.04023	.05551	37.98	
Pyrene	1.56086	1.72532	10.54	
Terphenyl-d4	1.05835	1.13851	7.57	
Butylbenzylphthalate	1.03390	1.30412	26.14	
3,3'-Dichlorobenzidine	.13689	.18041	31.79	
Chrysene	.99655	1.11729	12.12	
Benzo(a)Anthracene	1.10407	.99228	10.13	
bis(2-Ethylhexyl)Phthalate	1.21073	1.51691	25.29	
Di-n-octylphthalate	3.40275	3.95594	16.26 *	
Benzo(a)Pyrene	1.32098	1.37754	4.28 *	
Benzo(b)Fluoranthene	1.60850	1.38107	14.14	
Indeno(1,2,3-cd)Pyrene	.96800	1.14017	17.79	
Dibenzo(a,h)Anthracene	.87481	.90057	2.94	
Benzo(k)Fluoranthene	1.44370	1.72541	19.51	
Benzo(g,h,i)Perylene	.89761	.78955	12.04	

RF - Response Factor from daily standard file at 60.00 ng/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

XDiff - X Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

374

## SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science

Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Lab File ID (Standard): &gt;S0436

Date Analyzed: 11/06/88

Instrument ID: 70 1

Time Analyzed: 22:47

	IS1(DCB)		IS2(NPT)		IS3(ANT)		
	AREA #	RT	AREA #	RT	AREA #	RT	
12 HOUR STD	61167.	9.33	222535.	12.93	118036.	18.38	
UPPER LIMIT	122334.		445070.		236072.		
LOWER LIMIT	30584.		111268.		59018.		
SAMPLE NO.							
01	88092690 AC	58296.	9.35	217963.	13.06	108017.	18.43
02	88092690 BN	52091.	9.50	224489.	13.04	107776.	18.49
03	88092691 AC	61668.	9.35	235689.	13.07	119842.	18.44
04	88092691 BN	26447.	9.56	201443.	13.09	116472.	18.48
05	88092692 AC	71341.	9.36	288921.	13.05	140883.	18.42
06	88092692 BN	69350.	9.43	220383.	12.98	134089.	18.46
07	88092694 AC	59950.	9.35	234694.	13.08	115923.	18.46
08	88092694 BN	63622.	9.42	229601.	13.17	113493.	18.50
09	88092695 AC	69647.	9.36	263711.	13.04	132084.	18.46
10	88092695 BN	61876.	9.39	219342.	13.04	109966.	18.48
11	88092724 AC	54142.	9.36	213008.	13.06	105329.	18.46
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100%

of internal standard area.

LOWER LIMIT = - 50%

of internal standard area.

# Column used to flag internal standard area values with an asterisk

8C  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science                      Contract: \_\_\_\_\_  
 Lab Code: ES01                      Case No.: \_\_\_\_\_                      SAS No.: \_\_\_\_\_                      SDG No.: \_\_\_\_\_  
 Lab File ID (Standard): >S0436                      Date Analyzed: 11/08/88  
 Instrument ID:        70        1                      Time Analyzed: 22:47

	IS4 (PHN)		IS5 (CRY)		IS3 (PRY)		
	AREA #	RT	AREA #	RT	AREA #	RT	
12 HOUR STD	167076.	23.02	102996.	31.49	65963.	37.71	
UPPER LIMIT	334152.		205992.		131926.		
LOWER LIMIT	83538.		51498.		32981.		
EPA SAMPLE NO.							
01	88092690 AC	138893.	23.16	71248.	31.66	37978.	38.04
02	88092690 BN	144370.	23.06	70125.	31.69	39837.	38.06
03	88092691 AC	153481.	23.14	77180.	31.67	42412.	38.02
04	88092691 BN	142843.	23.11	78345.	31.72	48876.	38.04
05	88092692 AC	155778.	23.14	96817.	31.64	55765.	37.98
06	88092692 BN	170786.	23.15	90910.	31.69	46901.	38.08
07	88092694 AC	148844.	23.15	76599.	31.67	43701.	38.01
08	88092694 BN	154116.	23.31	72953.	31.72	39595.	38.08
09	88092695 AC	176444.	23.15	91259.	31.68	50942.	38.01
10	88092695 BN	144823.	23.19	71578.	31.65	41504.	37.98
11	88092724 AC	128265.	23.18	62106.	31.73	30863.*	38.08
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

DATA PACKAGE #7

This page intentionally left blank.



**ENGINEERING-SCIENCE, INC.**

RESEARCH AND DEVELOPMENT  
LABORATORY  
600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 841-7353

REVISED REPORT

Job No.: OR001

Work Order No.: 796

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the soil sample(s) received by this laboratory on 8-01-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88081589	DANGB2-BH1-SS6-10-12'	AS-F	7-30-88		8-16-88	
88081589	DANGB2-BH1-SS6-10-12'	BA-I	7-30-88		8-01-88	
88081589	DANGB2-BH1-SS6-10-12'	CD-F	7-30-88		8-09-88	
88081589	DANGB2-BH1-SS6-10-12'	HG-C	7-30-88		8-12-88	
88081589	DANGB2-BH1-SS6-10-12'	PB-F	7-30-88		8-15-88	
88081589	DANGB2-BH1-SS6-10-12'	418.1	7-30-88	8-05 88	8-19-88	
88081589	DANGB2-BH1-SS6-10-12'	MOIS	7-30-88		8-04-88	
88081589	DANGB2-BH1-SS6-10-12'	8080	7-30-88	8-04-88	9-09-88	
88081589	DANGB2-BH1-SS6-10-12'	8270	7-30-88	8-02-88	8-20-88	
88081590	DANGB2-BH2-SS1-0-2'	AS-F	7-30-88		8-16-88	
88081590	DANGB2-BH2-SS1-0-2'	BA-I	7-30-88		8-01-88	
88081590	DANGB2-BH2-SS1-0-2'	CD-F	7-30-88		8-09-88	
88081590	DANGB2-BH2-SS1-0-2'	HG-C	7-30-88		8-12-88	
88081590	DANGB2-BH2-SS1-0-2'	PB-F	7-30-88		8-15-88	
88081590	DANGB2-BH2-SS1-0-2'	418.1	7-30-88	8-05-88	8-19-88	
88081590	DANGB2-BH2-SS1-0-2'	MOIS	7-30-88		8-04-88	
88081590	DANGB2-BH2-SS1-0-2'	8080	7-30-88	8-04-88	9-09-88	
88081590	DANGB2-BH2-SS1-0-2'	8270	7-30-88	8-02-88	8-25-88	

\* If applicable

89-DULU0542 1

CL-FRM01



Job No.: OR001

Work Order No.: 796

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88081591	DANGB2-BH2-SS4-6-8'	AS-F	7-30-88		8-16-88	
88081591	DANGB2-BH2-SS4-6-8'	BA-I	7-30-88		8-01-88	
88081591	DANGB2-BH2-SS4-6-8'	CD-F	7-30-88		8-09-88	
88081591	DANGB2-BH2-SS4-6-8'	HG-C	7-30-88		8-12-88	
88081591	DANGB2-BH2-SS4-6-8'	PB-F	7-30-88		8-15-88	
88081591	DANGB2-BH2-SS4-6-8'	418.1	7-30-88	8-05-88	8-19-88	
88081591	DANGB2-BH2-SS4-6-8'	MOIS	7-30-88		8-04-88	
88081591	DANGB2-BH2-SS4-6-8'	8080	7-30-88	8-04-88	9-09-88	
88081591	DANGB2-BH2-SS4-6-8'	8270	7-30-88	8-02-88	8-24-88	
88081592	DANGB2-BH2-SS6-10-12'	AS-F	7-30-88		8-16-88	
88081592	DANGB2-BH2-SS6-10-12'	BA-I	7-30-88		8-01-88	
88081592	DANGB2-BH2-SS6-10-12'	CD-F	7-30-88		8-09-88	
88081592	DANGB2-BH2-SS6-10-12'	HG-C	7-30-88		8-12-88	
88081592	DANGB2-BH2-SS6-10-12'	PB-F	7-30-88		8-15-88	
88081592	DANGB2-BH2-SS6-10-12'	418.1	7-30-88	8-05-88	8-19-88	
88081592	DANGB2-BH2-SS6-10-12'	MOIS	7-30-88		8-04-88	
88081592	DANGB2-BH2-SS6-10-12'	8080	7-30-88	8-04-88	9-09-88	
88081592	DANGB2-BH2-SS6-10-12'	8270	7-30-88	8-02-88	8-23-88	
88081593	DANGB2-BH2-SS9-16-18'	AS-F	7-30-88		8-16-88	
88081593	DANGB2-BH2-SS9-16-18'	BA-I	7-30-88		8-01-88	
88081593	DANGB2-BH2-SS9-16-18'	CD-F	7-30-88		8-09-88	
88081593	DANGB2-BH2-SS9-16-18'	HG-C	7-30-88		8-12-88	
88081593	DANGB2-BH2-SS9-16-18'	PB-F	7-30-88		8-15-88	
88081593	DANGB2-BH2-SS9-16-18'	418.1	7-30-88	8-05-88	8-19-88	
88081593	DANGB2-BH2-SS9-16-18'	MOIS	7-30-88		8-04-88	
88081593	DANGB2-BH2-SS9-16-18'	8080	7-30-88	8-04-88	9-09-88	
88081593	DANGB2-BH2-SS9-16-18'	8270	7-30-88	8-02-88	8-24-88	

\* If applicable

ANALYSIS REPORT

WORK ORDER NUMBER: 796  
JOB NUMBER : Z8000000440  
WORK ORDER DATE : 08/01/88

APPROVED BY *[Signature]*  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 2, UNITS: mg/KG

TEST COMPOUND	DANG2-BH1 SS-4 6-8' 88081589	DANG2 BH2,SS-1 7-29-88 0-2' 88081590	DANG2 BH2,SS-4 6-8' 88081591	DANG2 BH2,SS-6 10-12' 88081592	DANG2 BH2,SS-9 16-18' 88081593
ARSENIC	1.7*	1.7*	1.3*	1.2*	1.5*
BARIUM	57	104	41	54	41
CADMIUM	0.09B*	0.56*	0.13B*	0.11B*	0.12B*
MERCURY	<0.2	<0.2	<0.2	0.1B*	<0.2
LEAD	6.5	54	5.0	6.4	3.8

NA - Not Analyzed  
ND - Not Detected

ANALYSIS REPORT

ORDER NUMBER: 796  
NUMBER : ZB0000000440  
ORDER DATE : 08/01/88

APPROVED BY *Bill Hayden*  
Lab Supervisor

PORT DATA:  
OAK RIDGE/DULUTH ANGB  
S. ILLINOIS AVE. STE. S103  
RIDGE, TN 37830  
HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

REPORT COPIES: 1

TRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

3, UNITS: mg/KG

	DANG2 BH1,SS-6 10-12'	DANG2 BH2,SS-1 0-2'	DANG2 BH2,SS-4 6-8'	DANG2 BH2,SS-6 10-12'	DANG2 BH2,SS-9 16-18'
COMPOUND	88081589	88081590	88081591	88081592	88081593
-----					
.1 PETROLEUM HYDROCARBONS	150	9100	104	<100	<100
DIURETIC	13.6	9.4	9.0	11.8	8.2

ANALYSIS REPORT

ORDER NUMBER: 796  
JOB NUMBER: Z8000000440  
WORK ORDER DATE: 08/01/88

APPROVED BY: *[Signature]*  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO #: OR001  
CONTACT: BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: mg/Kg, GROUP 8010

TEST COMPOUND	DANG2 BH1,SS-6 10-12'	DANG2 BH2,SS-1 0-2'	DANG2 BH2,SS-4 6-8'	DANG2 BH2,SS-6 10-12'	DANG2 BH2,SS-9 16-18'
31 ZYL CHLORIDE	NT	NT	NT	NT	NT
31 (2-CHLOROETHOXY)METHANE	NT	NT	NT	NT	NT
31S (2-CHLOROISOPROPYL)ETHER	NT	NT	NT	NT	NT
31 MOBENZENE	NT	NT	NT	NT	NT
31 MOICHLOROMETHANE	NT	NT	NT	NT	NT
31 BROMOFORM	NT	NT	TT	NT	NT
31 BROMOETHANE	NT	NT	NT	TN	NT
31 BON TETRACHLORIDE	NT	TN	NT	TN	NT
31 ORACETALDEHYDE	NT	TN	NT	TNT	NT
31 HLORAL	NT	TNT	NT	NT	TN
31 HLOROBENZENE	NT	NT	NT	NT	TN
31 HLOROETHANE	NT	NT	NT	TN	TNT
31 HLOROFORM	NT	NTN	NT	TNT	NT
31-1-CHLOROHEXANE	NT	NT	NT	NT	NT
31-1-CHLOROETHYL VINYL ETHER	NT	NT	NT	NT	NT
31-1-CHLOROMETHANE	NT	NT	NT	NT	NT
31-1-CHLOROMETHYL METHYL ETHER	NT	NT	NT	NT	NT
31-1-CHLOROTOLUENE	NT	TNT	NT	NT	TN
31-1-BROMOCHLOROMETHANE	NT	ND	NT	NT	TN
31-1-BROMOMETHANE	NT	TN	NT	NT	TN
31-1,2-DICHLORO BENZENE	NT	TNT	TN	TN	TN
31-1,3-DICHLORO BENZENE	NT	NT	TN	TNT	TNT
31-1,4-DICHLORO BENZENE	TN	TNT	TNT	NT	NT
31-1-CHLORODIFLUOROMETHANE	TNTN	NT	NT	NT	NT
31-1,1-DICHLOROETHANE	TN	NT	TN	NT	NT
31-1,2-DICHLOROETHANE	TNT	NT	TN	TN	NT
31-1,1-DICHLOROETHYLENE	NT	NT	NT	NT	NT
31-TRANS-1,2-DICHLOROETHYLENE	NT	TN	NTT	NT	NT
31-1,1-DICHLOROMETHANE	NT	TNNT	NT	TN	TN
31-1,2-DICHLOROPROPANE	NT	NT	NT	TN	NT

NT - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 796

T COMPOUND	DANG2 BH1,SS-6 10-12'	DANG2 BH2,SS-1 0-2'	DANG2 BH2,SS-4 6-8'	DANG2 BH2,SS-6 10-12'	DANG2 BH2,SS-9 16-18'
	88081589	88081590	88081591	88081592	88081593
-DICHLOROPROPYLENE	NT	TN	NT	TNT	TNT
,2,2-TETRACHLOROETHANE	NT	TNT	NT	NT	NT
,1,2-TETRACHLOROETHANE	NT	NT	NT	TNT	NT
RACHLOROETHYLENE	NT	NT	NT	NT	NT
,1-TRICHLOROETHANE	TN	TN	TN	TNT	TN
,2-TRICHLOROETHANE	TNT	TNT	TN	NT	TNT
CHLOROETHYLENE	NT	NT	TNT	TNT	NT
CHLOROFLUOROMETHANE	NT	NT	NT	TD	NT
CHLOROPROPANE	NT	NT	NT	TNT	NT
YL CHLORIDE	NT	NT	NT	NT	NT

- Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 796  
NUMBER : Z8000000440  
WORK ORDER DATE : 08/01/88

APPROVED BY *Bill Hayden*  
Lab Supervisor

PORT DATA:  
OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

TRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

SK: 4, UNITS: ug/Kg, GROUP 8080

TEST COMPOUND	DANG2 BH1,SS-6 10-12'	DANG2 BH2,SS-1 0-2'	DANG2 BH2,SS-4 6-8'	DANG2 BH2,SS-6 10-12'	DANG2 BH2,SS-9 16-18'
DIRIN	ND	ND	ND	ND	ND
HA-BHC	ND	ND	ND	ND	ND
BETA-BHC	ND	ND	ND	ND	ND
FILTA-BHC	ND	ND	ND	ND	ND
MA-BHC	ND	ND	ND	ND	ND
ORDANE	ND	ND	ND	ND	ND
4,4'-DDD	ND	ND	ND	ND	ND
4,4'-DDE	ND	ND	ND	ND	ND
4,4'-DDT	ND	ND	ND	ND	ND
DELDRIN	ND	ND	ND	ND	ND
ENDOSULFAN I	ND	ND	ND	ND	ND
ENDOSULFAN II	ND	ND	ND	ND	ND
ENDOSULFAN SULFATE	ND	ND	ND	ND	ND
ENDRIX	ND	ND	ND	ND	ND
ENDRIX ALDEHYDE	NA	NA	NA	NA	NA
PTACHLOR	ND	ND	ND	ND	ND
PTACHLOR EPOXIDE	ND	ND	ND	ND	ND
KEPOHE	NA	NA	NA	NA	NA
HOXYCHLOR	ND	ND	ND	ND	ND
APHENE	ND	ND	ND	ND	ND
PCB-1016	ND	ND	ND	ND	ND
PCB-1221	ND	ND	ND	ND	ND
3-1232	ND	ND	ND	ND	ND
3-1242	ND	ND	ND	ND	ND
PCB-1248	ND	ND	ND	ND	ND
PCB-1254	ND	ND	ND	ND	ND
3-1260	ND	ND	ND	ND	ND

- Not Analyzed

ND - Not Detected

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Soil

page 1 of 5

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081589	88081591
Sample No.:	DANG2 BH1, SS-6, 10-12'	DANG2 BH2, SS-4, 6-8'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	09:39	14:23
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	14	9

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
1,3-Dichlorobenzene	330	ND	ND
1,4-Dichlorobenzene	330	ND	ND
Hexachloroethane	330	ND	ND
Bis(2-chloroethyl)ether	330	ND	ND
1,2-Dichlorobenzene	330	ND	ND
N-Nitrosodimethylamine	330	ND	ND
Bis(2-chloroisopropyl)ether	330	ND	ND
N-Nitrosodi-n-propyl amine	330	ND	ND
Hexachlorobutadiene	330	ND	ND
1,2,4-Trichlorobenzene	330	ND	ND
Nitrobenzene	330	ND	ND
Isophorone	330	ND	ND
Naphthalene	330	ND	ND
Bis(2-chloroethoxy)methane	330	ND	ND
2-Chloronaphthalene	330	ND	ND
Hexachlorocyclopentadiene	330	ND	ND
Acenaphthylene	330	ND	ND
Acenaphthene	330	ND	ND
Dimethyl phthalate	330	ND	ND
2,6-Dinitrotoluene	330	ND	ND
Fluorene	330	ND	ND
2,4-Dinitrotoluene	330	ND	ND
Diethyl phthalate	330	ND	ND
N-Nitrosodiphenylamine	330	ND	ND
Hexachlorobenzene	330	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Soil  
 (continued)

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081589	88081591
Sample No.:	DANG2 BH1, SS-6, 10-12'	DANG2 BH2, SS-4, 6-8'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	09:39	14:23
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	14	9

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
Phenanthrene	330	ND	ND
Anthracene	330	ND	ND
Dibutyl phthalate	330	2000 B	ND
Fluoranthene	330	ND	ND
4-Chlorophenyl phenyl ether	330	ND	ND
Pyrene	330	ND	ND
Butyl Benzyl phthalate	330	ND	ND
Bis(2-ethylhexyl) phthalate	330	ND	650
Chrysene	330	ND	ND
4-Bromophenyl phenyl ether	330	ND	ND
Benzo(a)anthracene	330	ND	ND
Di-n-octylphthalate	330	ND	ND
Benzo(b)fluoranthene	330	ND	ND
Benzo(k)fluoranthene	330	ND	ND
Benzidine	660	ND	ND
3,3'-Dichlorobenzidine	660	ND	ND
Benzo(a)pyrene	330	ND	ND
Indeno(1,2,3-cd)pyrene	330	ND	ND
Dibenzo(a,h)anthracene	330	ND	ND
Benzo(ghi)perylene	330	ND	ND
Benzyl Alcohol	660	ND	ND



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Soil  
 (continued)

Page 3 of 5

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 795  
 Job No. : 0R001

For: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081589	88081591
Sample No.:	DANG2 BH1, SS-6, 10-12'	DANG2 BH2, SS-4, 6-8'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	09:39	14:23
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	14	9

Compound	Detection	Analytical Results	
	Limits ug/kg	(dry weight) ug/kg	
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	650	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	330	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
a-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	330	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	1600	ND	ND
3-Nitroaniline	1600	ND	ND
4-Nitroaniline	1600	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\*EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Soil

page 4 of 5

Date Received: August 1, 1988  
Date Reported: August 29, 1988

Work Order: 796  
Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
Address: 710 S. Illinois Ave. Suite F-103  
Oakridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number:	88081589	88081591
Sample No.:	DANG2 BH1, SS-6, 10-12'	DANG2 BH2, SS-4, 6-8'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	09:39	14:23
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	14	9

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
Alpha-BHC	---	ND	ND
Gamma-BHC	---	ND	ND
Beta-BHC	860	ND	ND
Heptachlor	330	ND	ND
Delta-BHC	500	ND	ND
Aldrin	330	ND	ND
Heptachlor epoxide	330	ND	ND
Endosulfan I	---	ND	ND
Dieldrin	500	ND	ND
4,4'-DDE	1000	ND	ND
Endrin	---	ND	ND
Endosulfan II	---	ND	ND
4,4'-DDD	500	ND	ND
4,4'-DDT	830	ND	ND
Endosulfan Sulfate	1000	ND	ND
Endrin aldehyde	---	ND	ND
Endrin Ketone	---	ND	ND
Chlordane	2000	ND	ND
Methoxychlor	---	ND	ND
Toxaphene	2000	ND	ND
Aroclor-1016	2000	ND	ND
Aroclor-1221	2000	ND	ND
Aroclor-1232	2000	ND	ND
Aroclor-1242	2000	ND	ND
Aroclor-1248	2000	ND	ND
Aroclor-1254	2000	ND	ND
Aroclor-1260	2000	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Soil

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081589	88081591
Sample No.:	DANG2 BH1, SS-6, 10-12'	DANG2 BH2, SS-4, 6-8'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	09:39	14:23
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	14	9

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
2-Chlorophenol	330	ND	ND
2-Nitrophenol	330	ND	ND
Phenol	330	ND	ND
2,4-Dimethylphenol	330	ND	ND
2,4-Dichlorophenol	330	ND	ND
2,4,6-Trichlorophenol	330	ND	ND
4-Chloro-3-methylphenol	660	ND	ND
2,4-Dinitrophenol	1600	ND	ND
2,6-Dichlorophenol	---	ND	ND
2-Methyl-4,6-Dinitrophenol	1600	ND	ND
Pentachlorophenol	1600	ND	ND
4-Nitrophenol	1600	ND	ND
Benzoic Acid	1600	ND	ND
2-Methylphenol	330	ND	ND
3- & 4-Methylphenol	330	ND	ND
2,3,4,6-Tetrachlorophenol	---	ND	ND
2,4,5-Trichlorophenol	330	ND	ND

*Laura Kirk*  
 Analyst

*W. B. Burk*  
 Laboratory Supervisor

\*EPA has not yet determined detection limits for these compounds.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Soil

page 1 of 5

Date Received: August 1, 1988  
Date Reported: August 29, 1988

Work Order: 796  
Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
Address: 710 S. Illinois Ave. Suite F-103  
Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88081590  
Sample No.: DANG2 BH2,  
SS-1, 0-2'  
Date Sampled: 7-30-88  
Time Sampled: 13:37  
Date Extracted: 8-02-88  
Date Analyzed: 8-25-88  
Percent Moisture: 9

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight) ug/kg
1,3-Dichlorobenzene	3300	ND
1,4-Dichlorobenzene	3300	ND
Hexachloroethane	3300	ND
Bis(2-chloroethyl) ether	3300	ND
1,2-Dichlorobenzene	3300	ND
N-Nitrosodimethylamine	3300	ND
Bis(2-chloroisopropyl) ether	3300	ND
N-Nitrosodi-n-propylamine	3300	ND
Hexachlorobutadiene	3300	ND
1,2,4-Trichlorobenzene	3300	ND
Nitrobenzene	3300	ND
Isophorone	3300	ND
Naphthalene	3300	3700
Bis(2-chloroethoxy) methane	3300	ND
2-Chloronaphthalene	3300	ND
Hexachlorocyclopentadiene	3300	ND
Acenaphthylene	3300	ND
Acenaphthene	3300	ND
Dimethyl phthalate	3300	ND
2,6-Dinitrotoluene	3300	ND
Fluorene	3300	ND
2,4-Dinitrotoluene	3300	ND
Diethyl phthalate	3300	ND
N-Nitrosodiphenylamine	3300	ND
Hexachlorobenzene	3300	ND

Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Soil  
(continued)

page 2 of 5

Date Received: August 1, 1988  
Date Reported: August 29, 1988

Work Order: 796  
Job No. : 0R001

FOR: ES:Oakridge/Duluth ANGB  
Address: 710 S. Illinois Ave. Suite F-103  
Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88081590  
Sample No.: DANG2 BH2,  
SS-1, 0-2'  
Date Sampled: 7-30-88  
Time Sampled: 13:37  
Date Extracted: 8-02-88  
Date Analyzed: 8-25-88  
Percent Moisture: 9

Compound	Detection Limit ug/kg	ANALYTICAL RESULTS (dry weight) ug/kg
Phenanthrene	3300	ND
Anthracene	3300	ND
Dibutyl phthalate	3300	ND
Fluoranthene	3300	ND
4-Chlorophenyl phenyl ether	3300	ND
Pyrene	3300	3700
Butyl Benzyl phthalate	3300	ND
Bis(2-ethylhexyl) phthalate	3300	ND
Chrysene	3300	ND
4-Bromophenyl phenyl ether	3300	ND
Benzo(a)anthracene	3300	ND
Di-n-octylphthalate	3300	ND
Benzo(b)fluoranthene	3300	ND
Benzo(k)fluoranthene	3300	ND
Benzidine	6600	ND
3,3'-Dichlorobenzidine	6600	ND
Benzo(a)pyrene	3300	ND
Indeno(1,2,3-cd)pyrene	3300	ND
Dibenzo(a,h)anthracene	3300	ND
Benzo(ghi)perylene	3300	ND
Benzyl Alcohol	6600	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Soil  
 (continued)

Page 3 of 5

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No. : 0R001

For: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88081590  
 Sample No.: DANG2 BH2,  
 SS-1, 0-2'  
 Date Sampled: 7-30-88  
 Time Sampled: 13:37  
 Date Extracted: 8-02-88  
 Date Analyzed: 8-25-88  
 Percent Moisture: 9.

Compound	Detection Limits ug/kg	Analytical Results (dry weight) ug/kg
Acetophenone	---	ND
Aniline	---	ND
4-Aminobiphenyl	---	ND
4-Chloroaniline	6600	ND
1-Chloronaphthalene	---	ND
Dibenzofuran	3300	ND
p-Dimethylaminoazobenzene	---	ND
7,12-Dimethylbenz(a)anthracene	---	ND
α,α-Dimethylphenethylamine	---	ND
Diphenylamine	---	ND
1,2-Diphenylhydrazine	---	ND
Ethyl methanesulfonate	---	ND
3-Methylcholanthrene	---	ND
Methyl methanesulfonate	---	ND
2-Methylnaphthalene	3300	6200
1-Naphthylamine	---	ND
2-Naphthylamine	---	ND
2-Nitroaniline	16000	ND
3-Nitroaniline	16000	ND
4-Nitroaniline	16000	ND
N-Nitroso-di-n-butylamine	---	ND
N-Nitrosopiperidine	---	ND
Pentachlorobenzene	---	ND
Pentachloronitrobenzene	---	ND
Phenacetin	---	ND
2-Picoline	---	ND
Pronamide	---	ND
1,2,4,5-Tetrachlorobenzene	---	ND

\*EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Soil

page 4 of 5

Date Received: August 1, 1988  
Date Reported: August 29, 1988

Work Order: 796  
Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
Address: 710 S. Illinois Ave. Suite F-103  
Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88081590  
Sample No.: DANG2 BH2,  
Date Sampled: 7-30-88  
Time Sampled: 13:37  
Date Extracted: 8-02-88  
Date Analyzed: 8-25-88  
Percent Moisture: 9

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight) ug/kg
Alpha-BHC	---*	ND
Gamma-BHC	---*	ND
Beta-BHC	6600	ND
Heptachlor	3300	ND
Delta-BHC	5000	ND
Aldrin	3300	ND
Heptachlor epoxide	3300	ND
Endosulfan I	---*	ND
Dieldrin	5000	ND
4,4'-DDE	10000	ND
Endrin	---*	ND
Endosulfan II	---*	ND
4,4'-DDD	5000	ND
4,4'-DDT	8300	ND
Endosulfan Sulfate	10000	ND
Endrin aldehyde	---*	ND
Endrin Ketone	---*	ND
Chlordane	20000	ND
Methoxychlor	---*	ND
Toxaphene	20000	ND
Aroclor-1016	20000	ND
Aroclor-1221	20000	ND
Aroclor-1232	20000	ND
Aroclor-1242	20000	ND
Aroclor-1248	20000	ND
Aroclor-1254	20000	ND
Aroclor-1260	20000	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Acid Extractables -- SW 8270  
Matrix: Soil

page 5 of 5

Date Received: August 1, 1988  
Date Reported: August 29, 1988

Work Order: 796  
Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
Address: 710 S. Illinois Ave. Suite F-103  
Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88081590  
Sample No.: DANG2 BH2,  
Date Sampled: 7-30-88  
Time Sampled: 13:37  
Date Extracted: 8-02-88  
Date Analyzed: 8-25-88  
Percent Moisture: 9

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight) ug/kg
2-Chlorophenol	3300	ND
2-Nitrophenol	3300	ND
Phenol	3300	ND
2,4-Dimethylphenol	3300	ND
2,4-Dichlorophenol	3300	ND
2,4,6-Trichlorophenol	3300	ND
4-Chloro-3-methylphenol	3300	ND
2,4-Dinitrophenol	16000	ND
2,6-Dichlorophenol	--*	ND
2-Methyl-4,6-Dinitrophenol	16000	ND
Pentachlorophenol	16000	ND
4-Nitrophenol	16000	ND
Benzoic Acid	16000	ND
2-Methylphenol	3300	ND
3- & 4-Methylphenol	3300	ND
2,3,4,6-Tetrachlorophenol	--*	ND
2,4,5-Trichlorophenol	3300	ND

*Laura Kuck*

Analyst

*NWBurton*

Laboratory Supervisor

\*EPA has not yet determined detection limits for these compounds.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Soil

page 1 of 5

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No.: OR001

FOR: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081592	88081593
Sample No.:	DANG2 BH2, SS-6, 10-12'	DANG2 BH2, SS-9, 16-18'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	15:00	15:50
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	12	8

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
1,3-Dichlorobenzene	330	ND	ND
1,4-Dichlorobenzene	330	ND	ND
Hexachloroethane	330	ND	ND
Bis(2-chloroethyl)ether	330	ND	ND
1,2-Dichlorobenzene	330	ND	ND
N-Nitrosodimethylamine	330	ND	ND
Bis(2-chloroisopropyl)ether	330	ND	ND
N-Nitrosodi-n-propyl amine	330	ND	ND
Hexachlorobutadiene	330	ND	ND
1,2,4-Trichlorobenzene	330	ND	ND
Nitrobenzene	330	ND	ND
Isophorone	330	ND	ND
Naphthalene	330	ND	ND
Bis(2-chloroethoxy)methane	330	ND	ND
2-Chloronaphthalene	330	ND	ND
Hexachlorocyclopentadiene	330	ND	ND
Acenaphthylene	330	ND	ND
Acenaphthene	330	ND	ND
Dimethyl phthalate	330	ND	ND
2,6-Dinitrotoluene	330	ND	ND
Fluorene	330	ND	ND
2,4-Dinitrotoluene	330	ND	ND
Diethyl phthalate	330	ND	ND
N-Nitrosodiphenylamine	330	ND	ND
Hexachlorobenzene	330	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Soil  
 (continued)

page 2 of 5

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No. : DR001

FOR: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081592	88081593
Sample No.:	DANG2 BH2, SS-6, 10-12'	DANG2 BH2, SS-9, 16-18'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	15:00	15:50
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	12	8

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
Phenanthrene	330	ND	ND
Anthracene	330	ND	ND
Dibutyl phthalate	330	1800 B	ND
Fluoranthene	330	ND	ND
4-Chlorophenyl phenyl ether	330	ND	ND
Pyrene	330	ND	ND
Butyl Benzyl phthalate	330	510	ND
Bis(2-ethylhexyl) phthalate	330	ND	ND
Chrysene	330	ND	ND
4-Bromophenyl phenyl ether	330	ND	ND
Benzo(a)anthracene	330	ND	ND
Di-n-octylphthalate	330	ND	ND
Benzo(b)fluoranthene	330	ND	ND
Benzo(k)fluoranthene	330	ND	ND
Benzidine	660	ND	ND
3,3'-Dichlorobenzidine	660	ND	ND
Benzo(a)pyrene	330	ND	ND
Indeno(1,2,3-cd)pyrene	330	ND	ND
Dibenzo(a,h)anthracene	330	ND	ND
Benzo(ghi)perylene	330	ND	ND
Benzyl Alcohol	660	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Soil  
 (continued)

Page 3 of 5

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No. : OR001

For: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081592	88081593
Sample No.:	DANG2 BH2, SS-6, 10-12'	DANG2 BH2, SS-9, 16-18'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	15:00	15:50
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	12	8

Compound	Detection Limits ug/kg	Analytical Results (dry weight)	
		ug/kg	ug/kg
Acetophenone	---	ND	ND
Aniline	---	ND	ND
4-Aminobiphenyl	---	ND	ND
4-Chloroaniline	660	ND	ND
1-Chloronaphthalene	---	ND	ND
Dibenzofuran	330	ND	ND
p-Dimethylaminoazobenzene	---	ND	ND
7,12-Dimethylbenz(a)anthracene	---	ND	ND
α,α-Dimethylphenethylamine	---	ND	ND
Diphenylamine	---	ND	ND
1,2-Diphenylhydrazine	---	ND	ND
Ethyl methanesulfonate	---	ND	ND
3-Methylcholanthrene	---	ND	ND
Methyl methanesulfonate	---	ND	ND
2-Methylnaphthalene	330	ND	ND
1-Naphthylamine	---	ND	ND
2-Naphthylamine	---	ND	ND
2-Nitroaniline	1600	ND	ND
3-Nitroaniline	1600	ND	ND
4-Nitroaniline	1600	ND	ND
N-Nitroso-di-n-butylamine	---	ND	ND
N-Nitrosopiperidine	---	ND	ND
Pentachlorobenzene	---	ND	ND
Pentachloronitrobenzene	---	ND	ND
Phenacetin	---	ND	ND
2-Picoline	---	ND	ND
Pronamide	---	ND	ND
1,2,4,5-Tetrachlorobenzene	---	ND	ND

\*EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Soil

page 4 of 5

Date Received: August 1, 1988  
Date Reported: August 29, 1988

Work Order: 796  
Job No. : 0R001

FOR: ES:Oakridge/Duluth ANGB  
Address: 710 S. Illinois Ave. Suite F-103  
Oakridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number:	88081592	88081593
Sample No.:	DANG2 BH2, SS-6, 10-12'	DANG2 BH2, SS-9, 16-18'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	15:00	15:50
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	12	8

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
Alpha-BHC	---	ND	ND
Gamma-BHC	---	ND	ND
Beta-BHC	660	ND	ND
Heptachlor	330	ND	ND
Delta-BHC	500	ND	ND
Aldrin	330	ND	ND
Heptachlor epoxide	330	ND	ND
Endosulfan I	---	ND	ND
Dieldrin	500	ND	ND
4,4'-DDE	1000	ND	ND
Endrin	---	ND	ND
Endosulfan II	---	ND	ND
4,4'-DDD	500	ND	ND
4,4'-DDT	830	ND	ND
Endosulfan Sulfate	1000	ND	ND
Endrin aldehyde	---	ND	ND
Endrin Ketone	---	ND	ND
Chlordane	2000	ND	ND
Methoxychlor	---	ND	ND
Toxaphene	2000	ND	ND
Aroclor-1016	2000	ND	ND
Aroclor-1221	2000	ND	ND
Aroclor-1232	2000	ND	ND
Aroclor-1242	2000	ND	ND
Aroclor-1248	2000	ND	ND
Aroclor-1254	2000	ND	ND
Aroclor-1260	2000	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Soil

page 5 of 5

Date Received: August 1, 1988  
 Date Reported: August 29, 1988

Work Order: 796  
 Job No. : OR001

FOR: ES:Oakridge/Duluth ANGB  
 Address: 710 S. Illinois Ave. Suite F-103  
 Oakridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88081592	88081593
Sample No.:	DANG2 BH2, SS-6, 10-12'	DANG2 BH2, SS-9, 16-18'
Date Sampled:	7-30-88	7-30-88
Time Sampled:	15:00	15:50
Date Extracted:	8-02-88	8-02-88
Date Analyzed:	8-20-88	8-24-88
Percent Moisture:	12	8

Compound	Detection Limits ug/kg	ANALYTICAL RESULTS (dry weight)	
		ug/kg	ug/kg
2-Chlorophenol	330	ND	ND
2-Nitrophenol	330	ND	ND
Phenol	330	ND	ND
2,4-Dimethylphenol	330	ND	ND
2,4-Dichlorophenol	330	ND	ND
2,4,6-Trichlorophenol	330	ND	ND
4-Chloro-3-methylphenol	660	ND	ND
2,4-Dinitrophenol	1600	ND	ND
2,6-Dichlorophenol	---	ND	ND
2-Methyl-4,6-Dinitrophenol	1600	ND	ND
Pentachlorophenol	1600	ND	ND
4-Nitrophenol	1600	ND	ND
Benzoic Acid	1600	ND	ND
2-Methylphenol	330	ND	ND
3- & 4-Methylphenol	330	ND	ND
2,3,4,6-Tetrachlorophenol	---	ND	ND
2,4,5-Trichlorophenol	330	ND	ND

*Laura Kuek*  
 Analyst

*Bill Hayden*  
 Laboratory Supervisor

\*EPA has not yet determined detection limits for these compounds.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

# ENGINEERING-SCIENCE

## CHAIN OF CUSTODY RECORD

796

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	SOILS ANALYSES REQUIRED						SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA. 94710 94710	
	SAMPLER(S) Signature			SW 8010, 8020	SW 8080	SW 8270	EPA 418.1	SW 8010, 7060	SW 7131, 7421, 7471		
DATE	TIME	SAMPLE DESCRIPTION								REMARKS	
7/30/88	0939	DANG 2 BH1, SS-6, 10-12'	1	X	X	X	X	X	X	> 001530	
7/30/88	0939	DANG 2 BH1, SS-6, 10-12'	1	X	X	X	X	X	X	> 001530	
	1337	DANG 2 BH2, SS1, 0-2'	1	X	X	X	X	X	X	> 001530	
	1337	DANG 2 BH2, SS1, 0-2'	1	X	X	X	X	X	X	> 001530	
	1423	DANG 2 BH2, SS 4, 6-8'	1	X	X	X	X	X	X	> 001530	
	1423	DANG 2 BH2, SS 4, 6-8'	1	X	X	X	X	X	X	> 001530	
	1500	DANG 2 BH2, SS 6, 10-12'	1	X	X	X	X	X	X	> 001530	
	1500	DANG 2 BH2, SS 6, 10-12'	1	X	X	X	X	X	X	> 001530	
	1550	DANG 2 BH2, SS 3, 16-18'	1	X	X	X	X	X	X	> 001530	
	1550	DANG 2 BH2, SS 3, 16-18'	1	X	X	X	X	X	X	Bottle shows 18-20'	
<b>401</b>											
Relinquished by: (Signature) <i>Anthony J. ...</i>		Date/Time 7-30-88 1630	Received by: (Signature)		Relinquished by: (Signature)			Date/Time		Received by: (Signature)	
Relinquished by: (Signature)		Date/Time	Received for Laboratory by: (Signature) <i>Kathleen C. Kidd</i>		Date/Time 8/1/88 1300		Remarks Rec'd copy in file - see me above				

**FEDERAL EXPRESS** AIRBILL  
 USE THIS AIRBILL FOR ALL SHIPMENTS WITHIN THE CONTINENTAL U.S.A., ALASKA AND HAWAII. USE THE INTERNATIONAL AIRBILL FOR SHIPMENTS TO PUERTO RICO. QUESTIONS? CALL 800-375-7888

PACKAGE TRACKING NUMBER

97108

6109M  
 Sender's Federal Express Account Number: 0300-0643-0  
 Daytime Phone Number: 404-289-7888  
 From (Your Name) Please Print: SCIENTIFIC ENGINEERING  
 Department/Floor No.: 57 EXECUTIVE PARKS, STE 590  
 Street Address: ATLANTA, GA 30329  
 City/State/Zip: ATLANTA, GA 30329  
 Your Phone Number (Very Important):  
 Department (Floor No.):  
 Street Address:  
 City/State/Zip:

SENDER'S COPY

To (Recipient's Name) Please Print: SCIENTIFIC ENGINEERING  
 Company's Billing Address (No. of Invoices to be billed):  
 Street Address:  
 City/State/Zip:  
 To (Recipient's Name) Please Print: SCIENTIFIC ENGINEERING  
 Company's Billing Address (No. of Invoices to be billed):  
 Street Address:  
 City/State/Zip:  
 IF HOLD FOR PICK-UP, PRINT FEDEX ADDRESS HERE  
 Street Address:  
 City/State/Zip:

PAYMENT  Bill Sender  Bill Recipient's FedEx Acct. No.  Bill Check Card  
 Cash

SERVICES		DELIVERY AND SPECIAL HANDLING		PACKAGES		WEIGHT		VOLUME		BASE CHARGES	
1	<input checked="" type="checkbox"/> PRIORITY MAIL® Overnight Delivery	1	<input type="checkbox"/> HOLD FOR PICK-UP (in box)	1	LBS						
2	<input type="checkbox"/> COURIER-PAK OVERNIGHT ENVELOPE	2	<input checked="" type="checkbox"/> DELIVER SATURDAY (same charge)	1	LBS						
3	<input type="checkbox"/> OVERNIGHT BOX	3	<input type="checkbox"/> DELIVER WEEKDAY (same charge)		LBS						
4	<input type="checkbox"/> OVERNIGHT TUBE	4	<input type="checkbox"/> BULKY PARCELS (same charge)		LBS						
5	<input type="checkbox"/> STANDARD AIR Delivery not later than second business day	5	<input type="checkbox"/> CONSTANT SURVEILLANCE SERVICE (CSS) (same charge)		LBS						
		6	<input type="checkbox"/> MAT ICE		Total						
		7	<input type="checkbox"/> OTHER SPECIAL SERVICE		Received At						
		8	<input type="checkbox"/> SATURDAY PICK-UP (same charge)		10 Regular Stop						
		9			20 On-Call Stop						
		10			Drop Box						
		11			B.S.C.						
		12	<input type="checkbox"/> NIGHT DELIVERY (same charge)		Station						
					FEDEX Corp. Employee No.						
					Date/Time for FEDEX Use						

SERVICE CONDITIONS, DECLARED VALUE AND LIMIT OF LIABILITY

Use of this label constitutes your agreement to the service conditions in our current Service Guide which is available upon request. See back of sender's copy of the label for further information. We will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay or non-delivery, unless you specify a higher amount in the space to the left, pay 40¢ per additional \$100 specified and document your actual loss in the Federal Express Service Guide book. Your right to recover from Federal Express for loss of the net invoice value of the package, as well as for loss of sales, income, interest, profit, attorney fees, costs and any other form of damage whether direct, incidental, consequential or speculative, is limited to the greater of \$100 or the declared value specified to the left. In no event shall your recovery exceed your actual loss. In the event of untimely delivery, Federal Express will at your request and with some limitations, refund all transportation charges paid. See Service Guide for further information.

Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.

Release Signature: \_\_\_\_\_

Declared Value Limit \$100.

REVISION DATE 1/88  
 PRINTED IN U.S.A. HC9EC  
 009  
 © 1988 F.E.C.

SENDER'S COPY

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S): 88081589-88081593  
WORK ORDER NO.: 796

These soil samples were received at the ES Berkeley Laboratory on 8-01-88. They were received cold and intact.



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Sample Matrix:	Soil
Client:	ES Oak Ridge	Conc. Unit:	ug/KG
Attn:	Bill Hayden	Work Order No:	796
Address:	710 S. Illinois Avenue	Lab Sample ID:	Blank
	Suite F-103	Lab File ID:	7E5455
	Oak Ridge, Tn. 37830	Date Received:	NA
		Date Extracted:	8-02-88
Project:	Duluth ANGB	Date Analyzed:	8-19-88
		Date Reported:	9-13-88
# TICs Found:	9	Dilution Factor:	NA
		% Moisture:	NA

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
67-66-3	Chloroform	2.58	570	60
--	Unknown	2.79	3300	--
71-43-2	Benzene	3.08	2400	94
--	Unknown	3.95	270	--
--	Unknown	4.19	1500	--
--	Unknown	4.56	370	--
--	Unknown	4.62	530	--
--	C4 Aliphatic	5.07	570	--
--	Unknown	6.84	530	--

*Handwritten Signature*

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Sample Matrix:	Soil
Client:	ES Oak Ridge	Conc. Unit:	ug/KG
Attn:	Bill Hayden	Work Order No:	796
Address:	710 S. Illinois Avenue	Lab Sample ID:	Blank
	Suite F-103	Lab File ID:	E5500
	Oak Ridge, Tn. 37830	Date Received:	NA
		Date Extracted:	8-23-88
		Date Analyzed:	8-24-88
Project:	Duluth ANGB	Date Reported:	9-13-88
# TICs Found:	15	Dilution Factor:	NA
		% Moisture:	NA

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
---	Chloroform	2.67	1800	58
---	Unknown	2.88	5000	—
---	Unknown	2.90	1500	—
---	Benzene	3.16	330	93
---	Unknown	3.29	530	—
---	Unknown	4.05	530	—
---	Unknown	4.16	1300	—
---	Unknown	5.15	1300	—
---	Unknown	6.78	570	—
---	Unknown	7.46	400	—
---	Unknown	8.62	570	—
---	Unknown	24.58	700	—
---	Unknown	27.21	530	—
---	Unknown	29.31	2300	—
---	Unknown	29.53	570	—

*AWB*

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Sample Matrix:	Soil
Client:	ES Oak Ridge	Conc. Unit:	ug/KG
Attn:	Bill Hayden	Work Order No:	796
Address:	710 S. Illinois Avenue	Lab Sample ID:	88081589
	Suite F-103	Lab File ID:	E5463
	Oak Ridge, Tn. 37830	Date Received:	8-01-88
		Date Extracted:	8-02-88
		Date Analyzed:	8-20-88
Project:	Duluth ANGB	Date Reported:	9-13-88
		Dilution Factor:	None
# TICs Found:	15	% Moisture:	14

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
67-66-3	Chloroform	2.53	1500	30
--	Unknown	2.61	4300	--
71-43-2	Benzene	2.93	850	94
--	Unknown	6.85	1000	--
--	Unknown	11.00	390	--
--	Unknown	11.38	350	--
--	Unknown	11.98	1000	--
--	Unknown	12.16	660	--
--	Unknown	13.79	1900	--
--	Unsaturated Aliphatic	15.14	300	--
--	Unknown	15.97	400	--
--	Unsaturated Aliphatic	26.06	540	--
--	Unknown	29.55	1400	--
--	Unknown	29.78	500	--
--	Phthalate acid ester	31.38	900	--

*M. B. Smith*

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Sample Matrix:	Soil
Client:	ES Oak Ridge	Conc. Unit:	ug/KG
Attn:	Bill Hayden	Work Order No:	796
Address:	710 S. Illinois Avenue	Lab Sample ID:	88081590
	Suite F-103	Lab File ID:	E5505
	Oak Ridge, Tn. 37830	Date Received:	8-01-88
		Date Extracted:	8-02-88
Project:	Duluth ANGB	Date Analyzed:	8-25-88
		Date Reported:	9-13-88
# TICs Found:	20	Dilution Factor:	None
		% Moisture:	9

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
---	Unknown	5.38	5100	---
---	Branched hydrocarbon	6.49	4400	---
---	Branched hydrocarbon	7.16	3600	---
---	Unknown	7.33	3600	---
---	Unknown	7.76	6200	---
---	Unsaturated C10 hydrocarbon	8.25	4400	---
---	Alkyl Substituted Aromatic C9 H12	8.47	4800	---
---	Saturated hydrocarbon	8.64	16000	---
---	Unknown	9.08	8800	---
---	Unsaturated hydrocarbon	9.28	3300	---
---	Unknown	9.77	4400	---
---	Saturated hydrocarbon	10.72	10000	---
---	Unknown	11.00	1900	---
---	Unknown	11.73	2700	---
---	Saturated hydrocarbon	12.65	5900	---
---	Saturated hydrocarbon	12.90	2200	---
---	Saturated hydrocarbon	16.30	3200	---
---	Saturated hydrocarbon	17.97	2900	---
---	Saturated hydrocarbon	19.54	2700	---
---	Saturated hydrocarbon	21.04	4800	---

*Al W. Foster*

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Sample Matrix:	Soil
Client:	ES Oak Ridge	Conc. Unit:	ug/KG
Attn:	Bill Hayden	Work Order No:	796
Address:	710 S. Illinois Avenue	Lab Sample ID:	88081591
	Suite F-103	Lab File ID:	E5502
	Oak Ridge, Tn. 37830	Date Received:	8-01-88
		Date Extracted:	8-23-88
		Date Analyzed:	8-24-88
Project:	Duluth ANGB	Date Reported:	9-13-88
# TECs Found:	17	Dilution Factor:	None
		% Moisture:	9

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
---	Unknown	2.86	6200	---
---	Unknown	2.88	1500	---
---	Unknown	4.15	1500	---
---	Unknown	5.11	1500	---
---	C10 Saturated Aliphatic	8.48	3100	---
---	C10 Saturated Aliphatic	8.94	1400	---
---	Saturated Aliphatic	10.54	5500	---
---	C10 Aromatic	11.61	1100	---
---	Unknown	12.08	1100	---
---	Saturated Aliphatic	12.52	2900	---
---	C13 Saturated Aliphatic	12.77	1100	---
---	Unknown	14.40	2200	---
---	Unknown	16.04	1200	---
---	Carboxylic acid	24.63	2100	---
---	Unknown	29.40	9200	---
---	Carboxylic acid	29.67	2300	---
---	Unknown	30.84	1500	---

*Bill Hayden*

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Sample Matrix:	Soil
Client:	ES Oak Ridge	Conc. Unit:	ug/KG
Attn:	Bill Hayden	Work Order No:	796
Address:	710 S. Illinois Avenue	Lab Sample ID:	88081592
	Suite F-103	Lab File ID:	E5464
	Oak Ridge, Tn. 37830	Date Received:	8-01-88
		Date Extracted:	8-02-88
Project:	Duluth ANGB.	Date Analyzed:	8-20-88
		Date Reported:	9-13-88
# TICs Found:	16	Dilution Factor:	None
		% Moisture:	12

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
--	Chloroform	2.55	1600	66
--	Unknown	2.62	5300	--
--	Unknown	2.86	980	--
--	Benzene	2.94	1100	94
--	Unknown	3.93	910	--
--	Unknown	6.85	870	--
--	Unknown	11.43	570	--
--	Unknown	12.08	1900	--
--	Unknown	12.16	300	--
--	Unknown	15.03	490	--
--	Unknown	15.19	380	--
--	Unknown	15.97	420	--
--	Unknown	26.02	870	--
--	Carboxylic acid	29.77	680	--
--	Unknown	31.23	680	--
--	Unknown Phthalate	31.37	680	--

*AWB*

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Sample Matrix: Soil
Client:	ES Oak Ridge	Conc. Unit: ug/KG
Attn:	Bill Hayden	Work Order No: 796
Address:	710 S. Illinois Avenue	Lab Sample ID: 88081593
	Suite F-103	Lab File ID: E5501
	Oak Ridge, Tn. 37830	Date Received: 8-01-88
		Date Extracted: 8-23-88
Project:	Duluth ANGB	Date Analyzed: 8-24-88
		Date Reported: 9-13-88
# TICs Found:	12	Dilution Factor: None
		% Moisture: 8

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
--	Unknown	2.75	1300	—
67-66-3	Chloroform	2.77	2000	83
71-43-2	Benzene	3.07	250	92
78-93-3	2-Butanone	3.99	360	26
--	Unknown	5.03	500	—
--	Unknown	6.75	180	—
--	Unknown	8.62	360	—
--	Hexadecanoic acid	24.59	470	93
--	Unknown	27.21	250	—
--	Unknown	29.36	800	—
--	Unknown	29.53	360	—
--	Unknown Phthalate	31.23	220	—

*M. W. Burton*

QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001

Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: ICP-S-0020-88  
Sample Matrix: Soil  
Conc. Unit: mg/KG  
Date Received: 7-30-88  
Date Reported: 8-25-88  
Dilution Factor: NA  
%Moisture: 12

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
88071552-88071555,  
88081589-88081593

Laboratory Supervisor Approval:



Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	Spike SA	Recovery SR	SSR	PR	Notes
Barium	88071552	88071552	8-09-88	8-08-88	6010	<0.5	60.3	65.0	7	227	60.3	283	98	

NOTE: If % moisture is reported, results are presented on a dry-weight basis.

$$\text{Relative Percent Difference (RPD)} = \frac{C1 - C2}{(C1 + C2)/2} \times 100$$

NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

$$\text{Percent Recovery (PR)} = \frac{SSR - SR}{SA} \times 100$$

SSR = Spiked Sample Result  
SR = Sample Result  
SA = Spike Added (Concentration)



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
Samples No.: 88071552-88071555  
Samples No.: 88081589-88081593  
QC REPORT NO.: AAF-S-0014-88  
QC REPORT NO.: CVM-S-0001-88

The MDL for the following analyte(s) is as provided by the sub-  
contracting laboratory: Cadmium, Mercury.

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: AAF-S-0014-88  
 Sample Matrix: Soil  
 Conc. Unit: mg/KG  
 Date Received: 7-30-88  
 Date Reported: 8-26-88  
 Dilution Factor: NA  
 %Moisture: 12

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830,

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  
*[Signature]*

QC Report for Laboratory Sample No(s):  
 88071552-88071555  
 88081589-88081593

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	SA	SR	SSR	PR	Notes
Arsenic	88071552	88071552	8-15-88	8-08-88	7060	<0.3	1.4	1.8	25*	4.54	1.4	5.3	86	
Cadmium	88071552	88071552	8-15-88	8-08-88	7131	<0.04	0.158B	0.121B	24*	0.340	0.158B	0.417	76	A
Lead	88071552	88071552	8-15-88	8-08-88	7421	0.2	8.03	9.22	14	2.27	8.03	10.8	122	

413

NOTE: If % moisture is reported, results are presented on a dry-weight basis.

- \* See Legend attached.
- A See Case Narrative attached.
- B See Legend attached.

$$\text{Relative Percent Difference (RPD)} = \frac{C1 - C2}{(C1 + C2)/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{SSR - SR}{SA} \times 100$$

C1 = Concentration One  
 C2 = Concentration Two  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: CVM-S-0007-88  
 Sample Matrix: Soil  
 Conc: Unit: mg/KG  
 Date Received: 7-30-88  
 Date Reported: 8-25-88  
 Dilution Factor: NA  
 %Moisture: 12

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB  
 Laboratory Supervisor Approval: *[Signature]*

QC Report for Laboratory Sample No(s):  
 88071552-88071555,  
 88081589-88081593

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	RPD	SA	SR	Duplicate Spike Recovery	Notes
Mercury	88071552	88071552	8-12-88	8-08-88	7471	<0.2	<0.2	<0.2	NC	0.568	<0.2	0.484	85

NOTE: If % moisture is reported, results are presented on a dry-weight basis.  
 A See case narrative attached.

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)



QUALITY CONTROL REGULATORY COMPLIANCE  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-S-0037-88  
 Sample Matrix: Soil  
 Conc. Unit: mg/KG  
 Date Received: 8-05-88  
 Date Prepared: 8-19-88  
 Date Analyzed: 8-19-88  
 Date Reported: 9-12-88  
 Dilution Factor: 6.5  
 %Moisture: 18

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  
Adrian Buntor

QC Report for Laboratory Sample No(s):  
 88081593, 88081661-88081664

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88081665	418.1	<100	<100	1200	700	58	730	61	4	*

416

NOTE: If % moisture is reported, results are presented on a dry-weight basis.  
 \* The quality control sample is from a different Martin Marietta project.  
 Percent recovery and RPD are within ES Laboratory QC limits.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-S-0029-88  
QC REPORT NO.: OCP-S-0029-88B

Although the matrix spikes met EPA QC guidelines, analysis of blank spikes showed high recoveries for aldrin and DDT. The data associated with the analysis of this batch of samples was re-examined closely. No analytical problems were found. Since there were no detectable pesticides found in this batch of samples, the quality of the data should not be affected.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

Heptachlor epoxide was accidentally substituted for heptachlor in the matrix spiking solution.

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
SOIL

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-S-0029-88  
 QC Sample No.: 88081592  
 Level (Low/Med): Low  
 Date Reported: 11-02-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88081552-88081558  
 88081589-88081593

*[Signature]*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/Kg)	MS Conc. In Extract (ug/Kg)	MS % Rec. #	QC Limits Rec.
Lindane	2270	ND	67.6	89	46-127
Heptachlor epoxide	2270	ND	63.9	85	35-130
Aldrin	2270	ND	57.4	76	34-132
Dieldrin	5670	ND	167	114	31-134
Endrin	5670	ND	180	95	42-139
4,4'-DDT	5670	ND	161	85	23-134

	MSD Conc. In Extract (ug/Kg)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	73.9	98	89	9	50	46-127
Heptachlor epoxide	67.9	90	85	6	31	35-130
Aldrin	70.5	93	76	21	43	34-132
Dieldrin	178	94	114	7	38	31-134
Endrin	193	102	95	7	45	42-139
4,4'-DDT	141	74	85	14	50	23-134

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 0 out of 6 outside limits

Spike Recovery: 0 out of 12 outside limits

**418**

PESTICIDE MATRIX SPIKE/MATRIX SPIKE, DUPLICATE RECOVERY  
SOIL


Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-S-0029-88B  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-02-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88081552-88081558  
 88081589-88081593



Compound	Amount Added (ng)	Sample Conc. In Extract (ug/Kg)	MS Conc. In Extract (ug/Kg)	MS % Rec. #	QC Limits Rec.
Lindane	2000	ND	79.1	119	46-127
Heptachlor epoxide	2000	ND	79.2	119	35-130
Aldrin	2000	ND	86.1	129	34-132
Dieldrin	5000	ND	210	126	31-134
Endrin	5000	ND	234	140*	42-139
4,4'-DDT	5000	ND	254	152*	23-134

	MSD Conc. In Extract (ug/Kg)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	78.1	117	119	1	50	46-127
Heptachlor epoxide	79.1	119	119	<1	31	35-130
Aldrin	88.0	132	129	2	43	34-132
Dieldrin	211	127	126	<1	38	31-134
Endrin	237	142*	140*	1	45	42-139
4,4'-DDT	256	154*	152*	1	50	23-134

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 0 out of 6 outside limits. See Case Narrative attached.

Spike Recovery: 4 out of 12 outside limits



PESTICIDE METHOD BLANK SUMMARY

Job No.: OR001 Lab Name: Engineering Science  
 Lab Sample No.: Blank  
 Client: ES Oak Ridge Matrix: Soil  
 Attn: Bill Hayden Level (low/med): Low  
 Address: 710 S. Illinois Avenue Extraction:  
 Suite F-103 (SepF/Cont/Sonc): Sonc  
 Oak Ridge, Tn. 37830 Date Reported: 11-02-88

Project: Duluth ANGB

Date Extracted: 8-04-88  
 Date Analyzed (1): 9-09-88 Date Analyzed (2):  
 Time Analyzed (1): 06:26 Time Analyzed (2):  
 Instrument ID (1): 5880 Instrument ID (2):  
 GC Column ID (1): Mixed GC Column ID (2):

This Method Blank applies to the following samples, MS and MSD.

EPA Sample No.	Lab Sample ID (1)	Date Analyzed 1	Lab Sample ID (2)	Date Analyzed 2
-	88071552	9-09-88		
-	88071553	9-09-88		
-	88071554	9-09-88		
-	88071555	9-09-88		
-	88071589	9-09-88		
-	88071590	9-09-88		
-	88071591	9-09-88		
-	88071592	9-09-88		
-	88071593	9-09-88		

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLES NO.: 88081591 & 88081593

When these samples were extracted and analyzed by EPA Method 8270, two or more surrogate spike recoveries were outside of EPA QC limits. They were reextracted and analyzed after the sample holding time had expired. The second extraction showed good surrogate recoveries and no change in results for target compounds. The first extraction date for these samples was August 2, 1988, as shown on the enclosed report. The second extraction date was August 23, 1988.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-S-0023-88  
 Sample Matrix: Soil  
 Conc. Unit: ug/KG  
 Date Received: 7-28-88  
 Date Prepared: 7-30-88  
 Date Analyzed: 8-03-88  
 Date Reported: 8-17-88  
 Dilution Factor: NA  
 %Moisture: 14

Project: Duluth ANGB  
 Laboratory Supervisor Approval: *M. C. B. Smith*

QC Report for Laboratory Sample No(s):  
 88081589-88081590, 8808071552-88081555,  
 88081591-88081593

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limit RPD %Recovery
B/N Laboratory Sample # 88071506	1,2,4-Trichlorobenzene	3970	ND	2630	66	2490	63	5	23 38-107
	Acenaphthene	3970	ND	2390	60	2310	58	3	19 31-137
	2,4-Dinitrotoluene	3970	ND	2560	64	2430	61	5	47 28-89
	Pyrene	3970	ND	2260	57	2160	54	4	36 35-142
	N-Nitroso-Di-n-Propylamine	3970	ND	2670	67	2450	62	8	38 41-126
	1,4-Dichlorobenzene	3970	ND	2230	56	2140	54	4	27 28-104
ACID Laboratory Sample # 88071506	Pentachlorophenol	7940	ND	7860	99	7420	93	6	47 17-109
	Phenol	7940	ND	4520	57	4290	54	5	35 26-90
	2-Chlorophenol	7940	ND	4320	54	4080	51	6	50 25-102
	4-Chloro-3-Methylphenol	7940	ND	5010	63	4810	60	4	33 26-103
	4-Nitrophenol	7940	ND	6150	77	6000	76	2	50 11-114

NOTE: If % moisture is reported, results are presented on a dry-weight basis.  
 \* The quality control sample is from a different Martin Marietta project.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Soil  
 Conc. Unit: ug/KG  
 Date Reported: 8-29-88

Laboratory Supervisor Approval:

Project: Duluth ANGB

*[Signature]*

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E5455	8-19-88	BNA	1	84-74-2	Di-n-butyl phthalate	1200	330	88081589-88081593
E5500	8-24-88	BNA	1	-	None found	--	--	88081591, 88081593 Re-extraction

423

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Job No.: OR001.02  
 Project: Duluth ANGB  
 Level-(low/med): Low  
 Date Analyzed: 8-19-88  
 Date Reported: 1-30-89  
 Instrument ID: i  
 Lab File ID:

	IS1(DCB) Area #	RT	IS2(NPT) Area #	RT	IS3(ANT) Area #	RT
12 Hour Std.	36542	8.78	130270	12.35	70629	17.82
Upper Limit	73084		260540		141258	
Lower Limit	18271		65135		35314	
Sample No.						
38081589 RA	65161	8.81	236369	12.38	125037	17.85
38081592 RA	61444	8.80	225940	12.36	121000	17.84

IS1(DCB) = 1,4-Dichlorobenzene-d4  
 IS2(NPT) = Naphthalene-d8  
 IS3(ANT) = Acenaphthene-d8

Upper Limit = + 100% of internal standard area  
 Lower Limit = - 50% of internal standard area

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Job No.: OR001.02  
 Project: Duluth ANGB  
 Level-(low/med): Low  
 Date Analyzed: 8-19-88  
 Date Reported: 1-30-89  
 Instrument ID: 1  
 Lab File ID: E5451

	IS1(DCB) Area #	RT	IS2(NPT) Area #	RT	IS3(ANT) Area #	RT
12 Hour Std.	41849	8.77	144896	12.35	74607	17.81
Upper Limit	83698		289792		149214	
Lower Limit	20924		72448		37304	
Sample No.						
88071506	62205	8.79	228408	12.33	121142	17.80
88071506 MS	65176	8.80	239396	12.34	122740	17.82
88071506 MSD	63084	8.82	228292	12.36	122246	17.83
Blank	63988	8.79	253886	12.34	135769	17.81
88071555	25556	8.92	112481	12.44	91393	17.91
88081589	65777	8.81	247711	12.35	135279	17.83
88081591	74642	8.80	258920	12.36	156245*	17.84
88081592	65845	8.80	250712	12.35	133225	17.83
88081593	62572	8.81	244033	12.34	129890	17.83

IS1(DCB) = 1,4-Dichlorobenzene-d4

IS2(NPT) = Naphthalene-d8

IS3(ANT) = Acenaphthene-d8

Upper Limit = + 100% of internal standard area

Lower Limit = - 50% of internal standard area

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Job No.: OR001.02  
 Project: Duluth ANGB  
 Level-(low/med): Low  
 Date Analyzed: 8-19-88  
 Date Reported: 1-30-89  
 Instrument ID: 1  
 Lab File ID: E5451

	IS4(PHN) Area #	RT	IS5(CRY) Area #	RT	IS6(PRY) Area #	RT
12 Hour Std.	118658	22.42	96289	30.82	67277	36.34
Upper Limit	237316		192578		134554	
Lower Limit	59329		48144		33638	
Sample No.						
38071506	190638	22.43	121195	30.81	99836	36.34
38071506 MS	190758	22.45	117846	30.82	98692	36.35
38071506 MSD	195119	22.46	112065	30.83	71086	36.37
Blank	214279	22.44	114874	30.83	130290	36.38
38071555	177300	22.50	135243	30.91	40464	36.49
38081589	222563	22.45	166575	30.84	139811*	36.39
38081591	255310*	22.46	192146	30.86	125687	36.40
38081592	166141	22.44	173263	30.85	101128	36.37
38081593	212902	22.45	158859	30.84	136838*	36.39

IS4(PHN) = Phenanthrene-d10  
 IS5(CRY) = Chrysene-d12  
 IS6(PRY) = Perylene-d12

Upper Limit = + 100% of internal standard area  
 Lower Limit = - 50% of internal standard area

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Job No.: OR001.02  
 Project: Duluth ANGB  
 Level-(low/med): Low  
 Date Analyzed: 8-20-88  
 Date Reported: 1-30-89  
 Instrument ID: 1  
 Lab File ID:

	IS4(PHN) Area #	RT	IS5(CRY) Area #	RT	IS6(PRY) Area #	RT
12 Hour Std.	118968	22.44	87362	30.85	53177	36.35
Upper Limit	237938		174724		106354	
Lower Limit	59484		43681		26588	
Sample No.						
88081589 RA	209385	22.46	150839	30.86	98517	36.40
88081593 RA	200403	22.46	142456	30.85	93594	36.38

IS4(PHN) = Phenanthrene-d10  
 IS5(CRY) = Chrysene-d12  
 IS6(PRY) = Perylene-d12

Upper Limit = + 100% of internal standard area  
 Lower Limit = - 50% of internal standard area

# Column used to flag internal standard area values with an asterisk



SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Job No.: OR001.02  
 Project: Duluth ANGB  
 Level-(low/med): Low  
 Date Analyzed: 8-21/22-88  
 Date Reported: 01-27-89  
 Instrument ID: 1  
 Lab File ID:

	IS1(DCB) Area #	RT	IS2(NPT) Area #	RT	IS3(ANT) Area #	RT
12 Hour Std.	35805	8.75	125745	12.32	70104	17.78
Upper Limit	71610		251490		1402^8	
Lower Limit	17902		62872		35052	
Sample No.						
88081593 RA	75664*	8.79	278938*	12.34	145428*	17.81
88081591 RA	68285	8.76	231157	12.33	126849	17.80
88071552	27162	8.97	132295	12.44	115194	17.91
88081553	18554	9.13	112435	12.55	101520	18.00
88071590	Swamped	-	-	-	-	
88071554	Swamped	-	-	-	-	

IS1(DCB) = 1,4-Dichlorobenzene-d4  
 IS2(NPT) = Naphthalene-d8  
 IS3(ANT) = Acenaphthene-d8

Upper Limit = + 100% of internal standard area  
 Lower Limit = - 50% of internal standard area

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science	Job No.: OR001.02
Client: ES Oak Ridge	Project: Duluth ANGB
Attn: Bill Hayden	Level-(low/med): Low
Address: 710 S. Illinois Avenue	Date Analyzed: 8-21/22-88
Suite F-103	Date Reported: 1-30-89
Oak Ridge, Tn. 37830	Instrument ID: 1
	Lab File ID:

	IS4(PHN) Area #	RT	IS5(CRY) Area #	RT	IS6(PRY) Area #	RT
12 Hour Std.	117819	22.40	98366	30.81	66178	36.29
Upper Limit	235638		196732		132356	
Lower Limit	58909		49183		33089	
Sample No.						
88081593 RA	246829*	22.43	200033*	30.83	145769*	36.34
88081591 RA	217949	22.42	193115	30.80	144081*	36.32
88071552	224711	22.50	88289	30.97	122370	36.55
88071553	198983	22.57	52669	31.05	42099	36.53
88081590	Swamped	-	-	-	-	-
88071554	Swamped	-	-	-	-	-

IS4(PHN) = Phenanthrene-d10  
 IS5(CRY) = Chrysene-d12  
 IS6(PRY) = Perylene-d12

Upper Limit = + 100% of internal standard area  
 Lower Limit = - 50% of internal standard area

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Job No.: ORO01:02  
 Project: Duluth ANGB  
 Level-(low/med): Low  
 Date Analyzed: 08-24-88  
 Date Reported: 01-27-89  
 Instrument ID: 1  
 Lab File ID:

	IS1(DCB) Area #	RT	IS2(NPT) Area #	RT	IS3(ANT) Area #	RT
12 Hour Std.	58230	8.70	207835	12.27	105650	17.73
Upper Limit	116460		415670		211300	
Lower Limit	29115		103918		52825	
Sample No.						
Blank	57501	8.72	212671	12.23	122163	17.70
38081593 RE	59050	8.71	210309	12.24	114831	17.70
38081591 RE	62879	8.72	216940	12.25	121261	17.73
38071552(10:1)	68490	8.76	242632	12.29	128997	17.75
38071554(10:1)	64004	8.75	198207	12.32	108176	17.77
38081590(10:1)	67225	8.79	218800	12.34	117261	17.80

IS1(DCB) = 1,4-Dichlorobenzene-d4  
 IS2(NPT) = Naphthalene-d8  
 IS3(ANT) = Acenaphthene-d8

Upper Limit = + 100% of internal standard area  
 Lower Limit = - 50% of internal standard area

\* Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Job No.: OR001.02  
 Project: Duluth ANGB  
 Level-(low/med): Low  
 Date Analyzed: 8-24-88  
 Date Reported: 1-30-89  
 Instrument ID: 1  
 Lab File ID:

	IS4(PHN) Area #	RT	IS5(CRY) Area #	RT	IS6(PRY) Area #	RT
12 Hour Std.	176974	22.33	131790	30.74	78278	36.19
Upper Limit	353948		263580		156556	
Lower Limit	88487		65895		39139	
Sample No.						
Blank	171758	22.33	105006	30.71	45655	36.11
88081593 RE	186076	22.32	102499	30.71	37392*	36.10
88081591 RE	193924	22.33	87493	30.71	28533*	36.11
88071552(10:1)	213456	22.35	119235	30.74	45771	36.16
88071554(10:1)	173746	22.36	54595*	30.71	18200*	36.12
88081590(10:1)	194586	22.41	71024	30.75	25959*	36.17

IS4(PHN) = Phenanthrene-d10  
 IS5(CRY) = Chrysene-d12  
 IS6(PRY) = Perylene-d12

Upper Limit = + 100% of internal standard area  
 Lower Limit = - 50% of internal standard area

# Column used to flag internal standard area values with an asterisk



QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-S-0043-88  
 Sample Matrix: Soil  
 Conc. Unit: mg/KG  
 Date Received: 8-01-88  
 Date Prepared: 8-18-88  
 Date Analyzed: 8-19-88  
 Date Reported: 9-12-88  
 Dilution Factor: 6.6  
 %Moisture: 16.2

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88081589-88081592

*[Signature]*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88081559	418.1	<100	120	1200	790	56	630	42*	23	
Blank	418.1	<100	<100	1000	720	72	660	66	9	*

NOTE: If % moisture is reported, results are presented on a dry-weight basis.

\* The quality control sample is from a different Martin Marietta project. Percent recovery for spike duplicate does not meet the ES QC limits. The method blank spike analysis shows the laboratory to be in control.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate

SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

.GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTPP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 8/19/88 10:42

Lab ID >D0819::01

Data Release Authorized By:

*Aarna Kuek*

m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	53.03 OK
68	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	mass 69 relative abundance	67.69
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	40.0 - 60.0% of mass 198	42.05 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.40 OK
275	10.0 - 30.0% of mass 198	20.94 OK
365	greater than 1.00% of mass 198	2.09 OK
441	present, but less than mass 443	10.77 OK
442	greater than 40.0% of mass 198	77.37 OK
443	17.0 - 23.0% of mass 442	14.25 OK (18.42) #2


*2/18  
5 point*

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
150NS DFTPP FOR TUNE	>D0819	8/19/88	10:42
2% mg/l. 2 P.N	>E5451	9/19/88	11:07
88071506	>E5452		12:09
88071506 MS	>E5453		13:06
88071506 MSD	>E5454		14:03
150C1552-53 1539-932K	>E5455		15:00
88081589	>E5456		15:57
88081593	>E5457		16:54
88081592	>E5458		17:50
88081591	>E5459		18:46
88081555	>E5460		19:43

*good*  
*good*  
*good*  
*good*  
*IS out - see RA ES463*  
*IS out - USE, RA BAD*  
*IS out - see RA ES464*  
*IS out, see rex*  
*good ES502*




File: >D0819 Scan #: 362 Retn. time: 4.84

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	.478	93.95	.292	143.00	.357	200.15	.399	256.00	6.691
44.10	26.485	94.15	.143	145.20	.214	202.75	.564	257.20	.671
44.80	.128	96.05	.314	145.90	.285	203.85	2.325	258.10	2.889
45.10	.143	98.05	4.394	147.20	1.384	204.05	.706	259.00	.442
45.40	.121	98.95	3.032	148.10	2.226	205.05	4.458	265.00	1.177
46.60	.128	100.15	.314	149.20	.792	206.05	22.027	272.00	.207
49.00	1.091	100.95	2.261	150.40	.114	207.15	3.153	273.00	1.519
50.10	14.010	103.25	.471	152.20	.078	207.95	.870	274.10	3.745
51.10	53.028	103.45	.271	152.90	.913	208.15	.314	275.10	20.943
52.10	2.604	103.85	1.134	153.90	.392	209.15	.200	276.20	2.732
55.00	.200	104.95	1.141	155.00	.992	209.95	.506	277.10	1.933
56.00	1.890	106.05	.271	156.10	1.855	210.65	.949	278.10	.342
57.10	3.631	107.05	13.025	156.80	.128	211.05	.264	282.20	.093
57.90	.128	108.05	2.019	157.60	.585	211.25	.514	284.30	.121
58.60	.250	108.85	.121	159.50	.314	211.55	.185	284.90	.207
59.50	.093	110.05	30.195	161.20	.885	214.85	.207	296.10	4.572
61.00	1.020	111.05	4.522	163.80	.071	216.15	.571	297.00	1.120
63.10	2.176	111.85	.350	165.10	.842	217.05	5.778	303.05	.785
64.70	.207	112.75	.243	166.00	.621	218.45	.150	315.05	.449
65.20	1.113	115.75	.185	167.10	4.116	219.85	.136	323.05	1.869
69.00	67.694	117.05	9.651	168.10	1.876	221.15	5.514	326.95	.606
73.00	.471	117.95	.749	173.10	.449	222.85	1.120	328.25	.136
74.00	5.600	118.95	.292	174.10	.706	224.05	10.778	333.95	1.113
75.00	9.273	121.85	.856	175.00	1.541	225.15	3.067	335.15	.314
76.10	2.582	123.05	1.555	176.00	.250	226.05	.385	351.85	.378
77.10	43.441	124.95	.556	177.00	.963	227.15	5.150	352.15	.428



80.10	3.345	128.25	2.275	181.10	.984	234.05	.114	354.85	.086
81.00	4.423	129.05	20.322	184.10	.385	234.25	.221	365.10	2.090
81.90	1.027	130.05	2.033	184.90	1.676	242.25	.756	372.00	1.234
83.05	.906	130.95	1.020	186.20	11.306	242.45	.121	403.10	.692
83.65	.185	132.15	.499	187.10	2.996	243.25	.827	421.05	.556
83.95	.407	133.85	.635	188.10	.271	244.15	8.767	421.85	.392
85.05	.906	134.15	.399	189.00	.870	245.05	1.220	422.25	.414
85.85	1.298	135.05	2.047	191.00	.371	246.05	2.197	423.25	5.000
86.15	.414	136.15	.392	191.95	.806	247.10	.121	441.15	10.771
87.05	.699	136.95	.956	193.05	1.063	249.10	.335	442.15	77.366
91.15	.984	141.10	2.539	196.15	2.618	254.00	.321	443.25	14.252
92.15	.542	142.10	.992	197.95	100.000	255.10	43.434	444.25	1.698
92.95	5.578	142.80	.556	199.05	6.398				



Calibration Check Report

Title: ID 625 ACID AND BASE/NEUTRALS + EtPHENOL, DNSBP&2-NO2-4-MEPH  
 Calibrated: 880819 10:10

Check Standard Data File: >E5451  
 Injection Time: 880819 11:07

*fits 8270 peak  
 for ID 8270*

Compound	RF	RF	%Diff	Calib Meth
N-Nitroso-Dimethylamine	.97447	.91078	6.54	Average
2-Fluorophenol	1.13043	1.14732	1.49	Average
bis(2-Chloroethyl)ether	1.34309	1.12263	16.41	Average
Phenol	1.59648	1.49773	6.19	Average
Phenol-d5	1.38909	1.34159	3.42	Average
Aniline	1.37724	1.33509	3.06	Average
2-Chlorophenol	1.23872	1.23629	.20	Average
1,3-Dichlorobenzene	1.33894	1.37110	2.40	Average
1,4-Dichlorobenzene	1.29251	1.36972	5.97	Average
Benzyl Chloride	-	-	-	Average
Benzyl Alcohol	.74390	.70417	5.34	Average
1,2-Dichlorobenzene	1.23619	1.30133	5.27	Average
2-Methylphenol	1.04062	1.01752	2.22	Average
3-&4-Methylphenol	1.04613	1.00554	3.88	Average
bis(2-chloroisopropyl)Ether	1.68957	1.87218	10.81	Average
N-Nitroso-Di-n-Propylamine	1.91091	.94068	6.95	Average
Hexachloroethane	.56084	.60912	8.61	Average
Dibromochloropropane	-	-	-	Average
Nitrobenzene	.46004	.44262	3.79	Average
Nitrobenzene-d5	.39509	.38087	3.60	Average
2-Nitrophenol	.20748	.20709	.19	Average
Isophorone	.81764	.80436	1.62	Average
bis(2-Chloroethoxy)methane	.47140	.42221	10.44	Average
2,4-Dimethylphenol	.27958	.27455	1.80	Average
Benzoic Acid	.24725	.23263	5.91	Average
2,4-Dichlorophenol	.27946	.27969	.08	Average
1,2,4-Trichlorobenzene	.31217	.32152	2.99	Average
Naphthalene	.88333	.89725	1.58	Average
4-Chloroaniline	.39406	.36686	6.90	Average
Hexachlorobutadiene	.19193	.19916	3.77	Average
4-Chloro-3-Methylphenol	.32605	.31186	4.35	Average
2-Methylnaphthalene	.51308	.50203	2.15	Average
Hexachlorocyclopentadiene	.41011	.43275	5.52	Average
2,4,6-Trichlorophenol	.43671	.41864	4.14	Average
2,4,5-Trichlorophenol	.34677	.39696	14.47	Average
2-Fluorobiphenyl	1.07242	1.10006	2.58	Average
2-Chloronaphthalene	1.10710	1.12229	1.73	Average
2-Nitroaniline	.55901	.51965	7.04	Average
Dimethylphthalate	1.24432	1.27570	2.52	Average
2,6-Dinitrotoluene	.31339	.32739	4.47	Average

(Conc=50.00)

Calibration Check Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETYPHENOL,DNSBP&2-NO2-4-MEPH  
 Calibrated: 880819 10:10

Check Standard Data File: >E5451  
 Injection Time: 880819 11:07

Compound	RE	RF	%Diff	Calib Meth
Acenaphthylene	1.57886	1.65544	4.85	Average
3-Nitroaniline	.57448	.55298	3.74	Average
2,4-Dinitrophenol	.15791	.15128	4.20	Average
Acenaphthene	1.08564	1.11713	2.90	Average
Dibenzofuran	1.36426	1.37240	.60	Average
2,4-Dinitrotoluene	.34710	.33756	2.75	Average
4-Nitrophenol	.80161	.79184	1.22	Average
Fluorene	1.12246	1.16015	3.36	Average
Diethylphthalate	1.28599	1.38430	7.64	Average
4-Chlorophenyl-phenylether	.47254	.49347	4.43	Average
4-Nitroaniline	.26489	.23961	9.54	Average
2,4,6-Tribromophenol	.21518	.21171	1.61	Average
1,2-Diphenylhydrazine	-	-	-	Average
Alpha-BHC	-	-	-	Average
Beta-BHC	-	-	-	Average
Gamma-BHC	-	-	-	Average
Delta-BHC	-	-	-	Average
Heptachlor	-	-	-	Average
Aldrin	-	-	-	Average
N-Nitrosodiphenylamine	.42249	.43596	3.19	Average
4,6-Dinitro-2-Methylphenol	.13086	.13632	4.17	Average
4-Bromophenyl-phenylether	.21830	.21848	.08	Average
Hexachlorobenzene	.30780	.30713	7.90	Average
Pentachlorophenol	.16738	.16468	1.60	Average
Phenanthrene	.94607	.96776	2.29	Average
Anthracene	.95445	.99998	4.77	Average
Di-n-Butylphthalate	1.51144	1.56161	3.32	Average
4,4'-Dibromobiphenyl	1.66708	1.92512	15.48	Average
Fluoranthene	.96211	1.01991	6.01	Average
Heptachlor Epoxide	-	-	-	Average
Endosulfan I	-	-	-	Average
4,4'-DDE	-	-	-	Average
Dieldrin	-	-	-	Average
Endrin	-	-	-	Average
4,4'-DDD	-	-	-	Average
Endosulfan II	-	-	-	Average
Endrin Aldehyde	-	-	-	Average
4,4'-DDT	-	-	-	Average
Endosulfan Sulfate	-	-	-	Average
Dibutylchloride	-	-	-	Average

Calibration Check Report

Title: ID 625 ACID-AND-BASE/NEUTRALS + EtPHENOL,DNSBP&2-N02-4-MEPH  
 Calibrated: 880819 10:10

Check Standard Data File: >E5451  
 Injection Time: 880819 11:07

Compound	$\overline{RF}$	RF	%Diff	Calib Meth
Benzidine	.18071	.07934	56.09	Average
Pyrene	1.48460	1.28631	13.36	Average
Terphenyl-d14	1.03862	.91682	11.73	Average
Butylbenzylphthalate	1.05779	.91307	13.68	Average
3,3'-Dichlorobenzidine	.15087	.09729	35.51	Average
Chrysene	1.14312	1.06473	6.86	Average
Benzo(a)Anthracene	1.09294	.96631	11.59	Average
bis(2-Ethylhexyl)Phthalate	1.30762	1.13997	12.82	Average
Di-n-octylphthalate	2.71198	2.51807	7.15	Average
Benzo(a)Pyrene	1.03642	.96401	6.99	Average
Benzo(b)Fluoranthene	1.33934	1.16443	13.06	Average
Indeno(1,2,3-cd)Pyrene	.98488	.75987	22.85	Average
Dibenzo(a,h)Anthracene	.88532	.87895	.72	Average
Benzo(k)Fluoranthene	1.08633	1.10785	1.98	Average
Benzo(g,h,i)Perylene	.98474	.75987	22.84	Average

RF - Response Factor from daily standard file at 25.00 mg/L

$\overline{RF}$  - Average Response Factor from Initial Calibration

%Diff - % Difference from original average or curve

ID625T  
Rf TABLE

Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETYPHENOL,DNSBP&2-NO2-4-MEPH  
Calibrated: 880819 13:44

Compound	Files: - E5451 -							RRT	RF	% RSD
	RF 10.00	RF 25.00	RF 40.00	RF 60.00	RF 80.00	RF 120.00	RF 160.00			
N-Nitroso-Dimethylamine	-	.91078	-	-	-	-	.431	.91078	-	
2-Fluorophenol	-	1.14732	-	-	-	-	.679	1.14732	-	
bis(2-Chloroethyl)ether	-	1.12263	-	-	-	-	.941	1.12263	-	
Phenol	-	1.49773	-	-	-	-	.923	1.49773	-	
Phenol-d5	-	1.34159	-	-	-	-	.920	1.34159	-	
Aniline	-	1.33509	-	-	-	-	.941	1.33509	-	
2-Chlorophenol	-	1.23629	-	-	-	-	.947	1.23629	-	
1,3-Dichlorobenzene	-	1.37110	-	-	-	-	.987	1.37110	-	
1,4-Dichlorobenzene	-	1.36972	-	-	-	-	1.004	1.36972	-	
Benzyl Chloride	-	-	-	-	-	-	-	-	-	
Benzyl Alcohol	-	.70417	-	-	-	-	1.053	.70417	-	
1,2-Dichlorobenzene	-	1.30133	-	-	-	-	1.057	1.30133	-	
2-Methylphenol	-	1.01752	-	-	-	-	1.097	1.01752	-	
3-6-4-Methylphenol	-	1.00554	-	-	-	-	1.149	1.00554	(Conc=)	
bis(2-chloroisopropyl)Ether	-	1.87218	-	-	-	-	1.104	1.87218	-	
N-Nitroso-Di-n-Propylamine	-	.94068	-	-	-	-	1.157	.94068	-	
Hexachloroethane	-	.60912	-	-	-	-	1.152	.60912	-	
Dibromochloropropane	-	-	-	-	-	-	-	-	-	
Nitrobenzene	-	.44262	-	-	-	-	.841	.44262	-	
Nitrobenzene-d5	-	.38087	-	-	-	-	.836	.38087	-	
2-Nitrophenol	-	.20709	-	-	-	-	.914	.20709	-	
Isophorone	-	.80436	-	-	-	-	.899	.80436	-	
bis(2-Chloroethoxy)methane	-	.42221	-	-	-	-	.959	.42221	-	
2,4-Dimethylphenol	-	.27455	-	-	-	-	.936	.27455	-	
Benzoic Acid	-	.23263	-	-	-	-	.981	.23263	-	
2,4-Dichlorophenol	-	.27969	-	-	-	-	.974	.27969	-	
1,2,4-Trichlorobenzene	-	.32152	-	-	-	-	.990	.32152	-	
Naphthalene	-	.89725	-	-	-	-	1.004	.89725	-	
4-Chloroaniline	-	.36686	-	-	-	-	1.025	.36686	-	
Hexachlorobutadiene	-	.19916	-	-	-	-	1.054	.19916	-	
4-Chloro-3-Methylphenol	-	.31186	-	-	-	-	1.154	.31186	-	
2-Methylnaphthalene	-	.50203	-	-	-	-	1.175	.50203	-	
Hexachlorocyclopentadiene	-	.43275	-	-	-	-	.856	.43275	-	
2,4,6-Trichlorophenol	-	.41864	-	-	-	-	.870	.41864	-	
2,4,5-Trichlorophenol	-	.39696	-	-	-	-	.876	.39696	-	
2-Fluorobiphenyl	-	1.10006	-	-	-	-	.886	1.10006	-	
2-Chloronaphthalene	-	1.12629	-	-	-	-	.898	1.12629	-	
2-Nitroaniline	-	.51965	-	-	-	-	.924	.51965	-	
Dimethylphthalate	-	1.27570	-	-	-	-	.969	1.27570	-	

- RF - Response Factor (Subscript is amount in mg/L)
- RRT - Average Relative Retention Time (RT Std/RT Istd)
- RF - Average Response Factor
- %RSD - Percent Relative Standard Deviation

Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETYPHENOL, DNSBP&2-NO2-4-MEPH  
 Calibrated: 880819 13:44

Compound	Files: - >E5451							RRT	RF	% RSD
	RF	RF	RF	RF	RF	RF	RF			
	10.00	25.00	40.00	60.00	80.00	120.00	150.00			
2,6-Dinitrotoluene	-	.32739	-	-	-	-	-	.978	.32739	-
Acenaphthylene	-	1.65544	-	-	-	-	-	.970	1.65544	-
3-Nitroaniline	-	.55298	-	-	-	-	-	.998	.55298	-
2,4-Dinitrophenol	-	.15128	-	-	-	-	-	1.015	.15128	-
Acenaphthene	-	1.11713	-	-	-	-	-	1.005	1.11713	-
Dibenzofuran	-	1.37240	-	-	-	-	-	1.033	1.37240	-
2,4-Dinitrotoluene	-	.33756	-	-	-	-	-	1.045	.33756	-
4-Nitrophenol	-	.79184	-	-	-	-	-	1.033	.79184	-
Fluorene	-	1.16015	-	-	-	-	-	1.094	1.16015	-
Diethylphthalate	-	1.38430	-	-	-	-	-	1.057	1.38430	-
4-Chlorophenyl-phenylether	-	.49347	-	-	-	-	-	1.099	.49347	-
4-Nitroaniline	-	.23961	-	-	-	-	-	1.108	.23961	-
2,4,6-Tribromophenol	-	.21171	-	-	-	-	-	1.139	.21171	-
1,2-Diphenylhydrazine	-	-	-	-	-	-	-	-	-	-
Alpha-BHC	-	-	-	-	-	-	-	-	-	-
Beta-BHC	-	-	-	-	-	-	-	-	-	-
Gamma-BHC	-	-	-	-	-	-	-	-	-	-
Delta-BHC	-	-	-	-	-	-	-	-	-	-
Heptachlor	-	-	-	-	-	-	-	-	-	-
Aldrin	-	-	-	-	-	-	-	-	-	-
N-Nitrosodiphenylamine	-	.43596	-	-	-	-	-	.892	.43596	-
4,6-Dinitro-2-Methylphenol	-	.13632	-	-	-	-	-	.887	.13632	-
4-Bromophenyl-phenylether	-	.21848	-	-	-	-	-	.940	.21848	-
Hexachlorobenzene	-	.33213	-	-	-	-	-	.958	.33213	-
Pentachlorophenol	-	.16468	-	-	-	-	-	.985	.16468	-
Phenanthrene	-	.96776	-	-	-	-	-	1.003	.96776	-
Anthracene	-	.99998	-	-	-	-	-	1.009	.99998	-
Di-n-Butylphthalate	-	1.56161	-	-	-	-	-	1.103	1.56161	-
4,4'-Dibromobiphenyl	-	1.92512	-	-	-	-	-	1.137	1.92512	-
Fluoranthene	-	1.01991	-	-	-	-	-	1.171	1.01991	-
Heptachlor Epoxide	-	-	-	-	-	-	-	-	-	-
Endosulfan I	-	-	-	-	-	-	-	-	-	-
4,4'-DDE	-	-	-	-	-	-	-	-	-	-
Dieldrin	-	-	-	-	-	-	-	-	-	-
Endrin	-	-	-	-	-	-	-	-	-	-
4,4'-DDD	-	-	-	-	-	-	-	-	-	-
Endosulfan II	-	-	-	-	-	-	-	-	-	-
Endrin Aldehyde	-	-	-	-	-	-	-	-	-	-
4,4'-DDT	-	-	-	-	-	-	-	-	-	-

RF - Response Factor (Subscript is amount in mg/L)

RRT - Average Relative Retention Time (RT Std/RT Istd)

RF - Average Response Factor

%RSD - Percent Relative Standard Deviation

Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETYPHENOL, DNSBP&2-N02-4-MEPH.  
 Calibrated: 880819 13:44

Compound	Files: - >E5451 - - - - -							RRT	RF	% RSD
	RF	RF	RF	RF	RF	RF	RF			
	10.00	25.00	40.00	60.00	80.00	120.00	160.00			
Endosulfan Sulfate	-	-	-	-	-	-	-	-	-	-
Dibutylchlorodate	-	-	-	-	-	-	-	-	-	-
Benzidine	-	.07934	-	-	-	-	-	.868	.07934	-
Pyrene	-	1.28631	-	-	-	-	-	.874	1.28631	-
Terphenyl-d14	-	.91682	-	-	-	-	-	.895	.91682	-
Butylbenzylphthalate	-	.91307	-	-	-	-	-	.953	.91307	-
3,3'-Dichlorobenzidine	-	.09729	-	-	-	-	-	.999	.09729	-
Chrysene	-	1.06473	-	-	-	-	-	1.003	1.06473	-
Benzo(a)Anthracene	-	.96631	-	-	-	-	-	.997	.96631	-
bis(2-Ethylhexyl)Phthalate	-	1.13997	-	-	-	-	-	1.018	1.13997	-
Di-n-octylphthalate	-	2.51807	-	-	-	-	-	.923	2.51807	-
Benzo(a)Pyrene	-	.96401	-	-	-	-	-	.991	.96401	-
Benzo(b)Fluoranthene	-	1.16443	-	-	-	-	-	.952	1.16443	-
Indeno(1,2,3-cd)Pyrene	-	.75987	-	-	-	-	-	1.176	.75987	-
Dibenzo(a,h)Anthracene	-	.87895	-	-	-	-	-	1.184	.87895	-
Benzo(k)Fluoranthene	-	1.10785	-	-	-	-	-	.955	1.10785	-
Benzo(g,h,i)Perylene	-	.75987	-	-	-	-	-	1.176	.75987	-

- RF - Response Factor (Subscript is amount in mg/L)  
 RRT - Average Relative Retention Time (RT Std/RT Istd)  
 RF - Average Response Factor  
 %RSD - Percent Relative Standard Deviation



8B  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 EPA Sample No. (Standard): 25mg/L BNA STD Date Analyzed: 8/19/88  
 Lab File ID (Standard): E5451 Time Analyzed: 10:4  
 Instrument ID: \_\_\_\_\_

	IS1 (DCB)		IS2 (NPT)		IS3 (ANT)	
	AREA #	RT	AREA #	RT	AREA #	RT
12 HOUR STD	41849	8.77	144896	12.35 <del>17.35</del>	74607 20179	17.81 <del>15.75</del>
UPPER LIMIT	83,698	9.27	289,792	12.85	149,1214 <del>40,358</del>	18.31 <del>15.75</del>
LOWER LIMIT	20,925	8.27	72,448	11.85	37,304 10,090	17.31 <del>14.75</del>
EPA SAMPLE NO.						
01	88071506 62205	8.79	228408	12.33	121142	17.80
02	88071506MS 65176	8.80	239396	12.34	122740	17.82
03	88071506MSD 63084	8.82	228292	12.36	122246	17.83
04	88081552-55 63988	8.79	253886	12.34	135769	17.81
05	88071555 25556	8.92	112481	12.44	91393	17.91
06	<del>88081589</del> 65761	<del>8.81</del>	<del>236369</del>	<del>12.38</del>	<del>125837</del>	<del>17.85</del>
07	88081593 62572	8.81	244033	12.34	129890	17.83
08	88081592 65845	8.80	250722	12.35	133225	17.83
09	88081591 7462	8.80	258920	12.36	156245*	17.84
10	88081589 65777	8.81	247711	12.35	135229	17.83
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asteris

8C  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY


Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 EPA Sample No. (Standard): 25 mg/l BNA STD Date Analyzed: 8/19/88  
 Lab File ID (Standard): ES451 Time Analyzed: 10:47  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN)	RT	IS5 (CRY)	RT	IS4 (PRY)	RT	
	AREA #		AREA #		AREA #		
12 HOUR STD	118658	22.42	96289	20.82	67277	36.34	
UPPER LIMIT	237,316	22.92	192,578	31.32	134,554	36.84	
LOWER LIMIT	59329	21.92	48145	30.32	33,639	35.84	
EPA SAMPLE NO.							
>ES452 01	88071506	190638	22.43	121195	30.81	99836	36.34
>ES453 02	88071506 MS	190758	22.45	117846	30.82	98692	36.35
>ES454 03	88071506 MS0	195119	22.46	112065	30.83	71086	36.37
>ES455 04	88071506 MS1	214279	22.44	114874	30.83	130290	36.38
>ES455 05	88071555	177300	22.50	135243	30.91	40464	36.49
>ES460 06	88081584	209385	22.40	150839	30.86	98517	36.40
>ES456 07	88081593	212902	22.45	158859	30.89	136838*	36.39*
>ES458 08	88081592	166141	22.44	173263	30.85	101128	36.37
>ES459 09	88081591	255304	22.46	192146	30.86	125687	36.40
>ES456 10	88081589	222563	22.45	166575	30.84	139811*	36.39*
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12  
 UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk






File: 00820 Scan #: 354 Retn. time: 4.84

n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.
42.10	2.717	130.25	2.192	192.15	1.941	259.30	.666	353.85	.110
49.00	.425	131.15	2.025	193.25	2.219	260.20	.566	355.25	.194
50.10	14.797	132.25	.944	194.15	.944	261.30	.551	357.50	.021
51.10	52.074	133.25	2.355	195.35	1.720	262.10	.257	358.50	.110
52.20	3.053	134.05	1.369	196.15	2.418	262.30	.173	359.60	.005
55.10	31.713	135.15	3.672	198.05	100.000	262.60	.126	361.50	.136
58.10	1.810	136.25	1.820	199.05	6.766	263.40	.226	362.60	.094
61.20	.782	137.20	4.165	201.45	.278	264.30	.530	363.50	.089
62.20	.750	138.10	1.500	203.25	1.044	265.00	.997	365.10	1.904
63.00	2.119	139.20	3.645	204.15	2.670	269.00	.052	366.00	.126
65.20	1.605	143.00	1.474	205.15	4.684	270.70	.068	372.00	1.259
66.20	1.212	143.90	.839	206.15	20.566	272.20	.393	373.40	.288
67.10	11.980	146.10	.976	207.15	3.451	273.00	1.327	375.80	.058
69.10	86.924	147.20	2.376	208.05	1.254	274.10	4.086	376.90	.068
72.20	1.301	148.10	2.282	211.15	1.327	275.10	22.019	377.20	.100
74.10	4.296	149.10	6.268	213.05	.351	276.10	3.346	383.50	.504
75.00	7.238	150.20	1.264	216.15	.650	277.00	1.789	389.40	.142
77.10	42.853	151.20	3.137	217.05	5.932	277.80	.126	390.40	.231
78.10	2.686	152.10	1.149	218.15	.918	279.40	.283	392.60	.021
79.10	6.347	153.20	2.644	219.05	1.159	280.60	.262	401.60	.220
80.10	4.511	154.10	1.002	221.15	5.833	284.80	.519	402.00	.325
81.10	17.981	156.00	1.925	222.25	.923	292.30	.446	402.60	.131
82.10	6.116	157.10	1.353	223.25	.949	294.20	.362	403.20	.619
86.15	2.203	160.00	.949	224.05	11.282	296.20	4.668	404.20	.299
87.05	.656	161.00	1.684	225.15	3.483	296.80	.923	405.80	.079
91.15	3.221	161.20	.719	227.05	4.427	297.20	.262	412.35	.079
92.05	1.311	162.20	.629	227.95	.682	302.25	.283	416.05	.157
93.05	8.586	163.10	1.878	228.95	1.400	303.15	.923	421.15	.278

94.25	2.103 165.20	3.037-230.25	.530 304.05	.278 421.95	.640
97.15	17.488 167.10	5.670 230.85	.189 304.85	.294 422.25	.372
98.05	5.738 168.10	2.172 231.25	1.075 306.25	.115 423.15	4.485
99.15	6.871 169.20	1.988 232.15	.514 309.45	.446 424.35	.860
101.05	1.789 170.20	.729 233.35	.986 310.15	.079 425.45	.136
102.95	.535 172.20	.530 233.75	.268 316.15	.325 426.45	.341
103.95	1.427 173.20	1.217 233.95	.105 317.85	.100 433.65	.063
105.05	4.390 174.00	1.175 235.75	.173 318.45	.068 434.35	.126
106.25	1.962 174.20	.430 236.25	.656 321.05	.184 438.65	.068
107.05	14.613 175.20	2.224 237.35	.551 323.05	1.610 439.75	.073
108.05	4.201 176.10	1.028 238.25	.252 325.65	.105 441.25	12.227
110.05	32.929 177.30	1.720 238.75	.362 327.85	.619 442.15	90.333
111.15	15.646 178.00	1.322 240.25	.309 327.65	.199 443.25	15.804
116.15	1.018 179.10	4.469 241.25	.441 331.75	.241 444.25	1.631
117.05	7.967 180.20	2.554 243.05	.745 332.05	.199 449.55	.152
117.95	1.212 181.20	1.668 244.05	9.494 332.45	.105 449.75	.089
120.05	1.542 183.30	1.359 245.15	1.631 333.15	.241 452.65	.152
121.15	2.345 184.10	.687 245.95	1.437 334.15	1.070 453.75	.152
122.05	2.234 185.10	2.025 247.30	.897 335.15	.351 459.45	.152
123.15	6.688 186.10	10.789 249.10	.818 337.25	.184 470.50	.226
124.15	3.042 187.10	3.824 250.30	.708 341.25	.477 470.80	.105
125.25	7.632 188.30	.855 251.20	1.338 342.15	.294 476.60	.184
127.05	41.012 189.20	1.400 255.10	41.107 346.15	.598 498.70	.089
128.05	3.876 190.20	.378 256.10	6.300 352.05	.446 533.75	.115
129.05	18.767 191.20	1.463 258.10	2.397 353.35	.488	



Calibration Check Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETHENOL, DNSBP82-H02-4-HEPH  
 Calibrated: 880919 19:10

Check Standard Data File: XE5462  
 Injection Time: 880820 13:36

*Fits CA625*

*(1)*

*create CLP*

*(1)*

Compound	RF	RF	%Diff	Calib Meth
N-Nitroso-Dimethylamine	.97447	.92995	4.57	Average
2-Fluorophenol	1.13043	1.18303	4.65	Average
bis(2-Chloroethyl)ether	1.34309	1.16399	13.33	Average
Phenol	1.59648	1.59199	.28	Average
Phenol-d5	1.38989	1.39955	.75	Average
Aniline	1.37724	-	-	Average
2-Chlorophenol	1.23872	1.29666	4.68	Average
1,3-Dichlorobenzene	1.33894	1.41058	5.35	Average
1,4-Dichlorobenzene	1.29251	1.40375	8.61	Average
Benzyl Chloride	-	-	-	Average
Benzyl Alcohol	.74390	.53313	28.33	Average
1,2-Dichlorobenzene	1.23619	1.33943	8.35	Average
2-Methylphenol	1.04062	1.20383	15.68	Average
3-8-4-Methylphenol	1.04613	1.03896	.69	Average (Conc=50.00)
bis(2-chloroisopropyl)Ether	1.68957	1.45687	13.77	Average
N-Nitroso-Di-n-Propylamine	1.01091	1.02720	1.61	Average
Hexachloroethane	.56084	.60651	8.14	Average
Dibromochloropropane	-	-	-	Average
Nitrobenzene	.46004	.45196	1.76	Average
Nitrobenzene-d5	.39509	.38554	2.42	Average
2-Nitrophenol	.20748	.21412	3.20	Average
Isophorone	.81764	.81086	.83	Average
bis(2-Chloroethoxy)methane	.47140	.47587	.95	Average
2,4-Dimethylphenol	.27958	.28754	2.85	Average
Benzoic Acid	.24725	.20135	18.56	Average
2,4-Dichlorophenol	.27946	.28520	2.05	Average
1,2,4-Trichlorobenzene	.31217	.32906	5.41	Average
Naphthalene	.88333	.91916	4.06	Average
4-Chloroaniline	.39406	.36855	6.47	Average
Hexachlorobutadiene	.19193	.21262	10.78	Average
4-Chloro-3-Methylphenol	.32605	.33491	2.72	Average
2-Methylnaphthalene	.51308	.52156	1.65	Average
Hexachlorocyclopentadiene	.41011	.33548	18.20	Average
2,4,6-Trichlorophenol	.43671	.40156	8.05	Average
2,4,5-Trichlorophenol	.34677	.43388	25.12	Average
2-Fluorobiphenyl	1.07242	1.07022	.20	Average
2-Chloronaphthalene	1.10710	1.12951	2.02	Average
2-Nitroaniline	.55901	.54215	3.02	Average
Dimethylphthalate	1.24432	1.30711	5.05	Average
2,6-Dinitrotoluene	.31339	.34549	10.24	Average

RF - Response Factor from daily standard file at 25.00 mg/L

RF - Average Response Factor from Initial Calibration

%Diff - % Difference from original average or curve

Calibration Check Report

Title: ID 625 ACID AND BASE/NEUTRALS + EtPHENOL, DMSBP&2-NO2-4-MEPH  
 Calibrated: 880819:10:10

Check Standard Data File: >E5462  
 Injection Line: 880820:13:36

Compound	RF	RF	ΔDiff	Calib Meth
Acenaphthylene	1.57886	1.63994	3.87	Average
3-Nitroaniline	.57448	.53274	7.27	Average
2,4-Dinitrophenol	.15791	.10183	35.51	Average
Acenaphthene	1.08564	1.10826	2.08	Average
Dibenzofuran	1.36426	1.42740	4.63	Average
2,4-Dinitrotoluene	.34710	.33142	4.52	Average
4-Nitrophenol	.80161	.81437	1.59	Average
Fluorene	1.12246	1.15135	2.57	Average
Diethylphthalate	1.28599	1.42915	11.13	Average
4-Chlorophenyl-phenylether	.47254	.55399	17.24	Average
4-Nitroaniline	.26489	.21106	20.32	Average
2,4,6-Tribromophenol	.21518	.27044	25.68	Average
1,2-Diphenylhydrazine	-	-	-	Average
Alpha-BHC	-	-	-	Average
Beta-BHC	-	-	-	Average
Gamma-BHC	-	-	-	Average
Delta-BHC	-	-	-	Average
Heptachlor	-	-	-	Average
Aldrin	-	-	-	Average
N-Nitrosodiphenylamine	.42249	.45827	8.47	Average
4,6-Dinitro-2-Methylphenol	.13086	-	-	Average
4-Bromophenyl-phenylether	.21830	.22234	1.85	Average
Hexachlorobenzene	.30780	.31307	1.71	Average
Pentachlorophenol	.16736	.17437	4.18	Average
Phenanthrene	.94607	.95754	1.21	Average
Anthracene	.95445	.97025	1.66	Average
Di-n-Butylphthalate	1.51144	1.55886	3.14	Average
4,4'-Dibromobiphenyl	1.66708	1.96366	17.79	Average
Fluoranthene	.96211	1.00303	4.25	Average
Heptachlor Epoxide	-	-	-	Average
Endosulfan I	-	-	-	Average
4,4'-DDT	-	-	-	Average
Dieldrin	-	-	-	Average
Endrin	-	-	-	Average
4,4'-DDD	-	-	-	Average
Endosulfan II	-	-	-	Average
Endrin Aldehyde	-	-	-	Average
4,4'-DDT	-	-	-	Average
Endosulfan Sulfate	-	-	-	Average
Dibutylchloroendate	-	-	-	Average

RF - Response factor from daily standard file at 25.00 mg/L

RF - Average Response Factor from Initial Calibration

ΔDiff - X Difference from original average or curve



Calibration Check Report

Title: ID: 625: ACID AND BASE/NEUTRALS - C1PHENOL.DHSBP&2-N02-4-MEPH  
 Calibrated: 880819 10:10

Check Standard Data File: JES462  
 Injection Time: 880820 13:36

Compound	RF	RF	XDiff	Calib Meth
Benzidine	.18071	.00264	98.54	Average
Pyrene	1.48460	1.36436	8.10	Average
Terphenyl-d14	1.03862	1.04888	.99	Average
Butylbenzylphthalate	1.05779	1.00880	4.63	Average
3,3'-Dichlorobenzidine	.15087	.15967	5.83	Average
Chrysene	1.14312	1.16148	1.61	Average
Benzo(a)Anthracene	1.09294	1.03347	5.44	Average
bis(2-ethylhexyl)Phthalate	1.30762	1.23184	5.80	Average
Di-n-octylphthalate	2.71198	3.23523	19.29	Average
Benzo(a)Pyrene	1.03642	1.04030	.37	Average
Benzo(b)fluoranthene	1.33934	1.31645	1.71	Average
Indeno(1,2,3-cd)Pyrene	.98488	.79701	19.08	Average
Dibenzo(a,h)Anthracene	.88532	.69651	21.33	Average
Benzo(k)fluoranthene	1.08633	1.23957	14.11	Average
Benzo(g,h,i)Perylene	.98474	.79704	19.06	Average

RF - Response Factor from daily standard file at 25.00 ng/L

RF - Average Response Factor from Initial Calibration

XDiff - X Difference from original average or curve

Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETYPHENOL,DNSBP&2-NO2-4-MEPH  
 Calibrated: 880820 15:26

CLP 625

Compound	Files: - XE5462 - - - - -							RR1	RF	% RSD
	RF	RF	RF	RF	RF	RF	RF			
	10.00	25.00	40.00	60.00	80.00	120.00	160.00			
N-Nitroso-Dimethylanine	-	.92995	-	-	-	-	-	.426	.52995	-
2-Fluorophenol	-	1.18303	-	-	-	-	-	.678	1.18303	-
bis(2-Chloroethyl)ether	-	1.16399	-	-	-	-	-	.941	1.16399	-
Phenol	-	1.59199	-	-	-	-	-	.924	1.59199	-
Phenol-d5	-	1.39955	-	-	-	-	-	.921	1.39955	-
Aniline	-	1.34929	-	-	-	-	-	.941	1.34929	-
2-Chlorophenol	-	1.29666	-	-	-	-	-	.948	1.29666	-
1,3-Dichlorobenzene	-	1.41058	-	-	-	-	-	.987	1.41058	-
1,4-Dichlorobenzene	-	1.40301	-	-	-	-	-	1.004	1.40301	-
Benzyl Chloride	-	-	-	-	-	-	-	-	-	-
Benzyl Alcohol	-	.53313	-	-	-	-	-	1.053	.53313	-
1,2-Dichlorobenzene	-	1.33943	-	-	-	-	-	1.058	1.33943	-
2-Methylphenol	-	1.20383	-	-	-	-	-	1.098	1.20383	-
3-4-Methylphenol	-	1.03896	-	-	-	-	-	1.149	1.03896	(Conc=20, 0, 50, 0, 80)
bis(2-chloroisopropyl)Ether	-	1.45687	-	-	-	-	-	1.105	1.45687	-
N-Nitroso-Di-n-Propylanine	-	1.02720	-	-	-	-	-	1.150	1.02720	-
Hexachloroethane	-	.60651	-	-	-	-	-	1.153	.60651	-
Dibromochloropropane	-	-	-	-	-	-	-	-	-	-
Nitrobenzene	-	.45196	-	-	-	-	-	.841	.45196	-
Nitrobenzene-d5	-	.38554	-	-	-	-	-	.836	.38554	-
2-Nitrophenol	-	.21412	-	-	-	-	-	.915	.21412	-
Isophorone	-	.81086	-	-	-	-	-	.898	.81086	-
bis(2-Chloroethoxy)methane	-	.47587	-	-	-	-	-	.958	.47587	-
2,4-Dimethylphenol	-	.28754	-	-	-	-	-	.937	.28754	-
Benzoic Acid	-	.20135	-	-	-	-	-	.979	.20135	-
2,4-Dichlorophenol	-	.28520	-	-	-	-	-	.974	.28520	-
1,2,4-Trichlorobenzene	-	.32906	-	-	-	-	-	.991	.32906	-
Naphthalene	-	.91916	-	-	-	-	-	1.004	.91916	-
4-Chloroaniline	-	.36855	-	-	-	-	-	1.025	.36855	-
Hexachlorobutadiene	-	.21262	-	-	-	-	-	1.054	.21262	-
4-Chloro-3-Methylphenol	-	.33491	-	-	-	-	-	1.156	.33491	-
2-Methylnaphthalene	-	.52156	-	-	-	-	-	1.175	.52156	-
Hexachlorocyclopentadiene	-	.33548	-	-	-	-	-	.856	.33548	-
2,4,6-Trichlorophenol	-	.40156	-	-	-	-	-	.871	.40156	-
2,4,5-Trichlorophenol	-	.43388	-	-	-	-	-	.877	.43388	-
2-Fluorobiphenyl	-	1.07022	-	-	-	-	-	.886	1.07022	-
2-Chloronaphthalene	-	1.12951	-	-	-	-	-	.898	1.12951	-
2-Nitroaniline	-	.54215	-	-	-	-	-	.924	.54215	-
Dimethylphthalate	-	1.30711	-	-	-	-	-	.969	1.30711	-

RF - Response Factor (Subscript is amount in ng/L)

RR1 - Average Relative Retention Time (RT Std/RT Istd)

RF - Average Response Factor

%RSD - Percent Relative Standard Deviation

Calibration Report

Title: ID 625 ACID AND-BASE/NEUTRALS + E1PHEHOL, DNSBP&2-N02-4-NEPH  
 Calibrated: 880820.15:26

Compound	Files: - XE5462 - - - - -							RRT	RF	X RSD
	RF	RF	RF	RF	RF	RF	RF			
	10.00	25.00	40.00	60.00	80.00	120.00	160.00			
2,6-Dinitrotoluene	-	.34549	-	-	-	-	-	.978	.34549	-
Acenaphthylene	-	1.63994	-	-	-	-	-	.971	1.63994	-
3-Nitroaniline	-	.53274	-	-	-	-	-	.999	.53274	-
2,4-Dinitrophenol	-	.10183	-	-	-	-	-	1.016	.10183	-
Acenaphthene	-	1.10826	-	-	-	-	-	1.005	1.10826	-
Dibenzofuran	-	1.42740	-	-	-	-	-	1.033	1.42740	-
2,4-Dinitrotoluene	-	.33142	-	-	-	-	-	1.045	.33142	-
4-Nitrophenol	-	.81437	-	-	-	-	-	1.033	.81437	-
Fluorene	-	1.15135	-	-	-	-	-	1.094	1.15135	-
Diethylphthalate	-	1.42915	-	-	-	-	-	1.096	1.42915	-
4-Chlorophenyl-phenylether	-	.55399	-	-	-	-	-	1.099	.55399	-
4-Nitroaniline	-	.21106	-	-	-	-	-	1.106	.21106	-
2,4,6-Tribromophenol	-	.27044	-	-	-	-	-	1.140	.27044	-
1,2-Diphenylhydrazine	-	-	-	-	-	-	-	-	-	-
Alpha-BHC	-	-	-	-	-	-	-	-	-	-
Beta-BHC	-	-	-	-	-	-	-	-	-	-
Gamma-BHC	-	-	-	-	-	-	-	-	-	-
Delta-BHC	-	-	-	-	-	-	-	-	-	-
Heptachlor	-	-	-	-	-	-	-	-	-	-
Aldrin	-	-	-	-	-	-	-	-	-	-
N-Nitrosodiphenylamine	-	.45827	-	-	-	-	-	.892	.45827	-
4,6-Dinitro-2-Methylphenol	-	-	-	-	-	-	-	-	-	-
4-Bromophenyl-phenylether	-	.22234	-	-	-	-	-	.940	.22234	-
Hexachlorobenzene	-	.31307	-	-	-	-	-	.958	.31307	-
Pentachlorophenol	-	.17437	-	-	-	-	-	.985	.17437	-
Phenanthrene	-	.95754	-	-	-	-	-	1.003	.95754	-
Anthracene	-	.97025	-	-	-	-	-	1.009	.97025	-
Di-n-Butylphthalate	-	1.55886	-	-	-	-	-	1.102	1.55886	-
4,4'-Dibromobiphenyl	-	1.96366	-	-	-	-	-	1.136	1.96366	-
Fluoranthene	-	1.00303	-	-	-	-	-	1.171	1.00303	-
Heptachlor Epoxide	-	-	-	-	-	-	-	-	-	-
Endosulfan I	-	-	-	-	-	-	-	-	-	-
4,4'-DDE	-	-	-	-	-	-	-	-	-	-
Dieldrin	-	-	-	-	-	-	-	-	-	-
Endrin	-	-	-	-	-	-	-	-	-	-
4,4'-DDD	-	-	-	-	-	-	-	-	-	-
Endosulfan II	-	-	-	-	-	-	-	-	-	-
Endrin Aldehyde	-	-	-	-	-	-	-	-	-	-
4,4'-DDI	-	-	-	-	-	-	-	-	-	-

RF - Response Factor (Subscript is amount in ng/L)

RRT - Average Relative Retention Time (RT Std/RT Istd)

RF - Average Response Factor

XRSD - Percent Relative Standard Deviation

Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + 1-EPHENOL, DMSBP&2-ND2-4-MEPH

Calibrated: 880820 15:26

Compound	Files: - XE5462 - - - - -							RRT	RF	% RSD
	RF	RF	RF	RF	RF	RF	RF			
	10.00	25.00	40.00	60.00	80.00	120.00	160.00			
Endosulfan Sulfate	-	-	-	-	-	-	-	-	-	-
Dibutylchlorodate	-	-	-	-	-	-	-	-	-	-
Benizidine	-	.00264	-	-	-	-	-	.868	.00264	-
Pyrene	-	1.36436	-	-	-	-	-	.874	1.36436	-
Terphenyl-d14	-	1.04888	-	-	-	-	-	.895	1.04888	-
Butylbenzylphthalate	-	1.00880	-	-	-	-	-	.953	1.00880	-
3,3'-Dichlorobenzidine	-	.15967	-	-	-	-	-	.999	.15967	-
Chrysen	-	1.16148	-	-	-	-	-	1.002	1.16148	-
Benzo(a)Anthracene	-	1.03347	-	-	-	-	-	.997	1.03347	-
bis(2-Ethylhexyl)Phthalate	-	1.23184	-	-	-	-	-	1.017	1.23184	-
Di-n-octylphthalate	-	3.23523	-	-	-	-	-	.923	3.23523	-
Benzo(a)Pyrene	-	1.04030	-	-	-	-	-	.992	1.04030	-
Benzo(b)Fluoranthene	-	1.31645	-	-	-	-	-	.953	1.31645	-
Indeno(1,2,3-cd)Pyrene	-	.79701	-	-	-	-	-	1.177	.79701	-
Dibenzo(a,h)Anthracene	-	.69651	-	-	-	-	-	1.185	.69651	-
Benzo(k)Fluoranthene	-	1.23957	-	-	-	-	-	.956	1.23957	-
Benzo(g,h,i)Perylene	-	.79704	-	-	-	-	-	1.177	.79704	-

RF - Response Factor (Subscript is amount in mg/L)

RPI - Average Relative Retention Time (RI Std/RI Istd)

RF - Average Response Factor

XPSD - Percent Relative Standard Deviation

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

EPA Sample No. (Standard): \_\_\_\_\_ Date Analyzed: 8/20/8

Lab File ID (Standard): E5462 Time Analyzed: 13:36

Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT
12 HOUR STD	11,8968	22.44	87362	30.85	53177	36.35
UPPER LIMIT	237,936	22.94	174,724	31.35	106354	36.85
LOWER LIMIT	59,484	21.94	43681	30.35	26,589	35.85
EPA SAMPLE NO.						
E5463 01	88081589	20.86	150839	30.86	98517	36.40
E5464 02	88081592	22.46	142456	30.85	93594	36.38
03						
04						
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

8B  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

EPA Sample No. (Standard): \_\_\_\_\_ Date Analyzed: 8/20/88

Lab File ID (Standard): E5462 Time Analyzed: 13:36

Instrument ID: \_\_\_\_\_

	IS1 (DCB)		IS2 (NPT)		IS3 (ANT)		
	AREA #	RT	AREA #	RT	AREA #	RT	
12-HOUR STD	36542	8.78	130270	12.35	70629	17.82	
UPPER LIMIT	73084	9.28	260540	12.85	141258	18.32	
LOWER LIMIT	18271	8.28	65135	11.85	35315	17.32	
EPA SAMPLE NO.							
E5463 01	88081589	65161	881	236369	12.38	125037	17.85
E5464 02	88081*2	61444	880	225940	12.36	121000	17.84
03							
04							
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

EPA Sample No. (Standard): \_\_\_\_\_ Date Analyzed: 8/20/82

Lab File ID (Standard): E5462 Time Analyzed: 13:36

Instrument ID: \_\_\_\_\_

	IS4 (PHN)	RT	IS5 (CRY)	RT	IS6 (PRY)	RT
	AREA #		AREA #		AREA #	
12 HOUR STD	118968	22.44	87362	30.85	53177	36.35
UPPER LIMIT	237936	22.94	174724	31.35	106354	36.85
LOWER LIMIT	59484	21.94	43681	30.35	26589	35.85
EPA SAMPLE NO.						
E5463 01	8808158*	28.86	150839	30.86	98517	36.40
E5464 02	8808159*	22.46	142456	30.85	93594	36.38
03						
04						
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DTTP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 8/21/88 22:37

Lab ID >D1821::01

Data Release Authorized By:

*Anna Kuek*

m/z	ION ABUNDANCE CRITERIA	RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	49.74 OK
68	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	mass 69 relative abundance	57.80
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	40.0 - 60.0% of mass 198	42.73 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.45 OK
275	10.0 - 30.0% of mass 198	23.16 OK
365	greater than 1.00% of mass 198	2.55 OK
441	present, but less than mass 443	12.92 OK
442	greater than 40.0% of mass 198	83.05 OK
443	17.0 - 23.0% of mass 442	15.73 OK (18.94) #2

*8/18 Spin*

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.


#1 - Value in parenthesis is X mass 69.  
#2 - Value in parenthesis is X mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
1508G DTTP FOR TUN	>D1821	8/21/88	22:37
25mg/L ABAI	>E5474	↓	23:07
153081593 RA	>E5475	8/22/88	00:42
88051591 RA	>E5476		01:39
18071552	>E5477		02:36
18071553	>E5479		05:34
18091590	>E5481	↓	07:27

*slightly truncated* →

*out dont  
IS still - need ree  
" " " doneed  
good, use w/ ESS03  
good, use  
IS still out, not needed*






File: >01021 Scan #: 354 Retn. time: 4.83

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
50.10	12.787	123.95	.418	187.00	5.347	245.05	1.234	329.65	.193
51.10	49.743	124.45	.461	187.90	.397	246.05	1.963	332.15	.172
52.10	2.735	127.05	42.727	189.00	.793	247.00	.247	333.15	.204
56.10	.247	128.05	3.111	190.00	.236	250.00	.054	334.05	1.362
58.20	1.126	129.05	19.165	192.05	.075	252.00	.032	335.05	.451
61.90	.440	130.15	1.309	196.05	2.853	255.00	46.707	339.25	.161
62.10	.526	132.05	.943	198.05	100.000	256.10	5.900	341.05	.429
63.00	2.446	135.05	.375	199.05	6.447	257.10	.193	343.45	.279
63.90	.526	135.95	.322	199.95	.536	258.00	2.671	346.25	.687
65.10	.515	137.10	.633	201.05	.311	258.90	.408	352.25	.676
69.00	57.799	141.00	1.899	201.35	.225	259.20	.386	352.95	.429
74.10	3.722	142.20	.483	202.05	.161	265.10	.150	353.45	.343
75.10	6.190	142.90	.461	203.15	.386	268.20	.139	353.95	.579
77.10	42.545	144.10	.161	204.05	3.068	270.70	.139	355.15	.054
78.10	2.575	146.10	.601	205.05	5.310	271.00	.021	356.50	.268
79.10	3.250	148.00	1.653	206.05	24.276	272.10	.311	365.10	2.553
80.10	2.789	150.40	.225	211.15	.333	272.90	1.019	366.10	.247
81.10	1.920	151.00	.515	211.85	.150	273.30	.965	371.00	.225
82.10	1.909	152.00	.043	214.45	.161	274.10	3.572	372.10	.912
86.05	1.309	153.20	.826	215.25	.365	275.10	23.160	373.19	.354
91.95	.955	154.20	.086	216.15	.418	276.10	3.089	377.00	.129
92.95	3.830	155.10	1.148	217.05	6.436	277.10	1.609	378.40	.182
95.15	1.094	156.09	1.513	219.05	.333	278.70	.172	383.10	.150
98.05	2.532	157.20	.708	219.05	.064	285.00	.011	389.20	.204
99.05	2.939	160.10	.644	219.85	.172	285.30	.193	390.00	.279
99.95	.247	161.70	.097	221.05	5.610	288.00	.161	391.90	.139
101.05	.987	164.00	.215	222.15	.794	293.10	.472	395.00	.107
104.05	.225	165.00	.279	223.15	.611	295.10	5.803	402.00	.386

105.05	.569 166.10	.300 224.05	11.317 297.10	.461 403.10	.815
105.95	.193 167.10	2.875 225.05	2.360 300.75	.247 404.10	.204
107.05	12.186 167.90	1.684 227.15	4.355 301.05	.268 406.10	.257
108.05	1.738 168.80	.354 227.95	.815 303.05	.504 417.15	.193
110.05	32.300 170.40	.172 229.15	1.277 303.95	.172 421.05	.708
111.05	3.401 171.90	.343 231.15	.461 304.45	.172 421.65	.397
112.15	.118 173.20	.343 234.05	.408 313.05	.279 422.25	.783
114.15	.193 174.20	1.309 234.95	.247 315.25	.558 423.15	4.892
116.15	.279 175.00	.912 236.45	.225 316.05	.204 424.05	1.212
116.95	7.777 175.20	1.395 238.05	.215 323.05	1.845 441.25	12.916
117.95	.365 179.00	1.180 239.95	.343 323.85	.354 442.05	83.051
120.05	.483 180.00	1.330 241.05	.193 324.05	.386 443.15	15.726
121.25	.526 181.10	.708 242.15	.783 327.15	.493 444.25	1.706
122.05	.365 185.10	.719 243.05	.762 328.05	.182 445.25	.172
122.95	1.234 186.10	12.186 244.15	9.547		



Calibration Check Report

Title: ID 625 ACID AND BASE/NEUTRALS + EPIPHENOL, DNSBP2-N02-4-NEPA  
 Calibrated: 880819 10:10

Check Standard Data File: JES474  
 Injection Time: 880821 23:07

*fit C A62  
 update*

Compound	RF	RF	XDiff	Calib Meth
N-Nitroso-Dimethylamine	.97447	.88528	9.15	Average
2-Fluorophenol	1.13043	1.07618	4.80	Average
bis(2-Chloroethyl)ether	1.34369	1.10219	17.94	Average
Phenol	1.59648	1.42930	10.47	Average
Phenol-d5	1.38909	1.32111	4.89	Average
Aniline	1.37724	1.36294	1.04	Average
2-Chlorophenol	1.23872	1.23607	.21	Average
1,3-Dichlorobenzene	1.33894	1.35664	1.32	Average
1,4-Dichlorobenzene	1.29251	1.37938	6.72	Average
Benzyl Chloride	-	-	-	Average
Benzyl Alcohol	.74390	.05975	91.97	Average
1,2-Dichlorobenzene	1.23619	1.33724	8.17	Average
2-Methylphenol	1.04062	1.06247	2.10	Average
3-8-4-Methylphenol	1.04613	.97209	7.08	Average (Conc=50.00)
bis(2-chloroisopropyl)Ether	1.68957	1.36356	19.30	Average
N-Nitroso-Di-n-Propylamine	1.01091	.97354	3.70	Average
Hexachloroethane	.56084	.59080	5.34	Average
Dibromochloropropane	-	-	-	Average
Nitrobenzene	.46004	.42140	8.40	Average
Nitrobenzene-d5	.39509	.36862	6.70	Average
2-Nitrophenol	.20748	.20256	2.37	Average
Isophorone	.81764	.79112	3.24	Average
bis(2-Chloroethoxy)methane	.47140	.47331	.41	Average
2,4-Dimethylphenol	.27958	.23195	17.04	Average
Benzoic Acid	.24725	.02009	91.87	Average
2,4-Dichlorophenol	.27946	.28615	2.39	Average
1,2,4-Trichlorobenzene	.31217	.32630	4.52	Average
Naphthalene	.88333	.93028	5.32	Average
4-Chloroaniline	.39406	.32490	17.55	Average
Hexachlorobutadiene	.19193	.21340	11.18	Average
4-Chloro-3-Methylphenol	.32605	.25871	20.65	Average
2-Methylnaphthalene	.51308	.51595	.56	Average
Hexachlorocyclopentadiene	.41011	.19151	53.30	Average
2,4,6-Trichlorophenol	.43671	.48974	12.14	Average
2,4,5-Trichlorophenol	.34677	.23389	32.55	Average
2-Fluorobiphenyl	1.07242	1.05044	2.05	Average
2-Chloronaphthalene	1.10710	1.09068	1.48	Average
2-Nitroaniline	.55901	.51188	8.43	Average
Dimethylphthalate	1.24432	1.31316	5.53	Average
2,6-Dinitrotoluene	.31339	.33096	5.61	Average

RF - Response Factor from daily standard file at 25.00 ng/L

RF - Average Response Factor from Initial Calibration

XDiff - % Difference from original average or curve

Calibration Check Report

Title: ID 625 ACID AND BASE/NEUTRALS + ELPHENOL, DNSBP62-H02-4-MEPH  
 Calibrated: 880819 10:10

Check Standard Data File: JES474  
 Injection Time: 880821 23:07

Compound	RF	RF	XDiff	Calib Meth
Acenaphthylene	1.57886	1.62008	2.61	Average
3-Nitroaniline	.57448	.45325	21.10	Average
2,4-Dinitrophenol	.15791	.02533	83.96	Average
Acenaphthene	1.08564	1.07146	-1.31	Average
Dibenzofuran	1.36426	1.42579	4.51	Average
2,4-Dinitrotoluene	.34710	.31177	10.18	Average
4-Nitrophenol	.80161	.09739	87.85	Average
Fluorene	1.12246	1.14947	2.41	Average
Diethylphthalate	1.28599	1.42123	10.52	Average
4-Chlorophenyl-phenylether	.47254	.55627	17.72	Average
4-Nitroaniline	.26489	.19712	25.58	Average
2,4,6-Tribromophenol	.21518	.19436	9.68	Average
1,2-Diphenylhydrazine	-	-	-	Average
Alpha-BHC	-	-	-	Average
Beta-BHC	-	-	-	Average
Gamma-BHC	-	-	-	Average
Delta-BHC	-	-	-	Average
Heptachlor	-	-	-	Average
Aldrin	-	-	-	Average
N-Nitrosodiphenylamine	.42249	.45280	7.18	Average
4,6-Dinitro-2-Methylphenol	.13086	.05592	57.27	Average
4-Bromophenyl-phenylether	.21830	.23124	5.93	Average
Hexachlorobenzene	.30780	.32393	5.24	Average
Pentachlorophenol	.16736	.12924	22.78	Average
Phenanthrene	.94607	.97952	3.54	Average
Anthracene	.95445	.99951	4.72	Average
Di-n-Butylphthalate	1.51144	1.56226	3.36	Average
4,4'-Dibromobiphenyl	1.66708	2.07065	24.21	Average
Fluoranthene	.96211	1.06153	10.33	Average
Heptachlor Epoxide	-	-	-	Average
Endosulfan I	-	-	-	Average
4,4'-DDE	-	-	-	Average
Dieldrin	-	-	-	Average
Endrin	-	-	-	Average
4,4'-DDD	-	-	-	Average
Endosulfan II	-	-	-	Average
Endrin Aldehyde	-	-	-	Average
4,4'-DDT	-	-	-	Average
Endosulfan Sulfate	-	-	-	Average
Dibutylchloroendate	-	-	-	Average

RF - Response Factor from daily standard file at 25.00 ng/L

RF - Average Response factor from Initial Calibration

XDiff - X Difference from original average or curve

Calibration Check Report

Title: ID 625 ACID AND BASE/NEUTRALS + 1-HPHENOL, DNSBP&2-N02-4-MEPM  
 Calibrated: 880819 10:10

Check Standard Data File: JES474  
 Injection Time: 880821 23:07

Compound	$\bar{RF}$	RF	XDiff	Calib Meth
Benzdine	.18071	.01522	91.57	Average
Pyrene	1.48460	1.31180	11.64	Average
Terphenyl-d14	1.03862	.98441	5.22	Average
Butylbenzylphthalate	1.05779	.94080	11.06	Average
3,3'-Dichlorobenzidine	.15087	.15731	4.26	Average
Chrysene	1.14312	1.17702	2.97	Average
Benzo(a)Anthracene	1.09294	1.02588	6.14	Average
bis(2-Ethylhexyl)Phthalate	1.30762	1.17602	10.06	Average
Di-n-octylphthalate	2.71198	2.94072	8.43	Average
Benzo(a)Pyrene	1.03642	1.02835	.78	Average
Benzo(b)Fluoranthene	1.33934	1.21483	9.30	Average
Indeno(1,2,3-cd)Pyrene	.98488	.59403	39.68	Average
Dibenzo(a,h)Anthracene	.88532	.49624	43.95	Average
Benzo(k)Fluoranthene	1.08633	1.22842	13.08	Average
Benzo(g,h,i)Perylene	.98474	.59403	39.68	Average

RF - Response Factor from daily standard file at 25.00 ng/L

$\bar{RF}$  - Average Response Factor from Initial Calibration

XDiff - X Difference from original average or curve

Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETIPHENOL,DHSBP82-NO2-4-MEPH  
 Calibrated: 880822 00:53

Compound	Files: - >E5474 - - - - -							RRT	RF	X RSD
	RF	RF	RF	RF	RF	RF	RF			
	10.00	25.00	40.00	60.00	80.00	120.00	160.00			
N-Nitroso-Dimethylamine	-	.88528	-	-	-	-	-	.426	.88528	-
2-Fluorophenol	-	1.07618	-	-	-	-	-	.678	1.07618	-
bis(2-Chloroethyl)ether	-	1.10219	-	-	-	-	-	.941	1.10219	-
Phenol	-	1.42930	-	-	-	-	-	.925	1.42930	-
Phenol-d5	-	1.32111	-	-	-	-	-	.922	1.32111	-
Aniline	-	1.36294	-	-	-	-	-	.940	1.36294	-
2-Chlorophenol	-	1.23607	-	-	-	-	-	.949	1.23607	-
1,3-Dichlorobenzene	-	1.35664	-	-	-	-	-	.989	1.35664	-
1,4-Dichlorobenzene	-	1.37938	-	-	-	-	-	1.004	1.37938	-
Benzyl Chloride	-	-	-	-	-	-	-	-	-	-
Benzyl Alcohol	-	.05975	-	-	-	-	-	1.094	.05975	-
1,2-Dichlorobenzene	-	1.33724	-	-	-	-	-	1.058	1.33724	-
2-Methylphenol	-	1.06247	-	-	-	-	-	1.099	1.06247	-
3,8-4-Methylphenol	-	.97209	-	-	-	-	-	1.150	.97209	(Conc=20.0,50.0)
bis(2-chloroisopropyl)Ether	-	1.36356	-	-	-	-	-	1.105	1.36356	-
N-Nitroso-Di-n-Propylamine	-	.97354	-	-	-	-	-	1.150	.97354	-
Hexachloroethane	-	.59080	-	-	-	-	-	1.153	.59080	-
Dibromochloropropane	-	-	-	-	-	-	-	-	-	-
Nitrobenzene	-	.42140	-	-	-	-	-	.840	.42140	-
Nitrobenzene-d5	-	.36862	-	-	-	-	-	.836	.36862	-
2-Nitrophenol	-	.20256	-	-	-	-	-	.915	.20256	-
Isophorone	-	.79112	-	-	-	-	-	.898	.79112	-
bis(2-Chloroethoxy)methane	-	.47331	-	-	-	-	-	.959	.47331	-
2,4-Dimethylphenol	-	.23195	-	-	-	-	-	.937	.23195	-
Benzoic Acid	-	.02009	-	-	-	-	-	1.069	.02009	-
2,4-Dichlorophenol	-	.28615	-	-	-	-	-	.974	.28615	-
1,2,4-Trichlorobenzene	-	.32630	-	-	-	-	-	.992	.32630	-
Naphthalene	-	.93028	-	-	-	-	-	1.004	.93028	-
4-Chloroaniline	-	.32490	-	-	-	-	-	1.026	.32490	-
Hexachlorobutadiene	-	.21340	-	-	-	-	-	1.055	.21340	-
4-Chloro-3-Methylphenol	-	.25871	-	-	-	-	-	1.164	.25871	-
2-Methylnaphthalene	-	.51595	-	-	-	-	-	1.175	.51595	-
Hexachlorocyclopentadiene	-	.19151	-	-	-	-	-	.856	.19151	-
2,4,6-Trichlorophenol	-	.48974	-	-	-	-	-	.880	.48974	-
2,4,5-Trichlorophenol	-	.23389	-	-	-	-	-	.880	.23389	-
2-Fluorobiphenyl	-	1.05044	-	-	-	-	-	.886	1.05044	-
2-Chloronaphthalene	-	1.09068	-	-	-	-	-	.898	1.09068	-
2-Nitroaniline	-	.51188	-	-	-	-	-	.924	.51188	-
Dimethylphthalate	-	1.31316	-	-	-	-	-	.969	1.31316	-

RF - Response Factor (Subscript is amount in ng/L)  
 RRT - Average Relative Retention Time (RI Std/RI Istd)  
 RF - Average Response Factor  
 X RSD - Percent Relative Standard Deviation

Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + E1PHENOL,ONSBP&2-NO2-4-MCPH  
 Calibrated: 880822 00:53

Compound	Files: - JE5474- - - - -							RRT	RF	X RSD
	RF 10.00	RF 25.00	RF 40.00	RF 60.00	RF 80.00	RF 120.00	RF 160.00			
2,6-Dinitrotoluene	-	.33096	-	-	-	-	-	.978	.33096	-
Acenaphthylene	-	1.62008	-	-	-	-	-	.971	1.62008	-
3-Nitroaniline	-	.45325	-	-	-	-	-	.999	.45325	-
2,4-Dinitrophenol	-	.02533	-	-	-	-	-	1.019	.02533	-
Acenaphthene	-	1.07146	-	-	-	-	-	1.005	1.07146	-
Dibenzofuran	-	1.42579	-	-	-	-	-	1.033	1.42579	-
2,4-Dinitrotoluene	-	.31177	-	-	-	-	-	1.045	.31177	-
4-Nitrophenol	-	.09739	-	-	-	-	-	1.045	.09739	-
Fluorene	-	1.14947	-	-	-	-	-	1.095	1.14947	-
Diethylphthalate	-	1.42123	-	-	-	-	-	1.096	1.42123	-
4-Chlorophenyl-phenylether	-	.55627	-	-	-	-	-	1.099	.55627	-
4-Nitroaniline	-	.19712	-	-	-	-	-	1.107	.19712	-
2,4,6-Tribromophenol	-	.19436	-	-	-	-	-	1.141	.19436	-
1,2-Diphenylhydrazine	-	-	-	-	-	-	-	-	-	-
Alpha-BHC	-	-	-	-	-	-	-	-	-	-
Beta-BHC	-	-	-	-	-	-	-	-	-	-
Gamma-BHC	-	-	-	-	-	-	-	-	-	-
Delta-BHC	-	-	-	-	-	-	-	-	-	-
Heptachlor	-	-	-	-	-	-	-	-	-	-
Aldrin	-	-	-	-	-	-	-	-	-	-
N-Nitrosodiphenylamine	-	.45280	-	-	-	-	-	.891	.45280	-
4,6-Dinitro-2-Methylphenol	-	.05592	-	-	-	-	-	.887	.05592	-
4-Bromophenyl-phenylether	-	.23124	-	-	-	-	-	.941	.23124	-
Hexachlorobenzene	-	.32393	-	-	-	-	-	.958	.32393	-
Pentachlorophenol	-	.12924	-	-	-	-	-	.989	.12924	-
Phenanthrene	-	.97952	-	-	-	-	-	1.003	.97952	-
Anthracene	-	.99951	-	-	-	-	-	1.009	.99951	-
Di-n-Butylphthalate	-	1.56226	-	-	-	-	-	1.102	1.56226	-
4,4'-Dibromobiphenyl	-	2.07065	-	-	-	-	-	1.137	2.07065	-
Fluoranthene	-	1.06153	-	-	-	-	-	1.171	1.06153	-
Heptachlor Epoxide	-	-	-	-	-	-	-	-	-	-
Endosulfan I	-	-	-	-	-	-	-	-	-	-
4,4'-DDE	-	-	-	-	-	-	-	-	-	-
Dieldrin	-	-	-	-	-	-	-	-	-	-
Endrin	-	-	-	-	-	-	-	-	-	-
4,4'-DDD	-	-	-	-	-	-	-	-	-	-
Endosulfan II	-	-	-	-	-	-	-	-	-	-
Endrin Aldehyde	-	-	-	-	-	-	-	-	-	-
4,4'-DDT	-	-	-	-	-	-	-	-	-	-

RF - Response Factor (Subscript is amount in ng/L)

RRT - Average Relative Retention Time (RT Std/RT Istd)

RF - Average Response Factor

XRSD - Percent Relative Standard Deviation



Calibration Report

Title: ID 625 ACID AND BASE/NEUTRALS + ETPHENOL, OHSBP&2-H02-4-MEPH  
 Calibrated: 880822 00:53

Compound	files: - >E5474 - - - - -							RR1	RF	X RSD
	RF	RF	RF	RF	RF	RF	RF			
	10.00	25.00	40.00	60.00	80.00	120.00	160.00			
Endosulfan Sulfate	-	-	-	-	-	-	-	-	-	-
Dibutylchloroate	-	-	-	-	-	-	-	-	-	-
Benzidine	-	.01522	-	-	-	-	-	.882	.01522	-
Pyrene	-	1.31180	-	-	-	-	-	.873	1.31180	-
Terphenyl-di	-	.98441	-	-	-	-	-	.895	.98441	-
Butylbenzylphthalate	-	.94080	-	-	-	-	-	.953	.94080	-
3,3'-Dichlorobenzidine	-	.15731	-	-	-	-	-	.999	.15731	-
Chrysene	-	1.17702	-	-	-	-	-	1.002	1.17702	-
Benzo(a)Anthracene	-	1.02588	-	-	-	-	-	.997	1.02588	-
bis(2-Ethylhexyl)Phthalate	-	1.17602	-	-	-	-	-	1.017	1.17602	-
Di-n-octylphthalate	-	2.94072	-	-	-	-	-	.923	2.94072	-
Benzo(a)Pyrene	-	1.02835	-	-	-	-	-	.992	1.02835	-
Benzo(b)Fluoranthene	-	1.21483	-	-	-	-	-	.953	1.21483	-
Indeno(1,2,3-cd)Pyrene	-	.59403	-	-	-	-	-	1.176	.59403	-
Dibenzo(a,h)Anthracene	-	.49624	-	-	-	-	-	1.183	.49624	-
Benzo(k)Fluoranthene	-	1.22842	-	-	-	-	-	.956	1.22842	-
Benzo(g,h,i)Perylene	-	.59403	-	-	-	-	-	1.176	.59403	-

RF - Response Factor (Subscript is amount in ng/L)

RR1 - Average Relative Retention Time (RT Std/RT Istd)

RF - Average Response Factor

XRSO - Percent Relative Standard Deviation

8B  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

EPA Sample No. (Standard): 25 mg/L BVA STD Date Analyzed: 8/21/88

Lab File ID (Standard): E5474 Time Analyzed: 22:37

Instrument ID: \_\_\_\_\_

	IS1 (DCB)	RT	IS2 (NPT)	RT	IS3 (ANT)	RT
	AREA #		AREA #		AREA #	
12 HOUR STD	35805	8.75	125745	12.32	70104	17.78
UPPER LIMIT	74610	9.25	251490	12.82	140208	18.28
LOWER LIMIT	17903	8.25	62873	11.82	35052	17.28
EPA SAMPLE NO.						
E 5475 01	88081593	8.79	278938	12.34	145428	17.81
E 5476 02	88081591	8.76	231157	12.33	126849	17.80
E 5477 03	88071553	9.13	112435	12.55	101520	18.00
E 5477 04	88071552	8.97	132295	12.44	115194	17.91
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
IS2 (NPT) = Naphthalene-d8  
IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.  
LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

EPA Sample No. (Standard): 25mg/L BNA STD Date Analyzed: 8/21/88

Lab File ID (Standard): E5474 Time Analyzed: 22.37

Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT	
12 HOUR STD	117819	22.40	98366	30.81	66178	36.29	
UPPER LIMIT	235,638	22.90	196,732	31.31	132,356	36.79	
LOWER LIMIT	58910	21.90	49183	30.31	33,089	35.79	
EPA SAMPLE NO.							
01	88081593	24,829*	22.43	200033*	30.83	145769*	36.34
02	88081591	217949	22.42	193115	30.80	144081*	36.32
03	89171553	198983	22.57	52669	31.05	42099	36.53
04	88071592	224711	22.50	88289	30.97	122370	36.55
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTPP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 8/24/88 14:53

Lab ID >D1824::D1

Data Release Authorized By:

*Laura Kuck*

m/z	LOW ABUNDANCE CRITERIA	RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	56.54 OK
68	less than 2.0% of mass 69	.57 OK (#1)
69	mass 69 relative abundance	71.85
70	less than 2.0% of mass 69	0.00 OK (#1)
127	40.0 - 60.0% of mass 198	44.92 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	5.89 OK
275	10.0 - 30.0% of mass 198	20.97 OK
365	greater than 1.00% of mass 198	2.02 OK
441	present, but less than mass 443	9.49 OK
442	greater than 40.0% of mass 198	69.99 OK
443	17.0 - 23.0% of mass 442	12.94 OK (#2)


8/18 SP

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is X mass 69.  
#2 - Value in parenthesis is X mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
150 HG DFTPP	>D1824	8/24/88	14:53
25mg/LABN	>E54907		15:32
88081591.93 BLK	>E5400		20:16
(Reextract)			
88081593 RE.	>E5501		21:13
88081591 RE.	>E5502		22:10
88071552 10:1	>E5503		23:06
88071554 10:1	>E5504	9/25/88	00:03
88081590 10:1	>E5505		00:59


good, use  
IS still out, dont need  
IS still out, SS good -  
IS good - use  
IS out - dont need  
IS out - dont need



File: >D1824 Scan #: 355 Retn time: 4.81

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
44.10	24.436	91.75	.574	135.95	1.250	180.10	1.658	231.15	.472
45.10	.905	93.05	4.540	136.95	.893	181.00	1.186	240.65	.230
50.10	14.411	94.05	.319	141.00	2.678	185.20	1.939	244.25	9.973
51.10	56.536	95.15	.867	142.20	.497	186.20	10.738	246.05	1.097
52.10	3.010	96.05	2.219	143.00	.306	187.20	3.214	247.00	.268
55.10	2.283	98.05	4.234	143.30	.306	188.90	.217	249.10	.523
56.20	2.334	98.85	4.451	145.60	.153	190.60	.255	253.10	1.926
57.00	5.726	100.95	1.416	147.00	2.079	191.20	2.270	255.10	40.582
59.80	.306	103.05	1.569	148.00	3.188	192.05	1.569	256.10	6.453
61.10	1.288	104.05	1.352	150.30	.421	192.95	1.492	258.20	2.117
62.00	.536	104.25	.510	151.20	.459	196.15	3.150	259.10	.191
63.00	1.811	105.05	2.334	152.00	.140	198.05	100.000	265.00	1.467
65.00	.778	106.05	.714	152.90	1.148	199.05	5.892	269.10	.204
66.60	.357	107.05	13.697	153.90	.344	201.55	1.020	274.20	4.119
67.40	.663	108.05	2.933	154.10	.791	203.35	.128	275.10	20.967
67.70	.574	110.05	34.689	155.10	2.079	204.05	2.525	276.10	2.908
69.00	71.853	111.15	5.038	156.20	2.041	205.15	4.464	277.00	1.479
73.20	2.194	116.95	8.507	157.00	.574	206.15	21.859	281.10	1.416
74.00	5.471	118.15	.638	157.60	.497	207.15	16.860	283.20	.944
75.20	8.341	119.05	1.135	159.10	.370	208.05	3.801	296.10	3.964
77.10	46.333	119.65	.255	161.10	1.773	209.05	2.398	297.30	.714
78.10	3.864	122.05	1.122	165.00	1.645	210.45	.434	315.25	.676
79.00	4.464	122.85	1.263	165.90	.268	217.05	5.318	323.25	1.760
80.10	2.691	123.15	.663	167.00	4.107	218.15	.714	333.05	.140
81.10	5.267	124.15	.650	167.90	2.538	221.15	4.936	365.20	2.015
82.10	1.951	124.65	.510	171.00	1.29	222.15	1.046	377.20	1.100

83.75	.191	129.05	20.163	175.20	1.301	227.05	5.050	441.15	9.489
85.05	.918	129.95	1.365	176.90	1.645	227.95	.561	442.25	69.991
86.05	1.008	133.05	1.900	177.20	.612	228.95	1.046	443.25	12.945
91.05	1.747	133.95	1.441	177.90	.179	229.15	.306	444.15	1.301
91.55	.306	135.15	2.691	179.00	3.341				



CAG25

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 08/24/88  
 Contractor: \_\_\_\_\_ Time: 15:32  
 Contract No: \_\_\_\_\_ Laboratory ID: >E5497  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 08/19/88

Minimum  $\overline{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\overline{RF}$	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.97447	1.01130	3.78		
2-Fluorophenol	1.13043	1.21721	7.68		
bis(2-Chloroethyl)ether	1.34309	1.22024	9.15		
Phenol	1.59648	1.66971	4.59	*	✓
Phenol-d5	1.38909	1.46764	5.65		
Aniline	1.37724	1.20411	12.57		
2-Chlorophenol	1.23872	1.30674	5.49		
1,3-Dichlorobenzene	1.33894	1.41989	6.05		
1,4-Dichlorobenzene	1.29251	1.38351	7.04	* ↓	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.74390	.70004	5.90		
1,2-Dichlorobenzene	1.23619	1.32394	7.10		
2-Methylphenol	1.04062	1.07884	3.67		
3,6-4-Methylphenol	1.04613	.99851	4.55		(Conc=50.00)
bis(2-chloroisopropyl)Ether	1.68957	1.52628	9.66		
N-Nitroso-Di-n-Propylamine	1.01091	.73842	26.95	**	✓
Hexachloroethane	.56084	.55389	1.24		
Dibromochloropropane	-	-	-		
Nitrobenzene	.46004	.47002	2.17		
Nitrobenzene-d5	.39509	.41043	3.88		
2-Nitrophenol	.20748	.22285	7.41	* ↓	
Isophorone	.81764	.78578	3.90		
bis(2-Chloroethoxy)methane	.47140	.49141	4.24		
2,4-Dimethylphenol	.27958	.27142	2.92		
Benzoic Acid	.24725	.02698	89.09		
2,4-Dichlorophenol	.27946	.28877	3.33	* ✓	
1,2,4-Trichlorobenzene	.31217	.32692	4.72		
Naphthalene	.88333	.91115	3.15		
4-Chloroaniline	.39406	.39398	.02		
Hexachlorobutadiene	.19193	.19529	1.75	* ✓	
4-Chloro-3-Methylphenol	.32605	.31815	2.42	* ↓	
2-Methylnaphthalene	.51308	.51270	.07		

RF - Response Factor from daily standard file at 25.00 mg/L

$\overline{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)



Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 08/24/88  
 Contractor: \_\_\_\_\_ Time: 15:32  
 Contract No: \_\_\_\_\_ Laboratory ID: E5497  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 08/19/88

Minimum RF for SPEC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPEC
Hexachlorocyclopentadiene	.41011	.36646	10.64	**	✓
2,4,6-Trichlorophenol	.43671	.42763	2.08	*	✓
2,4,5-Trichlorophenol	.34677	.45024	29.84		
2-Fluorobiphenyl	1.07242	1.09854	2.44		
2-Chloronaphthalene	1.10710	1.16539	5.26		
2-Nitroaniline	.55901	.60271	7.82		
Dimethylphthalate	1.24432	1.31291	5.51		
2,6-Dinitrotoluene	.31339	.36989	18.03		
Acenaphthylene	1.57886	1.63704	3.69		
3-Nitroaniline	.57448	.62835	9.38		
2,4-Dinitrophenol	.15791	.16618	5.24	**	✓
Acenaphthene	1.08564	1.13910	4.92	*	✓
Dibenzofuran	1.36426	1.48530	8.91		
2,4-Dinitrotoluene	.34710	.37410	7.78		
4-Nitrophenol	.80161	.29247	63.52	**	✓
Fluorene	1.12246	1.23160	9.72		
Diethylphthalate	1.28599	1.41050	9.68		
4-Chlorophenyl-phenylether	.47254	.54130	14.55		
4-Nitroaniline	.26489	.37098	40.05		
2,4,6-Tribromophenol	.21518	.24973	16.06		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.42249	.46166	9.27	*	✓
4,6-Dinitro-2-Methylphenol	.13086	.14891	13.79		
4-Bromophenyl-phenylether	.21830	-	-		
Hexachlorobenzene	.30780	.30490	.94		
Pentachlorophenol	.16736	.14434	13.76	*	✓

Continuing Calibration Check  
HSL Compounds

Case-No: \_\_\_\_\_ Calibration Date: 08/24/88  
 Contractor: \_\_\_\_\_ Time: 15:32  
 Contract No: \_\_\_\_\_ Laboratory ID: E5497  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 08/19/88

Minimum  $\overline{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\overline{RF}$	RF	%Diff	CCC	SPCC
Phenanthrene	.94607	.95129	.55		
Anthracene	.95445	.99472	4.22		
Di-n-Butylphthalate	1.51144	1.56061	3.25		
4,4'-Dibromobiphenyl	1.66708	1.19636	28.24		
Fluoranthene	.96211	1.00066	4.01	*	✓
Heptachlor Epoxide	-	-	-		
Endosulfan I	-	-	-		
4,4'-DDE	-	-	-		
Dieldrin	-	-	-		
Endrin	-	-	-		
4,4'-DDD	-	-	-		
Endosulfan II	-	-	-		
Endrin Aldehyde	-	-	-		
4,4'-DDT	-	-	-		
Endosulfan Sulfate	-	-	-		
Dibutylchloroendate	-	-	-		
Benzidine	.18071	.08205	54.60		
Pyrene	1.48460	1.35851	8.49		
Terphenyl-d14	1.03862	.96585	7.01		
Butylbenzylphthalate	1.05779	.96107	9.14		
3,3'-Dichlorobenzidine	.15087	.21156	40.23		
Chrysene	1.14312	1.14003	.27		
Benzo(a)Anthracene	1.09294	1.02580	6.14		
bis(2-Ethylhexyl)Phthalate	1.30762	1.11333	14.86		
Di-n-octylphthalate	2.71198	3.03437	11.89	*	✓
Benzo(a)Pyrene	1.03642	1.07009	3.25	*	✓
Benzo(b)Fluoranthene	1.33934	1.33395	.40		
Indeno(1,2,3-cd)Pyrene	.98488	.59086	40.01		
Dibenzo(a,h)Anthracene	.88532	.68008	23.18		
Benzo(k)Fluoranthene	1.08633	1.24138	14.27		
Benzo(g,h,i)Perylene	.98474	.55284	43.86		

RF - Response Factor from daily standard file at 25.00 mg/L

$\overline{RF}$  - Average Response Factor from Initial Calibration Form UI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

8B  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 EPA Sample No. (Standard): 25mg/L BNA STR Date Analyzed: 8/24/88  
 Lab File ID (Standard): E5497 Time Analyzed: 14:53  
 Instrument ID: \_\_\_\_\_

	IS1 (DCB)	RT	IS2 (NPT)	RT	IS3 (ANT)	RT
	AREA #		AREA #		AREA #	
12 HOUR STD	58230	8.70	207835	12.27	105650	17.73
UPPER LIMIT	116,460	9.20	415,670	12.77	211,300	18.23
LOWER LIMIT	29,115	8.20	103,918	11.77	52,825	17.23
EPA SAMPLE NO.						
ESS0001	57501	8.72	212671	12.23	112163	17.70
ESS0102	59050	8.71	210309	12.24	114831	17.70
ESS0203	62879	8.72	216940	12.25	121261	17.73
ESS0304	68490	8.76	242632	12.29	128997	17.75
ESS0405	64004	8.75	198207	12.32	108176	17.77
ESS0506	67225	8.79	218800	12.34	117261	17.80
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk

8C  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

EPA Sample No. (Standard): 25 mg/L BNA STD Date Analyzed: 8/24/88

Lab File ID (Standard): E5497 Time Analyzed: 14:53

Instrument ID: \_\_\_\_\_

	IS4 (PHN)		IS5 (CRY)		IS6 (PRY)	
	AREA #	RT	AREA #	RT	AREA #	RT
12 HOUR STD	176974	22.33	131790	30.74	78278	36.19
UPPER LIMIT	353948	22.83	263580	31.24	156556	36.69
LOWER LIMIT	88487	21.83	65895	30.24	39139	35.69
EPA SAMPLE NO.						
01 <sup>8808</sup> 88081593	171758	22.33	105006	30.71	45685	36.11
02 88081593	186076	22.32	102499	30.71	37392*	36.10
03 88081591	193924	22.32	87493	30.71	28533*	36.11
04 88071552 10.1	213456	22.35	119235	30.74	45771	36.16
05 88071554 10.1	173746	22.36	54595*	30.71	18200*	36.12
06 88081590 10.1	194586	22.41	71024	30.75	25959	36.17
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS4 (PHN) = Phenanthrene-d10  
IS5 (CRY) = Chrysene-d12  
IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
of internal standard area.  
LOWER LIMIT = - 50%  
of internal standard area.

# Column used to flag internal standard area values with an asterisk

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DTTPP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 8/24/88 14:53

Lab ID >D1824::01

Data Release Authorized By:

*Lama KucK*

m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	56.54 OK
68	less than 2.0% of mass 69	.57 OK (0.7987) #1
69	mass 69 relative abundance	71.85
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	10.0 - 60.0% of mass 198	44.92 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	5.89 OK
275	10.0 - 30.0% of mass 198	20.97 OK
365	greater than 1.00% of mass 198	2.02 OK
441	present, but less than mass 443	9.49 OK
442	greater than 10.0% of mass 198	69.99 OK
443	17.0 - 23.0% of mass 442	12.94 OK (18.49) #2


8/18/88

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is X mass 69.  
#2 - Value in parenthesis is X mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
150 H6 DTTPP	>D1824	8/24/88	14:53
25mg/LABN	>ES4907		15:32
88081591.93 BLK	>ES700		20:16
(Reextract)			
88081593 RE.	>ES501		21:13
88081591 RE.	>ES502		22:10
88071552 10:1	>ES503		23:06
88071554 10:1	>ES504	9/25/88	00:03
88081590 10:1	>ES505		00:59


good, use  
IS still out, dont need  
IS still out, SS good -  
IS good - use  
IS out - dont need  
IS out - dont need



File: >D1824 Scan #: 355 Retn. time: 4.81

n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.
41.10	24.436	91.75	.574	135.95	1.250	180.10	1.658	231.15	.472
45.10	.905	93.05	4.540	136.95	.893	181.00	1.186	240.65	.230
50.10	14.411	94.05	.319	141.00	2.678	185.20	1.939	244.25	9.973
51.10	56.536	95.15	.867	142.20	.497	186.20	10.738	246.05	1.097
52.10	3.010	96.05	2.219	143.00	.306	187.20	3.214	247.00	.268
55.10	2.283	98.05	4.234	143.30	.306	188.90	.217	249.10	.523
56.20	2.334	98.85	4.451	145.60	.153	190.60	.255	253.10	1.926
57.00	5.726	100.95	1.416	147.00	2.079	191.20	2.270	255.10	40.582
59.80	.306	103.05	1.569	148.00	3.188	192.05	1.569	256.10	6.453
61.10	1.288	104.05	1.352	150.30	.421	192.95	1.492	258.20	2.117
62.00	.536	104.25	.510	151.20	.459	196.15	3.150	259.10	.191
63.00	1.811	105.05	2.334	152.00	.140	198.05	100.000	265.00	1.467
65.00	.778	106.05	.714	152.90	1.148	199.05	5.892	269.10	.204
66.60	.357	107.05	13.697	153.90	.344	201.55	1.020	274.20	4.119
67.40	.663	108.05	2.933	154.10	.791	203.35	.128	275.10	20.967
67.70	.574	110.05	34.689	155.10	2.079	204.05	2.525	276.10	2.909
69.00	71.853	111.15	5.038	156.20	2.041	205.15	4.464	277.00	1.479
73.20	2.194	116.95	8.507	157.00	.574	206.15	21.859	281.10	1.416
74.00	5.471	118.15	.638	157.60	.497	207.15	16.860	283.20	.944
75.20	8.341	119.05	1.135	159.10	.370	208.05	3.801	296.10	3.864
77.10	46.333	119.65	.255	161.10	1.773	209.05	2.398	297.30	.714
78.10	3.864	122.05	1.122	165.00	1.645	210.45	.434	315.25	.676
79.00	4.464	122.85	1.263	165.90	.268	217.05	5.318	323.25	1.760
80.10	2.691	123.15	.663	167.00	4.107	218.15	.714	333.05	.140
81.10	5.267	124.15	.650	167.90	2.538	221.15	4.936	365.20	2.015
82.10	1.951	124.85	.510	171.00	.128	223.15	1.046	377.30	1.186

83.75	.191	129.05	20.163	175.20	1.301	227.05	5.050	441.15	9.489
85:05	.918	129:95	1.365	176.90	1.545	227:95	.561	442.25	69.991
86.05	1.008	133.05	1.900	177.20	.612	228.95	1.046	443.25	12.945
91.05	1.747	133.95	1.441	177.90	.179	229.15	.306	444.15	1.301
91.55	.306	135.15	2.691	179.00	3.341				





CAG2

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 08/24/88  
 Contractor: \_\_\_\_\_ Time: 15:32  
 Contract No: \_\_\_\_\_ Laboratory ID: E5497  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 08/19/88

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.97447	1.01130	3.78		
2-Fluorophenol	1.13043	1.21721	7.68		
bis(2-Chloroethyl)ether	1.34309	1.22024	9.15		
Phenol	1.59648	1.66971	4.59	*	✓
Phenol-d5	1.38909	1.46764	5.65		
Aniline	1.37724	1.20411	12.57		
2-Chlorophenol	1.23872	1.30674	5.49		
1,3-Dichlorobenzene	1.33894	1.41989	6.05		
1,4-Dichlorobenzene	1.29251	1.38351	7.04	*L	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.74390	.70004	5.90		
1,2-Dichlorobenzene	1.23619	1.32394	7.10		
2-Methylphenol	1.04062	1.07884	3.67		
3-&-4-Methylphenol	1.04613	.99851	4.55		(Conc=50.00)
bis(2-chloroisopropyl)Ether	1.68957	1.52628	9.66		
N-Nitroso-Di-n-Propylamine	1.01091	.73842	26.95	**	✓
Hexachloroethane	.56084	.55389	1.24		
Dibromochloropropane	-	-	-		
Nitrobenzene	.46004	.47002	2.17		
Nitrobenzene-d5	.39509	.41043	3.88		
2-Nitrophenol	.20748	.22285	7.41	*L	
Isophorone	.81764	.78578	3.90		
bis(2-Chloroethoxy)methane	.47140	.49141	4.24		
2,4-Dimethylphenol	.27958	.27142	2.92		
zoic Acid	.24725	.02698	89.09		
2,4-Dichlorophenol	.27946	.28877	3.33	*	✓
1,2,4-Trichlorobenzene	.31217	.32692	4.72		
Naphthalene	.88333	.91115	3.15		
4-Chloroaniline	.39406	.39398	.02		
Hexachlorobutadiene	.19193	.19529	1.75	*L	
4-Chloro-3-Methylphenol	.32605	.31815	2.42	*L	
2-Methylnaphthalene	.51308	.51270	.07		

RF - Response Factor from daily standard file at 25.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 08/24/88  
 Contractor: \_\_\_\_\_ Time: 15:32  
 Contract No: \_\_\_\_\_ Laboratory ID: E5497  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 08/19/88

Minimum  $\bar{R}_F$  for SPEC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{R}_F$	RF	%Diff	CCC SPEC
Hexachlorocyclopentadiene	.41011	.36646	10.64	** ✓
2,4,6-Trichlorophenol	.43671	.42763	2.08	* ✓
2,4,5-Trichlorophenol	.34677	.45024	29.84	
2-Fluorobiphenyl	1.07242	1.09854	2.44	
2-Chloronaphthalene	1.10710	1.16539	5.26	
2-Nitroaniline	.55901	.60271	7.82	
Dimethylphthalate	1.24432	1.31291	5.51	
2,6-Dinitrotoluene	.31339	.36989	18.03	
Acenaphthylene	1.57886	1.63704	3.69	
3-Nitroaniline	.57448	.62835	9.38	
2,4-Dinitrophenol	.15791	.16618	5.24	** ✓
Acenaphthene	1.08564	1.13910	4.92	* ✓
Dibenzofuran	1.36426	1.48530	8.91	
2,4-Dinitrotoluene	.34710	.37410	7.78	
4-Nitrophenol	.80161	.29247	63.52	** ✓
Fluorene	1.12246	1.23160	9.72	
Diethylphthalate	1.28599	1.41050	9.68	
4-Chlorophenyl-phenylether	.47254	.54130	14.55	
4-Nitroaniline	.26489	.37098	40.05	
2,4,6-Tribromophenol	.21518	.24973	16.06	
1,2-Diphenylhydrazine	-	-	-	
Alpha-BHC	-	-	-	
Beta-BHC	-	-	-	
Gamma-BHC	-	-	-	
Delta-BHC	-	-	-	
Heptachlor	-	-	-	
Aldrin	-	-	-	
N-Nitrosodiphenylamine	.42249	.46166	9.27	* ✓
4,6-Dinitro-2-methylphenol	.13086	.14891	13.79	
4-Bromophenyl-phenylether	.21830	-	-	
Hexachlorobenzene	.30780	.30490	.94	
Pentachlorophenol	.16736	.14434	13.76	* ✓

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 08/24/88  
 Contractor: \_\_\_\_\_ Time: 15:32  
 Contract No: \_\_\_\_\_ Laboratory ID: >E5497  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 08/19/88

Minimum  $\overline{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\overline{RF}$	RF	%Diff	CCC	SPCC
Phenanthrene	.94607	.95129	.55		
Anthracene	.95445	.99472	4.22		
Di-n-Butylphthalate	1.51144	1.56061	3.25		
4,4'-Dibromobiphenyl	1.66708	1.19636	28.24		
Fluoranthene	.96211	1.00066	4.01	*	✓
Heptachlor Epoxide	-	-	-		
Endosulfan I	-	-	-		
4,4'-DDE	-	-	-		
Dieldrin	-	-	-		
Endrin	-	-	-		
4,4'-DDD	-	-	-		
Endosulfan II	-	-	-		
Endrin Aldehyde	-	-	-		
4,4'-DDT	-	-	-		
Endosulfan Sulfate	-	-	-		
Dibutylchloroendate	-	-	-		
Benzidine	.18071	.08205	54.60		
Pyrene	1.48460	1.35851	8.49		
Terphenyl-di4	1.03862	.96585	7.01		
Butylbenzylphthalate	1.05779	.96107	9.14		
3,3'-Dichlorobenzidine	.15087	.21156	40.23		
Chrysene	1.14312	1.14003	.27		
Benzo(a)Anthracene	1.09294	1.02580	6.14		
bis(2-Ethylhexyl)Phthalate	1.30762	1.11333	14.86		
Di-n-octylphthalate	2.71198	3.03437	11.89	*	✓
Benzo(a)Pyrene	1.03642	1.07009	3.25	*	✓
Benzo(b)Fluoranthene	1.33934	1.33395	.40		
Indeno(1,2,3-cd)Pyrene	.98488	.59086	40.01		
Dibenzo(a,h)Anthracene	.88532	.68008	23.18		
Benzo(k)Fluoranthene	1.08633	1.24138	14.27		
Benzo(g,h,i)Perylene	.98474	.55284	43.86		

RF - Response Factor from daily standard file at 25.00 mg/L

$\overline{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

## SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

EPA Sample No. (Standard): 25mg/L BNA STR Date Analyzed: 8/24/88Lab File ID (Standard): E5497 Time Analyzed: 14:53

Instrument ID: \_\_\_\_\_

	IS1 (DCB)		IS2 (NPT)		IS3 (ANT)	
	AREA #	RT	AREA #	RT	AREA #	RT
12-HOUR STD	58230	8.70	207835	12.27	105650	17.73
UPPER LIMIT	116,460	9.20	415,670	12.77	211,300	18.23
LOWER LIMIT	29,115	8.20	103,918	11.77	52,825	17.23
EPA SAMPLE NO.						
ESS00 01	57501	8.72	212671	12.23	112,163	17.70
ESS01 02	59050	8.71	210304	12.24	114,831	17.70
ESS02 03	62879	8.72	216940	12.25	121,261	17.73
ESS03 04	68490	8.76	242632	12.29	128,997	17.75
ESS04 05	64004	8.75	198207	12.32	108,176	17.77
ESS05 06	67225	8.79	218800	12.34	117,261	17.80
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.

LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 EPA Sample No. (Standard): 25 mg/L BNA STD Date Analyzed: 8/24/88  
 Lab File ID (Standard): E5497 Time Analyzed: 14:53  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS6 (PRY) AREA #	RT
12 HOUR STD	176974	22.33	131790	30.74	78278	36.19
UPPER LIMIT	353948	22.83	263580	31.24	156556	36.69
LOWER LIMIT	88487	21.83	65895	30.24	39139	35.69
EPA SAMPLE NO.						
01 <sup>8808</sup> <del>8808</del> 1591-93	171758	22.33	105006	30.71	45685	36.11
02 88081593	186076	22.32	102494	30.71	37392*	36.10
03 88081591	193924	22.32	87493	30.71	28533*	36.11
04 88071552 10:1	213456	22.35	119235	30.74	45771	36.16
05 88071554 10:1	173746	22.36	54595*	30.71	18200*	36.12
06 88081590 10:1	194586	22.41	71024	30.75	25959	36.17
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

\* Column used to flag internal standard area values with an asterisk

DATA PACKAGE #8

This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB


Attached are the analytical reports for the water samples received by this laboratory on 9-19-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092492	DANGB-BR7	AS-F	9-16-88		10-15-88	
88092492	DANGB-BR7	BA-I	9-16-88		10-13-88	
88092492	DANGB-BR7	CD-F	9-16-88		10-20-88	
88092492	DANGB-BR7	CR-F	9-16-88		10-16-88	
88092492	DANGB-BR7	HG-C	9-16-88		10-14-88	
88092492	DANGB-BR7	PB-F	9-16-88		10-16-88	
88092492	DANGB-BR7	8010	9-16-88		9-21-88	9-20-88
88092492	DANGB-BR7	8020	9-16-88		9-21-88	
88092493	DANGB-TB8	8010	9-13-88		9-23-88	9-20-88
88092493	DANGB-TB8	8020	9-13-88		9-23-88	

\* If applicable





ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092494	DANGB-3-MW30-GW1	AS-F	9-16-88		10-15-88	
88092494	DANGB-3-MW30-GW1	BA-I	9-16-88		10-13-88	
88092494	DANGB-3-MW30-GW1	CD-F	9-16-88		10-20-88	
88092494	DANGB-3-MW30-GW1	CR-F	9-16-88		10-16-88	
88092494	DANGB-3-MW30-GW1	HG-C	9-16-88		10-14-88	
88092494	DANGB-3-MW30-GW1	PB-F	9-16-88		10-16-88	
88092494	DANGB-3-MW30-GW1	418.1	9-16-88	9-28/29-88	10-05/06-88	
88092494	DANGB-3-MW30-GW1	8010	9-16-88		9-20-88	9-26-88
88092494	DANGB-3-MW30-GW1	8020	9-16-88		9-20-88	
88092494	DANGB-3-MW30-GW1	8080	9-16-88	9-23-88	10-16-88	10-20-88
88092494	DANGB-3-MW30-GW1	8270	9-16-88	9-23-88	10-30-88	
88092495	DANGB-3-MW34-GW1	AS-F	9-16-88		10-15-88	
88092495	DANGB-3-MW34-GW1	BA-I	9-16-88		10-13-88	
88092495	DANGB-3-MW34-GW1	CD-F	9-16-88		10-20-88	
88092495	DANGB-3-MW34-GW1	CR-F	9-16-88		10-16-88	
88092495	DANGB-3-MW34-GW1	HG-C	9-16-88		10-14-88	
88092495	DANGB-3-MW34-GW1	PB-F	9-16-88		10-16-88	
88092495	DANGB-3-MW34-GW1	418.1	9-16-88	9-28/29-88	10-05/06-88	
88092495	DANGB-3-MW34-GW1	8010	9-16-88		9-20-88	9-26-88
88092495	DANGB-3-MW34-GW1	8020	9-16-88		9-20-88	
88092495	DANGB-3-MW34-GW1	8080	9-16-88	9-23-88	10-16-88	
88092495	DANGB-3-MW34-GW1	8270	9-16-88	9-23-88	10-30-88	

\* If applicable

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S): 88092492-88092495  
WORK ORDER NO.: 1002

These water samples were received at the ES Berkeley Laboratory on 9-19-88. They were received cold and intact, except for sample DANGB-BR7, in which seven out of eight sample containers were received. 418.1, 8080, and 8270 analyses were not performed due to accidental breakage of DANGB-BR7 in the laboratory.


DETECTION LIMITS  
ENVIRONMENTAL QUALITY PARAMETERS  
SAMPLES NO.: 88092494-88092495

<u>Parameter</u>	<u>Detection Limits</u>
Petroleum Hydrocarbons	<1.5 mg/L

The method detection limits listed are based upon the EPA method listed. Dilution or other deviations from the normal procedures, required due to characteristics of a sample, will influence these values. These changes are described in the report narrative if applicable.

ANALYSIS REPORT

WORK ORDER NUMBER: 1002  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/17/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 2, UNITS: mg/L

TEST COMPOUND	DANGB-BR7	DANGB-3-MW30- GW-1	DANGB-3-MW34- GW-1
.....	.....	.....	.....
.CID DIG FLAME	NA	NA	NA
.CID DIG FURNACE	NA	NA	NA
ARSENIC	<0.01	<0.01	<0.01
BARIUM	<0.2	<0.2	<0.2
CADMIUM	<0.005	<0.005	<0.005
CHROMIUM	<0.01	<0.01	<0.01
MERCURY	<.0002	<.0002	<.0002
LEAD	<0.005	<0.005	<0.005

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1002  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/17/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-BR7	DANGB-3-MW30- GW-1	DANGB-3-MW34- GW-1
18.1 PETROLEUM HYDROCARBONS	NT	<1.5	<1.5

NT - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1002  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/17/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8010

TEST COMPOUND	DANGB-BR7 88092492	DANGB-TB8 88092493	DANGB-3-MW30- GW-1 88092494	DANGB-3-MW34- GW-1 88092495
BENZYL CHLORIDE	ND	ND	ND	ND
BIS (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND
BIS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND
BROMOBENZENE	ND	ND	ND	ND
BROMODICHLOROMETHANE	ND	ND	ND	ND
BROMOFORM	ND	ND	ND	ND
BROMOETHANE	ND	ND	ND	ND
CARBON TETRACHLORIDE	ND	ND	ND	ND
CHLORACETALDEHYDE	ND	ND	ND	ND
CHLORAL	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND
CHLOROETHANE	ND	ND	ND	ND
CHLOROFORM	11	ND	1.3	1.4
1-CHLOROHEXANE	ND	ND	ND	ND
2-CHLOROETHYL VINYL ETHER	ND	ND	ND	ND
CHLOROMETHANE	ND	ND	ND	ND
CHLOROMETHYL METHYL ETHER	ND	ND	ND	ND
CHLOROTOLUENE	ND	ND	ND	ND
DIBROMOCHLOROMETHANE	ND	ND	ND	ND
DIBROMOMETHANE	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND
DICHLORODIFLUOROMETHANE	ND	ND	ND	ND
1,1-DICHLOROETHANE	ND	ND	ND	ND
1,2-DICHLOROETHANE	ND	ND	ND	ND
1,1-DICHLOROETHYLENE	ND	ND	ND	ND
TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND	ND
DICHLOROMETHANE	0.69B	2.6B	ND	0.51B
1,2-DICHLOROPROPANE	ND	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1002

ST COMPOUND	DANGB-BR7 88092492	DANGB-TB8 88092493	DANGB-3-MW30- GW-1 88092494	DANGB-3-MW34- GW-1 88092495
3-DICHLOROPROPYLENE	ND	ND	ND	ND
1,2,2-TETRACHLOROETHANE	ND	ND	ND	ND
1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND
TRACHLOROETHYLENE	ND	ND	ND	ND
1,1-TRICHLOROETHANE	ND	ND	ND	ND
1,2-TRICHLOROETHANE	ND	ND	ND	ND
DICHLOROETHYLENE	ND	ND	ND	ND
DICHLOROFLUOROMETHANE	ND	ND	ND	ND
DICHLOROPROPANE	ND	ND	ND	ND
DICHLORIDE	ND	ND	ND	ND

- Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1002  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/17/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANGB-BR7	DANGB-TB8	DANGB-3-MW30- GW-1	DANGB-3-MW34- GW-1
BENZENE	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	ND
TOLUENE	ND	ND	ND	ND
XYLENES	ND	ND	ND	ND

ND - Not Detected





ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

Date Received: September 19, 1988

Work Order: 1002

Date Reported: December 8, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88082494	88082495
Sample No.:	DANGB-3-MW30-GW1	DANGB-3-MW34-GW1
Date Sampled:	09-16-88	09-16-88
Time Sampled:	14:45	15:00
Date Extracted:	09-23-88	09-23-88
Date Analyzed:	10-30-88	10-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

B = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

page 2 of 5

Date Received: September 19, 1988  
 Date Reported: December 8, 1988

Work Order: 1002  
 Job Number: OR001

DR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88082494	88082495
Sample No.:	DANGB-3-MW30-GW1	DANGB-3-MW34-GW1
Date Sampled:	09-16-88	09-16-88
Time Sampled:	14:45	15:00
Date Extracted:	09-23-88	09-23-88
Date Analyzed:	10-30-88	10-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
benanthrene	10	ND	ND
anthracene	10	ND	ND
di-n-butyl phthalate	10	ND	ND
fluoranthene	10	ND	ND
1-Chlorophenyl phenyl ether	10	ND	ND
pyrene	10	ND	ND
di-n-butyl Benzyl phthalate	10	ND	ND
diis(2-ethylhexyl) phthalate	10	ND	ND
benzofluoranthene	10	ND	ND
1-Bromophenyl phenyl ether	10	ND	ND
benzo(a)anthracene	10	ND	ND
di-n-octylphthalate	10	ND	ND
benzo(b)fluoranthene	10	ND	ND
benzo(k)fluoranthene	10	ND	ND
benzimidazole	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
benzo(a)pyrene	10	ND	ND
benzofluoranthene(1,2,3-cd)pyrene	10	ND	ND
benzo(a,h)anthracene	10	ND	ND
benzo(ghi)perylene	10	ND	ND
benzyl Alcohol	20	ND	ND

ND = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 19, 1988  
 Date Reported: December 8, 1988

Work Order: 1002  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88082494	88082495
Sample No.:	DANGB-3-MW30-GW1	DANGB-3-MW34-GW1
Date Sampled:	09-16-88	09-16-88
Time Sampled:	14:45	15:00
Date Extracted:	09-23-88	09-23-88
Date Analyzed:	10-30-88	10-30-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
2-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
3-Dimethylaminoazobenzene	--*	ND	ND
1,12-Dimethylbenz(a)anthracene	--*	ND	ND
1,4-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Dimethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
1-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
1-Nitroso-di-n-butylamine	--*	ND	ND
1-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 19, 1988  
Date Reported: December 8, 1988

Work Order: 1002  
Job Number: OR001

DR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number:	88082494	88082495
Sample No.:	DANGB-3-MW30-GW1	DANGB-3-MW34-GW1
Date Sampled:	09-16-88	09-16-88
Time Sampled:	14:45	15:00
Date Extracted:	09-23-88	09-23-88
Date Analyzed:	10-30-88	10-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
alpha-BHC	--*	ND	ND
gamma-BHC	---	ND	ND
delta-BHC	20	ND	ND
heptachlor	10	ND	ND
delta-BHC	15	ND	ND
lindrin	10	ND	ND
heptachlor epoxide	10	ND	ND
endosulfan I	--*	ND	ND
dieldrin	15	ND	ND
,4'-DDE	30	ND	ND
lindrin	--*	ND	ND
endosulfan II	--*	ND	ND
,4'-DDD	15	ND	ND
,4'-DDT	25	ND	ND
endosulfan Sulfate	30	ND	ND
lindrin aldehyde	--*	ND	ND
lindrin Ketone	--*	ND	ND
nonachlor	60	ND	ND
methoxychlor	--*	ND	ND
dioxaphene	60	ND	ND
rochlor-1016	60	ND	ND
rochlor-1221	60	ND	ND
rochlor-1232	60	ND	ND
rochlor-1242	60	ND	ND
rochlor-1248	60	ND	ND
rochlor-1254	60	ND	ND
rochlor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 19, 1988

Work Order: 1002

Date Reported: December 8, 1988


Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88082494	88082495
Sample No.:	DANGB-3-MW30-GW1	DANGB-3-MW34-GW1
Date Sampled:	09-16-88	09-16-88
Time Sampled:	14:45	15:00
Date Extracted:	09-23-88	09-23-88
Date Analyzed:	10-30-88	10-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

  
 -----  
 Analyst

  
 -----  
 Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.











QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: AAF-M-0053-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-17-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth.ANGB  
 QC Report for Laboratory Sample No(s):  
 88092487-88092488, 88092492, 88092494-88092495  
 88092509-88092511, 88092513-88092516  
 88092523-88092528, 88092546-88092547

Laboratory Supervisor Approval:



Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery		PR	Notes
											SR	SSR		
Arsenic	88092487	88092487	10-15-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.041	102	
Cadmium	88092487	88092487	10-20-88	NA	6010	<0.005	<0.05	<0.05	NC	0.010	<0.05	0.0114	114	
Chromium	88092487	88092487	10-16-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0216	108	
Lead	88092487	88092487	10-16-88	NA	7421	<0.005	<0.05	<0.005	NC	0.020	<0.05	0.0222	111	

510

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)


NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected



QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: CVM-W-0031-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-17-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092487-88092488, 88092492, 88092494-88092495  
 88092509-88092511, 88092513-88092516  
 88092523-88092528, 88092546-88092547

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	SA	SR	SSR	PR	Notes
Mercury	88092487	88092487	10-14-88	NA	254.1	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.00091	91	

512

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0070-88B  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-05-88  
 Date Analyzed: 11-01-88  
 Date Reported: 11-15-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092422-88092427, 88092433  
 88092509-88092511, 88092513, 88092515--88092516  
 88092346, 88092348, 88092350, 88092494-88092495

*[Signature]*

Laboratory Sample No.	Anal. Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1	<1	10	7.5	75	6.8	75	10	
<b>513</b>										

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$   
 NA = Not Applicable  
 .NC = Not Calculated  
 ND = Not Detected

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0048-88  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: NA  
Date Prepared: NA  
Date Analyzed: 10-03-88  
Date Reported: 10-25-88  
Dilution Factor: NA

Project: Duluth ANGB  
Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
88092487-88092495  
88092509-88092516  
88092523-88092526

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092525	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	9.26	93	9.54	95	3	26	70-130
	Trichloroethene	10	ND	9.89	99	10.3	103	4	19	65-131
	Chlorobenzene	10	ND	10.4	104	10.3	103	1	40	59-137
88092525	Aromatics: 8020									
	Benzene	10	ND	8.84	88	10.6	106	18	20	56-146
	Toluene	10	ND	10.1	101	10.1	101	0	41	42-150
	Chlorobenzene	10	ND	10.1	101	10.1	101	0	36	76-133

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)

NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

METHOD BLANK SUMMARY

Job No: ORO01

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-25-88

Laboratory Supervisor Approval:

*AWB*

Project: Duluth ANGB

File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
15	9-21-88	VGC	Carbopack	75-09-2	Dichloromethane	5.3	0.25	88092487-88092489 88092492
49	9-23-88	VGC	Carbopack	75-09-2	Dichloromethane	28	0.25	88092493
32	9-26-88	VGC	Vocol	75-09-2 67-66-3 127-18-4	Dichloromethane Chloroform Tetrachloroethylene	11 0.14 0.11	0.25 0.05 0.03	88092491
45	9-20-88	VGC	Vocol	75-09-2	Dichloromethane	4.2	0.25	88092494-88092495

515



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0037-88  
QC REPORT NO.: OCP-W-0037-88B

Analysis of matrix spikes resulted in a matrix interference that swamped the response for aldrin in the matrix spike duplicate. This interference was somewhat lower in the matrix spike sample, so that the response would be quantitated. Thus, the recovery of aldrin in the MSD and the RPD for aldrin could not be calculated. Analysis of spiked blanks resulted in acceptable recoveries for all spiked compounds, but the RPD was higher than EPA guidelines for endrin and dieldrin. The analytical data associated with these analyses were closely examined. No errors or problems were found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0037-88  
 QC Sample No.: 88092490  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):

88092490, 88092488, 88092494-88092495  
 88092511, 88092513-88092517, 88092525-88092528  
 88092677-88092678, 88092681, 88092617

*[Signature]*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.195	99	56-123
Heptachlor epoxide	200	ND	0.214	105	40-131
Aldrin	200	ND	0.195	99	40-120
Dieldrin	500	ND	0.463	93	52-126
Endrin	500	ND	0.488	98	56-121
4,4'-DDT	500	ND	0.365	73	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.173	87	99	13	15	56-123
Heptachlor epoxide	0.224	112	105	6	20	40-131
Aldrin	ND	NC*	99	NC*	22	40-120
Dieldrin	0.461	92	93	1	18	52-126
Endrin	0.466	93	98	5	21	56-121
4,4'-DDT	0.401	80	73	9	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 1 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits

**517**

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0037-88B  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):

88092490, 88092488, 88092494-88092495  
 88092511, 88092513-88092517, 88092525-88092528  
 88092677-88092678, 88092681, 88092617



Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.184	92	56-123
Heptachlor epoxide	200	ND	0.210	105	40-131
Aldrin	200	ND	0.186	93	40-120
Dieldrin	500	ND	0.436	87	52-126
Endrin	500	ND	0.455	91	56-121
4,4'-DDT	500	ND	0.490	98	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.211	105	92	13	15	56-123
Heptachlor epoxide	0.224	112	105	6	20	40-131
Aldrin	0.210	105	93	12	22	40-120
Dieldrin	0.551	110	87	23*	18	52-126
Endrin	0.292	58	91	44*	21	56-121
4,4'-DDT	0.461	92	98	6	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 2 out of 6 outside limits

Spike Recovery: 0 out of 12 outside limits

**518**




QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Havden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0061-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-17-88  
 Date Prepared: 9-22-88  
 Date Analyzed: 11-23-88  
 Date Reported: 03-23-89  
 Dilution Factor: NA

Project: Duluth ANGB

Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092490, 88092488, 88092494-88092495  
 88092508, 88092511, 88092573-88092579

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092490	1,2,4-Trichlorobenzene	100	ND	70.4	70	66.7	67	5	28 39-98
	Acenaphthene	100	ND	68.2	68	67.4	67	1	31 46-118
	2,4-Dinitrotoluene	100	ND	62.0	62	61.5	62	1	38 24-96
	Pyrene	100	ND	78.4	78	70.2	70	11	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	73.6	74	70.2	70	5	38 41-116
	1,4-Dichlorobenzene	100	ND	62.9	63	61.5	62	2	28 36-97
ACID Laboratory Sample # 88092490	Pentachlorophenol	200	ND	46.7	23	62.2	31	28	50 9-103
	Phenol	200	ND	99.0	49	115	58	15	42 12-89
	2-Chlorophenol	200	ND	120	60	128	64	2	40 27-123
	4-Chloro-3-Methylphenol	200	ND	138	69	120	60	14	42 23-97
	4-Nitrophenol	200	ND	101	50	139	70	32	50 10-80

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001                      Work Order No.: 1002  
 Client: ES Oak Ridge              Sample Matrix: Water  
 Attn: Bill Hayden                Conc. Unit: ug/L  
 Address: 710 S. Illinois Avenue    Date Reported: 3-23-89  
          Suite F-103  
          Oak Ridge, Tn. 37830  
 Project: Duluth ANGB  
    Laboratory Supervisor Approval: 

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
S0302	10-30-88	AC	1	-	None Detected	-	-	88092494, 88092495 88092508, 88092511 88092540
E6019	10-30-88	BN	2	117-81-7	Bis(2-ethylhexyl)phthalate	17	10	88092494, 88092495 88092508, 88092511 88092540
<b>521</b>								

1F  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

BLANK

Lab Name: Engineering Science Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: 1002 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) Water Lab Sample ID: 88092494, 95 BLANK

Sample wt/vol: 1000 (g/mL) mL Lab File ID: E6019 + 50302

Level: (low/med) low Date Received: \_\_\_\_\_

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 9-23-88

Extraction: (SepF/Cont/Sonc) SepF Date Analyzed: 10/30/88

GPC Cleanup: (Y/N) N pH: \_\_\_\_\_ Dilution Factor: 1

Number TICs found: 24

CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. <u>127-18-4</u>	<u>tetrachloro ethene</u>	<u>4.26</u>	<u>17</u>	
2.	<u>unknown</u>	<u>28.88</u>	<u>64</u>	
3.	<u>unknown</u>	<u>30.20</u>	<u>100</u>	
4.	<u>unknown</u>	<u>33.05</u>	<u>7</u>	
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				









GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTPP)

Case No. 123456


Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 10/30/88 17:01

Lab ID 111936:03

Data Release Authorized By:



m/z	PERFORMANCE CRITERIA	RELATIVE ABUNDANCE
51	40.0 - 60.0% of mass 198	45.98 OK
69	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	69 relative abundance	51.77
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	40.0 - 60.0% of mass 198	45.57 OK
129	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	8.89 OK
275	10.0 - 30.0% of mass 198	17.99 OK
365	greater than 1.00% of mass 198	1.40 OK
441	present, but less than mass 443	7.07 OK
442	greater than 40.0% of mass 198	47.83 OK
443	17.0 - 23.0% of mass 442	8.18 OK (17.11) #2

Spot  
10/12/88


THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
50ng DFTPP FOR TUNE	111030	10/30/88	17:01
FTD 060	S0296		17:22
88092367	S0297		18:48
88092368	S0298		19:56
88092377	S0299		20:56
88092377ms	S0300		21:56
88092377msD	S0301		22:55
88092494-2450 AC	S0302		23:55
88092494 AC	S0303	10/31/88	00:55
88092495 AC	S0304		01:54
88092508 AC	S0305		02:53
88092511 AC	S0306		03:53
88092540 AC	S0307		04:52

another project

another project



File: 11050 Scan #: 84 Retn. time: 5.03

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	.622	91.00	.829	133.95	.510	191.05	.750	244.00	2.373
44.00	3.636	92.00	.973	135.05	1.276	191.95	.861	245.00	.718
45.50	.829	93.00	3.716	141.05	1.994	193.05	.925	246.00	1.499
56.10	12.313	94.00	.526	142.05	1.005	196.10	3.397	255.00	35.061
59.10	45.981	95.90	.806	147.05	1.324	198.00	169.000	256.00	5.311
59.00	2.648	99.10	2.360	147.95	1.786	199.00	5.890	257.00	.251
65.10	1.005	99.00	2.520	151.45	.351	200.00	.702	257.90	1.556
65.10	1.372	101.00	1.611	155.05	.909	201.70	.542	265.00	1.937
67.10	3.285	103.00	.574	156.05	1.547	204.10	2.472	273.00	1.212
69.00	.797	104.00	.877	157.05	.558	205.00	4.466	273.90	1.949
69.30	.734	105.10	1.180	159.95	.702	206.10	16.054	275.05	17.990
69.10	1.388	107.00	11.563	161.05	1.260	207.00	3.796	275.95	1.560
69.10	1.037	108.10	1.543	166.05	.813	208.00	1.132	277.05	1.543
69.10	.702	110.00	31.180	167.05	4.051	209.00	1.494	281.05	1.558
69.30	51.770	111.00	4.306	167.95	1.962	210.20	.494	295.95	1.376
73.00	.686	117.00	7.033	172.85	.494	210.90	.877	296.95	1.536
74.00	4.338	118.05	.510	173.95	1.021	217.00	4.635	302.95	.702
75.00	6.555	122.05	.750	175.05	1.467	218.00	.781	314.95	.510
76.10	2.998	122.95	1.467	177.05	1.212	221.00	7.416	322.95	1.324
77.10	45.455	124.05	.750	177.95	.670	223.00	1.148	333.85	.654
78.00	2.743	125.05	.797	178.95	3.174	224.00	10.016	365.00	1.404
79.00	2.982	127.05	45.566	180.05	1.627	225.10	2.600	371.90	.781
80.00	2.041	128.05	3.668	181.05	1.053	227.00	3.509	423.00	2.903
81.00	3.222	129.05	19.075	185.05	1.388	228.00	.845	441.05	7.065
85.00	1.069	130.05	1.627	186.05	10.319	229.00	.766	442.05	47.831
85.00	.718	131.75	.494	187.05	3.078	231.00	.463	443.05	2.182
89.00	.861	132.95	.393	189.05	.654	243.10	.638	444.05	.261

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/30/88  
 Contractor: ENGINEERING SCIENCE Line: 17:22  
 Contract No: \_\_\_\_\_ Laboratory ID: 50296  
 Instrument ID: 1 Initial Calibration Date: 10/27/88

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylanine	.90169	.83572	7.32		
2-Fluorophenol	1.15802	1.17625	1.57		
bis(2-Chloroethyl)ether	1.11892	1.02670	8.24		
Phenol	1.41657	1.43752	1.46	*	
Phenol-d5	1.22488	1.12078	8.50		
Aniline	.54193	.61229	12.98		
2-Chlorophenol	1.23175	1.28020	3.93		
1,3-Dichlorobenzene	1.47535	1.43540	2.71		
1,4-Dichlorobenzene	1.40530	1.42603	1.47	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.42375	41.88		
1,2-Dichlorobenzene	1.32240	1.48540	12.33		
2-Methylphenol	1.17367	1.32581	12.96		
3-6-4-Methylphenol	1.07139	1.30043	21.38		
bis(2-chloroisopropyl)Ether	2.15627	2.51362	16.57		
N-Nitroso-Di-n-Propylanine	.84050	.75918	9.68	**	
Hexachloroethane	.53840	.55203	2.53		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40342	.43365	7.58		
Nitrobenzene-d5	.39137	.40357	3.12		
2-Nitrophenol	.24657	.28600	15.99	*	
Isophorone	.74170	.80381	8.37		
bis(2-Chloroethoxy)methane	.49386	.53553	8.44		
2,4-Dimethylphenol	.34849	.40893	17.34		
Benzoic Acid	.29725	.30640	3.08		
2,4-Dichlorophenol	.56733	.65904	16.16	*	
1,2,4-Trichlorobenzene	.36913	.40038	8.46		
Naphthalene	.94589	.92437	2.28		
4-Chloroaniline	.36309	.41153	13.34		
Hexachlorobutadiene	.20283	.22241	9.65	*	
4-Chloro-3-Methylphenol	.31360	.35796	14.15	*	
2-Methylnaphthalene	.56357	.62855	11.45		

RF - Response factor from daily standard file at 60.00 ng/L

RF - Average Response factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/30/88  
 Contractor: ENGINEERING-SCIENCE Time: 17:22  
 Contract No: \_\_\_\_\_ Laboratory ID: 50296  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/23/88

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	% Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29562	.39634	34.04	**	
2,4,6-Trichlorophenol	.42280	.39207	7.27	*	
2,4,5-Trichlorophenol	.52897	.56644	7.08		
2-Fluorobiphenyl	1.27220	1.12307	11.72		
2-Chloronaphthalene	1.23784	1.16228	6.10		
2-Nitroaniline	.47288	.48876	.87		
Dimethylphthalate	1.40629	1.33008	5.42		
2,6-Dinitrotoluene	.37415	.36479	2.50		
Acenaphthylene	1.66918	1.53970	8.85		
3-Nitroaniline	.44557	.44014	1.22		
2,4-Dinitrophenol	.11898	.13091	10.03	**	
Acenaphthene	1.13011	.94761	16.15	*	
Dibenzofuran	1.64131	1.51275	7.83		
2,4-Dinitrotoluene	.28418	.27425	3.49		
4-Nitrophenol	.28450	.22987	19.20	**	
Fluorene	1.12850	.93269	17.35		
Diethylphthalate	1.20939	1.06521	11.92		
4-Chlorophenyl-phenyl ether	.59183	.56993	3.70		
4-Nitroaniline	.35956	.38270	6.44		
2,4,6-Tribromophenol	.21023	.21653	2.99		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
4-Nitrosodiphenylamine	.40286	.47445	17.77	*	
2,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenyl ether	.21301	.23971	12.53		
Hexachlorobenzene	.26273	.30092	14.54		
Heptachlorophenol	.14536	.13243	8.90	*	

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

% Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 10/33/88  
 Contractor: ENGINEERING SIGMA Time: 17:22  
 Contract No: \_\_\_\_\_ Laboratory ID: 150296  
 Instrument ID: 4 Initial Calibration Date: 10/13/88  
300

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is X

Compound	RF	RF	%Diff	CCC SPEC
Phenanthrene	1.03431	.99811	3.50	
Anthracene	1.05155	1.07458	2.23	
Di-n-Butylphthalate	1.51956	1.56813	3.20	
4,4'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.19047	1.15996	2.56 *	
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
4,4'-DDE	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
4,4'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
4,4'-DDI	-	-	-	
Endosulfan Sulfate	-	-	-	
Di-butylchloroendate	-	-	-	
Benidine	.04023	.12597	213.13	
Pyrene	1.56086	1.52780	2.12	
Terphenyl-d14	1.05235	1.03922	1.81	
Butylbenzylphthalate	1.03590	.98021	5.19	
2,3'-Dichlorobenzidine	.13589	.23668	72.90	
Chrysene	.95655	1.02360	2.71	
Benzo(a)Anthracene	1.10407	1.10923	.47	
bis(2-Ethylhexyl)Phthalate	1.21073	1.20794	.23	
Di-n-octylphthalate	3.46275	2.61039	23.29 *	
Benzo(a)Pyrene	1.32038	1.27572	3.43 *	
Benzo(h)Fluoranthene	1.60950	1.28623	13.82	
Indeno(1,2,3-cd)Pyrene	.96500	1.14470	18.25	
Dibenz(a,h)Anthracene	.87481	1.01806	16.38	
Benzo(k)Fluoranthene	1.44370	1.31708	8.77	
Benzo(g,h,i)Perylene	.85761	1.02261	13.93	

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VII.

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Q

Lab Name: Engineering Science Contract: OR001

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_

Sample No. (Standard): SSTD060 Date Analyzed: 10/30/88

Lab File ID (Standard): 50296 Time Analyzed: 17:22

Instrument ID: 1

	IS1 (DCB) AREA #	RT	IS2 (NPT) AREA #	RT	IS3 (ANT) AREA #	RT
12 HOUR STD	59105	9.20	197020	12.81	127104	18.30
UPPER LIMIT	118210	9.70	394040	13.31	254208	18.80
LOWER LIMIT	29553	8.70	98510	12.31	63552	17.80
EPA SAMPLE NO.						
50297 01	88092367	9.18	399785*	12.79	229099	18.28
98 02	88092368	118945*	9.13	222366	12.80	175063
99 03	88092377	93485	9.17	227076	12.78	166049
50300 04	88092377 ms	61086	9.12	210626	12.82	142082
1 05	88092377 ms	75396	9.18	290484	12.79	156318
2 06	88092494-25V0 BLH	61353	9.18	200561	12.83	118286
3 07	88092494 AC	55627	9.18	162040	12.86	102115
4 08	88092495 AC	58209	9.17	179777	12.82	107747
5 09	88092508 AC	59470	9.18	186070	12.83	111282
6 10	88092511 AC	62094	9.18	187379	12.83	118325
7 11	88092540 AC	63670	9.18	196469	12.84	118353
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8  
 UPPER LIMIT = - 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

\* Column used to flag internal standard area values with an asterisk.





DATA PACKAGE #9

This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Work Order No.: 1006

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-19-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092511	DANGB-3-GW3C-GW1	AS-F	9-17-88		10-15-88	
88092511	DANGB-3-GW3C-GW1	BA-I	9-17-88		10-13-88	
88092511	DANGB-3-GW3C-GW1	CD-F	9-17-88		10-26-88	
88092511	DANGB-3-GW3C-GW1	CR-F	9-17-88		10-16-88	
88092511	DANGB-3-GW3C-GW1	HG-C	9-17-88		10-14-88	
88092511	DANGB-3-GW3C-GW1	PB-F	9-17-88		10-16-88	
88092511	DANGB-3-GW3C-GW1	418.1	9-17-88	10-03-88	10-05-88	
88092511	DANGB-3-GW3C-GW1	8010	9-17-88		9-27-88	9-21-88
88092511	DANGB-3-GW3C-GW1	8020	9-17-88		9-27-88	
88092511	DANGB-3-GW3C-GW1	8080	9-17-88	9-23-88	10-24-88	10-25-88
88092511	DANGB-3-GW3C-GW1	8270	9-17-88	9-23-88	10-30-88	
88092512	DANGB-FB11	8010	9-17-88		9-27-88	9-28-88
88092512	DANGB-FB11	8020	9-17-88		9-27-88	
88092513	DANGB-3-GW3B-GW1	AS-F	9-17-88		10-15-88	
88092513	DANGB-3-GW3B-GW1	BA-I	9-17-88		10-13-88	
88092513	DANGB-3-GW3B-GW1	CD-F	9-17-88		10-26-88	
88092513	DANGB-3-GW3B-GW1	CR-F	9-17-88		10-16-88	
88092513	DANGB-3-GW3B-GW1	HG-C	9-17-88		10-14-88	
88092513	DANGB-3-GW3B-GW1	PB-F	9-17-88		10-16-88	
88092513	DANGB-3-GW3B-GW1	418.1	9-17-88	10-03-88	10-05-88	
88092513	DANGB-3-GW3B-GW1	8010	9-17-88		9-27-88	9-21-88
88092513	DANGB-3-GW3B-GW1	8020	9-17-88		9-27-88	9-21-88
88092513	DANGB-3-GW3B-GW1	8080	9-17-88	9-23-88	10-24-88	10-25-88
88092513	DANGB-3-GW3B-GW1	8270	9-17-88	9-24-88	10-31-88	

\* If applicable

89-DULU0399 1

A SUBSIDIARY OF THE PARSONS CORPORATION

535

CL-FRM01

Job No.: OR001

Work Order No.: 1006

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092514	DANGB-3-MW54-GW1	AS-F	9-17-88		10-15-88	
88092514	DANGB-3-MW54-GW1	BA-I	9-17-88		10-13-88	
88092514	DANGB-3-MW54-GW1	CD-F	9-17-88		10-26-88	
88092514	DANGB-3-MW54-GW1	CR-F	9-17-88		10-16-88	
88092514	DANGB-3-MW54-GW1	HG-C	9-17-88		10-14-88	
88092514	DANGB-3-MW54-GW1	PB-F	9-17-88		10-16-88	
88092514	DANGB-3-MW54-GW1	418.1	9-17-88	10-03-88	10-05-88	
88092514	DANGB-3-MW54-GW1	8010	9-17-88		9-27-88	9-21-88
88092514	DANGB-3-MW54-GW1	8020	9-17-88		9-27-88	9-21-88
88092514	DANGB-3-MW54-GW1	8080	9-17-88	9-23-88	10-24-88	10-25-88
88092514	DANGB-3-MW54-GW1	8270	9-17-88	9-24-88	10-31-88	
88092515	DANGB-3-GW3A-GW1	AS-F	9-17-88		10-15-88	
88092515	DANGB-3-GW3A-GW1	BA-I	9-17-88		10-13-88	
88092515	DANGB-3-GW3A-GW1	CD-F	9-17-88		10-26-88	
88092515	DANGB-3-GW3A-GW1	CR-F	9-17-88		10-16-88	
88092515	DANGB-3-GW3A-GW1	HG-C	9-17-88		10-14-88	
88092515	DANGB-3-GW3A-GW1	PB-F	9-17-88		10-16-88	
88092515	DANGB-3-GW3A-GW1	418.1	9-17-88	10-03-88	10-05-88	
88092515	DANGB-3-GW3A-GW1	8010	9-17-88		9-20-88	9-26-88
88092515	DANGB-3-GW3A-GW1	8020	9-17-88		9-20-88	
88092515	DANGB-3-GW3A-GW1	8080	9-17-88	9-23-88	10-24-88	10-25-88
88092515	DANGB-3-GW3A-GW1	8270	9-17-88	9-24-88	11-04-88	
88092516	DANGB-3-GW3D-GW1	BA-I	9-17-88		10-13-88	
88092516	DANGB-3-GW3D-GW1	CD-F	9-17-88		10-26-88	
88092516	DANGB-3-GW3D-GW1	CR-F	9-17-88		10-26-88	
88092516	DANGB-3-GW3D-GW1	PB-F	9-17-88		10-16-88	
88092516	DANGB-3-GW3D-GW1	418.1	9-17-88	10-03-88	10-05-88	
88092516	DANGB-3-GW3D-GW1	8010	9-17-88		9-27-88	9-20-88
88092516	DANGB-3-GW3D-GW1	8020	9-17-88		9-27-88	9-26-88
88092516	DANGB-3-GW3D-GW1	8080	9-17-88	9-23-88	10-24-88	10-25-88
88092516	DANGB-3-GW3D-GW1	8270	9-17-88	9-24-88	11-01-88	
88092517	DANGB-3-MW27-GW1	8080	9-17-88	9-23-88	10-24-88	

\* If applicable

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S).: 88092511-88092517  
WORK ORDER NO.: 1006

These water samples were received at the ES Berkeley Laboratory on 9-19-88. They were received cold and intact.

ENGINEERING SCIENCE INC.  
12/03/88  
ANALYSIS REPORT

PAGE 1

Work Order No.: 1006  
Job Number: ZB0000000440  
Work Order Date: 09/19/88

Approved by:

  
Laboratory Supervisor

Report Data:  
ES Oak Ridge  
Bill Havden  
710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Client Data:  
ES Oak Ridge  
710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

# Of Report Copies: 1

Contract/P.O.#: OR001.02  
Contact: Bill Havden  
615/481-3920

Task: 2 Units: mg/L

TEST COMPOUND	DANGB-3- GW3C-GW1 88092511	DANGB-3- GW3B-GW1 88092513	DANGB-3- MW54-GW1 88092514	DANGB-3- GW3A-GW1 88092515	DANGB-3- GW3D-GW1 88092516
Acid Dig Flame	NA	NA	NA	NA	NA
Acid Dig Furance	NA	NA	NA	NA	NA
Arsenic	<0.01	<0.01	<0.01	<0.01	--
Barium	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.005	<0.005	<0.005	<0.005	<0.005
Chromium	<0.01	<0.01	<0.01	<0.01	<0.01
Mercury	<.0002	<.0002	<.0002	<.0002	--
Lead	<0.005	<0.005	<0.005	<0.005	<0.005

NA - Not Analyzed  
ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1006  
JOB NUMBER : ZB000000440  
WORK ORDER DATE : 09/19/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-3-GW3C- GW-1 88092511	DANGB-3-GW3B- GW-1 88092513	DANGB-3-MW54- GW-1 88092514	DANGB-3-GW3A- GW-1 88092515	DANGB-3-GW3D- GW-1 88092516
18.1 PETROLEUM HYDROCARBONS	<1.5	<1.5	<1	<1.5	<1.5

ND - Not Detected



ANALYSIS REPORT

ORK ORDER NUMBER: 1006  
OB NUMBER : ZB0000000440  
ORK ORDER DATE : 09/19/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
AK RIDGE, TN 37830  
ILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

OF REPORT COPIES: 1

ONTRACT / PO # : OR001  
ONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8010

EST COMPOUND	DANGB-3-GW3C- GW-1 88092511	DANGB-FB11 88092512	DANGB-3-GW3B- GW-1 88092513	DANGB-3-MW54- GW-1 88092514	DANGB-3-GW3A- GW-1 88092515	DANGB-3-GW3D- GW-1 88092516
ENZYL CHLORIDE	ND	ND	ND	ND	ND	ND
IS (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND	ND	ND
IS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND	ND	ND
ROMOBENZENE	ND	ND	ND	ND	ND	ND
ROMODICHLOROMETHANE	ND	ND	ND	ND	ND	ND
ROMOFORM	ND	ND	ND	ND	ND	ND
ROMOETHANE	ND	ND	ND	ND	ND	ND
ARBON TETRACHLORIDE	ND	ND	ND	ND	ND	ND
HLORACETALDEHYDE	ND	ND	ND	ND	ND	ND
HLORAL	ND	ND	ND	ND	ND	ND
HLOROBENZENE	ND	ND	ND	ND	ND	ND
HLOROETHANE	ND	ND	ND	ND	ND	ND
HLOROFORM	2.8B	14	ND	1.8	ND	ND
-CHLOROHEXANE	ND	ND	ND	ND	ND	ND
-CHLORCETHYL VINYL ETHER	ND	ND	ND	ND	ND	ND
HLOROMETHANE	ND	ND	ND	ND	ND	ND
HLOROMETHYL METHYL ETHER	ND	ND	ND	ND	ND	ND
HLOROTOLUENE	ND	ND	ND	ND	ND	ND
IBROMOCHLOROMETHANE	ND	ND	ND	ND	ND	ND
IBROMOMETHANE	ND	ND	ND	ND	ND	ND
,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ICHLORODIFLUOROMETHANE	ND	ND	ND	ND	ND	ND
,1-DICHLOROETHANE	ND	ND	250	220	ND	20
,2-DICHLOROETHANE	ND	ND	4.4	4.4	ND	ND
,1-DICHLOROETHYLENE	ND	ND	26	26	ND	58
TRANS-1,2-DICHLOROETHYLENE	ND	ND	50	24	ND	450
ICHLOROMETHANE	ND	1.2B	0.50B	0.45B	ND	0.29B
,2-DICHLOROPROPANE	ND	ND	ND	ND	ND	ND

) - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1006

TEST COMPOUND	DANGB-3-GW3C- GW-1 88092511	DANGB-FB11 88092512	DANGB-3-GW3B- GW-1 88092513	DANGB-3-MW54- GW-1 88092514	DANGB-3-GW3A- GW-1 88092515	DANGB-3-GW3D- GW-1 88092516
1,3-DICHLOROPROPYLENE	ND	ND	ND	ND	ND	ND
1,1,2,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,2,2-TETRACHLOROETHYLENE	280	ND	440	470	4.4	540
1,1,1-TRICHLOROETHANE	28	ND	3100	3000	0.34	1300
1,1,2-TRICHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,2-TRICHLOROETHYLENE	5.1	ND	6.4	6.7	ND	39
1,1,2-TRICHLOROETHYLENE	ND	ND	ND	ND	ND	ND
1,1,2-TRICHLOROETHYLENE	ND	ND	ND	ND	ND	ND
1,1,2-TRICHLOROETHYLENE	ND	ND	ND	ND	ND	ND
1,1,2-TRICHLOROETHYLENE	ND	ND	2.8	4.5	ND	3.5

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1006  
JOB NUMBER : Z80000000440  
WORK ORDER DATE : 09/19/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
0 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANGB-3-GW3C- GW-1 88092511	DANGB-FB11 88092512	DANGB-3-GW3B- GW-1 88092513	DANGB-3-MW54- GW-1 88092514	DANGB-3-GW3A- GW-1 88092515	DANGB-3-GW3D- GW-1 88092516
BENZENE	ND	ND	1.1	2.8	ND	0.74
MONOCHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	ND	ND	ND
TOLUENE	ND	ND	21	20	ND	2.9
XYLENES	ND	ND	ND	ND	ND	ND

- Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1006  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/19/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8080

TEST COMPOUND	DANGB-3-GW3C- GW-1 88092511	DANGB-3-GW3B- GW-1 88092513	DANGB-3-MW54- GW-1 88092514	DANGB-3-GW3A- GW-1 88092515	DANGB-3-GW3D- GW-1 88092516	DANGB-3-MW27- GW-1 88092517
ALDRIN	ND	ND	ND	ND	ND	ND
ALPHA-BHC	ND	ND	ND	ND	ND	ND
BETA-BHC	ND	ND	ND	ND	ND	ND
DELTA-BHC	ND	ND	ND	ND	ND	ND
GAMMA-BHC	ND	ND	ND	ND	ND	ND
CHLORDANE	ND	ND	ND	ND	ND	ND
4,4'-DDD	ND	ND	ND	ND	ND	ND
4,4'-DDE	ND	ND	ND	ND	ND	ND
4,4'-DDT	ND	ND	ND	ND	ND	ND
DELDRIN	ND	ND	ND	ND	ND	ND
ENDOSULFAN I	ND	ND	ND	ND	ND	ND
ENDOSULFAN II	ND	ND	ND	ND	ND	ND
ENDOSULFAN SULFATE	ND	ND	ND	ND	ND	ND
ENDRIN	ND	ND	ND	ND	ND	ND
ENDRIN ALDEHYDE	NA	NA	NA	NA	NA	NA
HEPTACHLOR	ND	ND	ND	ND	ND	ND
HEPTACHLOR EPOXIDE	ND	ND	ND	ND	ND	ND
KEPONE	ND	ND	ND	ND	ND	ND
METHOXYCHLOR	ND	ND	ND	ND	ND	ND
NOXAPHENE	ND	ND	ND	ND	ND	ND
CB-1016	ND	ND	ND	ND	ND	ND
PCB-1221	ND	ND	ND	ND	ND	ND
PCB-1232	ND	ND	ND	ND	ND	ND
CB-1242	45	34	44	24	26	ND
CB-1248	ND	ND	ND	ND	ND	ND
PCB-1254	ND	ND	ND	ND	ND	ND
CB-1260	ND	ND	ND	ND	ND	ND

ND - Not Detected  
NA - Not Analyzed

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutralized - SW 6.70  
 Matrix: Water

page 1 of 5

Date Received: September 19, 1988  
 Date Reported: December 3, 1988

Work Order: 1006  
 Job Number: DR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88:92511	88C92513
Sample No.:	DANGB-3-GW3C- GW-1	DANGB-3-GW3B- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	09:15	09:20
Date Extracted:	9-23-88	9-24-88
Date Analyzed:	10-30-88	10-31-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	NL	ND
1,2-Dichlorobenzene	10	ND	NL
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	22
Bis(2-chloroethoxy)methane	10	ND	10
1-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
1,4-Dinitrotoluene	10	ND	ND
Methyl phthalate	10	16	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 19, 1988  
 Date Reported: December 9, 1988

Work Order: 1006  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGE  
 Address: 710 S. Illinois Ave, Suite F-102  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092511	88092513
Sample No.:	DANGE-3-SW50- GW-1	DANGE-3-GW5E- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	09:15	09:20
Date Extracted:	9-23-88	9-24-88
Date Analyzed:	10-20-88	10-31-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	ND	17 B
Chrysene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8,70  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 19, 1988  
 Date Reported: December 9, 1988

Work Order: 1006  
 Job Number: GR001

Site: Es:Oak Ridge/Duizuth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88012511	88192513
Sample No.:	DANGS-3-GW3C- GW-1	DANGS-3-GW3E- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	09:15	09:20
Date Extracted:	9-23-88	9-24-88
Date Analyzed:	10-30-88	10-31-88

Compound	Detection Limits ug/L	Analytical Results (dry weight)	
		ug/L	ug/L
acetophenone	--x	ND	ND
aniline	--x	ND	ND
--Aminobiphenyl	--x	ND	ND
--Chloroaniline	20	ND	ND
--Chloronaphthalene	--x	ND	ND
1-benzofuran	10	ND	ND
--Dimethylaminoazobenzene	--x	ND	ND
1,12-Dimethylbenz(a)anthracene	--x	ND	ND
--,a-Dimethylphenethylamine	--x	ND	ND
1-phenylamine	--x	ND	ND
1,2-Diphenylhydrazine	--x	ND	ND
1-phenyl methanesulfonate	--x	ND	ND
1-Methylcholanthrene	--x	ND	ND
1-methyl methanesulfonate	--x	ND	ND
--Methylnaphthalene	10	ND	ND
--Naphthylamine	--x	ND	ND
--Naphthylamine	--x	ND	ND
--Nitroaniline	50	ND	ND
--Nitroaniline	50	ND	ND
--Nitroaniline	50	ND	ND
--Nitroso-di-n-butylamine	--x	ND	ND
1-Nitrosopiperidine	--x	ND	ND
1-pentachlorobenzene	--x	ND	ND
1-pentachloronitrobenzene	--x	ND	ND
1-phenacetin	--x	ND	ND
1-picoline	--x	ND	ND
1-phenamide	--x	ND	ND
1,2,3,4,5-Tetrachlorobenzene	--x	ND	ND

EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 19, 1988  
Date Reported: December 9, 1988

Work Order: 1006  
Job Number: OR001

POK: ES:Oak Ridge/Duluth ANGE  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092511	88092513
Sample No.:	DANGB-3-GW3C- GW-1	DANGB-3-GW3B- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	09:15	09:20
Date Extracted:	9-23-88	9-24-88
Date Analyzed:	10-30-88	10-31-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Alorin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.



Priority Pollutant Analysis  
 Analyte: Extractables -- SW #271  
 Matrix: Water

page 5 of 5

Date Received: September 19, 1988  
 Date Reported: December 9, 1988


Work Order: 1006  
 Job Number: CR001


Client: ES:Oak Ridge/Durath ANGE  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092511	88092513
Sample No.:	DANGB-3-GW3C- GW-1	DANGB-3-GW3E- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	09:15	09:20
Date Extracted:	9-23-88	9-24-88
Date Analyzed:	10-30-88	10-31-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
1-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
phenol	10	ND	ND
1,4-Dimethylphenol	20	ND	ND
1,4-Dichlorophenol	10	ND	ND
1,4,6-Trichlorophenol	10	ND	ND
1-Chloro-3-methylphenol	20	ND	ND
1,4-Dinitrophenol	50	ND	ND
1,6-Dichlorophenol	--*	ND	ND
1-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
2-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
1-Methylphenol	10	ND	ND
2- & 4-Methylphenol	10	ND	ND
1,3,4,6-Tetrachlorophenol	--*	ND	ND
1,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

--\* = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 19, 1988

Work Order: 1006

Date Reported: December 9, 1988

Job Number: OK801

FOR: ES:Oak Ridge/Duluth ANGE  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092514	88092515
Sample No.:	DANGB-3-MW54- GW-1	DANGE-3-GW3A- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	10:00	11:00
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	10-31-88	11-04-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	10	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8.70  
 Matrix: Water  
 (continued)

page 2 of 5

Date Received: September 19, 1988  
 Date Reported: December 9, 1988

Work Order: 1006  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092514	88092515
Sample No.:	DANGB-3-MW54- GW-1	DANGB-3-GW3A- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	10:00	11:00
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	10-31-88	11-04-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
n-butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	19 B	ND
Chrysene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzenidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrais - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 19, 1988  
 Date Reported: December 9, 1988

Work Order: 1006  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092514	88092515
Sample No.:	DANGB-3-MW54- GW-1	DANGB-3-GW3A-- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	10:00	11:00
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	10-31-88	11-04-88

Compound	Detection Limits ug/L	Analytical Results (dry weight)	
		ug/L	ug/L
Acetophenone	---*	ND	ND
Aniline	---*	ND	ND
4-Aminobiphenyl	---*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	---*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	---*	ND	ND
7,12-Dimethylbenz(a)anthracene	---*	ND	ND
a-,a-Dimethylphenethylamine	---*	ND	ND
Diphenylamine	---*	ND	ND
1,2-Diphenylhydrazine	---*	ND	ND
Ethyl methanesulfonate	---*	ND	ND
3-Methylcholanthrene	---*	ND	ND
Methyl methanesulfonate	---*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	---*	ND	ND
2-Naphthylamine	---*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	---*	ND	ND
N-Nitrosopiperidine	---*	ND	ND
Pentachlorobenzene	---*	ND	ND
Pentachloronitrobenzene	---*	ND	ND
Phenacetin	---*	ND	ND
2-Picoline	---*	ND	ND
Pronamide	---*	ND	ND
1,2,4,5-Tetrachlorobenzene	---*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

Page 4 of 4

Date Received: September 19, 1988  
Date Reported: December 9, 1988

Work Order: 1008  
Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092514	88092515
Sample No.:	DANGB-3-MW54-	DANGB-3-GW3A-
	GW-1	GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	10:00	11:00
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	10-31-88	11-04-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--x	ND	ND
Gamma-BHC	--x	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--x	ND	ND
Dieldrin	15	ND	ND
2,4'-DDE	30	ND	ND
Endrin	--x	ND	ND
Endosulfan II	--x	ND	ND
2,4'-DED	15	ND	ND
2,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--x	ND	ND
Endrin Ketone	--x	ND	ND
Endosulfane	60	ND	ND
Methoxychlor	--x	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid extractables -- SW 8170  
 Matrix: Water

page 3 of 5

Date Received: September 19, 1988

Work Order: 1006

Date Reported: December 9, 1988


Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092514	88092515
Sample No.:	DANGB-3-MW54- GW-1	DANGB-3-GW3A- GW-1
Date Sampled:	9-17-88	9-17-88
Time Sampled:	10:00	11:00
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	10-31-88	11-04-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water

page 1 of 5

Date Received: September 19, 1988  
Date Reported: December 9, 1988

Work Order: 1006  
Job Number: OR001

-OR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092516  
Sample No.: DANGB-3-GW3D-  
GW-1  
Date Sampled: 9-17-88  
Time Sampled: 11:00  
Date Extracted: 9-24-88  
Date Analyzed: 11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
1,3-Dichlorobenzene	10	ND
1,4-Dichlorobenzene	10	ND
Hexachloroethane	10	ND
Bis(2-chloroethyl)ether	10	ND
1,2-Dichlorobenzene	10	ND
N-Nitrosodimethylamine	10	ND
Bis(2-chloroisopropyl)ether	10	ND
N-Nitrosodi-n-propylamine	10	ND
Hexachlorobutadiene	10	ND
1,2,4-Trichlorobenzene	10	ND
Nitrobenzene	10	ND
Isophorone	10	ND
Naphthalene	10	ND
Bis(2-chloroethoxy)methane	10	ND
2-Chloronaphthalene	10	ND
Hexachlorocyclopentadiene	10	ND
Acenaphthylene	10	ND
Acenaphthene	10	ND
Dimethyl phthalate	10	ND
2,6-Dinitrotoluene	10	ND
Fluorene	10	ND
2,4-Dinitrotoluene	10	ND
Diethyl phthalate	10	18
N-Nitrosodiphenylamine	10	ND
Hexachlorobenzene	10	ND

Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water  
(continued)

page 2 of 5

Date Received: September 19, 1988  
Date Reported: December 9, 1988

Work Order: 1006  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092516  
Sample No.: DANGB-3-GW3D-  
GW-1  
Date Sampled: 9-17-88  
Time Sampled: 11:00  
Date Extracted: 9-24-88  
Date Analyzed: 11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
Phenanthrene	10	ND
Anthracene	10	ND
Dibutyl phthalate	10	ND
Fluoranthene	10	ND
4-Chlorophenyl phenyl ether	10	ND
Pyrene	10	ND
Butyl Benzyl phthalate	10	ND
Bis(2-ethylhexyl) phthalate	10	ND
Chrysene	10	ND
4-Bromophenyl phenyl ether	10	ND
Benzo(a)anthracene	10	ND
Di-n-octylphthalate	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(k)fluoranthene	10	ND
Benzydine	60	ND
3,3'-Dichlorobenzidine	20	ND
Benzo(a)pyrene	10	ND
Indeno(1,2,3-cd)pyrene	10	ND
Dibenzo(a,h)anthracene	10	ND
Benzo(ghi)perylene	10	ND
Benzyl Alcohol	20	ND



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 19, 1988  
 Date Reported: December 9, 1988

Work Order: 1006  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:  
 Sample No.:

88092516  
 DANGB-3-GW3D-  
 GW-1

Date Sampled:  
 Time Sampled:  
 Date Extracted:  
 Date Analyzed:

9-17-88  
 11:00  
 9-24-88  
 11-01-88

Compound	Detection Limits ug/L	Analytical Results (dry weight) ug/L
Acetophenone	--*	ND
Aniline	--*	ND
m-Aminobiphenyl	--*	ND
4-Chloroaniline	20	ND
1-Chloronaphthalene	--*	ND
Dibenzofuran	10	ND
p-Dimethylaminoazobenzene	--*	ND
7,12-Dimethylbenz(a)anthracene	--*	ND
a-,a-Dimethylphenethylamine	--*	ND
Diphenylamine	--*	ND
1,2-Diphenylhydrazine	--*	ND
Ethyl methanesulfonate	--*	ND
3-Methylcholanthrene	--*	ND
Methyl methanesulfonate	--*	ND
2-Methylnaphthalene	10	ND
1-Naphthylamine	--*	ND
2-Naphthylamine	--*	ND
2-Nitroaniline	50	ND
3-Nitroaniline	50	ND
4-Nitroaniline	50	ND
N-Nitroso-di-n-butylamine	--*	ND
N-Nitrosopiperidine	--*	ND
Pentachlorobenzene	--*	ND
Pentachloronitrobenzene	--*	ND
Phenacetin	--*	ND
2-Picoline	--*	ND
Pronamide	--*	ND
1,2,4,5-Tetrachlorobenzene	--*	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 19, 1988  
Date Reported: December 9, 1988

Work Order: 1006  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092516  
Sample No.: DANGB-3-GW3D-  
GW-1  
Date Sampled: 9-17-88  
Time Sampled: 11:00  
Date Extracted: 9-24-88  
Date Analyzed: 11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
Alpha-BHC	--*	ND
Gamma-BHC	--*	ND
Beta-BHC	20	ND
Heptachlor	10	ND
Delta-BHC	15	ND
Aldrin	10	ND
Heptachlor epoxide	10	ND
Endosulfan I	--*	ND
Dieldrin	15	ND
4,4'-DDE	30	ND
Endrin	--*	ND
Endosulfan II	--*	ND
4,4'-DDD	15	ND
4,4'-DDT	25	ND
Endosulfan Sulfate	30	ND
Endrin aldehyde	--*	ND
Endrin Ketone	--*	ND
Chlordane	60	ND
Methoxychlor	--*	ND
Toxaphene	60	ND
Aroclor-1016	60	ND
Aroclor-1221	60	ND
Aroclor-1232	60	ND
Aroclor-1242	60	ND
Aroclor-1248	60	ND
Aroclor-1254	60	ND
Aroclor-1260	60	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

page 5 of 5

Date Received: September 19, 1988  
 Date Reported: December 9, 1988


Work Order: 1006  
 Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092516  
 Sample No.: DANGB-3-GW3D-  
 GW-1  
 Date Sampled: 9-17-88  
 Time Sampled: 11:00  
 Date Extracted: 9-24-88  
 Date Analyzed: 11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight) ug/L
2-Chlorophenol	10	ND
2-Nitrophenol	10	ND
Phenol	10	ND
2,4-Dimethylphenol	10	ND
2,4-Dichlorophenol	10	ND
2,4,6-Trichlorophenol	10	ND
m-Chloro-3-methylphenol	20	ND
2,4-Dinitrophenol	50	ND
2,6-Dichlorophenol	--*	ND
2-Methyl-4,6-Dinitrophenol	50	ND
Pentachlorophenol	50	ND
4-Nitrophenol	50	ND
Benzoic Acid	50	ND
2-Methylphenol	10	ND
3- & 4-Methylphenol	10	ND
2,3,4,6-Tetrachlorophenol	--*	ND
2,4,5-Trichlorophenol	10	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

3 = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.





# ENGINEERING-SCIENCE

## CHAIN OF CUSTODY RECORD

1006

IS JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED						SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 800 Bancroft Way Berkeley, CA 94710
	SAMPLE DESCRIPTION			EPA 808, 8020	EPA 825	EPA 401	SW 609, 7000, 734	SW 421, 7470, 719	SW 830, 8215	
SAMPLE(S): (Signature) <i>Robert Z. De</i>										
DATE	TIME	SAMPLE DESCRIPTION								REMARKS
9-17-88	0915	DANGB - 3 - GW3C - GW - 1		2						882511
9-17-88	1100	PANGB - 3 - GW3A - GW - 1		5	X	X	X	X		882515
<del> <div style="display: flex; justify-content: space-between;"> <div>Relinquished by: (Signature) <i>[Signature]</i></div> <div>Received by: (Signature) Fed Ed April 4 # 94-9031003A</div> </div> </del>										
<del> <div style="display: flex; justify-content: space-between;"> <div>Relinquished by: (Signature) <i>[Signature]</i></div> <div>Received for Laboratory by: (Signature) <i>[Signature]</i></div> </div> </del>										
Relinquished by: (Signature) <i>Robert Z. De</i>				Date/Time 9-17-88 1700		Relinquished by: (Signature)		Date/Time 9/19/88 11:30		Received by: (Signature)
Relinquished by: (Signature)				Date/Time		Relinquished by: (Signature)		Date/Time		Remarks Samples RECEIVED COB + Intact

561



# ENGINEERING-SCIENCE

## CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED						SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710
	DATE	TIME		SAMPLE DESCRIPTION	EPA 608	EPA 625	EPA 408.1	SW 607M, 7000, 7121	SW 625M, 5315	
SAMPLE(S): (Signature) <i>[Signature]</i>										
9-17-88	0915	DANGB-3-GW3C-GW-1	4	X	X					
9-17-88	0920	DANGB-3-GW3B-GW-1	6	X	X					
<i>[Large Signature]</i>										
563										
				Relinquished by: (Signature)		Date/Time		Received by: (Signature)		
				<i>[Signature]</i>		9/17/88 1700		T. J. A. L. H. # 941610054		
				Relinquished by: (Signature)		Date/Time		Remarks		

Distribution: Original Accompanies Shipment, Copy to Coordinator Field Files








QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: ICP-W-0060-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-17-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth..ANGB  
 Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092487-88092488, 88092492, 88092494-88092495  
 88092509-88092511, 88092513-88092516  
 88092523-88092528, 88092546-88092547

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	RPD	SA	Spike Recovery		Notes
											SR	SSR	
Barium	88092487	88092487	10-13-88	NA	6010	<0.2	<0.2	<0.2	NC	2.0	<0.2	0.198	99

566

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)


NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected



QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TPH-W-0070-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-28-88  
 Date Prepared: 10-05-88  
 Date Analyzed: 11-01-88  
 Dilution Factor: NA

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092422, 88092424-88092427, 88092433  
 88092509-88092511, 88092513, 88092515-88092516  
 88092346, 88092348, 88092350, 88092494-88092495

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
88092516	418.1	<1.5	<1.5	39.5	29.6	75	30.4	77	.3	*

568

Reporting limit for the samples in this batch is provided by the sub-contract laboratory.  
 Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD) / 2} \times 100$  MS = Spike Sample NA = Not Applicable  
 MSD = Spike Duplicate NC = Not Calculated  
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$  SR = Sample Result ND = Not Detected  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO(S): TPH-W-0057-88  
QC REPORT NO(S): TPH-W-0057-88B

Percent recoveries for the quality control samples are lower than ES Laboratory limits. A blank spike analysis shows the laboratory to be in control.

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

QC Report No: TPII-W-0057-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-19-88  
 Date Prepared: 10-03-88  
 Date Analyzed: 10-05-88  
 Date Reported: 10-28-88  
 Dilution Factor: 6

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092514, 88092679-88092681

*Bill Hayden*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	FR	RPD	Notes
88092516	418.1	<1	<1	10	2.9	29	2.9	29	0	*

570

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)





QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0048-88  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: NA  
Date Prepared: NA  
Date Analyzed: 10-03-88  
Date Reported: 10-25-88  
Dilution Factor: NA

Project: Duluth ANGB  
Laboratory Supervisor Approval: *[Signature]*

QC Report for Laboratory Sample No(s):  
88092487-88092495  
88092509-88092516  
88092523-88092526

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits % Recovery
Halocarbons: 8010										
88092525	1,1-Dichloroethane	10	ND	9.26	93	9.54	95	3	26	70-130
	Trichloroethene	10	ND	9.89	99	10.3	103	4	19	65-131
	Chlorobenzene	10	ND	10.4	104	10.3	103	1	40	59-137
Aromatics: 8020										
88092525	Benzene	10	ND	8.84	88	10.6	106	18	20	56-146
	Toluene	10	ND	10.1	101	10.1	101	0	41	42-150
	Chlorobenzene	10	ND	10.1	101	10.1	101	0	36	76-133

Relative Percent Difference (PR) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR}{SA} \times 100$

MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)  
NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 11-02-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

*[Signature]*

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
03	9-27-88	VGC	Carbopack	75-09-2	Dichloromethane	7.4	0.25	88092512
53	9-30-88	VGC	Carbopack	75-09-2	Dichloromethane	38	0.25	88092513-88092514 88092516
64	9-21-88	VGC	Vocol	75-09-2 67-66-3	Dichloromethane Chloroform	3.1 0.37	0.25 0.05	88092515 88092511

573

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: OCP-W-0037-88  
QC REPORT NO.: OCP-W-0037-88B

Analysis of matrix spikes resulted in a matrix interference that swamped the response for aldrin in the matrix spike duplicate. This interference was somewhat lower in the matrix spike sample, so that the response would be quantitated. Thus, the recovery of aldrin in the MSD and the RPD for aldrin could not be calculated. Analysis of spiked blanks resulted in acceptable recoveries for all spiked compounds, but the RPD was higher than EPA guidelines for endrin and dieldrin. The analytical data associated with these analyses were closely examined. No errors or problems were found.

Heptachlor epoxide was inadvertently used instead of heptachlor in the matrix spiking solution.

Endrin aldehyde and Kepone were not recoverable because they were removed by the alumina column clean-up used on these samples.

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0037-88  
 QC Sample No.: 88092490  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s).:

88092490, 88092488, 88092494-88092495  
 88092511, 88092513-88092517, 88092525-88092528  
 88092677-88092678, 88092681, 88092617

*NWBurton*

Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.195	99	56-123
Heptachlor epoxide	200	ND	0.214	105	40-131
Aldrin	200	ND	0.195	99	40-120
Dieldrin	500	ND	0.463	93	52-126
Endrin	500	ND	0.488	98	56-121
4,4'-DDT	500	ND	0.365	73	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.173	87	99	13	15	56-123
Heptachlor epoxide	0.224	112	105	6	20	40-131
Aldrin	ND	NC*	99	NC*	22	40-120
Dieldrin	0.461	92	93	1	18	52-126
Endrin	0.466	93	98	5	21	56-121
4,4'-DDT	0.401	80	73	?	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk

\* Values outside of QC limits

RPD: 1 out of 6 outside limits

Spike Recovery: 1 out of 12 outside limits

**575**

PESTICIDE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY  
WATER


Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: OCP-W-0037-88B  
 QC Sample No.: Blank  
 Level (Low/Med): Low  
 Date Reported: 11-11-88

Project: Duluth ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092490, 88092488, 88092494-88092495  
 88092511, 88092513-88092517, 88092525-88092528  
 88092677-88092678, 88092681, 88092617



Compound	Amount Added (ng)	Sample Conc. In Extract (ug/L)	MS Conc. In Extract (ug/L)	MS % Rec. #	QC Limits Rec.
Lindane	200	ND	0.184	92	56-123
Heptachlor epoxide	200	ND	0.210	105	40-131
Aldrin	200	ND	0.186	93	40-120
Dieldrin	500	ND	0.436	87	52-126
Endrin	500	ND	0.455	91	56-121
4,4'-DDT	500	ND	0.490	98	38-127

	MSD Conc. In Extract (ug/L)	MSD % Rec. #	MS % Rec. #	% RPD #	QC Limits	
					RPD	REC
Lindane	0.211	105	92	13	15	56-123
Heptachlor epoxide	0.224	112	105	6	20	40-131
Aldrin	0.210	105	93	12	22	40-120
Dieldrin	0.551	110	87	23*	18	52-126
Endrin	0.292	58	91	44*	21	56-121
4,4'-DDT	0.461	92	98	6	27	38-127

# Column to be used to flag recovery and RPD values with an asterisk  
 \* Values outside of QC limits

RPD: 2 out of 6 outside limits

Spike Recovery: 0 out of 12 outside limits

**576**



CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
WORK ORDER NO(S). 1006  
EPA METHOD 8270 ANALYSIS

These samples were first extracted and analyzed within holding time. Recoveries of surrogate spikes were outside of EPA QC limits for the acid fraction of 88092513 and the base neutral fractions of 88092514 and 88092515. The extract of 88092515 was re-analyzed, resulting in acceptable surrogate spike recoveries. The result of the second analysis is reported. The date of the first analysis was October 30, 1988. Re-analysis of the other two extracts did not improve surrogate recoveries; there was no more sample to re-extract.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: ORO01  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0061-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-17-88  
 Date Prepared: 9-22-88  
 Date Analyzed: 11-23-88  
 Date Reported: 03-23-89  
 Dilution Factor: NA

Project: Duluth ANGB

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092490, 88092488, 88092494-88092495  
 88092508, 88092511, 88092573-88092579

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092490	1,2,4-Trichlorobenzene	100	ND	70.4	70	66.7	67	5	28 39-98
	Acenaphthene	100	ND	68.2	68	67.4	67	1	31 46-118
	2,4-Dinitrotoluene	100	ND	62.0	62	61.5	62	1	38 24-96
	Pyrene	100	ND	78.4	78	70.2	70	11	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	73.6	74	70.2	70	5	38 41-116
	1,4-Dichlorobenzene	100	ND	62.9	63	61.5	62	2	28 36-97
ACID Laboratory Sample # 88092490	Pentachlorophenol	200	ND	46.7	23	62.2	31	28	50 9-103
	Phenol	200	ND	99.0	49	115	58	15	42 12-89
	2-Chlorophenol	200	ND	120	60	128	64	2	40 27-123
	4-Chloro-3-Methylphenol	200	ND	138	69	120	60	14	42 23-97
	4-Nitrophenol	200	ND	101	50	139	70	32	50 10-80

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected




QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: ORO01  
 Client: ES Oak Ridge  
 Attn: Bill Havden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830  
 Project: Duluth ANGB

QC Report No: BNA-W-0049-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: NA  
 Date Prepared: 09-20-88  
 Date Analyzed: 09-24-88  
 Date Reported: 12-13-88  
 Dilution Factor: NA

QC Report for Laboratory Sample No(s):  
 88092513-88092516, 88092523-88092528  
 88092546-88092551

Laboratory Supervisor Approval: 

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092516	1,2,4-Trichlorobenzene	100	ND	74.9	75	78.2	78	4	28
	Acenaphthene	100	ND	67.9	68	72.7	73	7	31
	2,4-Dinitrotoluene	100	ND	83.4	83	87.6	88	6	38
	Pyrene	100	ND	67.8	68	75.6	76	11	31
	N-Nitroso-di-n-Propylamine	100	ND	82.0	82	101	101	20	38
	1,4-Dichlorobenzene	100	ND	62.6	63	70.7	71	12	28
ACID Laboratory Sample # 88092516	Pentachlorophenol	200	ND	77.4	39	93.3	47	19	50
	Phenol	200	ND	73.9	37	68.1	34	8	42
	2-Chlorophenol	200	ND	126	63	110	55	14	40
	4-Chloro-3-Methylphenol	200	ND	194	97	190	95	2	42
	4-Nitrophenol	200	ND	53.5	27	40.9	20	29	50

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{MS or MSD} - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Work Order No.: 1006

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 3-23-89

Project: Duluth ANGB

Laboratory Supervisor Approval:



File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
S0302	10-30-88	AC	1	-	None Detected	-	-	88092511
E6019	10-30-88	BN	2	117-81-7	Bis(2-ethylhexyl)phthalate	17	10	88092511
E6028	10-31-88	BN	2	117-81-7	Bis(2-ethylhexyl)phthalate	18	10	88092513-88092516
E6322	11-23-88	AC	2	-	None Detected	-	-	88092513-88092516

581

\* S0289 - One surrogate low, S0592 = re-analysis; SSOL

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092494,95 Blank
Address:	710 S. Illinois Avenue	Lab File ID:	E6019/S0302
	Suite F-103	Date Received:	NA
	Oak Ridge, Tn. 37830	Date Extracted:	09-23-88
		Date Analyzed:	10-30-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture: dec:	
		not dec:	X
		GPC Clean up: (Y/N)	N
# TICs Found:	4	Extraction:	(SepF/Cont/Conc)SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.24	17	
-	Unknown	28.88	64	
-	Unknown	30.20	100	
-	Unknown	33.05	7	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
Client:	ES Oak Ridge	Sample Wt/vol:	1000 ml
Attn:	Bill Hayden	Lab Sample ID:	88092513-2516 AC BLANK
Address:	710 S. Illinois Avenue		88092523-2528 AC BLANK
	Suite F-103		88092546-2551 AC BLANK
	Oak Ridge, Tn. 37830	Lab File ID:	E6322
		Date Received:	NA
		Date Extracted:	09-24-88
Project:	Duluth ANGB	Date Analyzed:	11-23-88
		Date Reported:	03-29-89
		Dilution Factor:	NA
		% Moisture: dec:	
		not dec:	X
# TICs Found:	1	GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)SepF	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.08	14	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Havden	Lab Sample ID:	88092513-51 BN Blank
Address:	710 S. Illinois Avenue	Lab File ID:	E6028
	Suite F-103	Date Received:	NA
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	10-31-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N).	N
		Extraction:	
		(SepF/Cont/Conc)SepF	
# TICs Found:	2		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.24	17	
-	Unknown	28.87	6	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092514 AC
Address:	710 S. Illinois Avenue	Lab File ID:	E6050
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)SepF	

# TICs Found: 8

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.99	6	
127-18-4	Tetrachloroethene	4.17	9 B	
-	Unknown	22.83	4	
-	Unknown	25.05	190	
-	Unknown	25.42	7	
-	Unknown	25.90	5	
-	Unknown	27.56	5	
-	Unknown	28.34	8	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092514 BN
Address:	710 S. Illinois Avenue	Lab File ID:	E6026
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	10-31-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	3		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
108-88-3	Toluene	3.63	7	
-	Unknown	4.06	7	
127-18-4	Tetrachloroethene	4.27	83 B	
-	Unknown	4.75	5	
-	Acid-Phosphorodithioic, o,o,s-trimethylester	11.31	5	
-	Unknown	16.82	4	
-	Unknown	28.88	5	
-	Unknown Aromatic Hydrocarbon	29.25	40	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092515 AC
Address:	710 S. Illinois Avenue	Lab File ID:	E6027
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	10-31-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		.GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	1		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.25	15 B	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092515 BN
Address:	710 S. Illinois Avenue	Lab File ID:	E6080
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-04-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	X
		GPC Clean up: (Y/N)	N
		Extraction:	
# TICs Found:	-	(SepF/Cont/Conc)	SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
108-88-3	Toluene	3.61	220	
127-18-4	Tetrachloroethene	4.21	29 B	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092511 AC
Address:	710 S. Illinois Avenue	Lab File ID:	S0306
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-23-88
		Date Analyzed:	10-31-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	4		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.85	20	
127-18-4	Tetrachloroethene	5.08	17 B	
-	Unknown	5.41	11	
79-34-5	1,1,2,2-Tetrachloroethene	7.05	8	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Havden	Lab Sample ID:	88092511 BN
Address:	710 S. Illinois Avenue	Lab File ID:	E6023
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-23-88
		Date Analyzed:	10-30-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF

# TICs Found: 8

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.09	8	
-	Unknown	4.07	21	
127-18-4	Tetrachloroethene	4.27	80 B	
-	Unknown	4.58	11	
-	Unknown	4.76	8	
-	Unknown	7.05	8	
-	Unknown	28.86	5	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Havden	Lab Sample ID:	88092513 BN
Address:	710 S. Illinois Avenue	Lab File ID:	E6025
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	10-31-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	X
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)SepF	
# TICs Found:	9		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
108-88-3	Toluene	3.62	16	
127-18-4	Tetrachloroethene	4.27	100 B	
-	Unknown	4.32	5	
-	Unknown	7.05	18	
-	Unknown	8.33	4	
-	Acid-Phosphorodithioic, o,o,s-trimethyl ester	11.32	17	
-	Methyl Naphthalene	13.72	6	
-	Unknown	34.43	5	
-	Unknown	36.03	4	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092516 AC
Address:	710 S. Illinois Avenue	Lab File ID:	E6047
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF

# TICs Found: 16

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
108-88-3	Toluene	3.55	5	
-	Unknown	3.98	15	
127-18-4	Tetrachloroethene	4.17	26 B	
-	Unknown	4.49	7	
-	Unknown	25.03	160	
-	Unknown	25.41	5	
-	Unknown	25.89	6	
-	Unknown	28.35	5	
-	Unknown	28.88	300	
-	Unknown	30.23	9	
-	Bis(2-ethylhexyl)phthalate	30.39	7	
-	Unknown	30.63	4	
-	Unknown	30.79	25	
-	Unknown	31.23	15	
-	Unknown	31.40	22	
-	Unknown	32.32	5	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Client Sample ID:	
Attn:	Bill Hayden	Lab Sample ID:	88092516 BN
Address:	710 S. Illinois Avenue	Lab File ID:	E6044
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
# TICs Found:	14	(SedF/Cont/Conc)	SedF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.06	160	
127-18-4	Tetrachloroethene	4.20	100 B	
-	Unknown	4.57	120	
-	Unknown	4.72	21	
79-34-5	1,1,2,2-Tetrachloroethene	5.97	18	
-	Unknown	25.02	51	
-	Unknown	28.80	6	
-	Unknown	29.15	11	
-	Unknown	32.99	7	
-	Unknown	34.33	9	
-	Unknown	35.89	10	
-	Unknown	37.80	10	
-	Unknown	40.13	9	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1006
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092513 AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0321
	Suite F-103	Date Received:	09-19-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	03-29-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	X
		GPC Clean up: (Y/N)	N
		Extraction:	
# TICs Found: 13		(SepF/Cont/Conc)	SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	5.09	14..B	
-	Unknown	24.10	7	
-	Unknown	24.34	12	
-	Unknown	25.43	6	
-	Unknown Aliphatic	26.46	380	
-	Unknown	26.85	36	
-	Unknown	27.38	41	
-	Unknown	28.87	6	
-	Unknown	29.08	15	
-	Unknown	29.23	9	
-	Unknown	29.82	21	
-	Unknown	29.93	4	
-	Unknown	32.93	5	

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTPP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 11/01/88 13:44

Lab ID >T1101::03

Data Release Authorized By: *[Signature]*

m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	38.06 OK
68	less than 2.0% of mass 69	0.00 OK ( 0.00) #1
69	mass 69 relative abundance	44.64
70	less than 2.0% of mass 69	0.00 OK ( 0.00) #1
127	40.0 - 60.0% of mass 198	40.76 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.52 OK
275	10.0 - 30.0% of mass 198	17.54 OK
365	greater than 1.00% of mass 198	1.74 OK
441	present, but less than mass 443	8.74 OK
442	greater than 40.0% of mass 198	56.00 OK
443	17.0 - 23.0% of mass 442	10.09 OK (18.01) #2


*SP-INT  
10/12/88*

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
150 ng DFTPP	>T1101	11/01/88	13:44
<del>88092513 AC</del>	<del>S0320</del>		14:01
88092513 AC	S0321		15:12
88092546 AC	S0322		16:18
88092546 BN	S0323		18:21
88092547 AC	S0324		19:19
88092547 BN	S0325		20:19
88092548 AC	S0326		21:19
88092548 BN	S0327		22:18
88092549 AC	S0328		23:18
88092549 BN	S0329	11/2/88	00:18
88092550 AC	S0330	"	01:18
	<del>S0331</del>		





File: >T1101 Scan #: 83 Retn. time: 5.01

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	1.553	93.00	3.193	141.05	1.858	198.00	100.000	256.00	6.111
44.00	1.190	95.10	1.002	142.05	.726	199.00	6.518	256.90	.421
50.10	9.218	98.00	2.526	147.05	1.423	200.10	.595	258.00	2.061
51.10	38.061	99.00	2.366	148.05	1.916	201.20	.508	258.90	.653
52.10	1.698	101.00	1.640	149.05	.711	203.10	.508	273.00	1.205
55.10	1.524	104.00	.842	155.05	1.089	204.00	2.831	274.05	2.918
56.00	1.858	105.10	1.205	155.95	1.423	205.00	3.890	275.05	17.535
57.10	3.702	106.10	.610	159.95	.581	206.10	16.447	275.95	2.671
61.00	.653	107.00	10.089	161.15	1.002	207.00	3.948	276.95	1.510
63.10	1.292	108.00	1.350	165.05	.842	208.10	1.219	281.05	.784
65.10	.639	110.00	28.683	166.05	.740	210.30	.755	295.95	4.645
67.10	.624	110.90	3.876	167.05	4.079	211.10	.639	297.05	.610
69.00	44.636	115.10	.537	168.05	1.756	216.10	.377	303.05	.653
73.10	1.466	116.00	.740	173.95	.653	217.00	5.472	313.95	.319
74.10	3.643	117.00	6.213	175.05	1.582	221.10	6.822	323.05	1.292
75.00	5.879	120.05	.435	176.05	.915	223.00	1.394	334.05	1.031
76.20	2.221	123.15	1.364	177.05	.973	224.00	9.639	346.05	.377
77.10	35.999	124.05	.624	178.05	1.045	225.10	2.874	353.00	.392
78.10	2.235	124.85	.508	179.05	3.469	227.00	4.326	364.90	1.742
79.00	2.250	125.05	.508	179.95	2.206	228.00	.595	372.00	.784
80.00	1.916	127.05	40.761	180.95	.929	229.00	1.103	402.90	.406
81.10	3.092	128.15	3.411	185.05	1.713	234.80	.319	420.90	.348
82.10	1.060	129.05	17.100	186.05	10.495	242.00	.581	423.00	3.063
83.00	1.132	129.95	1.495	187.05	2.758	244.00	8.318	424.00	.595
84.10	.406	131.05	.566	188.15	.726	245.10	.958	441.05	8.739
85.00	.813	132.05	.813	189.05	.711	246.00	1.364	442.05	56.002
87.00	.465	134.05	.377	190.95	.479	249.00	.450	443.05	10.089

91.10	.944	135.05	1.611	193.05	.798	255.00	35.128	444.05	1.031
92.10	.856	137.15	.639	196.00	3.063				

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/01/88  
 Contractor: ENGINEERING SCIENCE Time: 14:01  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0320  
 Instrument ID: 1 Initial Calibration Date: <sup>15</sup>10/17/88  
<sub>TRC</sub>

Minimum  $\bar{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.90169	.87509	2.95		
2-Fluorophenol	1.15802	1.18507	2.34		
bis(2-Chloroethyl)ether	1.11892	.96343	13.90		
Phenol	1.41657	1.38172	2.46	*	
Phenol-d5	1.22488	1.20470	1.65		
Aniline	.54193	.58157	7.31		
2-Chlorophenol	1.23175	1.27520	3.53		
1,3-Dichlorobenzene	1.47535	1.43292	2.88		
1,4-Dichlorobenzene	1.40530	1.37513	2.15	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.77495	6.29		
1,2-Dichlorobenzene	1.32240	1.43233	8.31		
2-Methylphenol	1.17367	1.31555	12.09		
3-&4-Methylphenol	1.07139	1.26311	17.89		
bis(2-chloroisopropyl)Ether	2.15627	2.47064	14.58		
N-Nitroso-Di-n-Propylamine	.84050	.71196	15.29	**	
Hexachloroethane	.53840	.55820	3.68		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.40055	.64		
Nitrobenzene-d5	.39137	.40751	4.12		
2-Nitrophenol	.24657	.27626	12.04	*	
Isophorone	.74170	.80310	8.28		
bis(2-Chloroethoxy)methane	.49386	.51550	4.38		
2,4-Dimethylphenol	.34849	.36769	5.51		
Benzoic Acid	.29725	.23607	20.58		
2,4-Dichlorophenol	.56733	.62436	10.05	*	
1,2,4-Trichlorobenzene	.36913	.38522	4.36		
Naphthalene	.94589	.90788	4.02		
4-Chloroaniline	.36309	.39321	8.29		
Hexachlorobutadiene	.20283	.21395	5.48	*	
4-Chloro-3-Methylphenol	.31360	.34579	10.26	*	
2-Methylnaphthalene	.56397	.62245	10.37		

RF - Response Factor from daily standard file at 60.00 mg/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average of curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/01/88  
 Contractor: ENVIRONMENTAL SCIENCE Time: 14:01  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0320  
 Instrument ID: 1 Initial Calibration Date: 10/17/88  
 (DEC)

Minimum  $\bar{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff. for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29568	.33825	14.40		**
2,4,6-Trichlorophenol	.42280	.42977	1.65	*	
2,4,5-Trichlorophenol	.52897	.50342	4.83		
2-Fluorobiphenyl	1.27220	1.11101	12.67		
2-Chloronaphthalene	1.23784	1.18028	4.65		
2-Nitroaniline	.47288	.47259	.06		
Dimethylphthalate	1.40629	1.32834	5.69		
2,6-Dinitrotoluene	.37415	.38194	2.08		
Acenaphthylene	1.68918	1.54805	8.36		
3-Nitroaniline	.44557	.45311	1.69		
2,4-Dinitrophenol	.11898	.10346	13.05		**
Acenaphthene	1.13011	.97242	13.95	*	
Dibenzofuran	1.64131	1.53768	6.31		
2,4-Dinitrotoluene	.28418	.26783	5.75		
4-Nitrophenol	.28450	.22322	21.54		**
Fluorene	1.12850	.92731	17.83		
Diethylphthalate	1.20939	1.03888	14.26		
4-Chlorophenyl-phenylether	.59183	.56667	4.25		
4-Nitroaniline	.35956	.34593	3.79		
2,4,6-Tribromophenol	.21023	.20421	2.87		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40286	.47676	18.34	*	
4,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.23525	10.44		
Hexachlorobenzene	.26273	.28506	8.50		
Pentachlorophenol	.14536	.13244	8.89	*	

RF - Response Factor from daily standard file at 60.00 mg/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/01/88  
 Contractor: ENGINEERING-SCIENCE Time: 14:01  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0320  
 Instrument ID: 1 Initial Calibration Date: 10/13/88

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
Phenanthrene	1.03431	.99778	3.53		
Anthracene	1.05155	1.09380	4.02		
Di-n-Butylphthalate	1.51956	1.54547	1.71		
4,4'-Dibromobiphenyl	-	-	-		
Fluoranthene	1.19047	1.09554	7.97	*	
Heptachlor Epoxide	-	-	-		
Endosulfan I	-	-	-		
4,4'-DDE	-	-	-		
Dieldrin	-	-	-		
Endrin	-	-	-		
4,4'-DDD	-	-	-		
Endosulfan II	-	-	-		
Endrin Aldehyde	-	-	-		
4,4'-DDT	-	-	-		
Endosulfan Sulfate	-	-	-		
Dibutylchloroendate	-	-	-		
Benzidine	.04023	.07837	94.81		
Pyrene	1.56086	1.69083	8.33		
Terphenyl-d14	1.05835	1.14399	8.09		
Butylbenzylphthalate	1.03390	1.12269	8.59		
3,3'-Dichlorobenzidine	.13689	.22481	64.23		
Chrysene	.99655	1.03764	4.12		
Benzo(a)Anthracene	1.10407	1.17698	.26		
bis(2-Ethylhexyl)Phthalate	1.21073	1.35649	12.04		
Di-n-octylphthalate	3.40275	3.23212	5.01	*	
Benzo(a)Pyrene	1.32098	1.31109	.75	*	
Benzo(b)Fluoranthene	1.60850	1.49556	7.02		
Indeno(1,2,3-cd)Pyrene	.96800	1.15965	19.80		
Dibenzo(a,h)Anthracene	.87481	1.05745	18.59		
Benzo(k)Fluoranthene	1.44370	1.36775	5.26		
Benzo(g,h,i)Perylene	.89761	.99055	10.35		

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_

Sample No. (Standard): SSTD060

Date Analyzed: 11/1/88

Lab File ID (Standard): S0320

Time Analyzed: 14:01

Instrument ID: 1

	IS1 (DCB) AREA #	RT	IS2 (NPT) AREA #	RT	IS3 (ANT) AREA #	RT
12 HOUR STD	67162	9.20	227601	12.83	136290	18.31
UPPER LIMIT	134324	9.70	455202	13.33	272580	18.81
LOWER LIMIT	<del>33581</del>	8.70	113801	12.33	68145	17.81
EPA SAMPLE NO.						
50321-01 8809 2513 AC	61474	9.18	190784	12.82	118050	18.28
22 02 8809 2546 AC	63087	9.19	237057	12.85	122986	18.33
23 03 8809 2546 BN	64223	9.19	216408	12.85	119856	18.33
24 04 8809 2547 AC	69756	9.20	255975	12.85	132530	18.31
25 05 8809 2547 BN	64115	9.19	211940	12.84	123819	18.31
26 06 8809 2548 AC	63769	9.19	237568	12.82	123090	18.30
27 07 8809 2548 BN	59239	9.19	178604	12.83	116283	18.32
28 08 8809 2549 AC	60803	9.18	209092	12.80	113129	18.29
29 09 8809 2549 BN	66278	9.19	219351	12.81	128120	18.29
30 10 8809 2550 AC	60584	9.19	185484	12.85	115407	18.32
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of  
 internal standard area.  
 LOWER LIMIT = - 50% of  
 internal standard area.

\* Column used to flag internal standard area values with an asterisk.

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_

Sample No. (Standard): STD 060 Date Analyzed: 11/1/88

Lab File ID (Standard): S0320 Time Analyzed: 14:01

Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT
12 HOUR STD	206508	22.96	130218	31.43	<del>90619</del> 57144	37.59
UPPER LIMIT	413016	23.46	260436	31.93	181238	38.09
LOWER LIMIT	103254	22.46	65109	30.93	45310	37.09
EPA SAMPLE NO.						
50321 01	88092513 AC	22.97	90782	31.42	57254	37.55
2302	88092546 AC	23.01	87709	31.49	49921	37.66
2703	88092546 BN	23.02	83095	31.50	46200	37.66
24 04	88092547 AC	23.00	100130	31.47	58691	37.66
25 05	88092547 BN	23.00	86491	31.46	54708	37.80
26 06	88092548 AC	22.97	129736	31.44	89064	37.54
27 07	88092548 BN	22.99	104730	31.45	70621	37.54
28 08	88092549 AC	22.96	103108	31.40	60937	37.53
29 09	88092549 BN	22.97	105926	31.44	63888	37.54
70 10	88092550 AC	23.00	86032	31.48	50556	37.66
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

IS4 (PHN) = 100% of internal standard area.  
 IS5 (CRY) = 100% of internal standard area.  
 IS4 (PRY) = 100% of internal standard area.  
 UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

\* Column used to flag internal standard area values with an asterisk

## VOLATILE CONTINUING CALIBRATION CHECK

LabName: ENGINEERING SCIENCE \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_

Instrument ID: vocal \_\_\_\_\_ Calibration Date(s) 9/20/88

LAB FILE ID: 42,43 \_\_\_\_\_ Init. Calib. Date(s): 9/19/88, 9/14/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride _____	4.56	5.70	-25.00
bis (2-chloroethoxy) _____			
methane _____	0.12		NA
bis (2-chloroisopropyl _____			
ether _____	0.12		NA
Bromobenzene _____	3.08	2.80	9.03
Bromodichloromethane _____	4.72	4.00	15.32
Bromoform _____	3.13	2.80	10.50
Bromomethane _____	0.43	0.62	-43.52
Carbon tetrachloride _____	4.59	4.00	12.84
Chloroacetaldehyde _____	0.07		NA
Chlorobenzene _____	1.34	1.20	10.38
Chloroethane _____	0.73	0.88	-20.55
Chloroform _____	6.20	3.40	45.12
1-Chlorohexane _____	0.82	0.75	8.98
2-Chloroethyl vinyl ether _____	0.12		NA
Chloromethane _____	1.84	2.21	-20.24
Chloromethyl methyl ether _____	0.02		NA
o, m, & p Chlorotoluenes _____	3.34	3.00	10.13
Dibromochloromethane _____	4.42	3.90	11.75
Dibromomethane _____	3.06	2.70	11.71
1,2_Dichlorobenzene _____	2.44	2.00	17.88
1,3_Dichlorobenzene _____	1.53	1.60	-4.46
1,4_Dichlorobenzene _____	1.47	1.60	-9.02
Dichlorodifluormethane _____	0.54		NA
1,1_Dichloroethane _____	2.41	2.20	8.59
1,2_Dichloroethane _____	3.68	3.00	18.47
1,1_Dichloroethylene _____	0.77	1.10	-42.23
trans_1,2_dichloroethylene _____	2.15	2.20	-2.25
Dichloromethane _____	1.36	2.10	-54.86
1,2_Dichloropropane _____	3.07	2.60	15.18
1,3_Dichloropropylene _____	0.47	0.44	7.17
1,1,2,2_Tetrachloroethane _____	4.08	3.20	21.53
1,1,1,2_Tetrachloroethane _____	4.83	4.20	13.04
Tetrachloroethylene _____	4.65	4.00	14.04
1,1,1_Trichloroethane _____	2.62	2.30	12.12
1,1,2_Trichloroethane _____	4.42	4.40	0.36
Trichloroethylene _____	3.90	3.40	12.79
Trichlorofluoromethane _____	0.66	0.63	3.91
Trichloropropane _____	3.08	2.80	9.03
Vinyl chloride _____	1.84	1.35	26.41



VOLATILE CONTINUING CALIBRATION CHECK

LabName: ENGINEERING SCIENCE \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: VOCOL \_\_\_\_\_ Calibration Date(s): 9/20/88 \_\_\_\_\_

LAB FILE ID: RRF 50 42

*Final cal = 9/19/88*

COMPOUND	RRF	RRF50	%D
Benzene _____	4.42	7.00	58.20
Chlorobenzene _____	4.67	7.30	56.28
1,2_Dichlorobenzene _____	3.72	6.00	61.48
1,3_Dichlorobenzene _____	4.09	6.60	61.19
1,4_Dichlorobenzene _____	3.28	5.30	61.36
Ethyl Benzene _____	3.05	4.80	57.51
Toluene _____	3.60	5.60	55.66
Xylenes _____	10.15	16.00	57.61

file: LUNICHL  
24 Oct 88

88 09 2523  
2511  
2512  
2513

2514  
2516  
2527

2521  
2540  
2549

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: CARBOPACK Calibration Date(s): 9/27/88

LAB FILE ID: 78,79 Init. Calib. Date(s): 9/19/88 9/23/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	0.3	0.5	(67)
bis (2-chloroethoxy methane	—	—	—
bis (2-chloroisopropyl ether	—	—	—
Bromobenzene	1.4	1.1	21
Bromodichloromethane	3.7	3.6	2.7
Bromoform	1.7	1.8	5.9
Bromomethane	0.40	0.17	58
Carbon tetrachloride	4.2	3.9	7.1
Chloroacetaldehyde	—	—	—
Chlorobenzene	1.4	1.3	7.1
Chloroethane	0.72	0.43	40
Chloroform	5.6	3.9	30
1-Chlorohexane	1.2	0.92	23
2-Chloroethyl vinyl ether	—	—	—
Chloromethane	0.46	0.37	20
Chloromethyl methyl ether	—	—	—
o, m, & p-Chlorotoluenes	4.6	3.7	20
Dibromochloromethane	3.7	3.6	2.7
Dibromomethane	3.2	2.4	25
1,2-Dichlorobenzene	2.5	2.1	16
1,3-Dichlorobenzene	2.1	1.9	9.5
1,4-Dichlorobenzene	1.8	1.8	0
Dichlorodifluormethane	—	—	—
1,1-Dichloroethane	2.4	2.0	17
1,2-Dichloroethane	2.6	2.2	15
1,1-Dichloroethylene	2.6	2.1	19
trans-1,2-dichloroethylene	2.4	2.2	8.3
Dichloromethane	4.1	3.1	24
1,2-Dichloropropane	2.5	2.2	12
1,3-Dichloropropylene	5.9	4.8	19
1,1,2,2-Tetrachloroethane	7.5	6.6	12
1,1,1,2-Tetrachloroethane	5.2	4.2	19
Tetrachloroethylene	7.5	6.0	12
1,1,1-Trichloroethane	3.0	2.8	7
1,1,2-Trichloroethane	7.9	4.8	19
Trichloroethylene	4.6	3.5	13
Trichlorofluormethane	2.3	2.0	13
Trichloropropane	2.7	1.6	24
Vinyl chloride	0.94	—	21

file: CONTCAL  
21 Oct 88

88092540

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: CAR Calibration Date(s): 9/27/88

LAB FILE ID: 78 Init. Calib. Date(s): 9/19/88

COMPOUND	RRF	RRF50	%D
Benzene	4.9	4.6	6
Chlorobenzene	5.3	5.1	4
1,2_Dichlorobenzene	4.4	3.9	71
1,3_Dichlorobenzene	5.0	4.7	6
1,4_Dichlorobenzene	4.1	3.7	10
Ethyl Benzene	4.4	3.3	25
Toluene	3.9	3.7	5
Xylenes	13	12	8

DATA PACKAGE #10

This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Work Order No.: 1014

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-20-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092546	DANGB-BR9	BA-I	9-20-88		10-13-88	
88092546	DANGB-BR9	CD-F	9-20-88		10-26-88	
88092546	DANGB-BR9	CR-F	9-20-88		10-16-88	
88092546	DANGB-BR9	PB-F	9-20-88		10-21-88	
88092546	DANGB-BR9	418.1	9-20-88	10-05-88	10-08-88	
88092546	DANGB-BR9	8010	9-20-88		9-26-88	9-27-88
88092546	DANGB-BR9	8020	9-20-88		9-23-88	
88092546	DANGB-BR9	8270	9-20-88	9-24-88	11-01-88	
88092547	DANGB-2-MW37-GW1	BA-I	9-20-88		10-13-88	
88092547	DANGB-2-MW37-GW1	CD-F	9-20-88		10-26-88	
88092547	DANGB-2-MW37-GW1	CR-F	9-20-88		10-16-88	
88092547	DANGB-2-MW37-GW1	PB-F	9-20-88		10-21-88	
88092547	DANGB-2-MW37-GW1	418.1	9-20-88	10-05-88	10-08-88	
88092547	DANGB-2-MW37-GW1	8010	9-20-88		9-23-88	9-27-88
88092547	DANGB-2-MW37-GW1	8020	9-20-88		9-23-88	
88092547	DANGB-2-MW37-GW1	8270	9-20-88	9-24-88	11-01-88	
88092548	DANGB-2-MW41-GW1	BA-I	9-20-88		10-13-88	
88092548	DANGB-2-MW41-GW1	CD-F	9-20-88		10-26-88	
88092548	DANGB-2-MW41-GW1	CR-F	9-20-88		10-16-88	
88092548	DANGB-2-MW41-GW1	PB-F	9-20-88		10-21-88	
88092548	DANGB-2-MW41-GW1	418.1	9-20-88	10-05-88	10-08-88	
88092548	DANGB-2-MW41-GW1	8010	9-20-88		9-23-88	9-27-88
88092548	DANGB-2-MW41-GW1	8020	9-20-88		9-23-88	
88092548	DANGB-2-MW41-GW1	8270	9-20-88	9-24-88	11-01-88	

\* If applicable

89-DULU0388 1

CL-FRM01

Job No.: OR001

Work Order No.: 1014

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092549	DANGB-2-GW2E-GW1	BA-I	9-20-88		10-13-88	
88092549	DANGB-2-GW2E-GW1	CD-F	9-20-88		10-26-88	
88092549	DANGB-2-GW2E-GW1	CR-F	9-20-88		10-26-88	
88092549	DANGB-2-GW2E-GW1	PB-F	9-20-88		10-21-88	
88092549	DANGB-2-GW2E-GW1	418.1	9-20-88	10-05-88	10-08-88	
88092549	DANGB-2-GW2E-GW1	8010	9-20-88		9-27-88	9-28-88
88092549	DANGB-2-GW2E-GW1	8020	9-20-88		9-27-88	9-28-88
88092549	DANGB-2-GW2E-GW1	8270	9-20-88	9-24-88	11-02-88	
88092550	DANGB-2-MW40-GW1	BA-I	9-20-88		10-13-88	
88092550	DANGB-2-MW40-GW1	CD-F	9-20-88		10-26-88	
88092550	DANGB-2-MW40-GW1	CR-F	9-20-88		10-16-88	
88092550	DANGB-2-MW40-GW1	PB-F	9-20-88		10-21-88	
88092550	DANGB-2-MW40-GW1	418.1	9-20-88	10-05-88	10-08-88	
88092550	DANGB-2-MW40-GW1	8010	9-20-88		9-28-88	9-26-88
88092550	DANGB-2-MW40-GW1	8020	9-20-88		9-28-88	
88092550	DANGB-2-MW40-GW1	8270	9-20-88	9-24-88	11-03-88	
88092551	DANGB-2-MW55-GW1	BA-I	9-20-88		10-13-88	
88092551	DANGB-2-MW55-GW1	CD-F	9-20-88		10-26-88	
88092551	DANGB-2-MW55-GW1	CR-F	9-20-88		10-16-88	
88092551	DANGB-2-MW55-GW1	PB-F	9-20-88		10-21-88	
88092551	DANGB-2-MW55-GW1	418.1	9-20-88	10-05-88	10-08-88	
88092551	DANGB-2-MW55-GW1	8010	9-20-88		9-23-88	9-28-88
88092551	DANGB-2-MW55-GW1	8020	9-20-88		9-23-88	
88092551	DANGB-2-MW55-GW1	8270	9-20-88	9-24-88	11-23-88	

\* If applicable

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S): 88092546-88092551  
WORK ORDER NO.: 1014

These water samples were received at the ES Berkeley Laboratory on 9-20-88. They were received cold and intact.



ANALYSIS REPORT

DRK ORDER NUMBER: 1014  
JOB NUMBER : ZB0000000440  
DRK ORDER DATE : 09/20/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 2, UNITS: mg/L

TEST COMPOUND	DANGB-BR9	DANGB-2-MW37- GW1	DANGB-2-MW41- GW1	DANGB-2-GW2E- GW1	DANGB-2-MW40- GW1	DANGB-2-MW55- GW1
.....	88092546	88092547	88092548	88092549	88092550	88092551
CID DIG FLAME	NA	NA	NA	NA	NA	NA
CID DIG FURNACE	NA	NA	NA	NA	NA	NA
ARIUM	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
ADMIMUM	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
CHROMIUM	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LEAD	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005

) - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1014  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/20/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-BR9 88092546	DANGB-2-MW37- GW1 88092547	DANGB-2-MW41- GW1 88092548	DANGB-2-GW2E- GW1 88092549	DANGB-2-MW40- GW1 88092550	DANGB-2-MW55- GW1 88092551
18.1 PETROLEUM HYDROCARBONS	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1014  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/20/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
S OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8010

TEST COMPOUND	DANGB-BR9 88092546	DANGB-2-MW37- GW1 88092547	DANGB-2-MW41- GW1 88092548	DANGB-2-GW2E- GW1 88092549	DANGB-2-MW40- GW1 88092550	DANGB-2-MW55- GW1 88092551
ENZYL CHLORIDE	ND	ND	ND	ND	ND	ND
IS (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND	ND	ND
IS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND	ND	ND
ROMOBENZENE	ND	ND	ND	ND	ND	ND
ROMODICHLOROMETHANE	ND	ND	ND	ND	ND	ND
ROMOFORM	ND	ND	ND	ND	ND	ND
ROMOETHANE	ND	ND	ND	ND	ND	ND
ARBON TETRACHLORIDE	ND	ND	ND	ND	ND	ND
HLORACETALDEHYDE	ND	ND	ND	ND	ND	ND
HLORAL	ND	ND	ND	ND	ND	ND
HLOROBENZENE	ND	ND	ND	ND	ND	ND
HLOROETHANE	ND	ND	ND	ND	ND	ND
HLOROFORM	14B	0.32B	0.15B	ND	ND	ND
-CHLOROHEXANE	ND	ND	ND	ND	ND	ND
-CHLOROETHYL VINYL ETHER	ND	ND	ND	ND	ND	ND
HLOROMETHANE	ND	ND	ND	ND	ND	ND
HLOROMETHYL METHYL ETHER	ND	ND	ND	ND	ND	ND
HLOROTOLUENE	ND	ND	ND	ND	ND	ND
IBROMOCHLOROMETHANE	ND	ND	ND	ND	ND	ND
IBROMOMETHANE	ND	ND	ND	ND	ND	ND
,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ICHLORODIFLUOROMETHANE	ND	ND	ND	ND	ND	ND
,1-DICHLOROETHANE	ND	ND	ND	ND	ND	ND
,2-DICHLOROETHANE	ND	ND	ND	ND	ND	ND
,1-DICHLOROETHYLENE	ND	ND	ND	0.61	ND	ND
TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND	330	ND	ND
.CHLOROMETHANE	0.34B	ND	ND	0.80B	0.85B	ND
2-DICHLOROPROPANE	ND	ND	ND	ND	ND	ND

) - Not Detected

ENGINEERING-SCIENCE INC.  
12/27/88

PAGE 4


ANALYSIS REPORT FOR WORK ORDER NUMBER 1014

TEST COMPOUND	DANGB-BR9 88092546	DANGB-2-MW37- GW1 88092547	DANGB-2-MW41- GW1 88092548	DANGB-2-GW2E- GW1 88092549	DANGB-2-MW40- GW1 88092550	DANGB-2-MW55- GW1 88092551
1,3-DICHLOROPROPYLENE	ND	ND	ND	ND	ND	ND
1,1,2,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
TETRACHLOROETHYLENE	ND	ND	ND	ND	ND	ND
1,1,1-TRICHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,2-TRICHLOROETHANE	ND	ND	ND	ND	ND	ND
TRICHLOROETHYLENE	ND	ND	ND	33	ND	ND
TRICHLOROFLUOROMETHANE	ND	ND	ND	ND	ND	ND
TRICHLOROPROPANE	ND	ND	ND	ND	ND	ND
VINYL CHLORIDE	ND	ND	ND	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1014  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/20/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANGB-BR9 88092546	DANGB-2-MW37- GW1 88092547	DANGB-2-MW41- GW1 88092548	DANGB-2-GW2E- GW1 88092549	DANGB-2-MW40- GW1 88092550	DANGB-2-MW55- GW1 88092551
BENZENE	ND	ND	ND	1.2	ND	ND
BICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	ND	ND	ND
TOLUENE	ND	ND	ND	ND	ND	ND
XYLENES	ND	ND	ND	ND	ND	ND

- Not Detected

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092546	88092547
Sample No.:	DANGB-BR9	DANGB-2-14W37-GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	08:00	08:45
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

page 2 of 5

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092546	88092547
Sample No.:	DANGB-BR9	DANGB-2-MW37-GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	08:00	08:45
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	ND	ND
Chrysene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
benzidine	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: GR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092546	88092547
Sample No.:	DANGB-BR9	DANGB-2-MW37-GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	08:00	08:45
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-01-88

Compound	Detection Limits ug/L	Analytical Results (dry weight)	
		ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
a-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.



Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 21, 1988  
Date Reported: December 9, 1988

Work Order: 1014  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092546	88092547
Sample No.:	DANGB-BR9	DANGE-2-MW37-GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	08:00	08:45
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 21, 1988

Work Order: 1014

Date Reported: December 9, 1988


Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-193  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092546	88092547
Sample No.:	DANGB-BR9	DANGB-2-MW37-GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	08:00	08:45
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-01-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092548	88092549
Sample No.:	DANGB-2-MW41- GW1	DANGB-2-GW2E- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	11:15	11:50
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-02-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 827:  
 Matrix: Water  
 (continued)

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092548	88092549
Sample No.:	DANGB-2-MW41- GW1	DANGB-2-GW2E- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	11:15	11:50
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-02-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
butyl Benzyl phthalate	10	ND	ND
sis(2-ethylhexyl) phthalate	10	ND	ND
Chrysene	10	ND	ND
i-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGE  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092548	88092549
Sample No.:	DANGE-2-MW41- GW1	DANGE-2-GW2E- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	11:15	11:50
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-02-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
a-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
4-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 21, 1988  
Date Reported: December 9, 1988

Work Order: 1014  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGE  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN:Mr. Bill Hayden

Lap Number:	88092548	88092549
Sample No.:	DANGB-2-MW41- GW1	DANGB-2-GW2E- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	11:15	11:50
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-02-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 21, 1988  
 Date Reported: December 9, 1988


Work Order: 1014  
 Job Number: OR001


OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092548	88092549
Sample No.:	DANGB-2-MW41- GW1	DANGB-2-GW2E- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	11:15	11:50
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-01-88	11-02-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
1,3,4,6-Tetrachlorophenol	--*	ND	ND
1,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

z = Compound was detected in the blank.

**626**

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

Date Received: September 21, 1988

Work Order: 1014

Date Reported: December 9, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB

ATTN: Mr. Bill Hayden

Address: 710 S. Illinois Ave, Suite F-103

Oak Ridge, TN 37830

Lab Number:

88092550

88092551

Sample No.:

DANGB-2-MW40-

DANGB-2-MW55-

GW1

GW1

Date Sampled:

9-20-88

9-20-88

Time Sampled:

15:00

15:30

Date Extracted:

9-24-88

9-24-88

Date Analyzed:

11-03-88

11-23-88

Compound

Detection

ANALYTICAL RESULTS

Limits

(dry weight)

ug/L

ug/L

ug/L

1,3-Dichlorobenzene

10

ND

ND

1,4-Dichlorobenzene

10

ND

ND

Hexachloroethane

10

ND

ND

Bis(2-chloroethyl)ether

10

ND

ND

1,2-Dichlorobenzene

10

ND

ND

N-Nitrosodimethylamine

10

ND

ND

Bis(2-chloroisopropyl)ether

10

ND

ND

N-Nitrosodi-n-propylamine

10

ND

ND

Hexachlorobutadiene

10

ND

ND

1,2,4-Trichlorobenzene

10

ND

ND

Nitrobenzene

10

ND

ND

Isophorone

10

ND

ND

Naphthalene

10

ND

ND

Bis(2-chloroethoxy)methane

10

ND

ND

2-Chloronaphthalene

10

ND

ND

Hexachlorocyclopentadiene

10

ND

ND

Acenaphthylene

10

ND

ND

Acenaphthene

10

ND

ND

Dimethyl phthalate

10

ND

ND

2,6-Dinitrotoluene

10

ND

ND

Fluorene

10

ND

ND

2,4-Dinitrotoluene

10

ND

ND

Diethyl phthalate

10

ND

ND

N-Nitrosodiphenylamine

10

ND

ND

Hexachlorobenzene

10

ND

ND



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

page 2 of 5

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092550	88092551
Sample No.:	DANGB-2-MW40- GW1	DANGB-2-MW55- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	15:00	15:30
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-03-88	11-23-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Di-n-butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	ND	ND
Chrysene	10	ND	ND
2,4-Dibromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzenidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 21, 1988

Work Order: 1014

Date Reported: December 9, 1988

Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092550	88092551
Sample No.:	DANGB-2-MW40- GW1	DANGB-2-MW55- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	15:00	15:30
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-03-88	11-23-88

Compound	Detection	Analytical Results	
	Limits ug/L	(dry weight) ug/L	
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	---*	ND	ND
a-,a-Dimethylphenethylamine	---*	ND	ND
Diphenylamine	---*	ND	ND
1,2-Diphenylhydrazine	---*	ND	ND
Ethyl methanesulfonate	---*	ND	ND
3-Methylcholanthrene	---*	ND	ND
Methyl methanesulfonate	---*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	---*	ND	ND
2-Naphthylamine	---*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	---*	ND	ND
N-Nitrosopiperidine	---*	ND	ND
Pentachlorobenzene	---*	ND	ND
Pentachloronitrobenzene	---*	ND	ND
Phenacetin	---*	ND	ND
2-Picoline	---*	ND	ND
Pronamide	---*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 21, 1988  
Date Reported: December 9, 1988

Work Order: 1014  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092550	88092551
Sample No.:	DANGB-2-MW40- GW1	DANGB-2-MW55- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	15:00	15:30
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-03-88	11-23-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 21, 1988  
 Date Reported: December 9, 1988

Work Order: 1014  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092550	88092551
Sample No.:	DANGB-2-MW40- GW1	DANGB-2-MW55- GW1
Date Sampled:	9-20-88	9-20-88
Time Sampled:	15:00	15:30
Date Extracted:	9-24-88	9-24-88
Date Analyzed:	11-03-88	11-23-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

*Sandra K. K.*  
 Analyst

*Bill Hayden*  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.











**FEDEX EXPRESS**

**AIRBILL**

USE THIS AIRBILL FOR DOMESTIC SHIPMENTS WITHIN THE CONTINENTAL U.S.A., ALASKA AND HAWAII.  
USE THE INTERNATIONAL AIRWAY AIRBILL FOR SHIPMENTS TO PUERTO RICO.  
QUESTIONS? CALL 800-232-3535 TOLL FREE.

**SENDER'S COPY**

PACKAGE TRACKING NUMBER **9490310001**

SENDER'S FEDERAL EXPRESS ACCOUNT NUMBER **11910-42677**

DATE **11-10-88**

FROM (YOUR NAME) PLEASE PRINT **KING'S BUSINESS SERVICES INC**

To (Recipient's Name) Please Print  
 Company  
 Department/Floor No.

Exact Street Address (We Cannot Deliver to P.O. Boxes or R.D. or Zip Codes)  
 City State ZIP Required

Your Phone Number (Very Important)  
 Department/Floor No.

Street Address  
 City State ZIP Required

YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE)

Sender's Federal Express Account Number  
 From (Your Name) Please Print  
 Company  
 Street Address  
 City State ZIP Required

IF HOLD FOR PICK-UP, PRINT FEDEX ADDRESS HERE  
 Street Address  
 City State ZIP Required

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

WEIGHT  
 PACKAGES  
 DELIVERY AND SPECIAL HANDLING

WEIGHT  
 PACKAGES  
 DELIVERY AND SPECIAL HANDLING

WEIGHT  
 PACKAGES  
 DELIVERY AND SPECIAL HANDLING

WEIGHT  
 PACKAGES  
 DELIVERY AND SPECIAL HANDLING

WEIGHT  
 PACKAGES  
 DELIVERY AND SPECIAL HANDLING

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

BASE CHARGES  
 Declared Value Charge  
 Other 1  
 Other 2  
 Total Charges

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

RECEIVED DATE 7/88  
 PART 72041738900  
 PRINTED IN U.S.A. GDFE  
 009  
 © 1988 F.E.C.

**SENDER'S COPY**


636



QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: AAF-W-0052-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth.ANGB  
 Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery		Notes
											SR	SSR	
Arsenic	88092677	88092677	10-16-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.0383	96
Cadmium	88092677	88092677	10-26-88	NA	6010	<0.005	<0.005	<0.005	NC	0.010	<0.005	0.011	110
Chromium	88092677	88092677	10-19-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0218	109
Lead	88092677	88092677	10-21-88	NA	7421	<0.005	<0.005	<0.005	NC	0.020	<0.005	0.0227	114

03  
03  
08


Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected



QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: ICP-W-0059-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery SR	SSR	PR	Notes
Barium	88092677	88092677	10-13-88	NA	6010	<0.2	<0.2	<0.2	NC	2.0	<0.2	1.96	98	


640

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: CVM-W-0031-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-17-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANCB  
 Laboratory Supervisor Approval: 

QC Report for Laboratory Sample No(s):  
 88092487-88092488, 88092492, 88092494-88092495  
 88092509-88092511, 88092513-88092516  
 88092523-88092528, 88092546-88092547

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	Cl.	C2	Duplicate RPD	SA	Spike Recovery		Notes
											SR	SSR	
Mercury	88092487	88092487	10-14-88	NA	254.1	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.00091	91

641

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

C1 = Concentration One  
 C2 = Concentration Two  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)


QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: CVM-W-0030-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth..ANGB

QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Laboratory Supervisor Approval:  


Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	CI	Duplicate C2	RPD	SA	Spike Recovery SR	SSR	PR	Notes
Mercury	88092677	88092677	10-14-88	NA	7471	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.00087	87	

642

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
QC REPORT NO.: TPH-W-0073-88

Insufficient sample was available for quality control purposes.  
The laboratory control sample is designated as a quality control sample  
for this batch.


The reporting limit for the samples in this batch is provided by  
the sub-contract laboratory.



QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Havden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0073-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-05-88  
 Date Analyzed: 10-08-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092523-88092530  
 88092546-88092551

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1.5	<1.5	39.5	42.6	108	38.2	97	11	*
<b>644</b>										

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: VGC-W-0044-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-22-88  
 Date Prepared: NA  
 Date Analyzed: 10-03-88  
 Date Reported: 10-25-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval: W. B. [Signature]

QC Report for Laboratory Sample No(s):  
 88092527-88092528, 88092531-88092532  
 88092546-88092551, 88092573-88092577

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092576	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	9.82	98	9.96	100	1	26	70-130
	Trichloroethene	10	ND	10.3	103	10.2	102	1	19	65-131
	Chlorobenzene	10	ND	10.5	105	10.3	103	2	40	59-137
88092576 <b>645</b>	Aromatics: 8020									
	Benzene	10	ND	10.0	100	10.1	101	1	20	56-146
	Toluene	10	ND	10.1	101	9.85	98	3	41	42-150
	Chlorobenzene	10	ND	10.6	106	9.71	97	9	36	76-133

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Sample Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY


Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-25-88

Project: Duluth ANGB

Laboratory Supervisor Approval:



File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
03	9-27-88	VGC	Carbopack	75-09-2	Dichloromethane	7.4	0.25	88092549-88092550
08	9-23-88	VGC	Voco1	75-09-2 67-66-3 127-18-4	Dichloromethane Chloroform Tetrachloroethylene	11 0.18 0.46	0.25 0.05 0.03	88092546-88092548 88092551

648

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
WORK ORDER NO(S). 1014  
EPA METHOD 8270 ANALYSIS

These samples were first extracted on September 24, 1988 and analyzed on November 1-3, 1988, all within holding times. Area counts for one or more internal standards in the base neutral extract of 88092551 were outside EPA QC limits. The extract was re-analyzed. The internal standard area counts met EPA criteria in the second analysis. Results of the second analysis are reported. Two or more surrogate spike recoveries in the acid extract of 88092549 and the base neutral extract of 88092550 were outside of EPA QC limits. There was no more of either sample left for re-extraction.

647

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830  
 Project: Duluth ANGB

QC Report No: BNA-W-0049-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 09-20-88  
 Date Prepared: 09-24-88  
 Date Analyzed: 12-13-88  
 Dilution Factor: NA

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092513-88092516, 88092523-88092528  
 88092546-88092551

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092516	1,2,4-Trichlorobenzene	100	ND	74.9	75	78.2	78	4	28
	Acenaphthene	100	ND	67.9	68	72.7	73	7	31
	2,4-Dinitrotoluene	100	ND	83.4	83	87.6	88	6	38
	Pyrene	100	ND	67.8	68	75.6	76	11	31
	N-Nitroso-di-n-Propylamine	100	ND	82.0	82	101	101	20	38
	1,4-Dichlorobenzene	100	ND	62.6	63	70.7	71	12	28
ACID Laboratory Sample # 88092516	Pentachlorophenol	200	ND	77.4	39	93.3	47	19	50
	Phenol	200	ND	73.9	37	68.1	34	8	42
	2-Chlorophenol	200	ND	126	63	110	55	14	40
	4-Chloro-3-Methylphenol	200	ND	194	97	190	95	2	42
	4-Nitrophenol	200	ND	53.5	27	40.9	20	29	50

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001      Work Order No.: 1014

Client: ES Oak Ridge      Sample Matrix: Water

Attn: Bill Hayden      Conc. Unit: ug/L

Address: 710 S. Illinois Avenue      Date Reported: 3-23-89

         Suite F-103

         Oak Ridge, Tn. 37830

Project: Duluth ANGB

Laboratory Supervisor Approval: 

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
E6322	11-23-88	AC	2	-	None Found	-	-	88092546-88092551
E6028	10-30-88	BN	2	117-81-7	Bis(2-ethylhexyl)phthalate	18	10	88092546-88092551
<b>649</b>								

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092513 BN
Blank			
Attn:	Bill Hayden	Lab File ID:	E6028
Address:	710 S. Illinois Avenue	Date Received:	NA
	Suite F-103	Date Extracted:	09-24-88
	Oak Ridge, Tn. 37830	Date Analyzed:	10-31-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc) SepF	
# TICs Found:	2		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.24	17	
-	Unknown	28.87	6	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092513-16,
2523-28			
Attn:	Bill Hayden		2546-51 AC
Blank			
Address:	710 S. Illinois Avenue	Lab File ID:	E6322
	Suite F-103	Date Received:	NA
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-23-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	1		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.08	14	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092546-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0322
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	1		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	5.08	17 B	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.: 1014
		Matrix: (soil/water) Water
		Sample Wt/vol: 1000 ml
		Lab Sample ID: 88092546-BN
Client:	ES Oak Ridge	Lab File ID: S0323
Attn:	Bill Hayden	Date Received: 09-21-88
Address:	710 S. Illinois Avenue	Date Extracted: 09-24-88
	Suite F-103	Date Analyzed: 11-01-88
	Oak Ridge, Tn. 37830	Date Reported: 04-04-89
Project:	Duluth ANGB	Dilution Factor: 1
		% Moisture: dec:
		not dec: N
		GPC Clean up: (Y/N) N
		Extraction:
		(SepF/Cont/Conc) SepF
# TICs Found:	2	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
108-8803	Toluene	4.38	5	
127-18-4	Tetrachloroethene	5.09	34 B	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092547-AC
Attn:	Bill Hayden	Lab File ID:	S0324
Address:	710 S. Illinois Avenue	Date Received:	09-21-88
	Suite F-103	Date Extracted:	09-24-88
	Oak Ridge, Tn. 37830	Date Analyzed:	11-01-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	1		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	5.10	19 B	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
		Lab Sample ID:	88092547-BN
Client:	ES Oak Ridge	Lab File ID:	S0325
Attn:	Bill Hayden	Date Received:	09-21-88
Address:	710 S. Illinois Avenue	Date Extracted:	09-24-88
	Suite F-103	Date Analyzed:	11-01-88
	Oak Ridge, Tn. 37830	Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture:	dec:
			not dec: N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	2		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
108-88-3	Toluene	4.39	5	
127-18-4	Tetrachloroethene	5.10	28 B	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092548-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0326
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc) SepF	
# TICs Found:	2		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.84	5	
127-18-4	Tetrachloroethene	5.09	14 B	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092548-BN
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0327
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
Project:	Duluth ANGB	Date Reported:	04-04-89
		Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
# TICs Found:	4	Extraction:	
		(SepF/Cont/Conc) SepF	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.17	4	
127-18-4	Tetrachloroethene	5.08	23 B	
-	Unknown	23.69	7	
-	Unknown	28.99	9	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092549-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0328
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	14		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.86	14	
127-18-4	Tetrachloroethene	5.10	26 B	
-	Unknown	5.42	5	
79-34-5	1,1,2,2-Tetrachloroethane	7.07	12	
-	Unknown	11.21	12	
-	Unknown	11.53	50	
-	Unknown	11.81	4	
-	Unknown	12.18	4	
-	Unknown	13.26	17	
-	Unknown	14.60	5	
-	Unknown	15.22	5	
-	Unknown	16.93	370	
-	2,4,6-Trimethylbenzoic acid	17.54	14	
-	Unknown	27.16	4	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092549-BN
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0329
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-02-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture:	dec:
			not dec: N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	2		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
108-88-3	Toluene	4.38	4	
127-18-4	Tetrachloroethene	5.09	22 B	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
Client:	ES Oak Ridge	Sample Wt/vol:	1000 ml
Attn:	Bill Hayden	Lab Sample ID:	88092350-AC
Address:	710 S. Illinois Avenue	Lab File ID:	S0330
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-02-88
Project:	Duluth ANGB	Date Reported:	04-04-89
		Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
# TICs Found:	3	Extraction:	
		(SepF/Cont/Conc)	SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.37	5	
127-18-4	Tetrachloroethene	5.08	30 B	
-	Unknown	28.22	8	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
		Lab Sample ID:	88092550-BN
Client:	ES Oak Ridge	Lab File ID:	E6078
Attn:	Bill Hayden	Date Received:	09-21-88
Address:	710 S. Illinois Avenue	Date Extracted:	09-24-88
	Suite F-103	Date Analyzed:	11-03-88
	Oak Ridge, Tn. 37830	Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture:	dec:
			not dec: N
		GPC Clean up:	(Y/N) N
		Extraction:	
			(SepF/Cont/Conc) SepF
# TICs Found:	1		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.19	7 B	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092551-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	E6052
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	N
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	3		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.98	7	
127-18-4	Tetrachloroethene	4.17	14 B	
-	Unknown	34.31	4	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1014
		Matrix:	(soil/water) Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092551-BN
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	E6053
	Suite F-103	Date Received:	09-21-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-24-88
		Date Analyzed:	11-01-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture:	dec:
			not dec: N
		GPC Clean up:	(Y/N) N
		Extraction:	
			(SepF/Cont/Conc) SepF
# TICs Found:	3		


CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	5.74	64	
-	Unknown	9.82	9	
-	Unknown	27.61	4	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.: 1014
		Matrix: (soil/water) Water
		Sample Wt/vol: 1000 ml
Client:	ES Oak Ridge	Lab Sample ID: 88092551-BN
Attn:	Bill Hayden	Re-analysis
Address:	710 S. Illinois Avenue	Lab File ID: E6323
	Suite F-103	Date Received: 09-21-88
	Oak Ridge, Tn. 37830	Date Extracted: 09-24-88
		Date Analyzed: 11-23-88
		Date Reported: 04-04-89
Project:	Duluth ANGB	Dilution Factor: 1
		% Moisture: dec:
		not dec: N
		GPC Clean up: (Y/N) N
		Extraction:
		(SepF/Cont/Conc) SepF
# TICs Found:	4	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.07	22 B	
-	Unknown	5.64	66	
-	Unknown	9.71	4	
-	Unknown	27.41	4	





File: 001103 Scan #: 31 Retn. time: 4.34

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.00	.774	96.00	4.126	147.95	2.321	198.00	100.000	256.00	5.364
43.20	.554	99.00	2.669	148.95	.516	199.00	6.435	257.00	.554
49.20	.525	99.90	.374	149.95	.219	200.00	.464	257.90	1.696
50.00	12.263	101.00	2.257	152.95	.606	201.50	.516	272.90	1.173
51.10	52.418	103.00	.671	155.05	1.199	202.95	.645	274.00	3.211
52.00	2.672	104.00	1.019	156.05	1.470	203.95	2.424	275.00	20.322
55.10	1.161	105.00	1.096	157.05	.503	204.95	4.449	276.00	3.069
55.95	1.921	107.00	13.540	158.85	.554	205.95	19.626	276.95	1.805
57.05	5.093	108.00	2.063	159.95	.787	206.95	2.656	277.85	.258
60.05	.219	110.00	34.610	161.05	1.096	207.85	.619	284.95	.361
62.05	.916	111.00	4.449	164.95	.916	210.95	.735	292.95	.245
63.05	2.373	112.00	.993	167.00	3.662	211.45	.438	295.95	4.423
65.05	1.173	113.10	.361	168.80	1.380	216.95	4.977	296.95	.516
67.05	.432	116.00	.954	169.00	.297	217.95	.709	302.15	.266
68.95	71.876	117.00	7.840	170.80	.155	220.95	5.635	302.45	.142
73.05	.954	117.90	.516	172.00	.464	222.95	1.302	302.95	.529
74.05	5.442	122.00	.877	173.00	.400	223.95	10.316	313.90	.245
75.05	8.188	123.00	1.418	173.90	.890	224.95	2.308	314.90	.503
76.15	2.566	123.90	.735	175.00	1.857	225.95	.309	323.00	1.612
77.05	49.491	125.60	.206	176.00	.374	226.95	3.933	326.80	.219
78.05	3.275	127.00	46.125	176.90	.941	228.95	1.057	332.90	.232
79.05	4.320	128.00	3.301	177.90	.387	230.95	.400	334.00	1.109
79.95	2.476	129.00	19.807	178.90	2.966	233.95	.193	353.95	.477
81.05	4.823	129.95	1.792	180.00	2.012	235.95	.193	364.95	1.573
81.35	1.444	130.95	.567	181.00	1.161	236.95	.348	371.95	.606
83.05	.967	131.95	.400	183.90	.258	238.95	.400	420.80	.436
83.55	.287	133.95	.454	185.00	1.589	241.80	.377	424.80	.364

67.05	.498 140.55	2.321 168.00	.413 245.90	1.599 440.95	9.207
91.05	1.225 141.55	.636 191.00	.371 252.90	.168 441.95	75.435
52.05	.825 142.55	.619 192.00	.928 253.70	.245 442.95	13.798
95.00	5.184 145.95	.387 193.00	.928 255.00	40.903 443.95	1.360
94.00	.580 146.95	1.212 196.00	3.069		



Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/03/68  
 Contractor: \_\_\_\_\_ Time: 14:28  
 Contract No: \_\_\_\_\_ Laboratory ID: 3E6063  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/68

Minimum RF for SFCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SFCC
N-Nitroso-Dimethylaniline	1.24043	1.30563	5.26		
2-Fluorophenol	1.41912	1.50639	6.15		
bis(2-Chloroethyl)ether	1.41737	1.34464	5.13		
Phenol	1.78209	1.91762	7.60 *		
Phenol-d5	1.35470	1.56806	12.23		
Aniline	.74553	.62883	15.65		
2-Chlorophenol	1.32089	1.37768	4.31		
1,3-Dichlorobenzene	1.51101	1.48721	1.58		
1,4-Dichlorobenzene	1.51574	1.51482	.06 *		
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.56944	.42685	26.03		
1,2-Dichlorobenzene	1.45178	1.51741	4.52		
2-Methylphenol	1.42392	1.44357	1.80		
3,4-Dimethylphenol	1.58422	1.44957	8.50		
bis(2-chloroisopropyl)ether	2.35722	2.61717	11.03		
N-Nitroso-Di-n-Propylamine	1.13410	1.38746	22.34 **		
Hexachloroethane	.70056	.71044	1.41		
Dibromochloropropane	-	-	-		
Nitrobenzene	.56683	.64055	13.01		
Nitrobenzene-d5	.45938	.53183	6.50		
2-Nitrophenol	.22040	.25227	14.46 *		
Isophorone	.87207	.99102	13.64		
bis(2-Chloroethoxy)methane	.58240	.62608	7.84		
2,4-Dimethylphenol	.40862	.45585	11.51		
Benzoic Acid	.29595	.36398	22.99		
2,4-Dichlorophenol	.53135	.51879	2.36 *		
1,2,4-Trichlorobenzene	.31739	.33383	5.18		
Naphthalene	.99196	.99743	1.58		
4-Chloroaniline	.33116	.36630	11.21		
Hexachlorobutadiene	.18652	.18247	2.17 *		
4-Chloro-3-Methylphenol	.28631	.34193	19.42 *		
2-Methylnaphthalene	.54468	.59437	9.12		

RF - Response factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SFCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/03/68  
 Contractor: \_\_\_\_\_ Time: 14:28  
 Contract No: \_\_\_\_\_ Laboratory ID: 16069  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/68

Minimum  $\bar{Rf}$  for SPCC is \_\_\_\_\_ Maximum  $\bar{\Delta}$  Diff for CCC is %

Compound	$\bar{Rf}$	Rf	$\Delta$ Diff	CCC	SPCC
Hexachlorocyclopentadiene	.33283	.35175	5.67	**	
2,4,6-Trichlorophenol	.32295	.35033	8.49	*	
2,4,5-Trichlorophenol	.49533	.46613	16.02		
2-Fluorobiphenyl	1.26659	1.11266	12.18		
2-Chloronaphthalene	1.24653	1.14896	7.63		
2-Nitroaniline	.63125	.66617	4.57		
Dimethylphthalate	1.33033	1.31558	1.11		
2,6-Dinitrotoluene	.31816	.38456	20.61		
Acenaphthylene	1.65820	1.52832	7.63		
3-Nitroaniline	.63702	.68886	8.14		
2,4-Dinitrophenol	.05753	.04585	20.30	**	
Acenaphthene	1.12644	1.05336	6.49		
Dibenzofuran	1.50204	1.48730	.98		
2,4-Dinitrotoluene	.32099	.39504	23.07		
4-Nitrophenol	.16425	.16118	12.52	**	
Fluorene	1.09532	1.07173	1.97		
Dimethylphthalate	1.32354	1.25654	5.06		
4-Chlorophenyl-phenylether	.46214	.43019	10.78		
4-Nitroaniline	.27495	.34275	24.66		
2,4,6-Trinitrophenol	.14216	.20041	40.96		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.44983	.45452	1.04	*	
4,6-Dinitro-2-nitrophenol	.08606	-	-		
4-Bromophenyl-phenylether	.22979	.24500	6.62		
Hexachlorobenzene	.26768	.30321	5.40		
Pentachlorophenol	.11390	.11906	4.53	*	

Rf - Response Factor from daily standard file at 60.00 ng/L

$\bar{Rf}$  - Average Response Factor from Initial Calibration Form VI

$\Delta$ Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/03/86  
 Contractor: \_\_\_\_\_ Time: 14:28  
 Contract No: \_\_\_\_\_ Laboratory ID: X6669  
 Instrument ID: \_\_\_\_\_ Initial Calibration Date: 10/13/86

Minimum RF for SPC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC SPC
Fluoranthene	1.07960	1.03227	4.36	
Anthracene	1.13331	1.17185	3.40	
0-n-Butylphthalate	1.71746	1.95536	13.85	
4,4'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.17566	1.15428	1.82	*
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
4,4'-DDT	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
4,4'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
4,4'-DDI	-	-	-	
Endosulfan Sulfate	-	-	-	
Diethylchloroacetate	-	-	-	
Benzidine	.03775	.01484	60.69	
Pyrene	1.65647	1.51084	8.79	
Terphenyl-di-4	1.09647	1.04944	4.29	
Butylbenzylphthalate	1.15097	1.25339	8.90	
3,3'-Dichlorobenzidine	.12990	.21122	62.61	
Chrysene	1.01423	.97755	3.62	
Benzo(a)anthracene	1.09006	1.20009	10.09	
bis(2-Ethylhexyl)Phthalate	1.34247	1.47474	9.85	
Di-n-octylphthalate	3.72331	3.38204	9.17	*
Benzo(a)Pyrene	1.27071	1.27228	.12	*
Benzo(b)Fluoranthene	1.48902	1.40791	5.45	
Indeno(1,2,3-cd)Pyrene	.82543	1.19537	44.82	
Dibenzo(a,h)anthracene	.78966	.95572	21.03	
Benzo(k)Fluoranthene	1.51900	1.23502	18.70	
Benzo(g,h,i)Perylene	.74560	.68242	18.32	

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: ORØØ1  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): \_\_\_\_\_ Date Analyzed: \_\_\_\_\_  
 Lab File ID (Standard): \_\_\_\_\_ Time Analyzed: \_\_\_\_\_  
 Instrument ID: 1

	IS1 (DCB) AREA #	RT	IS2 (NPT) AREA #	RT	IS3 (ANT) AREA #	RT
12-HOUR STD	78924	8.06	271405	11.59	151711	16.99
UPPER LIMIT	152848		542810		303422	
LOWER LIMIT	39462		135702		75856	
EPA SAMPLE NO.						
01	88092550 RN	8.04	216653	11.53	116428	16.95
02	88092515 AC	8.05	214495	11.55	125810	16.95
03	88092515 RN	8.06	226482	11.56	133068	16.96
04						
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = - 100% of  
 internal standard area.  
 LOWER LIMIT = - 50% of  
 internal standard area.

\* Column used to flag internal standard area values with an asterisk

SC  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: ORD01  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): \_\_\_\_\_ Date Analyzed: \_\_\_\_\_  
 Lab File ID (Standard): \_\_\_\_\_ Time Analyzed: \_\_\_\_\_  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT	
12 HOUR STD	264869	21.60	151735	29.99	119327	35.01	
UPPER LIMIT	409738		303470		238654		
LOWER LIMIT	102734		75867		59663		
EPA SAMPLE NO.							
01	88092588U	188380	21.52	167540	29.95	122975	34.95
02	88092588S AC	192526	21.56	162779	29.95	103345	34.95
03	88092588U	208373	21.59	179619	29.95	119619	34.92
04							
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Pyrene-d12  
 UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

\* Column used to flag internal standard area values with an asterisk

FILE CONTINUAL  
24 Oct 88

50. d continuing  
check

VOLATILE CONTINUING CALIBRATION CHECK

9/23/88

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: CARBopak Calibration Date(s): 9/23/88

LAB FILE ID: 45, 52 Init. Calib. Date(s): 9/19/88 9/23/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	0.32	<del>0.34</del>	6
bis (2-chloroethoxy methane			
bis (2-chloroisopropyl ether			
Bromobenzene	1.4	1.2	14
Bromodichloromethane	3.7	3.7	0
Bromoform	1.9	2.0	5
Bromomethane	-	0.16	
Carbon tetrachloride	4.2	4.1	2
Chloroacetaldehyde	-		
Chlorobenzene	1.4	1.4	0
Chloroethane	0.72	0.45	38
Chloroform	5.1	4.1	24
1-Chlorohexane	1.2	1.0	17
2-Chloroethyl vinyl ether	-		
Chloromethane	0.47	0.43	9
Chloromethyl methyl ether	-		
o, m, & p Chlorotoluenes	4.6	4.0	13
Dibromochloromethane	3.7	3.8	3
Dibromomethane	3.2	2.8	13
1,2 Dichlorobenzene	2.5	2.0	20
1,3 Dichlorobenzene	2.1	2.1	0
1,4 Dichlorobenzene	2.1	2.4	14
Dichlorodifluormethane	<del>2.4</del>		
1,1 Dichloroethane	2.4	2.2	8
1,2 Dichloroethane	2.6	2.4	8
1,1 Dichloroethylene	2.6	2.3	12
trans 1,2 dichloroethylene	2.4	2.3	4
Dichloromethane	4.1	1.0	76
1,2 Dichloropropane	2.4	2.3	4
1,3 Dichloropropylene	5.4	5.2	12
1,1,2,2 Tetrachloroethane	7.5	7.1	5
1,1,1,2 Tetrachloroethane	5.2	4.5	13
Tetrachloroethylene	7.5	7.1	5
1,1,1 Trichloroethane	3.0	2.9	3
1,1,2 Trichloroethane	5.9	5.2	12
Trichloroethylene	4.0	3.8	5
Trichlorofluormethane	2.3	2.0	13
Trichloropropane	2.1	1.8	14
Vinyl chloride	0.44	0.78	17

2493  
2524  
2522

file: 8020CONT  
3 Nov 88

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_  
Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
Instrument ID.: CARBopak Calibration Date(s): 9/23/88  
LAB FILE ID: 45 Init. Calib. Date(s): 9/19/88

COMPOUND	RRF	RRF50	%D
Benzene	4.9	4.6	6
Chlorobenzene	5.3	5.8	9
1,2_Dichlorobenzene	4.7	3.9	17
1,3_Dichlorobenzene	4.7	4.4	6
1,4_Dichlorobenzene	4.0	3.5	13
Ethyl Benzene	4.4	4.8	9
Toluene	3.4	4.2	8
Xylenes	13	11	15

DATA PACKAGE #11



This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CALIFORNIA 94710  
(415) 548-7970

Job No.: OR001

Work Order No.: 1020

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-22-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092573	DANGB-2-GW2A-GW1	BA-I	9-21-88		10-13-88	
88092573	DANGB-2-GW2A-GW1	CD-F	9-21-88		10-26-88	
88092573	DANGB-2-GW2A-GW1	CR-F	9-21-88		10-16-88	
88092573	DANGB-2-GW2A-GW1	PB-F	9-21-88		10-21-88	
88092573	DANGB-2-GW2A-GW1	418.1	9-21-88	10-04-88	10-08-88	
88092573	DANGB-2-GW2A-GW1	8010	9-21-88		9-23-88	
88092573	DANGB-2-GW2A-GW1	8020	9-21-88		9-23-88	
88092573	DANGB-2-GW2A-GW1	8270	9-21-88	9-27-88	11-05-88	
88092574	DANGB-2-MW56-GW1	BA-I	9-21-88		10-13-88	
88092574	DANGB-2-MW56-GW1	CD-F	9-21-88		10-26-88	
88092574	DANGB-2-MW56-GW1	CR-F	9-21-88		10-16-88	
88092574	DANGB-2-MW56-GW1	PB-F	9-21-88		10-21-88	
88092574	DANGB-2-MW56-GW1	418.1	9-21-88	10-01-88	10-10-88	
88092574	DANGB-2-MW56-GW1	8010	9-21-88		9-23-88	
88092574	DANGB-2-MW56-GW1	8020	9-21-88		9-23-88	
88092574	DANGB-2-MW56-GW1	8270	9-21-88	9-27-88	11-05-88	11-30-88
88092575	DANGB-2-MW4-GW1	BA-I	9-21-88		10-13-88	
88092575	DANGB-2-MW4-GW1	CD-F	9-21-88		10-26-88	
88092575	DANGB-2-MW4-GW1	CR-F	9-21-88		10-16-88	
88092575	DANGB-2-MW4-GW1	PB-F	9-21-88		10-21-88	
88092575	DANGB-2-MW4-GW1	418.1	9-21-88	10-01-88	10-10-88	
88092575	DANGB-2-MW4-GW1	8010	9-21-88		9-23-88	
88092575	DANGB-2-MW4-GW1	8020	9-21-88		9-23-88	
88092575	DANGB-2-MW4-GW1	8270	9-21-88	9-27-88	11-05-88	

\* If applicable

Job No.: OR001

Work Order No.: 1020

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092576	DANGB-2-GW2C-GW1	BA-I	9-21-88		10-13-88	
88092576	DANGB-2-GW2C-GW1	CD-F	9-21-88		10-26-88	
88092576	DANGB-2-GW2C-GW1	CR-F	9-21-88		10-16-88	
88092576	DANGB-2-GW2C-GW1	PB-F	9-21-88		10-21-88	
88092576	DANGB-2-GW2C-GW1	418.1	9-21-88	10-01-88	10-10-88	
88092576	DANGB-2-GW2C-GW1	8010	9-21-88		9-23-88	
88092576	DANGB-2-GW2C-GW1	8020	9-21-88		9-23-88	
88092576	DANGB-2-GW2C-GW1	8270	9-21-88	9-27-88	11-05- / 11-30-88	
88092577	DANGB-2-GW2D-GW1	BA-I	9-21-88		10-13-88	
88092577	DANGB-2-GW2D-GW1	CD-F	9-21-88		10-26-88	
88092577	DANGB-2-GW2D-GW1	CR-F	9-21-88		10-16-88	
88092577	DANGB-2-GW2D-GW1	PB-F	9-21-88		10-21-88	
88092577	DANGB-2-GW2D-GW1	418.1	9-21-88	10-01-88	10-08-88	
88092577	DANGB-2-GW2D-GW1	8010	9-21-88		9-23-88	
88092577	DANGB-2-GW2D-GW1	8020	9-21-88		9-23-88	
88092577	DANGB-2-GW2D-GW1	8270	9-21-88	9-27-88	11-05-88	
88092578	DANGB-2-MW39-GW1	BA-I	9-21-88		10-13-88	
88092578	DANGB-2-MW39-GW1	CD-F	9-21-88		10-26-88	
88092578	DANGB-2-MW39-GW1	CR-F	9-21-88		10-19-88	
88092578	DANGB-2-MW39-GW1	PB-F	9-21-88		10-21-88	
88092578	DANGB-2-MW39-GW1	418.1	9-21-88	10-01-88	10-10-88	
88092578	DANGB-2-MW39-GW1	8010	9-21-88		9-23-88	
88092578	DANGB-2-MW39-GW1	8020	9-21-88		9-23-88	
88092578	DANGB-2-MW39-GW1	8270	9-21-88	9-27-88	11-06-88	
88092579	DANGB-BR10	BA-I	9-21-88		10-13-88	
88092579	DANGB-BR10	CD-F	9-21-88		10-26-88	
88092579	DANGB-BR10	CR-F	9-21-88		10-16-88	
88092579	DANGB-BR10	PB-F	9-21-88		10-21-88	
88092579	DANGB-BR10	418.1	9-21-88	Not Given	10-10-88	
88092579	DANGB-BR10	8010	9-21-88		9-23-88	9-28-88
88092579	DANGB-BR10	8020	9-21-88		9-23-88	
88092579	DANGB-BR10	8270	9-21-88	9-27-88	11-06-88	
88092580	DANGB-FB13	8010	9-21-88		9-26-88	
88092580	DANGB-FB13	8020	9-21-88		9-26-88	
88092581	DANGB-FB14	8010	9-21-88		9-28-88	9-30-88
88092581	DANGB-FB14	8020	9-21-88		9-28-88	
88092582	DANGB-TB10	8010	9-21-88		9-28-88	9-29-88
88092582	DANGB-TB10	8020	9-21-88		9-28-88	


\* If applicable

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S).: 88092573-88092579  
WORK ORDER NO.: 1020

These water samples were received at the ES Berkeley Laboratory on 9-22-88. They were received cold and intact.

ANALYSIS REPORT

WORK ORDER NUMBER: 1020  
LAB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/22/88

APPROVED BY   
Lab Supervisor

PORT DATA:  
OAK RIDGE/DULUTH ANGB  
610 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

CONCENTRATION: 2, UNITS: mg/L

TEST COMPOUND	DANGB-2-GW2A-GW1	DANGB-2-MW56-GW1	DANGB-2-MW4-GW1	DANGB-2-GW2C-GW1	DANGB-2-GW2D-GW1	DANGB-2-MW39-GW1
LEAD	88092573	88092574	88092575	88092576	88092577	88092578
CHLORIDE	NA	NA	NA	NA	NA	NA
CHLORINE	NA	NA	NA	NA	NA	NA
CHLORINE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
CHROMIUM	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
CHROMIUM	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
CHROMIUM	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005

- Not Detected

12/12/88

ANALYSIS REPORT FOR WORK ORDER NUMBER 1020

ASK: 2, UNITS: mg/L

DANGB-BR10

EST COMPOUND

88092579

CID DIG FLAME	NA
CID DIG FURNACE	NA
BARIIUM	<0.2
CADMIUM	<0.005
CHROMIUM	<0.01
LEAD	<0.005

ND - Not Detected

681

ANALYSIS REPORT

WORK ORDER NUMBER: 1020  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/22/88

APPROVED BY



Lab Supervisor

REPORT DATA:  
OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-2-GW2A-GW1	DANGB-2-MW56-GW1	DANGB-2-MW4-GW1	DANGB-2-GW2C-GW1	DANGB-2-GW2D-GW1	DANGB-2-MW39-GW1
18.1 PETROLEUM HYDROCARBONS	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5

ND - Not Detected

ENGINEERING-SCIENCE INC.  
12/12/88

PAGE 4

ANALYSIS-REPORT FOR WORK ORDER NUMBER 1020

ASK: 3, UNITS: mg/L

DANGB-BR10

TEST COMPOUND

88092579

18.1 PETROLEUM HYDROCARBONS

<1.5

ND - Not Detected

683



ANALYSIS REPORT

ORK ORDER NUMBER: 1020  
 OB NUMBER : ZB000000440  
 ORK ORDER DATE : 09/22/88

APPROVED BY



Lab Supervisor

REPORT DATA:

S OAK RIDGE/DULUTH ANGB  
 10 S. ILLINOIS AVE. STE. S103  
 AK RIDGE, TN 37830  
 ILL HAYDEN

CLIENT DATA:

ES OAK RIDGE/DULUTH ANGB ( 134)  
 710 S. ILLINOIS AVE. STE. S103  
 OAK RIDGE, TN 37830

OF REPORT COPIES: 1

ONTRACT / PO # : OR001  
 ONTACT : BILL HAYDEN  
 (615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8010

EST COMPOUND	DANGB-2-GW2A- GW1 88092573	DANGB-2-MW56- GW1 88092574	DANGB-2-MW4- GW1 88092575	DANGB-2-GW2C- GW1 88092576	DANGB-2-GW2D- GW1 88092577	DANGB-2-MW39- GW1 88092578
ENZYL CHLORIDE	ND	ND	ND	ND	ND	ND
IS (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND	ND	ND
IS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND	ND	ND
ROMOBENZENE	ND	ND	ND	ND	ND	ND
ROMODICHLOROMETHANE	ND	ND	ND	ND	ND	ND
ROMOFORM	ND	ND	ND	ND	ND	ND
ROMOETHANE	ND	ND	ND	ND	ND	ND
ARBON TETRACHLORIDE	ND	ND	ND	ND	ND	ND
HLORACETALDEHYDE	ND	ND	ND	ND	ND	ND
HLORAL	ND	ND	ND	ND	ND	ND
HLOROBENZENE	ND	ND	ND	ND	ND	ND
HLOROETHANE	ND	ND	ND	ND	ND	ND
HLOROFORM	ND	ND	ND	ND	ND	ND
-CHLOROHEXANE	ND	ND	ND	ND	ND	ND
-CHLOROETHYL VINYL ETHER	ND	ND	ND	ND	ND	ND
HLORMETHANE	ND	ND	ND	ND	ND	ND
HLORMETHYL METHYL ETHER	ND	ND	ND	ND	ND	ND
HLOROTOLUENE	ND	ND	ND	ND	ND	ND
IBROMOCHLOROMETHANE	ND	ND	ND	ND	ND	ND
IBROMOMETHANE	ND	ND	ND	ND	ND	ND
,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ICHLOROFLUOROMETHANE	ND	ND	ND	ND	ND	ND
,1-DICHLOROETHANE	ND	ND	ND	ND	ND	ND
,2-DICHLOROETHANE	ND	ND	ND	ND	ND	ND
,1-DICHLOROETHYLENE	ND	ND	ND	ND	ND	ND
RANS-1,2-DICHLOROETHYLENE	ND	ND	ND	ND	ND	ND
ICHLOROMETHANE	ND	ND	ND	ND	ND	ND
,2-DICHLOROPROPANE	ND	ND	ND	ND	ND	ND

) - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1020

TEST COMPOUND	DANGB-2-GW2A- GW1 88092573	DANGB-2-MW56- GW1 88092574	DANGB-2-MW4- GW1 88092575	DANGB-2-GW2C- GW1 88092576	DANGB-2-GW2D- GW1 88092577	DANGB-2-MW39- GW1 88092578
1,3-DICHLOROPROPYLENE	ND	ND	ND	ND	ND	ND
1,1,2,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	ND	ND	ND	ND	ND	ND
TETRACHLOROETHYLENE	ND	ND	ND	ND	ND	ND
1,1,1-TRICHLOROETHANE	ND	ND	ND	ND	ND	ND
1,1,2-TRICHLOROETHANE	ND	ND	ND	ND	ND	ND
TRICHLOROETHYLENE	ND	ND	ND	ND	ND	ND
TRICHLOROFLUOROMETHANE	ND	ND	ND	ND	ND	ND
TRICHLOROPROPANE	ND	ND	ND	ND	ND	ND
VINYL CHLORIDE	ND	ND	ND	ND	ND	ND

ND - Not Detected



ANALYSIS REPORT

WORK ORDER NUMBER: 1020  
JOB NUMBER : ZB000000440  
WORK ORDER DATE : 09/22/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

# OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

ASK: 4, UNITS: ug/L, GROUP 8020

EST COMPOUND	DANGB-2-GW2A- GW1 88092573	DANGB-2-MW56- GW1 88092574	DANGB-2-MW4- GW1 88092575	DANGB-2-GW2C- GW1 88092576	DANGB-2-GW2D- GW1 88092577	DANGB-2-MW39- GW1 88092578
BENZENE	ND	ND	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	ND	ND	ND
TOLUENE	ND	ND	ND	ND	ND	ND
XYLENES	ND	ND	ND	ND	ND	ND

ND - Not Detected

ANALYSIS REPORT FOR WORK ORDER NUMBER 1020

ASK: 4, UNITS: ug/L, GROUP 8020

	DANGB-BR10	DANGB-FB13	DANGB-FB14	DANGB-TB10
TEST COMPOUND	88092579	88092580	88092581	88092582
-----				
BENZENE	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND
2-DICHLOROBENZENE	ND	ND	ND	ND
3-DICHLOROBENZENE	ND	ND	ND	ND
4-DICHLOROBENZENE	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	ND
STYRENE	ND	ND	ND	ND
PHENOL	ND	ND	ND	ND

- Not Detected

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092573	88092574
Sample No.:	DANGB-2-GW2A-GW1	DANGB-2-MW56-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	08:45	09:15
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-05-88/11-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	144	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

3 = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092573	88092574
Sample No.:	DANGB-2-GW2A-GW1	DANGB-2-MW56-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	08:45	09:15
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-05-88/11-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Benanthrene	10	ND	ND
Anthracene	10	ND	ND
Di-n-butyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
1-Chlorophenyl phenyl ether	10	ND	ND
Dibenzofluorene	10	ND	ND
Di-n-butyl Benzyl phthalate	10	ND	ND
Diis(2-ethylhexyl) phthalate	10	ND	11 B
Dibenzofluorene	10	ND	ND
1-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzenzidine	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(1,2,3-cd)pyrene	10	ND	ND
Benzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Di-n-butyl Alcohol	20	ND	ND

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092573	88092574
Sample No.:	DANGB-2-GW2A-GW1	DANGB-2-MW56-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	08:45	09:15
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-05-88/11-30-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
1-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.



Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 22, 1988  
Date Reported: December 9, 1988

Work Order: 1020  
Job Number: OR001

DR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092573	88092574
Sample No.:	DANGB-2-GW2A-GW1	DANGB-2-MW56-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	08:45	09:15
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-05-88/11-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
alpha-BHC	--*	ND	ND
gamma-BHC	—*	ND	ND
delta-BHC	20	ND	ND
heptachlor	10	ND	ND
delta-BHC	15	ND	ND
dieldrin	10	ND	ND
heptachlor epoxide	10	ND	ND
endosulfan I	--*	ND	ND
dieldrin	15	ND	ND
,4'-DDE	30	ND	ND
dieldrin	--*	ND	ND
endosulfan II	--*	ND	ND
,4'-DDD	15	ND	ND
,4'-DDT	25	ND	ND
endosulfan Sulfate	30	ND	ND
dieldrin aldehyde	--*	ND	ND
dieldrin Ketone	--*	ND	ND
dieldrin	60	ND	ND
methoxychlor	--*	ND	ND
dieldrin	60	ND	ND
rochlor-1016	60	ND	ND
rochlor-1221	60	ND	ND
rochlor-1232	60	ND	ND
rochlor-1242	60	ND	ND
rochlor-1248	60	ND	ND
rochlor-1254	60	ND	ND
rochlor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 22, 1988  
 Date Reported: December 9, 1988


Work Order: 1020  
 Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092573	88092574
Sample No.:	DANGB-2-GW2A-GW1	DANGB-2-MW56-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	08:45	09:15
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-05-88/11-30-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

\* = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

DR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092575	88092576
Sample No.:	DANGB-2-MW4-GW1	DANGB-2-GW2C-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	11:30	10:30
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88/11-30-88	11-05-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
,3-Dichlorobenzene	10	ND	ND
,4-Dichlorobenzene	10	ND	ND
hexachloroethane	10	ND	ND
is(2-chloroethyl)ether	10	ND	ND
,2-Dichlorobenzene	10	ND	ND
-Nitrosodimethylamine	10	ND	ND
is(2-chloroisopropyl)ether	10	ND	ND
-Nitrosodi-n-propylamine	10	ND	ND
hexachlorobutadiene	10	ND	ND
,2,4-Trichlorobenzene	10	ND	ND
nitrobenzene	10	ND	ND
sophorone	10	ND	ND
phthalene	10	ND	ND
is(2-chloroethoxy)methane	10	ND	ND
-Chloronaphthalene	10	ND	ND
hexachlorocyclopentadiene	10	ND	ND
acenaphthylene	10	ND	ND
acenaphthene	10	ND	ND
dimethyl phthalate	10	ND	ND
,6-Dinitrotoluene	10	ND	ND
luorene	10	ND	ND
,4-Dinitrotoluene	10	ND	ND
diethyl phthalate	10	ND	ND
-Nitrosodiphenylamine	10	ND	ND
hexachlorobenzene	10	ND	ND

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals = SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092575	88092576
Sample No.:	DANGB-2-MW4-GW1	DANGB-2-GW2C-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	11:30	10:30
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88/11-30-88	11-05-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	ND	ND
Chrysene	10	ND	ND
p-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

ND = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

From: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092575	88092576
Sample No.:	DANGB-2-MW4-GW1	DANGB-2-GW2C-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	11:30	10:30
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88/11-30-88	11-05-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
acetophenone	--*	ND	ND
aniline	--*	ND	ND
-Aminobiphenyl	--*	ND	ND
-Chloroaniline	20	ND	ND
-Chloronaphthalene	--*	ND	ND
benzofuran	10	ND	ND
-Dimethylaminoazobenzene	--*	ND	ND
,12-Dimethylbenz(a)anthracene	--*	ND	ND
-,a-Dimethylphenethylamine	--*	ND	ND
phenylamine	--*	ND	ND
,2-Diphenylhydrazine	--*	ND	ND
thyl methanesulfonate	--*	ND	ND
-Methylcholanthrene	--*	ND	ND
ethyl methanesulfonate	--*	ND	ND
-Methylnaphthalene	10	ND	ND
-Naphthylamine	--*	ND	ND
-Naphthylamine	--*	ND	ND
-Nitroaniline	50	ND	ND
-Nitroaniline	50	ND	ND
-Nitroaniline	50	ND	ND
-Nitroso-di-n-butylamine	--*	ND	ND
-Nitrosopiperidine	--*	ND	ND
pentachlorobenzene	--*	ND	ND
pentachloronitrobenzene	--*	ND	ND
phenacetin	--*	ND	ND
-Picoline	--*	ND	ND
uronamide	--*	ND	ND
,2,4,5-Tetrachlorobenzene	--*	ND	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 22, 1988

Work Order: 1020

Date Reported: December 9, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092575	88092576
Sample No.:	DANGB-2-MW4-GW1	DANGB-2-GW2C-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	11:30	10:30
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88/11-30-88	11-05-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	---	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

page 5 of 5

Date Received: September 22, 1988  
 Date Reported: December 9, 1988


Work Order: 1020  
 Job Number: OR001


DR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092575	88092576
Sample No.:	DANGB-2-MW4-GW1	DANGB-2-GW2C-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	11:30	10:30
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88/11-30-88	11-05-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
-Chlorophenol	10	ND	ND
-Nitrophenol	10	ND	ND
phenol	10	ND	ND
,4-Dimethylphenol	10	ND	ND
,4-Dichlorophenol	10	ND	ND
,4,6-Trichlorophenol	10	ND	ND
-Chloro-3-methylphenol	20	ND	ND
,4-Dinitrophenol	50	ND	ND
,6-Dichlorophenol	--*	ND	ND
-Methyl-4,6-Dinitrophenol	50	ND	ND
pentachlorophenol	50	ND	ND
-Nitrophenol	50	ND	ND
benzoic Acid	50	ND	ND
-Methylphenol	10	ND	ND
- & 4-Methylphenol	10	ND	ND
,3,4,6-Tetrachlorophenol	--*	ND	ND
,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

JTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092577	88092578
Sample No.:	DANGB-2-GW2D-GW1	DANGB-2-MW39-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	14:15	15:45
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-06-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	20
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

3 = Compound was detected in the blank.



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

DR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092577	88092578
Sample No.:	DANGB-2-GW2D-GW1	DANGB-2-MW39-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	14:15	15:45
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-06-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
Benanthrene	10	ND	ND
Anthracene	10	ND	ND
Di-butyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
1-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Di-butyl Benzyl phthalate	10	ND	ND
Diis(2-ethylhexyl) phthalate	10	ND	100 B
Dibenzofuran	10	ND	ND
1-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzenzidine	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(1,2,3-cd)pyrene	10	ND	ND
Benzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092577	88092578
Sample No.:	DANGB-2-GW2D-GW1	DANGB-2-MW39-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	14:15	15:45
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-06-88

Compound	Detection	Analytical Results	
	Limits ug/L	ug/L	ug/L
Acetophenone	---	ND	ND
Aniline	---	ND	ND
4-Aminobiphenyl	---	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	---	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	---	ND	ND
7,12-Dimethylbenz(a)anthracene	---	ND	ND
1,1-Dimethylphenethylamine	---	ND	ND
Diphenylamine	---	ND	ND
1,2-Diphenylhydrazine	---	ND	ND
Ethyl methanesulfonate	---	ND	ND
3-Methylcholanthrene	---	ND	ND
Methyl methanesulfonate	---	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	---	ND	ND
2-Naphthylamine	---	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	---	ND	ND
N-Nitrosopiperidine	---	ND	ND
Pentachlorobenzene	---	ND	ND
Pentachloronitrobenzene	---	ND	ND
Phenacetin	---	ND	ND
2-Picoline	---	ND	ND
Pronamide	---	ND	ND
1,2,4,5-Tetrachlorobenzene	---	ND	ND

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

Date Received: September 22, 1988  
Date Reported: December 9, 1988

Work Order: 1020  
Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092577	88092578
Sample No.:	DANGB-2-GW2D-GW1	DANGB-2-MW39-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	14:15	15:45
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-06-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
alpha-BHC	--*	ND	ND
gamma-BHC	___*	ND	ND
beta-BHC	20	ND	ND
heptachlor	10	ND	ND
delta-BHC	15	ND	ND
dieldrin	10	ND	ND
heptachlor epoxide	10	ND	ND
endosulfan I	--*	ND	ND
dieldrin	15	ND	ND
,4'-DDE	30	ND	ND
dieldrin	--*	ND	ND
endosulfan II	--*	ND	ND
,4'-DDD	15	ND	ND
,4'-DDT	25	ND	ND
endosulfan Sulfate	30	ND	ND
dieldrin aldehyde	--*	ND	ND
dieldrin Ketone	--*	ND	ND
aldrin	60	ND	ND
methoxychlor	--*	ND	ND
oxyphen	60	ND	ND
rochlor-1016	60	ND	ND
rochlor-1221	60	ND	ND
rochlor-1232	60	ND	ND
rochlor-1242	60	ND	ND
rochlor-1248	60	ND	ND
rochlor-1254	60	ND	ND
rochlor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 22, 1988  
 Date Reported: December 9, 1988


Work Order: 1020  
 Job Number: OR001


FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092577	88092578
Sample No.:	DANGB-2-GW2D-GW1	DANGB-2-MW39-GW1
Date Sampled:	09-21-88	09-21-88
Time Sampled:	14:15	15:45
Date Extracted:	09-27-88	09-27-88
Date Analyzed:	11-05-88	11-06-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
1-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

  
 Analyst

  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.  
 B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092579  
 Sample No.: DANGB-BR10  
 Date Sampled: 09-21-88  
 Time Sampled: 07:30  
 Date Extracted: 09-27-88  
 Date Analyzed: 11-06-88

Compound	Detection	ANALYTICAL RESULTS
	Limits ug/L	ug/L
,3-Dichlorobenzene	10	ND
,4-Dichlorobenzene	10	ND
hexachloroethane	10	ND
diis(2-chloroethyl)ether	10	ND
,2-Dichlorobenzene	10	ND
-Nitrosodimethylamine	10	ND
diis(2-chloroisopropyl)ether	10	ND
-Nitrosodi-n-propylamine	10	ND
hexachlorobutadiene	10	ND
,2,4-Trichlorobenzene	10	ND
nitrobenzene	10	ND
sophorone	10	ND
naphthalene	10	ND
diis(2-chloroethoxy)methane	10	ND
-Chloronaphthalene	10	ND
hexachlorocyclopentadiene	10	ND
benzophenanthrene	10	ND
benzophenanthrene	10	ND
dimethyl phthalate	10	ND
,6-Dinitrotoluene	10	ND
fluorene	10	ND
,4-Dinitrotoluene	10	ND
diethyl phthalate	10	ND
-Nitrosodiphenylamine	10	ND
hexachlorobenzene	10	ND

= Compound was detected in the blank.

Priority Pollutant Analysis  
Base Neutrals - SW 8270  
Matrix: Water  
(continued)

page 2 of 5

Date Received: September 22, 1988  
Date Reported: December 9, 1988

Work Order: 1020  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092579  
Sample No.: DANGB-BR10  
Date Sampled: 09-21-88  
Time Sampled: 07:30  
Date Extracted: 09-27-88  
Date Analyzed: 11-06-88

Compound	Detection	ANALYTICAL RESULTS
	Limits	
	ug/L	ug/L
Phenanthrene	10	ND
Anthracene	10	ND
Dibutyl phthalate	10	ND
Fluoranthene	10	ND
4-Chlorophenyl phenyl ether	10	ND
Pyrene	10	ND
Butyl Benzyl phthalate	10	ND
Bis(2-ethylhexyl) phthalate	10	ND
Chrysene	10	ND
4-Bromophenyl phenyl ether	10	ND
Benzo(a)anthracene	10	ND
Di-n-octylphthalate	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(k)fluoranthene	10	ND
Benzidine	60	ND
3,3'-Dichlorobenzidine	20	ND
Benzo(a)pyrene	10	ND
Indeno(1,2,3-cd)pyrene	10	ND
Dibenzo(a,h)anthracene	10	ND
Benzo(ghi)perylene	10	ND
Benzyl Alcohol	20	ND

3 = Compound was detected in the blank.

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 22, 1988  
 Date Reported: December 9, 1988

Work Order: 1020  
 Job Number: OR001

From: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Avenue Suite F-103  
 Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092579  
 Sample No.: DANGB-BR10  
 Date Sampled: 09-21-88  
 Time Sampled: 07:30  
 Date Extracted: 09-27-88  
 Date Analyzed: 11-06-88

Compound	Detection	Analytical Results
	Limits ug/L	
acetophenone	--*	ND
aniline	--*	ND
-Aminobiphenyl	--*	ND
-Chloroaniline	20	ND
-Chloronaphthalene	--*	ND
benzofuran	10	ND
-Dimethylaminoazobenzene	--*	ND
,12-Dimethylbenz(a)anthracene	--*	ND
-,a-Dimethylphenethylamine	--*	ND
diphenylamine	--*	ND
,2-Diphenylhydrazine	--*	ND
ethyl methanesulfonate	--*	ND
-Methylcholanthrene	--*	ND
ethyl methanesulfonate	--*	ND
-Methylnaphthalene	10	ND
-Naphthylamine	--*	ND
-Naphthylamine	--*	ND
-Nitroaniline	50	ND
-Nitroaniline	50	ND
-Nitroaniline	50	ND
-Nitroso-di-n-butylamine	--*	ND
-Nitrosopiperidine	--*	ND
pentachlorobenzene	--*	ND
pentachloronitrobenzene	--*	ND
phenacetin	--*	ND
-Picoline	--*	ND
propionamide	--*	ND
,2,4,5-Tetrachlorobenzene	--*	ND

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

Date Received: September 22, 1988

Work Order: 1020

Date Reported: December 9, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN:Mr. Bill Hayden

Lab Number: 88092579  
Sample No.: DANGB-BR10  
Date Sampled: 09-21-88  
Time Sampled: 07:30  
Date Extracted: 09-27-88  
Date Analyzed: 11-06-88

Compound	Detection	ANALYTICAL RESULTS
	Limits ug/L	ug/L
Alpha-BHC	--*	ND
Gamma-BHC	--*	ND
Beta-BHC	20	ND
Heptachlor	10	ND
Delta-BHC	15	ND
Aldrin	10	ND
Heptachlor epoxide	10	ND
Endosulfan I	--*	ND
Dieldrin	15	ND
4,4'-DDE	30	ND
Endrin	--*	ND
Endosulfan II	--*	ND
4,4'-DDD	15	ND
4,4'-DDT	25	ND
Endosulfan Sulfate	30	ND
Endrin aldehyde	--*	ND
Endrin Ketone	--*	ND
Chlordane	60	ND
Methoxychlor	--*	ND
Toxaphene	60	ND
Aroclor-1016	60	ND
Aroclor-1221	60	ND
Aroclor-1232	60	ND
Aroclor-1242	60	ND
Aroclor-1248	60	ND
Aroclor-1254	60	ND
Aroclor-1260	60	ND

\* EPA has not yet determined detection limits for these compounds.

∅ = Compound was detected in the blank.



Priority Pollutant Analysis  
Acid Extractables -- SW 8270  
Matrix: Water

page 5 of 5

Date Received: September 22, 1988  
Date Reported: December 9, 1988


Work Order: 1020  
Job Number: OR001


Address: ES:Oak Ridge/Duluth ANGB  
710 S. Illinois Avenue Suite F-103  
Oak Ridge, Tennessee 37830

ATTN: Mr. Bill Hayden

Lab Number: 88092579  
Sample No.: DANGB-BR10  
Date Sampled: 09-21-88  
Time Sampled: 07:30  
Date Extracted: 09-27-88  
Date Analyzed: 11-06-88

Compound	Detection	ANALYTICAL RESULTS
	Limits ug/L	ug/L
-Chlorophenol	10	ND
-Nitrophenol	10	ND
phenol	10	ND
,4-Dimethylphenol	10	ND
,4-Dichlorophenol	10	ND
,4,6-Trichlorophenol	10	ND
-Chloro-3-methylphenol	20	ND
,4-Dinitrophenol	50	ND
,6-Dichlorophenol	--*	ND
-Methyl-4,6-Dinitrophenol	50	ND
pentachlorophenol	50	ND
-Nitrophenol	50	ND
benzoic Acid	50	ND
-Methylphenol	10	ND
- & 4-Methylphenol	10	ND
,3,4,6-Tetrachlorophenol	--*	ND
,4,5-Trichlorophenol	10	ND

  
-----  
Analyst

  
-----  
Laboratory Supervisor

EPA has not yet determined detection limits for these compounds.

= Compound was detected in the blank.

JTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



# CHAIN OF CUSTODY RECORD

ES JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED										SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710				
	SAMPLERS: (Signature) <i>Johanna Buler</i>			EPA 808, 8020		EPA 825		EPA 478.1		SM 8070, 7450, 7121		SM 7421, 7450, 7121		SM 9370, 9378		SM 428		REMARKS
DATE	TIME	SAMPLE DESCRIPTION																
9-21-84	0815	DANE63-6-GW2A-KW1		6														
9-21-84	0915	DANE63-2-MINJG-GW1		6														
<del>APR 11 1985 Johanna Buler</del>																		
710																		
Relinquished by: (Signature)				Received by: (Signature)				Relinquished by: (Signature)				Received by: (Signature)						
Date/Time				Date/Time				Date/Time				Date/Time						
Relinquished by: (Signature)				Received for Laboratory by: (Signature)				Relinquished by: (Signature)				Received by: (Signature)						
Date/Time				Date/Time				Date/Time				Date/Time						
Remarks				Remarks				Remarks				Remarks						

Distributen: Original Accompanies Shipment, Copy to Coordinator Field Files





**FEDERAL EXPRESS MULTIPLE PACKAGE SERVICE**

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195775  
 DESCRIPTION: WATER SAMPLES

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195784  
 DESCRIPTION: WATER SAMPLES

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195793  
 DESCRIPTION: WATER SAMPLES

PART # 105972 NCREV REV. 1/88 © 1988 F.E.C.  
 SENDER'S COPY

**AIRBILL**  
 USE THIS AIRBILL FOR DOMESTIC SHIPMENTS WITHIN THE CONTINENTAL U.S.A., ALASKA AND HAWAII.  
 USE THE INTERNATIONAL AIR WAYBILL FOR SHIPMENTS TO PUERTO RICO.  
 QUESTION? CALL 800-234-3333 TOLL FREE.

**PACKAGE TRACKING NUMBER**  
 8490309990

**SENDER'S COPY**

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8490309990

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195775

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195784

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195793

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8490309990

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195775

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195784

SHIPMENT DATE: 9/21/80  
 TRACKING NUMBER: 8300195793

**TO (Recipient's Name) Please Print**  
 Company: K...  
 Department/Floor No.: (A15) 11-75  
 Exact Street Address (We Cannot Deliver to P.O. Boxes or P.O. Zip Codes):  
 City: ... State: ... ZIP Required: ...

**YOUR PHONE NUMBER (Very Important)**  
 Department/Floor No.: ...  
 State: ... ZIP Required: ...

**IF HOLD FOR PICK-UP, Print FEDEX Address Here**  
 Street Address: ... City: ... State: ... ZIP Required: ...

WEIGHT	PACKAGES	WEIGHT	FEES INCLUDE (per pound)	OTHER SIZE
1	1	5.0		
1	1	7.7		
1	1	2.5		
1	1	3.9		
	Total	11.1		

Received At:  
 Regular Stop  
 On-Call Stop  
 Drop Box  
 BSC  
 Station

FEDEX Corp Employee No.:

Date/Time for FEDEX Use:

**DELIVERY AND SPECIAL HANDLING**

1  HOLD FOR PICK-UP See Box 14

2  DELIVER SATURDAY Extra Charge

3  DELIVER WEEKDAY Extra Charge

4  HAZARDOUS GOODS Extra Charge

5  CONSTANT SURVEILLANCE SERVICE (CSS) Extra Charge

6  BRT REC UN

7  OTHER SPECIAL SERVICE

8  SATURDAY PICK-UP Extra Charge

9

10

11

12

**SERVICE CONDITIONS, DECLARED VALUE AND LIMIT OF LIABILITY**

Use of this label constitutes your agreement to the service conditions in our current Service Guide which is available upon request. See back of sender's copy of this label for further information.

We will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay or non-delivery, unless you specify a higher amount in the space to the left, pay 40¢ per additional \$100 specified and document your actual loss in the Federal Express Service Guide. Your maximum liability in the current Federal Express for loss of the intrinsic value of the package, as well as for loss of sales, income, interest, profit, attorneys' fees, costs and any other form of damage, whether direct or consequential, is limited to the greater of \$100 or the declared value specified on the left in no event shall your recovery exceed your actual loss.

In the event of a delivery failure, Federal Express will at your request provide a written explanation of the reasons for the failure. See Service Guide for further information.

Sender authorizes Federal Express to deliver this shipment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom.

Release Signature: [Signature]

Federal Express Use

Base Charges

Declared Value Charge

Other 1

Other 2

Total Charges

PART # 2041738500  
 PRINTED IN U.S.A. GPO

009

© 1988 F.E.C.

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No.: AAF-W-0052-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth-ANGB  
 Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery		Notes
											SR	SSR	
Arsenic	88092677	88092677	10-16-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.0383	96
Cadmium	88092677	88092677	10-26-88	NA	6010	<0.005	<0.005	<0.005	NC	0.010	<0.005	0.011	110
Chromium	88092677	88092677	10-19-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0218	109
Lead	88092677	88092677	10-21-88	NA	7421	<0.005	<0.005	<0.005	NC	0.020	<0.005	0.0227	114

714


Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No.: ICP-W-0059-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval: 

QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	RPD	SA	SR	SSR	PR	Notes
Barium	88092677	88092677	10-13-88	NA	6010	<0.2	<0.2	<0.2	NC	2.0	<0.2	1.96	98	

715

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)



QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: CVM-W-0030-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth.ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614



Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal.	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery SR	SSR	PR	Notes
Mercury	88092677	88092677	10-14-88	NA	7471	<0.0002	<0.0002	<0.0002	NC	0.0010	<0.0002	0.00087	87	

716

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY

QC REPORT NO.: TPH-W-0069-88

Insufficient sample was available for quality control purposes.  
The laboratory control sample is designated as a quality control sample  
for this batch.

The reporting limit for the samples in this batch is provided by  
the sub-contract laboratory.

ENVIRONMENTAL QUALITY PARAMETERS  
PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0069-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-04-88  
 Date Analyzed: 10-08-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092573  
 88092577-88092579

*Handwritten Signature*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1.5	<1.5	39.5	39.5	100	32.0	81	21	*

718

\* See Case Narrative attached.

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY

QC REPORT NO.: TPH-W-0066-88

Insufficient sample was available for quality control purposes. The laboratory control sample is designated as a quality control sample for this batch.

The reporting limit for the samples in this batch is provided by the sub-contract laboratory.

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0066-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-01-88  
 Date Analyzed: 10-10-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB

QC Report for Laboratory Sample No(s):  
 88092574-88092576  
 88092612-88092617

Laboratory Supervisor Approval:

*M. J. ...*

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1.5	<1.5	39.5	37.8	96	37.8	96	0	*

720

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLENO(S).: 88092580

This sample was analyzed as part of an overnight run using an autosampler. When the analyst went to get the second bottle for confirmatory analysis, it was found to be broken. Thus, no confirmatory analysis was possible. The first analysis was performed using a megabore capillary column; this minimizes the possibility of false positives.

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: VGC-W-0044-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-22-88  
 Date Prepared: NA  
 Date Analyzed: 10-03-88  
 Date Reported: 10-25-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval: NA

QC Report for Laboratory Sample No(s):  
 88092527-88092528, 88092531-88092532  
 88092546-88092551, 88092573-88092577

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092576	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	9.82	98	9.96	100	1	26	70-130
	Trichloroethene	10	ND	10.3	103	10.2	102	1	19	65-131
	Chlorobenzene	10	ND	10.5	105	10.3	103	2	40	59-137
88092576	Aromatics: 8020									
	Benzene	10	ND	10.0	100	10.1	101	1	20	56-146
	Toluene	10	ND	10.1	101	9.85	98	3	41	42-150
	Chlorobenzene	10	ND	10.6	106	9.71	97	9	36	76-133

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR} \times 100}{\text{SA}}$$

MS = Spike Sample  
 MSD = Spike Sample Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
Client: ES Oak Ridge  
Attn: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

QC Report No: VGC-W-0046-88  
Sample Matrix: Water  
Conc. Unit: ug/L  
Date Received: 9-23-88  
Date Prepared: NA  
Date Analyzed: 10-05-88  
Date Reported: 10-25-88  
Dilution Factor: NA

Project: Duluth ANGB  
Laboratory Supervisor Approval:  
*[Signature]*

QC Report for Laboratory Sample No(s):  
88092612-88092619  
88092578-88092582

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092614	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	9.85	98	9.04	90	9	26	70-130
	Trichloroethene	10	ND	9.73	97	8.79	88	10	19	65-131
88092614	Chlorobenzene	10	ND	10.0	100	8.94	89	11	40	59-137
	Aromatics: 8020									
	Benzene	10	ND	10.8	108	9.71	97	11	20	56-146
88092614	Toluene	10	ND	10.0	100	9.84	98	2	41	42-150
	Chlorobenzene	10	ND	10.0	100	9.85	98	2	36	76-133

$$\text{Relative Percent Difference (PR)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(\text{MS or MSD}) - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
MSD = Spike Sample Duplicate  
SR = Sample Result  
SA = Spike Added (Concentration)

NA = Not Applicable  
NC = Not Calculated  
ND = Not Detected

723



METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-26-88

Laboratory Supervisor Approval:

*AWB*

Project: Duluth ANGB

File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
32	9-26-88	VGC	Vocol	75-09-2 67-66-3 127-18-4	Dichloromethane Chloroform Tetrachloroethylene	11 0.14 0.11	0.25 0.05 0.03	88092580
18	9-28-88	VGC	Carbopack	75-09-2 67-66-3	Dichloromethane Chloroform	1.0 0.74	0.25 0.05	88092581-88092582
08	9-23-88	VGC	Vocol	75-09-2 67-66-3 127-18-4	Dichloromethane Chloroform Tetrachloroethylene	11 0.18 0.46	0.25 0.05 0.03	88092573-88092579

724

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
WORK ORDER NO(S). 1020  
EPA METHOD 8270 ANALYSIS

The samples in this work order were first extracted on September 27, 1988 and analyzed on November 5-6, 1988, all within holding times. Surrogate spike recoveries in the base neutral fraction of sample 88092577 were below EPA QC limits. There was no more sample remaining to re-extract. Area counts for the sixth internal standard were lower than EPA QC limits for the acid extracts of samples 88092574 and 88092575, and both extracts of 88092576. When the former two were re-analyzed, good internal standard area counts were obtained. Target compound results did not change. When the extracts of sample 88092576 were re-analyzed, the results did not change. The first set of analyses are reported.

The base neutral fraction of the matrix spike duplicate sample was analyzed just beyond the 12-hour time period.

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: 0R001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0061-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-17-88  
 Date Prepared: 9-22-88  
 Date Analyzed: 11-23-88  
 Date Reported: 03-23-89  
 Dilution Factor: NA

Project: Duluth ANGB

Laboratory Supervisor Approval:  


QC Report for Laboratory Sample No(s):  
 88092490, 88092488, 88092494-88092495  
 88092508, 88092511, 88092573-88092579

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
B/N Laboratory Sample # 88092490	1,2,4-Trichlorobenzene	100	ND	70.4	70	66.7	67	5	28 39-98
	Acenaphthene	100	ND	68.2	68	67.4	67	1	31 46-118
	2,4-Dinitrotoluene	100	ND	62.0	62	61.5	62	1	38 24-96
	Pyrene	100	ND	78.4	78	70.2	70	11	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	73.6	74	70.2	70	5	38 41-116
1,4-Dichlorobenzene	100	ND	62.9	63	61.5	62	2	28 36-97	
ACID Laboratory Sample # 88092490	Pentachlorophenol	200	ND	46.7	23	62.2	31	28	50 9-103
	Phenol	200	ND	99.0	49	115	58	15	42 12-89
	2-Chlorophenol	200	ND	120	60	128	64	2	40 27-123
	4-Chloro-3-Methylphenol	200	ND	138	69	120	60	14	42 23-97
4-Nitrophenol	200	ND	101	50	139	70	32	50 10-80	

Relative Percent Difference (RPD) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR}{SA} \times 100$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB

Work Order No.: 1020

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 3-23-89

Laboratory Supervisor Approval:



File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
S0372	11-05-88	AC	1	-	None Detected	-	-	88092575-88092579
S0373	11-05-88	BN	1	117-81-7	Bis(2-ethylhexyl)phthalate	17	10	88092575-88092579
<b>727</b>								

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
		Lab Sample ID:	88092556-75
Client:	ES Oak Ridge		
Blank			
Attn:	Bill Hayden	Lab File ID:	S0372/S0701
Address:	710 S. Illinois Avenue	Date Received:	NA
	Suite F-103	Date Extracted:	09-27-88
	Oak Ridge, Tn. 37830	Date Analyzed:	11-05-88/12-12-
88		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	
		Extraction:	
# TICs Found:	13	(SepF/Cont/Conc)	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.29	210	
-	Unknown	3.36	190	
-	Unknown	3.46	23	
-	Unknown	4.44	4	
-	Unknown	5.16	22	
-	Unknown	9.06	4	
-	Unknown	37.90	88	
-	Unknown	3.25	100	
-	Unknown	13.14	6	
-	Unknown	34.80	7	
-	Unknown	36.45	10	
-	Unknown	40.90	12	
-	Unknown	43.87	10	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
		Lab Sample ID:	88092573-AC
Client:	ES Oak Ridge	Lab File ID:	S0366
Attn:	Bill Hayden	Date Received:	09-22-88
Address:	710 S. Illinois Avenue	Date Extracted:	09-27-88
	Suite F-103	Date Analyzed:	11-05-88
	Oak Ridge, Tn. 37830	Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc) SepF	
# TICs Found:	3		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	4.89	7	
127-18-4	Tetrachloroethene	5.13	25	
-	Unknown	26.81	9	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092573-BN 2ml
Attn:	Bill Hayden		Re-analysis
Address:	710 S. Illinois Avenue	Lab File ID:	S0709
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	12-13-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture:	dec:
			not dec:
		GPC Clean up: (Y/N)	N
		Extraction:	
			(SepF/Cont/Conc) SepF
# TICs Found:	5		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.24	100	
-	Unknown	3.29	200	
-	Unknown	3.40	18	
127-18-4	Tetrachloroethene	5.04	14	
-	Unknown	28.89	16	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092573-BN
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0367
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-05-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture:	dec:
			not dec: N
		GPC Clean up:	(Y/N)
		Extraction:	
# TICs Found:	11		(SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.31	440	
-	Unknown	3.37	590	
-	Unknown	3.41	31	
79-01-6	Trichloroethene	3.48	59	
-	Unknown	4.02	5	
108-88-3	Toluene	4.44	9	
127-18-4	Tetrachloroethene	5.16	53	
-	Unknown	6.57	21	
-	Unknown	8.97	7	
-	Unknown	26.52	67	
-	Unknown	29.33	26	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092574-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0368
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-05-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc) SepF	
# TICs Found:	4		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.31	66	
79-01-6	Trichloroethene	3.49	23	
-	Unknown	4.92	6	
127-18-4	Tetrachloroethene	5.17	21	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092574-AC
Attn:	Bill Hayden		Re-analysis
Address:	710 S. Illinois Avenue	Lab File ID:	S0612
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-30-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture:	dec:
			not dec:
		GPC Clean up: (Y/N)	N
# TICs Found:	6	Extraction:	
			(SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
79-01-6	Trichloroethene	3.37	22	
127-18-4	Tetrachloroethene	5.01	20	
-	Unknown Aliphatic	36.40	4	
-	Unknown Aliphatic	38.39	5	
-	Unknown Aliphatic	40.83	6	
-	Unknown Aliphatic	43.81	5	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092574-BN
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0369
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-05-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture:	dec:
			not dec: N
		GPC Clean up:	(Y/N)
		Extraction:	
# TICs Found:	4		(SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.34	690	
-	Unknown	4.02	5	
108-88-3	Toluene	4.44	9	
127-18-4	Tetrachloroethene	5.15	52	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092575-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0370
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-05-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture: dec:	
		not dec: N	
		GPC Clean up: (Y/N)	
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	5		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.29	39	
-	Unknown	3.45	20	
-	Unknown	4.91	5	
127-18-4	Tetrachloroethene	5.15	23	
-	Unknown	41.35	6	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
		Lab Sample ID:	88092575-BN
Client:	ES Oak Ridge	Lab File ID:	S03/1
Attn:	Bill Hayden	Date Received:	09-22-88
Address:	710 S. Illinois Avenue	Date Extracted:	09-27-88
	Suite F-103	Date Analyzed:	11-05-88
	Oak Ridge, Tn. 37830	Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture:	dec: not dec: N
		GPC Clean up:	(Y/N)
		Extraction:	(SepF/Cont/Conc) SepF
# TICs Found:	4		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.25	130	
-	Unknown	3.32	110	
127-18-4	Tetrachloroethene	5.13	17	
-	Unknown	26.82	5	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092576-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0374
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-05-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	NA
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	5		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.28	150	
-	Unknown	3.35	170	
79-01-6	Trichloroethene	3.46	15	
127-18-4	Tetrachloroethene	5.16	23	
-	Unknown	6.87	4	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092576-BN
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0375
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-05-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	6		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
71-43-2	Benzene	3.24	8	
79-01-6	Trichloroethene	3.60	16	
-	Unknown	4.24	5	
-	Unknown	5.01	71	
127-18-4	Tetrachloroethene	5.23	41	
-	Unknown	14.84	5	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.: 1020
		Matrix: (soil/water)      Water
		Sample Wt/vol: 1000 ml
Client:	ES Oak Ridge	Lab Sample ID: 88092577-AC
Attn:	Bill Hayden	
Address:	710 S. Illinois Avenue	Lab File ID: S0377
	Suite F-103	Date Received: 09-22-88
	Oak Ridge, Tn. 37830	Date Extracted: 09-27-88
		Date Analyzed: 11-05-88
Project:	Duluth ANGB	Date Reported: 04-04-89
		Dilution Factor: 1
		% Moisture:   dec:
		not dec:
		GPC Clean up: (Y/N)      N
		Extraction:
		(SepF/Cont/Conc) SepF
# TICs Found:	10	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.30	92	
-	Unknown	3.36	130	
-	Unknown	3.41	20	
79-01-6	Trichloroethene	3.48	30	
108-88-3	Toluene	4.44	5	
-	Unknown	4.93	27	
127-18-4	Tetrachloroethene	5.17	30	
-	Unknown	5.51	16	
79-34-5	1,1,2,2-Tetrachloroethane	7.15	18	
-	Unknown	12.82	6	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
Client:	ES Oak Ridge	Sample Wt/vol:	1000 ml
Attn:	Bill Hayden	Lab Sample ID:	88092577-BN
Address:	710 S. Illinois Avenue	Lab File ID:	S0378
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-05-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture:	dec: .
			not dec: N
		GPC Clean up:	(Y/N)
# TICs Found:	4	Extraction:	(SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.34	280	
-	Unknown	3.39	230	
-	Unknown	3.51	12	
127-18-4	Tetrachloroethene	5.19	8	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
		Lab Sample ID:	88092578-AC
Client:	ES Oak Ridge	Lab File ID:	S0379
Attn:	Bill Hayden	Date Received:	09-22-88
Address:	710 S. Illinois Avenue	Date Extracted:	09-27-88
	Suite F-103	Date Analyzed:	11-06-88
	Oak Ridge, Tn. 37830	Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture:	dec:
			not dec:
		GPC Clean up: (Y/N)	N
		Extraction:	
# TICs Found:	4	(SepF/Cont/Conc) SepF	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.31	280	
79-01-6	Trichloroethene	3.50	25	
108-88-3	Toluene	4.45	4	
127-18-4	Tetrachloroethene	5.17	28	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	QR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
Client:	ES Oak Ridge	Sample Wt/vol:	1000 ml
Attn:	Bill Hayden	Lab Sample ID:	88092578-BN
Address:	710 S. Illinois Avenue	Lab File ID:	S0380
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-06-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture:	dec:
			not dec:
		GPC Clean up: (Y/N)	N
		Extraction:	
			(SepF/Cont/Conc) SepF
# TICs Found:	7		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
71-43-2	Benzene	3.24	13	
-	Unknown	3.46	94	
79-01-6	Trichloroethene	3.61	11	
127-18-4	Tetrachloroethene	5.22	29	
-	Unknown	5.75	9	
-	Unknown	36.74	5	
-	Unknown	38.80	7	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092579-AC
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0381
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-06-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	6		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.29	220	
-	Unknown	3.35	280	
79-01-6	Trichloroethene	3.48	22	
108-88-3	Toluene	4.44	4	
-	Unknown	4.95	6	
127-18-4	Tetrachloroethene	5.16	26	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.:	OR001	Work Order No.:	1020
		Matrix: (soil/water)	Water
		Sample Wt/vol:	1000 ml
Client:	ES Oak Ridge	Lab Sample ID:	88092579-BN
Attn:	Bill Hayden		
Address:	710 S. Illinois Avenue	Lab File ID:	S0382
	Suite F-103	Date Received:	09-22-88
	Oak Ridge, Tn. 37830	Date Extracted:	09-27-88
		Date Analyzed:	11-06-88
		Date Reported:	04-04-89
Project:	Duluth ANGB	Dilution Factor:	1
		% Moisture: dec:	
		not dec:	
		GPC Clean up: (Y/N)	N
		Extraction:	
		(SepF/Cont/Conc)	SepF
# TICs Found:	6		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.28	60	
-	Unknown	3.34	220	
79-01-6	Trichloroethene	3.47	19	
128-17-4	Tetrachloroethene	5.15	20	
-	Unknown	18.77	5	
-	Unknown	45.28	11	



QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0066-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-01-88  
 Date Analyzed: 10-10-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092574-88092576  
 88092612-88092617

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1.5	<1.5	39.5	37.8	96	37.8	96	0	*

746

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SR = Sample Result  
 SA = Spike Added (Concentration)

ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0069-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-04-88  
 Date Analyzed: 10-08-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  
*AWB*

QC Report for Laboratory Sample No(s):  
 88092573  
 88092577-88092579

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1.5	<1.5	39.5	39.5	100	32.0	81	21	*

747

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected



GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTFP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date & Time 11/05/88 7:31

Lab ID >T1105::01

Data Release Authorized By: *[Signature]*

m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	44.18 OK
68	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	mass 69 relative abundance	55.57
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	46.0 - 60.0% of mass 198	41.11 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	7.03 OK
275	10.0 - 30.0% of mass 198	17.57 OK
365	greater than 1.00% of mass 198	1.81 OK
441	present, but less than mass 443	7.56 OK
442	greater than 40.0% of mass 198	54.09 OK
443	17.0 - 23.0% of mass 442	10.22 OK (18.89) #2


*Sp 11/12/88*

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
50 ng DFTFP	>T1105	11/05/88 7:31	
88092558 AC	S0364		07:53
88092558 BN	S0365		09:04
88092573 AC	S0366		10:04
88092573 BN	S0367		11:03
88092574 AC	S0368		12:03
88092574 BN	S0369		13:04
88092575 AC	S0370		14:03
88092575 BN	S0371		15:02
88092575 AC	S0372		16:01
88092575 BN	S0373		17:00
88092576 AC	S0374		18:00
88092576 BN	S0375		19:00

*another project*



File: T1105 Scan #: 88 Retn. time: 5.06

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	1.857	63.10	1.255	130.05	1.230	180.95	1.180	229.00	.653
43.10	1.757	66.00	.964	133.05	1.054	184.95	1.556	244.00	7.605
44.00	2.516	91.00	1.255	134.95	1.531	186.05	10.743	245.00	1.255
50.10	10.291	91.90	.853	137.05	.853	187.05	2.987	245.90	1.381
51.10	44.177	93.00	5.171	141.05	2.058	188.05	1.481	255.00	34.513
51.90	2.395	95.20	1.029	142.95	.803	190.95	.853	256.00	4.769
52.10	2.365	96.00	1.255	148.05	1.606	191.95	1.079	258.00	1.782
55.10	2.516	98.10	2.736	153.05	.728	192.95	1.230	264.90	.879
56.10	1.280	99.90	3.263	155.05	1.155	196.10	2.912	273.00	1.531
57.10	4.543	100.90	1.857	156.15	1.556	198.00	100.000	274.05	3.138
62.00	.653	102.80	.803	159.05	.828	199.00	7.028	275.05	17.570
63.00	1.431	104.00	1.180	161.05	1.155	204.00	2.234	275.95	2.359
65.00	1.079	105.00	1.581	164.95	.929	205.00	4.217	276.95	1.305
69.00	55.572	107.00	10.944	165.85	.879	206.10	17.269	281.15	.753
71.00	1.054	107.90	1.732	166.95	3.464	207.00	5.823	295.95	4.292
74.00	3.037	110.00	31.878	167.95	1.632	210.80	.577	314.85	.577
75.00	7.354	111.10	3.740	173.95	.929	217.00	4.769	323.05	1.406
76.10	2.485	116.90	5.899	174.95	1.180	221.00	7.179	364.90	1.807
77.10	43.377	118.05	.879	175.95	.703	223.00	1.381	423.00	2.836
78.10	2.811	125.05	.628	178.15	1.456	224.00	8.409	441.05	7.555
79.10	3.564	127.05	41.114	178.95	3.138	225.00	2.987	442.05	54.091
80.10	2.134	128.15	3.589	179.95	2.083	227.00	3.966	443.05	10.216
81.10	4.618	129.05	19.729						



Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/05/89  
 Contractor: ENGINEERING SCIENCE Time: 07:53  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0364  
 Instrument ID: 3 Initial Calibration Date: 10/12/88  
 \_\_\_\_\_ PCD

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is: 2

Compound	RF	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29569	.31279	5.79	**	
2,4,5-Trichlorophenol	.42280	.38499	8.94	*	
2,4,6-Trichlorophenol	.52897	.49968	5.54		
2-Fluorobiphenyl	1.27226	1.19393	13.23		
2-Chloronaphthalene	1.23784	1.13275	8.49		
2-Nitroaniline	.47283	.56259	6.28		
Dimethylphthalate	1.40629	1.31229	6.68		
2,6-Dinitrotoluene	.37415	.37697	.73		
Acenaphthylene	1.68918	1.59151	5.78		
3-Nitroaniline	.44557	.46754	4.93		
2,4-Dinitrophenol	.11898	.12240	2.97	**	
Acenaphthene	1.13911	.98229	13.08	*	
Dibenzofuran	1.64131	1.53047	6.75		
2,4-Dinitrotoluene	.28418	.28970	1.94		
4-Nitrophenol	.28450	.20341	28.50	**	
Fluorene	1.12850	.92649	17.90		
Diethylphthalate	1.20939	1.12391	7.07		
4-Chlorophenyl-phenylether	.59183	.52005	12.13		
4-Nitroaniline	.35956	.31859	11.39		
2,4,6-Tribromophenol	.21023	.17989	14.43		
1,2-Diphenylhydrazine	-	-	-		
Alpha-EHC	-	-	-		
Beta-EHC	-	-	-		
Gamma-EHC	-	-	-		
Delta-EHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40286	.48229	19.72	*	
4,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.21919	2.90		
Hexachlorobenzene	.26273	.27109	3.18		
Pentachlorophenol	.14536	.13787	5.15	*	

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/05/88  
 Contractor: ENGINEERING SCIENCE Time: 07:53  
 Contract No: \_\_\_\_\_ Laboratory ID: >50364  
 Instrument ID: 4 Initial Calibration Date: 10/13/88

Minimum  $\bar{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC	SPCC
Phenanthrene	1.03431	.99964	3.35		
Anthracene	1.05155	1.16312	10.61		
Di-n-Butylphthalate	1.51956	1.69768	11.72		
4,4'-Dibromobiphenyl					
Fluoranthene	1.19047	1.14095	4.23	*	
Heptachlor Epoxide					
Endosulfan I					
4,4'-DDE					
Dieldrin					
Endrin					
4,4'-DDD					
Endosulfan II					
Endrin Aldehyde					
4,4'-DDT					
Endosulfan Sulfate					
Dibutylchloroendate					
Benzidine	.04023	.04837	20.24		
Pyrene	1.56086	1.71075	9.60		
Terphenyl-d14	1.05835	1.09041	3.03		
Butylbenzylphthalate	1.03390	1.17604	13.75		
3,3'-Dichlorobenzidine	.13689	.21184	54.75		
Chrysene	.99655	1.01956	2.31		
Benzo(a)Anthracene	1.10407	1.09545	.78		
bis(2-Ethylhexyl)Phthalate	1.21073	1.34906	11.43		
Di-n-octylphthalate	3.40275	3.31156	2.68	*	
Benzo(a)Pyrene	1.32098	1.33322	.93	*	
Benzo(b)Fluoranthene	1.60850	1.40996	12.34		
Indeno(1,2,3-cd)Pyrene	.96900	.57378	40.72		
Dibenzo(a,h)Anthracene	.87481	.96522	10.33		
Benzo(k)Fluoranthene	1.44370	1.34193	7.05		
Benzo(g,h,i)Perylene	.89761	.33117	63.11		

RF - Response Factor from daily standard file at 60.00 mg/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average br curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): SSTD060 Date Analyzed: 11/5/88  
 Lab File ID (Standard): S0364 Time Analyzed: 07:53  
 Instrument ID: 1

		IS1 (DCB)	RT	IS2 (NPT)	RT	IS3 (ANT)	RT
		AREA #		AREA #		AREA #	
12 HOUR STD		81784	9.28	282650	12.91	162761	18.38
UPPER LIMIT		163568	9.78	565300	13.41	325522	18.88
LOWER LIMIT		40892	8.78	141325	12.41	81381	17.88
EPA SAMPLE NO.							
50365 01	88092558 BN	76124	9.30	228991	12.95	136348	18.45
6 02	88092573 AC	68597	9.26	257392	12.95	129509	18.40
7 03	88092573 BN	75577	9.29	246541	12.92	131448	18.38
8 04	88092574 AC	69699	9.26	258874	12.94	121908	18.41
9 05	88092574 BN	62925	9.29	183110	12.97	114615	18.43
70 06	88092575 AC	65877	9.27	193216	12.99	118855	18.40
1 07	88092575 BN	67873	9.33	215319	12.93	126294	18.41
2 08	88092576 AC	61649	9.28	227975	13.01	113758	18.41
7 09	88092576 BN	54771	9.35	206326	12.97	103810	18.44
4 10	88092576 AC	60451	9.28	221867	13.01	108121	18.42
5 11	88092576 BN	77432	9.27	252331	12.90	127911	18.41
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8  
 UPPER LIMIT = - 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

\* Column used to flag internal standard area values with an asterisk:

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): SSTD000 Date Analyzed: 11/5/88  
 Lab File ID (Standard): S0364 Time Analyzed: 07:53  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN)	RT	IS5 (CRY)	RT	IS4 (PRY)	RT	
	AREA #		AREA #		AREA #		
12 HOUR STD	231489	23.03	146787	31.50	98145	37.68	
UPPER LIMIT	462978	23.53	293574	32.00	196290	38.18	
LOWER LIMIT	115745	22.53	73394	31.00	49073	37.18	
EPA SAMPLE NO.			91230	31.65			
50765-01	88092558 BN	172529	23.17	249568	28.27	51813	37.91
002	88092577 AC	169799	23.09	94604	31.58	54011	37.83
703	88092577 BN	173106	23.09	97093	31.54	56073	37.78
804	88092574 AC	157868	23.09	74692	31.59	39528*	37.86
905	88092574 BN	152654	23.16	92342	31.58	55764	37.80
7005	88092575 AC	152529	23.08	82731	31.59	46478*	37.84
107	88092575 BN	168449	23.11	101421	31.52	59900	37.69
203	88092575 AC	152951	23.09	91684	31.59	54848	37.84
303	88092575 BN	132626	23.20	72974*	31.62	40358*	37.89
4	88092576 AC	125729	23.11	75485	31.62	41240*	37.89
5	88092576 BN	179864	23.12	96688	31.56	20839*	37.83

UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

\* Column area is the internal standard area values with an asterisk

GC/MS TUNING AND MASS CALIBRATION

Decafluorotriphenylphosphine (DFTFP)

Case No. 123456

Contractor Engineering Scien Contract No. 99999999

Instrument ID #1

Date / Time 11/05/88 20:58

Lab ID >T3105::DI

Data Release Authorized By:

m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	52.23 OK
68	less than 2.0% of mass 69	0.00 OK (0.00) #1
69	mass 69 relative abundance	60.88
70	less than 2.0% of mass 69	0.00 OK (0.00) #1
127	40.0 - 60.0% of mass 198	49.17 OK
197	less than 1.0% of mass 198	0.00 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.04 OK
275	10.0 - 30.0% of mass 198	17.65 OK
365	greater than 1.00% of mass 198	2.13 OK
441	present, but less than mass 443	7.10 OK
442	greater than 40.0% of mass 198	48.00 OK
443	17.0 - 23.0% of mass 442	8.17 OK (17.01) #2

5 point  
10/12/88


THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
50ug DFTFP FOR TUN	>T3105	11/05/88	20:58
85042564	S0376		21:34
85042577 AL	S0377		22:30
85042577 BN	S0378		23:33
85042578 AL	S0379	11/6/88	00:33
85042578 BN	S0380		01:32
85042579 AL	S0381		02:31
85042579 BN	S0382		03:30
85042594 AL	S0383		04:29
85042594 BN	S0384		05:28
85042568 AL	S0385		06:27
85042568 BN	S0386		07:27
85042569 AC	S0387	1	08:26

another project





File: T3105 Scan #: 86 Retn. time: 5.04

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	.841	92.00	1.346	132.15	1.239	181.05	.994	244.10	7.402
43.20	.535	97.00	5.053	133.95	.551	185.95	1.728	245.00	1.055
44.10	1.086	94.10	.642	134.05	.627	186.05	12.601	246.00	1.590
50.10	12.647	98.00	.872	135.05	1.774	187.05	3.395	255.00	35.984
51.10	52.225	96.90	.459	141.05	2.294	188.15	1.225	256.00	5.398
52.10	2.172	97.20	.459	142.05	.719	189.05	.688	257.00	.581
55.20	1.040	98.10	3.380	143.05	.703	191.05	.459	258.10	2.080
56.20	1.957	99.00	3.452	146.05	.352	192.15	.856	265.10	.948
57.10	4.511	101.00	2.263	147.15	1.392	193.05	.979	273.10	1.086
61.09	.658	103.00	.872	148.05	2.156	196.10	3.135	274.05	2.768
62.09	.918	104.10	1.361	151.15	.627	198.10	100.000	275.15	17.648
63.10	2.015	105.00	1.789	153.05	.872	199.10	6.041	276.05	2.325
64.10	.474	106.10	.642	155.15	1.132	204.10	2.676	277.05	1.376
65.10	1.376	107.00	12.831	156.05	1.636	205.10	4.985	296.05	4.267
67.09	.382	108.00	1.988	156.75	.306	206.10	19.208	303.05	.399
68.09	16.883	110.00	34.164	157.95	.443	207.10	4.282	323.15	1.116
73.20	.841	111.10	5.169	161.15	1.269	211.00	1.040	327.05	.428
74.10	5.184	112.00	.520	166.05	.841	215.90	.591	334.05	.856
75.00	8.354	116.00	.811	167.05	4.557	217.00	4.282	365.10	2.126
76.10	2.676	117.10	7.845	168.05	1.835	218.00	.596	372.10	.811
77.10	50.589	118.05	.642	172.95	.566	221.10	7.524	402.00	.367
78.10	3.319	122.05	.979	174.05	.780	223.10	.994	422.20	.489

756

75.16	7.456	123.05	1.433	175.05	1.529	224.10	10.032	423.10	2.646
82.1	7.126	125.15	.673	176.05	.566	225.10	2.768	424.10	.658
81.05	4.297	127.05	43.167	177.05	1.086	227.00	4.221	441.15	7.096
82.15	.067	128.15	3.624	178.15	1.162	228.10	.795	442.15	48.004
83.16	.948	129.05	20.951	179.05	3.166	229.10	.994	443.15	8.166
85.60	.265	130.05	1.468	180.05	1.927	243.20	.688	444.15	.872
91.00	1.300								

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/05/88

Contractor: ENGINEERING-SCIENCE Line: 21:34

Contract No: \_\_\_\_\_ Laboratory ID: 350376

Instrument ID: 1 Initial Calibration Date: 10/13/88  
DD

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.90169	.99162	9.97		
2-Fluorophenol	1.15802	1.34440	16.09		
bis(2-Chloroethyl)ether	1.11892	1.09768	1.90		
Phenol	1.41657	1.44823	2.24	*	
Phenol-d5	1.22488	1.53820	25.56		
Aniline	.54193	.45561	15.93		
2-Chlorophenol	1.23175	1.34987	9.59		
1,3-Dichlorobenzene	1.47535	1.44730	1.90		
1,4-Dichlorobenzene	1.40530	1.45559	3.58	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.31043	57.42		
1,2-Dichlorobenzene	1.32240	1.46456	10.75		
2-Methylphenol	1.17367	1.39005	18.44		
3-6-4-Methylphenol	1.07139	1.36916	27.79		
bis(2-chloroisopropyl)Ether	2.15627	2.54840	18.19		
N-Nitroso-Di-n-Propylamine	.84050	.92781	10.39	**	
Hexachloroethane	.53840	.58848	9.30		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.48311	19.84		
Nitrobenzene-d5	.39137	.41117	5.06		
2-Nitrophenol	.24657	.25629	3.94	*	
Isophorone	.74170	.80031	7.90		
bis(2-Chloroethoxy)methane	.49386	.55442	12.26		
2,4-Dimethylphenol	.34849	.37937	8.86		
Benzoic Acid	.29725	.31864	7.20		
2,4-Dichlorophenol	.56733	.52794	6.94	*	
1,2,4-Trichlorobenzene	.36913	.32900	10.87		
Naphthalene	.94589	.94935	.37		
4-Chloroaniline	.36309	.34009	6.33		
Hexachlorobutadiene	.20283	.16060	20.82	*	
4-Chloro-3-Methylphenol	.31360	.32813	4.63	*	
2-Methylnaphthalene	.56397	.58992	4.60		

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/05/88  
 Contractor: ENGINEERING SERVICE Line: 21:34  
 Contract No: \_\_\_\_\_ Laboratory ID: 50376  
 Instrument ID: 1 Initial Calibration Date: 10/13/88  
 12  
 280

Minimum RF for SPCC is \_\_\_\_\_ Maximum X Diff for CCC is X

Compound	RF	RF	XDiff	CCC-SPCC
Hexachlorocyclopentadiene	.29568	.24288	17.86	**
2,4,6-Trichlorophenol	.42280	.31814	24.75	*
2,4,5-Trichlorophenol	.52897	.55699	5.30	
2-Fluorobiphenyl	1.27220	1.17888	7.33	
2-Chloronaphthalene	1.23784	1.17949	4.71	
2-Nitroaniline	.47288	.48482	2.53	
Dimethylphthalate	1.40629	1.34413	4.42	
2,6-Dinitrotoluene	.37415	.36087	3.55	
Acenaphthylene	1.68918	1.66956	1.16	
3-Nitroaniline	.44557	.45551	2.23	
2,4-Dinitrophenol	.11898	.09978	16.14	**
Acenaphthene	1.13011	1.04208	7.79	*
Dibenzofuran	1.64131	1.50556	8.27	
2,4-Dinitrotoluene	.28418	.28440	.11	
4-Nitrophenol	.28450	.24515	13.83	**
Fluorene	1.12850	1.01374	10.17	
Diethylphthalate	1.20939	1.20386	.46	
4-Chlorophenyl-phenylether	.59183	.52862	10.68	
4-Nitroaniline	.35956	.27585	23.28	
2,4,6-Tribromophenol	.21023	.14152	32.68	
1,2-Diphenylhydrazine	-	-	-	
Alpha-BHC	-	-	-	
Beta-BHC	-	-	-	
Gamma-BHC	-	-	-	
Delta-BHC	-	-	-	
Heptachlor	-	-	-	
Aldrin	-	-	-	
N-Nitrosodiphenylamine	.40286	.49878	23.81	*
4,6-Dinitro-2-Methylphenol	.10514	-	-	
4-Bromophenyl-phenylether	.21301	.21414	.53	
Hexachlorobenzene	.26273	.24922	5.14	
Pentachlorophenol	.14536	.11749	19.10	*

RF - Response Factor from daily standard file at 60.00 ng/L

RF - Average Response Factor from Initial Calibration Form VI

XDiff - X Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check

HSL Compounds

Case No: \_\_\_\_\_

Calibration Date: 11/05/88

Contractor: ENGINEERING - SCIENCE line: 21:34

Contract No: \_\_\_\_\_

Laboratory ID: 150376

Instrument ID: 1

Initial Calibration Date: 10/13/88  
<sup>12</sup>  
<sub>20</sub>

Minimum RF for SPEC is \_\_\_\_\_

Maximum % Diff for CCC is: X

Compound	$\bar{R}F$	RF	%Diff	CCC SPEC
Phenanthrene	1.03431	1.00445	2.89	
Anthracene	1.05155	1.16120	10.43	
Di-n-Butylphthalate	1.51956	1.75280	15.35	
1,4'-Dibromobiphenyl	-	-	-	
Fluoranthene	1.19047	1.08265	9.06 *	
Heptachlor Epoxide	-	-	-	
Endosulfan I	-	-	-	
1,4'-DDE	-	-	-	
Dieldrin	-	-	-	
Endrin	-	-	-	
1,4'-DDD	-	-	-	
Endosulfan II	-	-	-	
Endrin Aldehyde	-	-	-	
1,4'-DDT	-	-	-	
Endosulfan Sulfate	-	-	-	
Dibutylchlorodate	-	-	-	
Benzidine	.04023	.03264	18.88	
Pyrene	1.56086	1.86172	19.28	
Terphenyl-d14	1.05835	1.13352	7.10	
Butylbenzylphthalate	1.03390	1.29793	25.54	
3,3'-Dichlorobenzidine	.13689	.18031	31.72	
Chrysene	.99655	1.13423	13.81	
Benzo(a)Anthracene	1.10407	1.02505	7.16	
1,4'-Diethylhexylphthalate	1.21073	1.51584	25.20	
Di-n-octylphthalate	3.40275	3.79944	11.66 *	
Benzo(a)Pyrene	1.32098	1.36276	3.16 *	
Benzo(b)Fluoranthene	1.60850	1.05379	34.49	
Indeno(1,2,3-cd)Pyrene	.96800	1.07919	11.49	
Dibenzo(a,h)Anthracene	.87481	.89145	1.90	
Benzo(k)Fluoranthene	1.44370	1.92303	33.20	
Benzo(g,h,i)Perylene	.89761	.79672	11.24	

RF - Response Factor from daily standard file at 60.00 mg/L

$\bar{R}F$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average on curve

CCC - Calibration Check Compounds (\*) SPEC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): 9STD060 Date Analyzed: 11/5/88  
 Lab File ID (Standard): S0376 Time Analyzed: 21:34  
 Instrument ID: 1

	IS1 (DCB)		IS2 (NPT)		IS3 (ANT)		
	AREA #	RT	AREA #	RT	AREA #	RT	
12 HOUR STD	68485	9.28	237028	12.90	127704	18.36	
UPPER LIMIT	136970	9.78	474456	13.40	254608	18.86	
LOWER LIMIT	34243	8.78	118614	12.40	63652	17.86	
EPA SAMPLE NO.							
803701	88092577 AC	55244	9.29	153607	12.98	100640	18.39
802	88092577 BN	85545	9.29	319622	12.98	158956	18.41
903	88092578 AC	58483	9.28	215467	13.02	102329	18.40
8004	88092578 BN	61867	9.28	189628	12.96	111187	18.43
105	88092579 AC	57871	9.29	214105	13.01	101238	18.42
206	88092579 BN	59271	9.38	187063	12.96	88147	18.44
307	88092599 AC	59436	9.31	213710	13.10	101493	18.48
408	88092599 BN	57631	9.35	185009	12.94	103005	18.37
509	88092568 AC	82958	9.28	300414	12.98	143069	18.40
610	88092568 BN	75249	9.29	222955	12.96	129072	18.43
711	88092564 AC	71705	9.28	200623	12.96	124955	18.37
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8  
 UPPER LIMIT = - 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

# Column used to flag internal standard area values with an asterisk.

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_

Sample No. (Standard): SSTD0060 Date Analyzed: 11/5/88

Lab File ID (Standard): S0376 Time Analyzed: 21:34

Instrument ID: \_\_\_\_\_

		IS4 (PHN)	RT	IS5 (CRY)	RT	IS4 (PRY)	RT
		AREA #		AREA #		AREA #	
	12 HOUR STD	175855	23.01	97130	31.48	60208	37.72
	UPPER LIMIT	351710	23.51	194260	31.98	120416	38.22
	LOWER LIMIT	87928	22.51	48565	30.98	30104	37.22
	EPA SAMPLE NO.						
8077 01	88092577 AC	128525	23.06	75735	31.51	35977	37.73
9 02	88092577 BN	214826	23.15	122471	31.56	76893	37.80
9 03	88092578 AC	133093	23.12	72716	31.64	37780	37.94
80 04	88092578 BN	141684	23.15	73750	31.56	40914	37.76
1 05	88092579 AC	134329	23.12	74710	31.61	33341	37.91
2 06	88092579 BN	144418	23.17	82964	31.61	47223	37.90
3 07	88092599 AC	97287	23.24	72884	31.66	44504	37.97
4 08	88092599 BN	132507	23.15	71626	31.66	37186	38.00
5 09	88092508 AC	180106	23.10	94076	31.62	49918	37.93
6 10	88092508 BN	171108	23.19	93719	31.61	48470	37.91
7 11	88092569 AC	169042	23.03	104058	31.54	40379	37.83
12							
13							
14							
15							
16							
17							
18							
19							
20							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS4 (PRY) = Phenanthrene-d10

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

\* Column used to flag internal standard area values with an asterisk

58  
SEMIVOLATILE ORGANIC GC/MS TUNING AND MASS  
CALIBRATION - DEGAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Engineering Science      Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Lab File ID: >T1130      DFTPP Injection Date: 11/30/88  
 Instrument ID: 70      DFTPP Injection Time: 12:48

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	46.2
68	Less than 2.0% of mass 69	0.0 ( 0.0 )
69	Mass 69 relative abundance	.52
70	Less than 2.0% of mass 69	0.0 ( 0.0 )
127	40.0 - 60.0% of mass 198	41.5
197	Less than 1.0% of mass 198	.8
198	Base Peak, 100% relative abundance	100.
199	5.0 - 9.0% of mass 198	7.0
275	10.0 - 30.0% of mass 198	19.8
365	Greater than 1.00% of mass 198	1.76
441	Present, but less than mass 443	9.1
442	Greater than 40.0% of mass 198	58.5
443	17.0 - 23.0% of mass 442	10.3 ( 17.6 )

1-Value is % mass 69

2-Value is % mass 442

*5 point  
10/12*


THIS TUNE APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01: 80 ug/ml BNA STD	>S0606	11/30/88	13:07
02: 88092198 1ml REANAL.	>S0607	11/30/88	14:13
03: 88092130 1ml REANAL.	>S0608	11/30/88	15:12
04: 88092133 1ml REANAL.	>S0609	11/30/88	16:16
05: 88092162 1ml REANAL.	>S0610	11/30/88	17:16
06: 88092186 1ml REANAL.	>S0611	11/30/88	18:15
07: 88092574 AC REANAL.	>S0612	11/30/88	19:15
08: 88092766 BN REANAL.	>S0613	11/30/88	20:15
09: 88092301 1ml REANAL.	>S0614	11/30/88	21:14
10: 88092122 AC REANAL.	>S0615	11/30/88	22:13
11: 88092732 1ml REANAL.	>S0616	11/30/88	23:12
12: 88091976 REY. 1ml	>S0617	12/01/88	0:11
13:			
14:			
15:			
16:			
17:			
18:			
19:			
20:			
21:			
22:			

*another  
pg 02*

**763**





File: >T1130 Scan #: 76 Retn. time: 4.96

n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.	n/z	Int.
43.10	.572	91.10	.212	137.05	.275	189.15	.974	245.10	1.249
49.20	.689	92.00	1.143	137.25	1.080	191.95	1.630	246.10	1.842
50.10	11.624	93.00	3.494	138.15	.826	193.05	1.249	254.00	.487
51.10	46.221	94.10	1.016	140.15	.550	195.25	.508	255.10	39.848
52.20	2.414	96.10	.318	141.05	2.160	196.00	2.625	256.10	5.399
53.60	.169	98.00	3.239	142.35	.529	196.70	.826	258.10	2.795
56.20	1.334	99.00	3.155	142.95	.805	198.10	100.000	265.00	1.059
57.10	3.981	101.00	1.800	147.15	1.313	199.10	6.966	272.00	.487
58.10	.741	104.10	1.228	148.15	2.625	201.40	.699	273.00	1.419
60.00	.318	105.00	.275	153.15	.720	201.60	.678	274.15	3.367
60.70	.868	106.20	.720	154.05	.656	203.20	.741	275.15	19.797
60.90	.106	107.00	9.697	156.15	2.160	204.10	3.345	276.15	3.028
63.10	1.927	108.00	2.371	158.75	.720	205.10	4.912	277.15	1.524
65.10	1.101	110.00	32.839	160.05	1.186	206.20	18.886	281.15	.233
69.00	52.149	111.10	3.959	161.05	.593	207.10	1.736	296.15	4.531
73.10	.826	117.00	5.103	163.05	.614	211.10	1.249	297.05	1.249
74.00	3.981	118.15	.953	165.15	.593	217.00	5.526	303.05	.783
75.10	7.135	119.15	1.270	165.85	.783	221.10	6.013	303.25	.805
76.10	2.096	120.05	.614	167.15	4.362	221.80	1.503	323.15	1.757
77.10	40.716	123.15	1.270	168.05	2.308	223.20	1.249	334.15	.910
78.10	2.922	124.05	.995	174.15	1.037	224.10	10.248	365.20	1.757
79.00	2.774	125.15	1.270	175.15	1.694	225.10	2.752	372.10	.805
80.10	2.552	127.15	41.541	176.95	.593	226.00	.572	403.20	.593

764

63.10	1.651	139.05	1.605	160.05	2.011	225.10	.935	441.25	9.101
64.00	.042	131.15	.146	161.15	1.037	241.10	.445	442.25	58.543
65.20	.550	132.15	.656	165.05	1.842	242.10	.666	443.25	10.250
66.00	1.143	135.15	1.252	166.05	10.396	244.10	8.787	444.15	1.207
67.05	.605	135.95	.550	187.05	3.367				

HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/30/88  
 Contractor: Environmental Science Time: 13:07  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0606  
 Instrument ID: 1 Initial Calibration Date: <sup>12</sup>10/12/88  
<sub>20</sub>

Minimum  $\bar{RF}$  for SPCC is

Maximum % Diff for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.90169	.97337	7.95		
2-Fluorophenol	1.15802	1.27080	9.74		
bis(2-Chloroethyl)ether	1.11892	1.17761	5.25		
Phenol	1.41657	1.46679	3.55	*	
Phenol-d5	1.22488	1.24768	1.86		
Aniline	.54193	.54600	.75		
2-Chlorophenol	1.23175	1.22921	.21		
1,3-Dichlorobenzene	1.47535	1.39593	5.38		
1,4-Dichlorobenzene	1.40530	1.37607	2.08	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.74005	1.51		
1,2-Dichlorobenzene	1.32240	1.39494	5.49		
2-Methylphenol	1.17367	1.36240	16.08		
3-6-4-Methylphenol	1.07139	1.29827	21.18		
bis(2-chloroisopropyl)Ether	2.15627	3.36908	56.25		
N-Nitroso-Di-n-Propylamine	.84050	.94366	12.27	**	
Hexachloroethane	.53840	.58714	9.05		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.47247	17.21		
Nitrobenzene-d5	.39137	.45847	17.14		
2-Nitrophenol	.24657	.25098	1.79	*	
Isophorone	.74170	.86068	16.04		
bis(2-Chloroethoxy)methane	.49386	.54850	11.07		
2,4-Dimethylphenol	.34849	.39683	13.87		
Benzoic Acid	.29725	.36556	22.98		
2,4-Dichlorophenol	.56733	.56864	.23	*	
1,2,4-Trichlorobenzene	.36913	.33939	8.06		
Naphthalene	.94589	.91765	2.99		
4-Chloroaniline	.36309	.35462	2.33		
Hexachlorobutadiene	.20283	.20391	.53	*	
4-Chloro-3-Methylphenol	.31360	.38168	21.71	*	
2-Methylnaphthalene	.56397	.58983	4.58		

RF - Response Factor from daily standard file at 80.00 mg/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/30/88  
 Contractor: Environmental Science Time: 13:07  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0606  
 Instrument ID: 1 Initial Calibration Date: 10/13/88  
 (Date)

Minimum RF for SPCC is: \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC SPCC
Hexachlorocyclopentadiene	.29568	.31497	6.52	**
2,4,6-Trichlorophenol	.42280	.37315	11.74	*
2,4,5-Trichlorophenol	.52897	.43693	17.40	
2-Fluorobiphenyl	1.27220	1.01763	20.01	
2-Chloronaphthalene	1.23784	1.07732	12.97	
2-Nitroaniline	.47288	.61515	30.08	
Dimethylphthalate	1.40629	1.25232	10.95	
2,6-Dinitrotoluene	.37415	.35614	4.81	
Acenaphthylene	1.68918	1.48674	11.98	
3-Nitroaniline	.44557	.57056	28.05	
2,4-Dinitrophenol	.11898	.10674	10.29	**
Acenaphthene	1.13011	.92383	18.25	*
Dibenzofuran	1.64131	1.50133	8.53	
2,4-Dinitrotoluene	.28418	.33918	19.36	
4-Nitrophenol	.28450	.30420	6.92	**
Fluorene	1.12850	.92206	18.29	
Diethylphthalate	1.20939	1.03857	14.12	
4-Chlorophenyl-phenylether	.59183	.52517	11.26	
4-Nitroaniline	.35956	.35467	1.36	
2,4,6-Tribromophenol	.21023	.22367	6.39	
1,2-Diphenylhydrazine	-	-	-	
Alpha-BHC	-	-	-	
Beta-BHC	-	-	-	
Gamma-BHC	-	-	-	
Delta-BHC	-	-	-	
Heptachlor	-	-	-	
Aldrin	-	-	-	
N-Nitrosodiphenylamine	.40286	.43802	8.73	*
4,6-Dinitro-2-Methylphenol	.10514	-	-	
4-Bromophenyl-phenylether	.21301	.22286	4.62	
Hexachlorobenzene	.26273	.27616	5.11	
Pentachlorophenol	.14536	.15977	9.91	*

RF - Response Factor from daily standard file at 80.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/30/88  
 Contractor: ENGINEERING-SCIENCE Time: 13:07  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0606  
 Instrument ID: 1 Initial Calibration Date: 10/13/88  
251

Minimum  $\overline{RF}$  for SPCC is \_\_\_\_\_ Maximum % Diff. for CCC is %

Compound	$\overline{RF}$	RF	%Diff	CCC	SPCC
Phenanthrene	1.03431	1.01660	1.71		
Anthracene	1.05155	.99355	5.51		
Di-n-Butylphthalate	1.51956	1.40248	7.70		
4,4'-Dibromobiphenyl	-	-	-		
Fluoranthene	1.19047	1.12977	5.10	*	
Heptachlor Epoxide	-	-	-		
Endosulfan I	-	-	-		
4,4'-DDE	-	-	-		
Dieldrin	-	-	-		
Endrin	-	-	-		
4,4'-DDD	-	-	-		
Endosulfan II	-	-	-		
Endrin Aldehyde	-	-	-		
4,4'-DDT	-	-	-		
Endosulfan Sulfate	-	-	-		
Dibutylchloroendate	-	-	-		
Benzidine	.04023	.03588	10.81		
Pyrene	1.56086	1.36766	12.38		
Terphenyl-d14	1.05835	.99564	5.93		
Butylbenzylphthalate	1.03390	.90180	12.78		
3,3'-Dichlorobenzidine	.13689	.22429	63.85		
Chrysene	.99655	.99267	.39		
Benzo(a)Anthracene	1.10407	1.10086	.29		
bis(2-Ethylhexyl)Phthalate	1.21073	1.06473	12.06		
Di-n-octylphthalate	3.40275	2.57819	24.23	*	
Benzo(a)Pyrene	1.32098	1.31996	.08	*	
Benzo(b)Fluoranthene	1.60850	1.61742	.55		
Indeno(1,2,3-cd)Pyrene	.96800	.88866	8.20		
Dibenzo(a,h)Anthracene	.87481	1.06109	21.29		
Benzo(k)Fluoranthene	1.44370	1.23486	14.47		
Benzo(g,h,i)Perylene	.89761	1.09695	22.21		

RF - Response Factor from daily standard file at 80.00 mg/L

$\overline{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science

Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_

Case No.: \_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: \_\_\_\_\_

Lab File ID (Standard): >S0606

Date Analyzed: 11/30/88

Instrument ID: 70 1

Time Analyzed: 13:07

		IS1(DCB)		IS2(NPT)		IS3(ANT)	
		AREA #	RT	AREA #	RT	AREA #	RT
12	HOUR STD	110671.	9.11	389852.	12.73	244062.	18.20
	UPPER LIMIT	221342.		779704.		488124.	
	LOWER LIMIT	55335.		194926.		122031.	
	SAMPLE NO.						
01	88092198 1ml	100089.	9.07	390200.	12.70	221026.	18.18
02	88092130 1ml	96458.	9.07	367060.	12.69	210105.	18.18
03	88092133 1ml	94476.	9.07	359915.	12.70	208824.	18.18
04	88092162 1ml	91675.	9.09	350433.	12.71	201940.	18.19
05	88092186 1ml	98081.	9.07	378637.	12.69	222160.	18.18
06	88092574 AC	96301.	9.09	347940.	12.74	203153.	18.18
07	88092766 BN	120776.	9.09	457904.	12.69	227529.	18.17
08	88092301 1ml	115080.	9.07	463142.	12.68	249602.	18.17
09	88092122 AC	213815.	9.10	843428.*	12.71	430033.	18.20
10	88092732 1ml	106202.	9.04	397365.	12.70	214955.	18.18
11	88091976 REX	103544.	9.10	406331.	12.70	228799.	18.19
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science

Contract: \_\_\_\_\_

Lab Code: ES01

Case No.: \_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: \_\_\_\_\_

Lab File ID (Standard): >S0606

Date Analyzed: 11/30/88

Instrument ID: 70 1

Time Analyzed: 13:07

		IS4(PHN)		IS5(CRY)		IS3(PRY)	
		AREA #	RT	AREA #	RT	AREA #	RT
12 HOUR STD		398583.	22.85	323333.	31.32	245167.	37.31
UPPER LIMIT		797166.		646666.		490334.	
LOWER LIMIT		199291.		161666.		122584.	
EPA SAMPLE NO.							
01	88092198 1ml	363463.	22.84	308891.	31.28	148561.	37.29
02	88092130 1ml	322867.	22.84	275135.	31.28	67536.*	37.31
03	88092133 1ml	341401.	22.84	281286.	31.27	108142.*	37.31
04	88092162 1ml	326830.	22.85	278444.	31.27	131941.	37.30
05	88092186 1ml	356156.	22.84	282466.	31.28	140968.	37.29
06	88092574 AC	334654.	22.86	272080.	31.29	147575.	37.32
07	88092766 BN	416923.	22.83	329995.	31.28	0.*	0.00
08	88092301 1ml	409603.	22.83	329772.	31.28	80672.*	37.32
09	88092122 AC	793152.	22.86	641909.	31.31	433144.	37.33
10	88092732 1ml	298745.	22.83	250100.	31.28	137026.	37.32
11	88091976 REX	361228.	22.85	263307.	31.30	137813.	37.32
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

# Column used to flag internal standard area values with an asterisk

5b  
 SEMIVOLATILE ORGANIC GC/MS TUNING AND MASS  
 CALIBRATION - DECAFLUOROTRIPHENYLPHOSPHINE (DFTFP)

Lab Name: Engineering Science                      Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_      Case No.: \_\_\_\_\_      SAS No.: \_\_\_\_\_      SDS No.: \_\_\_\_\_  
 Lab File ID: >T1213                                      DFTFP Injection Date: 12/13/88  
 Instrument ID: 70      1                                      DFTFP Injection Time: 11:31


m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	30.0 - 60.0% of mass 198	54.9
68	Less than 2.0% of mass 69	.7( 1:0)
69	Mass 69 relative abundance	66.
70	Less than 2.0% of mass 69	0.0( 0.0)
127	40.0 - 60.0% of mass 198	45.5
197	Less than 1.0% of mass 198	.4
198	Base Peak, 100% relative abundance	100.
199	5.0 - 9.0% of mass 198	7.1
275	10.0 - 30.0% of mass 198	17.4
365	Greater than 1.00% of mass 198	1.47
441	Present, but less than mass 443	6.9
442	Greater than 40.0% of mass 198	49.0
443	17.0 - 23.0% of mass 442	8.9( 18.2)

1-Value is % mass 69                                      2-Value is % mass 442                                      Sp

THIS TUNE APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS

	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	80 mg/L BNA STD + IS	>SC708	12/13/88	11:59
02	88092573 BN 2ml + IS	>S0709	12/13/88	12:59
03	88113090 AC 1ml + IS	>S0710	12/13/88	13:58
04	88113090 BN 1ml + IS	>S0711	12/13/88	14:58
05	88113091 AC 1ml + IS	>S0712	12/13/88	15:58
06	88113091 BN 1ml + IS	>S0713	12/13/88	16:58
07	88113092 AC 1ml + IS	>S0714	12/13/88	17:58
08	88113092 BN 1ml + IS	>S0715	12/13/88	18:57
09	88113113 AC 1ml + IS	>S0716	12/13/88	19:57
10	88113113 BN 1ml + IS	>S0717	12/13/88	20:56
11	88113113 AC BLANK	>S0718	12/13/88	21:56
12	88113113 BN BLANK	>S0719	12/13/88	22:55
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				





File: >T1213 Scan #: 78 Retn. time: 4.98

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
41.10	.569	84.10	1.159	129.05	19.609	177.05	1.091	225.10	2.268
43.20	1.708	85.10	1.357	130.15	1.120	179.05	2.942	227.10	3.635
44.10	1.224	86.00	.560	131.05	.266	180.15	1.908	229.00	.826
49.20	.930	87.10	.408	132.45	.190	181.05	.541	242.90	.313
50.10	14.151	91.10	1.129	133.15	.465	183.25	1.082	244.20	7.489
51.10	54.926	92.00	.484	135.05	1.784	185.15	1.500	245.20	.437
52.00	2.942	93.00	4.622	136.25	.237	186.05	11.086	246.00	1.510
53.10	.315	95.10	.949	141.05	1.775	187.05	3.151	255.10	36.636
55.00	2.582	96.00	1.538	142.15	.902	191.05	.418	256.10	5.296
56.10	2.752	97.00	1.054	142.95	.342	192.05	.513	257.30	.323
57.00	7.327	98.10	3.284	147.15	1.727	193.05	.902	258.00	1.984
58.10	.380	99.00	3.550	148.05	1.946	196.10	3.597	259.00	.228
61.00	.304	101.00	1.063	148.95	.285	196.90	.370	265.00	.503
63.20	1.870	103.10	.902	151.05	.266	198.10	100.000	273.10	1.101
63.90	.313	104.10	.959	153.05	.883	199.10	7.147	274.05	2.620
65.10	.873	105.00	1.376	154.05	.361	201.40	.408	275.15	17.416
67.00	.674	107.00	.165	155.05	1.490	204.10	2.705	276.15	2.344
68.10	.664	108.00	11.418	156.15	1.775	205.20	4.157	277.15	1.357
69.00	66.059	108.10	1.851	157.15	.683	206.10	17.407	281.05	.731
71.20	1.405	110.00	33.855	157.95	.209	207.10	5.476	296.15	4.195
73.20	1.965	111.00	4.470	159.95	.399	208.10	1.386	323.25	.494
74.10	4.594	116.10	.560	161.05	1.054	211.10	.883	334.15	.513
75.00	7.688	117.00	6.549	164.95	.456	212.10	.190	354.20	.342
76.10	2.781	118.15	.361	166.05	.835	217.10	4.727	365.10	1.471
77.10	49.440	122.05	.987	167.05	4.024	218.20	.294	372.20	.674
78.10	3.673	123.15	1.414	168.05	1.614	221.10	6.748	423.20	2.923

772



Continuing Calibration Check  
HSL-Compounds

Case No: \_\_\_\_\_ Calibration Date: 12/13/88  
 Contractor: Environmental Science Time: 11:59  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0708  
 Instrument ID: 2 Initial Calibration Date: 10/13/88  
 \_\_\_\_\_ DP

Minimum RF for SPCC is

Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.90169	1.09970	21.96		
2-Fluorophenol	1.15802	1.43896	24.26		
bis(2-Chloroethyl)ether	1.11892	1.20243	7.46		
Phenol	1.41657	1.59954	12.92	*	
Phenol-d5	1.22488	1.48672	21.38		
Aniline	.54193	.61300	13.11		
2-Chlorophenol	1.23175	1.28368	4.22		
1,3-Dichlorobenzene	1.47535	1.38929	5.83		
1,4-Dichlorobenzene	1.40530	1.34819	4.06	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.78224	7.29		
1,2-Dichlorobenzene	1.32240	1.44950	9.61		
2-Methylphenol	1.17367	1.36409	16.22		
3-6-4-Methylphenol	1.07139	1.38221	29.01		
bis(2-chloroisopropyl)Ether	2.15627	3.52591	63.52		
N-Nitroso-Di-n-Propylamine	.84050	1.07114	27.44	**	
Hexachloroethane	.53840	.60060	11.55		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.49495	22.78		
Nitrobenzene-d5	.39137	.46217	18.09		
2-Nitrophenol	.24657	.26593	7.85	*	
Isophorone	.74170	.89234	20.31		
bis(2-Chloroethoxy)methane	.49386	.60136	21.77		
2,4-Dimethylphenol	.34849	.34691	.45		
Benzoic Acid	.29725	.41169	38.50		
2,4-Dichlorophenol	.56733	.55204	2.70	*	
1,2,4-Trichlorobenzene	.36913	.31909	13.56		
Naphthalene	.94589	.92828	1.86		
4-Chloroaniline	.36309	.36253	.15		
Hexachlorobutadiene	.20283	.18916	6.74	*	
4-Chloro-3-Methylphenol	.31360	.33866	7.99	*	
2-Methylnaphthalene	.56397	.57940	2.73		

RF - Response Factor from daily standard file at 80.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 12/13/88  
 Contractor: ENGINEERING - SCIENCE Time: 11:59  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0708  
 Instrument ID: 3 Initial Calibration Date: 10/13/88  
 \_\_\_\_\_ 20

Minimum  $\bar{R}_f$  for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	$\bar{R}_f$	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29568	.28065	5.08	**	
2,4,6-Trichlorophenol	.42280	.38546	8.83	*	
2,4,5-Trichlorophenol	.52897	.47553	10.10		
2-Fluorobiphenyl	1.27220	1.05422	17.13		
2-Chloronaphthalene	1.23784	1.02377	17.29		
2-Nitroaniline	.47288	.59225	25.24		
Dimethylphthalate	1.40629	1.18893	15.46		
2,6-Dinitrotoluene	.37415	.35767	4.40		
Acenaphthylene	1.68918	1.39698	17.30		
5-Nitroaniline	.44557	.62923	41.22		
2,4-Dinitrophenol	.11898	.13442	12.98	**	
Acenaphthene	1.13011	.93525	17.42	*	
Dibenzofuran	1.64151	1.44062	12.23		
2,4-Dinitrotoluene	.28418	.32749	15.24		
4-Nitrophenol	.28450	.21678	23.80	**	
Fluorene	1.12850	.83982	25.58		
Diethylphthalate	1.20939	.97795	19.14		
4-Chlorophenyl-phenylether	.59183	.47226	20.20		
4-Nitroaniline	.35956	.25536	28.98		
2,4,6-Tribromophenol	.21023	.17450	17.09		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40286	.44313	10.00	*	
4,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.21802	2.35		
Hexachlorobenzene	.26273	.25618	2.49		
Pentachlorophenol	.14536	.14065	3.24	*	

RF - Response Factor from daily standard file at 80.00 µg/L

$\bar{R}_f$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

8E  
SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science

Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_

SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Lab File ID (Standard): >S0708

Date Analyzed: 12/13/88

Instrument ID: 70 1

Time Analyzed: 11:59

	IS1(DCB)		IS2(NPT)		IS3(ANT)	
	AREA #	RT	AREA #	RT	AREA #	RT
12 HOUR STD	150984.	9.11	533943.	12.74	349801.	18.21
UPPER LIMIT	301968.		1067886.		699602.	
LOWER LIMIT	75492.		266972.		174901.	
SAMPLE NO.						
01 88092573 BN	158149.	9.14	623104.	12.81	324382.	18.24
02 88113090 AC	155939.	9.13	621007.	12.76	322686.	18.22
03 88113090 BN	139998.	9.13	490426.	12.80	287512.	18.27
04 88113091 AC	129684.	9.15	507152.	12.82	267359.	18.25
05 88113091 BN	133600.	9.16	464759.	12.82	264005.	18.28
06 88113092 AC	1500.*	9.61	203465.*	13.12	219223.	18.43
07 88113092 BN	139546.	9.14	477501.	12.81	275861.	18.26
08 88113113 AC	111205.	9.16	426043.	12.85	220256.	18.27
09 88113113 BN	118210.	9.20	477713.	12.89	246655.	18.31
10 88113113 AC	148686.	9.14	577283.	12.86	293163.	18.29
11 88113113 BN	165054.	9.16	598202.	12.79	326793.	18.30
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100%  
 of internal standard area.  
 LOWER LIMIT = - 50%  
 of internal standard area.

\* Column used to flag internal standard area values with an asterisk

## SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science

Contract: \_\_\_\_\_

Lab Code: ES01

Case No.: \_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: \_\_\_\_\_

Lab File ID (Standard): &gt;S0708

Date Analyzed: 12/13/88

Instrument ID: 70 1

Time Analyzed: 11:59

	IS4(PHN)	IS5(CRY)	IS3(PRY)
	AREA #	AREA #	AREA #
	RT	RT	RT
12 HOUR STD	519611.	358461.	264057.
UPPER LIMIT	1039222.	716922.	528114.
LOWER LIMIT	259806.	179230.	132028.
EPA SAMPLE NO.			
01	88092573 BN	519966.	151305.
02	88113090 AC	504717.	206282.
03	88113090 BN	434759.	162076.
04	88113091 AC	401095.	139050.
05	88113091 BN	397280.	135226.
06	88113092 AC	362647.	123034.*
07	88113092 BN	414869.	141425.
08	88113113 AC	335984.	113507.*
09	88113113 EN	354505.	120685.*
10	88113113 AC	440901.	149144.
11	88113113 BN	489864.	161786.
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

UPPER LIMIT = + 100%

of internal standard area.

LOWER LIMIT = - 50%

of internal standard area.

\* Column used to flag internal standard area values with an asterisk

## VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_

Instrument ID:VOCAL \_\_\_\_\_ Calibration Date(s):\_9/26/88

LAB FILE ID: ~~354~~ <sup>33, 34</sup> \_\_\_\_\_ Init. Calib. Date(s):\_9/22/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	4.43	6.10	-37.70
bis (2-chloroethoxy) methane	0.12		100.00
bis (2-chloroisopropyl ether	0.12		100.00
Bromobenzene	3.08	3.20	-3.90
Bromodichloromethane	4.91	4.40	10.39
Bromoform	3.32	3.10	6.63
Bromomethane	0.43	0.62	-44.19
Carbon tetrachloride	5.00	4.40	12.00
Chloroacetaldehyde	0.07		100.00
Chlorobenzene	1.38	1.30	5.80
Chloroethane	0.73	0.88	-20.55
Chloroform	4.22	3.60	14.69
1-Chlorohexane	0.82	0.82	0.00
2-Chloroethyl vinyl ether	0.12		100.00
Chloromethane	1.84	2.21	-20.11
Chloromethyl methyl ether	0.02		100.00
o,m,& p_Chlorotoluenes	3.34	3.40	-1.80
Dibromochloromethane	4.68	4.30	8.12
Dibromomethane	3.06	3.00	1.96
1,2_Dichlorobenzene	2.22	2.10	5.41
1,3_Dichlorobenzene	1.79	1.70	5.03
1,4_Dichlorobenzene	1.83	1.80	1.64
Dichlorodifluormethane	0.54		100.00
1,1_Dichloroethane	2.74	2.40	12.41
1,2_Dichloroethane	3.74	3.20	14.44
1,1_Dichloroethylene	1.32	1.40	-6.06
trans_1,2_dichloroethylene	2.96	2.70	8.78
Dichloromethane	4.72	5.50	-16.53
1,2_Dichloropropane	3.18	2.80	11.95
1,3_Dichloropropylene	0.47	0.48	-2.13
1,1,2,2_Tetrachloroethane	4.04	3.60	10.89
1,1,1,2_Tetrachloroethane	4.83	3.80	21.33
Tetrachloroethylene	5.06	4.40	13.04
1,1,1_Trichloroethane	2.77	2.50	9.75
1,1,2_Trichloroethane	4.42	4.80	-8.60
Trichloroethylene	4.06	3.70	8.87
Trichlorofluormethane	0.78	0.76	2.56
Trichloropropane	3.08	3.20	-3.90
Vinyl chloride	1.84	1.35	26.63

-VOLATILE CONTINUING CALIBRATION CHECK

LabName: ENGINEERING SCIENCE \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: Vocal Calibration Date(s): 9/26/88

LAB FILE ID: RRF 50 33

Initial = 9/22/88

---


COMPOUND	RRF	RRF50	%D
Benzene _____	4.45	3.50	-21.35
Chlorobenzene _____	4.74	4.20	-11.39
1,2_Dichlorobenzene _____	3.79	3.30	-12.93
1,3_Dichlorobenzene _____	4.18	3.70	-11.48
1,4_Dichlorobenzene _____	3.35	3.00	-10.45
Ethyl Benzene _____	3.10	2.70	-12.90
Toluene _____	3.55	3.20	-9.86
Xylenes _____	10.40	9.00	-13.46



This page intentionally left blank.

DATA PACKAGE #12

This page intentionally left blank.



ENGINEERING-SCIENCE, INC.

600 BANCROFT WAY  
BERKELEY, CA 94710  
Tel: (415) 548-7970 Fax: (415) 548-7635

Job No.: OR001

Work Order No.: 1028

Client: ES Oak Ridge  
Attention: Bill Hayden  
Address: 710 S. Illinois Avenue  
Suite F-103  
Oak Ridge, Tn. 37830

Project: Duluth ANGB.

Attached are the analytical reports for the water sample(s) received by this laboratory on 9-23-88.

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092612	DANGB-2-MW7-GW1	BA-I	9-22-88		10-13-88	
88092612	DANGB-2-MW7-GW1	CD-F	9-22-88		10-26-88	
88092612	DANGB-2-MW7-GW1	CR-F	9-22-88		10-19-88	
88092612	DANGB-2-MW7-GW1	PB-F	9-22-88		10-24-88	
88092612	DANGB-2-MW7-GW1	418.1	9-22-88	10-01-88	10-10-88	
88092612	DANGB-2-MW7-GW1	8010	9-22-88		9-27-88	9-30-88
88092612	DANGB-2-MW7-GW1	8020	9-22-88		9-27-88	
88092612	DANGB-2-MW7-GW1	8270	9-22-88	9-28-88	11-06-88	
88092613	DANGB-2-MW6-GW1	BA-I	9-22-88		10-13-88	
88092613	DANGB-2-MW6-GW1	CD-F	9-22-88		10-26-88	
88092613	DANGB-2-MW6-GW1	CR-F	9-22-88		10-19-88	
88092613	DANGB-2-MW6-GW1	PB-F	9-22-88		10-24-88	
88092613	DANGB-2-MW6-GW1	418.1	9-22-88	10-01-88	10-10-88	
88092613	DANGB-2-MW6-GW1	8010	9-22-88		9-27-88	9-30-88
88092613	DANGB-2-MW6-GW1	8020	9-22-88		9-27-88	
88092613	DANGB-2-MW6-GW1	8270	9-22-88	9-28-88	11-07-88	
88092614	DANGB-2-MW5-GW1	BA-I	9-22-88		10-13-88	
88092614	DANGB-2-MW5-GW1	CD-F	9-22-88		10-26-88	
88092614	DANGB-2-MW5-GW1	CR-F	9-22-88		10-19-88	
88092614	DANGB-2-MW5-GW1	PB-F	9-22-88		10-24-88	
88092614	DANGB-2-MW5-GW1	418.1	9-22-88	10-01-88	10-10-88	
88092614	DANGB-2-MW5-GW1	8010	9-22-88		9-29-88	9-27-88
88092614	DANGB-2-MW5-GW1	8020	9-22-88		9-29-88	
88092614	DANGB-2-MW5-GW1	8270	9-22-88	9-28-88	11-07-88	

\* If applicable

89-DULU0919 1

CL-FRM01

Job No.: OR001

Work Order No.: 1028

Project: Duluth ANGB

Sample Preparation Data

Laboratory Sample No.	Client Sample ID	Test	Date collected	Date* extracted	Date analyzed	Date* 2nd col.
88092615	DANGB-2-MW38-GW1	BA-I	9-22-88		10-21-88	
88092615	DANGB-2-MW38-GW1	CD-F	9-22-88		10-27-88	
88092615	DANGB-2-MW38-GW1	CR-F	9-22-88		10-21-88	
88092615	DANGB-2-MW38-GW1	PB-F	9-22-88		10-22-88	
88092615	DANGB-2-MW38-GW1	418.1	9-22-88	10-01-88	10-10-88	
88092615	DANGB-2-MW38-GW1	8010	9-22-88		9-29-88	9-27-88
88092615	DANGB-2-MW38-GW1	8020	9-22-88		9-29-88	
88092615	DANGB-2-MW38-GW1	8270	9-22-88	9-28-88	11-07-88	
88092616	DANGB-2-GW2B-GW1	BA-I	9-22-88		10-13-88	
88092616	DANGB-2-GW2B-GW1	CD-F	9-22-88		10-26-88	
88092616	DANGB-2-GW2B-GW1	CR-F	9-22-88		10-19-88	
88092616	DANGB-2-GW2B-GW1	PB-F	9-22-88		10-24-88	
88092616	DANGB-2-GW2B-GW1	418.1	9-22-88	10-01-88	10-10-88	
88092616	DANGB-2-GW2B-GW1	8010	9-22-88		9-27-88	10-03-88
88092616	DANGB-2-GW2B-GW1	8020	9-22-88		9-27-88	
88092616	DANGB-2-GW2B-GW1	8270	9-22-88	9-28-88	11-06-88	
88092617	MATRIX SPIKE DUP MW6	418.1	9-22-88	10-01-88	10-10-88	
88092617	DANGB-2-MW5-GW1	8080	9-22-88	9-28-88	10-24-88	
88092617	DANGB-2-MW5-GW1	8270	9-22-88	9-28-88	11-07-88	
88092618	DANGB-FB15	8010	9-22-88		9-29-88	9-30-88
88092618	DANGB-FB15	8020	9-22-88		9-29-88	
88092619	DANGB-TB11	8010	9-16-88		9-28-88	9-29-88
88092619	DANGB-TB11	8020	9-16-88		9-28-88	
88092620	DANGB-8-GW8C-GW1	418.1	9-22-88	10-01-88	10-10-88	
88092621	DANGB-4-MW8-GW1	418.1	9-22-88	10-01-88	10-10-88	


\* If applicable

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY  
SAMPLE NO(S).: 88092612-88092621  
WORK ORDER NO.: 1028

These water samples were received at the ES Berkeley Laboratory  
on 9-23-88. They were received cold and intact.

ANALYSIS REPORT

WORK ORDER NUMBER: 1028  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/23/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920


ASK: 2, UNITS: mg/L

TEST COMPOUND	DANGB-2-MW7-GW1 88092612	DANGB-2-MW6-GW1 88092613	DANGB-2-MW5-GW1 88092614	DANGB-2-MW3B- GW1 88092615	DANGB-2-GW2B- GW1 88092616
COAL DIG FLAME	NA	NA	NA	NA	NA
COAL DIG FURNACE	NA	NA	NA	NA	NA
ARSIUM	<0.2	<0.2	<0.2	<0.2	<0.21
ADMNIUM	<0.005	<0.005	<0.005	<0.005	<0.005
IRONIUM	<0.01	<0.01	<0.01	<0.01	<0.01
LEAD	<0.005	<0.005	<0.005	<0.005	<0.005

NA - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1028  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/23/88

APPROVED BY   
Lab Supervisor

REPORT DATA:  
ES OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 3, UNITS: mg/L

TEST COMPOUND	DANGB-2-MW7-GW1 88092612	DANGB-2-MW6-GW1 88092613	DANGB-2-MW5-GW1 88092614	DANGB-2-MW38- GW1 88092615	DANGB-2-GW2B- GW1 88092616	MATRIX SPIKE/ DUP MW6 88092617
18.1 PETROLEUM HYDROCARBONS	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5

D - Not Detected



ENGINEERING-SCIENCE INC.  
12/27/88

PAGE 3

ANALYSIS REPORT FOR WORK ORDER NUMBER 1028

ASK: 3; UNITS: mg/L

TEST COMPOUND	DANGB-8-GW8C-	DANGB-4-MW8-
	GW1	GW1
	88092620	88092621
-----		
18.1 PETROLEUM HYDROCARBONS	<1.5	<1.5

> - Not Detected

783

ANALYSIS REPORT

WORK ORDER NUMBER: 1028  
JOB NUMBER : ZB000000440  
WORK ORDER DATE : 09/23/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:

ES OAK RIDGE/DULUTH ANGB  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:

ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TASK: 4, UNITS: ug/L, GROUP 8010

TEST COMPOUND	DANGB-2-MW7-GW1 88092612	DANGB-2-MW6-GW1 88092613	DANGB-2-MW5-GW1 88092614	DANGB-2-MW38- GW1 88092615	DANGB-2-GW2B- GW1 88092616	DANGB-FB15 88092618
ALZYL CHLORIDE	ND	ND	ND	ND	ND	ND
BIS (2-CHLOROETHOXY)METHANE	ND	ND	ND	ND	ND	ND
BIS (2-CHLOROISOPROPYL)ETHER	ND	ND	ND	ND	ND	ND
BROMOBENZENE	ND	ND	ND	ND	ND	ND
BROMODICHLOROMETHANE	ND	ND	ND	ND	ND	ND
BROMOFORM	ND	ND	ND	ND	ND	ND
BROMOETHANE	ND	ND	ND	ND	ND	ND
CARBON TETRACHLORIDE	ND	ND	ND	ND	ND	ND
CHLORACETALDEHYDE	ND	ND	ND	ND	ND	ND
CHLORAL	ND	ND	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND	ND	ND
CHLOROETHANE	ND	ND	ND	ND	ND	ND
CHLOROFORM	ND	ND	ND	0.868	ND	ND
1-CHLOROHXANE	ND	ND	ND	ND	ND	ND
1-CHLOROETHYL VINYL ETHER	ND	ND	ND	ND	ND	ND
CHLOROMETHANE	ND	ND	ND	ND	ND	ND
CHLOROMETHYL METHYL ETHER	ND	ND	ND	ND	ND	ND
CHLOROTOLUENE	ND	ND	ND	ND	ND	ND
DIBROMOCHLOROMETHANE	ND	ND	ND	ND	ND	ND
DIBROMOMETHANE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
DICHLORODIFLUOROMETHANE	ND	ND	ND	ND	ND	ND
1,1-DICHLOROETHANE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROETHANE	ND	ND	ND	0.22	ND	ND
1,1-DICHLOROETHYLENE	ND	ND	ND	ND	ND	ND
TRANS-1,2-DICHLOROETHYLENE	ND	ND	ND	5.5	ND	ND
DICHLOROMETHANE	ND	ND	0.538	0.968	ND	1.78
1,2-DICHLOROPROPANE	ND	ND	ND	ND	ND	ND

ND - Not Detected



ANALYSIS REPORT FOR WORK ORDER NUMBER 1028

TASK: 4, UNITS: ug/L, GROUP 8010

DANGB-TB11

TEST COMPOUND 88092619

.....	.....
NYL CHLORIDE	ND
BIS (2-CHLOROETHOXY)METHANE	ND
BIS (2-CHLOROISOPROPYL)ETHER	ND
OMOBENZENE	ND
OMODICHLOROMETHANE	ND
BROMOFORM	14
PROMOETHANE	ND
ARBON TETRACHLORIDE	ND
HLORACETALDEHYDE,	ND
HLORAL	ND
HLOROBENZENE	ND
HLOROETHANE	ND
HLOROFORM	ND
1-CHLOROHEXANE	ND
-CHLOROETHYL VINYL ETHER	ND
ILROMETHANE	ND
CHLOROMETHYL METHYL ETHER	ND
CHLOROTOLUENE	ND
IBROMOCHLOROMETHANE	2.0
IBROMOMETHANE	ND
1,2-DICHLOROBENZENE	ND
,3-DICHLOROBENZENE	ND
,4-DICHLOROBENZENE	ND
DICHLORODIFLUOROMETHANE	ND
1,1-DICHLOROETHANE	ND
,2-DICHLOROETHANE	ND
,1-DICHLOROETHYLENE	ND
TRANS-1,2-DICHLOROETHYLENE	ND
DICHLOROMETHANE	0.61B
,2-DICHLOROPROPANE	ND
,3-DICHLOROPROPYLENE	ND
1,1,2,2-TETRACHLOROETHANE	ND
,1,1,2-TETRACHLOROETHANE	ND
ETRACHLOROETHYLENE	ND
,1,1-TRICHLOROETHANE	ND
1,1,2-TRICHLOROETHANE	ND
RICHLOROETHYLENE	ND
RICHLOROFLUOROMETHANE	ND
TRICHLOROPROPANE	ND
VINYL CHLORIDE	ND

'D - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1028  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/23/88

APPROVED BY



Lab Supervisor

REPORT DATA:  
S OAK RIDGE/DULUTH ANGB  
10 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
S OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NO. OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

TESTS: 4, UNITS: ug/L, GROUP 8020

TEST COMPOUND	DANGB-2-MW7-GW1 88092612	DANGB-2-MW6-GW1 88092613	DANGB-2-MW5-GW1 88092614	DANGB-2-MW38- GW1 88092615	DANGB-2-GW2B- GW1 88092616	DANGB-FB15 88092618
BENZENE	ND	ND	ND	ND	ND	ND
CHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	ND	ND	ND	ND	ND	ND
ETHYL BENZENE	ND	ND	ND	ND	ND	ND
TOLUENE	ND	ND	ND	ND	ND	ND
XYLENES	ND	ND	ND	ND	ND	ND

- Not Detected

ENGINEERING-SCIENCE INC.  
12/27/88

PAGE 8

ANALYSIS REPORT FOR WORK ORDER NUMBER 1028

TASK: 4, UNITS: ug/L, GROUP 8020

DANGB-TB11

TEST COMPOUND 88092619

-----  
BENZENE ND  
CHLOROBENZENE ND  
1,2-DICHLOROBENZENE ND  
3-DICHLOROBENZENE ND  
4-DICHLOROBENZENE ND  
ETHYL BENZENE ND  
TOLUENE ND  
XYLENES ND

ND - Not Detected

ANALYSIS REPORT

WORK ORDER NUMBER: 1028  
JOB NUMBER : ZB0000000440  
WORK ORDER DATE : 09/23/88

APPROVED BY

  
Lab Supervisor

REPORT DATA:  
OAK RIDGE/DULUTH ANGB  
0 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830  
BILL HAYDEN

CLIENT DATA:  
ES OAK RIDGE/DULUTH ANGB ( 134)  
710 S. ILLINOIS AVE. STE. S103  
OAK RIDGE, TN 37830

NUMBER OF REPORT COPIES: 1

CONTRACT / PO # : OR001  
CONTACT : BILL HAYDEN  
(615)-481-3920

CONCENTRATION: 4, UNITS: ug/L, GROUP 8080

TEST COMPOUND	MATRIX SPIKE/ DUP MW6 88092617
DRIN	ND
PHA-BHC	ND
TA-BHC	ND
LTA-BHC	ND
HMA-BHC	ND
ILORDANE	ND
4'-DDD	ND
4'-DDE	ND
4'-DDT	ND
ELDRIN	ND
DOSULFAN I	ND
DOSULFAN II	ND
DOSULFAN SULFATE	ND
DRIN	ND
DRIN ALDEHYDE	NA
PTACHLOR	ND
PTACHLOR EPOXIDE	ND
PONE	ND
THOXYCHLOR	ND
XXAPHENE	ND
B-1016	ND
B-1221	ND
B-1232	ND
B-1242	ND
B-1248	ND
B-1254	ND
B-1260	ND

- Not Detected

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092612	88092613
Sample No.:	DANGB-2-MW7- GW1	DANGB-2-MW6- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	08:45	11:00
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	63 B
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND



Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

page 2 of 5

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092612	88092613
Sample No.:	DANGB-2-MW7- GW1	DANGB-2-MW6- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	08:45	11:00
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	ND	ND
Chrysene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092612	88092613
Sample No.:	DANGB-2-MW7- GW1	DANGB-2-MW6- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	08:45	11:00
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection	Analytical Results	
	Limits ug/L	(dry weight) ug/L	
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
a-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 23, 1988  
Date Reported: December 9, 1988

Work Order: 1028  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092612	88092613
Sample No.:	DANGB-2-MW7- GW1	DANGB-2-MW6- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	08:45	11:00
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
o,p'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
o,p'-DDD	15	ND	ND
o,p'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092612	88092613
Sample No.:	DANGB-2-MW7-	DANGB-2-MW6-
	GW1	GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	08:45	11:00
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

*Laura Kirk*  
 Analyst

*W. B. Buse*  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

DR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092614	88092615
Sample No.:	DANGB-2-MW5- GW1	DANGB-2-MW38- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	12:00	13:15
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-07-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
,3-Dichlorobenzene	10	ND	ND
,4-Dichlorobenzene	10	ND	ND
hexachloroethane	10	ND	ND
bis(2-chloroethyl)ether	10	ND	ND
,2-Dichlorobenzene	10	ND	ND
-Nitrosodimethylamine	10	ND	ND
bis(2-chloroisopropyl)ether	10	ND	ND
-Nitrosodi-n-propylamine	10	ND	ND
hexachlorobutadiene	10	ND	ND
,2,4-Trichlorobenzene	10	ND	ND
nitrobenzene	10	ND	ND
sophorone	10	ND	ND
naphthalene	10	ND	ND
bis(2-chloroethoxy)methane	10	ND	ND
-Chloronaphthalene	10	ND	ND
hexachlorocyclopentadiene	10	ND	ND
acenaphthylene	10	ND	ND
acenaphthene	10	ND	ND
dimethyl phthalate	10	ND	ND
,6-Dinitrotoluene	10	ND	ND
luorene	10	ND	ND
,4-Dinitrotoluene	10	ND	ND
diethyl phthalate	10	79 B	ND
-Nitrosodiphenylamine	10	ND	ND
hexachlorobenzene	10	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Date Received: September 23, 1988

Work Order: 1028

Date Reported: December 9, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB

ATTN: Mr. Bill Hayden

Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

Lab Number:

88092614

88092615

Sample No.:

DANGB-2-MW5-  
 GW1

DANGB-2-MW38-  
 GW1

Date Sampled:

9-22-88

9-22-88

Time Sampled:

12:00

13:15

Date Extracted:

9-28-88

9-28-88

Date Analyzed:

11-07-88

11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	14 B	ND
Chrysene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzidine	60	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092614	88092615
Sample No.:	DANGB-2-MW5- GW1	DANGB-2-MW38- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	12:00	13:15
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-07-88	11-07-88

Compound	Detection Limits ug/L	Analytical Results (dry weight)	
		ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Benzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
α,α-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 23, 1988

Work Order: 1028

Date Reported: December 9, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB

ATTN:Mr. Bill Hayden

Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

Lab Number:	88092614	88092615
Sample No.:	DANGR-2-MW5- GW1	DANGB-2-MW38- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	12:00	13:15
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-07-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
4,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
4,4'-DDD	15	ND	ND
4,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

\* EPA has not yet determined detection limits for these compounds.



Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

page 5 of 5

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092614	88092615
Sample No.:	DANGB-2-MW5- GW1	DANGB-2-MW38- GW1
Date Sampled:	9-22-88	9-22-88
Time Sampled:	12:00	13:15
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-07-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

*Laura Kirk*  
 Analyst

*Bill Hayden*  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

o = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

ENGINEERING SCIENCE  
 Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water

page 1 of 5

Date Received: September 23, 1988

Work Order: 1028

Date Reported: December 9, 1988

Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092616	88092617
Sample No.:	DANGB-2-GW2B- GW1	MATRIX SPIKE AND DUPLICATE
Date Sampled:	9-22-88	9-22-88
Time Sampled:	15:45	11:05
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
1,3-Dichlorobenzene	10	ND	ND
1,4-Dichlorobenzene	10	ND	ND
Hexachloroethane	10	ND	ND
Bis(2-chloroethyl)ether	10	ND	ND
1,2-Dichlorobenzene	10	ND	ND
N-Nitrosodimethylamine	10	ND	ND
Bis(2-chloroisopropyl)ether	10	ND	ND
N-Nitrosodi-n-propylamine	10	ND	ND
Hexachlorobutadiene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
Nitrobenzene	10	ND	ND
Isophorone	10	ND	ND
Naphthalene	10	ND	ND
Bis(2-chloroethoxy)methane	10	ND	ND
2-Chloronaphthalene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Acenaphthylene	10	ND	ND
Acenaphthene	10	ND	ND
Dimethyl phthalate	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
Fluorene	10	ND	ND
2,4-Dinitrotoluene	10	ND	ND
Diethyl phthalate	10	ND	ND
N-Nitrosodiphenylamine	10	ND	ND
Hexachlorobenzene	10	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

page 2 of 5

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

OR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092616	88092617
Sample No.:	DANGB-2-GW2B- GW1	MATRIX SPIKE AND DUPLICATE
Date Sampled:	9-22-88	9-22-88
Time Sampled:	15:45	11:05
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Phenanthrene	10	ND	ND
Anthracene	10	ND	ND
Dibutyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
Pyrene	10	ND	ND
Butyl Benzyl phthalate	10	ND	ND
Bis(2-ethylhexyl) phthalate	10	ND	ND
Chrysene	10	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Di-n-octylphthalate	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(k)fluoranthene	10	ND	ND
Benzydine	60	ND	ND
2,3'-Dichlorobenzidine	20	ND	ND
Benzo(a)pyrene	10	ND	ND
Indeno(1,2,3-cd)pyrene	10	ND	ND
Dibenzo(a,h)anthracene	10	ND	ND
Benzo(ghi)perylene	10	ND	ND
Benzyl Alcohol	20	ND	ND

Priority Pollutant Analysis  
 Base Neutrals - SW 8270  
 Matrix: Water  
 (continued)

Page 3 of 5

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

For: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092616	88092617
Sample No.:	DANGB-2-GW2B- GW1	MATRIX SPIKE AND DUPLICATE
Date Sampled:	9-22-88	9-22-88
Time Sampled:	15:45	11:05
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	Analytical Results (dry weight)	
		ug/L	ug/L
Acetophenone	--*	ND	ND
Aniline	--*	ND	ND
4-Aminobiphenyl	--*	ND	ND
4-Chloroaniline	20	ND	ND
1-Chloronaphthalene	--*	ND	ND
Dibenzofuran	10	ND	ND
p-Dimethylaminoazobenzene	--*	ND	ND
7,12-Dimethylbenz(a)anthracene	--*	ND	ND
a-,a-Dimethylphenethylamine	--*	ND	ND
Diphenylamine	--*	ND	ND
1,2-Diphenylhydrazine	--*	ND	ND
Ethyl methanesulfonate	--*	ND	ND
3-Methylcholanthrene	--*	ND	ND
Methyl methanesulfonate	--*	ND	ND
2-Methylnaphthalene	10	ND	ND
1-Naphthylamine	--*	ND	ND
2-Naphthylamine	--*	ND	ND
2-Nitroaniline	50	ND	ND
3-Nitroaniline	50	ND	ND
4-Nitroaniline	50	ND	ND
N-Nitroso-di-n-butylamine	--*	ND	ND
N-Nitrosopiperidine	--*	ND	ND
Pentachlorobenzene	--*	ND	ND
Pentachloronitrobenzene	--*	ND	ND
Phenacetin	--*	ND	ND
2-Picoline	--*	ND	ND
Pronamide	--*	ND	ND
1,2,4,5-Tetrachlorobenzene	--*	ND	ND

\* EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
Pesticides and PCBs - SW 8270  
Matrix: Water

page 4 of 5

Date Received: September 23, 1988  
Date Reported: December 9, 1988

Work Order: 1028  
Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
Address: 710 S. Illinois Ave, Suite F-103  
Oak Ridge, TN 37830

ATTN:Mr. Bill Hayden

Lab Number:	88092616	88092617
Sample No.:	DANGB-2-GW2B- GW1	MATRIX SPIKE AND DUPLICATE
Date Sampled:	9-22-88	9-22-88
Time Sampled:	15:45	11:05
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
Alpha-BHC	--*	ND	ND
Gamma-BHC	--*	ND	ND
Beta-BHC	20	ND	ND
Heptachlor	10	ND	ND
Delta-BHC	15	ND	ND
Aldrin	10	ND	ND
Heptachlor epoxide	10	ND	ND
Endosulfan I	--*	ND	ND
Dieldrin	15	ND	ND
±,4'-DDE	30	ND	ND
Endrin	--*	ND	ND
Endosulfan II	--*	ND	ND
±,4'-DDD	15	ND	ND
±,4'-DDT	25	ND	ND
Endosulfan Sulfate	30	ND	ND
Endrin aldehyde	--*	ND	ND
Endrin Ketone	--*	ND	ND
Chlordane	60	ND	ND
Methoxychlor	--*	ND	ND
Toxaphene	60	ND	ND
Aroclor-1016	60	ND	ND
Aroclor-1221	60	ND	ND
Aroclor-1232	60	ND	ND
Aroclor-1242	60	ND	ND
Aroclor-1248	60	ND	ND
Aroclor-1254	60	ND	ND
Aroclor-1260	60	ND	ND

EPA has not yet determined detection limits for these compounds.

Priority Pollutant Analysis  
 Acid Extractables -- SW 8270  
 Matrix: Water

Date Received: September 23, 1988  
 Date Reported: December 9, 1988

Work Order: 1028  
 Job Number: OR001

FOR: ES:Oak Ridge/Duluth ANGB  
 Address: 710 S. Illinois Ave, Suite F-103  
 Oak Ridge, TN 37830

ATTN: Mr. Bill Hayden

Lab Number:	88092616	88092617
Sample No.:	DANGB-2-GW2B- GW1	MATRIX SPIKE AND DUPLICATE
Date Sampled:	9-22-88	9-22-88
Time Sampled:	15:45	11:05
Date Extracted:	9-28-88	9-28-88
Date Analyzed:	11-06-88	11-07-88

Compound	Detection Limits ug/L	ANALYTICAL RESULTS (dry weight)	
		ug/L	ug/L
2-Chlorophenol	10	ND	ND
2-Nitrophenol	10	ND	ND
Phenol	10	ND	ND
2,4-Dimethylphenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
4-Chloro-3-methylphenol	20	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,6-Dichlorophenol	--*	ND	ND
2-Methyl-4,6-Dinitrophenol	50	ND	ND
Pentachlorophenol	50	ND	ND
4-Nitrophenol	50	ND	ND
Benzoic Acid	50	ND	ND
2-Methylphenol	10	ND	ND
3- & 4-Methylphenol	10	ND	ND
2,3,4,6-Tetrachlorophenol	--*	ND	ND
2,4,5-Trichlorophenol	10	ND	ND

*Laura Kerk*  
 Analyst

*Bill Hayden*  
 Laboratory Supervisor

\* EPA has not yet determined detection limits for these compounds.

B = Compound was detected in the blank.

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

1028

### CHAIN OF CUSTODY RECORD

S.S. JOB NO. OR001	PROJECT NAME/LOCATION Duluth ANGB/Duluth, Mn.		NO. OF CONTAINERS	WATER ANALYSES REQUIRED						SHIP TO: ENGINEERING-SCIENCE LABORATORY, INC. 600 Bancroft Way Berkeley, CA 94710
	SAMPLER(S): (Signature) <i>John Beal</i>			EPA 808	EPA 828	EPA 418.1	SM 6010, 7000, 7131	SM 7421, 7470	SM 9330, 9375	
DATE	TIME	SAMPLE DESCRIPTION								REMARKS
9-22-84	1705	DANGS-8-GWBC-GW1	2							RESAMPLE *
9-22-84	1713	DANGS-8-A-MWB-GW1	2							REF-SAMPLE
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p><i>John Beal</i></p> <p>9-22-84</p> </div> <div style="text-align: center;"> <p><i>John Beal</i></p> <p>9-22-84</p> </div> </div>										
				Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time
				<i>John Beal</i>		9-22-84 1710		<i>John Beal</i>		
				Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time
				<i>John Beal</i>		9-22-84 1710		<i>John Beal</i>		

Distribution: Original Accompanies Shipment, Copy to Coordinator Field Files

\* 1 sample bottle received unreserved.













CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY

QC REPORT NO.: TPH-W-0066-88

Insufficient sample was available for quality control purposes.  
The laboratory control sample is designated as a quality control sample  
for this batch.

The reporting limit for the samples in this batch is provided by  
the sub-contract laboratory.

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: AAF-W-0052-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth.ANGB

Laboratory Supervisor Approval:

QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	C2	Duplicate RPD	SA	Spike Recovery		Notes
											SR	SSR	
Arsenic	88092677	88092677	10-16-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.0383	96
Cadmium	88092677	88092677	10-26-88	NA	6010	<0.005	<0.005	<0.005	NC	0.010	<0.005	0.011	110
Chromium	88092677	88092677	10-19-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0218	109
Lead	88092677	88092677	10-21-88	NA	7421	<0.005	<0.005	<0.005	NC	0.020	<0.005	0.0227	114

817

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)


QUALITY CONTROL RESULTS SUMMARY  
METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: AAF-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-27-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth, ANGB

QC Report for Laboratory Sample No(s):  
 88092615-88092616, 88092719-88092722  
 88092724-88092725, 88092763-88092764  
 88092768-88092771, 88092777-88092780

Laboratory Supervisor Approval:  


Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery		Notes
											SR	SSR	
Arsenic	88092724	88092724	10-21-88	NA	7060	<0.01	<0.01	<0.01	NC	0.040	<0.01	0.0364	91
Cadmium	88092724	88092724	10-27-88	NA	6010	<0.005	<0.005	<0.005	NC	0.010	<0.005	0.010	100
Chromium	88092724	88092724	10-21-88	NA	6010	<0.01	<0.01	<0.01	NC	0.020	<0.01	0.0199	100
Lead	88092724	88092724	10-22-88	NA	7421	<0.005	<0.0063	<0.0063	0	0.020	0.0063	0.0252	94

818

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
METALS

QC Report No: ICP-W-0059-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-24-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Project: Duluth ANGB  
 Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092548-88092551, 88092573-88092579  
 88092677-88092681, 88092695, 88092612-88092614

Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	C1	Duplicate C2	RPD	SA	Spike Recovery SR	SSR	PR	Notes
Barium	88092677	88092677	10-13-88	NA	6010	<0.2	<0.2	<0.2	NC	2.0	<0.2	1.96	98	

819

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$   
 Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$   
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 C1 = Concentration One  
 C2 = Concentration Two  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)




METALS

Job No.: OR001.02  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TCP-W-0061-RR  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: 9-27-88  
 Date Reported: 2-27-89  
 Dilution Factor: NA

Project: Duluth ANCB

QC Report for Laboratory Sample No(s):  
 88092615-88092616, 88092719-88092722  
 88092724-88092725, 88092763-88092764  
 88092768-88092771, 88092777-88092780

Laboratory Supervisor Approval:  


Analyte	Laboratory Duplicates	Sample Nos. Spike	Date Anal	Date Prep	Anal Method	Blank	Duplicate C1	Duplicate C2	SA	SR	SSR	PR	Notes
Barium	88092724	88092724	10-27-88	NA	6010	<0.2	<0.2	<0.2	2.0	<0.2	0.190	95	

820

Relative Percent Difference (RPD) =  $\frac{C1 - C2}{(C1 + C2)/2} \times 100$

Percent Recovery (PR) =  $\frac{SSR - SR}{SA} \times 100$

C1 = Concentration One  
 C2 = Concentration Two  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 SSR = Spiked Sample Result  
 SR = Sample Result  
 SA = Spike Added (Concentration)

CASE NARRATIVE  
QUALITY CONTROL RESULTS SUMMARY

QC REPORT NO.: TPH-W-0065-88

Insufficient sample was available for quality control purposes.  
The laboratory control sample is designated as a quality control sample  
for this batch.

Reporting limit for the samples in this batch is provided by the  
sub-contract laboratory.

821

ENVIRONMENTAL QUALITY PARAMETERS  
PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPII-11-0065-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-10-88  
 Date Analyzed: 10-12-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval:  
*[Signature]*

QC Report for Laboratory Sample No(s):  
 88092620-88092621, 88092719-88092724  
 88092726-88092727

Laboratory Sample No.	Anal Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1.5	<1.5	39.5	41.9	106	40.7	103	3	*

822

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$


MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

QUALITY CONTROL RESULTS SUMMARY  
 ENVIRONMENTAL QUALITY PARAMETERS  
 PETROLEUM HYDROCARBONS

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: TPH-W-0066-88  
 Sample Matrix: Water  
 Conc. Unit: mg/L  
 Date Received: NA  
 Date Prepared: 10-01-88  
 Date Analyzed: 10-10-88  
 Date Reported: 11-01-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 QC Report for Laboratory Sample No(s):  
 88092574-88092576  
 88092612-88092617

Laboratory Supervisor Approval:  


Laboratory Sample No.	Anal. Method	Blank	SR	SA	MS	PR	MSD	PR	RPD	Notes
Blank	418.1	<1.5	<1.5	39.5	37.8	96	37.8	96	0	*
<b>823</b>										

\* See Case Narrative attached.

$$\text{Relative Percent Difference (RPD)} = \frac{\text{MS} - \text{MSD}}{(\text{MS} + \text{MSD})/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{\text{SSR} - \text{SR}}{\text{SA}} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected  
 SR = Sample Result  
 SA = Spike Added (Concentration)

QUALITY CONTROL RESULTS SUMMARY  
VOLATILE ORGANICS  
EPA 8010/8020

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: VGC-W-0046-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-23-88  
 Date Prepared: NA  
 Date Analyzed: 10-05-88  
 Date Reported: 10-25-88  
 Dilution Factor: NA

Project: Duluth ANGB  
 Laboratory Supervisor Approval: *[Signature]*

QC Report for Laboratory Sample No(s):  
 88092612-88092619  
 88092578-88092582

Laboratory Sample No.	Compound	SA	SR	MS	PR	MSD	PR	RPD	ES RPD	QC Limits %Recovery
88092614	Halocarbons: 8010									
	1,1-Dichloroethane	10	ND	9.85	98	9.04	90	9	26	70-130
	Trichloroethene	10	ND	9.73	97	8.79	88	10	19	65-131
	Chlorobenzene	10	ND	10.0	100	8.94	89	11	40	59-137
88092614	Aromatics: 8020									
	Benzene	10	ND	10.8	108	9.71	97	11	20	56-146
	Toluene	10	ND	10.0	100	9.84	98	2	41	42-150
	Chlorobenzene	10	ND	10.0	100	9.85	98	2	36	76-133

Relative Percent Difference (PR) =  $\frac{MS - MSD}{(MS + MSD)/2} \times 100$

Percent Recovery (PR) =  $\frac{(MS \text{ or } MSD) - SR \times 100}{SA}$

MS = Spike Sample  
 MSD = Spike Sample Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)  
 NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001

Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 10-26-88

Laboratory Supervisor Approval:

*[Signature]*

Project: Duluth ANGB

File ID	Date Analyzed	Fraction	Instru- ment ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
34	9-29-88	VGC	Carbopack	75-09-2, 67-66-3	Dichloromethane Chloroform	2.5 0.65	0.25 0.05	88092614-88092615 88092618, 88092622
56	9-27-88	VGC	Vocol	75-09-2 67-66-3	Dichloromethane Chloroform	3.4 0.27	0.25 0.05	88092612-88092613 88092616
18	9-28-88	VGC	Carbopack	75-09-2 67-66-3	Dichloromethane Chloroform	1.0 0.74	0.25 0.05	88092169

QUALITY CONTROL RESULTS SUMMARY  
EPA METHOD 625/8270

Job No.: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

QC Report No: BNA-W-0054-88  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Received: 9-23-88  
 Date Prepared: 9-28-88  
 Date Analyzed: 11-07-88  
 Date Reported: 12-28-88  
 Dilution Factor: 1.0

Project: Duluth ANGB

Laboratory Supervisor Approval:



QC Report for Laboratory Sample No(s):  
 88092612-88092617, 88092677-88092678  
 88092681, 88092694-88092695, 88092724,  
 88092765-88092766, 88092768-88092770, 88092772, 88092777

Fraction	Compound	SA	SR	MS	PR	MSD	PR	RPD	EPA QC Limits RPD RECOVERY
E/N Laboratory Sample # 88092617	1,2,4-Trichlorobenzene	100	ND	63.3	63	71.6	72	13	28 39-98
	Acenaphthene	100	ND	71.2	71	73.9	74	4	31 46-118
	2,4-Dinitrotoluene	100	ND	71.3	71	68.0	68	4	38 24-96
	Pyrene	100	ND	91.7	92	80.6	81	13	31 26-127
	N-Nitroso-di-n-Propylamine	100	ND	80.0	80	80.9	81	1	38 41-116
	1,4-Dichlorobenzene	100	ND	70.4	70	76.7	77	10	28 36-97
ACID Laboratory Sample # 88092617	Pentachlorophenol	200	ND	53.4	27	74.5	37	31	50 9-103
	Phenol	200	ND	59.4	30	68.0	34	12	42 12-89
	2-Chlorophenol	200	ND	118	59	129	64	8	40 27-123
	4-Chloro-3-Methylphenol	200	ND	132	66	135	68	3	42 23-97
	4-Nitrophenol	200	ND	81.1	41	88.0	44	7	50 10-80

$$\text{Relative Percent Difference (RPD)} = \frac{MS - MSD}{(MS + MSD)/2} \times 100$$

$$\text{Percent Recovery (PR)} = \frac{(MS \text{ or } MSD) - SR}{SA} \times 100$$

MS = Spike Sample  
 MSD = Spike Duplicate  
 SR = Sample Result  
 SA = Spike Added (Concentration)


NA = Not Applicable  
 NC = Not Calculated  
 ND = Not Detected

METHOD BLANK SUMMARY

Job No: OR001  
 Client: ES Oak Ridge  
 Attn: Bill Hayden  
 Address: 710 S. Illinois Avenue  
 Suite F-103  
 Oak Ridge, Tn. 37830

Work Order No.: 1028  
 Sample Matrix: Water  
 Conc. Unit: ug/L  
 Date Reported: 3-23-89

Project: Duluth ANGB

Laboratory Supervisor Approval:  


File ID	Date Analyzed	Fraction	Instrument ID	CAS Number	Compound (HSL, TIC or Unknown)	Conc	CRDL	Inclusive Sample Nos.
S0390	11-06-88	AC	1	-	None Detected	-	-	88092612-88092617
E6109	11-05-88	BN	2	117-81-7	Bis(2-ethylhexyl)phthalate	12	10	88092612-88092617
827								



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028	Matrix: (soil/water) Water
	Sample Wt/vol: 1000 ml	
Client: ES Oak Ridge	Lab Sample ID: 88092612-2617	
Attn: Bill Hayden	BN Blank 88092677-2681	
710 S. Illinois Avenue	88092583-2587	
Address: Suite F-103	Lab File ID: E6109	
Oak Ridge, Tn. 37830	Date Received: NA	
	Date Extracted: 09-28-88	
	Date Analyzed: 11-05-88	
	Date Reported: 04-05-89	
Project: Duluth ANGB	Dilution Factor: NA	
	% Moisture: dec:	
	not dec:	
	GPC Clean up: (Y/N) N	
# TICs Found: 2	Extraction:	
	(SepF/Cont/Conc) SepF	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.19	8	
-	Unknown	35.94	23	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1028

Matrix: (soil/water) Water

Sample Wt/vol: 1000 ml

Client: ES Oak Ridge  
Attn: Bill Hayden  
710 S. Illinois Avenue  
Address: Suite F-103  
Oak Ridge, Tn. 37830

Lab Sample ID: 88092612-2617

AC Blank 88092677-2681

88092583-2587

Lab File ID: S0390

Date Received: NA

Date Extracted: 09-28-88

Date Analyzed: 11-06-88

Date Reported: 04-05-89

Project: Duluth ANGB

Dilution Factor: NA

% Moisture: dec:

not dec:

GPC Clean up: (Y/N) N

Extraction:  
(SepF/Cont/Conc) SepF

# TICs Found: 4

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.30	120	
-	Unknown	3.34	7	
128-17-4	Tetrachloroethene	5.14	50	
-	Unknown	30.24	60	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028
	Matrix: (soil/water) Water
	Sample Wt/vol: 1000 ml
Client: ES Oak Ridge	Lab Sample ID: 88092612-AC
Attn: Bill Hayden	
Address: 710 S. Illinois Avenue	
Suite F-103	Lab File ID: S0401
Oak Ridge, Tn. 37830	Date Received: 09-23-88
	Date Extracted: 09-28-88
	Date Analyzed: 11-07-88
	Date Reported: 04-05-89
Project: Duluth ANGB	Dilution Factor: NA
	% Moisture: dec:
	not dec: N
	GPC Clean up: (Y/N) N
# TICs Found: 8	Extraction:
	(SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.31	150	
-	Unknown	4.74	6	
-	Unknown	4.99	100	
-	Unknown	5.09	8	
127-18-4	Tetrachloroethene	5.15	21	B
-	Unknown	5.22	6	
-	Unknown	5.56	76	
79-34-5	1,1,2,2-Tetrachloroethane	7.18	56	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028	Matrix: (soil/water) Water
	Sample Wt/vol: 1000 ml	Lab Sample ID: 88092612-BN
Client: ES Oak Ridge	Lab File ID: E6112	
Attn: Bill Hayden	Date Received: 09-23-88	
710 S. Illinois Avenue	Date Extracted: 09-28-88	
Address: Suite F-103	Date Analyzed: 11-06-88	
Oak Ridge, Tn. 37830	Date Reported: 04-05-89	
Project: Duluth ANGB	Dilution Factor: NA	
	% Moisture: dec: .	
	not dec: N	
	GPC Clean up: (Y/N) N	
	Extraction: (SepF/Cont/Conc) SepF	
# TICs Found: -		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.19	9 B	
-	Unknown	25.92	19	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028
	Matrix: (soil/water) Water
Client: ES Oak Ridge	Sample Wt/vol: 1000 ml
Attn: Bill Hayden	Lab Sample ID: 88092613-AC
710 S. Illinois Avenue	
Address: Suite F-103	Lab File ID: S0402
Oak Ridge, Tn. 37830	Date Received: 09-23-88
	Date Extracted: 09-28-88
	Date Analyzed: 11-07-88
	Date Reported: 04-05-89
Project: Duluth ANGB	Dilution Factor: NA
	% Moisture: dec: N
	not dec: N
	GPC Clean up: (Y/N) N
	Extraction: (SepF/Cont/Conc) SepF
# TICs Found: 6	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.27	140	
-	Unknown	3.32	170	
127-18-4	Tetrachloroethene	5.16	14	B
79-34-5	1,1,2,2-Tetrachloroethane	7.17	5	
-	Unknown	27.05	13	
-	Unknown	29.64	22	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028	Matrix: (soil/water) Water
	Sample Wt/vol: 1000 ml	Lab Sample ID: 88092613-BN
Client: ES Oak Ridge	Lab File ID: E6117	
Attn: Bill Hayden	Date Received: 09-23-88	
710 S. Illinois Avenue	Date Extracted: 09-28-88	
Address: Suite F-103	Date Analyzed: 11-07-88	
Oak Ridge, Tn. 37830	Date Reported: 04-05-89	
Project: Duluth ANGB	Dilution Factor: 1	
	% Moisture: dec: N	
	not dec: N	
	GPC Clean up: (Y/N) N	
# TICs Found: 2	Extraction: (SepF/Cont/Conc) SepF	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
127-18-4	Tetrachloroethene	4.21	14 B	
-	Unknown	28.82	9	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028
	Matrix: (soil/water) Water
Client: ES Oak Ridge	Sample Wt/vol: 1000 ml
Attn: Bill Hayden	Lab Sample ID: 88092614-AC
Address: 710 S. Illinois Avenue	
Suite F-103	Lab File ID: S0403
Oak Ridge, Tn. 37830	Date Received: 09-23-88
	Date Extracted: 09-28-88
	Date Analyzed: 11-07-88
	Date Reported: 04-05-89
Project: Duluth ANGB	Dilution Factor: 1
	% Moisture: dec: .
	not dec: N
	GPC Clean up: (Y/N) N
# TICs Found: 7	Extraction: (SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.22	25	
-	Unknown	3.28	120	
-	Unknown	3.35	200	
-	Unknown	4.94	16	
127-18-4	Tetrachloroethene	5.17	17	B
-	Unknown	5.52	9	
-	Unknown	7.18	12	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028	Matrix: (soil/water) Water
	Sample Wt/vol: 1000 ml	Lab Sample ID: 88092614-BN
Client: ES Oak Ridge	Lab File ID: E6118	
Attn: Bill Hayden	Date Received: 09-23-88	
710 S. Illinois Avenue	Date Extracted: 09-28-88	
Address: Suite F-103	Date Analyzed: 11-07-88	
Oak Ridge, Tn. 37830	Date Reported: 04-05-89	
Project: Duluth ANGB	Dilution Factor: 1	
	% Moisture: dec: N	
	not dec: N	
	GPC Clean up: (Y/N) N	
	Extraction: (SepF/Cont/Conc) SepF	
# TICs Found: 4		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.45	5	
-	Unknown	3.93	14	
127-18-4	Tetrachloroethene	4.23	16	B
-	Unknown	25.32	18	



SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028
	Matrix: (soil/water) Water
Client: ES Oak Ridge	Sample Wt/vol: 1000 ml
Attn: Bill Hayden	Lab Sample ID: 88092615-AC
Address: 710 S. Illinois Avenue	
Suite F-103	Lab File ID: S0404
Oak Ridge, Tn. 37830	Date Received: 09-23-88
	Date Extracted: 09-28-88
	Date Analyzed: 11-07-88
	Date Reported: 04-05-89
Project: Duluth ANGB	Dilution Factor: 1
	% Moisture: dec:
	not dec: N
	GPC Clean up: (Y/N) N
# TICs Found: 6	Extraction:
	(SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.22	17	
-	Unknown	3.28	99	
-	Unknown	3.34	150	
-	Unknown	3.37	45	
-	Unknown	4.93	7	
127-18-4	Tetrachloroethène	5.17	13	B

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028	Matrix: (soil/water) Water
Client: ES Oak Ridge	Sample Wt/vol: 1000 ml	Lab Sample ID: 88092615-BN
Attn: Bill Hayden	Lab File ID: E6119	
710 S. Illinois Avenue	Date Received: 09-23-88	
Address: Suite F-103	Date Extracted: 09-28-88	
Oak Ridge, Tn. 37830	Date Analyzed: 11-07-88	
	Date Reported: 04-05-89	
Project: Duluth ANGB	Dilution Factor: 1	
	% Moisture: dec: N	
	not dec: N	
	GPC Clean up: (Y/N) N	
# TICs Found: 4	Extraction: (SepF/Cont/Conc) SepF	

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.10	5	
127-18-4	Tetrachloroethene	4.19	15	B
-	Unknown	25.19	16	
-	Unknown	35.88	13	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028	Matrix: (soil/water) Water
Client: ES Oak Ridge	Sample Wt/vol: 1000 ml	Lab Sample ID: 88092616-AC
Attn: Bill Hayden	Lab File ID: S0398	
Address: 710 S. Illinois Avenue	Date Received: 09-23-88	
Suite F-103	Date Extracted: 09-28-88	
Oak Ridge, Tn. 37830	Date Analyzed: 11-06-88	
	Date Reported: 04-05-89	
Project: Duluth ANGB	Dilution Factor: 1	
	% Moisture: dec: N	
	not dec: N	
	GPC Clean up: (Y/N) N	
	Extraction: (SepF/Cont/Conc) SepF	
# TICs Found: 14		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.22	61	
-	Unknown	3.28	140	
-	Unknown	3.36	210	
79-01-6	Trichloroethene	3.46	12	
-	Unknown	4.26	5	
-	Unknown	4.73	7	
-	Unknown	4.97	71	
-	Unknown	5.08	5	
127-18-4	Tetrachloroethene	5.16	17	B
-	Unknown	5.54	56	
-	Unknown	7.18	30	
-	Unknown	27.00	5	
-	Unknown	29.44	5	
-	Unknown	34.95	10	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1028  
Matrix: (soil/water) Water  
Sample Wt/vol: 1000 ml  
Lab Sample ID: 88092616-BN

Client: ES Oak Ridge  
Attn: Bill Hayden  
710 S. Illinois Avenue  
Address: Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: S0399  
Date Received: 09-23-88  
Date Extracted: 09-28-88  
Date Analyzed: 11-06-88  
Date Reported: 04-05-89

Project: Duluth ANGB

Dilution Factor: 1  
% Moisture: dec: N  
not dec: N

GPC Clean up: (Y/N) N

Extraction:  
(SepF/Cont/Conc) SepF

# TICs Found: 7

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.32	400	
-	Unknown	3.35	25	
-	Unknown	4.95	210	
127-18-4	Tetrachloroethene	5.15	14	B
-	Unknown	5.52	140	
79-34-5	1,1,2,2-Trichloroethane	7.16	33	
-	Unknown	27.01	8	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001	Work Order No.: 1028	Matrix: (soil/water) Water
Client: ES Oak Ridge	Sample Wt/vol: 1000 ml	Lab Sample ID: 88092617-AC
Attn: Bill Hayden	Lab File ID: S0405	
710 S. Illinois Avenue	Date Received: 09-23-88	
Address: Suite F-103	Date Extracted: 09-28-88	
Oak Ridge, Tn. 37830	Date Analyzed: 11-07-88	
	Date Reported: 04-05-89	
Project: Duluth ANGB	Dilution Factor: 1	
	% Moisture: dec: .	
	not dec: N.	
	GPC Clean up: (Y/N) N	
	Extraction:	
	(SepF/Cont/Conc) SepF	
# TICs Found: 10		

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.27	64	
-	Unknown	3.34	18	
79-01-6	Trichloroethene	3.46	19	
108-88-3	Toluene	4.45	4	
-	Unknown	4.95	10	
127-18-4	Tetrachloroethene	5.17	25	B
-	Unknown	5.52	5	
79-34-5	1,1,2,2-Trichloroethane	7.17	7	
-	Unknown Alkane	21.59	4	
-	Unknown Alkane	24.22	17	

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

Job No.: OR001

Work Order No.: 1028  
Matrix: (soil/water) Water  
Sample Wt/vol: 1000 ml  
Lab Sample ID: 88092617-BN

Client: ES Oak Ridge  
Attn: Bill Hayden  
710 S. Illinois Avenue  
Address: Suite F-103  
Oak Ridge, Tn. 37830

Lab File ID: S0406  
Date Received: 09-23-88  
Date Extracted: 09-28-88  
Date Analyzed: 11-07-88  
Date Reported: 04-05-89

Project: Duluth ANGB

Dilution Factor: 1  
% Moisture: dec: N  
not dec: N  
GPC Clean up: (Y/N) N

# TICs Found: 4

Extraction: (SepF/Cont/Conc) SepF

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
-	Unknown	3.30	230	
-	Unknown	3.33	240	
127-18-4	Tetrachloroethene	5.17	31	B
-	Unknown	26.17	16	



GC/MS TUNING AND MASS CALIBRATION

tetrachloro-*p*-toluenesulfonate (OTTFP)

Case No. 123456

Contractor Engineering Science Contract No. 99999999

Instrument 15 #1

Date / Time 11/07/88 0:07

Lab ID >T3106:01

Data Release Authorized By:

m/z	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
51	39.0 - 69.0% of mass 198	52.84 OK
68	less than 2.0% of mass 69	5.04 OK (#1)
69	mass 69 relative abundance	62.79
79	less than 2.0% of mass 69	0.02 OK (#1)
127	46.0 - 60.0% of mass 198	51.81 OK
157	less than 1.0% of mass 198	0.40 OK
198	base peak, 100% relative abundance	100.00 OK
199	5.0 - 9.0% of mass 198	6.65 OK
277	10.0 - 30.0% of mass 198	17.25 OK
365	greater than 1.00% of mass 198	2.00 OK
441	present, but less than mass 442	6.74 OK
442	greater than 40.0% of mass 198	42.43 OK
443	17.0 - 27.0% of mass 442	8.47 OK (#2)


5 point  
10/12/88

THIS PERFORMANCE TUNE APPLIES TO THE FOLLOWING SAMPLES, BLANKS AND STANDARDS.

#1 - Value in parenthesis is % mass 69.  
#2 - Value in parenthesis is % mass 442.

SAMPLE ID	LAB ID	DATE OF ANALYSIS	TIME OF ANALYSIS
Eng OTTFP	>T3106	11/07/88	0:07
STD 0160	S0400		00:23
88092617 AL	S0401		01:22
88092617 AL	S0402		02:20
88092617 AL	S0403		03:19
88092617 AL	S0404		04:18
88092617 AL	S0405		05:16
88092617 BN	S0406		06:16
88092617 MS AL	S0407		07:16
88092617 MS AL	S0408		08:14
88092617 MS BN	S0409		09:13
88092617 MS BN	S0410		10:13
88081977	S0411		11:19





File: T13166 Scan #: 87 Retn. time: 5.04

m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.	m/z	Int.
43.20	1.196	97.00	4.755	137.15	1.055	181.05	1.337	243.10	.746
44.10	.892	95.10	.619	141.05	2.631	185.05	1.533	244.10	8.413
49.10	.802	96.10	1.055	142.15	1.069	186.05	12.254	245.00	.985
56.10	13.661	97.20	.478	143.05	.619	187.05	3.039	246.10	1.210
51.10	52.842	98.10	3.883	145.05	.394	188.15	.985	247.00	.366
52.10	2.096	99.10	3.419	145.95	.394	189.05	.661	255.00	37.437
55.00	1.379	101.00	1.941	147.15	1.210	192.05	1.069	256.00	5.853
56.10	2.068	103.10	.872	147.95	2.434	193.05	1.252	257.00	.549
57.10	4.361	104.10	1.111	149.05	.774	196.10	3.236	258.00	2.251
61.10	.647	105.00	1.913	151.15	.605	198.00	100.000	265.10	.886
62.10	.921	107.00	13.590	152.95	.760	199.00	6.626	273.00	1.083
63.10	1.823	108.00	2.392	154.05	.929	201.50	.718	274.05	3.123
65.20	1.256	110.00	35.439	155.05	1.393	203.10	.647	275.05	17.248
67.10	.535	111.00	4.418	156.05	2.040	204.10	2.617	276.05	2.096
69.00	62.704	116.00	.830	157.15	.506	205.10	4.249	277.05	1.337
71.10	.422	117.00	7.822	157.95	.492	206.10	18.613	296.05	4.600
73.10	.802	117.95	.689	160.05	.633	207.10	3.799	297.05	.565
74.10	4.469	119.05	.406	161.05	1.491	208.10	.914	315.05	.450
75.00	7.935	122.05	.914	165.05	.929	210.00	.352	323.05	1.337
76.10	2.698	123.05	1.590	165.95	.746	211.00	.689	333.95	.858
77.10	53.334	124.05	.816	167.05	3.742	217.00	4.629	351.85	.422
78.10	3.967	124.95	.886	167.95	2.026	218.00	.535	354.10	.422

79.00	3.354	127.05	51.815	173.05	.619	221.16	6.345	365.00	1.598
80.00	3.658	128.05	3.714	173.95	.999	223.10	.985	372.00	.703
81.00	4.735	129.05	22.355	175.05	1.519	224.10	10.692	427.00	2.364
82.00	1.224	130.05	2.110	176.15	.577	225.10	2.828	424.10	.563
83.10	1.543	131.15	.633	177.05	1.421	227.00	3.630	441.05	6.739
86.00	1.055	132.05	.830	178.05	1.407	227.90	.366	442.05	42.431
87.00	.732	133.05	.718	179.05	3.405	228.10	.408	443.05	8.469
91.00	1.579	135.05	1.843	179.95	2.378	229.00	1.182	444.05	.561
92.10	1.083	136.05	.732						

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/07/88

Contractor: ENGINEERING - SCIENCE Time: 00:23

Contract No: \_\_\_\_\_ Laboratory ID: >50400

Instrument ID: 1 Initial Calibration Date: 10/13/88

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is %

Compound	RF	RF	%Diff	CCC	SPCC
N-Nitroso-Dimethylamine	.90169	1.04203	15.56		
2-Fluorophenol	1.15802	1.39176	20.18		
bis(2-Chloroethyl)ether	1.11892	1.09285	2.33		
Phenol	1.41657	1.65020	16.49	*	
Phenol-d5	1.22488	1.51859	23.98		
Aniline	.54193	.56755	4.73		
2-Chlorophenol	1.23175	1.35348	9.88		
1,3-Dichlorobenzene	1.47535	1.47385	.10		
1,4-Dichlorobenzene	1.40530	1.52151	8.27	*	
Benzyl Chloride	-	-	-		
Benzyl Alcohol	.72906	.27334	62.51		
1,2-Dichlorobenzene	1.32240	1.45286	9.87		
2-Methylphenol	1.17367	1.47167	25.39		
3-&-4-Methylphenol	1.07139	1.48209	38.33		
bis(2-chloroisopropyl)Ether	2.15627	2.52004	16.87		
N-Nitroso-Di-n-Propylamine	.84050	.94326	12.22	**	
Hexachloroethane	.53840	.60826	12.98		
Dibromochloropropane	-	-	-		
Nitrobenzene	.40312	.40980	1.66		
Nitrobenzene-d5	.39137	.41820	6.85		
2-Nitrophenol	.24657	.26543	7.65	*	
Isophorone	.74170	.79727	7.49		
bis(2-Chloroethoxy)methane	.49386	.52607	6.52		
2,4-Dimethylphenol	.34849	.37864	8.65		
Benzoic Acid	.29725	.30160	1.47		
2,4-Dichlorophenol	.56733	.59225	4.39	*	
1,2,4-Trichlorobenzene	.36913	.31633	14.30		
Naphthalene	.94589	.93226	1.44		
4-Chloroaniline	.36309	.33345	8.16		
Hexachlorobutadiene	.20283	.16160	20.33	*	
4-Chloro-3-Methylphenol	.31360	.31624	.84	*	
2-Methylnaphthalene	.56397	.57935	2.73		

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/07/88  
 Contractor: ENGINEERING SCIENCE Time: 00:23  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0400  
 Instrument ID: 2 Initial Calibration Date: 10/13/88  
 \_\_\_\_\_

Minimum RF for SPCC is \_\_\_\_\_ Maximum % Diff for CCC is % \_\_\_\_\_

Compound	RF	RF	%Diff	CCC	SPCC
Hexachlorocyclopentadiene	.29568	.26975	8.77		**
2,4,6-Trichlorophenol	.42280	.34854	17.56	*	
2,4,5-Trichlorophenol	.52897	.52552	.65		
2-Fluorobiphenyl	1.27220	1.14404	10.07		
2-Chloronaphthalene	1.23784	1.15576	6.63		
2-Nitroaniline	.47288	.49216	4.08		
Dimethylphthalate	1.40629	1.33012	5.42		
2,6-Dinitrotoluene	.37415	.36785	1.68		
Acenaphthylene	1.68918	1.61036	4.67		
3-Nitroaniline	.44557	.46832	5.11		
2,4-Dinitrophenol	.11898	.11360	4.52		**
Acenaphthene	1.13011	1.03776	8.17	*	
Dibenzofuran	1.64131	1.52788	6.91		
2,4-Dinitrotoluene	.28418	.29599	4.16		
4-Nitrophenol	.28450	.23998	15.65		**
Fluorene	1.12850	1.02472	9.20		
Diethylphthalate	1.20939	1.21826	.73		
4-Chlorophenyl-phenylether	.59183	.52758	10.86		
4-Nitroaniline	.35956	.31131	13.42		
2,4,6-Tribromophenol	.21023	.16365	22.16		
1,2-Diphenylhydrazine	-	-	-		
Alpha-BHC	-	-	-		
Beta-BHC	-	-	-		
Gamma-BHC	-	-	-		
Delta-BHC	-	-	-		
Heptachlor	-	-	-		
Aldrin	-	-	-		
N-Nitrosodiphenylamine	.40286	.49480	22.82	*	
4,6-Dinitro-2-Methylphenol	.10514	-	-		
4-Bromophenyl-phenylether	.21301	.21865	2.65		
Hexachlorobenzene	.26273	.25181	4.16		
Pentachlorophenol	.14536	.12676	12.79	*	

RF - Response Factor from daily standard file at 60.00 mg/L

RF - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*) SPCC - System Performance Check Compounds (\*\*)

Continuing Calibration Check  
HSL Compounds

Case No: \_\_\_\_\_ Calibration Date: 11/07/88  
 Contractor: ENGINEERING-SCIENCE Time: 00:23  
 Contract No: \_\_\_\_\_ Laboratory ID: >S0400  
 Instrument ID: 1 Initial Calibration Date: 10/13/88  
Doc

Minimum  $\bar{RF}$  for SPCC is                      Maximum % Diff for CCC is %

Compound	$\bar{RF}$	RF	%Diff	CCC	SPCC
Phenanthrene	1.03431	.99882	3.43		
Anthracene	1.05155	1.18711	12.89		
Di-n-Butylphthalate	1.51956	1.81595	19.51		
4,4'-Dibromobiphenyl	-	-	-		
Fluoranthene	1.19047	1.14619	3.72	*	
Heptachlor Epoxide	-	-	-		
Endosulfan I	-	-	-		
4,4'-DDE	-	-	-		
Dieldrin	-	-	-		
Endrin	-	-	-		
4,4'-DDD	-	-	-		
Endosulfan II	-	-	-		
Endrin Aldehyde	-	-	-		
4,4'-DDT	-	-	-		
Endosulfan Sulfate	-	-	-		
Dibutylchloroendate	-	-	-		
Benzidine	.04023	.05067	25.95		
Pyrene	1.56086	1.73154	10.93		
Terphenyl-d14	1.05835	1.12522	6.32		
Butylbenzylphthalate	1.03390	1.28747	24.53		
3,3'-Dichlorobenzidine	.13689	.19565	42.93		
Chrysene	.99655	1.09923	10.30		
Benzo(a)Anthracene	1.10407	1.05381	4.55		
bis(2-Ethylhexyl)Phthalate	1.21073	1.55203	28.19		
Di-n-octylphthalate	3.40275	3.90428	14.74	*	
Benzo(a)Pyrene	1.32098	1.36455	3.30	*	
Benzo(b)Fluoranthene	1.60850	1.18940	26.06		
Indeno(1,2,3-cd)Pyrene	.96800	.98931	2.20		
Dibenzo(a,h)Anthracene	.87481	.90958	3.97		
Benzo(k)Fluoranthene	1.44370	1.80517	25.04		
Benzo(g,h,i)Perylene	.89761	.84288	6.10		

RF - Response Factor from daily standard file at 60.00 mg/L

$\bar{RF}$  - Average Response Factor from Initial Calibration Form VI

%Diff - % Difference from original average or curve

CCC - Calibration Check Compounds (\*)    SPCC - System Performance Check Compounds (\*\*)

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science

Contract: OR001

Lab Code: \_\_\_\_\_

Case No.: \_\_\_\_\_

SAS No.: \_\_\_\_\_

Job No.: \_\_\_\_\_

Sample No. (Standard): SSTD 060

Date Analyzed: 11/7/88

Lab File ID (Standard): S0400

Time Analyzed: 00:23

Instrument ID: 1

		IS1 (DCB)	RT	IS2 (NPT)	RT	IS3 (ANT)	RT
		AREA #		AREA #		AREA #	
12 HOUR STD		70321	9.29	247642	12.91	131557	18.38
UPPER LIMIT		140642	9.79	495284	13.41	263114	18.88
LOWER LIMIT		35161	8.79	123821	12.41	65779	17.88
EPA SAMPLE NO.							
50401 01	88092612 AC	70816	9.28	207120	12.95	124971	18.39
02	88092613 AC	67948	9.30	265401	13.01	132310	18.42
03	88092614 AC	76769	9.30	289369	12.97	146736	18.41
04	88092615 AC	75251	9.30	218147	12.98	129796	18.39
05	88092617 AC	79216	9.30	299285	12.96	146385	18.39
06	88092617 BN	67751	9.36	213114	12.95	122689	18.43
07	88092617 ms AC	76905	9.30	255623	12.95	143318	18.37
08	88092617 ms AC	72238	9.30	261098	12.97	138324	18.37
09	88092617 ms BN	69179	9.28	263564	12.92	139221	18.38
10	88092617 ms BN	74017	9.29	267371	12.90	143747	18.37
11	88081977	77846	9.36	267014	12.97	137783	18.45
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS1 (DCB) = 1,4-Dichlorobenzene-d4  
 IS2 (NPT) = Naphthalene-d8  
 IS3 (ANT) = Acenaphthene-d8

UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

\* Column used to flag internal standard area values with an asterisk:

SEMIVOLATILE INTERNAL STANDARD AREA SUMMARY

Lab Name: Engineering Science Contract: OR001  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ Job No.: \_\_\_\_\_  
 Sample No. (Standard): 95TD 0600 Date Analyzed: 11/7/88  
 Lab File ID (Standard): S0400 Time Analyzed: 00:23  
 Instrument ID: \_\_\_\_\_

	IS4 (PHN) AREA #	RT	IS5 (CRY) AREA #	RT	IS4 (PRY) AREA #	RT	
12 HOUR STD	184678	23.03	113849	31.49	73531	37.72	
UPPER LIMIT	369356	23.53	227698	31.99	147062	38.22	
LOWER LIMIT	92339	22.53	56925	30.99	36766	37.22	
EPA SAMPLE NO.							
50401 01	88092612 AC	164726	23.07	88249	31.51	39896	37.71
02	88092613 AC	173619	23.08	89365	31.58	47873	37.87
03	88092614 AC	197049	23.07	110829	31.53	58403	37.74
04	88092615 AC	175394	23.04	101753	31.51	56156	37.73
05	88092617 AC	193407	23.04	109645	31.55	50220	37.81
06	88092617 BN	164239	23.14	90714	31.57	45668	37.78
07	88092617 MS AC	187216	23.05	99205	31.58	40169	37.85
08	88092617 MD AC	184814	23.05	103301	31.57	45761	37.85
09	88092617 MS BN	197093	23.10	106913	31.56	51644	37.71
10	88092617 MS BN	209345	23.10	125682	31.53	71067	37.72
11	88081477	186027	23.12	101126	31.57	17584*	37.87
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

IS4 (PHN) = Phenanthrene-d10  
 IS5 (CRY) = Chrysene-d12  
 IS4 (PRY) = Pyrene-d12  
 UPPER LIMIT = + 100% of internal standard area.  
 LOWER LIMIT = - 50% of internal standard area.

\* Column used to flag internal standard area values with an asterisk

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_

Instrument IDVOCAL \_\_\_\_\_ Calibration Date(s): 9/27/88

LAB FILE ID: 53,54 Init. Calib. Date(s): 9/22/88 , 9/14/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	4.43	9.80	-121.22
bis (2-chloroethoxy) methane	0.12		100.00
bis (2-chloroisopropyl ether	0.12		100.00
Bromobenzene	3.08	4.80	-55.84
Bromodichloromethane	4.91	4.20	14.46
Bromoform	3.32	3.00	9.64
Bromomethane	0.43	0.00	100.00
Carbon tetrachloride	5.00	4.20	16.00
Chloroacetaldehyde	0.07		100.00
Chlorobenzene	1.38	1.90	-37.68
Chloroethane	0.73	0.00	100.00
Chloroform	4.22	3.60	14.69
1-Chlorohexane	0.82	1.30	-58.54
2-Chloroethyl vinyl ether	0.12		100.00
Chloromethane	1.84	0.00	100.00
Chloromethyl methyl ether	0.02	0.00	100.00
o, m, & p Chlorotoluenes	3.34	5.10	-52.69
Dibromochloromethane	4.68	4.10	12.39
Dibromomethane	3.06	4.40	-43.79
1,2_Dichlorobenzene	2.22	1.90	14.41
1,3_Dichlorobenzene	1.79	1.60	10.61
1,4_Dichlorobenzene	1.83	1.60	12.57
Dichlorodifluormethane	0.54		100.00
1,1_Dichloroethane	2.74	2.20	19.71
1,2_Dichloroethane	3.74	3.00	19.79
1,1_Dichloroethylene	1.32	1.30	1.52
trans_1,2_dichloroethylene	2.96	2.40	18.92
Dichloromethane	4.72	2.80	40.68
1,2_Dichloropropane	3.18	2.70	15.09
1,3_Dichloropropylene	0.47	0.71	-51.06
1,1,2,2_Tetrachloroethane	4.04	3.40	15.84
1,1,1,2_Tetrachloroethane	4.83	6.90	-42.86
Tetrachloroethylene	5.06	4.20	17.00
1,1,1_Trichloroethane	2.77	2.40	13.36
1,1,2_Trichloroethane	4.42	7.30	-65.16
Trichloroethylene	4.06	3.40	16.26
Trichlorofluormethane	0.78	0.67	14.10
Trichloropropane	3.08	4.80	-55.84
Vinyl chloride	1.84	0.00	100.00





VOLATILE CONTINUING CALIBRATION CHECK

DD  
9/28/88

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG-No.: \_\_\_\_\_  
 Instrument ID.: CARBOPAL Calibration Date(s): 9/28/88  
 LAB FILE ID: 15,16 Init. Calib. Date(s): 9/19/88 9/23/88

COMPOUND	RRF	RRFS0	%D
Benzyl chloride	0.32	0.24	25
bis (2-chloroethoxy methane			
bis (2-chloroisopropyl ether			
Bromobenzene	1.4	1.0	28
Bromodichloromethane	3.7	3.4	8
Bromoform	1.7	2.3	35
Bromomethane	0.40	0.13	68
Carbon tetrachloride	4.2	3.7	12
Chloroacetaldehyde			
Chlorobenzene	1.4	1.3	7
Chloroethane	0.72	0.43	40
Chloroform	5.6	3.7	34
1-Chlorohexane	1.2	0.87	28
2-Chloroethyl vinyl ether			
Chloromethane	0.46	0.25	46
Chloromethyl methyl ether			
o, m, & p Chlorotoluenes	4.6	3.4	26
Dibromochloromethane	3.7	3.7	0
Dibromomethane	3.2	2.1	34
1,2 Dichlorobenzene o	2.5	2.4	4
1,3 Dichlorobenzene m	2.1	2.0	5
1,4 Dichlorobenzene p	1.8	2.0	11
Dichlorodifluormethane	2.4		
1,1 Dichloroethane	2.4	2.0	17
1,2 Dichloroethane	2.6	2.4	8
1,1 Dichloroethylene	2.4	2.2	15
trans 1,2 dichloroethylene	2.4	2.2	8
Dichloromethane	2.4	1.2	77
1,2 Dichloropropane	2.5	2.1	16
1,3 Dichloropropylene	2.5	4.2	29
1,1,2,2 Tetrachloroethane	2.75	7.3	3
1,1,1,2 Tetrachloroethane	2.5	3.7	29
Tetrachloroethylene	2.75	7.3	3
1,1,1 Trichloroethane	2.3	2.7	10
1,1,2 Trichloroethane	4.0	4.2	29
Trichloroethylene	2.3	3.5	12
Trichlorofluormethane	2.3	1.7	26
Trichloropropane	2.1	2.7	28
Vinyl chloride	0.94	0.74	21

8800 221  
 2 2 1 7  
 2 5 1 2  
 2 5 4 8  
 2 2 2 2  
 2 2 2 2  
 2 2 2 2  
 2 2 2 2  
 2 2 2 2  
 2 2 2 2

file: 8020CONT  
3 Nov 88

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_  
Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
Instrument ID.: CARBnpak Calibration Date(s): 9/28/88  
LAB FILE ID: 15 Init. Calib. Date(s): 9/19/88

COMPOUND	RRF	RRF50	%D
Benzene	4.9	5.0	2
Chlorobenzene	5.3	4.8	9
1,2_Dichlorobenzene	4.4	3.8	14
1,3_Dichlorobenzene	5.0	4.2	16
1,4_Dichlorobenzene	4.1	3.4	17
Ethyl Benzene	4.4	3.1	31.6
Toluene	3.9	3.5	10
Xylenes	13	11	15

24 Oct 88

88 042527  
2628  
2670  
2549

26:4  
26:5

2618  
2622  
2679  
2606  
2678  
2680

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: CARBopak Calibration Date(s): 9/20/88

LAB FILE ID: 31,32 Init. Calib. Date(s): 9/19/88 9/23/88

COMPOUND	RRF	RRF50	%D
Benzyl chloride	0.32	0.38	19
bis (2-chloroethoxy methane	—	—	
bis (2-chloroisopropyl ether	—	—	
Bromobenzene	1.4	1.1	21
Bromodichloromethane	3.9	3.8	2.7
Bromoform	1.7	1.9	12
Bromomethane	0.40	0.18	22
Carbon tetrachloride	4.2	4.1	2.4
Chloroacetaldehyde	—	—	
Chlorobenzene	1.4	1.4	0
Chloroethane	0.22	0.41	43
Chloroform	3.9	4.1	5.1
1-Chlorohexane	1.2	0.89	26
2-Chloroethyl vinyl ether	—	—	
Chloromethane	0.46	0.44	4.3
Chloromethyl methyl ether	—	—	
o, m, & p Chlorotoluenes	4.6	3.5	24
Dibromochloromethane	3.7	3.8	2.7
Dibromomethane	2.2	2.3	28
1,2 Dichlorobenzene	2.5	2.3	8
1,3 Dichlorobenzene	2.1	2.1	0
1,4 Dichlorobenzene	2.3	2.0	13
Dichlorodifluormethane	—	—	
1,1 Dichloroethane	2.2	2.3	4.2
1,2 Dichloroethane	2.6	2.7	4
1,1 Dichloroethylene	2.6	2.4	8
trans 1,2 dichloroethylene	—	2.4	0
Dichloromethane	—	—	
1,2 Dichloropropane	2.2	2.3	8
1,3 Dichloropropylene	5.4	4.7	20
1,1,2,2 Tetrachloroethane	2.2	6.9	8
1,1,1,2 Tetrachloroethane	5.2	3.9	25
Tetrachloroethylene	7.5	6.9	8
1,1,1 Trichloroethane	3.0	3.0	0
1,1,2 Trichloroethane	5.9	4.7	20
Trichloroethylene	4.0	3.8	5
Trichlorofluormethane	2.3	2.2	4
Trichloropropane	2.1	1.7	19
Vinyl chloride	2.5	2.7	18

file: CUNICAL  
21 Oct 88.

88092599

VOLATILE CONTINUING CALIBRATION CHECK

LabName: \_\_\_\_\_ Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Instrument ID.: CAR Calibration Date(s): 9/29/88

LAB FILE ID: 31 Init. Calib. Date(s): 9/19/88

COMPOUND	RRF	RRF50	%D
Benzene	4.9	4.8	2
Chlorobenzene	5.3	5.5	4
1,2-Dichlorobenzene	4.4	4.2	5
1,3-Dichlorobenzene	5.0	4.7	6
1,4-Dichlorobenzene	4.1	4.0	2
Ethyl Benzene	4.4	3.6	18
Toluene	3.9	4.1	5
Xylenes	13	12	8