

2

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 03/01/91	3. REPORT TYPE AND DATES COVERED POP Test (12/90)
----------------------------------	----------------------------	--

4. TITLE AND SUBTITLE Performance Oriented Packaging Testing of Mk 592 Mod 0 Container	5. FUNDING NUMBERS
---	--------------------

6. AUTHOR(S) Eric Wu	
-------------------------	--

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Weapons Station Earle Colts Neck, NJ 07722-5000	8. PERFORMING ORGANIZATION REPORT NUMBER DODPOPHM/USA/DOD NADTR91002
--	--

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Naval Air Systems Command Washington, DC 20361-0001	10. SPONSORING / MONITORING AGENCY REPORT NUMBER Same as above
---	---

11. SUPPLEMENTARY NOTES N/A	
--------------------------------	--

12a. DISTRIBUTION / AVAILABILITY STATEMENT <div style="border: 1px solid black; padding: 5px; display: inline-block;">This document has been approved for public release and sale; its distribution is unlimited.</div>	DISTRIBUTION CODE
--	-------------------

13. ABSTRACT (Maximum 200 words)

Qualification tests were performed to determine whether the in-service Mk 592 Mod 0 Shipping and Storage Container could be utilized to contain properly dunnaged solid type hazardous materials weighing up to a gross weight of 215 kg (474 pounds). The tests were conducted in accordance with Performance Oriented Packaging (POP) requirements specified by the United Nations Recommendations on the Transportation of Dangerous Goods and the Department of Transportation's Title 49 CFR and the Final Rulings published in the Federal Register, Vol. 55 on 21 Dec 90. The container has conformed to the POP performance requirements; i.e., the container successfully retained its contents throughout the specified tests.

14. SUBJECT TERMS POP Test of Mk 592 Mod 0 Container	15. NUMBER OF PAGES 6
---	--------------------------

	16. PRICE CODE
--	----------------

17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UL	19. SECURITY CLASSIFICATION OF ABSTRACT UL	20. LIMITATION OF ABSTRACT UL
---	--	---	----------------------------------

AD-A232 694

DTIC FILE COPY

DTIC
ELECT
MAR 16 1991
S
G

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet optical scanning requirements.

Block 1. Agency Use Only (Leave blank).

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique organizational report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. If known.

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with... Translated to be published in... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See handbook NHB 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

Block 13. Abstract. Include a brief (Maximum 200 words) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (NTIS only).

Blocks 17-19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (e.g. UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either L (limited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

DODPOPHM/USA/DOD/NADTR91002

**PERFORMANCE ORIENTED PACKAGING TESTING
OF
MK 592 MOD 0 CONTAINER**

Author:
Eric Wu
Mechanical Engineer

Performing Activity:
Naval Weapons Station Earle
Colts Neck, New Jersey 07722-5000

1 March 1991

Accession For	
DTIS CRA&I	<input checked="" type="checkbox"/>
TIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
Availability Codes	
Dist	Avail (and) or Special
7-1	

FINAL

DISTRIBUTION UNLIMITED

Sponsoring Organization:
Naval Air Systems Command
Code AIR-41821A
Washington, DC 20361-0001

91 3 07 050

INTRODUCTION

The Mk 592 Mod 0 Container, which contained 474 pounds of inert HARPOON Warhead, had an overall weight of 717 pounds. This Performance Oriented Packaging (POP) test was performed to ascertain whether this standard container (Packing Group II) would meet the requirements as specified by the United Nations Recommendation on the Transportation of Dangerous Goods Document, ST/SG/AC.10/1, Revision 6, Chapters 4 and 9. A base level vibration test per the Department of Transportation 49 CFR Final Rulings (Federal Register, Vol. 55, No. 246) on Performance Oriented Packaging was previously conducted by WPNSTA Earle. This is documented in NWHC Report 7676. Due to unavailability, the number of containers used was less than the number required by the UN Recommendation. This has been approved by The Under Secretary of Defense, Memorandum for the Joint Logistics Commanders dated 22 February 1990.

The objective of these tests was to ensure that the sample container could withstand conditions of transportation outlined by the UN requirements. The test is representative of the worse case loading of the Mk 592 Mod 0 Container.

TESTS PERFORMED

1. Stacking Test

This test was performed in accordance with ST/SG/AC.10/1, chapter 9, paragraph 9.7.6. One container was used for this test. The container was subjected to a force applied to its top surface equivalent to the total weight of identical packages stacked to a height of 3 meters (including the test sample). A stacked weight of 2,151 pounds was used for this test. The test was performed for 24 hours. After the allowed time, the weight was removed and the containers examined.

2. Drop Test

This test was performed in accordance with ST/SG/AC.10/1, chapter 9, paragraph 9.7.3. One container was used throughout the test. The drops were performed from a height of 4 feet impacting the following surfaces:

- a. Flat bottom
- b. Flat top
- c. Flat on long side
- d. Flat on short side
- e. One corner

This test was performed at ambient temperature of $+10 \pm 20$ °F.

PASS/FAIL (UN CRITERIA)

1. Stacking Test (UN CRITERIA)

The criteria for passing the stacking test is outlined in paragraph 9.7.6.3 of ST/SG/AC.10/1 and states the following: "... no test sample should leak. No test sample should show any deterioration which could adversely affect transport safety or any distortion liable to reduce its strength or cause instability in stacks of packages."

2. Drop Test (UN CRITERIA)

The criteria for passing the drop test is outlined in paragraph 9.7.3.5 of ST/SG/AC.10/1 and states the following: "Where a packaging for solids undergoes a drop test and its upper face strikes the target, the test sample passes the test if the entire contents are retained by an inner packaging or inner receptacle; e.g., a plastic bag, even if the closure is no longer sift-proof. A slight discharge from the closure(s) upon impact should not be considered to be a failure of the packaging provided that no further leakage occurs."

TEST RESULTS

1. Stacking Test

Satisfactory.

2. Drop Test

Satisfactory.

DISCUSSION

1. Stacking Test

The container was visibly checked after the 24-hour period was over. There was no leakage, distortion, or deterioration to any of the containers as a result of this test.

2. Drop Test

After each drop, the containers were inspected for any damage which would be a cause for rejection. Final inspection indicated damage was minimal with only minor denting noted. The port side skid broke apart after the corner drop (ftw-port corner); however, no leakage was found. The container remained intact and serviceable on completion of the tests.

REFERENCE MATERIAL

A. United Nation's "Recommendation on the Transportation of Dangerous Goods," ST/SG/AC.10/1, Revision 6

B. NWHC Report 7676, 30 September 1976, Test and Evaluation of Prototype Container, Mk 592 Mod 0, for HARPOON Warhead and Exercise Sections

C. Performance Oriented Packaging Standards; Changes to Classification, Hazard Communication, Packaging and Handling Requirements Based on UN Standards and Agency Initiatives; Final Rule, Federal Register, Vol. 55, No. 246 of December 21, 1990

DISTRIBUTION LIST

Defense Technical Information Center (2 copies)
ATTN: DTIC/FDA
Bldg. 5, Cameron Station
Alexandria, VA 22304-6145

Headquarters, Military Traffic Management Command (2 copies)
ATTN: T-SS, James Gibson
5611 Columbia Pike
Falls Church, VA 22041-5050

TEST DATA SHEET

DATA SHEET:	
Container: Mk 592 Mod 0 Container	
Type: 4B1	Container P/N or NSN: NSN 8140-01-087-6689
Specification Number: DL 2643225	Material: Aluminum
Capacity: 325.2 kg (717 pounds)	Dimensions: 57.25" L x 28.75" W x 30.25" H
Closure (Method/Type): Removable Cover	Tare Weight: 99.8 kg (220 pounds)
Additional Description:	
PRODUCT: See table	
Name: See table	NSN(s): See table
United Nations Number: See table	
United Nations Packing Group: II	
Physical State (Solid, Liquid, or Gas): Solid	
Vapor Pressure (Liquids Only): N/A At 50 °C: N/A At 55 °C: N/A	
Consistency/Viscosity: N/A	Density/Specific Gravity: N/A
Amount Per Container: See table	Flash Point: N/A
Net Weight: See table	
TEST PRODUCT: Inert HARPOON Warhead	
Name: Simulated Weight	Physical State: Solid
Consistency: N/A	
Density/Specific Gravity: N/A	
Test Pressure (Liquids Only): N/A	
Amount Per Container: 1	Gross Weight: 215 kg (474 pounds)

TABLE

NALC	NSN	Type	Packing Drawing	UN Code	UN Number	#/ Cntr	Weight (kg)
9W68	1336-01-201-3933	Exercise Section	2643225	1.4S	0173	1	222.26
9W69	1336-01-202-4531	Exercise Section	2643225	1.4S	0173	1	222.26
9W70	1336-01-201-3937	Exercise Section	2643225	1.4S	0173	1	222.26
V540	1336-01-110-5581	Warhead Section	2643225	1.1D	0286	1	213.19
V555	1336-01-146-7664	Warhead Section	2643225	1.1D	0286	1	225.44
V556	1336-01-146-7665	Warhead Section	2643225	1.1D	0286	1	225.44
V558	1336-01-186-5966	Warhead Section	2643225	1.1D	0286	1	222.26
V559	1336-01-186-5967	Warhead Section	2643225	1.1D	0286	1	222.26
V550	1336-01-269-1698	Warhead Section	2643225	1.1D	0286	1	222.26

MK 592 MOD 0 CONTAINER

POP MARKING

UN 4B2/Y325/S/90/USA/DOD/NAD