ELUFIT CLASS									
	יח	1 7 2 7 1	506	ITATIO	N PAGE			Form	Approved No 0704 0188
REPOR	く しー と	↓∠ う/ ∶ 			1b. RESTRICTIVE	MARKINGS			
A SECUR	SECUR			3. DISTRIBUTION / AVAILABILITY OF R		OF REPOR	EPORT		
-			ال	Approved for public release and sale; its					
b DECLASSIFICATION / DOWNGRADING SCHEDULE					distribution is unlimited.				
PERFORMING O	RGANIZATIO	N REPORT NUMB			5 MONITORING	ORGANIZATION	REPORT		.)
Technical	Report	No. 105							
a NAME OF PERI	FORMING O	RGANIZATION	6b. OFFICE	SYMBOL	7a. NAME OF N	IONITORING ORC	JANIZATIO	N	
Purdue Un	Purdue University (If or			olicable)	Division of Sponsored Programs				
Department of Chemistry			_	Purdue I	Research Fo	undatio	n		
ADDRESS (City,	, State, and	ZIP Code)			7b. ADDRESS (C	ity, State, and Z	IP Code)		
Purdue University					Purdue I	University		_	
Departmen	nt of Che	emistry			West Lai	Eayette, IN	47907	7	
West Lafa	yette, 1	LN 47907			<u> </u>		- <u> </u>		
RGANIZATIO	IDING / SPON	ISORING	8b. OFFICE (If appli	SYMBOL icable)	9 PROCUREMEN	T INSTRUMENT	IDENTIFICA	ATION NU	IMBER
Office of	Naval R	Research	1	,	Contract	No. N00014	-911-1	409	
ADDRESS (City, State, and ZIP Code)				10. SOURCE OF	FUNDING NUMB	ERS			
800 N. On	uncy Str	reet			PROGRAM	PROJECT	TASK		WORK UNIT
Arlington	NA 22	2217			ELEMENT NO.	NO.	NO		ACCESSION N
Electron- Contempor	Transfer	r Reactions ues	at Metal	-Solutio	n Interface	s: An Intr	oductio	on to S	Some
Electron- Contempor PERSONAL AUI M.J. Weav J. TYPE OF REPO Technical	-Transfer ary Issu THOR(S) Zer ORT	13b TIME (FROM	at Metal	-Solutio	n Interfaces	S: An Intr ORT (Year, Mont 1991	oductio	on to S	
Electron- Contempor PERSONAL AUI M.J. Weav Ba. TYPE OF REPO Technical 5 SUPPLEMENTAR	Transfer cary Issu THOR(S) Ver ORT L RY NOTATIO	13b TIME C FROM	at Metal	-Solutio	14. DATE OF REPO May 31, 1	s: An Intr DRT (Year, Mont 1991	h, Day)	on to S	
Electron- Contempor PERSONAL AUI M.J. Weav B. TYPE OF REPO Technical SUPPLEMENTAG	Transfer ary Issu THOR(S) Ver ORT RY NOTATIC	Reactions les 13b TIME (FROM DN	at Metal	-Solutio	on Interfaces 14. DATE OF REPO May 31, 1 Continue on rever	S: An Intr ORT (Year, Mont 1991	h, Day)	on to S	COUNT K number)
Electron- Contempor PERSONAL AUT M.J. Weav M.J. Weav Technical SUPPLEMENTAL	COSATI CO	C Reactions Les 13b TIME C FROM DN DDES SUB-GROUP	at Metal	-Solutio	14. DATE OF REPO May 31, 1 Continue on rever	DRT (Year, Mont 1991 The if necessary a of electro	(h, Day)	on to s	COUNT K number) etics,
Electron- Contempor PERSONAL AUI M.J. Weav a TYPE OF REPO Technical SUPPLEMENTAR	COSATI CO	C Reactions Tes T3b TIME C FROM DN DDES SUB-GROUP	at Metal	-Solutio	14. DATE OF REPO May 31, 1 Continue on rever by treatment s-phase elect	DRI (Year, Mont 1991 Se if necessary a of electro tron transf	ind identif	on to s	COUNT k number) etics, tion and
Electron- Contempor PERSONAL AUI M.J. Weav a TYPE OF REPC Technical SUPPLEMENTAL	COSATI CO	C Reactions les 13b TIME (FROM DN DDES SUB-GROUP	at Metal	-Solutio	An Interfaces 14. DATE OF REPO May 31, 1 Continue on rever ry treatment s-phase elec- n of dynamic	DRT (Year, Mont 1991 Se if necessary a of electro tron transf al solvent	h, Day) and identif ochemica ers, re effects	on to s	COUNT k number) etics, tion and
Electron- Contempor PERSONAL AUI M.J. Weav IIII TYPE OF REPO Technical SUPPLEMENTAL FIELD G	COSATI CO GROUP	C Reactions Les 13b TIME C FROM DN DDES SUB-GROUP Everse if necessary	at Metal OVERED TO 18 SUBJE con hom elu y and identify	-Solutio	14. DATE OF REPO May 31, 1 Continue on rever by treatment s-phase elec of dynamic number)	s: An Intr ORI (Year, Mont 1991 se if necessary a of electro tron transf al solvent	ind identif	y by bloc al kine s	COUNT k number) etics, tion and
Electron- Contempor PERSONAL AUI M.J. Weav a TYPE OF REPO Technical SUPPLEMENTAL FIELD C ABSTRACT (Con Some p lectron red ransfers a xperiment lectrochem	Transfer ary Issu THOR(S) Zer ORT RY NOTATIC GROUP Intinue on re pivotal idox coup are point are bri bical and solvent e	aspects of t bles are out ted out. Twiefly discu	at Metal COVERED TO TO TO TO TO TO TO TO TO TO	-Solutio	14. DATE OF REPO May 31, 1 Continue on rever by treatment s-phase elect of dynamic. umber) treatment of commonalitie examples of lly to the is, and to the	s: An Intr DRI (Year, Mont 1991 se if necessary a of electro tron transf al solvent electroche s with homo the interp relation he recognit	md identified ind identified ochemical ers, re effects lay bet between ion and	y by bloc al kine ecognitions s-phase tween the d eluct	COUNT count count etics, tion and e electron theory and rates of idation of
Electron- Contempor PERSONAL AUI M.J. Weav Ba TYPE OF REPO Technical SUPPLEMENTAL FIELD C ABSIRACI (Con Some pelectron rep transfers at experiment electrochem dynamical so	Transfer ary Issu THOR(S) Zer ORT I RY NOTATIC GROUP Intinue on re pivotal idox coup ire point are bri bical and solvent e	A Reaction's The section's The sec	at Metal	-Solutio	14. DATE OF REPO May 31, 1 Continue on rever by treatment s-phase elector of dynamic number) treatment of commonalitie examples of 11y to the is, and to the 21. ABSTRACT S	S: An Intr DRI (Year, Mont 1991 Se if necessary a of electro tron transf al solvent electroche s with homo the interp relation he recognit	mical k between ion and identification in and identification in and in and in and in and	y by bloc al kine ecognits s-phas tween the d eluc:	COUNT k number) etics, tion and es for one- e electron theory and rates of idation of
Electron- Contempor PERSONAL AUI M.J. Weav Ba. TYPE OF REPO Technical SUPPLEMENTAL FIELD G ABSIRACI (Con Some p electron rep transfers at experiment electrochem dynamical su	Transfer ary Issu THOR(S) Zer ORT RY NOTATIC COSATI CC GROUP Intinue on re pivotal acdox coup are point are bri bical and solvent e	A Reaction's The section's The sec	at Metal	-Solutio	14. DATE OF REPO May 31, 1 Continue on rever by treatment continue on rever by treatment of commonalitie examples of lly to the s, and to the 21. ABSTRACT S	DRI (Year, Mont 1991 Se if necessary a of electro tron transf al solvent electroche s with homo the interp relation he recognit	md identif chemical ers, re effects between ion and	y by bloc al kine ecognits s-phas tween the d eluc:	COUNT k number) etics, tion and es for one- e electron theory and rates of idation of

P

OFFICE OF NAVAL RESEARCH

Contract No. NO0014-91-J-1409

Technical Report No. 105

Electron-Transfer Reactions at Metal-Solution Interfaces:

An Introduction to Some Contemporary Issues

Ъy

M.J. Weaver

Prepared for Publication

in the

Proceedings of NATO Advanced Study Institute

Accessical Yor	
NTIS ORALI SU	
DTIC TAB	
Unexa 🖸	
Justifleation	
By	· · · ·
Distribution/	
Availabliity Codes	
Avail and/or	
Dist i Special	
	}
H-i	
	3
·	

Purdue University

Department of Chemistry

West Lafayette, Indiana 47907

May 1991

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

* This document has been approved for public release and sale: its distribution is unimited.



ELECTRON-TRANSFER REACTIONS AT METAL-SOLUTION INTERFACES: AN INTRODUCTION TO SOME CONTEMPORARY ISSUES

MICHAEL J. WEAVER Department of Chemistry Purdue University West Lafayette, Indiana 47907

ABSTRACT. Some pivotal aspects of the contemporary treatment of electrochemical kinetics for one-electron redox couples are outlined, and some commonalities with homogeneous-phase electron transfers are pointed out. Two illustrative examples of the interplay between theory and experiment are briefly discussed; specifically to the relation between the rates of electrochemical and homogeneous-phase processes, and to the recognition and elucidation of dynamical solvent effects.

I. INTRODUCTION

Examinations of the kinetics as well as thermodynamics of electrontransfer "eactions at metal electrodes have long been of concern not only to electrochemists but also to others concerned with redox processes in a variety of homogeneous as well as heterogeneous chemical environments. This interest stems in part from the unique control of the electrical variable afforded at metal-solution interfaces by the electrode potential. In addition, such electrochemical processes involve inherently only a single redox couple

$$0x + ne^{-} \neq Red$$
(1)

In contrast, electron-transfer reactions in homogeneous solution and at most liquid-liquid interfaces involve pairs of redox couples. The thermodynamic and kinetic parameters that describe electrochemical charge-transfer process therefore comprise fundamental characteristics of such individual redox couples (so-called "half-reactions"), of value to unraveling the behavior of redox processes on a more general basis.

While the characterization of electrochemical charge-transfer reactions, often involving proton- and coupled atom-, as well as electron-, transfers has a long and venerable history, understanding of most kinetic and mechanistic aspects of electrode kinetics has tended to lag behind that for analogous homogeneous-phase systems. This is especially the case for the simplest type of reaction, involving one-electron transfer between stable solution (Ox and Red) species. Nevertheless, there are close parallels in the treatment of Presented here is a brief overview of some fundamental features of electrode kinetics in relation to electron transfers in general. Discussion is also provided of two topics of research interest to the author, namely the relationship between the rates of heterogeneous- and homogeneous-phase processes, and the role of solvent dynamics in electron transfer. Rather than attempting a broadbased overview, then, the present account is written from an admittedly personal perspective. Nevertheless, the text is intended to illustrate some of the flavor of contemporary research in this area. A more comprehensive review of fundamental aspects, along with expanded citations, is to be found in ref. 1.

II. ELECTROCHEMICAL RATE PARAMETERS AND REACTION MECHANISMS

The basic characteristic of electrochemical reaction rates is their sensitivity to the applied electrode potential, E. In the absence of mass-transport limitations, the dependence of the current density for a redox process as in Eq. (1) upon E can be expressed as

$$\mathbf{i} = \mathbf{i}_{o} \left(\exp[-\alpha nf(\mathbf{E} - \mathbf{E}_{og})] - \exp[(1 - \alpha)nf(\mathbf{E} - \mathbf{E}_{og})] \right)$$
(2)

Here α is the cathodic transfer coefficient, f = F/RT, E_{eq} is the equilibrium potential for a solution containing given concentrations of Ox and Red, and i_o is the exchange current density. The last quantity denotes the equal (and counterbalancing) cathodic and anodic currents, i_c and i_a, respectively, that necessarily flow at $E = E_{eq}$, corresponding to the first and second exponential terms in Eq. (2). At least for electrode reactions displaying first-order kinetics, it is useful to define cathodic and anodic rate constants k_c and k_a, respectively. For one-electron first-order reactions, these are given by

$$k_c = i_c/FC_{ox}, k_a = i_a/FC_{red}$$
 (3)

where C_{ox} and C_{red} are the bulk-phase (solution) concentrations of 0x and Red. From Eqs. (2) and (3),

$$\mathbf{k}_{c} = \mathbf{k}_{ex} \exp[-\alpha f(\mathbf{E} - \mathbf{E}^{\circ})] \tag{4}$$

The "standard" (or exchange) rate constant, k_{ex} , equals k_c (and k_a) measured at the standard electrode potential, E°; note that E° = E_{eq} when $C_{ox} = C_{red}$. The standard potential, and hence k_{ex} , are of particular significance since E° corresponds to the point where the interfacial potential experienced by the transferring electron equals the chemical-potential difference between 0x and Red, so that the electrochemical free-energy driving force for the overall electron-transfer reaction, ΔG_{re}° , equals zero.

Even for such ostensibly "single-step" electrochemical processes for solution-phase reactants, it is useful to separate the overall reaction into components associated with the formation of a "precursor state" with the reactant in a suitable geometry within the interfacial region, and the "elementary electron-transfer step" where the activation energy barrier is surmounted with the reactant located within the precursor state [2]. This "preequilibrium" model differs from earlier treatments which presume (albeit vaguely) that the reaction proceeds via reactant "collisions" with the metal surface [2]. Provided that the formation of the precursor state involves a markedly smaller barrier than for electron transfer itself, we can decompose the overall observed rate constant, k_{ob} (cm s⁻¹), into a precursor equilibrium constant, K_p (cm), and a unimolecular rate constant, k_{et} (s⁻¹), characterizing the elementary electron-transfer step, according to [2]

$$\mathbf{k}_{ob} = \mathbf{K}_{p} \mathbf{k}_{et} \tag{5}$$

In addition to its simplicity, this treatment has the virtue of enabling the influence of the interfacial environment upon the reactant thermodynamic stability to be separated from the vagaries of the electron-transfer step itself. Most importantly, the preequilibrium model is applicable to processes where the electrode-reactant interactions are weak and nonspecific as well as those where surfacereactant bonds are formed [2]. The former type includes most so-called "outer-sphere" processes, defined usually for electrochemical processes as those where the reactant is separated from the electrode surface by a layer of solvent or other molecules in the transition state. The latter reaction type can be considered to be "inner-sphere" processes, defined most generally as those featuring transition states where the reactant, or a coordinated ligand(s), binds to (or otherwise contacts) the metal surface [2]. For many (but by no means all) inner-sphere reactions, the electrode-reactant interactions are sufficiently favorable to enable the interfacial (precursor-state) reactant concentrations to be determined analytically, allowing K_p to be evaluated [3].

A similar situation can also be achieved in a few cases for outersphere electrochemical processes [4]. More commonly, however, diffuselayer theory needs to be utilized to yield approximate K_p values for outer-sphere processes. In general, K_p can be related to the work of forming the precursor state from the bulk solution reactant, w_p , by [2]

$$K_{p} = K_{o} exp(-w_{p}/RT)$$
 (6)

where K_o (cm) is the "statistical" component of K_p . The latter can be approximated as the "reaction zone thickness", δr , denoting the effective range of precursor-state geometries (as separations from the metal surface) that contribute importantly to electron transfer; δr is typically of the order of 10^{-8} cm [5]. For reaction sites close to the outer Helmholtz plane (oHp), $w_p \approx ZF\phi_d$, where Z is the reactant charge number and ϕ_d is the diffuse-layer potential as deduced from the Gouy-Chapman model.

III. THEORETICAL RATE FORMULATIONS FOR THE ELECTRON-TRANSFER STEP

Of primary interest in electron-transfer kinetics is the understanding and rationalization of the observed rate constants, especially k_{et} , in terms of dynamical and energetic factors. The unimolecular rate constant can usefully be expressed in this fashion as [1,2,6]

$$\mathbf{k}_{et} = \kappa_{el} \Gamma_n \nu_n \exp(-\Delta G^* / RT)$$
(7)

Here κ_{el} is the electronic transmission coefficient (≤ 1), Γ_n is the nuclear tunneling factor (≥ 1), ν_n is the nuclear frequency factor, and ΔG^* is the free energy of activation for the electron-transfer step. The first three terms together constitute the "preexponential factor" A_{et} , that describes the net dynamics of surmounting the classical free-energy barrier ΔG^* . It is important to recognize that this contemporary treatment of the preexponential factor, involving unimolecular activation within a preequilibriated precursor state, differs substantially from the classical (and flawed) description which emphasizes reactant-surface collisions as a prerequisite for electron transfer.

The ν_n term in Eq. (7) describes the net velocity along the reaction coordinate associated with the various motions which together constitute the nuclear reorganization barrier ΔG^* . The Γ_n term corrects the electron-transfer rate for the occurrence of sufficiently high-frequency motions so that significant nuclear-tunneling occurs through the classical free-energy barrier. In cases where the "inner-shell" barrier component, ΔG^*_{is} , arising from reactant bond distortions, is large, ν_n is often approximated by an appropriately weighted average of the relevant vibrational frequencies. In circumstances where the barrier is associated primarily with solvent reorganization, ΔG^*_{os} , the net dynamics of the solvent repolarization process can provide the predominant contribution to ν_n [7]. The role of solvent dynamics in electrochemical kinetics is considered in more detail below.

Complete control of the rate of electron-transfer barrier crossing by such nuclear dynamics will only be achieved when the electronic coupling between the donor and acceptor sites (the redox center and the electrode surface for electrochemical reactions) is sufficiently strong so to maintain so-called "reaction adiabaticity". Physically, this corresponds to the occurrence of sufficient resonance splitting between the lower and upper potential-energy surfaces in the vicinity of the intersection region (saddle point) so that the system stays primarily on the lower, reactive, surface. Such an "adiabatic" passage through the transition-state region corresponds to κ_{e1} - 1 in Eq. (7). On the other hand, if the donor-acceptor electronic coupling is relatively weak, then a large fraction of passages through the intersection region will involve nonreactive transitions to the upper surface. For such "nonadiabatic" pathways, $\kappa_{el} \ll 1$, reflecting the relatively small fraction of reactive passages over the barrier.

It is important to recognize that for such nonadiabatic pathways, the net barrier-crossing frequency will be essentially independent of the nuclear dynamics, depending instead chiefly upon the degree of electronic coupling. This point can be discerned readily by considering the following simplified, yet illustrative, Landau-Zener expression for the transmission coefficient $\kappa_{\bullet 1}$ [6]:

$$\kappa_{\rm el} = 2[1 - \exp(-\nu_{\rm el}/2\nu_{\rm n})] / [2 - \exp(-\nu_{\rm el}/2\nu_{\rm n})]$$
(8)

The "electronic frequency factor" ν_{el} is given by

$$\nu_{e1} = H_{12}^2 (\pi^3 / \Delta G^* h^2 k_B T)^{\frac{1}{4}}$$
(8a)

where h is Planck's constant, k_B is Boltzmann's constant, and H_{12} is the electronic coupling matrix element. While $\kappa_{el} \rightarrow 1$ for sufficiently strong electronic coupling (i.e. large H_{12}) so that $\nu_{el} \gg \nu_n$, Eq. (8) reduces to $\kappa_{el} \approx \nu_{el}/\nu_n$ for weaker coupling ($\kappa_{el} \ll 1$) so that $\nu_{el} \ll \nu_n$. Combining the preexponential factor A_{et} ($-\kappa_{el}\Gamma_n\nu_n$) from Eq. (7) with the latter nonadiabatic limit, yields $A_{et} = \nu_{el}\Gamma_n$, i.e., the net preexponential factor is proportional to H_{12}^2 [Eq. (8a)] yet independent of ν_n .

While some small variations of A_{et} can also be anticipated, the dependence of k_{et} (and hence k_{ob}) upon the electrode potential arises primarily from variations in ΔG^* . Generally, for one-electron reactions we can separate ΔG^* into "intrinsic" and "thermodynamic" (driving-force) contributions [1]:

$$\Delta G^* = \Delta G^*_{int} + \alpha_{et} \Delta G^o_{et}$$
(9)

where α_{et} is the (cathodic) transfer coefficient (symmetry factor) for the electron-transfer step. The corresponding driving force, ΔG_{et}° , can be related to the "standard overpotential" (E-E°) by [1]

$$\Delta G_{et}^{o} = F(E - E^{o}) + (w_{e} - w_{p})$$
(10)

where w_s is the work of assembling the successor state (i.e., the state immediately following electron transfer) from the bulk-phase product. [Note that the combined term $(w_s - w_p)$ in Eq. (10) accounts for the difference in the potential dependence of the thermodynamics for the electron-transfer step and for the overall solution-phase reaction (1)].

As already noted, it is convenient to separate the overall freeenergy barrier into inner-shell (reactant distortional) and outer-shell (solvent reorganizational) components. For calculational purposes, it is convenient to apply this distinction to the intrinsic barrier, ΔG_{int}^* , yielding more manageable formulae. Thus the inner-shell component, ΔG_{is}^* , of ΔG_{int}^* can be estimated from the simple harmonic oscillator formula [6]:

$$\Delta G_{is}^* = 0.5 \Sigma f_i (\Delta a/2)^2$$
(11)

where f_{i} is the force constant of each bond undergoing distortion by Δa as a result of electron transfer.

The outer-shell component, ΔG_{os}^{\bullet} , is usually estimated by means of the well-known formulae derived from dielectric-continuum theory, which for one-electron electrochemical reactions can be expressed as [8]

$$\Delta G_{os,e}^{*} = (e^{2}/8)(a^{-1} - R_{e}^{-1})(\epsilon_{op}^{-1} - \epsilon_{s}^{-1})$$
(12)

6

where a is the radius of the (presumed spherical) reactant, R_{\bullet} is twice the reactant-metal surface distance (i.e., the reactant-image distance) in the transition state, and ϵ_{op} and ϵ_{s} are the so-called optical and static (zero-frequency) solvent dielectric constants, respectively. A related treatment for one-electron transfer between identical pairs of redox couples in homogeneous solution yields [8]

$$\Delta G_{os,h}^* = (e^2/4)(a^{-1} - R_h^{-1})(\epsilon_p^{-1} - \epsilon_s^{-1})$$
(13)

where R_h is the internuclear distance between the reactants (having equal radius a).

The extent to which these dielectric-continuum formulae provide reliable estimates of the solvent reorganization energy has engendered considerable discussion over the years [9]. A number of analytic treatments appearing recently provide somewhat modified descriptions of $\Delta G_{os,e}^{\circ}$ and/or $\Delta G_{os,h}^{\circ}$, most straightforwardly for the limit where R_{e} , $R_{h} \rightarrow R_{h}$ ∞ , i.e., activation for "isolated" spherical reactants. In this limit, several improved treatments, such as that employing the "mean spherical approximation" (MSA) [10] and "nonlocal electrostatic" models [11], yield ΔG_{os}^{*} values that are significantly (ca 10-30%) smaller than in the dielectric continuum limit [12]. Moreover, a modified treatment of imaging effects suggests that the R_{\bullet}^{-1} term in Eq. (12) is inappropriate in most circumstances [13]. Unfortunately, direct experimental tests of these models at metal-solution interfaces are absent; rate measurements by themselves provide only indirect comparisons since estimation of the preexponential component is not straightforward (vide infra) [13b]. Nevertheless, the applicability of the dielectric continuum approach for homogeneous-phase electron transfer can be tested more directly from the energies, E_{op}, of optical electron transfer within binuclear complexes, since E_{op} can be related simply to activation free energies for thermal electron transfer [14]. While the dielectric-continuum treatment has proved to be semiquantitatively reliable on this basis, somewhat improved agreement with experiment can be achieved by using more sophisticated models [12].

IV. INTERPLAY BETWEEN THEORY AND EXPERIMENT - GENERAL

At least for one-electron processes, there is much scope for utilizing such theoretical treatments to explore the rich diversity of experimental kinetics both at electrode surfaces and in solution. Indeed, a major application of kinetic theory in this vein is to collate, with an eye to rationalizing, sequences of rate parameters involving systematic variations in the system physical or chemical state [1]. Common examples of such experimental variables include electrode potential, temperature, electrode material, solvent composition, or reactant structure. Specific theoretical relationships, or formalisms, can be derived for this purpose, to confront with corresponding experimental data. Such tactics can be viewed as utilizing "relative" theory-experiment comparisons [1].

An ultimate objective of chemical kinetic theory, however, is to predict rates of individual reactions in a given reaction environment. Such "absolute" theory-experiment comparisons can provide a demanding test of the underlying theoretical models. Their application, however, has been relatively limited in practice, even for outer-sphere oneelectron processes, by the extensive structural and redox thermodynamic data that are required [15]. "Relative" theory-experiment comparisons are often less likely to exhibit deviations from expectations, due to the cancellation of terms in the theoretical expressions when the kinetics of closely related processes, and/or for a given process in different reaction environments, are compared. On the other hand, examination of relative rate parameters for judiciously chosen variations of physical and/or chemical state can yield much insight into particular factors that influence experimental systems since unwanted (and often unknown) components of the observed reactivities can thereby be held constant [1].

Outlined briefly below are two illustrative examples of such "relative" theory-experiment comparisons, specifically involving the rates of related electrochemical and homogeneous-phase reactions, and solvent effects upon the reaction dynamics. Emphasis is restricted here to a summary of the underlying concepts; numerical and other details can be found in the cited literature.

V. REACTIVITIES OF RELATED ELECTROCHEMICAL AND HOMOGENEOUS-PHASE PROCESSES

An issue of longstanding interest in electrochemical reactions concerns the relationship of the observed kinetics with those for the same redox couples involved in homogeneous-phase electron transfers. Given that the latter processes involve inevitably pairs of redox couples, several different types of comparisons can be envisaged. The simplest involve homogeneous self-exchange processes, since these reactions feature identical redox couple partners, thereby yielding the same reactants and products, so that $\Delta G_{et}^{\circ} = 0$.

The most common relationship used to examine the rates of outersphere electrochemical exchange, k_{ex}^{\bullet} [Eq. (4)], and homogeneous selfexchange, k_{ex}^{h} , for a given redox couple is [16]

$$\mathbf{k}_{ax}^{\bullet} / \mathbf{A}^{\bullet} = (\mathbf{k}_{ax}^{h} / \mathbf{A}^{h})^{\frac{h}{2}}$$
(14)

where A[•] and A^h are the preexponential factors for the overall electrochemical and homogeneous-phase reactions, respectively (equal to $A_{et}K_o$) [1]. Equation (14) is derived for the special case where $R_e = R_h$ [Eqs. (12), (13)], predicted when the reaction partners (or the reactantelectrode pair) are in contact, so that $\Delta G_{os,e}^* = 0.5\Delta G_{os,h}^*$. The rate constants need to be corrected for electrostatic work terms, so that they reflect the kinetics of the elementary electron-transfer step [other than the inclusion of the statistical term K_o , Eq. (6)]. A related, yet distinct, formula results from the assumption that reactant-electrode imaging, and the inner-shell component of ΔG_{int}^* , can both be neglected, whereupon simply [17]

$$\mathbf{k}_{ex}^{\bullet}/\mathbf{A}^{\bullet} = \mathbf{k}_{ex}^{h}/\mathbf{A}^{h}$$
(15)

In appropriate circumstances, both Eqs. (14) and (15) can provide acceptable fits to experimental data [1].

Nonetheless it is desirable to provide formalisms that are applicable in the more commonly encountered cases that involve homogeneous-phase cross reactions. A formulation designed for this purpose, which we have discussed recently [18], involves comparisons between a given electrochemical reaction and a corresponding homogeneousphase reduction (or oxidation) that utilizes a reversible redox reagent Ox_2/Red_2 , having a standard potential E_2° . This treatment emphasizes the nature of metal surfaces as a special type of coreactant, having infinite radius and zero inner-shell barrier, yet a continuously variable "redox potential" equal to the applied electrode potential. Provided that the inner-shell barrier associated with Ox_2/Red_2 is small (or can be corrected for), and reactant-electrode imaging is unimportant, then the (work-term corrected) electrochemical rate constant measured at E_2° , k_2° , is predicted on this basis to be related to the corresponding homogeneous-phase rate constant involving Ox_2/Red_2 , k_2^h , by [18]

$$k_2^{\bullet}/A^{\bullet} = k_2^{h}/A^{h}$$
(16)

Note that the form of Eqs. (15) and (16) are similar; indeed, the former is a special case of the latter. In the particular case where both the electrochemical and homogeneous-phase reactions are adiabatic ($\kappa_{el} \approx 1$) or at least feature comparable transmission coefficients, then[18] A^h/A^e - $4\pi Nr_h^2$, where r_h is the reactant internuclear distance for the homogeneous-phase process, and N is Avogadro's number. Equation (16) therefore becomes

$$4\pi \mathrm{Nr_h}^2 \mathrm{k}_2^\bullet = \mathrm{k}_2^\mathrm{h} \tag{17}$$

The $4\pi Nr_h^2$ term in Eq. (17) accounts for the difference between the planar and spherical reactant geometries characteristic of the electrode and homogeneous-phase coreactants, respectively, thereby converting the usual heterogeneous (cm s⁻¹) rate units into those ($M^{-1}s^{-1}$) appropriate for second-order solution-phase processes.

Given the various assumptions involved in deriving Eq. (17), widespread agreement with experiment is not anticipated. The virtues of this and related expressions lie instead in their treatment of related electrochemical and homogeneous-phase processes in an equivalent, if rather idealized, fashion. The manner and extent of the observed deviations of experimental rate data from Eq. (17) provide a useful measure of the degree to which additional, especially "specific" factors, such as electron tunneling, solvation dynamics, imaging interactions, etc., affect the kinetics of a given redox couple differently in the chosen heterogeneous- and homogeneous-phase reaction environments. Since the formal potential of only the homogeneous coreactant is required for the analysis, it is applicable to chemically irreversible and even multielectron electrochemical reactions. In an exploratory comparison with experimental data [18], a number of outer-sphere electrochemical reactions at mercury-aqueous interfaces, including the reduction of various metal complexes and dioxygen, were found to exhibit rates that are significantly (up to ca 10^4 fold) greater than anticipated from homogeneous-phase data on the basis of Eq. (17). These differences were ascribed primarily to the occurrence of larger transmission coefficients in the electrochemical reaction environment. However, other factors, such as the occurrence of lower electrochemical free-energy barriers from metal imaging or other factors, may contribute to the observed behavior. Closer correspondence to the predictions of Eq. (17) are obtained, however, for some processes in nonaqueous media [18].

VI. DYNAMICAL SOLVENT EFFECTS IN ELECTROCHEMICAL KINETICS

Examining the kinetic as well as thermodynamic consequences of altering the solvent medium is of obvious fundamental interest in redox chemistry given the central role of solvation in all types of liquid-The latter free-energy component phase electron-transfer p ocesses. (ΔG_{at}°) often provides the predominant contribution to the observed ratesolvent dependencies. However, this term can be held fixed by examining the solvent dependence of the standard rate constant, k_{ex} , (i.e., at E° in each solvent) thereby altering the electrode potential and therefore the free energy of the transferring electron(s), so to cancel the inevitable alterations in the solvation energies of Ox versus Rfd. Aside from solvent-dependent work terms, the remaining anticipated solvent effects upon kex arise at least from variations in the outer-shell reorganization energy, ΔG_{os}^* , and possibly also in the nuclear frequency factor, ν_n (Eq. (7)). The presence of the former component has long been recognized, especially from the work of Marcus in the USA. Hush in England, and from Levich and Doganadze in the Soviet Union, dating back to the 1950's.

Perhaps surprisingly, the realization that electron-transfer rates can be influenced additionally by the dynamics of solvent reorganization, affecting ν_n as noted above, is of much more recent origin. This recognition arose from, and indeed torms an integral part of, the remarkable upsurge of interest in dynamical solvent effects in condensedphase chemical processes in general that has occurred during the last decade [19]. We now outline in general terms the physical origins and likely consequences of such solvent dynamical effects in electrochemical kinetics. (See ref. 7 for further details and more complete literature citations).

In broad rotline, the physical origin of such effects in electron transfer can be understood simply from the need to reorient collectively solvent dipoles in the vicinity of a redox center in order to achieve an appropriate nonequilibrium configuration so that electron transfer can occur. Even for simple dipolar fluids, however, it is important to distinguish between two distinct solvent dynamical regimes. In so-called low-dielectric friction media (associated loosely with low fluid viscosities), the rate of the necessarily collective dipolar motion will be limited only by the moment of inertia of the individual dipoles together with the dielectric properties of the surrounding medium [20,21]. Reaction dynamics controlled by solvent motion under these "under imped" circumstances correspond to the so-called transition-state theory (TST) limit, where the system passes smoothly along the reaction coordinate from reactants to products. More commonly, however, it is expected that the frequency of collective dipole motion will fall significantly, or substantially below the TST value, ω_0 , by irreversible energy transfer from a given rotating dipole to its surroundings. This latter occurrence, known as solvent "dielectric friction", corresponds to slower "overdamped" (often-termed "diffusive") motion along the reaction coordinate.

A key feature of such phonomena is that while the underdamped (TST) dynamics are only mildly dependent on the solvent structure [21], the overdamped frequencies are markedly solvent-sensitive. At least for Debye solvents in the dielectric-continuum limit, the relevant overdamped dynamics are described by the longitudinal solvent relaxation time, $\tau_{\rm L}$ [7,19,20]. This quantity is usually extracted from the "Debye" relaxation time, $\tau_{\rm D}$, obtained from solvent dielectric-loss spectra, by using [19]

$$r_{\rm L} = (\epsilon_{\rm e}/\epsilon_{\rm s})\tau_{\rm D} \tag{18}$$

where ϵ_{∞} is the so-called "inrinite-"(microwave) frequency dielectric constant. [The observation of a single dielectric dispersion $(r_{\rm D})$ in the dielectric loss spectrum is often referred to as "Debye-like" behavior.] Interestingly, $\tau_{\rm L}$ varies by at least 50 fold in common polar solvents at ambient temperatures, from ca 0.2 to 10ps [22,23]. Measurements of longitud final relaxation dynamics can be made in some cases more directly from time-dependent fluorescence Stokes shifts (TDFS) following ultrafast laser-induced creation of charge-transfer excited states within suitable chromophore solutes [24]. The time resolution of most published measurements of this type is strictly inadequate for a reliable description of the solvent dynamics relevant to electron-transfer kinetics. However, recent subpicosecond TDFS measurements by Barbara and coworkers have enabled solvation relaxation times, τ_s , to be extracted even in low-friction media [24a,b]. In most cases, $\tau_{a} \sim (1.5-2)\tau_{L}$ [24b], although relaxation components substantially shorter than $\tau_{\rm L}$ are also often observed (vide infra).

Of central interest are the relationships between the various dielectric relaxation parameters and the resultant adiabatic barriercrossing frequency, ν_n , in Eq. (7). We consider first the situation where the reaction coordinate is dominated by solvent, rether than additionally by inner-shell, reorganization. In this case, in the TST limit simply $\nu_n = \omega_0/2\pi$ [7,19]. The situation in the presence of dielectric friction is somewhat more complicated, since the reaction dynamic depend on the shape of the barrier top. For cusp-like barriers (i.e., for small resonance splitting, H_{12} , of the barrier top): $\nu_n \sim \tau_L^{-1}$ [7,20]. As the barrier top becomes more "rounded" (i.e., H_{12} increases) ν_n is predicted to diminish somewhat. A simple rationalization of the latter is that barrier recrossings, yielding a lower net frequency of successful diffusive passages through the intersection region and hence 10

a smaller ν_n , should become more prevalent as the barrier top becomes broader. For the degree of barrier-top roundedness required typically to yield adiabatic reaction pathways, ν_n is anticipated to be ca 2-5 fold smaller than τ_L^{-1} [25b]. One might therefore expect that at least approximate correlations between τ_L^{-1} and ν_n would often be obtained.

At least two further factors, however, are anticipated on theoretical grounds to complicate the nature of solvent dynamical effects on electron transfer. Firstly, as noted above, solvent relaxation components substantially faster than $\tau_{\rm L}$ have been observed, even in "simple" dipolar fluids, from TDFS measurements. Additional faster relaxation times can also be extracted in some cases from dielectric loss spectra, such as in primary alcohols [25]. (Solvents exhibiting the latter behavior are referred to as "non-Debye" media.) Such higherfrequency components are predicted to exert disproportionately large contributions to the barrier-crossing frequencies, so that ν_n values substantially higher than $\tau_{\rm L}^{-1}$ are often anticipated under these conditions [25].

Secondly, some deviations of the effective net relaxation time from $r_{\rm L}$ are generally expected, even in Debye media, as a result of "solvent molecularity" effects, whereby solvent molecules in the immediate vicinity of the reacting solute behave differently from those in the "bulk" liquid [7,20]. An additional source of divergence from the simple expectation that $\nu_{\rm n} - r_{\rm L}^{-1}$ is expected for systems where the reaction coordinate contains substantial contributions from inner-shell (i.e., reactant vibrational) distortions as well as solvent reorganization. This situation has been discussed in detail by Marcus and coworkers [26]. Their treatment predicts that the dependence of $\nu_{\rm n}$ upon solvent dynamics becomes increasingly muted as the frequency of inner-shell motion and/or the ratio $\Delta G^*_{\rm is}/\Delta G^*_{\rm os}$ increases; however, a substantial contribution from solvent dynamics can remain in the overdamped case even when $\Delta G^*_{\rm is} - \Delta G^*_{\rm os}$.

In the last five years or so, a sizable number of experimental studies have been published that aim to test the manner and extent to which such solvent dynamical factors influence activated electron-transfer reactions, both at electrode surfaces and in homogeneous solution [7]. The primary tactic employed has been to explore the solvent dependence of the rate constants, k_{ex} , for electrochemical exchange or homogeneous self-exchange of suitable one-electron redox couples that are anticipated or known to follow outer-sphere pathways. It is appropriate here to comment briefly on some of the limitations of, as well as key results from, these experimental studies, especially since insufficiently critical analyses have appeared on occasion in the recent literature. A more detailed discussion of these and related issues will be available elsewhere [27].

A key element in all these studies is the attempted separation of the observed k_{ex} -solvent dependencies into energetic and dynamical components, associated with variations in ΔG^* and ν_n , respectively. The reliable partition of these factors is often problematical, especially for electrochemical leactions, since the solvent-induced variations in ΔG^* typically have been estimated by using a theoretical formula, usually from Eqs. (12) or (13), rather than having a firm experimental basis. Admittedly, the functional form of Eq. (13) is typically roughly in accord with some experimental E_{op} data for photoinduced electron transfers (vide supra) [14]. However, the uncertainties in the values of the "geometric factors" $(a^{-1} - R^{-1})$ which act to scale the resulting ΔG^* values, as well as in the details of the underlying model itself, can lead to substantial mistrust of the resulting estimated ΔG^* -solvent variations. This difficulty is heightened by the common expectation that the influence of the energetic and dynamical components upon the observed k_{er} -solvent dependencies are often expected to be roughly comparable [22,23].

Fortunately, however, at least the qualitative recognition of the presence of solvent dynamical effects on this basis is aided by the roughly linear correlation between ΔG_{os}^* and log τ_L^{-1} (and hence log ν_p) expected for a number of solvents [22]. [This correlation is not unexpected since the outer-shell barrier ΔG_{os}^* in Eqs. (12) and (13) is determined primarily by the inverse optical dielectric constant ϵ_{op}^{-1} , and longer $r_{\rm L}$ values are commonly associated with larger, more polarizable, solvents that also tend to exhibit greater ϵ_{op} values.] In a series of solvents with progressively decreasing ϵ_{op} values, then, in the absence of solvent dynamical effects the kex values will tend to decrease since the $\exp(-\Delta G^*/RT)$ term in Eq. (7) will diminish in this sequence. In the presence of solvent dynamical effects upon ν_n , however, this trend will be offset systematically since log ν_n tends to increase under these In some cases, the latter dynamical effect appears to conditions. dominate since net increases in key are often observed in a given solvent sequence as τ_{L}^{-1} (and ϵ_{op}^{-1}) increase [22,23]. In this circumstance, strong evidence for the qualitative presence of solvent dynamical effects upon ker is at hand even in the absence of reliable corrections for the solvent-dependent barrier since the latter effect acts in the opposite direction [22].

Additional difficulties that can (and sometimes have) plagued the interpretation of solvent-dependent electrochemical kinetics in this vein include uncertainties in the work terms ("double-layer" effects) as the solvent is varied, and the erroneous neglect of (or inadequate correction for) solution resistance and related artifacts during the experimental evaluation of kex. The latter problem is particularly insidious since many reactions otherwise suitable for such studies are sufficiently rapid so to make corrections for solution resistance fraught with difficulty. Moreover, the effect of residual uncompensated resistance is often to depress the apparent keen values in a solvent-dependent manner that unfortunately mimics closely the anticipated influence of overdamped solvent dynamics. Unfortunately, then, the latter artifactual effect can easily be mistakenly identified as signaling a dominant role of solvent dynamics in electrochemical kinetics. For these and other reasons. multiparametric dielectric-continuum analyses of solvent effects in electrochemical kinetics, espoused by some authors [28], should be used only with extreme caution as an indicator of dynamical factors.

In spite of these pitfalls, the reliable quantitative diagnosis of dynamical solvent effects has been achieved in several systems. In our laboratory, we have preferred to explore most quantitative details of such effects by utilizing homogeneous self-exchange rather than solely 12

electrochemical processes [7,23]. This was brought about in part by the identification of a suitable series of metallocenium-metallocene reactions, of the general form $Cp_2M^{+/o}$, where Cp is a cyclopentadienyl ligand and M = Co or Fe [23]. Reliable estimates of the solvent-dependent barriers for these systems can be obtained from E_{op} values for closely related biferrocene cations [12]. This enables the solvent-dependent k_{ox} values to be corrected directly for the variations in barrier height. The substantial (up to 10^2 fold) variations in k_{ox} in a given solvent which are induced by altering Cp and/or M have been traced primarily to differences in the degree of electronic coupling (i.e., the magnitude of H_{12}) and consequently in the reaction adiabaticity [i.e., the κ_{o1} value in Eq. (7)], reflecting the alterations in electronic structure and the orbital symmetry for the transferring electron.

Interestingly, the logarithmic dependence of the barrier-corrected rate constants, k_{ex} , upon r_L^{-1} in Debye-like solvents varies systematically with the magnitude of k_{ex} in a given solvent [23a]. For the least facile redox couples (e.g., ferrocenium-ferrocene), k_{ex} is virtually independent of r_L^{-1} , whereas for the most facile couples (e.g., $Cp_2'Co^{+/\circ}$, where Cp' = pentamethylcyclopentadienyl) the log $k_{ex} - \log r_L^{-1}$ slopes approach unity at small r_L^{-1} values. This systematic behavior is consistent with a progression from virtually nonadiabatic to near-adiabatic electron transfer, reflected in the increasing emergence of solvent dynamical effects. Indeed, a detailed analysis of the solvent-dependent kinetic data yields H_{12} values for $Cp_2Co^{+/\circ}$ and $Cp_2Fe^{+/\circ}$ (ca 0.5 and 0.1 kcal. mol⁻¹, respectively) that are in accordance with independent theoretical estimates [23a].

In contrast, the corresponding solvent-dependent k_{ex} values for $Cp_2M^{+/o}$ electrochemical exchange are uniformly facile, and exhibit marked effects from solvent dynamics, apparently reflecting a greater degree of donor-acceptor orbital overlap engendered at the metal-solution interface [23b,c]. Indeed, most electrochemical reactions examined so far in this context exhibit comparable behavior. An interesting exception, however, is provided by the Ru(hfac)^{3/-} couple (hfac - hexafluoroacetylacetonato) in that the solvent-dependent electrochemical exchange kinetics of this system are both sluggish and essentially independent of the solvent dynamics [29]. By comparison with the corresponding self-exchange kinetics and with related electrochemical systems, this behavior has been traced to the occurrence of nonadiabatic electrochemical reaction pathways [29].

Given the largely satisfactory picture noted above for metallocene self-exchange reactions in Debye-like solvents, we have been interested in exploring their behavior in "non-Debye" media (e.g., propylene carbonate, primary alcohols, water) that as noted above are characterized by additional higher-frequency solvent relaxations [25b,30]. Broadly speaking, the substantial (ca 10 fold) rate accelerations predicted from theoretical models in such media [25] are borne out by the experimental findings [25b,30]. Similar results are also obtained for some electrochemical systems [22a,31]

One issue that has received little experimental attention so far is the interplay between nuclear dynamical effects arising from reactant vibrational and overdamped solvent motion. This is probably due to the

paucity of experimental systems suitable for solvent-dependent studies for which the magnitude of the inner-shell barrier is known and (preferably) can be altered. Given the prevalence of electrochemical systems for which the inner-shell barrier is substantial, however, such studies would be of significant practical interest. 14

VII. CONCLUDING REMARKS

While the understanding, as well as interpretation, of electrontransfer kinetics at metal-solution interfaces has been placed on an increasingly molecular-level basis in recent years, manifold challenges remain. Even for the simplest class of reaction considered here: outersphere one-electron exchange processes, there are substantial uncertainties in both the activation dynamics and energetics associated with solvent reorganization. Nevertheless, the increased emphasis placed on the elucidation of preexponential factors in electrochemical kinetics, especially involving electron tunneling and solvent dynamical factors, has brought some fresh insight into this previously neglected topic. The increasing tendency to consider the properties of related electrochemical and homogeneous-phase processes in concert, rather than in isolation, is also having a beneficial effect on the level of interpretation applied to the former type of reactions.

A longstanding, yet continuing, problem concerns the reliable measurement of rate parameters for rapid reactions. The advent of "ultramicroelectrodes", with the consequent diminution of the deleterious effects of solution resistance, can contribute significantly in this regard [32], but the straightforward use of such electrodes for the evaluation of fast rate constants has apparently yet to be demonstrated.

Probably the greatest and the most significant challenges in electrochemical, as in homogeneous-phase kinetics, concern multielectron and other multistep reactions, such as coupled electron/proton and electron/atom transfers. Even though many of these reactions probably involve rate-determining single-electron steps, a major difficulty remains the estimation of the thermodynamic and structural reorganization parameters associated with electron transfer in the face of such additional steps. Nevertheless, some significant progress is being made [33], suggesting that the future of electrochemical kinetics may well include an increased breadth in the type of systems amenable to molecular-level interpretation.

ACKNOWLEDGMENT

The continued support of our research in this area by the U.S. Office of Naval Research is gratefully acknowledged.

REFERENCES

- 1. M.J. Weaver, in "Comprehensive Chemical Kinetics", Vol. 27, R.G. Compton, ed, Elsevier, Amsterdam, 1987, Chapter 1.
- 2. J.T. Hupp, M.J. Weaver, J. Electroanal. Chem., <u>152</u>, 1 (1983).
- For example: (a) S.W. Barr, M.J. Weaver, Inorg. Chem., <u>23</u>, 1657 (1984); (b) T.T-T. Li, M.J. Weaver, J. Am. Chem. Soc., <u>106</u>, 1233 (1984).
- 4. M.A. Tadayyoni, M.J. Weaver, J. Electroanal. Chem., <u>187</u>, 283 (1985)
- 5. J.T. Hupp, M.J. Weaver, J. Phys. Chem., <u>88</u>, 1463 (1984).
- 6. N. Sutin, Prog. Inorg. Chem., <u>30</u>, 441 (1983).
- 7. For a recent conceptually based overview, see: M.J. Weaver, G.E. McManis, Acc. Chem. Res., <u>23</u>, 294 (1990).
- 8. R.A. Marcus, J. Chem. Phys., <u>43</u>, 679 (1965); <u>24</u>, 966, 979 (1956).
- 9. For an extreme view, see: J.O'M. Bockris, S.U.M. Khan, "Quantum Electrochemistry", Plenum Press, New York, 1979.
- 10. (a) P.G. Wolynes, J. Chem. Phys., <u>86</u>, 5133 (1987); (b) G.E. McManis, M.J. Weaver, J. Chem. Phys., <u>90</u>, 1720 (1989).
- 11. A.A. Kornyshev, J. Ulstrup, Chem. Phys. Lett., <u>126</u>, 74 (1986).
- 12. G.E. McManis, A. Gochev, R.M. Nielson, M.J. Weaver, J. Phys. Chem., <u>93</u>, 7733 (1989).
- 13. (a) P.G. Dzhavakhidze, A.A. Kornyshev, L.I. Krishtalik, J. Electroanal. Chem., <u>228</u>, 329 (1987); (b) D.K. Phelps, A.A. Kornyshev, M.J. Weaver, J. Phys. Chem., <u>94</u>, 1454 (1990).
- 14. For a review, see: C. Creutz, Prog. Inorg. Chem., <u>30</u>, 1 (1983).
- 15. (a) B.S. Brunschwig, C. Creutz, D.H. MaCartney, T-K. Sham, N. Sutin, Disc. Far. Soc., <u>74</u>, 113 (1982); (b) J.T. Hupp, M.J. Weaver, J. Phys. Chem., <u>89</u>, 2795 (1985).
- 16. R.A. Marcus, J. Phys. Chem., <u>67</u>, 853 (1963).
- 17. N.S. Hush, Electrochim. Acta., 13, 1005 (1968).
- 18. M.J. Weaver, J. Phys. Chem., <u>94</u>, 8608 (1990).
- 19. For concise general overviews of solvent dynamical effects in chemical kinetics, see: (a) J.T. Hynes, J. Stat. Phys., <u>42</u>, 149

(1986); (b) G.R. Fleming, P.G. Wolynes, Physics Today, <u>43</u> (May), 36 (1990).

- 20. D.F. Calef, P.G. Wolynes, J. Phys. Chem., <u>87</u>, 3387 (1983).
- 21. G.E. McManis, A. Gochev, M.J. Weaver, Chem. Phys., in press.
- (a) G.E. McManis, M.N. Golovin, M.J. Weaver, J. Phys. Chem., <u>90</u>, 6563 (1986); (b) T. Gennett, D.F. Milner, M.J. Weaver, J. Phys. Chem., <u>89</u>, 2787 (1985).
- 23. (a) G.E. McManis, R.M. Nielson, A. Gochev, M.J. Weaver, J. Am. Chem. Soc., <u>111</u>, 5533 (1989); (b) R.M. Nielson, G.E. McManis, M.N. Golovin, M.J. Weaver, J. Phys. Chem., <u>92</u>, 3441 (1988); (c) R.M. Nielson, M.N. Golovin, G.E. McManis, M.J. Weaver, J. Am. Chem. Soc., <u>110</u>, 1745 (1988).
- 24. See for example: (a) M.A. Kahlow, W. Jarzeba, T.J. Kang, P.F. Barbara, J. Chem. Phys., <u>90</u>, 151 (1989); (b) P.F. Barbara, W. Jarzeba, Adv. Photochem., <u>15</u>, 1 (1990); (c) M. Maroncelli, J. MacInnis, G.R. Fleming, Science, <u>243</u>, 1674 (1989).
- 25. (a) J.T. Hynes, J. Phys. Chem., <u>90</u>, 3701 (1986); (b) G.E. McManis,
 M.J. Weaver, J. Chem. Phys., <u>90</u>, 912 (1989).
- 26. (a) H. Sumi, R.A. Marcus, J. Chem. Phys., <u>84</u>, 4894 (1986); (b) W. Nadler, R.A. Marcus, J. Chem. Phys., <u>86</u>, 3906 (1987).
- 27. M.J. Weaver, D.K. Phelps, Chem. Rev., to be published.
- 28. For example, see: W.R. Fawcett, C.A. Foss, Jr., J. Electroanal. Chem., <u>270</u>, 103 (1989).
- 29. M.J. Weaver, D.K. Phelps, R.M. Nielson, M.N. Golovin, G.E. McManis, J. Phys. Chem., <u>94</u>, 2949 (1990).
- 30. (a) M.J. Weaver, G.E. McManis, W. Jarzeba, P.F. Barbara, J. Phys. Chem., <u>94</u>, 1715 (1990); (b) R.M. Nielson, G.E. McManis, M.J. Weaver, J. Phys. Chem., <u>93</u>, 4703 (1989).
- 31. M. Opallo, J. Chem. Soc. Far. Trans. I, <u>82</u>, 339 (1986).
- 32. R.M. Penner, M.J. Heben, T.L. Longin, N.S. Lewis, Science, <u>250</u>, 1118 (1990).
- 33. For informative overviews, see: (a) W.E. Geiger, Prog. Inorg. Chem., <u>33</u>, 275 (1985); (b) T.J. Meyer, J. Electrochem. Soc., <u>131</u>, 221C (1984).