

NAVAL POSTGRADUATE SCHOOL

Monterey, California

AD-A243 283



A Graphical Database Interface for a Multimedia DBMS

**Daniel A. Keim
Vincent Y. Lum**

June 1991

Approved for public release; distribution is unlimited.

Prepared for:

Naval Ocean Systems Center
San Diego, CA 92152

91-17644



91 17644 001


NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral R. W. West, Jr.
Superintendent

Harrison Shull
Provost

This report was prepared for the Naval Ocean Systems Center and funded by the Naval Postgraduate School.


Reproduction of all or part of this report is authorized.



VINCENT Y. LUM
Professor of
Computer Science

Reviewed by:

Released by:



ROBERT B. MCGHEE
Chairman
Department of Computer Science



PAUL MARTO
Dean of Research

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution is unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) NPSCS - 91 - 013		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION Computer Science Department Naval Postgraduate School	6b. OFFICE SYMBOL (if applicable) CS	7a. NAME OF MONITORING ORGANIZATION Naval Ocean Systems Center	
6c. ADDRESS (City, State, and ZIP Code) Monterey, CA 93943		7b. ADDRESS (City, State, and ZIP Code) San Diego, CA 92152	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Naval Postgraduate School	8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER OM&N Direct Funding	
8c. ADDRESS (City, State, and ZIP Code) Monterey, CA 93943		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) A Graphical Database Interface for a Multimedia DBMS			
12. PERSONAL AUTHOR(S) Daniel A. Keim, Vincent Y. Lum			
13a. TYPE OF REPORT Progress	13b. TIME COVERED FROM Feb. 91 TO Mai 91	14. DATE OF REPORT (Year, Month, Day) June 1991	15. PAGE COUNT 26
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	Multimedia Database Systems, Information Retrieval, Graphical User Interface, Natural Language Interfaces	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p>In this paper we describe the GRaphical Database Interface (GRADI) of a Multimedia Database Management System. As generally true, the user interface is an important part of a system which strongly determines the effectiveness of using it. In order to find a natural way of interacting with the MDBMS system we examined the query specification process used by humans. We found that incremental query specification, natural ways of expressing joins and an additional 'all'-operator are important to improve the query specification process making it considerably easier to use in comparison with query languages like SQL. The Graphical Database Interface described in this paper incorporates the mentioned capabilities as part of the MDBMS system. We think that the principles are of general use not only for multimedia systems but for any database query interface.</p>			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a. NAME OF RESPONSIBLE INDIVIDUAL Vincent Y. Lum		22b. TELEPHONE (Include Area Code) (408) 646-2693	22c. OFFICE SYMBOL CS/Lum

A Graphical Database Interface for a Multimedia DBMS

Daniel A. Keim¹, Vincent Lum

Computer Science Department ²
Naval Postgraduate School
Monterey, CA 93943

e-mail: keim, lum@cs.nps.navy.mil

Abstract

In this paper we describe the GRAPHICAL Database Interface (GRADI) of a Multimedia Database Management System. As generally true, the user interface is an important part of a system which strongly determines the effectiveness of using it. In order to find a natural way of interacting with the MDBMS system we examined the query specification process used by humans. We found that incremental query specification, natural ways of expressing joins and an additional 'all'-operator are important to improve the query specification process making it considerably easier to use in comparison with query languages like SQL. The Graphical Database Interface described in this paper incorporates the mentioned capabilities as part of the MDBMS system. We think that the principles are of general use not only for multimedia systems but for any database query interface.

Keywords: Graphical User Interfaces, Multimedia Database Systems, Natural-Language Interfaces, Information Retrieval

-
1. This work was performed while the author was with the Multimedia Database Project at the Naval Postgraduate School. The stay was sponsored by the German Scholarship Foundation. The author's permanent address is Institut für Informatik, Universität München, Theresienstr. 39, 8000 München 2, West Germany.
 2. This research was supported in part by NOSOC, Direct Funding and the German Scholarship Foundation.

Investigation For

USUAL	<input checked="" type="checkbox"/>
WTG Tab	<input type="checkbox"/>
AMENDED	<input type="checkbox"/>
REGISTRATION	<input type="checkbox"/>

A-1



1. Introduction

The GRAPHICAL Database Interface (GRADI) is designed as an integral part of the Multimedia Database Management System (MDBMS). It is designed to support a natural retrieval process of conventional and media data. The MDBMS system controls the management of multimedia data, which include image and sound among others, in addition to supporting conventional databases. The manipulation of multimedia data is not straightforward as in conventional databases. One main problem is the retrieval of multimedia data from the database with the need to match the contents of multimedia data to a user query. In order to achieve a content based retrieval in our approach, we use *natural language captions* allowing the user to describe the contents of multimedia data. In a similar manner, users will specify their queries on multimedia data contents in natural language form. One major problem with this approach is that it is generally the case that the description of a multimedia data does not exactly match the description of a user query. The reason is that it is difficult for different users or even the same user at different times to describe the same thing identically because they can use synonyms or generalize/specialize categories belonging to the domain of interest and so on. Hence, in an earlier paper we proposed an intelligent approach to approximate matching by integrating object-oriented and natural language understanding techniques [KEIM91]. In the algorithms used for the intelligent matching only the retrieval of multimedia data by queries on the media part are considered. However as generally true, a query involves not only the media part but also the related formatted data. Queries may be composed of arbitrary combinations of conditions on the media and formatted data.

It is important to achieve an easy specification of complex queries composed of many conditions. The procedure for the specification strongly determines the effectiveness in using the system. Our goal in developing GRADI was to provide a natural way of interacting with the MDBMS system. We examined the query specification process used by humans and found that in order to formulate complex queries a user partitions it into smaller pieces and put them together in a later stage. This behavior is reflected in the principle of *incremental query specification* which is supported by GRADI. In addition, we observed that, for a given database, the joins necessary to specify most of the queries correspond directly to natural language expressions. This leads to the principle of *natural expression of joins*, also supported by GRADI. Furthermore, we introduce an 'all'-operator making the query specification in many cases considerably easier.

Over the last two decades several research projects have been conducted in the area of user interfaces for (multimedia) database systems. The first approach for a graphical database interface is the well-known OBE interface [ZLOO77]. Most recent research in the area of user interfaces focuses on the entity-relationship [WONG82, FOGG84, ROGE88] or the more complex semantic and object-oriented data model [KING84, GOLD85, BRYC86, AGRA90], allowing queries to be directly specified within the schema. In contrast, we use an extension of the relational model to

handle and manipulate the media data. In order to allow an easy query specification we provide a graphical user interface which incorporates the capabilities as mentioned above, differing in many ways from OBE.

Another approach to achieve a natural query specification was chosen by researchers in the artificial intelligence area. Much effort went in building natural language understanding systems capable of understanding queries expressed in natural language. An overview over the research in this area can be found in [ALLE87] and a good example for the current state of the art is the TEAM system [GROZ87]. Because of the problems related to natural language understanding hardly any of the systems is actually used for retrieval in databases. In GRADI we are not trying to understand natural language. We argue that in order to express a query on formatted data in most cases natural language understanding is not necessary. The user can easily choose the necessary tables and attributes from lists, type the desired values and combine simple conditions into more complex ones. To our knowledge, none of the natural language interfaces to database systems can handle complex combinations of conditions because of the semantic problems related to multiple sentences. Furthermore, a graphical user interface like GRADI is generally applicable and less complicated and time-consuming than natural language understanding.

The paper is organized as follows: Section 2 gives a short overview of the Multimedia Database Management System (MDBMS). Section 3 outlines important features of GRADI and gives examples for query specifications. Section 4 describes the other database operations (schema definition, insert, update and delete) and Section 5 gives concluding remarks and a summary.

2. Overview of the Multimedia DBMS Prototype

As mentioned before, multimedia data, in the broadest sense, consists of unformatted data such as text, image, voice, signals, etc. in addition to alphanumeric data. A multimedia database management system is a system that manages all multimedia data and provide mechanisms to handle concurrency, consistency, and recovery in addition to providing a query language and query processing. In the following, we outline object model, architecture and main components of our Multimedia Database Management System (MDBMS).

2.1 Object Model

Despite differences in data model and implementation, all research projects on MDBMS have decided to organize multimedia data using the abstract data type (ADT) concept. This is generally accepted as the adequate approach. However, none of the projects have addressed the problem of content retrieval of multimedia data.

The fundamental difficulty in handling multimedia data is intrinsically tied to a very rich semantics. To answer queries posed on media objects a person must draw from a very rich experience




Figure 1: Example for the Multimedia Data Format

encountered in life to derive a good answer. One must have a sophisticated technique to analyze the contents of the images to get the semantics of different things in the images. Technology today is not advanced enough to expect systems to have this kind of capability to answer multimedia queries. However, we can abstract the contents of multimedia data into text and use the text description equivalent of the original multimedia data to match the user request or query. This is the principle we used in designing a MDBMS to handle multimedia data for different applications. Figure 1 shows the format of a multimedia data which consists of the registration, raw and description data.

Raw data is the bit string representation of the image, sound, signal, etc. obtained from scanning or digitizing the original multimedia data. Registration data generally enhances the information about raw data and is not redundant. The contents of a multimedia data is described by description data. We assume that users will supply the description data for multimedia data in natural language form. In future systems however, the description could be automatically derived by the computer.

2.2 Architecture

The overall architecture of the MDBMS system is shown in figure 2. The components break down into GRaphical Database Interface (GRADI), query processor, data access and intelligent retrieval subsystem. The query processor accepts queries from GRADI and executes them by calling the other components. When a new description for a multimedia data is entered, for example, the query processor calls the parser. The parser uses the dictionary to produce first-order predicates and return them to the query processor. The query processor then hands the predicates over to the description manager which then links the description to its multimedia data.

When the query processor receives a query the first task is to decompose the query into subqueries affecting only conventional or media part. The conventional subquery is passed directly to the conventional data manager without modifications. For the text description, the query processor calls the natural language parser to obtain the equivalent query predicates. The predicates are then handed to the matcher. The matcher tries to match the query with the qualified multimedia data by




Figure 2: Architecture of the MDBMS System

comparing the predicates of the query with that of the stored multimedia data. The matcher does this by calling the description manager and using domain knowledge. As the solution to the natural language part of a query, the query processor receives links to the qualified multimedia data. After combining them with the results of the conventional subquery the final results are retrieved by the Data Access Subsystem.

2.3 Parser

In order to accomplish the goal of content retrieval of multimedia data, full understanding of natural language is not necessary. However, a restricted interpretation is necessary which is done by the parser component using the application dependent dictionary as a semantic basis. The dictionary or lexicon is necessary for parsing and gives each possible natural language word its semantic: its part of speech, its grammatical form and the form of literals needed to represent it.

The parser automatically partitions the text description into subject, verb and object components and translates them into a set of predicates called *meaning list*. The imprecision and ambiguity of the natural language descriptions is reduced considerably by transforming them into a set of predicates in first-order predicate calculus. These predicates state facts about the real world entities involved with multimedia data like their properties and relationships. Important features of the parser are *supercaptions*, a generalization of captions, and *frames for stereotypical actions*, allowing a set of predicates to be derived from terms in the description.

Our current implementation of the parser uses augmented-transition network parsing and interpretation routines. It is implemented in Quintus Prolog and running on a SUN SPARC workstation. The details of the parser are beyond the scope of this paper and are given in [DULL90, ROWE91].

2.4 Matcher

The major problem with content retrieval by natural language descriptions is that generally the description of a multimedia data does not exactly match the description of a user query since the same media object may be described differently. To solve the problem the matcher provides an approximate matching algorithm using domain knowledge organized as object hierarchies. The matcher searches in the noun and verb generalization hierarchies of the object classes and assigns weights depending on the distance in the object hierarchy. Then the weights for single component groups (subject noun, verb and object noun phrases) are combined using appropriate weighting factors as received from the user. Finally, the multimedia data with combined weight exceeding a threshold value set by the user will be retrieved.

A prototype of MDBMS has been implemented at the Naval Postgraduate School [MEYE88, LUM89, HOLT90, PEI90]. In this paper, we focus on the interaction technique used in GRADI.

3. Query Specification in GRADI

The goal of a graphical user interface is to support the query specification process allowing the user to efficiently use the database system. It should allow inexperienced users to retrieve data from the database without having to know a specific query language. In today's database management systems the user is forced to think in terms of data model and query language, differing a lot from his way of thinking. Often a user can express a query easily in natural language, but has difficulties to express it in some given query language.

Most queries involve both media and formatted data. For the media part of the query we use our intelligent matching algorithm which is directly processing natural language captions. For conditions on formatted data, natural language expressions are mostly too imprecise to be directly processed. We try to overcome this problem by providing a graphical user interface supporting natural query specification.

The data model adopted in our system is an extended relational model. Despite some drawbacks the relational model has great advantages: It is well known, widely used and has a firm theoretical basis. For our purpose, we extend the relational model to capture media datatypes and, as shown below, we also extend the query language to allow the manipulation of media data and facilitate the query specification process.

Before describing GRADI in more detail, we first outline ways to achieve a natural query specification process.

3.1 Towards a Natural Query Specification

Usually, every user can describe a query (or at least the desired result) easily in natural language. Unfortunately, natural language expressions representing a query are imprecise and difficult

to automatically translate into a formal query language to be understood by a database management system. We argue that the gap between the user's way of expressing a query in natural language and database manipulation languages like SQL can be improved considerably.

When comparing the user's natural language (NL) expression for a query with corresponding SQL statements the first difficulty is that the table and attribute names do not exactly match. In a graphical user interface this problem is easy to overcome. All table and attribute names can be presented to the user who simply selects the desired ones using a pointing device (e.g. mouse).

Another difficulty is related to joins between tables. Mostly the join condition is hidden in the user's NL expression. In examining a large number of queries expressed in natural language as well as SQL we found that, in most cases, the join condition directly corresponds to some specific NL expressions. Additionally, the number of joins used in most of the queries was small compared to the number of possible joins. This can be explained by two facts. First, the number of semantically meaningful joins is restricted and second, some of the most frequently used joins are already intended at the design time of the database. In order to provide a natural way of expressing joins, in our system we allow database designer and user to define and name joins prior to its actual use. A predefined join can involve more than two tables (e.g. two tables are joined by means of a third table) thereby providing a simple way of expressing m:n relationships. Once defined and named, all predefined joins can be used to specify a query. Predefined joins differ from views: First, the result of a predefined join is not a table as in the case of a view but a specific connection between tables. Second, predefined joins allow connections between different levels in nested queries and even recursive joins can be expressed. Examples are given in the next section.

Another thing we learned in examining the process of query specification is the handling of complex queries. Given a complex data retrieval task the user partitions it into smaller subtasks which are easier to handle. Starting with the clear parts of the query the user deals with all parts and combines the results into the final solution. In our system we support this way of handling complex queries by an incremental query specification to be described in the next section.

Finally, we observed that a special category of queries is easy to express in NL but rather complicated in a formal query language. Additional operators, closely related to corresponding NL expressions, allow an easier and clearer query specification. Considering for example a query like '*Select the name of ships which carry all weapons of the category surface-to-air!*', we found that a special '*all*' operator would greatly enhance the readability and understandability of the SQL-like query making it similar to the user's NL expression. For the example, we presume to have the tables *ship*, *weapon*, *ship_weapon* and a predefined join named *carries* expressing the m:n relationship between ships and weapons.

Example 1: **select s_name from ship**
 where ship carries weapon
 and w_nr = all (select w_nr from weapon
 where category = 'surface-to-air')

A SQL statement expressing the same query without the 'all'-operator is rather complicated.

Two possibilities are:

```
select s_name from ship
where ((select w_nr from ship_weapon A
        where ship.w_nr = A.w_nr)
contains
(select w_nr from weapon
 where category = 'surface-to-air'))
```

```
select s_name from ship
where not exists
(select * from ship_weapon B
 where B.w_nr in (select w_nr from weapon
                  where category = 'surface-to-air'))
and not exists
(select * from ship_weapon C
 where C.s_nr = B.s_nr
 and C.w_nr = B.W_nr)
```

3.2 Description of the Query Specification

In this section, we will describe GRADI in more detail by presenting several examples. We will show the main features of GRADI especially those which are different from other graphical database interfaces. We start with a general description of the steps used in the retrieval process.

When starting the MDBMS system the user will be automatically connected to GRADI and the first step is to select the desired database. Then the user gets the system menu providing the main database manipulation functions: insert, delete, update or retrieve. When selecting retrieval, the user gets the query specification window and his first step is to select the tables to be used in the query. For each selected table a list with all attributes will be displayed in a separate window and all predefined connections involving at least one of the selected tables will appear in the *Connections* window. To specify the result list (projection) the user has to move the desired attributes to the *Result List*. Now only the conditions need to be specified. Using connections, attributes of the selected tables and operators provided by the *Tool Box*, the query can easily be built using the mouse. In the *Query Representation* window the query is displayed graphically. Each part of the query is represented by a small box, simple conditions by a single, subqueries by a double box, and the connection lines are labeled with the kind of connection used. An advantage is that every part of the query can be addressed for edit or delete at any time during the query specification process.

Predefined Joins

A special feature of GRADI are predefined joins. Predefined joins can be defined at design time of the database by the database designer. Having the necessary connections between tables in mind, the database designer tunes the database that joins can be executed efficiently. All semantically meaningful joins can already be defined at design time. However, if other joins are needed later, the user can define them at any time.

Let us consider a sample database with the following tables:

mission (*m_id*, *m_name*, *direction*, *goal*, *task*)
navy_base (*base_id*, *location*, *size*)
officer (*o_id*, *o_name*, *address*, *salary*, *commander_id*, *ship_nr*, *o_image*)
ship (*s_nr*, *s_name*, *class*, *yr_built*, *cap_id*, *mission_id*, *base_id*, *s_image*)
ship_weapon (*s_nr*, *w_nr*, *quantity*)
weapon (*w_nr*, *w_name*, *category*, *type*, *range*, *w_image*)

Only few of the possible joins between these tables are semantically meaningful; e.g. the only meaningful equijoin between ship and officer is *ship.cap_id = officer.o_id*. Most other equijoins like *ship.s_name = officer.address* or *ship.s_nr = officer.o_id* are senseless and will never be used.

Predefined joins allow an easier specification of complex queries. The user does not need to think about the attributes and conditions necessary to join tables, he simply chooses the desired one out of the predefined joins in the Connections window. Predefined joins can involve more than two tables, e.g. the following SQL statement expresses a three way join between ship and weapon:

Example 2: select s_name, w_name from ship, ship_weapon, weapon
 where ship.s_nr = ship_weapon.s_nr
 and ship_weapon.w_nr = weapon.w_nr

To expressed the join conditions of the same query in GRADI, only one step is necessary. After selecting tables and attributes the predefined join *ship carries weapon* has to be selected. The result as displayed in the Query Representation window is shown in figure 3.




Figure 3: Example for a predefined join

Predefined joins can even be used to express recursive queries, e.g. the one-level recursive query 'Select the name of each officer together with the name of his immediate commander!' can be easily specified using a predefined join. The user could specify the query as follows: First he has to select the officer table. Since he deals with two instances of this table he has to select it twice resulting in the officer1 and officer2 window. The last step is to select the predefined join *officer is_commander_of officer*. The whole query is shown in figure 4.

Two more things about predefined joins need to be mentioned: First, any kind of join (not only equijoins) may be predefined and used in the same way as equijoins. Second, it is allowed to predefine identical joins with different names. This is useful to allow an easy identification of the required predefined join since the same query can be expressed differently. A simple example is *ship carries weapon* and *weapon is_carried_by ship*.

'All'-Operator

As mentioned before we introduced an additional 'all'-operator to make the specification of a special class of queries easier. The use of the 'all'-operator in GRADI is similar to other relational operators, e.g. 'exists' or 'in'. The user specifies it by selecting an attribute, an operator ($=$, $>$, $<$, \geq , \leq) and a double box representing a (sub-)query or a table. The semantics of the 'all'-operator will be given in section 3.5.

Incremental Query Specification

To support incremental query specification we allow the user to start with any part of the query; e.g. to specify the query example 1 (see page 7) the user can start with the subquery *weapons of category 'surface-to-air'* and then continue with the main part of the query without specifying the connection between these two parts. At a later stage, the user may combine the separate parts.

As an additional feature, we provide an option to save and reload any part of a query for later use. If the user needs part of the query later for other queries he may save the desired parts by selecting the corresponding items in the Query Representation window and assigning a name to them. Later he can reload the desired parts when working on a different query and integrate it in there. Furthermore, to enhance the clarity of display parts of a query can be grouped together and displayed as one box (zoom in). If the user wants to see the query in full detail at a later stage he can use the zoom out option.

Tool Box

The Tool Box allows fast access to all functions supported by the system. The functions are divided in five groups: logical operators and basic elements (*AND*, *OR*, *Condition*, *Subquery*), comparison operators ($=$, $>$, $<$, \geq , \leq), nesting operators (*Exists*, *not Exists*, *IN*, *not IN*, *ALL*), set operators (\cup , \cap , $-$, \subseteq , \supseteq) and aggregate operators (*AVG*, *SUM*, *MAX*, *MIN*, *COUNT*). The semantics of most operators is the same as in SQL. The additional 'all'-operator has already been introduced (see above). *Condition* and *Subquery* options are necessary for the incremental query specification process. Using these options the user is able to continue the query specification with a different part of the query. When selecting *Condition* the user gets a new condition box and in the case of selecting the *Subquery* option he gets a new double box for a new subquery.

Media Description Editor

Another important part of our system is the way of specifying the natural language description part of a query necessary when media data are involved. If the user selects a media attribute in the specification of the condition, automatically a special *Media Description Editor* will be displayed in a separate window where the media description can be specified. The description editor has special features to support the intelligent matching process mentioned above. When selecting the 'Check' button the entered description is instantly sent to the parser. The parser tries to check and interpret it and, in case of an error, gives back the error message. The 'Hierarchy' button supports the user in finding the right description. For a selected word or phrase (highlighted) it presents the corresponding part of the object-oriented domain knowledge base thereby providing hints for a better description. With the 'Weight' button the user is able to assign weighting factors to the different component groups of a query. As mentioned before, the weighting factors are used to combine the weights of single groups. If the user does not provide weighting factors, an equal factor is assigned to all component groups. When selecting the 'Done' button the description is automatically checked (like in case of the 'Check' button) and the Media Description Editor disappears. If the user want to edit the description at a later stage he has to select the corresponding box in the Query Representation window and push the 'Edit' button in there.

An example for the description 'An aircraft carrier is operating in the Mediterranean. Planes are in operation over the ship.' is shown in figure 5.

A Larger Example

To further explain the query specification process let us walk through a more complex example:

'Select the name, base_id and image of ships which can carry all weapons of the category surface-to-air and where the image shows "An aircraft carrier is operating in the Mediterranean. Planes are in operation over the ship."'

If a user wants to specify the query he might want to start with an easy part, e.g. 'weapons of the category surface-to-air'. To specify this part the user first selects *Subquery* in the *Tool Box* pro-




Figure 5: Media Description Editor

viding him a second double box for the subquery. Then he selects *weapon* in the Tables window. As a result he gets all attributes of the weapon's table in a separate window and by clicking to *w_nr* he selects the desired attribute. The next step is to specify the condition. By clicking to *Cond* in the Tool Box he gets an empty condition box in the Query Representation window and by clicking to the attribute *category* in the weapon's window, '=' in the Tool Box and typing in *surface-to-air* he fills the box with the actual condition.

As the next part the user might want to specify the image description condition '*image shows "An aircraft carrier is operating in the Mediterranean. Planes are in operation over the ship."'*'. The specification process for this part is similar to the specification of the first part. The user selects the *ship* table and after getting a new condition box he selects the attribute *s_image* from the ship window. Because *s_image* is a media attribute, the system automatically provides the special *Media Description Editor* window. In this window the user can type the natural language description for the image, in our example "*An aircraft carrier is operating in the Mediterranean. Planes are in operation over the ship.*". When selecting the '*Done*' button the description will directly be interpreted by the parser to get the equivalent predicates.

The last step is to specify the main part of the query and to compose the parts into the final result. Starting with the beginning of the query ('*Select name, base_id and image*') the user moves the attributes *s_name*, *base_id* and *s_image* to the Result List window. By selecting *Cond* from Tool Box and *ship carries weapon* from the connections window the user specifies the join condition. Now as the last part of the query the user has to specify the all condition. This can be accomplished by getting a new condition box, clicking to *w_nr* in the weapons window, '=' and '*all*' in the Tool Box and the double box representing the subquery '*weapons of the category surface-to-air*' in the Query Representation window. The last step is to combine the conditions into the final result. This is done by selecting the conditions and the logical operator AND from the Tool Box. In Figure 6 the final result of the query specification process is shown.

3.3 Presentation of Results

An important aspect of a graphical user interface for multimedia database systems is the presentation of the results. The question is how to present a huge amount of multimedia objects. The problem is that, unlike conventional attributes, multimedia objects may have a time and space dimension.

To solve these problems we choose a combined form and list oriented approach. Generally, the results are presented as a list. In place of the media values only buttons are displayed which the user selects in order to see and/or hear the corresponding media object. Another way to see an object in more detail is to point to the line containing the desired tuple to get the tuple displayed in its form representation. Forms allow users to see more attributes (including media attributes) than

available in a list; however in contrast to lists, only one tuple at a time is displayed. By using the list representation the user can easily scan a huge amount of data but at any step he has also the possibility to get the more detailed form version of a media object. When specifying a query automatically a new form is created including spaces for the values of all attributes involved. With the help of a graphical design tool the user can rearrange the form according to this needs and store it under a different name. In future queries the user can choose an already defined form when dealing with a similar query. In figure 7 the results of our sample query are shown using the customized form *withDescription*.

The combined list and form oriented approach only solves the space problem. It is highly desirable to have an influence on the time dimension of multimedia objects, too. Nobody wants to see a whole video in order to identify it as the desired one. Each time, a media object with time dimension (e.g. video or sound) is played, the user should have the possibility to stop, skip a part, go back, etc. In a special window all possible options should be presented as buttons so that the user can choose one of them using the mouse. A precondition for this kind of handling of time dependant media objects is random access to their storage representation. In our prototype MDBMS system random access to media objects is not supported yet and therefore we do not provide the features for time dependant objects. Other desirable options for time dependant media objects are the possibility to see a text version of a sound object (e.g. possible for speech or songs), the possibility to define index points which are directly accessible without linearly scanning the media object and the possibility to define synchronization points (for combined media objects).

3.4 Predefined Joins and Query Optimization

So far we introduced predefined joins only from the user's point of view. In this section, however, we will explain the internal handling of predefined joins and related query optimization issues.

To process a predefined join the query is transformed substituting each occurrence of a predefined join by it's definition. Additionally, missing tables are added to the 'from' part of the query. By this expansion some queries become more complex than necessary. The reason is that sometimes a two way join is sufficient although a three or four way join is substituted for predefined

```
Example 3:  select s_no from ship
            where  ship carries weapon                (original query)
            and   weapon.type = torpedo

            select s_no from ship, ship_weapon, weapon
            where  ship.s_nr = ship_weapon.s_nr        (expanded version)
            and   ship_weapon.w_nr = weapon.w_nr
            and   weapon.type = torpedo

            select s_nr from ship_weapon, weapon
            where  ship_weapon.w_nr = weapon.w_nr      (optimized version)
            and   weapon.type = torpedo
```


joins. In example 3 the predefined join 'ship carries weapon' is used. In the expanded version the predefined join is substituted by the three way join 'ship.s_nr = ship_weapon.s_nr and ship_weapon.w_nr = weapon.w_nr'. However, for the evaluation of the query only a two way join is necessary (see optimized version).

In order to automatically generate a simplified version we developed an optimization algorithm to be applied recursively after substituting all predefined joins according to their definition. The first step of the optimization algorithm is to check whether a simplification is possible or not. A precondition for a simplification is that one of the join attributes must be the only attribute of that table used in the query. In this case table and join condition are omitted and each occurrence of the join attribute is substituted by the other attribute of the join condition. Formally, the optimization algorithm for a two way join can be described as follows:

if $(a_{i_k} \in Attr[A]) \wedge (a_{i_k} \notin Attr[A] \wedge k \neq k') \wedge (a_{j_k} \in Attr[A]) \wedge (a_{i_k} = a_{j_k})$
 then substitute $\pi_{a_{i_1} \dots a_{i_n}} \sigma_{(a_{j_1} \Theta c_1) \dots (a_{j_m} \Theta c_m)} (A \bowtie_{a_{i_k} = a_{j_k}} B)$
 by $\pi_{a_{i_1} \dots a_{i_{k-1}}, a_{j_k}, a_{i_{k+1}}, \dots, a_{i_n}} \sigma_{(a_{j_1} \Theta c_1) \dots (a_{j_m} \Theta c_m)} (B)$.

In more complex queries the optimization algorithm may be applied several times to achieve an even larger simplification. In example 4 a query is shown which can be simplified considerably (reduction from a four way to a two way join) using the optimization algorithm recursively.

Example 4:

```

select s_name, o_nr, m_nr from ship, officer, mission
where officer is_captain_of ship                                     (original query)
      and ship is_on mission
      and ship.class = aircraft_carrier

select s_name, o_nr, m_nr from ship, officer, mission
where officer.o_id = ship.cap_id                                     (expanded version)
      and ship.mission_id = mission.m_id
      and ship.class = aircraft_carrier

select s_name, cap_nr, m_nr from ship, mission
where ship.mission_id = mission.m_id                               (first optimization)
      and ship.class = aircraft_carrier

select s_name, cap_nr, mission_nr from ship
where ship.class = aircraft_carrier                                (final version)
    
```

3.5 Semantic of the 'all'-operator

To make the query specification process easier we introduced an 'all'-operator. The semantics of the 'all'-operator corresponds to the minus-operator in the relational algebra. In this section we will explain formally how the 'all'-operator can be translated into the relational algebra.

Let us consider a simple one table query with the 'all'-operator being used once.

$$\pi_{a_1 \dots a_m} \sigma_{c_1 \dots c_n} (A)$$

To explain the semantic of the 'all'-operator we use an extension of the relational algebra and show how it can be translated into the pure relational algebra. For our extension we allow a condition c_i to be the 'all'-operator $a_j = all(B)$ with B being either an other table or a query $B = \pi_{a_1 \dots a_m} \sigma_{c_1 \dots c_n} (A)$. We define the semantic of the 'all'-operator by a transformation rule to be applied to all occurrences of the 'all'-operator.

$$\pi_{a_1 \dots a_m} \sigma_{c_1 \dots c_n} (A) \rightarrow \pi_{a_1 \dots a_m} \sigma_{c_1 \dots c_{i-1} c_{i+1} \dots c_n} (A - B).$$

In the case of nesting of 'all'-operators the semantic of a complex query is defined recursively. Starting innermost, each occurrence of the 'all'-operator is substituted till all occurrences are transformed into the minus-operator.

For a better understanding we apply the transformation rule to query example 1 (see page 7). In our extended relational algebra the query would be expressed as

$$\pi_{s_name} \sigma_{w_nr = all(\pi_{w_nr} \sigma_{category = 'surface-to-air'}(weapon))} ((ship_{s_nr = s_nr} ship_weapon)_{w_nr = w_nr} weapon).$$

By applying the transformation rule defined above we get a version of the query being semantically identical but using only operators of the well defined relational algebra

$$\pi_{s_name} (((ship_{s_nr = s_nr} ship_weapon)_{w_nr = w_nr} weapon) - (\pi_{w_nr} \sigma_{category = 'surface-to-air'}(weapon))).$$

4. Other Database Operations: Schema Definition, Insert, Update and Delete

In this section we will give an overview of the other database operations as they are supported by GRADI. The operations to be described are Schema Definition, Insert, Update and Delete.

For the schema definition we choose a rather simple table-oriented approach. The system designer defines a new relation by identifying name, type, width and key of all the attributes. The possible datatypes including the media datatypes are presented in a menu. More important at this stage, however, is the possibility to predefine joins allowing an easier query specification by the end user.

Insert, Delete and Update are performed using a **form-based** approach. When creating a new table automatically a new form is created. The spaces for the attribute values reflect the possible length of values to be inserted or updated. As mentioned before, the user is able to rearrange the form according to his needs.

The **insert** operation is performed by filling a form with data. After specifying the attribute values for a tuple the user selects the '*Insert*' button to trigger the actual insert. During the insertion process also an '*Erase All*' button to erase all fields is available. After inserting a tuple the user remains in the form to insert other tuples. To quit the insertion mode the user has to use the '*Quit*' button. An example for the insertion window is given in figure 8.

The first step of the **update** operation is similar to the retrieval operation because it is necessary to identify the tuples desired for update by specifying a selection condition. The condition, a simple

or complex one, is specified using the query specification window as described in section 3.2. However, only attributes from one table may be in the *Result List*. The result for the specified query is presented as a list and by clicking to one row of the list a tuple is caused to be displayed in a form. To change the tuple the user simply edits the values in the form and uses the 'Update' button. Other buttons available in the form are the 'Next Tuple', 'Previous Tuple', 'Update All' and, of course, the 'Quit' button. By using the 'Next Tuple' or 'Previous Tuple' button the user gets the next or previous tuple found by the user given selection condition letting the displayed tuple unchanged. When using the 'Update All' button an empty form is provided which the user fills to change all tuples found using the user given selection condition. Figure 9 shows an example for the update process.

Like update, delete is a two step operation. First, tuples must be retrieved according to a specified selection condition. In contrast to update, no *Result List* is necessary since tuples can not be deleted partially. The second step, the actual deletion, is performed using the resulting list or a form. Both list and form provide buttons for deleting the tuples one-by-one or all tuples at once.

An other important issue is how the **media datatypes** are integrated into forms because e.g. a sound can not be displayed in a form and other difficulties arise for images. For the **sound** type two fields are necessary, one for the path of the sound file and one for the description. Furthermore a 'Play Sound' button is available for each attribute of type sound to play the sound after inserting the path. For the attributes of type **image** a frame, two text fields for the path and the description and a 'Display Image' button to display the image after inserting or updating the path are provided (see figure 8). The frame for the image can be of an arbitrary size making it necessary to zoom the image in or out.

5. Concluding Remarks and Summary

A major problem faced in today's database systems is the lack of a natural way to specify complex queries. It is caused by the gap between the user's way of thinking and the query languages used in most systems. Although a lot of work has been done in the area of user interfaces for database systems no query language comes close to the natural query specification process used by humans.

Our contribution exploited in this paper is a graphical database interface supporting a natural query specification process. It narrows the gap between the user's way of thinking and formal query languages by using graphical user interaction. In our system, we support an incremental query specification, predefined joins and the special 'all'-operator to make the query specification process user friendly. The user is guided as much as possible allowing a quick and almost faultless query specification. Further research is necessary to come even closer to the user's way of query specification e.g. by allowing the user to directly communicate with the system in natural language when appropriate.

We believe that our system provides a simple and elegant approach to the retrieval of multimedia data. The simplicity of our user interface lies in the natural way of query specification being

directly obtained from queries expressed in natural language. We also believe that our approach is a general one that can be readily applied to most database query interfaces (e.g. relational systems and extensions hereof).

References

- [AGRA90] Agrawal, R. et al. "OdeView: The Graphical Interface to Ode", Proc. ACM-SIGMOD 1990 Int'l Conf. on Management of Data, Atlantic City, May 1990, pp. 34-43
- [ALLE87] Allen, J., "Natural Language Understanding," Benjamin/Cummings Publishing Company, Inc., 1987
- [BRYC86] Bryce D. and Hull, R. "SNAP: A Graphics Based Schema Manager", Proc. IEEE 2nd Int'l Conf. on Data Engineering, Los Angeles, California, Feb. 1986, pp. 151-164
- [DULL90] Dulle, J. "The Scope of Descriptive Captions for Use in a Multimedia Database System," M.S. Thesis, Computer Science Department, Naval Postgraduate School, Monterey, CA, June 1990
- [FOGG84] Fogg, D. "Lessons from a 'Living in a Database' Graphical User Interface", Proc. ACM-SIGMOD 1984 Int'l Conf. on Management of Data, May 1984, pp. 100-106
- [GOLD85] Goldman, K. J. et al. "ISIS: Interface for a Semantic Information System", Proc. ACM-SIGMOD 1985 Int'l Conf. on Management of Data, Austin, Texas, May 1985, pp. 328-342
- [GROSZ87] Grosz, B.J. et. al., "TEAM: An experiment in the Design of Transportable Natural Language Interfaces," Artificial Intelligence, 32 (1987), pp. 173-243
- [HOLT90] Holtkamp, B. et. al., "Demon - A media object model incorporating natural language descriptions for retrieval support," Tech. Report NPS52-90-019, Computer Science Department, Naval Postgraduate School, Monterey, Feb. 1990
- [KEIM91] Keim, D.A., Kim, K.-C. and Lum, V., "A Friendly and Intelligent Approach to Data Retrieval in a Multimedia DBMS", Int. Conf. on Database and Expert Systems (DEXA), Berlin, Germany, Aug. 1991
- [KING84] King, R. and Melville, S. "Ski: A Semantics-Knowledgeable Interface", Proc. 10th Int'l Conf. on Very Large Data Bases, Singapore, Aug. 1984, pp. 115-123
- [LUM89] Lum, V. and K. Meyer-Wegener, "A Multimedia Database Management System Supporting Content Search in Media Data," Tech. Report NPS52-89-020, Computer Science Department, Naval Postgraduate School, Monterey, CA, March 1989

- [MEYE88] Meyer-Wegener, K. et. al., "Managing Multimedia Data," Tech. Report NPS52-88-010, Computer Science Department, Naval Postgraduate School, Monterey, CA, March 1988
- [PEI90] Pei, Su-Cheng "Design and Implementation of a Multimedia DBMS : Catalog Management, Table Creation and Data Insertion," M.S. Thesis, Computer Science Department, Naval Postgraduate School, Monterey, CA, December 1990
- [ROGE88] Rogers, T. R. and Cattell, R. G. G. "Entity-Relationship Database User Interfaces" in Readings in Database Systems, edited by M. Stonebraker, 1988
- [ROWE91] Rowe, N. and E. Guglielmo, "Exploiting Captions for Access to Multimedia Databases," To appear in IEEE Computer , 1991
- [WONG82] Wong, H. K. T. and Kuo, I. " GUIDE: Graphic User Interface for Database Exploration", Proc. of the 8th Int'l Conference on Very Large Data Bases, Mexico City, Sept. 1982, pp. 22-32
- [ZLOO77] Zloof, M. M. "Query-By-Example: A Data Base Language," IBM Systems Journal, 4, Dec. 1977, pp. 324-343




Figure 4: Example for a Recursive Query




Figure 8: Insert Process




Figure 9: Update Process

Distribution List

SPAWAR-3242
Attn: Phil Andrews
Washington, DC 20363 1 copies

Defense Technical Information Center,
Cameron Station,
Alexandria, VA 22304-6145 2 copies

Library, Code 52
Naval Postgraduate School,
Monterey, CA 93943 2 copies

Center for Naval Analyses,
4401 Ford Avenue
Alexandria, VA 22302-0268 1 copy

Director of Research Administration,
Code 08,
Naval Postgraduate School,
Monterey, CA 93943 1 copy

John Maynard
Code 402
Command and Control Departments
Naval Ocean Systems Center
San Diego, CA 92152 1 copy

Dr. Sherman Gee
ONT-221
Chief of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000 1 copy

Leah Wong
Code 443
Command and Control Departments
Naval Ocean Systems Center
San Diego, CA 92152 1 copy

Vincent Y. Lum
Naval Postgraduate School,
Code CS, Dept. of Computer Science
Monterey, California 93943-5100 25 copies

Daniel A. Keim
Computer Science Department
University of Munich
Theresienstr. 39
D-8000 Muenchen 2
Germany

5 copies

Kyung-Chung Kim
Computer Science Department
Hong-Ik-University
72-1 Sangsu - Dong, Mapo-Ko
Seoul, Korea

1 copy

Neil C. Rowe
Code CSRp
Naval Postgraduate School
Monterey, CA 93943

1 copy

Thomas C. Wu
Code CSWu
Naval Postgraduate School
Monterey, CA 93943

1 copy

Bernhard Holtkamp
University of Dortmund
Software Technology Lab
Postfach 500500
D-4600 Dortmund 50
Germany

1 copy

Klaus Meyer Wegener
University of Erlangen
Computer Science Department
P.O. Box
Erlangen
Germany

1 copy