| 11. ENCONT SECURITY CLASSIFICATION DEC 2 4 1991 22. DECLASSIFICATION AGTIVENTY 3. DISTRIBUTION/AVAILABILITY OF AI 23. SECURITY CLASSIFICATION AGTIVENTY 3. DISTRIBUTION/AVAILABILITY OF AI 24. PERFORMING ORGANIZATION REPORT NUMBER(S) 5. MONITORING ORGANIZATION REPORT NUMBER(S) 25. DECLASSIFICATION/DOWNGRADING SCHEDUE 5. MONITORING ORGANIZATION REPORT NUMBER(S) 26. PERFORMING ORGANIZATION REPORT NUMBER(S) 5. MONITORING ORGANIZATION REPORT NUMBER(S) 27. NAME OF PERFORMING ORGANIZATION 60. OFFICE SYMBOL 28. NAME OF PERFORMING ORGANIZATION 60. OFFICE SYMBOL 29. DECLASSIFICATION NOT PERFORMING ORGANIZATION 60. OFFICE SYMBOL 29. PROCUREMENT INSTRUMENT ORGANIZATION 60. OFFICE SYMBOL 20. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 20. OFFICE OF NAVAL Research 8b. OFFICE SYMBOL 20. ADDRESS (City, State, and ZIP Code) 9. PROCUREMENT INSTRUMENT IDENT 21. DECLASSIFICATION, VA 22217 10. SOURCE OF FUNDING NUMBERS 22. PERSONAL AUTHOR(S) W. E. MOERTER, C. Walsh, J. C. Scott, S. Ducharme, NO. 23. TYFE OF REPORT 13b. TIME COVERED 23. TYFE OF REPORT 13b. TIME COVERED 23. TYFE OF REPORT 13b. TIME COVERED 2 | Account classification DEC 2 4 1991 Assification Addition of the second of th | REPORT CLASSIFICATION OF THIS PAGE | | | -A24; | 3 751 | woved 0704-0188 |
|---|---|---|--|--|---|--|---------------------------------------|
| 2a. SECURITY CLASSIFICATION AGTIMUTY 3. DISTRIBUTION/AVAILABILITY OF HITTING 2b. DECLASSIFICATION /DOWNGRADING SCHEDUE This document has be ublic release and stribution is unlimit 2b. DECLASSIFICATION /DOWNGRADING SCHEDUE This document has be utilic release and stribution is unlimit 4. PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report #33 Technical Report #33 IBM RJ #8287 (75648) 6a. NAME OF PERFORMING ORGANIZATION ALBERTY DIVISION 6b. OFFICE SYMBOL (If applicable) 7a. NAME OF PERFORMING ORGANIZATION CORGANIZATION REPORT POLY 7a. NAME OF MONITORING ORGANIZATION CORGANIZATION REPORT POLY 6c. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 63. NAME OF FUNDING/SPONSORING Bb. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT 7b. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 9. PROCUREMENT INSTRUMENT IDENT 7b. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 9. PROCUREMENT INSTRUMENT IDENT 7c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 9. PROCUREMENT INSTRUMENT IDENT 7c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 9. PROCUREMENT INSTRUMENT IDENT 7c. ADDRESS (City, State, and ZIP Code) 11. SO | TY (LASSIFICATION ADTIMENTY 1. DISTRIBUTION/AVAILABILITY OF REPORT SIFICATION /DOWNGRADING SCHEDUE This document has been approved f WING ORGANIZATION REPORT NUMBER(S) S. MONTORING CORGANIZATION REPORT NUMBER(S) cal Report #33 #8287 (15648) GP FERFORMING ORGANIZATION 6b. OFFICE SYMBOL (# applicable) OF FERFORMING ORGANIZATION 6b. OFFICE SYMBOL (# applicable) S(City, State, and ZIP Code) 7b. ADDRESS(City, State, and ZIP Code) Harry Road Chemistry Division Code 1113 Jose, CA 95120-6099 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER S(City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS L'City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS City, State, and ZIP Code) 10. DATE OF REPORT (Year, Month, Day) | UNCLASSIFIED DEC 2 | 4 1991 | T | | | |
| 2b. DECLASSIFICATION/DOWNGRADING SCHEDU F Inits document has be public release and s be public release and s cribution is unlimit. 4. PERFORMING ORGANIZATION REPORT NUMBER(S) S. MONITORING ORGANIZATION REPORT NUMBER(S) 5. MAME OF PERFORMING ORGANIZATION Almaden Research Division Almaden Research Centrer 6b. OFFICE SYMBOL (If applicable) 7a. NAME OF PERFORMING ORGANIZATION Almaden Research Centrer 6b. OFFICE SYMBOL (If applicable) 7a. NAME OF PERFORMING ORGANIZATION Almaden Research Centrer 6b. OFFICE SYMBOL (If applicable) 7b. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 650 Harry Road 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT 0ffice of Naval Research 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT 0ffice of Naval Research 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT 0ffice of Naval Research 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT 0ffice of Naval Research 10. SOURCE OF FUNDING NUMBERS 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 FROGRAM PROJECT 10. Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS 10. 11. TITLE (Include Security Classification) PROJECT 10. < | STIFICATION/DOWNGRADING SCHEDU 1111's document has been approved f MING ORGANIZATION REPORT NUMBER(S) 5. MONITORING ORGANIZATION REPORT NUMBER(S) cal Report #33 5. MONITORING ORGANIZATION REPORT NUMBER(S) cal Report #33 5. MONITORING ORGANIZATION REPORT NUMBER(S) cal Report #33 66. OFFICE SYMBOL (# applicable) 7. NAME OF MONITORING ORGANIZATION OF PERFORMING ORGANIZATION 66. OFFICE SYMBOL (# applicable) 7. NAME OF MONITORING ORGANIZATION OF PERFORMING ORGANIZATION 66. OFFICE SYMBOL (# applicable) 7. NAME OF MONITORING ORGANIZATION S (City, State, and ZIP Code) 7. ADDRESS (City, State, and ZIP Code) Harry Road 7. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER JOSE, CA 95120-6099 8. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER YETY Division, Code 1113 113 toru, VA 22217 10. SOURCE OF FUNDING NUMBERS YETY Division, Code 1113 PROGRAM toru, VA 22217 10. SOURCE OF FUNDING NUMBERS YETY Division, Code 1113 PROGRAM toru, VA 22217 10. SOURCE OF FUNDING NUMBERS YETY Division, Code 1113 <td< td=""><td>a. SECURITY CLASSIFICATION AUTHORITY</td><td></td><td>3. DISTRIBUTIO</td><td>N/AVAILABILITY</td><td>DF KEPUKI</td><td></td></td<> | a. SECURITY CLASSIFICATION AUTHORITY | | 3. DISTRIBUTIO | N/AVAILABILITY | DF KEPUKI | |
| 4. PERFORMING ORGANIZATION REPORT NUMBER(S) tribution is unlimit 4. PERFORMING ORGANIZATION REPORT NUMBER(S) S. MONITORING ORGANIZATION REPORT NUMBER(S) 5. MONITORING ORGANIZATION REPORT NUMBER(S) S. MONITORING ORGANIZATION REPORT NUMBER(S) 6a. NAME OF PERFORMING ORGANIZATION Almaden Research Division Almaden Research Center 6b. OFFICE SYMBOL (If applicable) 7.a. NAME OF FERFORMING ORGANIZATION COLORED 6b. OFFICE SYMBOL (If applicable) 7.a. NAME OF FUNDING/SPONSORING ORGANIZATION ORGANIZATION ORGANIZATION ORGANIZATION ORGANIZATION ORGANIZATION ORGANIZATION ORGANIZATION ORGANIZATION COLORED 7b. ADDRESS (City, State, and ZIP Code) 7.a. NAME OF FUNDING/SPONSORING ORGANIZATION COLORED Bb. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT NO. 7.a. ADDRESS (City, State, and ZIP Code) Bb. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT NO. 7.a. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 10. SOURCE OF FUNDING NUMBERS 7. Thington, VA 22217 10. SOURCE OF FUNDING NUMBERS 10. SOURCE OF FUNDING NUMBERS 7. ALTINGton, VA 22217 10. SOURCE OF FUNDING NUMBERS 10. SOURCE OF FUNDING NUMBERS 7. TITLE (Include Security Classification) PROJECT 10. SOURCE OF FUNDING NUMBERS 7. PERSONAL AUTHOR(S) W. E. MOGENERT, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg </td <td>IT Ibution is unlimited. It Ibution is u</td> <td>b. DECLASSIFICATION / DOWNGRADING SCHEDU</td> <td>E</td> <td>public r</td> <td>elease an</td> <td>been app d sale: i</td> <td>ts dis-</td> | IT Ibution is unlimited. It Ibution is u | b. DECLASSIFICATION / DOWNGRADING SCHEDU | E | public r | elease an | been app d sale: i | ts dis- |
| A. TERONNING UNGANIZATION REPORT NUMBER(S) 5. MONITORING ORGANIZATION REPORT #33 IBM RJ #8287 (75648) 5. MONITORING ORGANIZATION (If applicable) IBM RJ #8287 (75648) 5. MONITORING ORGANIZATION (If applicable) IBM RJ #8287 (75648) 5. MONITORING ORGANIZATION (If applicable) IBM RJ #8287 (75648) 6b. OFFICE SYMBOL (If applicable) Almaden Research Center 78. NAME OF MONITORING ORGANIZATION (If applicable) CADDRESS (City, State, and ZIP Code) 79. ADDRESS (City, State, and ZIP Code) San Jose, CA 95120-6099 8b. OFFICE SYMBOL (If applicable) NAME OF FUNDING/SPONSORING ORGANIZATION 8b. OFFICE SYMBOL (If applicable) ORGANIZATION 9. PROCUREMENT INSTRUMENT IDENT ORGANIZATION 9. PROCUREMENT INSTRUMENT IDENT ORGANIZATION 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT CADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 110. SOURCE OF FUNDING NUMBERS Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROJECT 113. TIME COVERED Arlington, VA 22217 130. TWE OF REPOR | S. MONITORING ORGANIZATION REPORT NUMBER(S) All Report #33 #8287 (75648) OF PERFORMING ORGANIZATION Research Division Iden Research Center S. (Giv, State, and ZIP Code) Harry Road Jose, CA 95120-6099 FENDING // State, and ZIP Code) Chemistry Division Code 1113 Jose, CA 95120-6099 S. MONITORING ORGANIZATION NUMBER S. OFFICE SYMBOL (If applicable) Code (If applicable) Station (If applicable) State, and ZIP Code) Code (If applicable) State, and ZIP Code) State, and ZIP Code) <td>SEREORMANC ORCANULATION SERENT</td> <td>V</td> <td>tributio</td> <td>n is unli</td> <td>mited.</td> <td></td> | SEREORMANC ORCANULATION SERENT | V | tributio | n is unli | mited. | |
| IBM RJ #8287 (75648) Ga. NAME OF PERFORMING ORGANIZATION IBM Research Division Almaden Research Center 66. OFFICE SYMBOL (If applicable) 7a. NAME OF MONITORING-ORGANIZATION Office of Naval Research 650 Harry Road Ga. ADDRESS (City, State, and ZIP Code) 650 Harry Road 7b. ADDRESS (City, State, and ZIP Code) 650 Harry Road 7b. ADDRESS (City, State, and ZIP Code) 650 Harry Road San Jose, CA 95120-6099 7b. ADDRESS (City, State, and ZIP Code) 650 GGANIZATION 0RGANIZATION 0RGANIZATION 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT NO0014-91-C-0166, 4131 Ac ADDRESS (City, State, and ZIP Code) 0Filington, VA 22217 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT NO0014-91-C-0166, 4131 Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 110. SOURCE OF FUNDING NUMBERS Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS The (include Security Classification) PROJECT Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED FROM | Call Report V33 #8287 (75648) OF PERFORMING ORGANIZATION Research Division Iden Research Center Store of Naval Research Contract Iden Research Center Store of Naval Research Iden Research Iden Research Center Store of Naval Research Iden Research Store of Naval Research Iden Research Store of Naval Research Store of Na | Technical Report #33 | R(S) | 5. MONITORING | ORGANIZATION | REPORT NUMBER | (5) |
| A. NAME OF PERFORMING ORGANIZATION 66. OFFICE SYMBOL (If applicable) 7a. NAME OF MONITORING ORGANIZATION (If applicable) 7a. NAME OF MONITORING ORGANIZATION (If applicable) 56. ADDRESS (City, State, and ZIP Code) 0ffice of Naval Research (Souther State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 65. OFFICE SYMBOL ORGANIZATION 7b. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 33. NAME OF FUNDING ORGANIZATION 8b. OFFICE SYMBOL ORGANIZATION 9. PROCUREMENT INSTRUMENT IDENT NO0014-91-C-0166, 4131 34. ADDRESS (City, State, and ZIP Code) 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT NO0014-91-C-0166, 4131 35. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 9. PROCURE OF FUNDING NUMBERS Chemistry Division, Code 1113 8b. OFFICE SYMBOL (If applicable) 9. PROCURE OF FUNDING NUMBERS Chemistry Division, Code 1113 NO0014-91-C-0166, 4131 Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 PROGRAM PROJECT FUNDING NUMBERS Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS Arlington, VA 22217 11. SOURCE OF FUNDING NUMBERS 2. PERSONAL AUTHOR(S) W. E. MOETNER, C. Walsh, J. C. Scott, S. Ducharme, FROM 3. TYPE OF REPORT 13b. TIME COVERED <td>Intervention 10. Control of PERFORMING ORGANIZATION Research Division 66. OFFICE SYMBOL (If applicable) 72. NAME OF MONITORING ORGANIZATION Research Center 0ffice of Naval Research S(City, State, and ZIP Code) 75. ADDRESS (City, State, and ZIP Code) Harry Road 75. ADDRESS (City, State, and ZIP Code) Jose, CA 95120-6099 76. ADDRESS (City, State, and ZIP Code) Chemistry Division (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROJECT FUNDING NUMBERS Variation 80. OFFICE SYMBOL (If applicable) 10. SOURCE OF FUNDING NUMBERS Variation 80. OFFICE SYMBOL (If applicable) 10. SOURCE OF FUNDING NUMBERS Variation 80. OFFICE SYMBOL (If applicable) 10. SOURCE OF FUNDING NUMBERS Variation 80. OFFICE SYMB</td> <td>TRM RI $#8287$ (75648)</td> <td></td> <td></td> <td></td> <td></td> <td></td> | Intervention 10. Control of PERFORMING ORGANIZATION Research Division 66. OFFICE SYMBOL (If applicable) 72. NAME OF MONITORING ORGANIZATION Research Center 0ffice of Naval Research S(City, State, and ZIP Code) 75. ADDRESS (City, State, and ZIP Code) Harry Road 75. ADDRESS (City, State, and ZIP Code) Jose, CA 95120-6099 76. ADDRESS (City, State, and ZIP Code) Chemistry Division (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Variation 86. OFFICE SYMBOL (If applicable) 9. PROJECT FUNDING NUMBERS Variation 80. OFFICE SYMBOL (If applicable) 10. SOURCE OF FUNDING NUMBERS Variation 80. OFFICE SYMBOL (If applicable) 10. SOURCE OF FUNDING NUMBERS Variation 80. OFFICE SYMBOL (If applicable) 10. SOURCE OF FUNDING NUMBERS Variation 80. OFFICE SYMB | TRM RI $#8287$ (75648) | | | | | |
| IBM Research Division (if applicable) Office of Naval Rese GC ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) GS AN JOBE, CA 95120-6099 7b. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) BS. NAME OF FUNDING/SPONSORING Bb. OFFICE SYMBOL 9. PROCUREMENT INSTRUMENT IDENT ORGANIZATION 0ffice of Naval Research 9. PROCUREMENT INSTRUMENT IDENT NO0014-91-C-0166, 4131 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 10. SOURCE OF FUNDING NUMBERS Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Chemistry Division, Code 1113 10. SOURCE OF FUNDING NUMBERS Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Chemistry Division, Code 1113 Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROSONAL AUTHOR(S) W. E. MOERNER, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 13. TIME COVERED Jaterim Technical FROM | Research Division (ff applicable) Office of Naval Research Naden Research Center 7b. ADDRESS (City, State, and ZiP Code) Harry Road 7b. ADDRESS (City, State, and ZiP Code) Harry Road Chemistry Division Code 1113 Jose, CA 95120-6099 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER OF FUNDING /SPONSORING 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER S (City, State, and ZiP Code) 10. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 10. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 10. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 10. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 10. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 10. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 11. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 11. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 11. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 11. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 11. SOURCE OF FUNDING NUMBERS S (City, State, and ZiP Code) 11. DATE OF R | a. NAME OF PERFORMING ORGANIZATION | 65. OFFICE SYMBOL | 7a. NAME OF N | ONITORING ORG | | |
| Almaden Research Center Office of Naval Research 6c. ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 6.5.0 Harry Road 7b. ADDRESS (City, State, and ZIP Code) 7.0 ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 7.0 ADDRESS (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) 7.0 ADDRESS (City, State, and ZIP Code) 9. PROCUREMENT INSTRUMENT IDENT 7.0 ADDRESS (City, State, and ZIP Code) 9. PROCUREMENT INSTRUMENT IDENT 7.0 ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 7.0 ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 7.0 ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 7.0 ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 7.0 ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS 7.1 TITLE (Include Security Classification) PROJECT 7.1 TITLE (Include Security Classification) PROJECT 7.1 THE (Include Security Classification) PROMENT NO. 7.1 THE (Include Security Classification) PROMENT NO. 7.1 THE (Include Security Classification) 13b. TIME COVERED 7.1 There of REPORT 13b. TIME COVERED | Iden Research Center Office of Naval Research Si (City, State, and ZIP Code) 7b. ADDRESS (City, State, and ZIP Code) Harry Road Arlington, VA 22217 OF FUNDING (SPONSORING) 8b. OFFICE SYMBOL (If applicable) Si (City, State, and ZIP Code) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER IZATION 8b. OFFICE SYMBOL (If applicable) Si (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Stry Division, Code 1113 PROGRAM NO. Ston, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM NO. PROJECT Task WORK UNIT Accessification) effactivity In Doped Nonlinear Organic Polymers AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg 10. To Ye REPORT 13b. Time COVERED FROM 10. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear organic materials Nonlinear polymers | IBM Research Division | (If applicable) | Office | E Naval N | | ; |
| 6c. ADDRESS (City, State, and ZiP Code) 7b. ADDRESS (City, State, and ZiP Code) 650 Harry Road 7b. ADDRESS (City, State, and ZiP Code) 8a. NAME OF FUNDING /SPONSORING 8b. OFFICE SYMBOL ORGANIZATION 8b. OFFICE SYMBOL ORGANIZATION 8b. OFFICE SYMBOL Office of Naval Research 9. PROCUREMENT INSTRUMENT IDENT 3c. ADDRESS (City, State, and ZiP Code) 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 10. SOURCE OF FUNDING NUMBERS Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM PROJECT Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROSENT NO. No. Source fractive Jack PROJECT August 7, 1991 13b. TIME COVERED Interim Technical 1560 (1991)< | SS (City, State, and ZIP Code) Tb. ADDRESS (City, State, and ZIP Code) Harry Road Chemistry Division Code 1113 Jose, CA 95120-6099 Arlington, VA 22217 OF FUNDING/SPONSORING 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER OF FUNDING/SPONSORING 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER S (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Task Storn, VA 22217 To. SOURCE OF FUNDING NUMBERS Task PROGRAM ELEMENT NO. PROJECT Task WORK UNIT Accession I Doped Nonlinear Organic Polymers No. Accession I AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twileg 13. Time COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT A Technical FROM To August 7, 1991 12 pages MENTARY NOTATION SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear organic materials Nonlinear polymers | Almaden Research Center | · | UTICE 0 | I NAVAL R | esearch | |
| 0.50 harry koad San Jose, CA 95120-6099 Chemistry Division C 83. NAME OF FUNDING/SPONSORING ORGANIZATION 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT 0.00014-91-C-0166, 4131 9. PROCUREMENT INSTRUMENT IDENT N00014-91-C-0166, 4131 33. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 PROGRAM Arlington, VA 22217 PROGRAM 11. TITLE (Include Security Classification) PROJECT Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 13b. TIME COVERED 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROM | Allry Koad Jose, CA 95120-6099 Chemistry Division Code 1113 Jose, CA 95120-6099 Arlington, VA 22217 OF FUNDING/SPONSORING Bb. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER OF FUNDING/SPONSORING Bb. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER S (City, State, and ZIP Code) NO.0014-91-C-0166, 4131022 S (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS itry Division, Code 1113 PROGRAM FLEMENT NO. itry Division, VA 22217 PROGRAM FLEMENT NO. Indude Security Classification) PROJECT effactivity In Doped Nonlinear Organic Polymers AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Al AUTHOR(S) W. E. Moerner, TO Isb. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) IS FREPORT 135. TIME COVERED AENTARY NOTATION 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear organic materials Nonlinear polymers | ADDRESS (City, State, and ZIP Code) | | 76. ADDRESS (C | ity, State, and ZIP | Code) | |
| Sam Sobe, CA 95120-6099 Arlington, VA 22217 B3. NAME OF FUNDING/SPONSORING ORGANIZATION Bb. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENT NO0014-91-C-0166, 4131 B3. ADDRESS (City, State, and ZIP Code) N00014-91-C-0166, 4131 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 PROGRAM PROJECT TA Arlington, VA 22217 PROGRAM PROJECT TA In TITLE (Include Security Classification) Photorefractivity In Doped Nonlinear Organic Polymers PROJECT TA PARSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 13. TIME COVERED 14. DATE OF REPORT (Year, Month, Day, Interim Technical FROM TO 18. SUBJECT TERMS (Continue on reverse if necessary and ide FIELD GROUP SUB-GROUP 18. SUBJECT TERMS (Continue on reverse if necessary and ide Nonlinear organic Nonlinear organic Nonlinear inspiration | Sobe, CA 95120-6099 Arlington, VA 22217 OF FUNDING/SPONSORING IZATION Bb. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER NO0014-91-C-0166, 4131022 S(City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Stry Division, Code 1113 PROGRAM ELEMENT NO. rdude Security Classification) PROGRAM ELEMENT NO. effactivity In Doped Nonlinear Organic Polymers AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, 3jorklund, R. J. Twieg >FREPORT 13b. TIME COVERED FROMTO | Son Loss Of Ofloo for | <u>^</u> | Chemistr | y Divisio | n Code 11 | .13 |
| B3. NAME OF FUNDING/SPONSORING ORGANIZATION Bb. OFFICE SYMBOL (if applicable) 9. PROCUREMENT INSTRUMENT IDENT NO0014-91-C-0166, 4131 D. ffice of Naval Research N00014-91-C-0166, 4131 D. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 PROGRAM PROJECT Arlington, VA 22217 In SOURCE OF FUNDING NUMBERS 1. TITLE (Include Security Classification) PROJECT Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROM FROM TO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUBJECT TERMS (Continue on reverse if necessary and ide Photorefractive materials Nonlinear organic materials | DF FUNDING/SPONSORING IZATION 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-91-C-0166, 4131022 S(City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Stry Division, Code 1113 10. SOURCE OF FUNDING NUMBERS PROJECT TASK itry Division, Code 1113 PROGRAM rclude Security Classification) PROJECT effactivity In Doped Nonlinear Organic Polymers AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Sjorklund, R. J. Twieg 10. SOURCE OF REPORT (Year, Month, Day) PROFICAL 13. TIME COVERED In Technical FROM | San Jose, CA 95120-609 | 9 | Arlingto | n, VA 22 | 217 | · |
| ORGANIZATION (If applicable) Office of Naval Research N00014-91-C-0166, 4131 Ac ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 PROGRAM Arlington, VA 22217 PROGRAM 1. TITLE (Include Security Classification) PROJECT Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROMTO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUBJECT TERMS (Continue on reverse if necessary and ide Photorefractive materials Nonlinear organic materials | Interview (If applicable) Image: Proper strain of the second strain of the s | NAME OF FUNDING / SPONSORING | 8b. OFFICE SYMBOL | 9. PROCUREMEN | IT INSTRUMENT I | DENTIFICATION N | |
| ADDRESS (City, State, and ZIP Code) NU00114-91-C-0166, 4131 Chemistry Division, Code 1113 10. SOURCE OF FUNDING NUMBERS Arlington, VA 22217 PROGRAM PROJECT TA Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROM | SOURCE OF RUNCH RESEarCH NUUDI4-91-C-0166, 4131022 S (City, State, and ZIP Code) 10. SOURCE OF FUNDING NUMBERS Stry Division, Code 1113 PROGRAM PROGRAM PROJECT TASK WORK UNIT nclude Security Classification) ELEMENT NO. efractivity In Doped Nonlinear Organic Polymers AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg >F REPORT 13b. TIME COVERED FROM 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT ALAUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg FROM 13b. TIME COVERED frage 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT August 7, 1991 12 pages AMINARY NOTATION Ear in SPIE vol. 1560 (1991) COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear organic materials Nonlinear polymers CT (Continue on reverse if necessary and identify b | ffice of Naval Research | (IT applicable) | 1 20001/ 01 | | | - |
| ADDRESS (Lity, State, and ZiP (2004) 10. SOURCE OF FUNDING NUMBERS Chemistry Division, Code 1113 PROGRAM Arlington, VA 22217 PROGRAM 1. TITLE (Include Security Classification) Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROM FROM TO August 7, 1991 7. COSATI CODES FIELD GROUP SUB-GROUP 18. SUBJECT TERMS (Continue on reverse if necessary and ide Photorefractive materials Nonlinear organic materials | Story, State, and ZP Code) 10. SOURCE OF FUNDING NUMBERS itry Division, Code 1113 PROGRAM itry Division, VA 22217 PROGRAM PROGRAM PROJECT TASK Accession ethement efractivity In Doped Nonlinear Organic Polymers AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT n Technical FROM | ADDRESS (Site Case and Zig Could | | N00014-91 | -C-0166, 4 | 131022 | · · · · · · · · · · · · · · · · · · · |
| Arlington, VA 22217 ELEMENT NO. NO. NO. II. TITLE (Include Security Classification) Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day, Interim Technical FROMTO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 18. SUBJECT TERMS (Continue on reverse if necessary and ide Photorefractive materials FIELD GROUP SUB-GROUP No. | iton, VA 22217 PLONONINO NO. NO. ACCESSION I Include Security Classification) efractivity In Doped Nonlinear Organic Polymers NO. NO. ACCESSION I AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Biorklund, R. J. Twieg NO. IS. PAGE COUNT Al AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, IS. PAGE COUNT IS. PAGE COUNT August 7, 1991 IS. PAGE COUNT IS. PAGE COUNT IS. PAGE COUNT In Technical FROMTO IS. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) MENTARY NOTATION IS. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) COSATI CODES IS. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear polymers It (Continue on reverse if necessary and identify by block number) | hemistry Division. Code | 1113 | 10. SOURCE OF | FUNDING NUMBE | RS | INCOR INNT |
| 1. TITLE (Include Security Classification) Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROMTO FROMTO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUB-GROUP Nonlinear organic materials | Include Security Classification) efractivity In Doped Nonlinear Organic Polymers AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg >F REPORT 13b. TIME COVERED In Technical FROMTOAugust 7, 1991 II 2 pages MENTARY NOTATION 2ar in SPIE vol. 1560 (1991) COSATI CODES II. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear polymers II (Continue on reverse if necessary and identify by block number) | rlington, VA 22217 | • | ELEMENT NO. | NO. | NO. | ACCESSION NO. |
| 11. TITLE (Include Security Classification) Photorefractivity In Doped Nonlinear Organic Polymers 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical Interim Technical FROM TO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUB-GROUP Nonlinear organic materials | AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg 14. DATE OF REPORT DF REPORT 13b. TIME COVERED In Technical FROM MENTARY NOTATION Ear in SPIE vol. 1560 (1991) COSATI CODES IB. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear polymers II (Continue on reverse if necessary and identify by block number) | | | | | } | |
| Photorefractivity In Doped Nonlinear Organic Polymers 12. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROM FROM TO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUB-GROUP Nonlinear organic materials Nonlinear organic materials | AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg 14. DATE OF REPORT PF REPORT 13b. TIME COVERED I Technical FROMTO August 7, 1991 15. PAGE COUNT I SPIE vol. 1560 (1991) COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear polymers T. (Continue on reverse if necessary and identify by block number) | . TITLE (Include Security Classification) | | | | | |
| 2. PERSONAL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical 13b. TIME COVERED FROM TO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUB-GROUP Nonlinear organic materials Nonlinear organic materials | AL AUTHOR(S) W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg PF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT n Technical FROM TO August 7, 1991 12 pages MENTARY NOTATION Pear in SPIE vol. 1560 (1991) COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear polymers C (Continue on reverse if necessary and identify by block number) T (Continue on reverse if necessary and identify by block number) | | linear Organic | 2 Polymers | | | |
| G. C. Bjorklund, R. J. Twieg 3a. TYPE OF REPORT 13b. TIME COVERED Interim Technical FROM TO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUB-GROUP Nonlinear organic materials Nonlinear organic materials | W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, Bjorklund, R. J. Twieg DF REPORT 13b. TIME COVERED n Technical FROM TO August 7, 1991 12 pages MENTARY NOTATION Par in SPIE vol. 1560 (1991) COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Photorefractive materials Nonlinear organic materials Nonlinear polymers CT (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non | | | | | |
| 3a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day, August 7, 1991 Interim Technical FROMTO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) August 7, 1991 7. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and ide Photorefractive materials FIELD GROUP SUB-GROUP Nonlinear organic materials Nonlinear organic materials | DF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT n Technical FROM TO August 7, 1991 12 pages MENTARY NOTATION ear in SPIE vol. 1560 (1991) 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials Nonlinear polymers T (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non | | | S Ducharm | e, D. M. B | urland, |
| Interim Technical FROMTO August 7, 1991 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and ide Photorefractive materials FIELD GROUP SUB-GROUP Nonlinear organic materials Nonlinear organic materials | n Technical FROMTO August 7, 1991 12 pages MENTARY NOTATION ear in SPIE vol. 1560 (1991) COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials Nonlinear polymers CT (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non PERSONAL AUTHOR(S) W. E. Moerne G. C. Bjorklund, R. J. Twieg | r, C. Walsh, J | J. C. Scott, | D . Ducharm | | |
| 6. SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials | MENTARY NOTATION Ear in SPIE vol. 1560 (1991) COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials Nonlinear polymers CT (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non PERSONAL AUTHOR(S) W. E. Moerne C. Bjorklund, R. J. Twieg a. TYPE OF REPORT 13b. TIME CO | r, C. Walsh, J VERED | 1. C. Scott, 14. DATE OF REPO | DRT (Year, Month) | Day) 15. PAGE | COUNT |
| To appear in SPIE vol. 1560 (1991) 7. COSATI CODES FIELD GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials | cosati codes 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials Nonlinear polymers CT (Continue on reverse if necessary and identify by block number) | Personal AUTHOR(S) W. E. Moerne G. C. Bjorklund, R. J. Twieg a. TYPE OF REPORT Interim Technical PERSONAL AUTHOR(S) W. E. Moerne 13b. TIME CO FROM | r, C. Walsh, J VERED TO | C. Scott, 14. DATE OF REPO August 7, | DRT (Year, Month) 1991 | , Day) 15. PAGE 12. 1 | e count Dages |
| 7. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and ide FIELD GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials Nenlinear organic materials | COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials Nonlinear polymers CT (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non PERSONAL AUTHOR(S) W. E. Moerne G. C. Bjorklund, R. J. Twieg a. TYPE OF REPORT Interim Technical SUPPLEMENTARY NOTATION | r, C. Walsh, J VERED TO | 14. DATE OF REPO August 7, | DRT (Year, Month) 1991 | , Day) 15. PAGE 12 1 | E COUNT DAGES |
| FIELD GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials | GROUP SUB-GROUP Photorefractive materials Nonlinear organic materials Nonlinear polymers TT (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non PERSONAL AUTHOR(S) W. E. Moerne G. C. Bjorklund, R. J. Twieg a. TYPE OF REPORT Interim Technical SUPPLEMENTARY NOTATION 'o appear in SPIE vol. 1560 (1 | r, C. Walsh, J vered TO 991) | J. C. Scott, 14. DATE OF REPO August 7, | DRT (Year, Month, 1991 | , <i>Day</i>) 15, PAGE 12 1 | |
| Nonlinear organic materials | Nonlinear organic materials Nonlinear polymers CT (Continue on reverse if necessary and identify by block number) | Personal AUTHOR(S) W. E. Moerne G. C. Bjorklund, R. J. Twieg a. TYPE OF REPORT Interim Technical SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1 COSATI CODES | r, C. Walsh, J vered to 991) 18. SUBJECT TERMS (| C. Scott, 14. DATE OF REPO August 7. (Continue on rever) | DRT (Year, Month, 1991 se if necessary an | (, Day) 15. PAGE | E COUNT Dages ck number) |
| | Instant Nonlinear polymers CT (Continue on reverse if necessary and identify by block number) Image: CT (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non PERSONAL AUTHOR(S) W. E. Moerne G. C. Bjorklund, R. J. Twieg a. TYPE OF REPORT Interim Technical SUPPLEMENTARY NOTATION To appear in SPIE vol. 1560 (1 COSATI CODES FIELD GROUP SUB-GROUP | r, C. Walsh, J VERED TO 991) 18. SUBJECT TERMS (Photorefracti | C. Scott, 14. DATE OF REPO August 7, Continue on reversive two materials | DRT (Year, Month, 1991 se if necessary an S | , Day) 15. PAGE 12 1 d identify by blo | E COUNT DARES ck number) |
| Nonlinear polymers | CT (Continue on reverse if necessary and identify by block number) | Photorefractivity In Doped Non PERSONAL AUTHOR(S) W. E. Moerne G. C. Bjorklund, R. J. Twieg a. TYPE OF REPORT Interim Technical SUPPLEMENTARY NOTATION In appear in SPIE vol. 1560 (1 COSATI CODES FIELD GROUP SUB-GROUP | r, C. Walsh, J VERED TO 991) 18. SUBJECT TERMS (Photorefracti Nonlinear org | C. Scott, 14. DATE OF REPO August 7, Continue on reversion | DRT (Year, Month, 1991 se if necessary an s als | , Day) 15. PAGE 12 1 | E COUNT Dages ck number) |

This paper describes the properties of a new class of materials exhibiting the photorefractive effect, doped nonlinear organic polymers. Photorefraction (at 647.1 nm) was established by a combination of hologram erasability, correlation with photoconductivity and electro-optic response, and enhancement by external fields in numerous samples (178 to 533 μ m thick) of two nonlinear epoxy materials doped with hole transport agents based on p-diethylaminobenzaldehyde-diphenyl hydrazone (DEH). Diffraction efficiencies up to 0.1% were observed at bias fields near 100 kV/cm. A useful property of these materials is that poling of the nonlinear chromophores is partially reversible, permitting partial control of the grating readout independent of the space-charge field formed. The polarization anisotropy of grating readout is consistent with the photorefractive mechanism. Two-beam coupling measurements of both absorption and index gratings show (i) the

| Dr. W.E. Moerner DD Form 1473, JUN 86 | Previous editions are o | <u>(408) 927</u> obsolete. | -2426 SECURITY CI | ASSIFICATION OF THIS PAGE |
|--|-------------------------|-------------------------------|----------------------|---------------------------|
| 223. NAME OF RESPONSIBLE INDIVIDUAL | | 22b. TELEPHONE (In | clude Area Code) | 22c. OFFICE SYMBOL |
| 20. DISTRIBUTION / AVAILABILITY OF ABSTRAC | CT | 21. ABSTRACT SEC UNCLASSI | URITY CLASSIFICAT | TION |

19.

index grating is near 90°, which cannot occur via photochromism, heating, or any other process except photorefractivity.

OFFICE OF NAVAL RESEARCH

Contract N00014-91-C-0166

R&T Code 4131022

DTID Copy INSPECTED NTI IJ DTIC TAB Utwingounged Justification By. Distribution/ Availability Codes Arall and/or Dist Special

Technical Report No. 33

Photorefractivity In Doped Nonlinear Organic Polymers

by

W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme, D. M. Burland, G. C. Bjorklund, and R. J. Twieg

Prepared for Publication

in

Proceedings of the Society of Photo-Optical Instrumentation Engineers

IBM Research Division Almaden Research Center 650 Harry Road San Jose, California 95120-6099

August 7, 1991

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

PHOTOREFRACTIVITY IN DOPED NONLINEAR ORGANIC POLYMERS

W. E. Moerner C. Walsh J. C. Scott S. Ducharme D. M. Burland G. C. Bjorklund R. J. Twieg

۱

IBM Research Division Almaden Research Center 650 Harry Road San Jose, California 95120-6099

ABSTRACT: This paper describes the properties of a new class of materials exhibiting the photorefractive effect, doped nonlinear organic polymers. Photorefraction (at 647.1 nm) was established by a combination of hologram erasability, correlation with photoconductivity and electro-optic response, and enhancement by external fields in numerous samples (178 to 533 μ m thick) of two nonlinear epoxy materials doped with hole transport agents based on p-diethylaminobenzaldehyde-diphenyl hydrazone (DEH). Diffraction efficiencies up to 0.1% were observed at bias fields near 100 kV/cm. A useful property of these materials is that poling of the nonlinear chromophores is partially reversible, permitting partial control of the grating readout independent of the space-charge field formed. The polarization anisotropy of grating readout is consistent with the photorefractive mechanism. Two-beam coupling measurements of both absorption and index gratings show (i) the absorption gratings are \simeq 10 times smaller than the index gratings, and (ii) the phase shift of the index grating is near 90°, which cannot occur via photochromism, heating, or any other process except photorefractivity.

Photorefractivity in doped nonlinear organic polymers

W. E. Moerner, C. Walsh, J. C. Scott, S. Ducharme^{*}, D. M. Burland, G. C. Bjorklund, and R. J. Twieg

IBM Research Division, Almaden Research Center K95/801, 650 Harry Road, San Jose, California 95120-6099

ABSTRACT

This paper describes the properties of a new class of materials exhibiting the photorefractive effect, doped nonlinear organic polymers. Photorefraction (at 647.1 nm) was established by a combination of hologram erasability, correlation with photoconductivity and electro-optic response, and enhancement by external fields in numerous samples (178 to 533 μ m thick) of two nonlinear epoxy materials doped with hole transport agents based on p-diethylaminobenzaldehyde-diphenyl hydrazone (DEH). Diffraction efficiencies up to 0.1% were observed at bias fields near 100 kV/cm. A useful property of these materials is that poling of the nonlinear chromophores is partially reversible, permitting partial control of the grating readout independent of the space-charge field formed. The polarization anisotropy of grating readout is consistent with the photorefractive mechanism. Two-beam coupling measurements of both absorption and index gratings show (i) the absorption gratings are ≈ 10 times smaller than the index gratings, and (ii) the phase shift of the index grating is near 90°, which cannot occur via photochromism, heating, or any other process except photorefractivity.

1. INTRODUCTION

The photorefractive (PR) effect occurs in certain materials which both photoconduct and show second-order optical nonlinearity (Figure 1). The effect arises when charge carriers, photoexcited by a spatially modulated light intensity, separate and become trapped to produce a nonuniform space charge distribution. The resulting space-charge field then modulates the refractive index via the electro-optic effect to create a phase grating which can diffract a light beam. The ingredients necessary for producing a PR phase hologram are therefore: photoionizable charge generator, transporting medium, trapping sites, and dependence of the index of refraction upon space-charge field. Since the first observations of this effect in LiNbO₃ in 1967¹, many detailed theoretical and experimental studies of the effect have occurred,² and a variety of novel applications have been proposed, including high density optical data storage, many image processing techniques, phase conjugation, beam fanning limiters, simulations of neural networks and associative memories, and programmable interconnection.

The PR effect, as defined, is distinct from the many other possible mechanisms of forming gratings in optical materials, such as photochromism, thermochromism, heating, excited states, conventional $\chi^{(0)}$, and so forth³. In any report claiming photorefraction in a new material, the dominance of the PR process over these many other processes must be conclusively proven. This is

crucial, because many of the novel applications of photorefractives⁴ follow from the nonzero grating phase shift and the nonlocal nature of the interaction of the material with the light beam.

Until very recently, all materials showing the PR effect have been inorganic crystals². For inorganic crystals, it is well-known that the diffraction figure-of-merit $n^3 r_{eff}/\epsilon$ (where n is the optical index, r_{eff} is the effective electro-optic coefficient, and ϵ is the dc dielectric constant) does not vary much from material to material, which is a result of the fact that the optical nonlinearity is driven chiefly by the large ionic polarizability. For organic nonlinear materials, however, large electro-optic coefficients are not accompanied by large DC dielectric constants, thus a potential improvement in performance of up to a factor of ten is possible with organic photorefractives⁵.

Recently, the PR effect was observed in a carefully grown nonlinear organic crystal COANP doped with TCNQ^{6,7}. The growth of high-quality doped organic crystals, however, is a very difficult process because most dopants are expelled during the crystal preparation. Polymeric materials, on the other hand, can be doped with various molecules of quite different sizes with relative ease. Further, polymers may be formed into a variety of thin-film and waveguide configurations as required by the application. A report of a photoconducting electro-optic polymer film with impressive photoconductivity has appeared⁸, but no PR gratings were reported.

The first polymeric photorefractive material ^{5, 9} was composed of the nonlinear epoxy polymer bisphenol-A-diglycidylether 4-nitro-1,2-phenylenediamine (BisA-NPDA)¹⁰ made photoconductive by doping with the hole transport agent diethylamino-benzaldehyde diphenylhydrazone (DEH). This paper summarizes the properties of this material and several other combinations of nonlinear polymers and charge transport agents that we have found to show the PR effect using a combination of measurements of photoconductivity, nonlinearity, holographic grating formation, polarization anisotropy, and two-beam coupling phase measurements. Here we have chosen to use polymers which contain covalently bound nonlinear chromophores, and to dope them with small-molecule transport agents. Second-order nonlinearity is achieved by poling, i.e., by aligning the nonlinear chromophores in an electric field. Thus the polymer provides both the charge generation and the second-order nonlinearity; charge transport occurs via the dopant molecules; suitable trapping sites, although not deliberately added, turn out to be sufficiently abundant in this particular amorphous medium.

2

the second s

It should be noted that transport molecule doping of a non-linear polymer is not the only conceivable approach to the formulation of a PR polymer. One might instead dope a charge transporting polymer such as poly(phenylene vinylene) with a non-linear small molecule, or both species might be made part of the polymer structure. In addition, the PR response might be optimized by addition of a more efficient charge generating dye or pigment (sensitizing agent¹¹) and/or specific trapping sites for the charge carriers. Another approach already familiar from work on inorganics ¹² would be to utilize a $\chi^{(n)}$ polymer in an electric field to produce the optical nonlinearity¹³. In a fully optimized material, all four of the required functionalities can be attached to the polymer backbone. Our early attempts to achieve the PR effect did employ all four ingredients, but since only two are sufficient, this work concentrates on a more complete characterization of the simpler system containing only the nonlinear polymer and the charge transporting agent.

2. MATERIALS

This paper reports results on four combinations of two different nonlinear polymers and three hole transport agents. The polymers (see Fig. 2) are diglycidyl ether derivatives of bis-phenol-A or nitroaniline partially crosslinked with nonlinear chromophores which are nitroaniline derivatives. The molecular dopants are hydrazones, which because of their low oxidation potentials and extended π -electron systems, are hole transport agents.

Most of the data reported in this paper refer to the combination bisA-NPDA/DEH, although the properties of the other combinations will be summarized in tabular form. The component materials were dissolved in propylene glycol monomethyl ether (or its acetate) in various weight ratios and films cast by either spin or draw-bar coating techniques. For the thick (several hundred micron) films required for demonstration of grating formation, a special coating technique was used: the solution was fed drop-wise onto two heated ITO-glass slides, with partial drying between drops, and dried and cured further for 30 minutes at 95° C when sufficient material had accumulated. Then the two glass slides were pressed together to form a sandwich structure with transparent electrodes on either side of the polymer. Crosslinking of the epoxy groups was deliberately limited by ensuring that the samples never exceeded 95° C. The partial curing and the presence of some residual solvent allows considerable molecular motion, and permits alignment of the nonlinear chromophores by an external field at room temperature. Thus, with sufficient waiting time, it was possible to switch on and off the electro-optic response.

3. PHOTOCONDUCTIVITY

Photoconductivity was measured by two different techniques. First, a conventional two-electrode sandwich sample was used to determine the dc conductivity change resulting from illumination with a dye or krypton laser⁹. Second, the rate of decay of a corona-deposited surface charge on a sample $\simeq 5 \ \mu m$ thick was measured¹⁵. This second xerographic method gives a much more accurate determination of the conductivity at low intensity, and eliminates the possibility of sample heating. There was no significant difference between the results from the two methods.

First of all, the photoconductivity increases linearly with light intensity, with exponent 1.00 ± 0.03 . Second, the photoconductivity increases very rapidly with concentration of DEH, up to $10^{-12} (\Omega - \text{cm})^{-1}$ per W/cm² at 30 weight %, and its spectral response follows the absorption spectrum of the NPDA chromophore. Therefore, we conclude that NPDA is acting as the charge generator, with transport occurring, as expected, via the DEH dopant molecules.

Figure 3 shows the photoconductive sensitivity (σ_{ph} /intensity) of the bisA-NPDA/DEH material obtained by the xerographic discharge method¹⁵. Below 500 nm where the polymer allows light absorption in only the surface layer, negative charging requires electrons to move through the bulk of the sample to achieve discharge. The greatly increased photoconductive sensitivity for the opposite case, positive charging, proves that hole transport is much more efficient than electron transport, as expected.

4. SECOND-ORDER NONLINEARITY

The electro-optic coefficients of the samples were measured at low frequencies (10 - 10,000 Hz) using a standard Mach-Zehnder interferometer. The observed response was proportional to the

applied field E_o except for a small amount of hysteresis at fields below 5 kV/cm. Upon changing or reversing the applied field, the observed EO response grows nonexponentially, attaining in a matter of minutes approximately 90% of its long-time (i.e. many hours) value as the nonlinear chromophores are aligned. The slow time dependence of the observed EO response confirms that the source of the nonlinearity is molecular alignment rather than a Kerr effect. Separate measurement of the Kerr coefficient at twice the modulating frequency yielded the result that when the DC field is present, the Kerr contribution to our measurement of the electro-optic coefficient was on the order of one percent.

The right ordinate of Figure 4 shows the steady-state EO response of a 30 wt. % DEII mixture in bisA-NPDA at 632 nm. For each value of applied field, the chromophore orientation was allowed to equilibrate for ≈ 5 min. The measured EO coefficient (p-polarized, neglecting birefringence) $r_{meas} = r_{33} \sin^2 \alpha + r_{13} \cos^2 \alpha$ is a linear combination of the longitudinal r_{33} and transverse $r_{13} = r_{23}$ coefficients where the 3-direction is the direction of the applied electric field (normal to the film plane) and $\alpha = 32.1^{\circ}$ (for n = 1.63) is the angle of propagation within the film.

Though the data of Fig. 4 were measured on the same sample, considerable scatter in EO coefficients (25 %) was observed due to sample inhomogeneity. Separate measurements of sample thickness changes ¹⁶ revealed that the piezoelectric coefficient $d_{33} \sim +0.2$ pm/V, which may contain a contribution from electrode attraction, also made a small (10-30 %) contribution to the observed EO measurements. The data in Fig. 4 are not corrected for these observations,

5. PHOTOREFRACTIVE GRATING FORMATION

Thus, three of four necessary ingredients for a PR material (absorption, transport, and EO response) can be easily measured in our polymer mixtures. The polymer would be expected to supply a large density of traps, which may be polymer chain ends or other defects, but there is no guarantee that these traps will be suitable for the formation of an erasable PR grating, or that other photochromic processes which would overwhelm a PR effect are not present. The dominance of the PR effect in our materials has been verified by field-dependent and polarization dependent volume holography⁹ using the geometry of I'igure 5. Two mutually coherent Gaussian "writing" beams at $\lambda_v = 647.1$ nm with equal intensities of 13 W/cm² were intersected in the sample at incidence angles of 30° and 60° (in air), respectively, thus producing interference fringes with spacing $\Lambda_g = 1.6 \ \mu m$ oriented 25° from the film plane. A third, much weaker, "reading" beam directed opposite to the 60° writing beam was Bragg diffracted from the grating formed by the writing beams. The diffraction efficiency η was recorded as the ratio of diffracted to incident reading beam power.

The influence of E_n on η is shown in Fig. 4, left scale, where at each point the molecular alignment was allowed to reach steady-state in the field for 10 min. The value of $\eta = (n^3 r_{mest} \pi LGE_{sc}/2\lambda_s)^2$ increases rapidly with E_n through increases in both the PR space-charge field E_{sc} and the EO response $n^3 r_{mest}$, where $L = 356 \ \mu m$ and and G is a polarization and geometrical factor equal to 0.86. The PR space-charge field in the standard model ^{2, 17} is

$$E_{sc}^{2} = \frac{E_{d}^{2} + E_{og}^{2}}{(1+B)^{2} + B^{2}(E_{og}/E_{d})^{2}},$$
(1)

where E_{re} is the component of E_{o} along the grating wavevector, $E_{d} = k_{g}k_{n}T/e = 1.0kV/cm$ and $k_{g} = 2\pi/\Lambda_{g} = 3.9 \times 10^{4} cm^{-1}$. The inset to Fig. 4 shows η divided by $(n^{3}r_{mess})^{2}$, which should be proportional to E_{e}^{2} . The solid line is a least-squares fit to Eq. 1 with two adjustable parameters: an overall multiplicative factor of $\simeq 2.5$ and B = 0.034 which yields the effective density of photore-fractive traps $N_{pr} = k_{e}^{2}c_{o}k_{n}T/Be^{2} = 1.9 \times 10^{15} cm^{-3}$ ($\epsilon = 2.9$). The fit provides a good description of the shape of the experimental data, even though one might expect that a more complicated model including geminate recombination or other details of the field dependence of charge generation and mobility might be required in this material¹⁸. The maximum E_{se} reached, at an applied field of 126 kV/cm, from Eq. 1 is 26 kV/cm, a value which is larger than is generally attainable in inorganic PR materials. Clearly, the low dielectric constant of the polymer allows a larger field for the small trapped charge density N_{pr} than might be possible in inorganics. The low values of η , on the other hand, are to be expected due to the short optical path lengths and relatively small EO coefficients of this particular polymer (see below).

To further establish that the observed gratings were indeed photorefractive in origin, we recorded gratings at large applied voltage, removed the writing beams, and observed the diffracted signal as the applied voltage was altered, with typical results shown in Fig. 6. From a to b, the grating was recorded for 2.5 min. in a field of -84.3 kV/cm which had been applied long in the past. The fluctuations in the signal as it rises to its steady-state value are due to slow changes in the optical paths of the writing beams. At b, both writing beams and the applied field were switched off resulting in a rapid decrease in the signal. We attribute this to initial relaxation of the chromophore alignment, without loss of the space-charge (except for the slow erasure by the much weaker reading beam), because the signal returns upon application of a field of either sign (c and d in Fig. 6). The dynamics for signal recovery are consistent with that required for reorientation of the nonlinear chromophores and are far slower than the charging time of the circuit, thus ruling out strong Kerr effect contributions. At e, one of the writing beams was turned back on to erase the space-charge field in a time of order 30 s, which should be compared with the dark lifetime of order 500 s, limited by the dark conductivity of the material. Thus, Fig. 6 establishes the relative independence of space-charge formation and erasure from the molecular alignment whose only purpose is to permit readout, and reinforces the interpretation in terms of a photorefractive mechanism. Further, we remark that an external field is required for the generation of a detectable diffraction grating; attempts to write a grating in zero field and then read out with a field applied produced no detectable signal. The gratings can be crased multiple times, most readily in an applied field with uniform illumination.

6. POLARIZATION ANISOTROPY

Further evidence for the PR mechanism may be obtained from the polarization anisotropy during readout. After writing with both beams p-polarized or both beams s-polarized, one may consider how the diffraction efficiency depends upon the polarization of the reading beam. For the general case of oblique readout from tilted PR phase gratings¹⁹,

$$\eta_s = \sin^2 \left[\frac{\pi n^3 r_{13} E_{sc} d \sin \theta_g}{2\lambda_v (\cos \alpha_0 \cos \theta_1)^{1/2}} \right]$$
(2)

$$\eta_{p} = \sin^{2} \left[\frac{\pi n^{3} r_{\text{eff}}^{p} \mathbb{E}_{sc} d \cos 2\theta_{o}}{2\lambda_{v} (\cos \alpha_{o} \cos \theta_{1})^{1/2}} \right]$$
(3)

with d the sample thickness, θ_r the angle between the grating wavevector and the film plane, θ_1 the incidence angle for beam 1, α_0 the incidence angle for beam 2, and 2 θ_0 the full angle between beams 1 and 2, all in the material. The effective EO coefficient for p-polarized readout is

$$r_{\text{eff}}^{p} = r_{13} \left[\cos \theta_{1} \sin(\alpha_{0} + \theta_{g}) + \sin \theta_{1} \cos \alpha_{0} \cos \theta_{g} \right] + r_{33} \sin \theta_{1} \sin \alpha_{0} \sin \theta_{g}$$
(4)

Using the standard estimate for weak poling with linear chromophores $r_{33}/r_{13} = 3$, the ratio $\eta_p/\eta_s \sim 8.1$ for external incidence angles of 30° and 60°. We measure a polarization anisotropy of $\sim 6 \pm 2$, in reasonable agreement.

(2) A start of the second sec second sec

7. TWO-BEAM COUPLING AND GRATING PHASE MEASUREMENTS

Final conclusive evidence for the observation of the PR effect is provided by two-beam coupling measurements of the amplitude and phase of both the absorption and index gratings present after irradiation. While many methods have been proposed for PR grating phase measurements, the work of Sutter et al. is particularly useful⁷, and we follow their approach here. The experiment involves writing a grating with two equal-intensity writing beams with two detectors measuring the transmitted intensity of the writing beams. After grating formation, the sample itself is translated laterally, moving the absorption and index gratings present in the material across the interference pattern formed by the two writing beams in a time short compared to the writing time. The two diffracted beams interfere with the transmitted beams, providing a characteristic modulation of the power received at each detector. A key feature of this method is that while the diffraction efficiency of the grating may be 10^{-4} , the amplitude variations of either beam are much larger, 10^{-2} , since homodyne detection occurs automatically. The transmitted powers are given by

$$P_1 \sim 1 - 2\Lambda \cos(\phi_A + k_g x) - 2P \sin(\phi_P + k_g x)$$
(5)

$$P_2 \sim 1 - 2\Lambda \cos(\phi_A + k_g x) + 2P \sin(\phi_P + k_g x)$$
(6)

with Λ , ϕ_{Λ} the amplitude and phase of the absorption and P, ϕ_{P} the amplitude and phase of the index grating.

Measurements of this sort on bisA-NPDA/DEII²⁰ show that all gratings observed are predominantly index gratings. When measurable, the absorption grating is ~ 10 times smaller than the phase grating. At high field, the phase of the index gratings approach $\pi/2$ as would be expected from the standard photorefractive model²¹:

$$phasc(E_{sc}) = phasc\left[\frac{m(E_o + iE_d)}{1 + E_d/E_q - iE_o/E_q}\right]$$
(7)

Using the value of $B = E_d/E_q$ from Section 5, an estimate for the trap-limited space-charge field $E_q \approx 29.4$ kV/cm may be derived. Figure 7 shows a plot of Eq. (7) (solid line) along with measurements of the index grating phase for a sample of bisA-NPDA/DEII. The data follow the general trend of Eq. (7) with an offset that may be due to the limitations inherent in applying the standard photorefractive model to this organic material. In any case, the observation of index gratings offset

by $\simeq 90^{\circ}$ conclusively verifies that the material is indeed photorefractive, as no other phenomenon can produce this nonlocal effect without the application of alternating electric fields.

8. GENERALITY AND HIGHER EFFICIENCY PHOTOREFRACTIVE POLYMERS

Preliminary results for several other material combinations are shown in Table 1 (30 samples). In each case, sample inhomogeneity and partial crosslinking contributed to the range of measured values.

| Material Property | bisA-NPDA /DEH | bisA-NPDA /DENH | bisA-NPDA /DECH | NNDN -NAN/DEH |
|--|---|------------------------------------|--------------------|---|
| $\sigma_{\rm ph}$, units 10^{-12} ($\Omega - {\rm cm}$) ⁻¹ / W / cm ² | 0.06-12.0 | 0.02-0.7 | 0.33 | 0.2-2.8 |
| n ³ r _{mcas} (pm/V) | 0.1-5 | 0.2-1 | 0.15-1.2 | 1.4-17 |
| η , | 5×10^{-7} to 5×10^{-5} | 4×10^{-6} to 10^{-5} | 9×10^{-6} | 1.2×10^{-5} to 1×10^{-3} |
| at field (kV/cm) | 125 | 110 | 110 | 85 |

Table 1

Of particular interest is the polymer NNDN-NAN, which features a higher concentration of nonlinear moeities and hence a higher nonlinearity¹⁴. Figure 8 shows the dependence of the hologram diffraction efficiency upon applied electric field for NNDN-NAN/DEH. The curve is similar in shape but larger in magnitude compared to that for bisA-NPDA/DEH. It is clear from these results that a wide variety of polymeric photorefractive materials may be fabricated. However, as stated above, in each case it is necessary to prove that any gratings observed result from a true PR effect.

9. CONCLUSION

Several of the details of the PR mechanism must be different in these organic polymers than in the inorganic crystals studied most extensively to date². Charge generation is expected to be highly field-dependent, and an Onsager¹⁸ or other charge generation model must be considered for applicability. The mobility in these materials is relatively low (e.g., DEH in polycarbonate resin has a mobility of 10⁻⁷ to 10⁻⁶ cm²/Vs for this concentration range at room temperature²²) and may set a limit to the speed of response, although other conjugated polymers can have quite high mobilities²³. The properties of these materials can be enhanced by the addition of traps and/or charge generation agents. Finally, we have taken advantage of the ability to turn the polarization on and off in a material with low glass transition temperature. The resulting dipolar relaxation process is highly dispersive. For most applications, it would be preferable to freeze in permanent polarization by fully curing the epoxy in the dark in the presence of an electric field¹⁰ or by using other nonlinear polymer binders poled above a high glass transition temperature.

With the large variety of possible variations in composition of PR polymers that may be envisioned, the ultimate limitations of organic polymers as PR materials cannot be established at this time. Only by careful scientific study of the performance and of the microscopic mechanisms can the future utility of this new materials class be established. In any case, it is certainly clear that other examples of PR polymers will soon be forthcoming from many locations around the world.

10. ACKNOWLEDGEMENT

The authors gratefully acknowledge the synthetic support of B. Reck. This work was supported in part by the U. S. Office of Naval Research.

11. REFERENCES

*Present address: Department of Physics, University of Nebraska, Lincoln, Nebraska

- 1. F. S. Chen, J. Appl. Phys. 38, 3418 (1967).
- 2. See P. Günter and J.-P. Huignard, eds., *Photorefractive Materials and Their Applications I & II*, (Springer Verlag, Berlin 1988,9).
- 3. H. J. Eichler, P. Günter, and D. W. Pohl, Laser-Induced Dynamic Gratings, Springer Series in Optical Sciences, Vol. 50 (Springer, Berlin, Heidelberg, 1986).
- 4. J. Feinberg, Phys. Today 41, 46 (1988).
- 5. S. Ducharme, J. C. Scott, R. J. Twieg, and W. E. Moerner, Postdeadline Paper, OSA Annual Meeting, Boston, MA, November 5-9, 1990.
- 6. K. Sutter, J. Hullinger, and P. Günter, Sol. St. Commun. 74, 867 (1990).
- 7. K. Sutter and P. Günter, J. Opt. Soc. Am. B 7, 2274 (1990).
- 8. J. S. Schildkraut, Appl. Phys. Lett. 58, 340 (1991).
- 9. S. Ducharme, J. C. Scott, R. J. Twieg, and W. E. Moerner, Phys. Rev. Lett. 66, 1846 (1991).
- 10. M. Eich, B. Reck, D. Y. Yoon, C. G. Willson, and G. C. Bjorklund, J. Appl. Phys. 66, 3241 (1989).
- 11. D. M. Sturmer and D. W. Heseltine, in *The Theory of the Photographic Process*, 4th ed., T. H. James, ed. (Macmillan, New York, 1977), pp. 194-234.
- 12. A. Partovi, A. Kost, E. M. Garmire, G. C. Valley, and M. B. Klein, Appl. Phys. Lett. 56, 1089 (1990).
- 13. O. M. Gelsen, D. D. C. Bradley, II. Murata, T. Tsutsui, S. Saito, J. Rühe, and G. Wegner, Synth. Met. 41, 875 (1991).
- 14. D. Jungbauer, B. Reck, R. Twieg, D. Y. Yoon, C. G. Willson, and J. D. Swalen, Appl. Phys. Lett. 56, 2610 (1990).
- 15.-- J. C. Scott and W. E. Moerner, to be published.
- 16. S. Ducharme, J. Feinberg, and R. Neurgaonkar, IEEE J. Quant. Electron. 23, 2116 (1987).
- 17. J. Feinberg, D. Heiman, A. R. Tanguay, Jr., and R. W. Hellwarth, J. Appl. Phys. 51, 1297 (1980); J. Appl. Phys. 52, 537 (1980).
- 18. A. Twarowski, J. Appl. Phys. 65 2833 (1989), derived the E_{sc} expected in the case of Onsager geminate recombination, with a field-independent mobility.
- 19. H. Kogelnik, Bell Syst. Tech. J. 48, 2909 (1969).
- 20. W. E. Moerner and C. Walsh, to be published.

G. C. Valley and J. F. Lam, in Photorefractive Materials and Their Applications I, P. Günter 21. and J.-P. Huignard, eds., (Springer Verlag, Berlin 1988), p. 84.

- J. X. Mack, L. B. Schein, and A. Peled, Phys. Rev. B 39, 7500 (1989). 22.
- J. Obrzut, M. J. Obrzut, and F. E. Karasz, Synth. Met. 29, E103 (1989). 23.

The Photorefractive Effect



grating formation.

Fig. 2. Polymers and transport molecules used in this work. The nonlinear polymers are (A) bisA-NPDA¹⁰, (B) NNDN-NAN¹⁴. Crosslinking occurs at the multifunctional amines. The transport molecules are (C) DEH, (D), DENH, and (E) DECH.

Fig. 1. Illustration of photorefractive







D







Fig. 4. Right ordinate: square of the electro-optic response (n^3r_{meas} , with n the index of refraction) for p-polarized 632.8 nm radiation incident at an external angle of 60° on a 356 μ m thick film. Left ordinate: p-polarized diffraction efficiency at 647.1 nm for the same sample as a function of applied field. The inset shows the ratio of the latter to the former, which is proportional to $\Gamma_{\rm sc}^2$.



Fig. 5. Geometry for hologram recording. For definitions of the angles used, see text.



Fig. 6. Effect of applied field on grating readout by a weak reading beam: a-b) writing the grating in the presence of a (previously applied) negative voltage; b-c) writing beams and applied voltage turned off; c-d) positive voltage applied; d-c) negative voltage applied; c+) grating crasure by one strong beam.



Fig. 7. Index grating phase versus field component along the grating wavevector. The solid curve is generated from Eq. (7), and the points are measured values for bisA-NPDA/DEIL



Fig. 8. Diffraction efficiency (steady-state) versus applied field for a 350 μ m sample of NNDN-NAN/25 wt. % DEII.

- 1. Office of Naval Research (2) Chemistry Division, Code 1113 800 N. Quincy Street Arlington, VA 22217-5000
- 2. Defense Technical Information Center (2) Building 5, Cameron Station Alexandria, VA 22314
- 3. Commanding Officer Naval Weapons Support Center Attn: Dr. Bernard E. Douda Crane, Indiana 47522-5050
- 4. Dr. Richard W. Drisko Naval Civil Engineering Laboratory Code L52 Port Hueneme, CA 93043
- --5. David Taylor Research Center Dr. Eugene C. Fischer Annapolis, MD 21402-5067
 - 6. Dr. James Murday Chemistry Division, Code 6100 Naval Research Laboratory Washington, D. C. 20375-5000
 - 7. Dr. Robert Green, Director Chemistry Division (Code 385) Naval Weapons Center China Lake, CA 93555-6001
 - Chief of Naval Research Special Assistant for Marine Corps Matters Code 00MC
 800 North Quincy Street Arlington, VA 22217-5000
 - 9. Dr. Bernadette Eichinger Naval Ship Systems Engineering Station
 Code 053
 Philadelphia Naval Base
 Philadelphia, PA 19112
 - 10. Dr. Sachio Yamamoto Naval Ocean Systems Center Code 52 San Diego, CA 92152-5000
 - 11. Dr. Harold H. Singerman David Taylor Research Center Attn: Code 283 Annapolis, MD 21402-5067