

**AD-A247 855**



**92-06840**



---

# Small Satellites and RPAS in Global-Change Research Summary and Conclusions

---

P. Banks  
J. M. Cornwall  
F. Dyson  
N. Fortson  
S. Koonin  
C. Max  
G. MacDonald  
S. Ride  
M. Ruderman  
S. Treiman  
J. Vesecky  
R. Westervelt  
F. Zachariasen

January 1992

JSR-91-330A

Approved for public release; distribution unlimited.

*This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.*

JASON  
The MITRE Corporation  
7525 Colshire Drive  
McLean, Virginia 22102-3481  
(703) 883-6997

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE January 1992	3. REPORT TYPE AND DATES COVERED Technical		
4. TITLE AND SUBTITLE Small Satellites and RPAs in Global Change Research Summary and Conclusions			5. FUNDING NUMBERS  PR - 8503Z	
6. AUTHOR(S)				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The MITRE Corporation JASON Program Office, A020 7525 Colshire Drive McLean, Virginia 22102-3481			8. PERFORMING ORGANIZATION REPORT NUMBER  JSR-91-330A	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)  U.S. Department of Energy Office of Energy Research, ER-30 Washington, DC 20585			10. SPONSORING / MONITORING AGENCY REPORT NUMBER  JSR-91-330A	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Distribution unlimited; open for public release.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  JASON has now conducted two studies on the use of small satellites and remotely-piloted aircraft (RPAs) in global change research, with special reference to the DOE Atmospheric Radiation Measurement (ARM) program and to DARPA's Small Satellite program. The studies centered around meetings, one in January and the other in June, 1991, to which we invited representatives of all areas of the global change program and of the DOD satellite science and technology community. We have already issued a report on the January study. Here we summarize the main themes and results of our Summer Study; the full report will be issued shortly.				
14. SUBJECT TERMS  RPAs, global change, small satellites, ARM			15. NUMBER OF PAGES 21	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT  SAR	

# Contents

<b>1 SMALL SATELLITES AND RPAs: SUMMARY AND CONCLUSIONS</b>	<b>1</b>
1.1 Scientific Scope of the Study . . . . .	2
1.2 Remotely Piloted Aircraft . . . . .	3
1.2.1 Potential Advantages of RPAs . . . . .	4
1.2.2 Issues to be Resolved . . . . .	6
1.2.3 Instrumentation and Measurement Requirements . . . . .	7
1.3 Small Satellites . . . . .	9
1.3.1 Potential Advantages and Disadvantages . . . . .	9
1.3.2 Lightweight Support Hardware and Instrumentation . . . . .	10
1.3.3 Specific Small-Satellite Missions . . . . .	11
1.4 A DARPA Joint Global Change/Surveillance Satellite . . . . .	13
1.4.1 Visible/IR Cloud, Radiation, and Surveillance . . . . .	13
1.4.2 Dual-Purpose Lidar . . . . .	14
1.5 Role of DOD Science and Technology . . . . .	15
1.6 Recommendations . . . . .	16



<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Date	
Availability Codes	
Dist	
Special	
A-1	

# **1 SMALL SATELLITES AND RPAs: SUMMARY AND CONCLUSIONS**

JASON has now conducted two studies on the use of small satellites and remotely-piloted aircraft (RPAs) in global change research, with special reference to the DOE Atmospheric Radiation Measurement (ARM) program and to DARPA's Small Satellite program. The studies centered around meetings, one in January and the other in June, 1991, to which we invited representatives of all areas of the global change program and of the DOD satellite science and technology community. We have already issued a report on the January study. Here we summarize the main themes and results of our Summer Study; the full report will be issued shortly.

The charge from DOE and DARPA to JASON was, in essence, to elucidate global change science problems that can be answered by small satellites and RPAs; investigate the role of DOD technology in global change research; and (for DARPA) propose small satellite sensor packages which simultaneously address a remote-sensing mission of interest to DOD and a related one of interest in global change science. In addition, we were asked to brief the EOS Engineering Review on our findings.

The Winter Study served to introduce people from a variety of technological communities to one another's problems and possible mutual interests. Our report on this study was itself introductory, dealing in broad terms with the technology of RPAs, small satellites, their instrumentation and support hardware, and the scientific issues they could address. It was clear during the Winter Study that the involved communities' knowledge of each other's

needs was not necessarily as great as their interest in each other.

At the Summer Study we found that many of the participants had made progress since the Winter Study and could, for example, make definite and quantitative proposals for small lightweight instruments for RPAs and small satellites. Our Summer Study report in turn deals as quantitatively as we now can with the issues first raised in the Winter Study and their further evolution as of this summer.

## **1.1 Scientific Scope of the Study**

We investigated those parts of global change research which are reasonably closely connected with the ARM program. This program is devoted to surface-based site studies of cloud and radiation dynamics (with possible aircraft and satellite support, as we discuss in this report), with an eye toward understanding processes and providing input for global circulation models (GCMs). We divide the scientific scope of the study into three areas:

1. Cloud and radiation dynamics, including radiation budgets and cloud radiative feedback processes.
2. Precipitation, water vapor column content and profiles, cloud formation.
3. Upper tropospheric and stratospheric dynamics and constituents, including greenhouse gases, aerosols, and polar stratospheric clouds.

For the most part we will be concerned with studies of the natural environ-

ment, but we also discuss an active modification experiment (sulfur aerosol seeding over the ocean) which could profitably be studied with small satellite and RPA sensors.

## **1.2 Remotely Piloted Aircraft**

We have looked closely at airborne measurements that fit within the scientific scope of our study, such as those required for understanding clouds and the cloud/radiation interaction as part of the ARM program. We find that RPAs could make a vital—perhaps essential—contribution to ARM through continuous measurements above a CART site to obtain accurate vertical profiles of upper tropospheric radiation, water vapor, water droplets, ice particles, aerosols, and cloud structure, to complement the surface-based measurements. We also find a compelling case for using RPAs to study ozone depletion in the stratosphere.

Why should RPAs be used instead of ordinary aircraft for the measurements we are considering? There are great potential advantages relating to: cost, endurance aloft, altitude ceiling, and pilot safety. It is important to note that these potentialities have not been fully realized, but the technology to turn them into realities seems to be mainly straightforward and near-term. The significant issues that still remain unresolved are: high altitude reciprocating-engine development, RPA crash rate, and FAA approval for flights in the US. In addition, since economics heavily favors small RPAs (at least in the near future), light-weight science instrumentation must be developed, especially for the visible and IR radiation measurements. We discuss all these questions in the subsections below.

### 1.2.1 Potential Advantages of RPAs

RPAs have benefited from advances during the past decade in design codes (for operating at ceiling between stall and Mach divergence), strong and light composite structures, turbocharged engines, and miniaturization of control systems, giving such aircraft important advantages for global change research:

1. Cost. Economically, small RPAs are the only potentially feasible possibility for nearly continuous airborne measurements within ARM, the more so if two or more aircraft are to be flown simultaneously for accurate radiation divergence measurements. The operating costs for the manned higher altitude research aircraft currently in use or planned (ER-2, Sabreliner, WB 57F) average over \$4000/hr, far too expensive for a complete ARM mission. The vendors of small RPAs with performance suitable for ARM suggest RPA acquisition costs of \$1M or less, and hourly operating costs of \$500/hr. Of course, it remains to be seen whether these costs can actually be realized. Uncertainties in high-altitude engine development and especially in RPA crash rate (each discussed in Section 1.2.2 below) affect any overall cost estimate.

Aurora's estimate of \$20M-\$25M total cost, exclusive of scientific instrumentation, for a 5-year ARM program using a Perseus B system seems reasonable enough for the assumptions they made: a range of loss rates up to 1 every 200 missions, no expensive developmental problems with the high altitude engine, and one aircraft aloft continuously. Flying two or more aircraft together for radiation divergence measurements would of course either add to the cost or subtract from



the fraction of time covered. To this estimate must be added the total cost of the instrumentation, including the instrument-loss appropriate for a given RPA crash rate.

2. Endurance Aloft. RPAs can fly for 24 hours at a time or longer. A diurnal cycle of actual measurement time is necessary for most missions. As just one example, changes in cirrus clouds between day and night are important for the radiation budget but have not been measured yet.
3. Altitude. RPAs are expected to operate at higher altitudes ( $> 20$  km) than manned aircraft, which is crucial for studying ozone depletion and other stratospheric processes. To be useful for ARM they need operate only in the upper troposphere, from about 8 to 18 km, though only one RPA (the Boeing Condor, which is huge and very expensive) has actually done this yet.
4. Pilot Safety. RPAs eliminate the issue of pilot risk, which otherwise can complicate or prevent extended or dangerous oceanic, polar, or night flights. Missions with risk of RPA loss at the level of one per 500 or 1000 flights can be tolerated economically, but such risk is far too high when a pilot's life is involved.

### 1.2.2 Issues to be Resolved

RPAs certainly hold much promise, but there remain important uncertainties affecting their cost and utility:

1. High Altitude Engine. The Amber aircraft have been tested up to about 8 km, but the performance of light RPAs at higher altitudes is not yet validated. It is straightforward and cheap to build a high-altitude airframe for a small RPA, and the existing avionics—which is an expensive part of an RPA—can be used with little change. The uncertain part is developing reciprocating engines, either multiply turbocharged or carrying onboard oxidizers. The recirculating engine now under construction for operation at stratospheric altitudes onboard Perseus A will be tested soon. The airbreathing, doubly turbocharged engines currently under consideration for ARM, which must operate over a wide range of pressure differentials up through the troposphere, remain to be developed.
2. Crash Rate. RPAs have a history of much higher crash rates than manned aircraft. The RPAs envisioned here could follow flight paths that avoid weather hazards and should have sufficient endurance (> 40 hours) to carry out a diurnal mission and still remain at high altitudes when necessary to ride out storms. At an ARM site in the western US it should be possible to operate takeoff and landing between storms, and maintain nearly continuous measurement time aloft. Nevertheless, we find it difficult to predict the crash rate in advance of some operational flight tests.

3. FAA Approval. Such approval will be required for flights above the US ARM site, or an expensive manned chase aircraft may be required at some altitudes. Developing safe protocols for assuring flight safety without any manned aircraft seems possible, but remains an unresolved issue.

### 1.2.3 Instrumentation and Measurement Requirements

A 100-200 kg instrument package must be developed for a complete set of measurements for ARM. The standard PMS instruments should be adequate for *in situ* droplet and ice particle sampling. The 60-foot wingspan and light weight of the proposed Perseus B or Gnat 750-93L permit speeds as low as 80 m/s at upper troposphere altitudes, which are slow enough for accurate sampling of sub-100  $\mu\text{m}$  particles (a major difficulty with the high speeds of the manned aircraft now in use). A reliable measure of the total  $\text{H}_2\text{O}$  content is also necessary. If the Lyman  $\alpha$  photofragmentation technique proves inadequate, one might consider microwave sounding (perhaps in conjunction with a ground-based transmitter).

The visible/IR instruments could utilize recent improvements in detector technology, focal plane arrays, and miniaturization of support hardware, and have the potential for also meeting requirements of small satellites for instruments of similar weight and capability. The proposal from the combined DOE Labs (radiometer, multispectral imager, camera, and lidar) is a promising first step in such a design. For high precision radiance measurements, position and pointing accuracy become important. To meet these requirements it should be sufficient to locate the position of the RPAs within

100 m by GPS and to mount the radiometers on gimbals and point them to within  $10^{-2}$  rad with compact IMUs.

Assuming RPAs were to be deployed, we have investigated using them for some possible active experiments such as seeding a local ARM site with sulfides and/or oxidants, and detecting the effects on cloud droplets and albedo with the RPAs. Distributing about a ton of sulfur in one week within a 20-km region would suffice to study the details of the aerosol/droplet process.

Higher altitude (20-30 km) RPAs would be the best platforms for studying the mechanism of ozone depletion and other processes in the stratosphere. One essential task is to study the chemistry and transport of Cl and N, and the formation of polar stratospheric clouds in the northern hemisphere that could lead to an Arctic ozone hole similar to the Antarctic hole if greenhouse gases begin to cool the stratosphere. It might be possible to combine important stratospheric and tropospheric missions of RPAs at the proposed Arctic ARM site.

In comparing RPAs with small satellites, we note that even though some instruments may have much in common, there is a great difference between the cost of a small satellite program and an RPA program. Moreover, as described above, RPAs add crucially to the ARM program, making measurements at altitudes beyond the range of the surface-based ARM remote sensors. Many of these measurements cannot be made from satellites. For these reasons, RPAs should have priority over small satellites in the ARM program.

## **1.3 Small Satellites**

Satellites of all size will continue to be the major sensor platforms for many global change missions within the scope of our study, and as such are important to ARM. However, for a number of reasons the time is ripe to develop several small satellites for cloud, radiation, and other atmospheric studies, and we will discuss these independently of their direct connection to ARM. It is unlikely in any case that the ARM program, even with an augmented budget, would allow for the full development of a small satellite program, but ARM could contribute much by, e.g., supporting the development of small lightweight instruments.

We also address the DARPA charge to JASON to propose small-satellite concepts for joint tactical surveillance and global-change missions.

### **1.3.1 Potential Advantages and Disadvantages**

Small satellites are interesting because they should allow fast and flexible response to changing requirements and new developments; a smooth budget cycle; and make it possible to field constellations to meet certain coverage requirements. For example, measuring the radiation budget to a precision of  $< 1\%$  requires at least three satellites in orbit at the same time for proper diurnal coverage. On the other hand, there may be disadvantages: higher cost per payload pound, because of multiplication of satellite support hardware; and failure to meet simultaneity requirements for numerous instruments to be at the same place at the same time.

Our judgment for satellites is that meeting many of the science needs within the scope of our study (including the need for constellations) can be done with small satellites without violating any fundamental requirements of simultaneity, and that the current and near-term programs for miniaturization of satellite support hardware, such as DARPA's Small Sat program, and of sensors, makes it very attractive to develop a small-satellite program for global change. This, of course, would go well beyond the scope of the ARM program, and participation of agencies such as DARPA would be of material assistance.

### **1.3.2 Lightweight Support Hardware and Instrumentation**

The DARPA Small Sat program has already gone a long way toward developing lightweight satellite support technology, including guidance and control systems; on-board computers; inflatable solar arrays; and a common small-satellite bus. Lightweight support hardware is the way to get a high payload-to-total mass fraction, thus reducing the launch cost per payload pound. DARPA's goal is to push this fraction up to about 0.7, which will be spectacular if it is achieved.

The next step will be to develop lightweight instruments, which is a less well-developed technology thrust. We have looked at several proposals in this direction, including some Livermore-Los Alamos-Sandia concepts for radiometers, imaging IR spectrometers, and lidars and similar ideas for a Livermore Brilliant Eyes small-satellite constellation. For the most part, these and other concepts for lightweight sensors are serious and interesting, and well worth further investigation and selection of some for full-scale engi-

neering design. We have already mentioned that such concepts will also be important in the development of RPAs for global change research.

Current versions of instruments with similar functions, developed by NASA and NOAA, are heavy by comparison. As one example, the MODIS-N imaging IR spectrometer for NASA's EOS-A satellite, which is intended to measure ocean color and other surface properties, and cloud properties as well, weighs 200 kg, while newly proposed imaging spectrometers, designed mainly just for cloud properties, are supposed to be closer to 20 kg. While the NASA/NOAA instruments in most cases have a proven space-flight heritage that the new proposals do not, and there are reasons for the NASA/NOAA sizes and weights, there are no reasons we know of which one could use to dismiss easily the light-weight instrument concepts for scientific missions of great interest, and we urge support for their development. In this connection, one must avoid the trap of obsession with exceedingly small size and weight. The idea is to do one's reasonable best in meeting these goals, and to let the science objectives determine the overall satellite size. There is a lot of room between a Pegasus-class ( $\sim 200$  kg) payload and a Titan-IV or Shuttle payload ( $> 12,000$  kg).

### **1.3.3 Specific Small-Satellite Missions**

The specific small-satellite missions we propose, each tied to one element of the science scope defined in Section 1.2 are:

1. Earth Radiation Budget: Includes a radiometer in the NASA CERES class, plus a lightweight imaging IR spectrometer (generically, an IIRS).

CERES itself is not very heavy (80 kg), but requires a co-flying IIRS for cloud information to attain the desired accuracy of  $\leq 1\%$ , and then only when there are three such satellites in orbit at the same time. The need could be met by a small IIRS with spatial resolution of 1 km, which could weigh less than 30 kg (when scaled to 800 km altitude) according to designs we have seen, allowing a Pegasus-class payload. With accelerated funding for CERES, and development of a suitable lightweight IIRS (possibly within DOE), a mid-decade launch seems possible. This is an important mission for connecting with earlier ERBE data, for laying a baseline for later measurements, and particularly for overlapping with ARM and FIRE; and we urge that a constellation of three satellites be considered for the earliest possible start.

2. Global Humidity and Precipitation: A microwave nadir sounder and an IIRS optimized for this mission should fit in a 200 kg payload, and could measure surface temperature and column-integrated humidity, but would provide only  $\pm 50\%$  rainfall accuracy. Better measurement of precipitation requires a rain-radar such as the 400 kg instrument to be tested on aircraft for the tropical rainfall (TRMM) satellite scheduled for 1997, and also planned for the JEOS satellite. We believe small satellites have a future role to play here, building on what is learned during TRMM and providing sufficient coverage for complete tropical and possibly global precipitation, now one of the major unknowns in global science. The exact size of satellites for this mission depends upon progress in developing small radars.
3. Satellite Limb-Scanning: Includes an IR (and possibly also a microwave) limb sounder; an IIRS optimized for limb viewing; possibly solar/lunar occultation limb scanners, a solar irradiance monitor. Polarimetry



would be useful for aerosols.

We also discuss in the main text the possibilities for lightweight lidars and radars, including synthetic-aperture radars (SARs), which have many global-change applications.

## **1.4 A DARPA Joint Global Change/Surveillance Satellite**

DARPA requested JASON to come up with some concepts for such a satellite, and has proposed one of its own which we will discuss later. Before going into our concepts, we note that the spatial and spectral resolution requirements of passive sensors, and the power requirements for, e.g., lidars, are generally rather different for global change research and for surveillance. As an example, one might want spatial resolution as fine as 1 m for surveillance, while anything finer than 250 m or even 1 km is not needed for global change. Conversely, good spectral resolution ( $\Delta\lambda/\lambda \sim 10^{-2}$ ) and carefully-calibrated precision might be needed for science, but not for surveillance.

### **1.4.1 Visible/IR Cloud, Radiation, and Surveillance**

(This is the area in which DARPA has also made a proposal; ours was developed independently of theirs.) The main sensors are a visible CCD focal-plane array (FPA) with 30-cm optics aperture, capable of 1 m resolution from low-earth orbit (LEO); and an IR bolometer FPA of the type

described in Section 1.5 below, say of size  $512 \times 512$  and capable of  $\lesssim 100$   $\mu\text{rad}$  resolution. Adequate spectral resolving power for global change could be gotten with a circular variable filter or linear wedge filter, or even a Michelson interferometer if necessary. The IR FPA would be used as a multi-pixel array for high spatial resolution and low spectral resolution, but could be used as a single- (or few-) pixel detector for the converse conditions. The main aperture would scan to arrive at a desired swath coverage.

#### 1.4.2 Dual-Purpose Lidar

DARPA and ONR are working on a small-satellite-mounted Nd:YAG lidar, to be used for ocean-surface observation for a classified purpose. The needed lidar is quite powerful, and only runs on a 5% duty cycle (using solar arrays and batteries). ONR proposes to run the lidar at its fundamental wavelength of  $1.06 \mu\text{m}$  with a silicon CCD array, but it is probably just as good to double the laser, in part because of the much greater quantum efficiency of silicon at  $0.53 \mu\text{m}$ . The same lidar, run at  $\sim 0.1 \text{ mJ/pulse}$  at 40 Hz, with frequency-doubling and perhaps tripling, would be very useful in global change research for measuring cloud heights and structure; ice sheet height; and properties of atmospheric aerosols (cf. the NASA instrument SWIRLS, proposed for EOS-B). We propose, therefore, that the DARPA-ONR lidar be capable of dual-power operation, presumably by adjustment of the diode laser pumping power, and that it would then serve usefully its surveillance function as well as atmospheric and earth-sensing functions.

## 1.5 Role of DOD Science and Technology

Various DOD agencies and services, including DARPA, SDIO, the Army and Air Force, have an increasing interest in and commitment to both small-satellite technology and to sensors which might play a role in global change research. We have already mentioned a number of examples: the DARPA Small-Sat program, lidars, small SARS, IR FPAs. These last are being developed for the Army as tactical night-vision sensors, but have a good potential for use in global change research; they consist of large numbers of, e.g., vanadium-oxide bolometers some 50  $\mu\text{m}$  square on a silicon chip. Their detectivity and FPA uniformity are in a range of interest for climate research.

While small-satellite support hardware is of immediate use for global-change satellites, and is rather near-term technology for the most part, the requirements for DOD sensors are different from those used for global change. For example, DOD needs passive IR sensors for space use that look at small 300°K bodies in a few spectral bands against a space background or high limb, or at thrusting boosters; or for tactical (i.e., background-limited) night-vision sensors with good spatial resolution, low or no spectral resolution, with good but not exceptional (< 1%) pixel uniformity. There is some need for calibration, but not at the level (< 1%) needed for the radiation budget. (However, at least one spectrometer designed for space viewing with a circular variable filter has been calibrated to an absolute accuracy of  $\sim 2\%$  against a blackbody from 5 to 24  $\mu\text{m}$ .) As a result, there are no DOD instruments which can be directly used in global change research, with its emphasis on spectral resolving power and calibrated precision, and lack of interest in high spatial resolution. Nor, in fact, are many of the current DOD sensors made

to be especially small and light.

Nonetheless, there is much of value in current DOD sensor and small-satellite technology that can be transferred to the global-change community, and, as we have said, increasing interest in participating in the global-change mission through such vehicles as SERDP (Strategic Environmental Research and Development Program). Unfortunately, the past and current level of effort in this technology transfer is too small to be successful, and should be increased substantially, both on the part of DOD and non-DOD agencies. One still finds that the two sides misunderstand one another; for example, there is a certain resistance on the part of the NASA-oriented research community to the thought of multi-pixel (let alone full focal-plane) arrays, in part for reasons of unacceptable non-uniformity and need for individual pixel calibration, although multiple pixels (not necessarily a full FPA) are certainly very helpful in evaluating radiation measurements. On the other hand, for the DOD community to argue for full FPAs without meeting the requirements of pixel uniformity and precision would not be helpful. There is much room for fruitful compromise here, either with dual-use FPAs (see point 1.4 above), or with multi-pixel arrays that do not contain many thousands of detectors, each one of which must be individually calibrated, but perhaps only a few dozen.

## **1.6 Recommendations**

1. Lightweight instruments and support hardware may be essential for the successful use of RPAs and small satellites in global-change research. We recommend that both DOE and DARPA (see point 5 below) sup-

port programs in these areas, with near-term instrument emphasis on cloud and radiation sensors. Other DOD agencies can play vital roles and should be asked to participate at a significant level of effort. These are very appropriate projects for SERDP funding.

2. Development of RPAs and their instruments should be the first priority for augmenting the ARM program. It will also be necessary to construct a comprehensive measurement strategy for RPAs in ARM, including measurement accuracies needed, flight paths, implications for aircraft performance, mix of manned, unmanned aircraft and balloons, and the impact on the ARM plans for data management.
3. Aside from lightweight instruments, it will be necessary to participate in the evolutionary development of RPAs themselves. This includes using existing RPAs, such as Amber, if possible, for mid-altitude tests and missions, and using near-term high-altitude RPAs such as Perseus A for high altitude tests. DOE should participate in support of high-altitude long-endurance engine development, such as a two-stage turbocharged engine.
4. Small satellites are important adjuncts to ARM, and could be essential in carrying out near-term cloud and radiation studies of broader scope. We strongly urge that DOE participate (with other agencies) in fielding by the mid-nineties a fleet of at least three concurrent cloud and radiation satellites, carrying a radiometer (CERES or lightweight follow-on) and a lightweight IR imaging spectrometer. Some of the participating satellites can be already-planned flights with add-on instruments. The goal is to have the satellites in orbit during the ARM measurement period, and to shorten the gap between ERBE cloud/radiation studies and NASA programs of the next century.

5. We recommend that DARPA carry out an engineering and science design study of a small satellite for tactical surveillance, components of which might then be of use for a global change mission. If judged successful, this study should lead to joint DARPA support, with other agencies, of the necessary lightweight instrument and support hardware development. Any satellite launched under this program is likely to have its greatest impact if it is flown while ARM is operating, within the next decade.

*DISTRIBUTION LIST*

Director Ames Laboratory [2]  
Iowa State University  
Ames, IA 50011

Mr John M Bachkosky  
Deputy DDR&E  
The Pentagon  
Room 3E114  
Washington, DC 20301

Dr Joseph Ball  
Central Intelligence Agency  
Washington, DC 20505

Dr Peter M Banks  
Professor of Atmospheric  
Oceanic and Space Sciences  
College of Engineering/U of Michigan  
2401 EECS Building  
Ann Arbor, MI 48109-2116

Dr Arthur E Bisson  
DASWD (OASN/RD&A)  
The Pentagon  
Room 5C675  
Washington, DC 20350-1000

Mr Edward Brown  
Assistant Director  
Nuclear Monitoring Research Office  
DARPA  
3701 North Fairfax Drive  
Arlington, VA 22203

Dr Herbert L Buchanan III  
Director  
DARPA/DSO  
3701 North Fairfax Drive  
Arlington, VA 22203

Dr Curtis G Callan Jr  
Physics Department  
PO Box 708  
Princeton University  
Princeton, NJ 08544

Dr Ferdinand N Cirillo Jr  
Central Intelligence Agency  
Washington, DC 20505

Brig Gen Stephen P Condon  
Deputy Assistant Secretary  
Management Policy &  
Program Integration  
The Pentagon Room 4E969  
Washington, DC 20330-1000

Ambassador Henry F Cooper  
Director/SDIO-D  
Room 1E1081  
The Pentagon  
Washington, DC 20301-7100

Dr John M Cornwall  
Department of Physics  
University of California/Los Angeles  
Los Angeles, CA 90024

*DISTRIBUTION LIST*

DARPA  
RMO/Library  
3701 North Fairfax Drive  
Arlington, VA 22209-2308

Mr John Darrah  
Senior Scientist and Technical Advisor  
HQAF SPACOM/CN  
Peterson AFB, CO 80914-5001

Col Doc Dougherty  
DARPA/DIRO  
3701 North Fairfax Drive  
Arlington, VA 22203

DTIC [2]  
Defense Technical Information Center  
Cameron Station  
Alexandria, VA 22314

Professor Freeman J Dyson  
Institute for Advanced Study  
Olden Lane  
Princeton, NJ 08540

CAPT Kirk Evans  
Director Undersea Warfare  
Space & Naval Warfare Sys Cmd  
Code PD-80  
Department of the Navy  
Washington, DC 20363-5100

Dr Norval Fortson  
Department of Physics  
FM-15  
University of Washington  
Seattle, WA 98195

Mr F Don Freeburn  
US Department of Energy  
Code ER-33  
Mail Stop G-236  
Washington, DC 20585

Dr Dave Galas  
Associate Director for  
Health & Environmental Research  
ER-70/GTN  
US Department of Energy  
Washington, DC 20585

Dr S William Gouse  
Sr Vice President and General Manager  
The MITRE Corporation  
Mail Stop Z605  
7525 Colshire Drive  
McLean, VA 22102

LTGEN Robert D Hammond  
CMDR & Program Executive Officer  
US Army/CSSD-ZA  
Strategic Defense Command  
PO Box 15280  
Arlington, VA 22215-0150

Mr Thomas H Handel  
Office of Naval Intelligence  
The Pentagon  
Room 5D660  
Washington, DC 20350-2000



*DISTRIBUTION LIST*

Maj Gen Donald G Hard  
Director of Space and SDI Programs  
Code SAF/AQS  
The Pentagon  
Washington, DC 20330-1000

Dr Robert G Henderson  
Director  
JASON Program Office  
The MITRE Corporation  
7525 Colshire Drive Z561  
McLean, VA 22102

Dr Barry Horowitz  
President and Chief Executive Officer  
The MITRE Corporation  
Burlington Road  
Bedford, MA 01730

Dr William E Howard III [2]  
Director For Space  
and Strategic Technology  
Office/Assistant Secretary of the Army  
The Pentagon Room 3E474  
Washington, DC 20310-0103

Dr Gerald J Iafrate  
US Army Research Office  
PO Box 12211  
4300 South Miami Boulevard  
Research Triangle Park, NC 27709-2211

Technical Information Center [2]  
US Department of Energy  
PO Box 62  
Oak Ridge, TN 37830

JASON Library [5]  
The MITRE Corporation  
Mail Stop W002  
7525 Colshire Drive  
McLean, VA 22102

Dr George Jordy [25]  
Director for Program Analysis  
US Department of Energy  
MS ER30 Germantown  
OER  
Washington, DC 20585

Dr O'Dean P Judd  
Los Alamos National Lab  
Mail Stop A-110  
Los Alamos, NM 87545

Dr Steven E Koonin  
Kellogg Radiation Laboratory  
106-38  
California Institute of Technology  
Pasadena, CA 91125

Technical Librarian [2]  
Argonne National Laboratory  
9700 South Cass Avenue  
Chicago, IL 60439

Research Librarian [2]  
Brookhaven National Laboratory  
Upton, NY 11973

*DISTRIBUTION LIST*

Technical Librarian [2]  
Los Alamos National Laboratory  
PO Box 1663  
Los Alamos, NM 87545

Technical Librarian [2]  
Pacific Northwest Laboratory  
PO Box 999  
Battelle Boulevard  
Richland, WA 99352

Technical Librarian [2]  
Sandia National Laboratories  
PO Box 5800  
Albuquerque, NM 87185

Technical Librarian [2]  
Sandia National Laboratories  
PO Box 969  
Livermore, CA 94550

Technical Librarian [2]  
Lawrence Berkeley Laboratory  
One Cyclotron Road  
Berkeley, CA 94720

Technical Librarian [2]  
Lawrence Livermore Nat'l Lab  
PO Box 808  
Livermore, CA 94550

Technical Librarian [2]  
Oak Ridge National Laboratory  
Box X  
Oak Ridge, TN 37831

Chief Library Branch [2]  
AD-234.2 FORS  
US Department of Energy  
Washington, DC 20585

Dr Gordon J MacDonald  
Institute on Global Conflict  
& Cooperation  
UCSD/0518  
9500 Gilman Drive  
La Jolla, CA 92093-0518

Mr Robert Madden [2]  
Department of Defense  
National Security Agency  
Attn R-9 (Mr Madden)  
Ft George G Meade, MD 20755-6000

Dr Arthur F Manfredi Jr [10]  
OSWR  
Central Intelligence Agency  
Washington, DC 20505

Mr Joe Martin  
Director  
OUSD(A)/TWP/NW&M  
Room 3D1048  
The Pentagon  
Washington, DC 20301

*DISTRIBUTION LIST*

Dr Claire E Max  
Inst of Geophysics & Planetary Physics  
Lawrence Livermore Natl Lab  
L-413  
PO Box 808  
Livermore, CA 94550

Mr Ronald Murphy  
DARPA/ASTO  
3701 North Fairfax Drive  
Arlington, VA 22203-1714

Dr Julian C Nall  
Institute for Defense Analyses  
1801 North Beauregard Street  
Alexandria, VA 22311

Dr Gordon C Oehler  
Central Intelligence Agency  
Washington, DC 20505

Oak Ridge Operations Office  
Procurement and Contracts Division  
US Department of Energy  
(DOE IA No DE-AI05-90ER30174)  
PO Box 2001  
Oak Ridge, TN 37831-8757

Dr Peter G Pappas  
Chief Scientist  
US Army Strategic Defense Command  
PO Box 15280  
Arlington, VA 22215-0280

Dr Aristedes Patrinos [20]  
Director of Atmospheric  
& Climate Research  
ER-74/GTN  
US Department of Energy  
Washington, DC 20585

Dr Bruce Pierce  
USD(A)/D S  
Room 3D136  
The Pentagon  
Washington, DC 20301-3090

Mr John Rausch [2]  
Division Head 06 Department  
NAVOPINTCEN  
4301 Suitland Road  
Washington, DC 20390

Records Resources  
The MITRE Corporation  
Mailstop W115  
7525 Colshire Drive  
McLean, VA 22102

Dr Sally Ride  
UCSD  
California Space Institute  
9500 Gilman Drive  
La Jolla, CA 92093-0221

Dr Malvin A Ruderman  
Department of Physics  
Columbia University  
New York, NY 10027

*DISTRIBUTION LIST*

Dr Fred E Saalfeld  
Director  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

Dr John Schuster  
Technical Director of Submarine  
and SSBN Security Program  
Department of the Navy OP-02T  
The Pentagon Room 4D534  
Washington, DC 20350-2000

Dr Barbara Seiders  
Chief of Research  
Office of Chief Science Advisor  
Arms Control & Disarmament Agency  
320 21st Street NW  
Washington, DC 20451

Dr Philip A Selwyn [2]  
Director  
Office of Naval Technology  
Room 907  
800 North Quincy Street  
Arlington, VA 22217-5000

Superintendent  
CODE 1424  
Attn Documents Librarian  
Naval Postgraduate School  
Monterey, CA 93943

Dr Sam B Treiman  
Physics Department  
Princeton University  
Princeton, NJ 08540

Dr George W Ullrich [3]  
Deputy Director  
Defense Nuclear Agency  
6801 Telegraph Road  
Alexandria, VA 22310

Ms Michelle Van Cleave  
Asst Dir/National Security Affairs  
Office/Science and Technology Policy  
New Executive Office Building  
17th and Pennsylvania Avenue  
Washington, DC 20506

Dr John Fenwick Vesecky  
Dir Space Physics Res Lab  
University of Michigan  
1424A Space Research Bldg  
Ann Arbor, MI 48109-2143

Mr Richard Vitali  
Director of Corporate Laboratory  
US Army Laboratory Command  
2800 Powder Mill Road  
Adelphi, MD 20783-1145

Dr Robert M Westervelt  
Division of Applied Sciences  
Harvard University  
Cambridge, MA 02138

Dr Edward C Whitman  
Dep Assistant Secretary of the Navy  
C3I Electronic Warfare & Space  
Department of the Navy  
The Pentagon 4D745  
Washington, DC 20350-5000

*DISTRIBUTION LIST*

Mr Donald J. Yockey  
U/Secretary of Defense  
For Acquisition  
The Pentagon Room 3E933  
Washington, DC 20301-3000

Dr Fredrik Zachariasen  
California Institute of Technology  
452-48  
1201 East California Street  
Pasadena, CA 91125

Dr Linda Zall  
Central Intelligence Agency  
Washington, DC 20505

Mr Charles A Zraket  
Trustee  
The MITRE Corporation  
Mail Stop A130  
Burlington Road  
Bedford, MA 01730