

Comparability of Two Cognitive Performance Assessment Systems

By

Robert L. Stephens Biomedical Applications Research Division

and

Robert W. Verona Universal Energy Systems, Inc.



February 1992



Approved for public release; distribution unlimited.

92 4 14 059

United States Army Aeromedical Research Laboratory Fort Rucker, Alabama 36362-5292

<u>Notice</u>

<u>Qualified requesters</u>

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

Disposition

Destroy this document when it is no longer needed. Do not return it to the originator.

Disclaimer

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

Reviewed:

DENNIS F. SHANAHAN LTC, MC, MFS Acting Director, Biomedical Applications Research Division

ROGER W. WILEY, C. D., Ph.D. Chairman, Scientific Review Committee

Released for publication:

DAVID H. KARNEY Colonel, MC, SFS Commanding

SECURITY CLASSIFICATION OF THIS PAGE

.....

١

.

| REPORT DOCUMENTATION PAGE | | | | | Form Approved OME No. 0704-0188 | | | |
|--|--|------------------|-------------------|---|--|------------------|-------------------|----------------------------|
| 1a. REPORT Unclas | 1a. REPORT SECURITY CLASSIFICATION Unclassified | | | | 1b. RESTRICTIVE MARKINGS | | | |
| 2a. SECURIT 2b. DECLASS | 2a. SECURITY CLASSIFICATION AUTHORITY 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE | | | | 3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited | | | |
| 4. PERFORM USAARL | 4. PERFORMING ORGANIZATION REPORT NUMBER(S) USAARL Report No. 92-16 | | | 5. MONITORING ORGANIZATION REPORT NUMBER(S) | | | | |
| Ga. NAME O U.S. A Resear | F PERFORMING (rmy Aerome) ch Laborato | ORGAN dical | IZATION | 6b. OFFICE SYMBOL (If applicable) SGRD-UAB-CS | 7a. NAME OF MONITORING ORGANIZATION U.S. Army Medical Research and Development Command | | | |
| 6C ADDRESS P.O. B Fort R | (City, State, and ox 577 ucker, AL | 3636 | ide) 12-5292 | | 7b. ADDRESS(City, State, and ZIP Code) Fort Detrick Frederick, MD 21702-5012 | | | |
| 8a. NAME OI ORGANIZ | FUNDING/SPO ATION | NSORIN | IG | 8b. Office symbol (If applicable) | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER | | | |
| 8c. ADDRESS | (City, State, and | ZIP Cod | te) | | 10. SOURCE OF FUNDING NUMBERS | | | |
| | | | | | PROGRAM ELEMENT NO. | PROJECT NO. | TASK NO. | WORK UNIT ACCESSION NO. |
| 11. TITLE (Inc Compar 12. PERSONA | dude Security Clability of | assificat Two | tion) Cognitiv | e Performance A | ssessment Sys | tems (U) | | |
| Stepher | REPORT | I. a | nd Veron | a. Robert W. | | T /Maas Adarah / | | |
| Final | | | FROM | TO | 1992 Februa | ry | Jery) 15. | 83 |
| 16. SUPPLEM | ENTARY NOTATI | ON | | 18. SUBJECT TERMS (| Continue on reverse | if necessary and | identify l | by block number) |
| FIELD | GROUP | SUB | -GROUP | cognitive p | cognitive performance assessment, computers, | | | |
| 05 | | | | LCD, CRT di | splay | | | |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number) This study compared two computerized cognitive performance assessment systems: a typical laboratory desktop computer system and a ruggedized, hand-held field-portable system. Identical cognitive performance assessment software was installed on the two devices in order to determine whether differences in the hardware configurations of the two devices influenced measures of cognitive performance. Data were collected on 24 subjects over a period of 1 week during which subjects performed six cognitive tasks twice a day on each of the computer systems. Results indicated a high degree of sensitivity of the cognitive tests to day and session effects. Also, there were tasks in which the type of device used to present stimuli and record data influenced the results obtained. Differences between the two devices in terms of their display characteristics seem to account for the influences. 20. DISTRIBUTION / AVAILABILITY OF ABSTRACT 21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USERS 212. NAME OF RESPONSIBLE INDIVIDUAL 22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL 22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL 22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL | | | | | | | | |
| DD Form 147 | '3, JUN 86 | - 11 2 4 | | Previous editions are o | beolete. | SECURITY C | LASSIFICA | TION OF THIS PAGE |
| | | | | | - | Unc | lassi | fied |

.

.

This page intentionally left blank.

Table of contents

| ist of illustrations | 2 |
|------------------------------|---|
| ist of tables | 3 |
| cknowledgements | 6 |
| Introduction | 7 |
| Statement of the problem | 7 |
| Background | 7 |
| Military significance | 7 |
| Objective | 8 |
| lethod | 8 |
| Subjects | 8 |
| Apparatus | 9 |
| Procedure | 9 |
| Results1 | 1 |
|)iscussion and conclusions 6 | 1 |
| eferences | 6 |
| ppendix A | 7 |
| ppendix B 6 | 9 |
| ppendix C | 1 |
| ppendix D | 4 |
| ppendix E | 7 |
| .ppendix F | 1 |



List of illustrations

| 1. | Day by session interaction for transformed percent correct on the pattern comparison task | 13 |
|-----|--|----|
| 2. | Day by computer interaction for transformed percent correct on the pattern comparison task | 13 |
| 3. | Day main effect for transformed percent correct on the pattern comparison task | 15 |
| 4. | Day by session interaction for the mean reaction time for correct responses on the pattern comparison task | 15 |
| 5. | Day main effect for the mean reaction time for correct responses on the pattern comparison task | 17 |
| 6. | Day by session by computer interaction for throughput on the pattern comparison task | 17 |
| 7. | Day main effect for throughput on the pattern comparison task | 19 |
| 8. | Day by session interaction for transformed percent correct on the logical reasoning task | 19 |
| 9. | Day main effect for transformed percent correct on the logical reasoning task | 20 |
| 10. | Session by computer interaction for the mean reaction time for correct responses on the logical reasoning task | 20 |
| 11. | Day by session interaction for the mean reaction time for correct responses on the logical reasoning task | 21 |
| 12. | Day main effect for the mean reaction time for correct responses on the logical reasoning task | 21 |
| 13. | Day by session interaction for throughput on the logical reasoning task | 24 |
| 14. | Day by session by computer interaction for transformed percent correct on the serial addition/subtraction task | 24 |

List of illustrations (Continued)

.

| 15. | Day main effect for transformed percent correct on the serial addition/subtraction task |
|-----|--|
| 16. | Day by computer interaction for the mean reaction time for correct responses on the serial addition/subtraction task |
| 17. | Day by session interaction for the mean reaction time for correct responses on the serial addition/subtraction task |
| 18. | Day main effect for the mean reaction time for correct responses on the serial addition/subtraction task |
| 19. | Day main effect for throughput on the serial addition/subtraction task |
| 20. | Day by session interaction for transformed percent correct on the digit recall task |
| 21. | Day by computer interaction for transformed percent correct on the digit recall task |
| 22. | Session by computer interaction for transformed percent correct on the digit recall task |
| 23. | Day main effect for transformed percent correct on the digit recall task |
| 24. | Day by session by computer interaction for the mean reaction time for correct responses on the digit recall task |
| 25. | Day by session interaction for the mean reaction time for correct responses on the digit recall task |
| 26. | Day by computer interaction for the mean reaction time for correct responses on the digit recall task |
| 27. | Day main effect for the mean reaction time for correct responses on the digit recall task |
| 28. | Day by session by computer interaction for the mean reaction time for correct responses on the digit recall task |

List of illustrations (Continued)

| 29. | Day by computer interaction for the mean reaction time for correct responses on the digit recall task | 40 |
|-----|--|----|
| | | |
| 30. | Day main effect for the mean reaction time for correct responses on the digit recall task | 40 |
| 31. | Day by session interaction for transformed percent correct on the four-choice reaction time task | 44 |
| 32. | Day main effect for transformed percent correct on the four-choice reaction time task | 44 |
| 33. | Day by computer interaction for the mean reaction time for correct responses on the four-choice reaction time task | 45 |
| 34. | Day by session interaction for the mean reaction time for correct responses on the four-choice reaction time task | 45 |
| 35. | Day main effect for the mean reaction time for correct responses on the four-choice reaction time task | 47 |
| 36. | Day by session by computer interaction for throughput on the four-choice reaction time task | 47 |
| 37. | Day by computer interaction for throughput on the four-choice reaction time task | 48 |
| 38. | Day by session interaction for throughput on the four-choice reaction time task | 48 |
| 39. | Day main effect for throughput on the four-choice reaction time task | 53 |
| 40. | Day by session interaction for transformed percent correct on the six-letter search task | 53 |
| 41. | Day main effect for transformed percent correct on the six-letter search task | 55 |
| 42. | Day by session by computer interaction for the mean reaction time for correct responses on the six-letter search task | 55 |

List of illustrations (Continued)

| 43. | Day by computer interaction for the mean reaction time for correct responses on the six-letter search task | 57 |
|-----|--|----|
| 44. | Day by session interaction for the mean reaction time for correct responses on the six-letter search task | 57 |
| 45. | Day main effect for the mean reaction time for correct responses on the six-letter search task | 59 |
| 46. | Day by session interaction for throughput on the six-letter search task | 59 |
| 47. | Day by computer interaction for throughput on the six-letter search task | 60 |
| 48. | Day main effect for throughput on the six-letter search task | 60 |

<u>List of tables</u>

| 1. | Luminance | and contrast values for hand-held and | |
|----|-----------|---------------------------------------|----|
| | desktop | computer displays | 63 |

Acknowledgments

The authors would like to thank Ms. Jean Anderson for her dedicated assistance in conducting the study, analyzing the data, and preparing the report. Thanks to Mr. Clarence E. Rash for contributing his invaluable photometric expertise. Thanks also to Mr. Jim A. Chiaramonte, SPC4 Angelia Mattingly, 2LT Shawn Prickett, and PFC Hilda Pou for help in preparing the report. We also would like to thank all of the individuals who volunteered their time to participate in this investigation. Data collection and analysis were supported under Contract # DAMD17-86-C-6215.

Introduction

Statement of the problem

Current computer technology can provide the power and functionality of a desktop PC-compatible computer in a hand-held device which is capable of withstanding the harsh environments often encountered in military operational research settings. However, certain hardware characteristics have been modified to produce these devices. Liquid crystal displays (LCDs) have replaced the typical cathode ray tube (CRT) displays, and nonstandard keyboards have been employed. Furthermore, systems vary in the way they handle timing functions. All of these changes can potentially affect the stimulus or response characteristics of the cognitive performance tasks which are implemented on the different devices. Research is necessary to determine what effects, if any, these hardware differences will have on the stimulus presentation and subject response characteristics of performance assessment batteries (PABs) which are implemented on the different computer systems.

Background

In 1984, the U.S. Army Research and Development Command awarded a Small Business Innovative Research contract to a company called Information Management Group, Inc. of Melbourne, Florida (currently known as Paravant Computer Systems, Inc.) to develop a ruggedized hand-held computer for performance testing in operational settings. This effort, which has been documented previously (Caldwell and Young, 1990), resulted in the production of the RHC-88 hand-held, ruggedized, field-portable assessment system. For the system, Paravant also developed a C language version of the original Walter Reed PAB (Thorne et al., 1985) which is stored in programmable ROM on the device.

The Office for Military Performance Assessment Technology (OMPAT) has sought to standardize performance assessment methodologies throughout military research facilities. Their efforts have focused on the development of performance assessment software for desktop PC applications in laboratory settings. While significant progress has been made towards the standardization of laboratory performance assessment systems, standardization of field-portable assessment systems has not kept pace.

Military significance

U.S. Army personnel are required to operate in a variety of stressful environments. Since the effects of stress-inducing variables frequently require timely and accurate assessment,

proven standardized testing techniques are highly desirable. While much effort has been directed toward the development of computerized performance assessment batteries, most of these batteries have been adapted for administration on desktop computers. Such systems are useful in a controlled laboratory environment, but are not capable of withstanding the harsh environments often encountered when collecting data in field research settings.

The development of the RHC-88 hand-held computer provides a device well-suited to the task of performance data collection during field studies. The ruggedized design makes it capable of withstanding 1) the shock of a 4-foot drop onto concrete, 2) emersion in water up to 10 feet deep, and 3) environmental temperatures ranging from -27 degrees F to 145 degrees F. In brief, the device meets all the ruggedization specifications of Military Standard 810-D. Thus, subjects no longer have to be removed from their working environment for testing purposes.

Objective

The objective of the reported research project was to determine the comparability of two different computer systems used to administer the same cognitive performance assessment battery. Specifically, the subjects' performances were compared on selected subtests of the Walter Reed PAB (Thorne et al., 1985) as implemented on both a Zenith 248 PC-compatible desktop computer and a Paravant RHC-88 ruggedized hand-held computer. By having subjects perform the subtests on both systems, it was possible to determine if differences in the hardware characteristics of the two devices influenced subject performance. This information will help to establish the generalizability of results obtained in laboratory experiments to those obtained in field research environments.

Method

<u>Subjects</u>. Twenty-seven subjects were recruited for participation from the pool of soldiers on casual status at Fort Rucker. Each of these subjects was informed of all testing procedures and the general purpose of the study. They were informed that their participation was completely voluntary and that they could withdraw from the study at any time without penalty. After obtaining volunteer consent, each subject's vision was tested using an Armed Forces Vision Testing apparatus. All subjects had at least 20/20 near visual acuity (either corrected or uncorrected). Three subjects did not complete all sessions, and their data were not included in the analyses. The remaining 24 subjects were between the ages of 19 and 45 (mean = 25.8 years, s.d. = \pm 6 years).

Apparatus. The Walter Reed PAB software was installed on two different computer systems: 1) a Zenith 248 desktop computer and 2) a Paravant RHC-88 ruggedized hand-held computer. Four Zenith 248 PCs were equipped with 640 Kb of RAM storage, a 20 Mb hard disk drive, two 360 Kb floppy disk drives, an EGA graphics adapter, a Zenith color monitor, and a standard Zenith keyboard. Four Paravant RHC-88 ruggedized, PC-compatible, hand-held computers were equipped with 512 Kb of static RAM storage, 1 Mb of dynamic RAM storage, 384 Kb of user ROM storage, a highcontrast graphics LCD display, an RS-232 communications port, a real-time clock and calendar, and color-coded alphanumeric keys for response entry.

<u>Procedure</u>. The testing was conducted in a 15 X 15 foot room with sound attenuating dividers partitioning the subjects and devices from each other. The partitions precluded the subjects from viewing each other's computer screens and attenuated the keyboard noise. At each of the four Zenith testing stations, the computer was arranged on a two-level table with the 13 inch color monitor atop the computer console on the rear upper level and the keyboard on the forward lower level. The subject sat on a chair facing the monitor and wall. At each of the four Paravant testing stations, the subject sat on a chair with the computer in his lap facing the center partition with his back toward the wall to reduce the glare from the overhead lighting. The room lighting was provided by overhead fluorescent lamps with half of the normal bulbs removed to reduce the light level and improve the computer screen visibility.

Subjects were recruited for a 1-week period. When a subject first arrived at the laboratory, he was randomly assigned to one of the two orders of presentation (hand-held first or desktop first). Each subject received two sessions per day: one in the morning (0800) and one in the afternoon (1300). Each session consisted of one administration of the battery on each of the two systems. These administrations were separated by a 1-hour break. To minimize the effects of fatigue and boredom, subjects were allowed to watch television or recorded movies during the break. The selected subtests included a mood scale, a pattern comparison task, a logical reasoning task, a serial addition/subtraction task, a digit recall task, a four-choice reaction time task, and a six-letter search task.

The mood scale consisted of the sequential presentation of 36 adjectives which the subject was to rate on a 3-point scale according to how accurately each described his current mood. A 1 represented "not at all" like current mood and three represented "mostly or generally" like current mood. Ryman, Biersner, and Rocco (1974) developed the mood scale and performed a factor analysis which extracted six unique factors: "anger," "happiness," "fear," "depression," "activity," and "fatigue."

The pattern comparison task had a spatial memory component. It involved the presentation of a random pattern of asterisks displayed for 1.5 s and followed, after a 3.5-s retention interval, by a second pattern which was either the same or different. The subject decided as quickly as possible, and then entered either an "S" for "same" or a "D" for "different." The pattern consisted of 14 dots arranged in a matrix. On approximately half the trials, the pattern changed when three randomly selected dots exchanged horizontal positions while their vertical positions remained unchanged.

The logical reasoning task involved the simultaneous presentation of the letter pair "A B" or "B A" and a statement which correctly or incorrectly described the letter pair. The subject indicated as quickly as possible whether the statement was an accurate or inaccurate description of the letter pair by pressing either the "S" key or the "D" key, respectively.

In the serial addition/subtraction task, the subject viewed the sequential presentation of two single digit numbers and a "+" or a "-" sign. Following the presentation, the subject was prompted for a response by the presentation of a question mark. The subject's task was to perform the indicated computation and enter a response as quickly and as accurately as possible. If the result of the computation was less than 0, the subject was instructed to add 10 to the result and enter the sum. If the result was greater than 9, the subject was instructed to subtract 10 from the result and enter the difference. Thus, the required response was always an integer between 0 and 9, inclusive.

The digit recall task involved the presentation of nine random digits which were displayed in a row across the center of the screen for 1 s. After a 3 s blank retention interval, eight of the nine original digits were displayed again in a different order and the subject indicated as quickly as possible which of the original nine digits was missing by entering the missing digit on the keyboard.

The four-choice serial reaction time task involved the presentation of four boxes arranged in a square at the center of the screen. At random, one box was filled. The subject pressed the corresponding key on the keyboard as quickly as possible thereby initiating the next trial.

The six-letter search task involved the presentation of 6 target letters at the top of the screen, along with a search string of 20 letters in the middle of the screen. The subject's task was to determine as quickly and as accurately as possible whether all six target letters were present in the search string or not. If all six were present, in any order, the subject pressed the "S" key for "same." If any one of the six target letters was missing, the subject responded by pressing the "D" key for "different." Both strings changed with each trial.

The order of presentation of the two systems remained the same for each subject throughout the week of testing. Order of presentation of the two systems was counterbalanced across subjects. That is, during a session, half of the subjects received the desktop system during their first administration of the battery and the hand-held system during their second administration. The remaining subjects received the opposite order of presentation. Feedback regarding accuracy of performance was provided after each response during the first five sessions (i.e., through the Wednesday morning session). During the remaining sessions, feedback was eliminated.

<u>Results</u>

Initial screening of the data included graphs of the mean percent correct, mean reaction time for correct responses, mean speed, and mean throughput across subjects with associated standard deviations for each of the subtests used on both administrations of the Walter Reed PAB. Further, each subject's performance was compared to the average to determine the presence of outliers or spurious scores. Based on the results of the initial data screening, three variables were selected for further analysis: transformed percent correct [using the arcsine square root transformation (Winer, 1971)], reaction time (RT) for correct responses (s), and throughput (correct responses/min).

Initial screening of the data revealed an error in assignment of subjects to groups. The ratio of officers to enlisted was not equal for the two orders of presentation. Therefore, subsequent analyses were performed after combining the data from both groups. Furthermore, two software-related problems were not discovered until the data analysis had begun. First, the level of difficulty for the various sessions was not constant. Thus, while trials were identical across subjects for a particular session, the possibility of a confound between day order and level of difficulty exists. Second, no provision was made to equate the chance probability of a correct answer with the reciprocal of the number of possible responses. For example, providing the same response for all stimuli in a subtest that required either of two responses, "same" or "different," could yield from 10 percent to 90 percent correct instead of a balanced 50 percent chance for a correct answer.

Following initial screening, a series of separate univariate repeated-measures factorial analyses of variance (ANOVAs) was performed on the selected variables with day, session, and computer as the within-subjects factors. For tests in which the sphericity assumption was violated, degrees of freedom were corrected using the Greenhouse-Geisser epsilon value (Grieve, 1984). Significant interactions were examined using simple effects analyses and pairwise linear contrasts. Significant main effects also were examined using pairwise linear contrasts. Results for six of the seven tasks are presented below. Data from the mood questionnaire will not be discussed in this report.

Pattern comparison

The pattern comparison data were analyzed using transformed percent correct, reaction time for correct responses, and throughput as dependent variables. Complete data were available for all 24 subjects. The significance tables are listed in Appendix A.

<u>Transformed percent correct</u>. ANOVA for the transformed percent correct measure revealed significant interactions between day and session (F(4,92)=3.88, p=0.0059) and between day and computer (F(4,92)=5.62, p=0.0004). The day by session interaction is depicted in Figure 1, and the day by computer interaction is depicted in Figure 2. The day main effect was significant also (F(4,92)=3.03, p=0.0215).

Simple effects analysis for the day by session interaction revealed a statistically significant session simple effect (F(1,23)=24.49, p=0.0001) for Friday (i.e., Day 5). Performance decreased from morning (2.45) to afternoon (2.16) on Friday (Day 5). There also were significant day simple effects for both morning sessions (F(4,92)=3.28, p=0.0145), and afternoon sessions (F(4,92)=3.57, p=0.0094).

Contrasts for the day simple effect across morning sessions indicated accuracy increased significantly between Monday (Day 1) morning and Thursday (Day 4) morning. In addition, accuracy at the Tuesday (Day 2) morning session was lower than Wednesday (Day 3), Thursday (Day 4), and Friday (Day 5) morning sessions. None of the other contrasts were significant.

Contrasts for the day simple effect across afternoon sessions indicated accuracy for the Friday afternoon session (2.16) decreased significantly relative to Tuesday (2.39), Wednesday (2.44) and Thursday (2.38) afternoon sessions. None of the other contrasts were significant.

Simple effects analysis for the day by computer interaction revealed significant computer simple effects on Monday



Figure 1. Day by session interaction for transformed percent correct on the pattern comparison task.



Figure 2. Day by computer interaction for transformed percent correct on the pattern comparison task.

(F(1,23)=6.22, p=0.0203) and Thursday (F(1,23)=12.46, p=0.0018). Transformed percent correct scores were higher for the hand-held (2.38) than the desktop (2.20) on Monday while scores on the hand-held (2.26) were lower than the desktop (2.54) on Thursday. Transformed percent correct scores also differed significantly among days for the hand-held computer (F(4,92)=3.61, p=0.0088)and for the desktop computer (F(4,92)=5.02, p=0.0010).

•

Contrasts for the day simple effect for the hand-held computer showed statistically significant increases in accuracy from Tuesday (2.23) to Wednesday (2.51) while accuracy decreased from Wednesday to Thursday (2.26). None of the other contrasts were significant.

Contrasts for the day simple effect for the desktop computer showed significant increases in scores from Monday (2.20) to Tuesday (2.41), Wednesday (2.41) and Thursday (2.54). However, accuracy dropped significantly from Thursday (2.54) to Friday (2.29). None of the other contrasts were significant.

The day main effect is depicted in Figure 3. Contrasts for the day main effect showed statistically significant increases in transformed percent correct scores on Wednesday (2.46) relative to Monday (2.29) and Tuesday (2.32). However, accuracy decreased from Wednesday to Friday (2.30). None of the other contrasts were significant.

<u>Mean RT for correct responses</u>. ANOVA for the mean RT for correct responses revealed a significant interaction between day and session (F(2.86,65.82)=6.47, p=0.0008). Mean RTs on Monday decreased from morning (1.60 s) to afternoon (1.32 s), and on Tuesday RTs again decreased from morning (1.29 s) to afternoon (1.20 s), (F(1,23)=12.39, p=0.0018) and (F(1,23)=7.57, p=0.0114), respectively. See Figure 4.

Simple effects analysis revealed significant day simple effects for both morning sessions (F(2.37,54.42)=7.49, p=0.0007)and afternoon sessions (F(2.04,46.85)=3.99, p=0.0246). Contrasts showed reductions in mean RT from Monday morning (1.60 s) through Tuesday (1.29 s), Wednesday (1.21 s), and Thursday (1.37 s) mornings, to Friday (1.35 s) morning. RTs on Wednesday morning were faster than both Tuesday and Thursday morning RTs. Contrasts for the afternoon sessions indicated RTs on Monday afternoon (1.32 s) also were longer than on Tuesday afternoon (1.20 s). However, RTs Thursday afternoon (1.44 s) were longer than Tuesday, Wednesday (1.26 s), or Friday (1.30 s) afternoon RTs.

The day main effect was statistically significant (F(2.09,48.08)=5.86, p=0.0047). Contrasts indicated RTs on Monday (1.46 s) were longer than on Tuesday (1.24 s) and



Figure 3. Day main effect for transformed percent correct on the pattern comparison task.



Figure 4. Day by session interaction for the mean reaction time for correct responses on the pattern comparison task.

Wednesday (1.23 s). By Thursday, RTs increased (1.40 s) relative to Tuesday (1.24 s) and Wednesday (1.23 s), but dropped again on Friday (1.33 s). See Figure 5.

For the session main effect (F(1,23)=4.49, p=0.0450), the mean reaction time during the morning session was 1.36 s, and 1.30 s during the afternoon session. For the computer main effect (F(1,23)=16.01, p=0.0006), the mean RT for the hand-held computer was 1.41 s and 1.26 s for the desktop computer, an 11 percent reduction.

•

<u>Throughput</u>. The day by computer by session interaction was statistically significant for throughput on the pattern comparison task (F(3.06,70.33)=2.93, p=0.0385). These data are illustrated in Figure 6.

Simple effects analysis revealed a simple two-way interaction between session and computer on Wednesday (F(1,23)=5.18, p=0.0325) which was accounted for by a lower throughput for the hand-held (47.05) than the desktop (59.70) on Wednesday afternoon.

Also, the day by computer simple interaction for afternoon sessions was statistically significant (F(2.87,66.12)=2.81,p=0.0486). This was due to lower throughput values for the afternoon sessions on the hand-held than on the desktop on Monday (53.18 vs 46.40), Tuesday (50.63 vs 58.14), Wednesday (47.05 vs 59.70), and Friday (48.96 vs 55.32) afternoons. A statistically significant day simple effect for afternoon sessions on the desktop computer (F(2.71,62.33)=3.44, p=0.0258) also contributed to this simple interaction. Contrasts for this simple effect showed throughput on Monday (53.18) was lower than on Tuesday (58.14) or Wednesday (59.70). However, throughput dropped on Thursday afternoon (49.39) relative to Monday and Wednesday afternoons.

Finally, the day by session simple interaction for the handheld computer was significant (F(4,92)=3.61, p=0.0089). This interaction was accounted for by the increase in throughput from morning (41.25) to afternoon (46.40) on Monday, and by the significant differences in throughput among days for the handheld computer morning sessions (F(2.59,59.60)=5.81, p=0.0024). Contrasts for the hand-held computer morning sessions showed throughput on Tuesday (47.96) was significantly higher than Monday (41.25) and Thursday (44.39), while throughput on Wednesday (51.30) was significantly higher than Monday (41.25), Tuesday (47.96), Thursday (44.39), and Friday (46.56).

The statistically significant main effects included day (F(2.49,57.21)=3.94, p=0.0177), session (F(1,23)=5.74, p=0.0251), and computer (F(1,23)=28.08, p<0.0001). The mean throughput for



Figure 5. Day main effect for the mean reaction time for correct responses on the pattern comparison task.

Pattern Comparison



Figure 6. Day by session by computer interaction for throughput on the pattern comparison task.

each day is shown in Figure 7. Contrast analyses showed throughput increased from Monday (46.81 correct responses/min) to Tuesday (52.26) and Wednesday (53.29). Throughput on Thursday (48.47) was lower than Tuesday, Wednesday, or Friday (51.61). The mean throughput for all morning sessions was 49.34 correct responses/min and 51.63 for all afternoon sessions. The mean throughput for the hand-held computer was 47.20 correct responses/min and 53.77 for the desktop computer.

Logical reasoning

Complete data were available for all 24 subjects for the logical reasoning task. The significance tables are listed in Appendix B.

<u>Transformed percent correct</u>. The day by session interaction was the only significant interaction for the logical reasoning transformed percent correct variable (F(4,92)=2.81, p=0.0301). These data are presented in Figure 8. The day main effect, illustrated in Figure 9, also was statistically significant F(2.79, 64.22)=17.12, p<0.0001.

Simple effects analysis for the interaction revealed significant differences between the Monday morning (2.34) and afternoon (2.51) scores (F(1,23)=7.63, p=0.0111), and among the days for the morning (F(2.62,60.20)=16.35, p<0.0001) and afternoon (F(4,92)=7.52, p<0.0001) sessions. Contrasts for the day simple effect for the morning sessions showed that accuracy was significantly lower on Monday morning (2.34) than on Tuesday (2.64), Wednesday (2.70), Thursday (2.74) and Friday (2.71)mornings. For the afternoon sessions, accuracy again increased significantly on Wednesday (2.69), Thursday (2.73) and Friday (2.78) afternoons relative to Monday (2.51) afternoon. Finally, accuracy was lower on Tuesday afternoon (2.60) than on Thursday (2.73) and Friday (2.78) afternoons.

Contrasts for the day main effect indicated that, regardless of session or computer, accuracy on Monday (2.43) was significantly lower than on Tuesday (2.62), Wednesday (2.70), Thursday (2.74) or Friday (2.75). Furthermore, accuracy was lower on Tuesday (2.62) than on Wednesday (2.70), Thursday (2.74) and Friday (2.75).

Mean RT for correct responses. ANOVAs for the mean RT for correct responses on the logical reasoning task resulted in statistically significant session by computer (F(1,23)=9.09,p=0.0062) and day by session (F(4,92)=26.01, p<0.0001)interactions, and a significant day main effect (F(2.19,50.31)=16.09, p<0.0001). These effects are illustrated in Figures 10 through 12, respectively. In addition, the main







Figure 8. Day by session interaction for transformed percent correct on the logical reasoning task.



Figure 9. Day main effect for transformed percent correct on the logical reasoning task.



Figure 10. Session by computer interaction for the mean reaction time for correct responses on the logical reasoning task.



Figure 11. Day by session interaction for the mean reaction time for correct responses on the logical reasoning task.



Figure 12. Day main effect for the mean reaction time for correct responses on the logical reasoning task.

effects for session (F(1,23)=20.12, p=0.0002) and computer also (F(1,23)=13.23, p=0.0014) were statistically significant.

Simple effects analysis for the session by computer interaction revealed a computer simple effect for the morning sessions (F(1,23)=17.41, p=0.0004) due to the RTs for the handheld (3.55 s) being significantly longer than those for the desktop (3.29 s). There were also significant session simple effects for both the hand-held (F(1,23)=17.70, p=0.0003) and the desktop (F(1,23)=16.06, p=0.0006). For the hand-held, RTs for the morning session (3.55 s) were longer than the afternoon (3.19 s)s) session. For the desktop, RTs for the morning session (3.29 s)also were longer than the afternoon session (3.13 s).

Simple effects analysis for the day by session interaction (see Figure 11) revealed session simple effects on Monday (F(1,23)=32.96, p<0.0001), Tuesday (F(1,23)=5.91, p=0.0233), Wednesday (F(1,23)=28.81, p<0.0001), and Friday (F(1,23)=6.04, p=0.0220). On Monday, RTs were reduced from the morning session (4.46 s) to the afternoon session (3.32 s). On Tuesday, RTs again were longer in the morning (3.43 s) than in the afternoon (3.16 s). However, on Wednesday, RTs were shorter in the morning (2.94 s) than in the afternoon (3.30 s). By Friday, the pattern was restored to longer RTs in the morning (3.05 s) than in the afternoon (2.91 s).

The day simple effects also were significant for both the morning (F(1.59,36.64)=22.08, p<0.0001) and afternoon (F(2.79,64.27)= 6.33, p=0.0010) sessions. RTs were longer on Monday morning (4.46 s) relative to Tuesday (3.43 s), Wednesday (2.94 s), Thursday (3.23 s), and Friday (3.05 s) morning sessions. Tuesday morning (3.43 s) RTs also were longer than Wednesday (2.94 s) and Friday (3.05 s) morning sessions. Finally, Thursday morning RTs (3.23 s) were longer than Wednesday (2.94 s) and Friday (3.05 s) morning sessions. Finally, Thursday morning RTs (3.23 s) were longer than Wednesday (2.94 s) and Friday (3.05 s) morning sessions. For the afternoon sessions, RTs on Wednesday (3.30 s) were longer than Tuesday (3.16 s) or Thursday (3.12 s). Furthermore, RTs on Friday afternoon (2.91 s) were shorter than Monday (3.32 s), Tuesday (3.16 s), Wednesday (3.30 s), and Thursday (3.12 s) afternoon sessions.

Contrasts for the day main effect (see Figure 12) indicated that mean RT for correct responses was significantly longer on Monday (3.89 s) than on Tuesday (3.29 s), Wednesday (3.12 s), Thursday (3.17 s), or Friday (2.98 s). Likewise, RTs on Tuesday (3.29 s) were longer than on Wednesday (3.12 s) and Friday (2.98 s). Finally, RTs on Thursday (3.17 s) were longer than on Friday (2.98 s).

The session main effect resulted from a reduction in mean RT for all the morning sessions (3.42 s) relative to the afternoon mean RT (3.16 s). The computer main effect was due to longer RTs on the hand-held computer (3.37 s) than on the desktop computer (3.21 s).

<u>Throughput</u>. The logical reasoning throughput analysis was quite simple; the only statistically significant finding was a day by session interaction (F(1.28,29.37)=10.50, p=0.0016). These data are shown in Figure 13.

Simple effects analysis for the interaction yielded significant session simple effects on Monday (F(1,23)=50.88, p<0.0001), Tuesday (F(1,23)=6.54, p=0.0176), and Wednesday (F(1,23)=4.89, p=0.0372). On Monday, throughput was lower in the morning (15.60) than in the afternoon (20.30). On Tuesday again throughput was lower in the morning (21.83) than the afternoon (23.02). The pattern reversed on Wednesday where throughput in the morning was 23.93 correct responses/min, but dropped to 20.08 correct responses/min in the afternoon.

There also was a significant day simple effect for the morning sessions (F(1.20,27.56)=7.35, p=0.0084). Contrasts showed significantly lower throughput on Monday morning (15.60) relative to Tuesday (21.83), Wednesday (23.93), Thursday (20.39), and Friday (21.80) morning sessions. Throughput on Tuesday morning (21.83) also was lower than Wednesday (23.93) morning. Finally, throughput on Thursday (20.39) morning was lower than Wednesday (23.93) and Friday (21.80) mornings.

Serial addition/subtraction

All subjects completed all sessions for the serial addition/ subtraction task. Thus, analyses were based on data from all 24 subjects.

<u>Transformed percent correct</u>. ANOVA for the transformed percent correct measure revealed a three-way interaction between day, session, and computer (F(4,92)=4.13, p=0.0040). There also were significant main effects for day (F(4,92)=4.75, p=0.0016)and session (F(1,23)=6.56, p=0.0174). The three-way interaction is depicted in Figure 14 while the day main effect is depicted in Figure 15.

Simple effects analysis for the day by session by computer interaction detected simple two-way interactions between session and computer on Tuesday (F(1,23)=11.56, p=0.0025), and between day and session for the hand-held computer (F(2.57,59.16)=3.49, p=0.0268).

The session by computer simple interaction on Tuesday resulted from a computer simple effect for the afternoon session on Tuesday (F(1,23)=4.91, p=0.0369) and a session simple effect



•

Figure 13. Day by session interaction for throughput on the logical reasoning task.



Figure 14. Day by session by computer interaction for transformed percent correct on the serial addition/subtraction task.

on Tuesday for the desktop computer (F(1,23)=7.49, p=0.0117). The computer simple effect for the Tuesday afternoon session reflected greater accuracy on the hand-held computer (2.75) than on the desktop computer (2.51). The session simple effect on Tuesday for the desktop was accounted for by a reduction in accuracy from the morning session (2.83) to the afternoon session (2.51).

The day by session simple interaction for the hand-held computer was accounted for by a session simple effect on Monday for the hand-held computer (F(1,23)=6.47, p=0.0182) and a day simple effect for afternoon sessions on the hand-held (F(3.21,73.80)=3.65, p=0.0143). The session simple effect on Monday for the hand-held computer resulted from a decrease in accuracy from the morning session (2.79) to the afternoon session (2.50).

Contrasts for the day simple effect across afternoon sessions on the hand-held computer indicated that accuracy increased significantly on Wednesday afternoon (2.83) and Friday afternoon (2.80) relative to Monday afternoon (2.50). In addition, accuracy on the hand-held decreased on Thursday afternoon (2.65) relative to Wednesday afternoon. None of the other contrasts were significant (Appendix C).

Contrasts for the day main effect (see Figure 15) indicated that, regardless of session or computer, accuracy increased from Monday (2.68) to Wednesday (2.84). Accuracy dropped significantly on Thursday (2.66) relative to Wednesday's performance, but was significantly higher on Friday (2.84) relative to Monday's performance. Accuracy on Friday was significantly better than on Thursday. Accuracy on Tuesday (2.69) was lower than on Wednesday and Friday. None of the other contrasts were significant (Appendix C).

The session main effect indicated that accuracy decreased from morning sessions to afternoon sessions. Collapsing across day and computer, accuracy dropped from a morning session average of 2.79 to an afternoon session average of 2.70.

<u>RT for correct responses</u>. ANOVA for the mean RT for correct responses revealed two-way interactions between day and computer (F(2.56,58.93)=3.84, p=0.0185) and between day and session (F(2.57,59.04)=4.14, p=0.0135). In addition, there was a main effect for day (F(2.29,70.33)=9.87, p=0.0001). Figure 16 depicts the day by computer interaction, Figure 17 depicts the day by session interaction, and Figure 18 depicts the day main effect.

Simple effects analysis for the day by computer interaction detected a computer simple effect on Monday (F(1,23)=5.81, p=0.0243) and day simple effects for both the hand-held

Serial addition/subtraction

٩







Figure 16. Day by computer interaction for the mean reaction time for correct responses on the serial addition/subtraction task.

26

(F(2.30,52.92)=4.76, p=0.0096) and the desktop (F(2.16,49.65)=10.02, p=0.0002). The computer simple effect on Monday resulted from longer RTs for correct responses on the desktop (1.11 s) relative to the hand-held (0.83 s).

Contrasts for the day simple effect for the hand-held indicated that RTs for correct responses were significantly longer on Monday (0.83 s) than on Tuesday (0.71 s), Wednesday (0.61 s), and Friday (0.62 s). On Thursday, RTs for correct responses were longer (0.90 s) than either Wednesday or Friday. None of the other contrasts were significant (Appendix C).

Contrasts for the day simple effect for the desktop indicated that RTs for correct responses on Monday (1.11 s) were significantly longer than on Tuesday (0.80 s), Wednesday (0.58 s), Thursday (0.79 s), or Friday (0.65 s). RTs for correct responses on Wednesday were shorter than on either Tuesday or Thursday. Additionally, RTs on Thursday were significantly longer than on Friday. None of the other contrasts were significant (Appendix C).

Simple effects analysis for the day by session interaction (Figure 17) detected session simple effects on Tuesday (F(1,23)=10.35, p=0.0038) and on Thursday (F(1,23)=4.43, p=0.0464). On Tuesday, this was due to a decrease in RTs for correct responses from the morning session (0.84 s) to the afternoon session (0.67 s). On Thursday, the simple effect resulted from an increase in RTs from the morning session (0.74 s) to the afternoon session (0.95 s). In addition to the session simple effects, there were day simple effects for both the morning sessions (F(2.16, 49.63)=7.70, p=0.0009) and the afternoon sessions (F(1.99,45.87)=8.10, p=0.0010).

Contrasts for the day simple effect across morning sessions indicated that mean RTs for correct responses were significantly longer at the Monday morning session (0.94 s) than at the Wednesday (0.59 s), Thursday (0.74 s), or Friday (0.66 s) morning sessions. RTs on Tuesday morning (0.84 s) also were longer than on Wednesday or Friday morning, while RTs on Thursday morning increased significantly relative to Wednesday morning.

Contrasts for the day simple effect across afternoon sessions indicated that mean RTs for correct responses decreased significantly from Monday afternoon (1.00 s) through Tuesday (0.67 s) and Wednesday (0.61 s) afternoons, to Friday (0.60 s) afternoon. RTs on Thursday afternoon (0.95 s) were significantly longer than on Tuesday, Wednesday, or Friday. None of the other contrasts were significant (Appendix C).

Contrasts for the day main effect (Figure 18) revealed essentially the same pattern of results. Mean RTs for correct







Figure 18. Day main effect for the mean reaction time for correct responses on the serial addition/subtraction task.

responses on Monday (0.97 s), disregarding session and computer, were longer than on Tuesday (0.75 s), Wednesday (0.60 s), or Friday (0.63 s). RTs on Tuesday also were longer than on Wednesday or Friday. RTs on Thursday were higher relative to both Wednesday and Friday. None of the other contrasts were significant (Appendix C).

<u>Throughput</u>. ANOVA for the throughput measure revealed a significant day main effect (F(2.02,46.49)=10.18, p=0.0002) which is depicted in Figure 19. None of the other effects were significant.

Contrasts for the day main effect indicated that, regardless of session or computer, the number of correct responses/min was significantly lower on Monday (108.15 correct responses/min) than on Tuesday (144.03 correct responses/min), Wednesday (191.23 correct responses/min), Thursday (139.25 correct responses/min), or Friday (175.78 correct responses/min). On Tuesday, throughput was lower than on Wednesday or Friday; and again on Thursday, throughput was lower than on Wednesday or Friday.

Digit recall

One subject's digit recall data were lost due to equipment malfunction. Thus, analyses were performed on the remaining 23 subjects' data.

<u>Transformed percent correct</u>. Analysis of variance for the transformed percent correct measure on the digit recall task revealed significant interactions between day and session (F(4,88)=4.21, p=0.0036), between day and computer (F(4,88)=5.06, p=0.0010), and between session and computer (F(1,22)=7.38, p=0.0126). These interactions are depicted in Figures 20 through 22, respectively. Analysis of variance also revealed a day main effect for transformed percent correct (F(4,88)=10.39, p<0.0001). The main effect is depicted in Figure 23.

Simple effects analysis for the day by session interaction indicated that accuracy increased from the morning session (1.72)to the afternoon session (2.03) on Monday (F(1,22)=12.11,p=0.0021). Performance did not vary significantly from morning to afternoon on subsequent days. In addition, there was a significant day simple effect at the morning sessions (F(2.87, 63.23)=14.93, p<0.0001).

Contrasts for the day at morning effect indicated that Monday morning accuracy (1.72) was significantly worse than accuracy at the Wednesday (2.12), Thursday (2.03), and Friday (2.22) morning sessions. Also, Tuesday morning accuracy (1.89) was significantly worse than accuracy at the Wednesday, Thursday, and Friday morning sessions. Finally, accuracy on Thursday



Figure 19. Day main effect for throughput on the serial addition/subtraction task.



Figure 20. Day by session interaction for transformed percent correct on the digit recall.

٦



Figure 21. Day by computer interaction for transformed percent correct on the digit recall task.



Figure 22. Session by computer interaction for transformed percent correct on the digit recall task.



Γ

Figure 23. Day main effect for transformed percent correct on the digit recall task.



Figure 24. Day by session by computer interaction for the mean reaction time for correct responses on the digit recall task.

33


Figure 25. Day by session interaction for the mean reaction time for correct responses on the digit recall task.



Figure 26. Day by computer interaction for the mean reaction time for correct responses on the digit recall task.

Simple effects analysis for the three-way interaction revealed simple two-way interactions between session and computer at Monday (F(1,22)=5.31, p=0.0310), at Tuesday (F(1,22)=5.16, p=0.0333), and at Thursday (F(1,22)=5.02, p=0.0354). There were simple two-way interactions between day and computer at the morning session (F(2.43,53.57)=6.23, p=0.0021) and at the afternoon session (F(4,88)=3.59, p=0.0093). Furthermore, there were significant day by session simple interactions for the handheld computer (F(2.52,55.55)=3.67, p=0.0232) and for the desktop computer (F(4,88)=3.62, p=0.0088).

The session by computer simple interaction at Monday was due, in part, to a computer simple effect at the Monday morning session (F(1,22)=4.90, p=0.0375) where longer RTs were produced on the desktop (4.03 s) than on the hand-held (3.24 s). There also was a session simple effect on Monday for the desktop (F(1,22)=9.65, p=0.0051) indicating a reduction in response time from the morning session to the afternoon session (3.13 s).

The session by computer simple interaction at Tuesday resulted from a computer simple effect at the Tuesday morning session (F(1,22)=24.12, p=0.0001) and a session simple effect on Tuesday for the hand-held (F(1,22)=4.61, p=0.0430). However, in contrast to Monday's results, RTs on the hand-held (4.09 s) were longer than those on the desktop (3.21 s) at the Tuesday morning session. The session simple effect for the hand-held on Tuesday resulted from a reduction in response time from the morning session to the afternoon session (3.51 s).

The session by computer simple interaction on Thursday resulted from a computer simple effect only at the Thursday afternoon session (F(1,22)=5.97, p=0.0230). RTs for correct responses on the hand-held computer (4.35 s) were longer than those on the desktop (3.71 s) at this session.

The day by computer simple interaction at the morning session resulted from day simple effects across morning sessions for the hand-held (F(2.79,61.46)=3.84, p=0.0157) and the desktop (F(2.86,62.83)=3.27, p=0.0289). Also contributing to this simple interaction were the differences between computers at the Monday and Tuesday morning sessions mentioned above.

Contrasts for the day simple effect for hand-held computer morning sessions indicated RTs for the Monday morning session (3.24 s) were shorter than those for the Tuesday (4.09 s), Thursday (3.99 s), and Friday (3.69 s) morning sessions. Also, RTs at the Wednesday morning session (3.43 s) were significantly faster than those at the Tuesday morning and Thursday morning sessions. Contrasts for the day simple effect for desktop computer morning sessions indicated that mean RTs on Monday morning (4.03 s) were slower than mean RTs on Tuesday morning (3.21 s). Also, on Thursday morning (4.20 s), RTs increased significantly over Tuesday and Wednesday morning (3.63 s) sessions. None of the other contrasts were significant.

The day by computer simple interaction at the afternoon session resulted from day simple effects across the afternoon sessions for both the hand-held (F(4,88)=5.90, p=0.0003) and the desktop (F(4,88)=4.45, p=0.0026). In addition, there were computer simple effects at both the Thursday afternoon session (F(1,22)=5.97, p=0.0230) and Friday afternoon session (F(1,22)=6.03, p=0.0224). As mentioned above, on Thursday afternoon RTs for correct responses on the hand-held computer were longer than on the desktop.On Friday afternoon, the pattern reversed such that RTs on the hand-held (3.24 s) were shorter than on the desktop (3.69 s).

Contrasts for the day simple effect for the hand-held computer afternoon sessions indicated that RTs increased significantly from Monday afternoon (3.15 s) to both Wednesday (3.71 s) and Thursday afternoon (4.35 s). RTs at the Thursday afternoon session also were significantly longer than RTs for the Tuesday afternoon session (3.51 s). By Friday, RTs had decreased to the point that the mean RT for the Friday afternoon session (3.24 s) was shorter than the mean RTs for the Wednesday and Thursday afternoon sessions (see Appendix D for contrasts).

Contrasts for the day simple effect for the desktop computer afternoon sessions indicated that RTs for correct responses increased significantly from 3.13 s on Monday afternoon to 3.73 s on Wednesday afternoon, and were still longer on Thursday afternoon (3.71 s) and Friday afternoon (3.69 s). Tuesday afternoon RTs (3.30 s) were significantly shorter than Wednesday and Thursday afternoon RTs. None of the other contrasts were significant (see Appendix D).

The day by session simple interaction for the hand-held computer was accounted for by session simple effects for the hand-held on Tuesday (F(1,22)=4.61, p=0.0430) and Friday (F(1,22)=5.26, p=0.0318). On Tuesday, mean RT for correct responses dropped from 4.09 s at the morning session to 3.51 s at the afternoon session. On Friday, mean RT for correct responses dropped from 3.69 s at the morning session to 3.24 s at the afternoon session. In addition, there were day simple effects across both morning and afternoon sessions for the hand-held which were discussed above.

The day by session simple interaction for the desktop resulted, in part, from a session simple effect on Monday for the desktop, and from day simple effects across both the morning and afternoon sessions. Again, contrasts for these effects were discussed above. Simple effects analysis for the day by session interaction (Figure 25) revealed a session simple effect on Monday (F(1,22)=8.15, p=0.0092) and a day simple effect for the afternoon session (F(4,88)=6.63, p=0.0001). The Monday session simple effect was indicative of a reduction in mean RT from the morning session (3.64 s) to the afternoon session (3.14 s).

Contrasts for the day simple effect for afternoon sessions indicated a significant increase in mean RT for correct responses from Monday (3.14 s) to both Wednesday (3.72 s) and Thursday (4.03 s). Mean RT for the Tuesday afternoon session (3.41 s) also was shorter than the Thursday afternoon session. However, by Friday afternoon, mean RT had dropped significantly (3.46 s) relative to Thursday afternoon.

The day by computer interaction (Figure 26) resulted from a computer simple effect on Tuesday (F(1,22)=26.48, p<0.0001) and day simple effects for both the hand-held system (F(2.73,59.96)=5.58, p=0.0026) and the desktop system (F(4,88)=3.57, p=0.0095). The computer simple effect on Tuesday indicated significantly longer RTs for correct responses on the hand-held (3.80 s) relative to the desktop (3.26 s).

Contrasts for the day simple effect for the hand-held revealed a significant increase in RTs for correct responses on Tuesday (3.80 s), Wednesday (3.57 s), and Thursday (4.17 s) relative to Monday's performance (3.20 s). Thursday's RTs were also significantly longer than both Wednesday's and Friday's (3.46 s). None of the other contrasts were significant (see Appendix D).

Contrasts for the day simple effect for the desktop revealed a different pattern. Mean RTs for correct responses on Tuesday (3.26 s) were significantly shorter than on Wednesday (3.68 s), Thursday (3.96 s), or Friday (3.68 s). None of the other contrasts were significant.

Finally, contrasts for the day main effect (Figure 27) indicated that, regardless of the session or the computer, RTs for correct responses on Thursday were significantly longer (4.06 s) than on Monday (3.39 s), Tuesday (3.53 s), Wednesday (3.62 s), or Friday (3.57 s). None of the other contrasts were significant (Appendix D). The session main effect was accounted for by a reduction in RTs for correct responses from morning (3.72 s) to afternoon (3.55 s), regardless of day or computer.

<u>Throughput</u>. ANOVA for throughput (number of correct responses/min) revealed a three-way interaction (see Figure 28) between day, session, and computer (F(4,88)=3.86, p=0.0062). Also, the two-way interaction between day and computer (F(2.59,57.06)=3.85, p=0.0181), the main effect for day







Figure 28. Day by session by computer interaction for the mean reaction time for correct responses on the digit recall task.

(F(2.84,62.56)=3.50, p=0.0225), and the main effect for session (F(1,22)=8.74, p=0.0073) reached significance. Figure 29 depicts the two-way interaction while Figure 30 shows the day main effect.

Simple effects analysis for the three-way interaction revealed simple two-way interactions between session and computer on Monday (F(1,22)=7.47, p=0.0122) and Tuesday (F(1,22)=4.79, p=0.0396), between day and computer at the morning session (F(4,88)=6.05, p=0.0002), and between day and session for the hand-held computer (F(4,88)=4.34, p=0.0030).

The session by computer simple interaction on Monday was accounted for by a computer simple effect for the Monday morning session (F(1,22)=5.49, p=0.0286) and a session simple effect on Monday for the desktop computer (F(1,22)=9.49, p=0.0055). The number of correct responses/min at the Monday morning session was greater on the hand-held (19.99 correct responses/min) than on the desktop (17.03 correct responses/min). For the desktop system, throughput increased significantly from the Monday morning session to the Monday afternoon session (20.67 correct responses/min).

The session by computer simple interaction on Tuesday was accounted for by a computer simple effect for the Tuesday morning session (F(1,22)=20.84, p=0.0002) and a session simple effect on Tuesday for the hand-held computer (F(1,22)=5.34, p=0.0306). The number of correct responses/min at the Tuesday morning session was greater on the desktop (20.09 correct responses/min) than on the hand-held (16.42 correct responses/min). For the hand-held system, throughput increased significantly from the Tuesday morning session to the Tuesday afternoon session (19.09 correct responses/min).

The day by computer simple interaction for the morning sessions resulted, in part, from the computer simple effects at the Monday morning and Tuesday morning sessions described above. Furthermore, there were day simple effects across the morning sessions for both the hand-held (F(4,88)=3.60, p=0.0092) and the desktop (F(4,88)=2.64, p=0.0390).

Contrasts for the day simple effect across morning sessions for the hand-held indicated throughput decreased significantly from Monday morning (19.99 correct responses/min) to Tuesday morning (16.42 correct responses/min), and remained significantly lower on Thursday morning (16.85 correct responses/min) and Friday morning (17.66 correct responses/min) relative to the Monday morning session. Wednesday morning (18.91 correct responses/min) throughput on the hand-held was significantly higher than either Tuesday morning or Thursday morning. None of the other contrasts were significant (Appendix D).







Figure 30. Day main effect for the mean reaction time for correct responses on the digit recall task.

40

Contrasts for the day simple effect across morning sessions for the desktop indicated throughput increased significantly from Monday morning (17.03 correct responses/min) to Tuesday morning (20.09 correct responses/min). By Thursday morning (16.50 correct responses/min) throughput on the desktop had dropped until it was significantly lower than either Tuesday morning or Wednesday morning (18.26 correct responses/min). None of the other contrasts were significant (Appendix D).

The day by session simple interaction for the hand-held computer resulted, in part, from a session simple effect on Tuesday for the hand-held and a day simple effect at the morning session for the hand-held, both of which were discussed previously. In addition, there was a session simple effect on Friday for the hand-held (F(1,22)=7.62, p=0.0114) which was due to an increase in throughput from the morning session (17.66 correct responses/min) to the afternoon session (20.16 correct responses/min); and there was a day simple effect on the handheld computer at the afternoon session (F(4,88)=5.15, p=0.0009).

Contrasts for the day simple effect on the hand-held computer across afternoon sessions indicated throughput was highest at the Monday afternoon session (20.38 correct responses/min) and dropped significantly on the Wednesday afternoon (17.71 correct responses/min) and Thursday afternoon (16.05 correct responses/min) sessions. Thursday afternoon performance on the hand-held also was worse than Tuesday afternoon (19.09 correct responses/min). On Friday afternoon, throughput increased significantly (20.16 correct responses/min) over both Wednesday afternoon and Thursday afternoon. None of the other contrasts were significant (Appendix D).

Simple effects analysis for the day by computer interaction (Figure 29) revealed a computer simple effect on Tuesday (F(1,22)=17.78, p=0.0004), a day simple effect for the hand-held computer (F(4,88)=4.42, p=0.0027), and a day simple effect for the desktop computer (F(4,88)=2.53, p=0.0459). The computer simple effect on Tuesday was due to a larger throughput value for the desktop system (19.85 correct responses/min) than the hand-held system (17.76 correct responses/min).

Contrasts for the day simple effect for the hand-held indicated that throughput on Monday (20.18 correct responses/min) was higher than both Tuesday (17.76 correct responses/min) and Thursday (16.45 correct responses/min). On Thursday, throughput also was lower than Wednesday (18.31 correct responses/min) and Friday (18.91 correct responses/min). None of the other contrasts were significant (Appendix D).

Contrasts for the day simple effect for the desktop showed a different pattern of results. For the desktop, throughput was

significantly higher on Tuesday (19.85 correct responses/min) than on Wednesday (18.26 correct responses/min) or Thursday (17.38 correct responses/min). None of the other contrasts were significant (Appendix D).

Contrasts for the day main effect from the ANOVA indicated that, disregarding session and computer, throughput was significantly lower on Thursday than on any of the other days (Figure 30). None of the other contrasts were significant (Appendix D). The session main effect was accounted for by an increase in throughput from the morning sessions (17.98 correct responses/min) to the afternoon sessions (18.88 correct responses/min).

1

Four-choice RT

One subject's data for the four-choice RT task were lost due to equipment malfunction. Thus, analyses were performed on the remaining 23 subjects' data.

<u>Transformed percent correct</u>. ANOVA for the transformed percent correct measure revealed a two-way interaction between day and session (F(2.81,61.73)=2.80, p=0.0505) and a main effect for day (F(2.30,50.51)=4.86, p=0.0089). These effects are depicted in Figures 31 and 32, respectively.

Simple effects analysis for the day by session interaction detected significant session simple effects for Wednesday (F(1,22)=18.49, p=0.0003) and Thursday (F(1,22)=6.18, p=0.0210). The analysis also detected day simple effects for the morning (F(2.25, 49.41)=3.05, p=0.0508) and afternoon (F(2.58,56.77)=5.86, p=0.0024) sessions.

The session simple effect on Wednesday resulted from an increase in accuracy from the morning session (2.91) to the afternoon session (3.03). The session simple effect on Thursday again was due to an increase in accuracy from morning (2.96) to afternoon (3.03).

Contrasts for the day simple effect for the morning sessions indicated that accuracy on Monday morning (2.80) was lower than Tuesday morning (2.94), Thursday morning (2.96), and Friday morning (2.96). None of the other contrasts were significant (Appendix E).

Contrasts for the day simple effect for the afternoon sessions indicated that accuracy on Monday afternoon (2.87) was lower than Wednesday afternoon (3.03) and Thursday afternoon (3.03). Accuracy on Tuesday afternoon (2.91) also was lower than Wednesday and Thursday afternoons. On Friday afternoon (2.92), however, accuracy dropped significantly relative to Wednesday and Thursday. None of the other contrasts were significant (Appendix E).

Finally, contrasts for the day main effect (Figure 32) indicated that, regardless of session or computer, accuracy on Monday (2.83) was significantly lower than Tuesday (2.93), Wednesday (2.97), and Thursday (2.99). Accuracy on Thursday also was higher than on Tuesday and Friday (2.94). None of the other contrasts were significant (Appendix E).

<u>RT for correct responses</u>. ANOVA for the mean RT for correct responses revealed two-way interactions between day and computer (F(1.69,37.19)=4.24, p=0.0274) and between day and session (F(1.79,39.46)=27.04, p<0.0001). These interactions are depicted in Figures 33 and 34, respectively. There were also significant main effects for day (F(1.56,34.36)=41.24, p<0.0001), session (F(1,22)=10.10, p=0.0043), and computer (F(1,22)=7.02, p=0.0146). Figure 35 depicts the day main effect.

Simple effects analysis for the day by computer interaction detected computer simple effects for Tuesday (F(1,22)=54.40, p<0.0001) and Wednesday (F(1,22)=8.78, p=0.0072). On Tuesday, RTs for correct responses were shorter on the desktop system (0.45 s) than on the hand-held system (0.51 s). On Wednesday, RTs for correct responses again were shorter on the desktop (0.47 s) than on the hand-held (0.51 s). While this tendency continued for the rest of the week, the differences were not significant. Also there were simple effects for day on both the hand-held (F(2.10,46.10)=27.59, p<0.0001) and the desktop (F(1.39,30.53)=28.42, p<0.0001).

Contrasts for the day simple effect on the hand-held indicated that RTs for correct responses on Monday (0.60 s) were significantly longer than Tuesday (0.51 s), Wednesday (0.51 s), Thursday (0.51 s), and Friday (0.48 s). Furthermore, Friday RTs on the hand-held were significantly faster than Tuesday, Wednesday, and Thursday. None of the other contrasts were significant (Appendix E).

Contrasts for the day simple effect on the desktop indicated that, again, RTs for correct responses were significantly longer on Monday (0.60 s) than on Tuesday (0.45 s), Wednesday (0.47 s), Thursday (0.49 s), or Friday (0.46 s). On Tuesday, RTs were shorter than on Wednesday or Thursday. In addition, RTs on Thursday were significantly longer than Wednesday and Friday. None of the other contrasts were significant (Appendix E).

Simple effects analysis for the day by session interaction (Figure 34) detected significant session simple effects on Monday (F(1,22)=33.13, p<0.0001), Tuesday (F(1,22)=8.70, p=0.0074), and



Figure 32. Day main effect for transformed percent correct on the four-choice reaction time task.







Figure 34. Day by session interaction for the mean reaction time for correct responses on the four-choice reaction time task.

Wednesday (F(1,22)=18.26, p=0.0003). On Monday and Tuesday these effects were due to a decrease in RTs for correct responses from the morning session (Monday=0.66 s, Tuesday=0.50 s) to the afternoon session (Monday=0.54 s, Tuesday=0.47 s). On Wednesday, however, the morning session RTs were shorter (0.46 s) than the afternoon RTs (0.52 s). Also, there were day simple effects across both the morning sessions (F(1.45,31.84)= 47.43, p<0.0001) and the afternoon sessions (F(2.66,58.61)= 15.98, p<0.0001).

Contrasts for the day simple effect across morning sessions indicated significantly longer RTs for correct responses on Monday (0.66 s) relative to Tuesday (0.50 s), Wednesday (0.46 s), Thursday (0.50 s), and Friday (0.47 s). Furthermore, RTs on Tuesday morning were longer than RTs on Wednesday and Friday mornings; and Thursday morning RTs exhibited the same pattern. None of the other contrasts were significant (Appendix E).

Contrasts for the day simple effect across afternoon sessions indicated RTs for correct responses on Monday (0.54 s) were significantly longer than RTs on Tuesday (0.47 s), Thursday (0.49 s), and Friday (0.47 s). Wednesday afternoon RTs (0.52 s) were longer than on Tuesday, Thursday, or Friday afternoons. Finally, Thursday afternoon RTs were longer than Tuesday and Friday afternoon RTs. None of the other contrasts were significant (Appendix E).

Contrasts for the day main effect (Figure 35) suggested that, regardless of session and computer, RTs for correct responses were longer on Monday (0.60 s) than on Tuesday (0.48 s), Wednesday (0.49 s), Thursday (0.50 s), and Friday (0.47 s). In addition, RTs on Tuesday were shorter than RTs on Thursday, and RTs on Friday were shorter than RTs on Wednesday and Thursday. The computer main effect was due to shorter RTs for correct responses on the desktop (0.50 s) than on the hand-held (0.52 s). The session main effect resulted from an overall reduction in RTs from the morning session (0.52 s) to the afternoon session (0.50 s).

<u>Throughput</u>. ANOVA for the throughput measure revealed a three-way interaction between day, session, and computer (F(2.72,59.90)=3.46, p=0.0252); and two-way interactions between day and computer (F(2.67,58.74)=10.32, p<0.0001) and between day and session (F(2.51,55.27)=30.91, p<0.0001). In addition, main effects were observed for day (F(2.49,54.85)=48.01, p<0.0001), session (F(1,22)=5.76, p=0.0253), and computer (F(1,22)=18.32, p=0.0003). The three-way interaction is depicted in Figure 36, the two-way interactions are depicted in Figures 37 and 38, and the day main effect is depicted in Figure 39.

Simple effects analysis for the day by session by computer interaction detected simple two-way interactions between session



Figure 35. Day main effect for the mean reaction time for correct responses on the four-choice reaction time task.



Figure 36. Day by session by computer interaction for throughput on the four-choice reaction time task.

47



Figure 37. Day by computer interaction for throughput on the four-choice reaction time task.



Figure 38. Day by session interaction for throughput on the four-choice reaction time task.

and computer on Wednesday (F(1,22)=14.10, p=0.0011), between day and computer at both the morning session (F(2.45,53.99)=4.19, p=0.0144) and the afternoon session (F(2.90,63.73)=9.65, p<0.0001), and between day and session on both the hand-held (F(3.31,72.78)=12.63, p<0.0001) and the desktop (F(4,88)=18.06, p<0.0001).

The session by computer simple interaction on Wednesday resulted from computer simple effects at both the Wednesday morning session (F(1,22)=18.76, p=0.0003) and the Wednesday afternoon session (F(1,22)=4.35, p=0.0488). In addition, there were session simple effects on Wednesday for both the hand-held (F(1,22)=10.85, p=0.0033) and the desktop (F(1,22)=31.68, p<0.0001). On Wednesday morning, the number of correct responses/min was greater on the desktop (143.55 correctresponses/min) than on the hand-held (125.16 correctresponses/min). The same was true on Wednesday afternoon: 122.59correct responses/min on the desktop versus 116.58 correct responses/min on the hand-held. The session simple effects on Wednesday for both the hand-held and the desktop resulted from a reduction in throughput from the morning session to the afternoon session.

The day by computer simple interaction across morning sessions was accounted for by computer simple effects at the Tuesday morning (F(1,22)=27.56, p<0.0001), Wednesday morning (see above), and Friday morning (F(1,22)=8.12, p=0.0093) sessions. In each case, throughput was greater on the desktop than on the hand-held. In addition to the computer simple effects, there were day simple effects across morning sessions for both the hand-held (F(4,88)=45.58, p<0.0001) and the desktop (F(2.47,54.24)=33.19, p<0.0001).

Contrasts for the day simple effect for morning sessions on the hand-held computer indicated throughput on Monday morning (97.21 correct responses/min) was significantly lower than on Tuesday morning (117.47 correct responses/min), Wednesday morning (125.16 correct responses/min), Thursday morning (120.16 correct responses/min), or Friday morning (125.11 correct responses/min). Throughput on Tuesday morning also was significantly lower than Wednesday morning or Friday morning. While throughput on Thursday morning decreased significantly relative to Wednesday morning, it returned to essentially the same level by Friday morning. None of the other contrasts were significant (Appendix E).

Contrasts for the day simple effect for the desktop computer morning sessions indicated throughput on the Monday morning session (101.02 correct responses/min) was significantly lower than on Tuesday morning (134.12 correct responses/min), Wednesday morning (143.55 correct responses/min), Thursday morning (125.73 correct responses/min), or Friday morning (135.18 correct responses/min). Throughput reached its highest level on Wednesday morning, significantly exceeding Tuesday, Thursday, and Friday morning. On Thursday morning throughput dropped such that it was significantly lower than either Tuesday or Friday morning. None of the other contrasts were significant.

The day by computer simple interaction across afternoon sessions was accounted for, in part, by computer simple effects on Monday (F(1,22)=7.18, p=0.0137), Tuesday (F(1,22)=45.13, p<0.0001), and Wednesday (see above) afternoon. In each case, throughput was higher on the desktop than on the hand-held. In addition, day simple effects were detected for the afternoon sessions on both the hand-held (F(4,88)=11.91, p<0.0001) and the desktop (F(4,88)=20.23, p<0.0001).

Contrasts for the day simple effect across afternoon sessions on the hand-held indicated throughput for the Monday afternoon session (110.86 correct responses/min) was significantly lower than Tuesday afternoon (122.69 correct responses/min), Wednesday afternoon (116.58 correct responses/ min), Thursday afternoon (122.19 correct responses/min), or Friday afternoon (129.21 correct responses/min) sessions. Throughput on Tuesday afternoon also was lower than on Friday afternoon. Wednesday afternoon throughput was significantly lower than Thursday afternoon. By Friday afternoon, throughput had increased significantly relative to both Wednesday and Thursday. None of the other contrasts were significant (Appendix E).

Contrasts for the day simple effect across afternoon sessions for the desktop indicated that throughput for the Monday afternoon session (121.03 correct responses/min) was significantly lower than on Tuesday afternoon (146.72 correct responses/min) or Friday afternoon (134.72 correct responses/min) sessions. On Tuesday afternoon, throughput was significantly higher than on Wednesday afternoon (122.59 correct responses/ min), Thursday afternoon (127.29 correct responses/ min), or Friday afternoon. By Friday afternoon, throughput had increased until in was significantly higher than either Wednesday afternoon or Thursday afternoon. None of the other contrasts were significant (Appendix E).

The day by session simple interaction on the hand-held computer resulted from session simple effects for the hand-held on Monday (F(1,22)=36.92, p<0.0001), Wednesday (see above), and Friday (F(1,22)=8.86, p=0.0070). Throughput for the Monday morning session (97.21 correct responses/min) was lower than the Monday afternoon session (110.86 correct responses/min). On Wednesday, throughput for the morning session (125.16 correct responses/min) was higher than the afternoon session (116.58 correct responses/min). By Friday, the morning session (125.11 correct responses/min) again was lower than the afternoon session (129.21 correct responses/min). In addition, there were day simple effects for both morning and afternoon sessions on the hand-held computer which were described above.

The day by session simple interaction for the desktop computer was accounted for by session simple effects for the desktop on Monday (F(1,22)=12.12, p=0.0021), Tuesday (F(1,22)=22.98, p=0.0001), and Wednesday (see above). On Monday and Tuesday, throughput increased from morning to afternoon while, on Wednesday, throughput decreased from morning to afternoon. In addition, there were day simple effects for the desktop across both morning and afternoon sessions which were described above.

Simple effects analysis for the day by computer interaction (Figure 37) revealed computer simple effects on Tuesday (F(1,22)=50.46, p<0.0001), Wednesday (F(1,22)=14.26, p=0.0010), Thursday (F(1,22)=5.39, p=0.0299), and Friday (F(1,22)=7.65, p=0.0113). On each day, the number of correct responses/min was higher on the desktop than on the hand-held (see Figure 37). In addition, there were day simple effects for both the hand-held (F(2.87,63.12)=33.75, p<0.0001) and the desktop (F(2.48,54.51)=37.68, p<0.0001).

Contrasts for the day simple effect for the hand-held indicated throughput was significantly lower on Monday (104.03 correct responses/min) relative to Tuesday (120.08), Wednesday (120.87), Thursday (121.17), and Friday (127.16). Throughput on Friday was higher than Monday, Tuesday, Wednesday, and Thursday. None of the other contrasts were significant. Contrasts for the day simple effect for the desktop, again, indicated throughput increased from Monday (111.03 correct responses/min) through Tuesday (140.42), Wednesday (133.07), Thursday (126.51), and Friday (134.95). Throughput on the desktop peaked on Tuesday where the number of correct responses/min exceeded Wednesday, Thursday and Friday. Throughput on Thursday was lower than on Wednesday or Friday. None of the other contrasts were significant.

Simple effects analysis for the day by session interaction (Figure 38) revealed session simple effects on Monday (F(1,22)=46.12, p<0.0001), Tuesday (F(1,22)=17.81, p=0.0004), and Wednesday (F(1,22)=28.69, p<0.0001). On Monday and Tuesday, throughput increased from morning to afternoon (99.11 to 115.95 on Monday and 125.79 to 134.71 on Tuesday). Yet on Wednesday, throughput decreased from morning to afternoon (134.36 to 119.59). In addition, there were day simple effects for both the morning session (F(2.78,61.23)=63.95, p<0.0001) and the afternoon session (F(4,88)=20.52, p<0.0001). Contrasts for the day simple effect across morning sessions indicated throughput was lower on Monday (99.11) than on Tuesday (125.79), Wednesday (134.36), Thursday (122.94), or Friday (130.15). Throughput on Tuesday was lower than on Wednesday. Finally, throughput on Thursday was lower than on Wednesday or Friday. None of the other contrasts were significant.

Contrasts for the day simple effect across the afternoon sessions indicated throughput was lower on Monday (115.95) than on Tuesday (134.71), Thursday (124.74), or Friday (131.96). Throughput peaked on Tuesday afternoon where the number of correct responses/min exceeded Wednesday (119.59) and Thursday. Throughput on Wednesday afternoon was lower than on Thursday or Friday afternoons, and throughput on Friday afternoon was higher than on Thursday. None of the other contrasts were significant.

The computer main effect indicated throughput was higher on the desktop (129.20 correct responses/min) than on the hand-held (118.66) regardless of day or session. The session main effect indicated afternoon performance (125.39) was slightly better than morning performance (122.47).

Contrasts for the day main effect (Figure 39) indicated that, regardless of session or computer type, throughput on Monday (107.53) was lower than on Tuesday (130.25), Wednesday (126.97), Thursday (123.84), or Friday (131.05). Tuesday performance was better than Wednesday or Thursday, and Thursday was worse than Wednesday. Finally, Friday performance was better than Wednesday and Thursday.

Six-letter search (MAST6)

One subject's data were lost due to equipment malfunction. In addition, another subject's RT and throughput data were eliminated from the analyses because he was an outlier. Thus, the analyses for transformed percent correct were based on data from 23 subjects while analyses for mean RT for correct responses and throughput were based on data from 22 subjects. The significance tables are listed in Appendix F.

<u>Transformed percent correct</u>. ANOVA revealed a significant day by session interaction for the transformed percent correct variable (F(4,88)=3.00, p=0.0227). These data are presented in Figure 40. The day main effect (Figure 41) also was significant (F(4,88)=11.42, p<0.0001).

Simple effects analysis for the day by session interaction revealed a significant session simple effect on Wednesday (F(1,22)=9.40, p=0.0056). Accuracy improved from the Wednesday morning session (2.66) to the Wednesday afternoon session (2.91).



Figure 39. Day main effect for throughput on the four-choice reaction time task.



Figure 40. Day by session interaction for transformed percent correct on the six-letter search task.

Also, there were day simple effects for both the morning sessions (F(4,88)=6.93, p=0.0001) and the afternoon sessions (F(4,88)=7.11, p=0.0001).

Contrasts for the day simple effect for morning sessions showed that transformed percent correct increased on Thursday (2.90) and Friday (2.96) morning sessions relative to the Monday (2.61), Tuesday (2.71) and Wednesday (2.66) morning sessions. Contrasts for the day simple effect for afternoon sessions indicated that accuracy on Monday afternoon (2.60) was lower than on Wednesday (2.91), Thursday (2.93), and Friday (2.83) afternoons. Furthermore, on Tuesday (2.70) afternoon, accuracy also was lower than on Wednesday (2.91) and Thursday (2.93) afternoons.

Contrasts for the day main effect (Figure 41) showed accuracy was lower on Monday (2.61) relative to Tuesday (2.70), Wednesday (2.79), Thursday (2.92), and Friday (2.89) scores. Accuracy on Tuesday (2.70) was also lower than on Thursday (2.92) and Friday (2.89). Finally, accuracy on Wednesday was lower than on Thursday. None of the other contrasts were significant.

<u>Mean RT for correct responses</u>. There were three statistically significant interactions for the mean RT for correct responses: day by session by computer (F(4,84)=2.95, p=0.0249), day by session (F(4,84)=5.16, p=0.0009), and day by computer (F(2.12,45.96)=3.50, p=0.0345). Data for the three-way interaction is graphed in Figure 42. The three-way interaction was accounted for by four significant simple two-way interactions.

In the first simple interaction, session by computer on Monday (F(1,21)=4.99, p=0.0366), the desktop computer morning session RTs for correct responses (11.18) were significantly higher than (F(1,21)=13.63, p=0.0014) those for the afternoon session (10.09).

The second simple two-way interaction, day by session for the hand-held (F(4,84)=4.65, p=0.0019), was accounted for, in part, by an increase in RTs from the morning session (9.01) to the afternoon session (9.99) on Wednesday (F(1,21)=8.89,p=0.0071). On Thursday, the pattern was reversed (F(1,21)=4.85,p=0.0389); morning RTs were longer (10.40) than afternoon (9.73). This pattern continued through Friday (F(1,21)=5.70, p=0.0264)where morning RTs (10.05) again were longer than afternoon RTs (9.22). The day simple effect for the hand-held morning sessions also was significant (F(4,84)=4.17, p=0.0040). Contrasts showed the mean RT on the Wednesday morning (9.01) was significantly shorter than Monday (10.19), Tuesday (9.98), Thursday (10.40), and Friday (10.05) morning sessions.



Figure 41. Day main effect for transformed percent correct on the six-letter search task.



Figure 42. Day by session by computer interaction for the mean reaction time for correct responses on the six-letter search task.

The third significant simple two-way interaction, day by session for the desktop computer (F(4,84)=3.25, p=0.0157), resulted, in part, from statistically significant differences between the desktop computer morning and afternoon sessions on Monday (see above). In addition, RTs for the desktop computer morning session on Thursday (11.34 s) were significantly longer than the afternoon session (10.48 s) for the six-letter search task (F(1,21)=10.08, p=0.0046). There were also statistically significant reaction time differences between days at the desktop computer morning sessions (F(2.84, 59.74)=7.22, p=0.0004) and the desktop computer afternoon sessions (F(2.76,58.02)=3.46, p=0.0249). For the desktop computer morning sessions, mean RTs on Monday (11.18 s) were significantly longer than on Tuesday (9.73 s) and Wednesday (9.42 s). Mean RTs increased from Wednesday morning to Thursday (11.34 s) and Friday (10.19 s) morning; and Thursday morning RTs were longer than Tuesday (9.73 s) or Friday (10.19 s). For the desktop computer afternoon sessions, the Tuesday mean RTs (9.27 s) were shorter than Monday (10.09 s), Thursday (10.48 s) and Friday (10.17 s).

The day by computer simple interaction for afternoon sessions was the last significant simple two-way interaction stemming from the three-way interaction (F(4,84)=5.04, p=0.0011). The analysis revealed computer simple effects on Thursday afternoon (F(1,21)=7.88, p=0.0106) and Friday afternoon (9.22 vs 10.17) (F(1,21)=18.00, p=0.0004). On Thursday afternoon, shorter latencies were generated on the hand-held (9.73 s) than the desktop (10.48 s). Again on Friday the hand-held produced shorter RTs (9.22 s) than the desktop (10.17 s). In addition, the day simple effect for the desktop computer afternoon sessions was significant (see above).

The day by computer two-way interaction was statistically significant (F(2.12,45.96)=3.50, p=0.0345) as shown in Figure 43. The simple effect analysis revealed RTs for the desktop computer differed statistically among the days (F(2.23,46.76)=6.74,p=0.0019). Contrasts showed longer RTs on the desktop on Monday (10.63 s) than on Tuesday (9.50 s) and Wednesday (9.54 s). On Thursday, RTs increased significantly (10.91 s) relative to Tuesday (9.50 s) and Wednesday (9.54 s). By Friday, RTs had decreased slightly, but significantly, relative to Thursday (10.18 s), yet were still longer than Tuesday (9.50 s) or Wednesday (9.54 s).

The remaining significant two-way interaction, illustrated in Figure 44, was the day by session interaction (F(4,84)=5.16, p=0.0009). The simple effects analysis disclosed an increase in RT from the morning session (9.22 s) to the afternoon session (9.82 s) on Wednesday (F(1,21)=6.95, p=0.0155). On Thursday, RTs decreased from the morning (10.87 s) to afternoon (10.10 s) session (F(1,21)=10.36, p=0.0041). Furthermore, there was a day



Figure 43. Day by computer interaction for the mean reaction time for correct responses on the six-letter search task.



Six-letter search

Figure 44. Day by session interaction for the mean reaction time for correct responses on the six-letter search task.

simple effect for the morning sessions (F(2.73,57.32)=8.41, p=0.0002). Contrasts indicated a reduction ~f morning RTs from Monday (10.68 s) to Tuesday (9.86 s) and Wea arday (9.22 s). Wednesday morning's RTs (9.22 s) were shorten han Thursday morning's (10.87 s) and Friday morning's (10.12 s). Finally, RTs on Thursday morning (10.87 s) were longer than on Tuesday (9.86 s) or Friday (10.12 s) mornings.

The day (F(2.22,46.55)=5.40, p=0.0062) and session (F(1,21)=4.96, p=0.0369) main effects also were statistically significant for the six-letter search task (see Figure 45 for the day main effect). Contrasts for the day main effect showed differences between Monday (10.46) versus Tuesday (9.62) and Wednesday (9.52), and Thursday (10.49) versus Tuesday (9.62), Wednesday (9.52), and Friday (9.91). The significant session main showed the morning session reaction time (10.15) was significantly slower than the afternoon reaction time (9.85).

<u>Throughput</u>. ANOVA for the six-letter search task throughput data revealed a statistically significant day by session interaction (F(2.03, 42.69)=3.29, p=0.0460). The day by computer interaction was also significant (F(2.58, 54.23)=5.19, p=0.0047). Finally, the day main effect was significant (F(1.88, 39.42)=3.35, p=0.0433). These data are illustrated in Figures 46 through 48, respectively.

The day by session interaction was accounted for by three significant simple effects. First, there was a significant day simple effect for the morning sessions (F(2.41,50.53)=7.11, p=0.0010). Contrasts revealed that throughput increased significantly from Monday morning (6.14) to both Tuesday (6.63) and Wednesday (7.01) mornings. On Thursday morning (5.85), throughput dropped relative to Tuesday (6.63) and Wednesday (7.01) mornings. However, by Friday morning (6.24) throughput had increased relative to Thursday, but was still significantly lower than Wednesday morning (7.01). Second, there was a significant session simple effect on Wednesday (F(1,21)=9.24), p=0.0062) where throughput dropped from the morning session (7.01) to the afternoon session (6.46). And third, there was a significant session simple effect on Thursday (F(1,21)=7.62), p=0.0117) where throughput increased from the morning session (5.85) to the afternoon session (6.23).

The day by computer interaction (Figure 47) was accounted for by three significant simple effects. First, there was a significant day simple effect for the desktop computer (F(1.92,40.41)=5.67, p=0.0073). Contrasts indicated that throughput scores on the desktop were significantly higher on Tuesday (6.86) than they were on Monday (6.34), Thursday (5.77) or Friday (6.18). Throughput on Wednesday (6.82) was significantly higher than on Thursday (5.77) and Friday (6.18),



Figure 45. Day main effect for the mean reaction time for correct responses on the six-letter search task.



Figure 46. Day by session interaction for throughput on the sixletter search task.



Figure 47. Day by computer interaction for throughput on the six-letter search task.



Figure 48. Day main effect for throughput on the six-letter search task.

60

while Thursday's throughput scores (5.77) were lower than Friday's (6.18). Second, there was a significant computer simple effect on Thursday (F(1,21)=23.07, p=0.0001) due to higher throughput on the hand-held (6.30) than the desktop (5.77). And third, there was a significant computer simple effect on Friday (F(1,21)=12.69, p=0.0018) where throughput again was higher on the hand-held (6.54) than the desktop (6.18).

Contrasts for the day main effect (Figure 48) indicated that throughput increased significantly from Monday (6.34) to Tuesday (6.71). Throughput dropped on Thursday (6.04) relative to Tuesday (6.71) and Wednesday (6.74), and was also lower than on Friday (6.36). None of the other contrasts were significant.

Discussion and conclusions

Considering that the primary objective of the study was the determination of the comparability of data collected on the two devices, discussion will focus predominantly on those effects which involved differences between computers. Yet, effects involving day and session determine the stability of subject performance on the various tasks and the sensitivity of the tasks to time-of-day and weekly variation. Therefore, a brief discussion of these effects will be presented.

Sensitivity. Interactions between day and session were observed on each of the six tasks for at least one measure. On only one task, serial addition/subtraction, did percent correct not show sensitivity to time-of-day and weekly variation. Mean RT for correct responses was always sensitive to such temporallyrelated variability in performance. Yet, the patterns of such variability were not the same for every task or every measure. Tasks which contained a significant memory component (pattern comparison, digit recall, and six-letter search) typically showed improvement in accuracy across morning sessions with performance becoming worse toward the end of the week. This end-of-week decline in performance also was apparent for reaction time. Accuracy and RT on the logical reasoning task tended to improve linearly across days. For the four-choice RT task, accuracy tended to reach asymptote by midweek while RT decreased initially, then increased at midweek. Differences between sessions on Wednesday possibly were due to motivational or strategy-selection changes resulting from the removal of feedback following the Wednesday morning session. The drop in performance observed on Thursday sessions likely resulted from this removal of feedback also.

Interactions between day, session, and computer were observed on five of the six tasks for at least one of the dependent measures. Only the logical reasoning task failed to produce a three-way interaction. Typically, the dependent variable involved in the three-way interaction was either throughput or the mean RT for correct responses. Assessing the differences in performance on the two devices is complicated by the existence of these three-way interactions.

<u>Computer differences</u>. For the pattern comparison task, the three-way interaction was a result of higher throughput scores on the desktop computer than the hand-held computer every afternoon except Thursday. There were no computer differences at morning sessions. Furthermore, the hand-held computer showed changes across days at the morning sessions while the desktop computer showed changes across days at the afternoon sessions. Computer differences on the pattern comparison task were fairly consistent.

The lower throughput values and longer RTs on the hand-held computer relative to the desktop likely were due to differences in visibilities of the two displays. The hand-held computer's LCD has a lower contrast value than the desktop computer's CRT This results from the LCD's use of reflectance rather display. than luminance to produce the image (see Table 1). The lower contrast of the hand-held computer's LCD display apparently decreased the subject's ability to process pattern information quickly. However, once information was extracted, accurate decisions could be made. This conclusion is supported by the lack of consistent computer differences for the percent correct measure. Also, note that differences between devices were typically observed earlier rather than later in the week. This suggests that subjects, with continued practice, managed to compensate for any deleterious effects the lower contrast of the liquid crystal display had on performance.

The logical reasoning task exhibited the fewest number of computer-related effects. Only the mean RTs for correct responses showed any computer differences. As with the pattern comparison task, RTs were longer on the hand-held computer than on the desktop. These differences exhibited themselves primarily at the morning sessions. Again, this possibly was due to differences in the contrasts of the two displays.

Of the five tasks which produced a three-way interaction, the percent correct measure was involved only on the serial addition/subtraction task. Here the interaction was due, in part, to decreasing accuracy from morning to afternoon during only the first part of the week for both computers. Also, accuracy increased across only afternoon sessions for the handheld computer, but not the desktop. The only other measure to show sensitivity to computer differences was the mean RT for correct responses. RTs were longer on the desktop computer than on the hand-held, but only on the first day of testing.

Table 1.

Luminance and contrast values for hand-held and desktop computer displays.

Hand-held computer Liquid crystal display (Dark target) Target luminance $(L_t) = 5.0$ footlamberts Background luminance $(L_b) = 9.5$ footlamberts Contrast = $(L_b - L_t)/L_b = 0.47$ Desktop computer Cathode-ray-tube display (Bright target) Target luminance $(L_t) = 16.2$ footlamberts Background luminance $(L_b) = 4.4$ footlamberts Contrast = $(L_t - L_b)/(L_b) = 2.68$

Results on the digit recall task indicated a large amount of variability in performance. While differences between the two devices existed, they were not consistent. Accuracy was greater on the desktop computer on Tuesday, but was greater on the handheld the following day. The mean RT for correct responses showed computer differences on Monday and Tuesday mornings, but these also were in opposite directions. Further, there were computer differences on Thursday and Friday afternoon sessions which again were in opposite directions. Similar computer differences were observed for the throughput measure on Monday and Tuesday morning sessions. So, while differences between the two devices were observed, it is difficult to conclude that they resulted from the different hardware characteristics of the two devices.

Computer differences also were observed on the four-choice RT task. The day by computer interaction for the mean RT for correct responses primarily resulted from computer differences on Tuesday and Wednesday where RTs on the desktop computer were shorter than those on the hand-held. Apparently, performance improved more rapidly on the desktop computer, but this initial advantage did not continue later in the week. The throughput measure was involved in a three-way interaction. In addition to the computer differences on Tuesday and Wednesday which were observed also for the mean RT for correct responses, greater throughput values were seen for the desktop computer than the hand-held on Monday afternoon and on Friday morning. Overall, the computer differences for the four-choice RT task were consistent; faster correct responses always were recorded on the desktop than the hand-held computer. While it is possible these differences were due to the decreased visibility associated with the LCD display, the magnitude of the difference must be taken into account. Both devices use the 18.2 Hz interrupt timer to measure subject response times. This interrupt frequency provides an average timing resolution of 54.9 ms. The difference in average RT between the two devices was only 32 ms which is well within the resolution of the response timing routine.

The six-letter search task produced computer differences also. Analysis of the mean RT for correct responses revealed a three-way interaction. This resulted from relatively longer RTs on the desktop computer than the hand-held only at the Thursday and Friday afternoon sessions and the lack of a significant change across days for the afternoon sessions on the hand-held computer. While RTs on both computers tended to rise at midweek (following removal of feedback), there was greater subsequent improvement on the hand-held computer at afternoon sessions.

The throughput measure behaved in a similar manner. While there was no three-way interaction for this variable, the day by computer interaction was significant. Computer differences were observed on Thursday and Friday resulting from relatively lower throughput for the desktop computer than the hand-held. Also, there were significant changes across days only on the desktop computer.

These findings on the six-letter search task were of particular interest, first of all, because the difference between computers exhibits itself later in the week rather than earlier unlike the other tasks. Also, the longer RTs were observed on the desktop computer rather than the hand-held. Both of these findings were inconsistent with a display contrast difference explanation. This inconsistency can be explained when the angular subtense of the two displays is taken into account. After computing an average viewing distance on both devices for a subset of five subjects, the angular subtense of the distance between the target array and the search array was computed for both hand-held and desktop computers. The interarray distance had an angular subtense of 3.83° on the hand-held computer while it had an angular subtense of 6.91° on the desktop computer. This difference in the interarray distance is a result of the different aspect ratios of the two displays. The aspect ratio refers to the ratio of the width of a screen image to its height.

In conclusion, there were tasks in which the type of device used to present stimuli and record data influenced the results obtained. Differences between the two devices in terms of their display characteristics seem to account for the influences. These findings do not diminish the utility of the ruggedized, field-portable computer for cognitive data collection in operational settings. However, keep in mind that while the differences observed were statistically significant, the magnitude of the differences generally was not large.

They do, however, suggest that caution must be exercised when attempting to combine results of studies involving the use of desktop computers with those from studies involving the use of hand-held computers. If, for example, differences in outcome were found when investigating the same intervention in both a laboratory study using a desktop computer and a field study using a hand-held computer, it would be difficult to attribute these differences to an interaction between the influences of the intervention and the field environment without taking the different hardware characteristics of the two devices into account. One way to avoid this difficulty would be to use the ruggedized, hand-held computer in both laboratory and field environments.

Future applications of the ruggedized, hand-held computer will benefit from the recent development of new performance assessment software which uses software-controlled response timing routines with millisecond resolution to eliminate the need for peripheral timing devices. Additional modifications will be required to eliminate the differences in aspect ratios of the different displays, but graphics-based text generation would provide a possible solution. Currently, efforts are being directed toward such development.

References

- Caldwell, Jr., J. A. and Young, C. 1990. <u>Development of a</u> <u>ruggedized hand-held computer for performance testing in</u> <u>operational settings</u>. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. USAARL Report No. 90-8.
- Grieve, A. P. 1984. Tests of sphericity of normal distributions and the analysis of repeated measures designs. <u>Psychometrika</u>. 49: 257-267.
- Ryman, D., Biersner, R., and Rocco, J. 1974. Reliabilities and validities of the mood questionnaire. <u>Psychological</u> <u>reports</u>. 35: 479-484.
- Thorne, D. R., Genser, S. G., Sing, H. C., and Hegge, F. W. 1985. The Walter Reed performance assessment battery. <u>Neurobehavioral toxicology and teratology</u>. 7: 415-418.
- Winer, B. J. 1971. <u>Statistical principles in experimental</u> <u>design, 2nd ed</u>. New York: McGraw-Hill.

| Pattern comparison | | | | | | | |
|--------------------|----|-----|---|-----------|-------|------|--------|
| % Correct | | | | | | | |
| Contrasts | | | | | r | đf | p |
| Mon | vs | Wed | | | 5.26 | 1,23 | 0.0314 |
| Tue | VS | Wed | | | 7.50 | 1,23 | 0.0117 |
| Wed | VS | Fri | _ | | 6.02 | 1,23 | 0.0221 |
| Mon | VS | Thu | 6 | AM | 4.54 | 1,23 | 0.0441 |
| Tue | VS | Wed | 6 | AM | 7.28 | 1,23 | 0.0128 |
| Tue | vs | Thu | 6 | AM | 4.85 | 1,23 | 0.0380 |
| Wed | VS | Fri | 6 | AM | 5.55 | 1,23 | 0.0273 |
| Tue | vs | Fri | 6 | PM | 8.23 | 1,23 | 0.0087 |
| Wed | vs | Fri | 6 | PM | 12.10 | 1,23 | 0.0020 |
| Thu | VS | Fri | 6 | PM | 10.05 | 1,23 | 0.0043 |
| Tue | VS | Wed | 6 | Hand-held | 11.69 | 1,23 | 0.0023 |
| Wed | vs | Thu | 6 | Hand-held | 7.39 | 1,23 | 0.0123 |
| Mon | VS | Tue | 6 | Desktop | 7.36 | 1,23 | 0.0124 |
| .Mon | vs | Wed | ē | Desktop | 5.28 | 1,23 | 0.0311 |
| Mon | VS | Thu | ē | Desktop | 18.10 | 1.23 | 0.0003 |
| Thu | vs | Fri | ē | Desktop | 7.21 | 1,23 | 0.0132 |

APPENDIX A

.

-.

| Pattern comparison | | | | | | |
|--|--|--|---|--|--|--|
| Reaction time for correct responses | | | | | | |
| Contrasts | P | đf | p | | | |
| Mon vs Tue Mon vs Wed Tue vs Thu Wed vs Thu Thu vs Fri Mon vs Tue @ AM Mon vs Wed @ AM Mon vs Thu @ AM Mon vs Fri @ AM Tue vs Wed @ AM Wed vs Thu @ AM Mon vs Tue @ PM Tue vs Thu @ PM | 16.22 15.15 6.52 15.97 5.76 12.75 20.06 5.53 6.07 4.62 11.17 8.14 8.07 | 1,23 1,23 1,23 1,23 1,23 1,23 1,23 1,23 | 0.0005 0.007 0.0178 0.0006 0.0249 0.0016 0.0002 0.0276 0.0217 0.0424 0.0028 0.0090 0.0092 | | | |
| wea vs Thu @ PM Thu vs Fri @ PM | 10.79 7.50 | 1,23 1,23 | 0.0032 0.0117 | | | |

| Pattern comparison | | | | | | |
|--|--|---|--|--|--|--|
| Throughput | | | | | | |
| Contrasts | | 7 | đf | P | | |
| Mon vs Tue Mon vs Wed Tue vs Thu Wed vs Thu Thu vs Fri Mon vs Tue Mon vs Wed Tue vs Wed Tue vs Thu Wed vs Thu Wed vs Fri Mon vs Tue Mon vs Wed | <pre>@ AM @ Hand-held @ PM @ Desktop @ PM @ Desktop</pre> | 8.90 7.93 5.17 11.33 4.53 7.20 11.72 4.52 7.09 15.73 4.37 4.38 5.75 | 1,23 1,23 1,23 1,23 1,23 1,23 1,23 1,23 | 0.0067 0.0098 0.0327 0.0027 0.0443 0.0133 0.0023 0.0444 0.0139 0.0006 0.0479 0.0476 0.0250 | | |
| Tue vs Thu Wed vs Thu | 0 PM 0 Desktop 0 PM 0 Desktop | 5.34 9.94 | 1,23 1,23 | 0.0301 0.0045 | | |

.

APPENDIX A (Continued)

| Logical reasoning | | | | | |
|--|--|--|--|--|--|
| % Correct | | | | | |
| Contrasts | 7 | đf | P | | |
| Mon vs Tue Mon vs Wed Mon vs Thu Mon vs Fri Tue vs Wed Tue vs Thu Tue vs Fri Mon vs Tue @ AM Mon vs Wed @ AM | 19.21 24.27 35.09 46.41 4.28 4.93 7.23 23.33 24.34 | 1,23 1,23 1,23 1,23 1,23 1,23 1,23 1,23 | 0.0002 0.0001 0.0000 0.0501 0.0365 0.0131 0.0001 0.0001 | | |
| Mon vs Wed e AM Mon vs Thu @ AM Mon vs Fri @ AM Mon vs Wed @ PM Mon vs Thu @ PM Tue vs Thu @ PM Tue vs Fri @ PM | 24.34 38.23 27.47 7.78 14.32 34.65 4.55 9.11 | 1,23 1,23 1,23 1,23 1,23 1,23 1,23 1,23 | 0.0000 0.0000 0.0104 0.0010 0.0000 0.0438 0.0061 | | |

APPENDIX B
| Logical reasoning | | | | | |
|-----------------------------|-----------|------|--------|--|--|
| Reaction time for correct a | cesponses | | | | |
| Contrasts | 7 | đ£ | P | | |
| Mon vs Tue | 16.27 | 1,23 | 0.0005 | | |
| Mon vs Wed | 26.01 | 1,23 | 0.0000 | | |
| Mon vs Thu | 16.67 | 1,23 | 0.0005 | | |
| Mon vs Fri | 23.51 | 1,23 | 0.0001 | | |
| Tue vs Wed | 8.37 | 1,23 | 0.0082 | | |
| Tue vs Fri | 7.55 | 1,23 | 0.0115 | | |
| Thu vs Fri | 12.84 | 1,23 | 0.0016 | | |
| Mon vs Tue @ AM | 23.10 | 1,23 | 0.0001 | | |
| Mon vs Wed @ AM | 36.08 | 1,23 | 0.0000 | | |
| Mon vs Thu @ AM | 22.23 | 1,23 | 0.0001 | | |
| Mon vs Fri @ AM | 24.39 | 1,23 | 0.0001 | | |
| Tue vs Wed @ AM | 22.81 | 1,23 | 0.0001 | | |
| Tue vs Fri @ AM | 5.92 | 1,23 | 0.0231 | | |
| Wed vs Thu @ AM | 9.74 | 1,23 | 0.0048 | | |
| Thu vs Fri @ AM | 6.08 | 1,23 | 0.0215 | | |
| Mon vs Fri @ PM | 11.97 | 1,23 | 0.0021 | | |
| Tue vs Wed @ PM | 4.29 | 1,23 | 0.0497 | | |
| Tue vs Fri @ PM | 6.88 | 1,23 | 0.0152 | | |
| Wed vs Thu @ PM | 4.30 | 1,23 | 0.0496 | | |
| Wed vs Fri @ PM | 22.21 | 1,23 | 0.0001 | | |
| Thu vs Fri @ PM | 14.58 | 1,23 | 0.0009 | | |

APPENDIX B (Continued)

.

| Logical reasoning | | | | | | |
|--|--|--|--|--|--|--|
| Throughput | | | | | | |
| Contrasts | 7 | df | p | | | |
| Mon vs Tue @ AM Mon vs Wed @ AM Mon vs Thu @ AM Mon vs Fri @ AM Tue vs Wed @ AM Wed @ Thu @ AM Thu vs Fri @ AM | 7.07 18.93 53.57 60.13 15.08 4.25 8.46 | 1,23 1,23 1,23 1,23 1,23 1,23 1,23 1,23 | 0.0140 0.0002 0.0000 0.0000 0.0008 0.0506 0.0079 | | | |

| | Serial addition/subtraction | | | | | | | | |
|-----------|-----------------------------|-----|---|----|---|-----------|-------|------|--------|
| % Correct | | | | | | | | | |
| Coi | ntra | sts | | | | | . 7 | đf | P |
| Mon | vs | Wed | | | | | 7.27 | 1,23 | 0.0129 |
| Mon | VS | Fri | | | | | 5.05 | 1,23 | 0.0345 |
| Tue | VS | Wed | | | | | 7.14 | 1,23 | 0.0136 |
| Tue | VS | Fri | | | | | 7.41 | 1,23 | 0.0121 |
| Wed | vs | Thu | | | | | 14.68 | 1,23 | 0.0009 |
| Thu | vs | Fri | | | | | 22.66 | 1,23 | 0.0001 |
| Mon | VS | Wed | 6 | PM | 0 | Hand-held | 13.68 | 1,23 | 0.0012 |
| Mon | vs | Fri | ē | PM | ē | Hand-held | 7.57 | 1,23 | 0.0114 |
| Wed | VS | Thu | ē | PM | ē | Hand-held | 6.18 | 1,23 | 0.0206 |
| Thu | VS | Fri | ē | PM | ē | Desktop | 14.33 | 1,23 | 0.0010 |

APPENDIX C

| Serial addition/subtraction | | | | | | | |
|---|--|--|---|--|--|--|--|
| Reaction time for correct responses | | | | | | | |
| Contrasts 7 df p | | | | | | | |
| Contrasts Mon vs Tue Mon vs Wed Mon vs Fri Tue vs Wed Tue vs Fri Wed vs Thu Thu vs Fri Mon vs Wed @ AM Mon vs Thu @ AM Mon vs Fri @ AM Tue vs Wed @ AM Tue vs Fri @ AM Wed vs Thu @ AM Mon vs Tue @ PM Mon vs Fri @ PM Mon vs Fri @ PM Tue vs Fri @ PM Tue vs Fri @ PM Mon vs Fri @ PM Mon vs Tue @ Hand-held Mon vs Fri @ Hand-held | 16.11 23.30 23.76 10.47 11.06 9.75 10.55 13.97 4.92 7.37 21.44 6.19 8.04 19.52 18.71 26.24 4.61 9.16 9.81 4.68 17.99 7.25 7.66 7.99 8.36 | df 1,23 1, | P 0.0005 0.0001 0.0001 0.0037 0.0029 0.0048 0.0035 0.0011 0.0367 0.0124 0.0001 0.0205 0.0094 0.0002 0.0003 0.0003 0.00047 0.0412 0.0003 0.0130 0.0110 0.0095 0.0082 | | | | |
| Mon vs Wed @ Desktop Mon vs Thu @ Desktop Mon vs Fri @ Desktop | 18.13 7.66 13.69 | 1,23 1,23 1,23 | 0.0003 0.0110 0.0012 | | | | |
| Tue vs Wed @ Desktop Wed vs Thu @ Desktop Thu vs Fri @ Desktop | 10.63 9.52 5.68 | 1,23 1,23 1,23 | 0.0034 0.0052 0.0258 | | | | |

APPENDIX C (Continued)

| Serial addition/subtraction | | | | | | |
|--|--|--|--|--|--|--|
| Throughput | | | | | | |
| Contrasts | 7 | đf | P | | | |
| Mon vs Tue Mon vs Wed Mon vs Thu Mon vs Fri Tue vs Wed Tue vs Fri Wed vs Thu Thu vs Fri | 6.61 13.54 9.71 20.28 8.04 15.94 8.19 13.14 | 1,23 1,23 1,23 1,23 1,23 1,23 1,23 1,23 | 0.0171 0.0012 0.0049 0.0002 0.0094 0.0006 0.0088 0.0014 | | | |

APPENDIX C (Continued)

•

| Digit recall | | | | | |
|---|--|--|--|--|--|
| * Correct | | | | | |
| Contrasts | 7 | đ£ | p | | |
| Mon vs Wed Mon vs Thu Mon vs Fri Tue vs Wed Tue vs Thu Tue vs Fri Thu vs Fri Mon vs Wed @ AM Mon vs Thu @ AM Mon vs Fri @ AM Tue vs Wed @ AM Tue vs Wed @ AM Tue vs Fri @ AM Tue vs Fri @ AM Thu vs Fri @ AM Mon vs Fri @ AM Mon vs Thu @ Hand-held Mon vs Fri @ Hand-held Tue vs Wed @ Hand-held Tue vs Wed @ Hand-held | 13.83 10.23 22.70 9.86 7.51 28.53 6.17 34.46 16.71 31.05 10.75 6.79 23.85 15.30 9.11 4.76 9.26 42.24 29.21 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0012 0.0042 0.0001 0.0048 0.0120 0.0000 0.0211 0.0000 0.0005 0.0000 0.0034 0.0161 0.0001 0.0001 0.0007 0.0063 0.0400 0.0060 0.0000 0.0000 | | |
| Tue vs Fri @ Hand-held Mon vs Tue @ Desktop Mon vs Fri @ Desktop Wed vs Fri @ Desktop | 41.59 6.88 13.52 6.32 | 1,22 1,22 1,22 1,22 | 0.0000 0.0155 0.0013 0.0198 | | |

APPENDIX D

4

.

APPENDIX D (Continued)

.

, .

| Digit recall | | | | | | |
|-----------------------------|-------|------|--------|--|--|--|
| Throughput | | | | | | |
| Contrasts | 7 | đ£ | p | | | |
| Mon vs Thu | 13.05 | 1,22 | 0.0015 | | | |
| Tue vs Thu | 4.82 | 1,22 | 0.0390 | | | |
| Wed vs Thu | 5.87 | 1,22 | 0.0241 | | | |
| Thu vs Fri | 17.08 | 1,22 | 0.0004 | | | |
| Mon vs Tue @ Hand-held | 6.60 | 1,22 | 0.0175 | | | |
| Mon vs Thu @ Hand-held | 14.17 | 1,22 | 0.0011 | | | |
| Wed vs Thu @ Hand-held | 5.00 | 1,22 | 0.0358 | | | |
| Thu vs Fri 🤅 Hand-held | 20.32 | 1,22 | 0.0002 | | | |
| Tue vs Wed @ Desktop | 4.68 | 1,22 | 0.0417 | | | |
| Tue vs Thu 🛿 Desktop | 8.92 | 1,22 | 0.0068 | | | |
| Mon vs Tue @ AM @ Hand-held | 7.39 | 1,22 | 0.0125 | | | |
| Mon vs Thu @ AM @ Hand-held | 7.18 | 1,22 | 0.0137 | | | |
| Mon vs Fri @ AM @ Hand-held | 5.32 | 1,22 | 0.0309 | | | |
| Tue vs Wed @ AM @ Hand-held | 6.52 | 1,22 | 0.0181 | | | |
| Wed vs Thu @ AM @ Hand-held | 4.89 | 1,22 | 0.0378 | | | |
| Mon vs Tue @ AM @ Desktop | 4.57 | 1,22 | 0.0440 | | | |
| Tue vs Thu @ AM @ Desktop | 9.52 | 1,22 | 0.0054 | | | |
| Wed vs Thu @ am @ Desktop | 5.23 | 1,22 | 0.0322 | | | |
| Mon vs Wed @ PM @ Hand-held | 7.95 | 1,22 | 0.0100 | | | |
| Mon vs Thu @ PM @ Hand-held | 16.54 | 1,22 | 0.0005 | | | |
| Tue vs Thu @ PM @ Hand-held | 4.56 | 1,22 | 0.0442 | | | |
| Wed vs Fri @ PM @ Hand-held | 5.94 | 1,22 | 0.0234 | | | |
| Thu vs Fri @ PM @ Hand-held | 18.48 | 1,22 | 0.0003 | | | |
| Mon vs Wed @ PM @ Desktop | 9.03 | 1,22 | 0.0065 | | | |
| Mon vs Thu @ PM @ Desktop | 4.87 | 1,22 | 0.0381 | | | |

APPENDIX D (Continued)

| i se segund de la Columnia di Andrea de Columnia de Columnia de Columnia de Columnia de Columnia de Columnia de | 4-choice seri | lal reactio | n time | | | | |
|---|---------------|---|--|--|--|--|--|
| % Correct | t Correct | | | | | | |
| Contrasts | | 7 | đf | p | | | |
| Mon vs Tue Mon vs Wed Mon vs Thu Tue vs Thu Thu vs Fri Mon vs Tue @ AM Mon vs Thu @ AM Mon vs Fri @ AM Mon vs Wed @ PM Mon vs Thu @ PM | | 4.52 6.50 11.71 4.63 4.27 4.67 5.32 4.64 10.11 10.46 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0449 0.0183 0.0024 0.0427 0.0508 0.0419 0.0309 0.0424 0.0043 0.0038 | | | |
| Tue vs Wed @ PM Tue vs Thu @ AM Wed vs Fri @ PM Thu vs Fri @ PM | | 6.06 6.05 15.36 13.67 | 1,22 1,22 1,22 1,22 | 0.0221 0.0223 0.0007 0.0013 | | | |

,

1

APPENDIX E

٠

-

| 4-choice serial reaction time | | | | | | |
|--|--|--|--|--|--|--|
| Reaction time for correct responses | | | | | | |
| Contrasts | 7 | đ£ | P | | | |
| Mon vs Tue Mon vs Wed Mon vs Thu Mon vs Fri Tue vs Thu Wed vs Fri Thu vs Fri Mon vs Tue @ AM Mon vs Wed @ AM Mon vs Thu @ AM | 57.21 60.77 40.94 47.22 6.01 8.54 25.04 58.88 67.75 55.78 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0000 0.0000 0.0000 0.0227 0.0079 0.0001 0.0000 0.0000 0.0000 | | | |
| Mon vs Fri @ AM Tue vs Wed @ AM Tue vs Fri @ AM Wed vs Thu @ AM Thu vs Fri @ AM Mon vs Tue @ PM Mon vs Thu @ PM | 46.68 27.22 4.93 17.38 11.14 25.40 12.11 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0000 0.0000 0.0370 0.0004 0.0030 0.0000 0.0021 | | | |
| Mon vs Fri @ PM Tue vs Wed @ PM Tue vs Thu @ PM Wed vs Thu @ PM Wed vs Fri @ PM Thu vs Fri @ PM Mon vs Tue @ Hand-held Mon vs Wed @ Hand-held | 28.15 18.99 10.51 6.44 21.54 32.06 27.42 43.78 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0003 0.0037 0.0188 0.0001 0.0000 0.0000 0.0000 | | | |
| Mon vs Thu @ Hand-held Mon vs Fri @ Hand-held Tue vs Fri @ Hand-held Wed vs Fri @ Hand-held Thu vs Fri @ Hand-held Mon vs Tue @ Desktop Mon vs Wed @ Desktop | 36.52 42.10 10.66 8.15 13.17 43.00 32.33 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0000 0.0000 0.0035 0.0092 0.0015 0.0000 0.0000 | | | |
| Mon vs Thu @ Desktop Mon vs Fri @ Desktop Tue vs Wed @ Desktop Tue vs Thu @ Desktop Wed vs Thu @ Desktop Thu vs Fri @ Desktop | 22.16 27.71 13.73 30.37 6.11 19.64 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0001 0.0000 0.0012 0.0000 0.0216 0.0002 | | | |

APPENDIX E (Continued)

| 4-choice serial reaction time | | | | | |
|-------------------------------|----------------------|--------|------|--------|--|
| Throughput | | | | | |
| Contrasts | | 7 | đf | P | |
| Mon vs Tue | | 94.20 | 1,22 | 0.0000 | |
| Mon vs Wed | | 117.34 | 1,22 | 0.0000 | |
| Mon vs Thu | | 47.64 | 1,22 | 0.0000 | |
| Mon vs Fri | | 72.01 | 1,22 | 0.0000 | |
| Tue vs Wed | | 4.71 | 1,22 | 0.0411 | |
| Tue vs Thu | | 12.00 | 1,22 | 0.0022 | |
| Wed vs Thu | | 7.10 | 1,22 | 0.0142 | |
| Wed vs Fri | | 5.03 | 1,22 | 0.0354 | |
| Thu vs Fri | _ | 30.44 | 1,22 | 0.0000 | |
| Mon vs Tue | e am | 105.82 | 1,22 | 0.0000 | |
| Mon vs Wed | e AM | 172.47 | 1,22 | 0.0000 | |
| Mon vs Thu | e am | 100.18 | 1,22 | 0.0000 | |
| Mon vs Fri | e am | 86.54 | 1,22 | 0.0000 | |
| Tue vs Wed | e am | 49.72 | 1,22 | 0.0000 | |
| Wed vs Thu | e am | 24.75 | 1,22 | 0.0001 | |
| Thu vs Fri | e am | 10.82 | 1,22 | 0.0033 | |
| Mon vs Tue | e PM | 43.51 | 1,22 | 0.0000 | |
| Mon vs Thu | e PM | 9.17 | 1,22 | 0.0062 | |
| Mon vs Fri | e PM | 31.92 | 1,22 | 0.0000 | |
| Tue vs Wed | @ PM | 31.74 | 1,22 | 0.0000 | |
| Tue vs Thu | e PM | 20.08 | 1,22 | 0.0002 | |
| Wed vs Thu | e PM | 4.89 | 1,22 | 0.0377 | |
| Wed vs Fri | e PM | 27.26 | 1,22 | 0.0000 | |
| Thu vs Fri | 0 PM | 35.14 | 1,22 | 0.0000 | |
| Mon vs Tue | @ Hand-held | 41.30 | 1,22 | 0.0000 | |
| Mon vs Wed | @ Hand-held | 80.23 | 1,22 | 0.0000 | |
| Mon vs Thu | @ Hand-held | 50.84 | 1,22 | 0.0000 | |
| Mon vs Fri | @ Hand-held | 71.22 | 1,22 | 0.0000 | |
| Tue vs Fri | @ Hand-held | 9.90 | 1,22 | 0.0047 | |
| Wed vs Fri | 0 Hand-held | 7.75 | 1,22 | 0.0108 | |
| Thu vs Fri | <pre>Hand-held</pre> | 15.45 | 1,22 | 0.0007 | |
| Mon vs Tue | e Desktop | 80.21 | 1,22 | 0.0000 | |
| Mon vs Wed | e Desktop | 60.33 | 1,22 | 0.0000 | |
| Mon vs Thu | @ Desktop | 25.54 | 1,22 | 0.0000 | |
| Mon vs Fri | e Desktop | 41.50 | 1,22 | 0.0000 | |
| Tue vs Wed | @ Desktop | 19.21 | 1,22 | 0.0002 | |
| Tue vs Thu | @ Desktop | 30.94 | 1,22 | 0.0000 | |
| 🛛 Tue vs Fri | @ Desktop | 5.68 | 1,22 | 0.0262 | |
| Wed vs Thu | 0 Desktop | 11.90 | 1,22 | 0.0023 | |
| Thu vs Fri | 0 Desktop | 21.81 | 1,22 | 0.0001 | |
| Mon vs Tue | @ AM @ Desktop | 46.18 | 1,22 | 0.0000 | |
| Mon vs Wed | @ AM @ Desktop | 70.96 | 1,22 | 0.0000 | |
| Mon vs Thu | @ AM @ Desktop | 35.85 | 1,22 | 0.0000 | |
| Mon vs Fri | 0 AM 0 Desktop | 36.25 | 1,22 | 0.0000 | |

APPENDIX E (Continued)

| Contrasts | (< | conti | nued) | 7 | df | P |
|------------|----|-------|-----------|--------|------|--------|
| Tue vs Wed | e | AM @ | Desktop | 16.84 | 1,22 | 0.0005 |
| Tue vs Thu | ě | AM Q | Desktop | 8.99 | 1,22 | 0.0066 |
| Wed vs Thu | ē | AM @ | Desktop | 23.15 | 1,22 | 0.0001 |
| Wed vs Fri | ē | AM Q | Desktop | 5.25 | 1,22 | 0.0318 |
| Thu vs Fri | ē | AM 0 | Desktop | 9.06 | 1,22 | 0.0065 |
| Mon vs Tue | 6 | PM @ | Desktop | 42.55 | 1,22 | 0.0000 |
| Mon vs Fri | 6 | PM @ | Desktop | 11.25 | 1,22 | 0.0029 |
| Tue vs Wed | 6 | PM @ | Desktop | 80.57 | 1,22 | 0.0000 |
| Tue vs Thu | 6 | PM @ | Desktop | 35.14 | 1,22 | 0.0000 |
| Tue vs Fri | 6 | PM @ | Desktop | 19.26 | 1,22 | 0.0002 |
| Wed vs Fri | 6 | PM @ | Desktop | 19.77 | 1,22 | 0.0002 |
| Thu vs Fri | 6 | PM @ | Desktop | 11.16 | 1,22 | 0.0030 |
| Mon vs Tue | 6 | AM 0 | Hand-held | 78.14 | 1,22 | 0.0000 |
| Mon vs Wed | 6 | AM Q | Hand-held | 126.43 | 1,22 | 0.0000 |
| Mon vs Thu | 6 | AM Q | Hand-held | 76.22 | 1,22 | 0.0000 |
| Mon vs Fri | 6 | AM Q | Hand-held | 85.17 | 1,22 | 0.0000 |
| Tue vs Wed | 6 | AM @ | Hand-held | 23.65 | 1,22 | 0.0001 |
| Tue vs Fri | 6 | AM @ | Hand-held | 7.60 | 1,22 | 0.0115 |
| Wed vs Thu | 6 | AM @ | Hand-held | 5.03 | 1,22 | 0.0354 |
| Thu vs Fri | 6 | AM @ | Hand-held | 5.74 | 1,22 | 0.0255 |
| Mon vs Tue | 6 | PM @ | Hand-held | 10.93 | 1,22 | 0.0032 |
| Mon vs Wed | 6 | PM @ | Hand-held | 5.02 | 1,22 | 0.0355 |
| Mon vs Thu | e | PM @ | Hand-held | 13.88 | 1,22 | 0.0012 |
| Mon vs Fri | 6 | PM @ | Hand-held | 37.95 | 1,22 | 0.0000 |
| Tue vs Fri | 6 | PM 🔮 | Hand-held | 5.31 | 1,22 | 0.0310 |
| Wed vs Thu | 6 | PM Q | Hand-held | 4.28 | 1,22 | 0.0506 |
| Wed vs Fri | 6 | PM @ | Hand-held | 19.80 | 1,22 | 0.0002 |
| Thu vs Fri | 6 | PM Q | Hand-held | 12.65 | 1,22 | 0.0018 |

APPENDIX E (Continued)

| Six-letter search | | | | | | | |
|---|---|--|--|--|--|--|--|
| % Correct | | | | | | | |
| Contrasts | 7 | đf | P | | | | |
| Mon vs Tue Mon vs Wed Mon vs Thu Mon vs Thu Tue vs Thu Tue vs Fri Wed vs Thu Mon vs Thu @ AM Mon vs Fri @ AM Tue vs Fri @ AM Wed vs Thu @ AM Wed vs Fri @ AM Wed vs Fri @ AM Mon vs Wed @ PM Mon vs Fri @ PM Mon vs Fri @ PM | 6.46 9.69 20.66 24.75 14.04 13.71 5.03 12.18 17.26 4.42 9.04 6.17 10.68 14.77 11.35 8.82 6.97 | 1,22 1,22 1,22 1,22 1,22 1,22 1,22 1,22 | 0.0186 0.0051 0.0002 0.0001 0.0011 0.0012 0.0353 0.0021 0.0004 0.0471 0.0065 0.0211 0.0035 0.0009 0.0028 0.0071 0.0149 | | | | |
| Tue vs Wed @ PM Tue vs Thu @ PM | 6.97 13.74 | 1,22 1,22 | 0.0149 0.0012 | | | | |

APPENDIX F

• ;

| Six-letter search | | | | | | | | |
|--|----------------|------------------------|----------------------|----------------------------|--|--|--|--|
| Reaction time for correct responses | | | | | | | | |
| Contrasts | | 7 | đf | P | | | | |
| Mon vs Tue Mon vs Wed Tue vs Thu | | 17.39 6.17 15.67 | 1,21 1,21 1 21 | 0.0004 0.0215 | | | | |
| Wed vs Thu Thu vs Fri | 2.14 | 13.13 15.31 | 1,21 1,21 1,21 | 0.0016 | | | | |
| Mon vs Tue e Mon vs Wed e Tue vs Thu e | AM AM AM | 13.57 11.58 | 1,21 1,21 1,21 | 0.0003 0.0014 0.0027 | | | | |
| Wed VS Thu @ | am | 26.30 | 1,21 | 0.0000 | | | | |
| Wed VS Fri @ | Am | 7.12 | 1,21 | 0.0144 | | | | |
| Thu VS Fri @ | Am | 11.91 | 1,21 | 0.0024 | | | | |
| Mon vs Tue (| Desktop | 15.72 | 1,21 | 0.0007 | | | | |
| Mon vs Wed (| Desktop | 6.23 | 1,21 | 0.0209 | | | | |
| Tue vs Thu () | Desktop | 23.98 | 1,21 | 0.0001 | | | | |
| Tue vs Fri (| Desktop | 5.31 | 1,21 | 0.0315 | | | | |
| Wed vs Thu (| Desktop | 16.31 | 1,21 | 0.0006 | | | | |
| Wed vs Fri () | Desktop | 5.54 | 1,21 | 0.0284 | | | | |
| Thu vs Fri @ | Desktop | 22.22 | 1,21 | 0.0001 | | | | |
| Mon vs Tue @ | AM @ Desktop | 10.94 | 1,21 | 0.0034 | | | | |
| Mon vs Wed @ | AM @ Desktop | 11.33 | 1,21 | 0.0029 | | | | |
| Tue vs Thu 0 | AM @ Desktop | 13.33 | 1,21 | 0.0015 | | | | |
| Wed vs Thu 0 | AM @ Desktop | 25.85 | 1,21 | 0.0000 | | | | |
| Wed vs Fri 0 | AM @ Desktop | 4.49 | 1,21 | 0.0463 | | | | |
| Thu vs Fri @ / | AM @ Desktop | 21.71 | 1,21 | 0.0001 | | | | |
| Mon vs Tue @ / | PM @ Desktop | 5.57 | 1,21 | 0.0280 | | | | |
| Tue vs Thu @ / | PM @ Desktop | 12.16 | 1,21 | 0.0022 | | | | |
| Tue vs Fri @ | PM @ Desktop | 16.28 | 1,21 | 0.0006 | | | | |
| Mon vs Wed @ | AM @ Hand-held | 6.10 | 1,21 | 0.0222 | | | | |
| Tue vs Wed @ | AM @ Hand-held | 5.17 | 1,21 | 0.0336 | | | | |
| Wed vs Thu 0 | AM @ Hand-held | 15.85 | 1,21 | 0.0007 | | | | |
| Wed vs Fri 0 | AM @ Hand-held | 5.21 | 1,21 | 0.0329 | | | | |

APPENDIX F (Continued)

٩

1

,

| Six-letter search | | | | | | | |
|-------------------|----------------|------------|---|----------|---------------|----------------------|------------------|
| Throughput | | | | | | | |
| Cont | ras | ts | | | 7 | đf | p |
| Mon | VS (| Tue | | | 6.51 | 1,21 | 0.0186 |
| Wed | VS VS | Thu Fri | | | 12.07 | 1,21 | 0.0023 |
| Mon | VS VS | Tue | 6 | Desktop | 23.93 | 1,21 | 0.0001 |
| Tue | VS VS | Fri Thu | 6 | Desktop | 8.57 | 1,21 | 0.0080 |
| Wed | VS VS | Fri Fri | 6 | Desktop | 6.23 | 1,21 | 0.0209 |
| Mon | VS VS | Tue | 6 | AM | 13.68 | 1,21 | 0.0013 |
| Tue | vs Vs | Thu | 6 | AM | 9.01 | 1,21 | 0.0068 |
| Wed Thu | vs Vs Vs | Fri Fri | 6 | AM AM | 7.86 11.60 | 1,21 1,21 1,21 | 0.0106 0.0027 |

,

ĩ

ŧ

.

APPENDIX F (Continued)

Initial distribution

Commander, U.S. Army Natick Research, Development and Evaluation Center ATTN: STRNC-MIL (Documents Librarian) Natick, MA 01760-5040

Naval Submarine Medical Research Laboratory Medical Library, Naval Sub Base Box 900 Groton, CT 06340

Commander/Director U.S. Army Combat Surveillance and Target Acquisition Lab ATTN: DELCS-D Fort Monmouth, NJ 07703-5304

Commander 10th Medical Laboratory ATTN: Audiologist APO New York 09180

Naval Air Development Center Technical Information Division Technical Support Detachment Warminster, PA 18974

Commanding Officer, Naval Medical Research and Development Command National Naval Medical Center Bethesda, MD 20814-5044

Deputy Director, Defense Research and Engineering ATTN: Military Assistant for Medical and Life Sciences Washington, DC 20301-3080

Commander, U.S. Army Research Institute of Environmental Medicine Natick, MA 01760 U.S. Army Avionics Research and Development Activity ATTN: SAVAA-P-TP Fort Monmouth, NJ 07703-5401

U.S. Army Communications-Electronics Command ATTN: AMSEL-RD-ESA-D Fort Monmouth, NJ 07703 ٤

Library Naval Submarine Medical Research Lab Box 900, Naval Sub Base Groton, CT 06349-5900

Commander Man-Machine Integration System Code 602 Naval Air Development Center Warminster, PA 18974

Commander Naval Air Development Center ATTN: Code 602-B (Mr. Brindle) Warminster, PA 18974

Commanding Officer Harry G. Armstrong Aerospace Medical Research Laboratory Wright-Patterson Air Force Base, OH 45433

Director Army Audiology and Speech Center Walter Reed Army Medical Center Washington, DC 20307-5001

Commander, U.S. Army Institute of Dental Research ATTN: Jean A. Setterstrom, Ph. D. Walter Reed Army Medical Center Washington, DC 20307-5300 Headquarters (ATMD) U.S. Army Training and Doctrine Command ATTN: ATBO-M Fort Monroe, VA 23651

Structures Laboratory Library USARTL-AVSCOM NASA Langley Research Center Mail Stop 266 Hampton, VA 23665

Naval Aerospace Medical Institute Library Building 1953, Code 03L Pensacola, FL 32508-5600

Command Surgeon HQ USCENTCOM (CCSG) U.S. Central Command MacDill Air Force Base FL 33608

Air University Library (AUL/LSE) Maxwell Air Fore Base, AL 36112

U.S. Air Fórce Institute of Technology (AFIT/LDEE) Building 640, Area B Wright-Patterson Air Force Base, OH 45433

Henry L. Taylor Director, Institute of Aviation University of Illinois-Willard Airport Savoy, IL 61874

Chief, Nation Guard Bureau ATTN: NGB-ARS (COL Urbauer) Room 410, Park Center 4 4501 Ford Avenue Alexandria, VA 22302-1451

ŝ

Commander

U.S. Army Aviation Systems Command ATTN: SGRD-UAX-AL (MAJ Gillette) 4300 Goodfellow Blvd., Building 105 St. Louis, MO 63120

U.S. Army Aviation Systems Command Library and Information Center Branch
ATTN: AMSAV-DIL
4300 Goodfellow Boulevard
St. Louis, MO 63120

Federal Aviation Administration Civil Aeromedical Institute Library AAM-400A P.O. Box 25082 Oklahoma City, OK 73125

Commander U.S. Army Academy of Health Sciences ATTN: Library Fort Sam Houston, TX 78234

Commander U.S. Army Institute of Surgical Research ATTN: SGRD-USM (Jan Duke) Fort Sam Houston, TX 78234-6200

AAMRL/HEX Wright-Patterson Air Force Base, OH 45433

John A. Dellinger, Southwest Research Institute P. 0. Box 28510 San Antonio, TX 78284

Product Manager Aviation Life Support Equipment ATTN: AMCPM-ALSE 4300 Goodfellow Boulevard St. Louis, MO 63120-1798 Naval Air Systems Command Technical Air Library 950D Room 278, Jefferson Plaza II Department of the Navy Washington, DC 20361

Director, U.S. Army Human Engineering Laboratory ATTN: Technical Library Aberdeen Proving Ground, MD 21005

Commander, U.S. Army Test and Evaluation Command ATTN: AMSTE-AD-H Aberdeen Proving Ground, MD 21005

Director U.S. Army Ballistic Research Laboratory ATTN: DRXBR-OD-ST Tech Reports Aberdeen Proving Ground, MD 21005

Commander U.S. Army Medical Research Institute of Chemical Defense ATTN: SGRD-UV-AO Aberdeen Proving Ground, MD 21010-5425

Commander, U.S. Army Medical Research and Development Command ATTN: SGRD-RMS (Ms. Madigan) Fort Detrick, Frederick, MD 21702-5012

Director Walter Reed Army Institute of Research Washington, DC 20307-5100

HQ DA (DASG-PSP-O) 5109 Leesburg Pike Falls Church, VA 22041-3258

Harry Diamond Laboratories ATTN: Technical Information Branch 2800 Powder Mill Road Adelphi, MD 20783-1197 U.S. Army Materiel Systems Analysis Agency ATTN: AMXSY-PA (Reports Processing) Aberdeen Proving Ground MD 21005-5071

U.S. Army Ordnance Center and School Library Simpson Hall, Building 3071 Aberdeen Proving Ground, MD 21005

U.S. Army Environmental Hygiene Agency Building E2100 Aberdeen Proving Ground, MD 21010

Technical Library Chemical Research and Development Center Aberdeen Proving Ground, MD 21010--5423

Commander U.S. Army Medical Research Institute of Infectious Disease SGRD-UIZ-C Fort Detrick, Frederick, MD 21702

Director, Biological Sciences Division Office of Naval Research 600 North Quincy Street Arlington, VA 22217

Commander U.S. Army Materiel Command ATTN: AMCDE-XS 5001 Eisenhower Avenue Alexandria, VA 22333

Commandant U.S. Army Aviation Logistics School ATTN: ATSQ-TDN Fort Eustis, VA 23604

Commander U.S. Army Aviation Systems Command ATTN: AMSAV-ED 4300 Goodfellow Boulevard St. Louis, MO 63120

)

t

ţ

7

Commanding Officer Naval Biodynamics Laboratory P.O. Box 24907 New Orleans, LA 70189-0407

Assistant Commandant U.S. Army Field Artillery School ATTN: Morris Swott Technical Library Fort Sill, OK 73503-0312

Commander U.S. Army Health Services Command ATTN: HSOP-SO Fort Sam Houston, TX 78234-6000

HQ USAF/SGPT Bolling Air Force Base, DC 20332-6188

U.S. Army Dugway Proving Ground Technical Library, Building 5330 Dugway, UT 84022

U.S. Army Yuma Proving Ground Technical Library Yuma, AZ 85364

AFFTC Technical Library 6510 TW/TSTL Edwards Air Force Base, CA 93523-5000

Commander Code 3431 Naval Weapons Center China Lake, CA 93555 Aeromechanics Laboratory U.S. Army Research and Technical Labs Ames Research Center, M/S 215-1 Moffett Field, CA 94035

Sixth U.S. Army ATTN: SMA Presidio of San Francisco, CA 94129

Commander U.S. Army Aeromedical Center Fort Rucker, AL 36362

U.S. Air Force School of Aerospace Medicine Strughold Aeromedical Library Technical Reports Section (TSKD) Brooks Air Force Base, TX 78235-5301

Dr. Diane Damos Department of Human Factors ISSM, USC Los Angeles, CA 90089-0021

U.S. Army White Sands Missile Range ATTN: STEWS-IM-ST White Sands Missile Range, NM 88002

U.S. Army Aviation Engineering Flight Activity ATTN: SAVTE-M (Tech Lib) Stop 217 Edwards Air Force Base, CA 93523-5000

Ms. Sandra G. Hart Ames Research Center MS 262-3 Moffett Field, CA 94035

Commander, Letterman Army Institute of Research ATTN: Medical Research Library Presidio of San Francisco, CA 94129 Commander U.S. Army Medical Materiel Development Activity Fort Detrick, Frederick, MD 21702-5009

Commander U.S. Army Aviation Center Directorate of Combat Developments Building 507 Fort Rucker, AL 36362

U. S. Army Research Institute Aviation R&D Activity ATTN: PERI-IR Fort Rucker, AL 36362

Commander U.S. Army Safety Center Fort Rucker, AL 36362

U.S. Army Aircraft Development Test Activity ATTN: STEBG-MP-P Cairns Army Air Field Fort Rucker, AL 36362

Commander U.S. Army Medical Research and Development Command ATTN: SGRD-PLC (COL Sedge) Fort Detrick, Frederick, MD 21702

MAJ John Wilson TRADOC Aviation LO Embassy of the United States APO New York 09777

Netherlands Army Liaison Office Building 602 Fort Rucker, AL 36362

British Army Liaison Office Building 602 Fort Rucker, AL 36362

Italian Army Liaison Office Building 602 Fort Rucker, AL 36362 Directorate of Training Development Building 502 Fort Rucker, AL 36362

Chief USAHEL/USAAVNC Field Office P. O. Box 716 Fort Rucker, AL 36362-5349

Commander U.S. Army Aviation Center and Fort Rucker ATTN: ATZQ-CG Fort Rucker, AL 36362

1

Commander/President TEXCOM Aviation Board Cairns Army Air Field Fort Rucker, AL 36362

MAJ Terry Newman Canadian Army Liaison Office Building 602 Fort Rucker, AL 36362

German Army Liaison Office Building 602 Fort Rucker, AL 36362

LTC Patrice Cottebrune French Army Liaison Office USAAVNC (Building 602) Fort Rucker, AL 36362-5021

Australian Army Liaison Office Building 602 Fort Rucker, AL 36362

Dr. Garrison Rapmund 6 Burning Tree Court Bethesda, MD 20817

Commandant Royal Air Force Institute of Aviation Medicine Farnborough Hampshire GU14 65Z UK Commander

3

:

1

U.S. Army Biomedical Research and Development Laboratory ATTN: SGRD-UBZ-I Fort Detrick, Frederick, MD 21702

Defense Technical Information Center Cameron Station Alexandra, VA 22313

Commander, U.S. Army Foreign Science and Technology Center AIFRTA (Davis) 220 7th Street, NE Charlottesville, VA 22901-5396

Director, Applied Technology Laboratory USARTL-AVSCOM ATTN: Library, Building 401 Fort Eustis, VA 23604

U.S. Air Force Armament Development and Test Center Eglin Air Force Base, FL 32542

Commander, U.S. Army Missile Command Redstone Scientific Information Center ATTN: AMSMI-RD-CS-R /ILL Documents Redstone Arsenal, AL 35898

Dr. H. Dix Christensen Bio-Medical Science Building, Room 753 Post Office Box 26901 Oklahoma City, OK 73190

U.S. Army Research and Technology Laboratories (AVSCOM) Propulsion Laboratory MS 302-2 NASA Lewis Research Center Cleveland, OH 44135 Col. Otto Schramm Filho
c/o Brazilian Army Commission
Office-CEBW
4632 Wisconsin Avenue NW
Washington, DC 20016

Dr. Christine Schlichting Behavioral Sciences Department Box 900, NAVUBASE NLON Groton, CT 06349-5900

COL Eugene S. Channing, O.D. Brooke Army Medical Center ATTN: HSHE-EAH-O Fort Sam Houston, TX 78234-6200

LTC Gaylord Lindsey (5) USAMRDC Liaison at Academy of Health Sciences ATTN: HSHA-ZAC-F Fort Sam Houston, TX 78234

Aviation Medicine Clinic TMC #22, SAAF Fort Bragg, NC 28305

Dr. A. Kornfield, President Biosearch Company 3016 Revere Road Drexel Hill, PA 29026

NVEOD AMSEL-RD-ASID (Attn: Trang Bui) Fort Belvior, VA 22060