

WRDC-TR-90-8007
Volume VIII
Part 30


AD-A248 969



INTEGRATED INFORMATION SUPPORT SYSTEM (IISS)
Volume VIII - User Interface Subsystem
Part 30 - Text Editor Product Specification

F. Glandorf

Control Data Corporation
Integration Technology Services
2970 Presidential Drive
Fairborn, OH 45324-6209



September 1990

Final Report for Period 1 April 1987 - 31 December 1990

Approved for Public Release; Distribution is Unlimited

MANUFACTURING TECHNOLOGY DIRECTORATE
WRIGHT RESEARCH AND DEVELOPMENT CENTER
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433-6533

92-09612




92 4 14 047

NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever, regardless whether or not the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data. It should not, therefore, be construed or implied by any person, persons, or organization that the Government is licensing or conveying any rights or permission to manufacture, use, or market any patented invention that may in any way be related thereto.

This technical report has been reviewed and is approved for publication.

This report is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations



DAVID L. JUDSON, Project Manager
WRDC/MTI
Wright-Patterson AFB, OH 45433-6533

25 July 91
DATE

FOR THE COMMANDER:



BRUCE A. RASMUSSEN, Chief
WRDC/MTI
Wright-Patterson AFB, OH 45433-6533

25 July 91
DATE

If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify WRDC/MTI, Wright-Patterson Air Force Base, OH 45433-6533 to help us maintain a current mailing list.

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

FOREWORD

This technical report covers work performed under Air Force Contract F33600-87-C-0464, DAPro Project. This contract is sponsored by the Manufacturing Technology Directorate, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Bruce A. Rasmussen, Branch Chief, Integration Technology Division, Manufacturing Technology Directorate, through Mr. David L. Judson, Project Manager. The Prime Contractor was Integration Technology Services, Software Programs Division, of the Control Data Corporation, Dayton, Ohio, under the direction of Mr. W. A. Osborne. The DAPro Project Manager for Control Data Corporation was Mr. Jimmy P. Maxwell.

The DAPro project was created to continue the development, test, and demonstration of the Integrated Information Support System (IISS). The IISS technology work comprises enhancements to IISS software and the establishment and operation of IISS test bed hardware and communications for developers and users.

The following list names the Control Data Corporation subcontractors and their contributing activities:

<u>SUBCONTRACTOR</u>	<u>ROLE</u>
Control Data Corporation	Responsible for the overall Common Data Model design development and implementation, IISS integration and test, and technology transfer of IISS.
D. Appleton Company	Responsible for providing software information services for the Common Data Model and IDEF1X integration methodology.
ONTEK	Responsible for defining and testing a representative integrated system base in Artificial Intelligence techniques to establish fitness for use.
Simpact Corporation	Responsible for Communication development.
Structural Dynamics Research Corporation	Responsible for User Interfaces, Virtual Terminal Interface, and Network Transaction Manager design, development, implementation, and support.
Arizona State University	Responsible for test bed operations and support.

TABLE OF CONTENTS

		<u>Page</u>
SECTION 1.0	SCOPE	1-1
1.1	Identification	1-1
1.2	Functional Summary	1-1
SECTION 2.0	DOCUMENTS	2-1
2.1	Reference Documents	2-1
2.2	Terms and Abbreviations	2-2
SECTION 3.0	REQUIREMENTS	3-1
3.1	Structural Description	3-1
3.2	Functional Flow	3-1
3.3	Interfaces	3-2
3.3.1	Application Interface	3-3
3.3.2	UIM	3-3
3.3.3	NTM	3-3
3.4	Program Interrupts	3-3
3.5	Timing and Sequencing Description	3-3
3.6	Special Control Features	3-3
3.7	Storage Allocation	3-3
3.7.1	Data Base Definition	3-4
3.7.1.1	File Descriptions	3-4
3.8	Object Code Creation	3-4
3.9	Adaptation Data	3-4
3.10	Detailed Design Description	3-4
3.10.1	Main Program List	3-4
3.10.2	Module List	3-6
3.10.3	External Routines List	3-9
3.10.4	Include File List	3-11
3.10.5	Where Include File Used List	3-13
3.10.6	Where External Routine Used List	3-21
3.10.7	Main Program Parts List	3-29
3.10.8	Module Documentation	3-32
3.10.9	Include File Description	3-93
3.10.10	Hierarchy Chart	3-100
3.11	Program Listings Comments	3-121
SECTION 4.0	QUALITY ASSURANCE PROVISIONS	4-1
4.1	Introduction and Definitions	4-1
4.2	Computer Programming and Test Evaluation	4-1

LIST OF ILLUSTRATIONS

<u>Figure</u>	<u>Title</u>	<u>Page</u>
3-1	Text Editor Data Flow	3-2
3-2	Text Editor Interfaces	3-2

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



SECTION 1

SCOPE

1.1 Identification

This specification establishes the detailed design of a computer program identified as the Text Editor, hereinafter referred to as the TE. The TE is one configuration item of the Integrated Information Support System (IISS) User Interface (UI).

1.2 Functional Summary

The TE provides the user with the ability to edit a file in a manner consistent with the User Interface. Editing functions such as inserting, deleting, moving and replacing text are available.

SECTION 2

DOCUMENTS

2.1 Reference Documents

- [1] Structural Dynamics Research Corporation, Application Interface Product Specification, PS 620144700 , 1 November 1985.
- [2] Structural Dynamics Research Corporation, Forms Driven Form Editor Product Specification, PS 620144402 , 1 November 1985.
- [3] Structural Dynamics Research Corporation, Forms Language Compiler Product Specification, PS 620144401 , 1 November 1985.
- [4] Structural Dynamics Research Corporation, Form Processor Product Specification, PS 620144200 , 1 November 1985.
- [5] Structural Dynamics Research Corporation, Rapid Application Generator Product Specification, PS 620144502 , 1 November 1985.
- [6] Structural Dynamics Research Corporation, Report Writer Product Specification, PS 620144501 , 1 November 1985.
- [7] Structural Dynamics Research Corporation, User Interface Services Product Specification, PS 620144100 , 1 November 1985.
- [8] Structural Dynamics Research Corporation, Virtual Terminal Product Specification, PS 620144300 , 1 November 1985.
- [9] Structural Dynamics Research Corporation, Text Editor Development Specification, DS 620144600B, 1 November 1985.
- [10] Structural Dynamics Research Corporation, Text Editor User Manual, UM 620144600B, 1 November 1985.

[11] Structural Dynamics Research Corporation, Text Editor Unit Test Plan, UTP620144600 , 1 November 1985.

2.2 Terms and Abbreviations

Buffer Name: the default file in which the buffer will be saved if no file is given on a save command.

Current Cursor Position: the position of the cursor before an edit command or function is issued in the text editor.

Cursor Position: the position of the cursor after any command is issued.

Cut and Paste Buffer: where deleted lines go and the paste and fill edit commands get their data.

Display Start Line: the first line in the buffer to be displayed.

Display Size: the number of lines used in the edit area.

Field: two dimensional space on a terminal screen.

Field Pointer: indicates the ITEM which contains the current cursor position.

Form Processor: (FP), subset of the IISS User Interface that consists of a set of callable execution time routines available to an application program for form processing.

Form Processor Text Editor: (FPTE), subset of the Form Processor that consists of software modules that provide text editing capabilities to all users of applications that use the Form Processor.

IISS Function Screen: the first screen that is displayed after logon. It allows the user to specify the function he wants to access and the device type and device name on which he is working.

Integrated Information Support System: (IISS), a test computing environment used to investigate, demonstrate and test the concepts of information management and information integration in the context of Aerospace Manufacturing. The IISS addresses the problems of integration of data resident on heterogeneous data bases supported by heterogeneous computers interconnected via a Local Area Network.

Item: non-decomposable area of a form in which hard-coded descriptive text may be placed and the only defined areas where user data may be input/output.

Message: descriptive text which may be returned in the standard message line on the terminal screen. They are used to warn of errors or provide other user information.

Message Line: a line on the terminal screen that is used to display messages.

Operating System: (OS), software supplied with a computer which allows it to supervise its own operations and manage access to hardware facilities such as memory and peripherals.

Paging and Scrolling: a method which allows a form to contain more data than can be displayed with provisions for viewing any portion of the data buffer.

Previous Cursor Position: the position of the cursor when the previous edit command was issued.

Previous Edit Command: the function key pressed before the current one.

Select Line: one terminus of the select range.

Select Mode: when on, certain commands will be executed over the lines in the selected range. The commands are <DELETE LINE> and replace.

Text Editor: (TE), subset of the IISS User Interface that consists of a file editor that is based on the text editing functions built into the Form Processor.

Top of file: the first line of the buffer.

User Interface: (UI), IISS subsystem that controls the user's terminal and interfaces with the rest of the system. The UI consists of two major subsystems: the User Interface Development System (UIDS) and the User Interface Management System (UIMS).

User Interface Development System: (UIDS), collection of IISS User Interface subsystems that are used by applications programmers as they develop IISS applications. The UIDS includes the Form Editor and the Application Generator.

User Interface Services: (UIS), subset of the IISS User Interface that consists of a package of routines that aid users in controlling their environment. It includes message management, change password, and application definition services.

Virtual Terminal: (VT), subset of the IISS User Interface that performs the interfacing between different terminals and the UI. This is done by defining a specific set of terminal features and protocols which must be supported by the UI software which constitutes the virtual terminal definition. Specific terminals are then mapped against the virtual terminal software by specific software modules written for each type of real terminal supported.

SECTION 3
REQUIREMENTS

3.1 Structural Description

The Text Editor is an IISS application and as such can be invoked from the IISS Function Screen. It provides IISS users with file editing capabilities.

The Text Editor has two basic modes, edit and command. Edit mode is used most often and consists of entering text and using key commands called functions. The command mode is entered by pressing the <COMMAND> key in the edit mode. The command mode is exited by completing a command or by pressing the <QUIT> key.

Text files are input through the host operating system's file access method, modified by the TE's user, and then written back to the file. Depending on the host this may overwrite the old version or create a new version of the file.

The detailed structure of the Text Editor is illustrated in section 3.10.

3.2 Functional Flow

Figure 3-1 is a data flow diagram of the Text Editor.




Figure 3-1 Text Editor Data Flow

3.3 Interfaces

Figure 3-2 describes the structure of the TE interfaces.




Figure 3-2 Text Editor Interfaces

3.3.1 Application Interface

The TE interfaces with the Form Processor through calls to the Application Interface (AI). The AI routines translate the application request into the NTM message format and then send the message that contains the application request data to the User Interface Monitor.

3.3.2 UIM

The UIM, which is the main control program for the Form Processor, calls the appropriate FP routine when a message is received from the Text Editor. The UIM then returns the output parameters to the TE.

3.3.3 NTM

The Text Editor application must also use the NTM initialization routine, INITAL and the NTM termination routine, IRMNAT.

3.4 Program Interrupts

This section does not apply to the detailed design of the Text Editor.

3.5 Timing and Sequencing Description

The TE is initiated through the IISS Function Screen presented to the user after correctly logging on to the IISS. The TE accepts input from and returns output to the user's terminal via defined forms. The TE permits the user to load files from host operating system and modify and save them.

3.6 Special Control Features

The detailed design of the Text Editor does not include any special control features as defined in the ICAM Documentation Standards manual.

3.7 Storage Allocation

The Text Editor executable is 163 blocks.

3.7.1 Data Base Definition

3.7.1.1 File Descriptions

1. FILE NAME: user specified

PURPOSE: This is the file that is modified by the user of the Text Editor.

DECLARATION:

```
char line[79];
```

3.8 Object Code Creation

All TE modules were compiled using a C compiler developed by Interactive Software under VAX/VMS.

3.9 Adaptation Data

The C source modules for the Text Editor can be compiled using any UNIX version 7 compatible C compiler.

3.10 Detailed Design Description

3.10.1 Main Program List

The following is a list of all "Main Programs" which are modules that are not called by any other module being documented here. These modules are either program entry points or, if they are hooked into another set of programs via subroutine calls, they are the points the external programs can call and therefore enter through. To differentiate between the two types of entry points, look at the individual Module Documentation (section 3.10.8) and look at Module Type for each of the Main Program modules listed. Note whether the routine is a Program, Subroutine, or Function. If it is a Program, it is truly a main program entry point. If not, then it is merely called by other programs not being documented here.

TEXT EDITOR Main Program List

Module Name -----	Purpose -----
TE/MAIN	MAIN MODULE FOR TEXT EDITOR

3.10.2 Module List

The following is a list of all the modules being documented here along with their purpose. Each module has a unique name, no matter what language it was written in.

TEXT EDITOR Module List

Module Name -----	Purpose -----
CLEAR	CLEAR BUFFER
EDITCI	EDIT CALLABLE INTERFACE
EDITCI/ADDNODE	ADD NODE
EDITCI/CMDLIST	COMMAND LIST
EDITCI/CMDMENU	COMMAND MENU
EDITCI/COMMAND	COMMAND FUNCTION
EDITCI/CUT	CUT FUNCTION
EDITCI/DELLINE	DELETE LINE
EDITCI/DELNODE	DELETE NODE
EDITCI/DOCMD	DO A COMMAND
EDITCI/EDIT	EDIT LOOP
EDITCI/FILL	PASTE WITH FILL FUNCTION
EDITCI/FREENODE	FREE NODE
EDITCI/FRSTPAGE	FIRST PAGE
EDITCI/GETNODE	GET NODE
EDITCI/INDEX	FIND INDEX OF SUBSTRING
EDITCI/INLINE	INSERT LINE
EDITCI/LASTPAGE	LAST PAGE
EDITCI/MIDLINE	MIDLINE BREAK FUNCTION
EDITCI/NEWLINE	NEW LINE
EDITCI/NXTLINE	NEXT LINE

TEXT EDITOR Module List

Module Name -----	Purpose -----
EDITCI/NXTPAGE	NEXT PAGE
EDITCI/NXTVAL	NEXT VALUE OF COMMAND LINE
EDITCI/PFSRCH	CONTINUE SEARCH FUNCTION
EDITCI/PRVLINE	PREVIOUS LINE
EDITCI/PRVPAGE	PREVIOUS PAGE
EDITCI/PUTDEF	PUT DEFAULTS
EDITCI/QUIT	QUIT FUNCTION
EDITCI/RETRN	RETURN
EDITCI/SELECT	SELECT LINES FUNCTION
EDITCI/SPLIT	SPLIT A LINE
EDITCI/TMPCPY	TEMPORARY COPY
EDITCI/YANK	PASTE FUNCTION
LOAD	LOAD A FILE
MARGIN	SET MARGINS
NAME	NAME THE BUFFER
REPEAT	REPEAT FUNCTION/COMMAND
REPLACE	REPLACE COMMAND
SAVE	SAVE FILE
SEARCH	SEARCH COMMAND
TE/MAIN	MAIN MODULE FOR TEXT EDITOR

3.10.3 External Routines List

The following is a list of all routines or functions not documented here that are called by modules that are documented here. The first caller, in alphabetical order, is listed as well. See section 3.10.6 for a list of the modules that call each of these external routines.

TEXT EDITOR External Routines List

Module Name -----	First User -----
ABORT	EDITCI/INLINE
ADDFRM	EDITCI/CMDLIST
atoi	REPEAT
ESCPY	EDITCI
FCLOSE	LOAD
FGETS	LOAD
FOPEN	LOAD
FWRITE	SAVE
GDATA	EDITCI/COMMAND
GETCUR	EDITCI/CMDLIST
GETMORE	EDITCI
GPAGE	EDITCI/CMDLIST
GWINDO	EDITCI/CMDLIST
INITAL	TE/MAIN
INITFP	TE/MAIN
ISPRINT	EDITCI/EDIT
MALLOC	EDITCI/GETNODE
MEMCMP	EDITCI/COMMAND
MEMCPY	EDITCI/CMDMENU
MEMSET	EDITCI/SELECT
OISCR	EDITCI/QUIT
PDATA	EDITCI/EDIT
PMSGLC	EDITCI/CMDLIST
PMSGLS	EDITCI/CMDLIST
PRINTF	EDITCI/INLINE
PUTATT	EDITCI/COMMAND
PUTCUR	EDITCI/COMMAND
PUTLOC	EDITCI/EDIT
RMVPAG	EDITCI/CMDMENU
STRCAT	REPLACE
STRCPY	EDITCI/PUTDEF
STRLEN	EDITCI
STRNCAT	REPLACE
STRNCMP	EDITCI/EDIT
STRUPC	EDITCI/DOCMD
TERMFP	TE/MAIN
TOUPPER	CLEAR
TRMNAT	TE/MAIN

3.10.4 Include File List

The following is a list of all include files called in by modules being documented here. Each include file has a unique name regardless of the language being used. The purpose of each include file is listed as well. A more complete description of each include file is given in section 3.10.9. The purpose listed is the one that is in the source code of the include file.

A purpose of "**** PURPOSE NOT FOUND BY STRIPPER ****" indicates that a purpose statement was not written into the include file itself. The most common reason for this is that the include file comes from system libraries that were not developed by the project, such as 'C' libraries that are provided with the 'C' compiler.

See section 3.10.6 for a set of lists which show all the modules which call in each of these include files.

TEXT EDITOR Include File List

File Name

Purpose

CTYPE	**** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE	FORM PROCESSOR RETURN CODES
FPD	FORM PROCESSOR DATA
FPPARM	FORM PROCESSOR PARAMETERS
NTM	NTM INTERFACE INCLUDE FILE
STDIO	**** PURPOSE NOT FOUND BY STRIPPER ****
STDYTP	STANDARD TYPE DEFINITIONS

3.10.5 Where Include File Used List

The following lists each include file from 3.10.4 and all the modules documented in this specification which include them. The purpose of each module is listed as well.

TEXT EDITOR Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
CTYPE		
	CLEAR	CLEAR BUFFER
	EDITCI	EDIT CALLABLE INTERFACE
	EDITCI/AD	ADD NODE
	EDITCI/CM	COMMAND LIST
	EDITCI/CM	COMMAND MENU
	EDITCI/CO	COMMAND FUNCTION
	EDITCI/CU	CUT FUNCTION
	EDITCI/DE	DELETE LINE
	EDITCI/DE	DELETE NODE
	EDITCI/DO	DO A COMMAND
	EDITCI/ED	EDIT LOOP
	EDITCI/FI	PASTE WITH FILL FUNCTION
	EDITCI/FR	FREE NODE
	EDITCI/FR	FIRST PAGE
	EDITCI/GE	GET NODE
	EDITCI/IN	FIND INDEX OF SUBSTRING
	EDITCI/IN	INSERT LINE
	EDITCI/LA	LAST PAGE
	EDITCI/MI	MIDLINE BREAK FUNCTION
	EDITCI/NE	NEW LINE
	EDITCI/NX	NEXT LINE
	EDITCI/NX	NEXT PAGE
	EDITCI/NX	NEXT VALUE OF COMMAND LINE
	EDITCI/PF	CONTINUE SEARCH FUNCTION
	EDITCI/PR	PREVIOUS LINE
	EDITCI/PR	PREVIOUS PAGE
	EDITCI/PU	PUT DEFAULTS
	EDITCI/QU	QUIT FUNCTION
	EDITCI/RE	RETURN
	EDITCI/SE	SELECT LINES FUNCTION
	EDITCI/SP	SPLIT A LINE
	EDITCI/TM	TEMPORARY COPY
	EDITCI/YA	PASTE FUNCTION
	LOAD	LOAD A FILE
	MARGIN	SET MARGINS
	NAME	NAME THE BUFFER
	REPEAT	REPEAT FUNCTION/COMMAND
	REPLACE	REPLACE COMMAND
	SAVE	SAVE FILE

TEXT EDITOR Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
	SEARCH	SEARCH COMMAND

FPCODE

CLEAR	CLEAR BUFFER
EDITCI	EDIT CALLABLE INTERFACE
EDITCI/AD	ADD NODE
EDITCI/CM	COMMAND LIST
EDITCI/CM	COMMAND MENU
EDITCI/CO	COMMAND FUNCTION
EDITCI/CU	CUT FUNCTION
EDITCI/DE	DELETE LINE
EDITCI/DE	DELETE NODE
EDITCI/DO	DO A COMMAND
EDITCI/ED	EDIT LOOP
EDITCI/FI	PASTE WITH FILL FUNCTION
EDITCI/FR	FREE NODE
EDITCI/FR	FIRST PAGE
EDITCI/GE	GET NODE
EDITCI/IN	FIND INDEX OF SUBSTRING
EDITCI/IN	INSERT LINE
EDITCI/LA	LAST PAGE
EDITCI/MI	MIDLINE BREAK FUNCTION
EDITCI/NE	NEW LINE
EDITCI/NX	NEXT LINE
EDITCI/NX	NEXT PAGE
EDITCI/NX	NEXT VALUE OF COMMAND LINE
EDITCI/PF	CONTINUE SEARCH FUNCTION
EDITCI/PR	PREVIOUS LINE
EDITCI/PR	PREVIOUS PAGE
EDITCI/PU	PUT DEFAULTS
EDITCI/QU	QUIT FUNCTION
EDITCI/RE	RETURN
EDITCI/SE	SELECT LINES FUNCTION
EDITCI/SP	SPLIT A LINE
EDITCI/TM	TEMPORARY COPY
EDITCI/YA	PASTE FUNCTION
LOAD	LOAD A FILE

TEXT EDITOR Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
	MARGIN	SET MARGINS
	NAME	NAME THE BUFFER
	REPEAT	REPEAT FUNCTION/COMMAND
	REPLACE	REPLACE COMMAND
	SAVE	SAVE FILE
	SEARCH	SEARCH COMMAND

FPD

CLEAR	CLEAR BUFFER
EDITCI	EDIT CALLABLE INTERFACE
EDITCI/AD	ADD NODE
EDITCI/CM	COMMAND LIST
EDITCI/CM	COMMAND MENU
EDITCI/CO	COMMAND FUNCTION
EDITCI/CU	CUT FUNCTION
EDITCI/DE	DELETE LINE
EDITCI/DE	DELETE NODE
EDITCI/DO	DO A COMMAND
EDITCI/ED	EDIT LOOP
EDITCI/FI	PASTE WITH FILL FUNCTION
EDITCI/FR	FREE NODE
EDITCI/FR	FIRST PAGE
EDITCI/GE	GET NODE
EDITCI/IN	FIND INDEX OF SUBSTRING
EDITCI/IN	INSERT LINE
EDITCI/LA	LAST PAGE
EDITCI/MI	MIDLINE BREAK FUNCTION
EDITCI/NE	NEW LINE
EDITCI/NX	NEXT LINE
EDITCI/NX	NEXT PAGE
EDITCI/NX	NEXT VALUE OF COMMAND LINE
EDITCI/PF	CONTINUE SEARCH FUNCTION
EDITCI/PR	PREVIOUS LINE
EDITCI/PR	PREVIOUS PAGE
EDITCI/PU	PUT DEFAULTS
EDITCI/QU	QUIT FUNCTION
EDITCI/RE	RETURN

TEXT EDITOR Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
	EDITCI/SE	SELECT LINES FUNCTION
	EDITCI/SP	SPLIT A LINE
	EDITCI/TM	TEMPORARY COPY
	EDITCI/YA	PASTE FUNCTION
	LOAD	LOAD A FILE
	MARGIN	SET MARGINS
	NAME	NAME THE BUFFER
	REPEAT	REPEAT FUNCTION/COMMAND
	REPLACE	REPLACE COMMAND
	SAVE	SAVE FILE
	SEARCH	SEARCH COMMAND

FPPARM

CLEAR	CLEAR BUFFER
EDITCI	EDIT CALLABLE INTERFACE
EDITCI/AD	ADD NODE
EDITCI/CM	COMMAND LIST
EDITCI/CM	COMMAND MENU
EDITCI/CO	COMMAND FUNCTION
EDITCI/CU	CUT FUNCTION
EDITCI/DE	DELETE LINE
EDITCI/DE	DELETE NODE
EDITCI/DO	DO A COMMAND
EDITCI/ED	EDIT LOOP
EDITCI/FI	PASTE WITH FILL FUNCTION
EDITCI/FR	FREE NODE
EDITCI/FR	FIRST PAGE
EDITCI/GE	GET NODE
EDITCI/IN	FIND INDEX OF SUBSTRING
EDITCI/IN	INSERT LINE
EDITCI/LA	LAST PAGE
EDITCI/MI	MIDLINE BREAK FUNCTION
EDITCI/NE	NEW LINE
EDITCI/NX	NEXT LINE
EDITCI/NX	NEXT PAGE
EDITCI/NX	NEXT VALUE OF COMMAND LINE
EDITCI/PF	CONTINUE SEARCH FUNCTION

TEXT EDITOR Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
	EDITCI/PR	PREVIOUS LINE
	EDITCI/PR	PREVIOUS PAGE
	EDITCI/PU	PUT DEFAULTS
	EDITCI/QU	QUIT FUNCTION
	EDITCI/RE	RETURN
	EDITCI/SE	SELECT LINES FUNCTION
	EDITCI/SP	SPLIT A LINE
	EDITCI/TM	TEMPORARY COPY
	EDITCI/YA	PASTE FUNCTION
	LOAD	LOAD A FILE
	MARGIN	SET MARGINS
	NAME	NAME THE BUFFER
	REPEAT	REPEAT FUNCTION/COMMAND
	REPLACE	REPLACE COMMAND
	SAVE	SAVE FILE
	SEARCH	SEARCH COMMAND
NTM	TE/MAIN	MAIN MODULE FOR TEXT EDITOR
STDIO	CLEAR	CLEAR BUFFER
	EDITCI	EDIT CALLABLE INTERFACE
	EDITCI/AD	ADD NODE
	EDITCI/CM	COMMAND LIST
	EDITCI/CM	COMMAND MENU
	EDITCI/CO	COMMAND FUNCTION
	EDITCI/CU	CUT FUNCTION
	EDITCI/DE	DELETE LINE
	EDITCI/DE	DELETE NODE
	EDITCI/DO	DO A COMMAND
	EDITCI/ED	EDIT LOOP
	EDITCI/FI	PASTE WITH FILL FUNCTION
	EDITCI/FR	FREE NODE

TEXT EDITOR Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
	EDITCI/FR	FIRST PAGE
	EDITCI/GE	GET NODE
	EDITCI/IN	FIND INDEX OF SUBSTRING
	EDITCI/IN	INSERT LINE
	EDITCI/LA	LAST PAGE
	EDITCI/MI	MIDLINE BREAK FUNCTION
	EDITCI/NE	NEW LINE
	EDITCI/NX	NEXT LINE
	EDITCI/NX	NEXT PAGE
	EDITCI/NX	NEXT VALUE OF COMMAND LINE
	EDITCI/PF	CONTINUE SEARCH FUNCTION
	EDITCI/PR	PREVIOUS LINE
	EDITCI/PR	PREVIOUS PAGE
	EDITCI/PU	PUT DEFAULTS
	EDITCI/QU	QUIT FUNCTION
	EDITCI/RE	RETURN
	EDITCI/SE	SELECT LINES FUNCTION
	EDITCI/SP	SPLIT A LINE
	EDITCI/TM	TEMPORARY COPY
	EDITCI/YA	PASTE FUNCTION
	LOAD	LOAD A FILE
	MARGIN	SET MARGINS
	NAME	NAME THE BUFFER
	REPEAT	REPEAT FUNCTION/COMMAND
	REPLACE	REPLACE COMMAND
	SAVE	SAVE FILE
	SEARCH	SEARCH COMMAND

STDYTP

CLEAR	CLEAR BUFFER
EDITCI	EDIT CALLABLE INTERFACE
EDITCI/AD	ADD NODE
EDITCI/CM	COMMAND LIST
EDITCI/CM	COMMAND MENU
EDITCI/CO	COMMAND FUNCTION
EDITCI/CU	CUT FUNCTION
EDITCI/DE	DELETE LINE

TEXT EDITOR Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
	EDITCI/DE	DELETE NODE
	EDITCI/DO	DO A COMMAND
	EDITCI/ED	EDIT LOOP
	EDITCI/FI	PASTE WITH FILL FUNCTION
	EDITCI/FR	FREE NODE
	EDITCI/FR	FIRST PAGE
	EDITCI/GE	GET NODE
	EDITCI/IN	FIND INDEX OF SUBSTRING
	EDITCI/IN	INSERT LINE
	EDITCI/LA	LAST PAGE
	EDITCI/MI	MIDLINE BREAK FUNCTION
	EDITCI/NE	NEW LINE
	EDITCI/NX	NEXT LINE
	EDITCI/NX	NEXT PAGE
	EDITCI/NX	NEXT VALUE OF COMMAND LINE
	EDITCI/PF	CONTINUE SEARCH FUNCTION
	EDITCI/PR	PREVIOUS LINE
	EDITCI/PR	PREVIOUS PAGE
	EDITCI/PU	PUT DEFAULTS
	EDITCI/QU	QUIT FUNCTION
	EDITCI/RE	RETURN
	EDITCI/SE	SELECT LINES FUNCTION
	EDITCI/SP	SPLIT A LINE
	EDITCI/TM	TEMPORARY COPY
	EDITCI/YA	PASTE FUNCTION
	LOAD	LOAD A FILE
	MARGIN	SET MARGINS
	NAME	NAME THE BUFFER
	REPEAT	REPEAT FUNCTION/COMMAND
	REPLACE	REPLACE COMMAND
	SAVE	SAVE FILE
	SEARCH	SEARCH COMMAND
	TE/MAIN	MAIN MODULE FOR TEXT EDITOR

3.10.6 Where External Routine Used List

The following lists each external function or routine listed in 3.10.3 and all the documented modules which call it. The purpose of each module is listed as well.

TEXT EDITOR Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
ABORT		EDITCI/DELDELETE LINE EDITCI/INLINSERT LINE
ADDFRM		EDITCI EDIT CALLABLE INTERFACE EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU
ATOI	MARGIN REPEAT	SET MARGINS REPEAT FUNCTION/COMMAND
ESCPY	EDITCI	EDIT CALLABLE INTERFACE
FCLOSE	LOAD SAVE	LOAD A FILE SAVE FILE
FGETS	LOAD	LOAD A FILE
FOPEN	LOAD SAVE	LOAD A FILE SAVE FILE

TEXT EDITOR Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
FWRITE	SAVE	SAVE FILE
GDATA	EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU EDITCI/COMCOMMAND FUNCTION EDITCI/EDIEDIT LOOP	
GETCUR	EDITCI/CMDCOMMAND LIST EDITCI/EDIEDIT LOOP	
GETMORE	EDITCI	EDIT CALLABLE INTERFACE
GPAGE	EDITCI/CMDCOMMAND LIST	
GWINDO	EDITCI/CMDCOMMAND LIST	
INITAL	TE/MAIN	MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
INITFP	TE/MAIN	MAIN MODULE FOR TEXT EDITOR
ISPRINT	EDITCI/EDIEDIT	LOOP
MALLOC	EDITCI/GETGET	NODE
MEMCMP	EDITCI/CMDCOMMAND EDITCI/COMCOMMAND EDITCI/EDIEDIT TE/MAIN	LIST FUNCTION LOOP MAIN MODULE FOR TEXT EDITOR
MEMCPY	EDITCI/CMDCOMMAND EDITCI/CMDCOMMAND EDITCI/EDIEDIT EDITCI/INLINSERT NAME REPLACE SAVE SEARCH	LIST MENU LOOP LINE NAME THE BUFFER REPLACE COMMAND SAVE FILE SEARCH COMMAND
MEMSET	EDITCI	EDIT CALLABLE INTERFACE

TEXT EDITOR Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
		EDITCI/CMDCOMMAND MENU EDITCI/EDIEDIT LOOP EDITCI/FILPASTE WITH FILL FUNCTION EDITCI/PUTPUT DEFAULTS EDITCI/SELSELECT LINES FUNCTION LOAD LOAD A FILE
QISCR		EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU EDITCI/COMCOMMAND FUNCTION EDITCI/EDIEDIT LOOP EDITCI/QUIQUIT FUNCTION
PDATA		EDITCI/CMDCOMMAND MENU EDITCI/EDIEDIT LOOP EDITCI/PUTPUT DEFAULTS
PMSGLC		EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU EDITCI/COMCOMMAND FUNCTION
PMSGLS		EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU EDITCI/COMCOMMAND FUNCTION EDITCI/CUTCUT FUNCTION EDITCI/DOCDO A COMMAND EDITCI/EDIEDIT LOOP EDITCI/FILPASTE WITH FILL FUNCTION

TEXT EDITOR Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
		EDITCI/FRSFIRST PAGE EDITCI/INLINSERT LINE EDITCI/LASLAST PAGE EDITCI/NXTNEXT LINE EDITCI/NXTNEXT PAGE EDITCI/PRVPREVIOUS LINE EDITCI/PRVPREVIOUS PAGE EDITCI/QUIQUIT FUNCTION REPEAT REPEAT FUNCTION/COMMAND
PRINTF		EDITCI/DELDELETE LINE EDITCI/EDIEDIT LOOP EDITCI/INLINSERT LINE TE/MAIN MAIN MODULE FOR TEXT EDITOR
PUTATT		EDITCI/COMCOMMAND FUNCTION
PUTCUR		EDITCI/COMCOMMAND FUNCTION REPEAT REPEAT FUNCTION/COMMAND
PUTLOC		EDITCI/EDIEDIT LOOP
RMVPAG		EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU

TEXT EDITOR Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
STRCAT	EDITCI/PUTPUT DEFAULTS REPLACE	REPLACE COMMAND
STRCPY	EDITCI EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU EDITCI/PFSCONTINUE SEARCH FUNCTION EDITCI/PUTPUT DEFAULTS EDITCI/SELSELECT LINES FUNCTION	EDIT CALLABLE INTERFACE
STRLEN	EDITCI EDITCI/DOCDO A COMMAND EDITCI/PUTPUT DEFAULTS EDITCI/SELSELECT LINES FUNCTION REPLACE SEARCH	EDIT CALLABLE INTERFACE REPLACE COMMAND SEARCH COMMAND
STRNCAT	REPLACE	REPLACE COMMAND
STRNCMP	EDITCI EDITCI/CMDCOMMAND LIST EDITCI/CMDCOMMAND MENU EDITCI/COMCOMMAND FUNCTION EDITCI/DOCDO A COMMAND	EDIT CALLABLE INTERFACE

TEXT EDITOR Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
	EDITCI/EDIEDIT LOOP REPEAT	REPEAT FUNCTION/COMMAND
STRUPC	EDITCI/DOCDO A	COMMAND
TERMFP	TE/MAIN	MAIN MODULE FOR TEXT EDITOR
TOUPPER	CLEAR EDITCI/INDFIND	CLEAR BUFFER INDEX OF SUBSTRING
TRMNAT	TE/MAIN	MAIN MODULE FOR TEXT EDITOR

3.10.7 Main Program Parts List

The following lists each Main Program listed in 3.10.1 and all the modules which are called either by that module itself or by any of the documented modules which it calls. It is possible for a non-main module to be listed more than once if it is called by multiple modules. The called modules, in this case known as program parts, are marked as to whether they are documented here. If so, the phrase "well-defined module" appears by the module name, if not it is an "external routine". The Purpose of the Main Program module is listed as well.

TEXT EDITOR Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
TE/MAIN		Purpose-->MAIN MODULE FOR TEXT EDITOR
	ABORT	External routine
	ADDFRM	External routine
	ATOI	External routine
	CLEAR	Well-defined module
	EDITCI	Well-defined module
	EDITCI/ADDNODE	Well-defined module
	EDITCI/CMDLIST	Well-defined module
	EDITCI/CMDMENU	Well-defined module
	EDITCI/COMMAND	Well-defined module
	EDITCI/CUT	Well-defined module
	EDITCI/DELLINE	Well-defined module
	EDITCI/DELNODE	Well-defined module
	EDITCI/DOCMD	Well-defined module
	EDITCI/EDIT	Well-defined module
	EDITCI/FILL	Well-defined module
	EDITCI/FREENODE	Well-defined module
	EDITCI/FRSTPAGE	Well-defined module
	EDITCI/GETNODE	Well-defined module
	EDITCI/INDEX	Well-defined module
	EDITCI/INLINE	Well-defined module
	EDITCI/LASTPAGE	Well-defined module
	EDITCI/MIDLINE	Well-defined module
	EDITCI/NEWLINE	Well-defined module
	EDITCI/NXTLINE	Well-defined module
	EDITCI/NXTPAGE	Well-defined module
	EDITCI/NXTVAL	Well-defined module
	EDITCI/PFSRCH	Well-defined module
	EDITCI/PRVLINE	Well-defined module
	EDITCI/PRVPAGE	Well-defined module
	EDITCI/PUTDEF	Well-defined module
	EDITCI/QUIT	Well-defined module
	EDITCI/RETRN	Well-defined module
	EDITCI/SELECT	Well-defined module
	EDITCI/SPLIT	Well-defined module
	EDITCI/TMPCPY	Well-defined module
	EDITCI/YANK	Well-defined module
	ESCPY	External routine
	FCLOSE	External routine
	FGETS	External routine

TEXT EDITOR Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
	FOPEN	External routine
	FWRITE	External routine
	GDATA	External routine
	GETCUR	External routine
	GETMORE	External routine
	GPAGE	External routine
	GWINDO	External routine
	INITAL	External routine
	INITFP	External routine
	ISPRINT	External routine
	LOAD	Well-defined module
	MALLOC	External routine
	MARGIN	Well-defined module
	MEMCMP	External routine
	MEMCPY	External routine
	MEMSET	External routine
	NAME	Well-defined module
	OISCR	External routine
	PDATA	External routine
	PMSGLC	External routine
	PMSGLS	External routine
	PRINTF	External routine
	PUTATT	External routine
	PUTCUR	External routine
	PUTLOC	External routine
	REPEAT	Well-defined module
	REPLACE	Well-defined module
	RMVPAG	External routine
	SAVE	Well-defined module
	SEARCH	Well-defined module
	STRCAT	External routine
	STRCPY	External routine
	STRLEN	External routine
	STRNCAT	External routine
	STRNCMP	External routine
	STRUPC	External routine
	TERMF	External routine
	TOUPPER	External routine
	TRMNAT	External routine

3.10.8 Module Documentation

The following documentation describes information which is specific to each individual module being documented in this specification as listed in section 3.10.2. It provides a compact way of getting information that would be otherwise buried within each module's source code.

The specific items in this module documentation have the following meanings:

NAME: Name of program Module.

PURPOSE: Purpose of Module as detailed in the source code.

LANGUAGE: Programming language source code is written in.
The choices are:
VAX-11 FORTRAN
C (I/S-1 Workbench 'C')
VAX-11 COBOL

MODULE TYPE: Whether a Program, Subroutine, or Function.

SOURCE FILE: Name of Source File from file specification.

SOURCE FILE TYPE: Source File Extension from file specification.

HOST: Whether this is a host-dependent routine (VAX or IBM) or blank if host-independent.

SUBSYSTEM: IISS sub-system this file resides in.

SUBDIRECTORY: Sub-directory of that subsystem in which this file resides.

DOCUMENTATION GROUP: Name of documentation group of which this source file is a member.

DESCRIPTION: A description of the module as obtained from the source code.

ARGUMENTS: The arguments with which this routine is called if it is a Subroutine or a Function.

INCLUDE FILES: A list of all the files that are included into this module as well as their purposes.

ROUTINES CALLED: Subroutines or Functions, either documented or external, called by this module, if any.

CALLED DIRECTLY BY: The documented routines which call this module, if any.

USED IN MAIN PROGRAM(S): The documented Main Programs which contain this module in their parts list according to the list in section 3.10.7.

The Module Documentation is arranged alphabetically according to Module Name.

TEXT EDITOR Module Documentation

NAME: CLEAR
PURPOSE: CLEAR BUFFER
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *CLEAR()

DESCRIPTION - CLEAR

IMPLEMENTS THE CLEAR BUFFER COMMAND.
THE CONTENTS OF THE BUFFER SEL ARE REMOVED AND FREED AND THE
CONTENTS
OF THE BUFFER BUF ARE MOVED TO THE SEL BUFFER. THE POINTERS
BUF START
AND CUR_ROW ARE MAINTAINED.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STD IO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/ADDNODE - ADD NODE
EDITCI/DELLINE - DELETE LINE
EDITCI/FREENODE - FREE NODE
EDITCI/DELNODE - DELETE NODE
TOUPPER

CALLED DIRECTLY BY:

EDITCI/DOCMD - DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI
PURPOSE: EDIT CALLABLE INTERFACE
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: BOOL ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

SYNOPSIS

```
BOOL EDITCI(FILE, CHANGED)
  CHAR FILE[];
  INT *CHANGED;
```

INPUTS:

FILE - CHARACTER STRING WITH NAME OF FILE TO BE EDITED.
LENGTH
IS 30. STRING MUST BE BLANK FILLED IN ALL
LANGUAGES EXCEPT C.

OUTPUTS:

CHANGED - POINTER TO FLAG INDICATING THAT THE FILE WAS
CHANGED.

DESCRIPTION

THIS STARTS UP THE EDITOR. IT IS THE ENTRY POINT IF CALLED
FROM A
PROGRAM. RETURNS TRUE IF THE FILE HAS BEEN CHANGED ELSE
FALSE.
INITIALIZES THE THREE BUFFERS, PUTS UP THE EDITING FORM, IF
SPECIFIED
IT READS IN A FILE AND STARTS THE EDITING LOOP.

DESCRIPTION

FORMS PROCESSOR TEXT EDITOR. PROVIDES TEXT EDITING
CAPABILITY FOR
IISS ENVIRONMENT.

THE TE'S MODULE HIERARCHY IS RATHER FLAT. IN GENERAL THERE
IS ONE
MODULE WHICH IMPLEMENTS EACH FUNCTION OR COMMAND. THESE
MODULES ARE
JUST BELOW THE INITIALIZATION AND EDIT LOOP. UNDER THESE
ARE A SMALL

NUMBER OF ROUTINES WHICH PERFORM POINTER MAINTENANCE AND
OTHER HOUSE
KEEPING FUNCTIONS.

PRIMARY DATA STRUCTURE CONSISTS OF THREE BUFFERS. THESE
BUFFERS ARE
DOUBLY LINKED LISTS WITH A HEADER AND TRAILER NODE. THESE
TWO NODES
ARE POINTED TO BY X_TOF AND X_BOF RESPECTIVELY, WHERE X IS
THE NAME
OF THE BUFFER. THE NODE STRUCTURE IS DENOTED BY THE STRUCT
"TEXT_LINE". THE MAIN BUFFER CONTAINING THE FILE BEING
EDITED HAS
SEVERAL OTHER POINTERS WHICH INDICATE THE FIRST LINE TO BE
DISPLAYED,
THE LINE CONTAINING THE CURSOR AND A LINE WHICH IS A
TERMINUS OF THE
SELECT RANGE.

BUF - BUFFER WHICH CONTAINS THE CONTENTS OF THE FILE BEING
EDITED.

BUF_TOF - A POINTER TO THE BUF'S HEADER NODE
BUF_BOF - A POINTER TO THE BUF'S TRAILER NODE.
CUR_ROW - A POINTER TO THE LINE CONTAINING THE CURSOR.
BUF_START - A POINTER TO THE FIRST LINE OF BUF TO
DISPLAY.

INSEL - A POINTER TO THE LINE WHICH IS A TERMINUS OF
THE SELECT
RANGE. IT IS NULL IF NO SELECT RANGE IS ACTIVE.

SEL - BUFFER WHICH CONTAINS THE CONTENTS OF THE PASTE
BUFFER.

SEL_TOF - A POINTER TO THE SEL'S HEADER NODE.
SEL_BOF - A POINTER TO THE SEL'S TRAILER NODE.

TMP - BUFFER FOR TEMPORARY HOLDING. LINES ARE INSERTED
HERE FIRST
THEN WHEN AN OPERATION IS SUCCESSFULLY COMPLETED
THEY ARE MOVED
TO BUFFER BUF.

TMP_TOF - A POINTER TO THE TMP'S HEADER NODE.
TMP_BOF - A POINTER TO THE TMP'S TRAILER NODE.

LINE NODES ARE ALLOCATED FROM A FREE POOL AND EXCEPT FOR
INITIALIZATION
ALL NEXT AND PREVIOUS POINTER MAINTENANCE IS PERFORMED BY
ONE OF FOUR
PROCEDURES.

GETNODE - ALLOCATES A NODE FROM THE FREE LIST.
FREEMODE - RETURNS A NODE TO THE FREE LIST.
ADDNODE - A GIVEN NODE IS LINKED INTO A BUFFER.
DELNODE - REMOVES A GIVEN NODE FROM A BUFFER.

TWO HIGHER LEVEL PROCEDURES ARE USED TO INSERT STRINGS AND
DELETE NODES

AND MAINTAIN THE POINTERS BUF_START AND CUR_ROW.
INLINE - INSERTS THE GIVEN STRING INTO THE GIVEN

BUFFER. MAINTAINS
THE POINTERS BUF_START AND CUR_ROW.
DELLINE - REMOVES THE GIVEN NODE BUT DOES NOT FREE IT.
MAINTAINS
THE POINTERS BUF_START AND CUR_ROW.

THE POSITION THE CURSOR IS SUPPOSED TO BE AT IS KEPT IN
SCRN_ROW AND
SCRN_COL. ALONG WITH BUF_START AND CUR_ROW THEY DETERMINE
WHICH
PORTION OF THE BUF IS TO BE DISPLAYED AND THE CURSOR'S
POSITION.
NEARLY ALL MODULES MANIPULATE THEIR VALUES.

ARGUMENTS:

FILE = CHAR []
CHANGED = INT *

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

GETMORE
MEMSET
ADDFRM
STRNCMP
ESCPY
STRCPY
EDITCI/DOCMD - DO A COMMAND
EDITCI/FRSTPAGE - FIRST PAGE
EDITCI/EDIT - EDIT LOOP
EDITCI/DELNODE - DELETE NODE
EDITCI/FREENODE - FREE NODE
STRLEN

CALLED DIRECTLY BY:

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/ADDNODE
PURPOSE: ADD NODE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID ADDNODE(P, Q)
TEXT_LINE *P, *Q;

DESCRIPTION - ADDNODE

INSERTS THE NODE POINTED TO BY P INTO THE LIST BEFORE THE
NODE POINTED
TO BY Q.

ARGUMENTS:

P = TEXT_LINE *
Q = TEXT_LINE *

INCLUDE FILES:

STDTPY - STANDARD TYPE DEFINITIONS
SIDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

CALLED DIRECTLY BY:

EDITCI/CUT - CUT FUNCTION
EDITCI/TMPCPY - TEMPORARY COPY
CLEAR - CLEAR BUFFER
EDITCI/INLINE - INSERT LINE

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/CMDLIST
PURPOSE: COMMAND LIST
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: INT ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC INT CMDLIST()

DESCRIPTION - CMDLIST

IMPLEMENTS THE COMMAND LIST.

IT PERFORMS THE FOLLOWING:

1. DISPLAYS THE COMMAND LIST
2. GETS AND PARSES THE INPUT FROM THE COMMAND LIST.
3. GOES TO THE COMMAND'S FORM IF REQUIRED.
ELSE DOES THE COMMAND.
4. RETURNS THE FUNCTION KEY PRESSED.

INCLUDE FILES:

STDTPY - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

GWINDO
STRNCMP
PMSGLC
RMVPAG
EDITCI/NXTVAL - NEXT VALUE OF COMMAND LINE
MEMCPY
STRCPY
EDITCI/DOCMD - DO A COMMAND
GETCUR
EDITCI/INDEX - FIND INDEX OF SUBSTRING
PMSGLS
EDITCI/CMDMENU - COMMAND MENU
GDATA
OISCR

MEMCMP
ADDFRM
GPAGE

CALLED DIRECTLY BY:

REPEAT - REPEAT FUNCTION/COMMAND
EDITCI/COMMAND - COMMAND FUNCTION

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/CMDMENU
PURPOSE: COMMAND MENU
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: INT ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC INT CMDMENU(MENUNUM)
INT MENUNUM;

DESCRIPTION - CMDMENU

IMPLEMENTS THE COMMAND FORM.

IT PERFORMS THE FOLLOWING:

1. DISPLAYS THE FORM WITH DEFAULTS FOR THE COMMAND REQUESTED FROM THE COMMAND LIST (MENUNUM).
2. GETS AND PARSES THE INPUT FROM THE COMMAND FORM.
3. DOES THE COMMAND.
4. RETURNS THE FUNCTION KEY PRESSED.

ARGUMENTS:

MENUNUM = INT

INCLUDE FILES:

STDTyp - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

ADDFRM
STRNCMP
PMSGC
RMVPAG
EDITCI/NXTVAL - NEXT VALUE OF COMMAND LINE
MEMCPY
STRCPY
EDITCI/DOCMD - DO A COMMAND

PMSGLS
MEMSET
GDATA
EDITCI/PUTDEF - PUT DEFAULTS
PDATA
OISCR

CALLED DIRECTLY BY:

EDITCI/CMDLIST - COMMAND LIST

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/COMMAND
PURPOSE: COMMAND FUNCTION
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: INT ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC INT COMMAND()

DESCRIPTION - COMMAND

IMPLEMENTS THE COMMAND FUNCTION AND COMMAND LINE COMMAND.
IT PERFORMS THE FOLLOWING:

1. GUARDS THE EDIT AREA.
2. GETS AND PARSES THE INPUT FROM THE COMMAND LINE.
3. GOES TO THE COMMAND LINE IF REQUIRED.
ELSE DOES THE COMMAND.
4. RETURNS THE FUNCTION KEY PRESSED.

INCLUDE FILES:

STDTYPE - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PUTATT
STRNCMP
PMSGLC
MEMCMP
EDITCI/CMDLIST - COMMAND LIST
EDITCI/NXTVAL - NEXT VALUE OF COMMAND LINE
EDITCI/DOCMD - DO A COMMAND
PMSGLS
GDATA
OISCR
PUTCUR

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/CUT
PURPOSE: CUT FUNCTION
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID CUT(DEL CUT)
 BOOL DEL CUT;

DESCRIPTION - CUT

IMPLEMENTS THE DELETE LINE AND DELETE SELECT RANGE FUNCTION.
REMOVES THE INDICATED NODE(S) AND PLACES IT(THEM) IN THE SEL
 BUFFER.

IF THE SELECT MODE IS ON THE SEL BUFFER IS CLEARED AND ALL
 LINES IN

THE SELECT RANGE ARE PUT IN THE SEL BUFFER.

ELSE THE LINE WITH THE CURSOR IS PLACED IN THE SEL BUFFER.

THE POINTERS BUF_START AND CUR_ROW ARE MAINTAINED TO

 MINIMIZE THE
VISUAL DISTURBANCE OF THE SCREEN.

ARGUMENTS:

DEL CUT = BOOL

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STD IO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
C T Y P E - **** PURPOSE NOT FOUND BY STRIPPER ****
F P C O D E - FORM PROCESSOR RETURN CODES
F P P A R M - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/SELECT - SELECT LINES FUNCTION
EDITCI/SPLIT - SPLIT A LINE
EDITCI/ADDNODE - ADD NODE
EDITCI/MIDLINE - MIDLINE BREAK FUNCTION

EDITCI/FREENODE - FREE NODE
EDITCI/DELLINE - DELETE LINE
PMSGLS

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/DELLINE
PURPOSE: DELETE LINE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID DELLINE(P)
TEXT_LINE *P;

DESCRIPTION - DELLINE

REMOVES THE NODE POINTED TO BY P FROM ITS BUFFER BUT DOES
NOT FREE IT.
THE POINTERS BUF_START AND CUR_ROW ARE MAINTAINED.

ARCUMENTS:

P = TEXT_LINE *

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/DELNODE - DELETE NODE
ABORT
PRINTF

CALLED DIRECTLY BY:

EDITCI/CUT - CUT FUNCTION
EDITCI/SELECT - SELECT LINES FUNCTION
CLEAR - CLEAR BUFFER
REPLACE - REPLACE COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/DELNODE
PURPOSE: DELETE NODE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID DELNODE(P)
TEXT_LINE *P;

DESCRIPTION - DELNODE

REMOVES THE NODE POINTED TO BY P FROM ITS BUFFER BUT DOES NO
FREE IT.

ARGUMENTS:

P = TEXT_LINE *

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

CALLED DIRECTLY BY:

EDITCI/DELLINE - DELETE LINE
EDITCI/TMPCPY - TEMPORARY COPY
CLEAR - CLEAR BUFFER
EDITCI - EDIT CALLABLE INTERFACE
EDITCI/INLINE - INSERT LINE

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/DOCMD
PURPOSE: DO A COMMAND
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC CHAR *DOCMD()

DESCRIPTION - DOCMD

CALLS THE PROCEDURE IMPLEMENTING THE COMMAND CONTAINED IN
DATA[0].
EACH PROCEDURE RETURNS A POINTER TO NULL IF SUCCESSFUL ELSE
THE
POINTER IS TO A STRING WITH AN ERROR MESSAGE WHICH DOCMD
ISSUES.

INCLUDE FILES:

STDTYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

NAME - NAME THE BUFFER
REPEAT - REPEAT FUNCTION/COMMAND
MARGIN - SET MARGINS
REPLACE - REPLACE COMMAND
CLEAR - CLEAR BUFFER
SAVE - SAVE FILE
SEARCH - SEARCH COMMAND
LOAD - LOAD A FILE
PMSGLS
SIRLEN
STRNCMP
STRUPC

CALLED DIRECTLY BY:

EDITCI/PFSRCH - CONTINUE SEARCH FUNCTION
REPEAT - REPEAT FUNCTION/COMMAND
EDITCI - EDIT CALLABLE INTERFACE
EDITCI/COMMAND - COMMAND FUNCTION
EDITCI/CMDLIST - COMMAND LIST
EDITCI/CMDMENU - COMMAND MENU

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/EDIT
PURPOSE: EDIT LOOP
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID EDIT()

DESCRIPTION - EDIT

PERFORMS THE EDIT LOOP:

1. PUT DATA TO SCREEN.
2. DO AN OISCR.
3. GET DATA FROM SCREEN.
4. CALL PROCEDURE IMPLEMENTING FUNCTION KEY PRESSED.
5. REPEAT.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS
EDITCI/PFSRCH - CONTINUE SEARCH FUNCTION
EDITCI/MIDLINE - MIDLINE BREAK FUNCTION
EDITCI/CUT - CUT FUNCTION
EDITCI/SELECT - SELECT LINES FUNCTION
EDITCI/FILL - PASTE WITH FILL FUNCTION
EDITCI/YANK - PASTE FUNCTION
EDITCI/NEWLINE - NEW LINE
EDITCI/COMMAND - COMMAND FUNCTION
EDITCI/INDEX - FIND INDEX OF SUBSTRING
EDITCI/LASTPAGE - LAST PAGE
EDITCI/FRSTPAGE - FIRST PAGE
EDITCI/PRVLINE - PREVIOUS LINE
EDITCI/NXTLINE - NEXT LINE
EDITCI/PRVPAGE - PREVIOUS PAGE

EDITCI/NXTPAGE - NEXT PAGE
EDITCI/QUIT - QUIT FUNCTION
GETCUR
MEMCMP
GDATA
OISCR
PUTLOC
STRNCMP
PDATA
PRINTF
ISPRINT
MEMSET
MEMCPY

CALLED DIRECTLY BY:

EDITCI - EDIT CALLABLE INTERFACE

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/FILL
PURPOSE: PASTE WITH FILL FUNCTION
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID FILL()

DESCRIPTION - FILL

IMPLEMENTS THE PASTE WITH FILL FUNCTION.
INSERTS A COPY OF THE SEL BUFFER JUST BEFORE THE CUR_ROW
ACCORDING TO THE
CURRENT FILL MARGINS (FILMRGN.LEFT AND FILMRGN.RIGHT)

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/TMPCPY - TEMPORARY COPY
PMSGLS
EDITCI/INLINE - INSERT LINE
MEMSET

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/FREENODE
PURPOSE: FREE NODE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID FREENODE(P)
TEXT_LINE *P;

DESCRIPTION - FREENODE

PUTS THE NODE POINTED TO BY P BACK ON THE FREE LIST.

ARGUMENTS:

P = TEXT_LINE *

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

CALLED DIRECTLY BY:

EDITCI/CUT - CUT FUNCTION
EDITCI/SELECT - SELECT LINES FUNCTION
CLEAR - CLEAR BUFFER
REPLACE - REPLACE COMMAND
EDITCI - EDIT CALLABLE INTERFACE
EDITCI/INLINE - INSERT LINE

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/FRSTPAGE
PURPOSE: FIRST PAGE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID FRSTPAGE()

DESCRIPTION - FRSTPAGE

IMPLEMENTS THE FIRST PAGE FUNCTION.
SETS BUF_CTART SO THE FIRST DSP_HT LINES OF BUF ARE
DISPLAYED.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPLACE - REPLACE COMMAND
EDITCI - EDIT CALLABLE INTERFACE

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/GETNODE
PURPOSE: GET NODE
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: TEXT_LINE * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC TEXT_LINE *GETNODE()

DESCRIPTION - GETNODE

GETS A TEXT_LINE NODE FROM THE FREE LIST AND RETURNS A
POINTER TO IT.

NODES ARE ALLOCATED 100 AT A TIME. IF GETNODE FAILS IT
RETURNS A NULL.

INCLUDE FILES:

STDYYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

MALLOC

CALLED DIRECTLY BY:

EDITCI/INLINE - INSERT LINE

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/INDEX
PURPOSE: FIND INDEX OF SUBSTRING
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: INT ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

SYNOPSIS

INT INDEX(STR, SUB)
CHAR *STR, *SUB;

DESCRIPTION

INDEX RETURNS THE OFFSET OF THE SUBSTRING IN THE STRING
OR -1 IF THE
STRING DOES NOT CONTAIN THE SUBSTRING. THE UPPER CASE
REPRESENTATION
OF THE STRINGS ARE USED.

ARGUMENTS:

STR = CHAR *
SUB = CHAR *

INCLUDE FILES:

STDYYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

TOUPPER

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
SEARCH - SEARCH COMMAND
REPLACE - REPLACE COMMAND
EDITCI/CMDLIST - COMMAND LIST
EDITCI/PUTDEF - PUT DEFAULTS

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/INLINE
PURPOSE: INSERT LINE
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: BOOL ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC BOOL INLINE(P, LINE)
TEXT_LINE *P;
CHAR LINE[];

DESCRIPTION - INLINE

GETS A NODE PUTS THE STRING POINTED TO BY LINE INTO IT AND
INSERTS IT
INTO THE LIST JUST BEFORE THE NODE POINTED TO BY P. THE
POINTER
BUF_START IS MAINTAINED.

IF INLINE IS UNABLE TO OBTAIN A NODE IT ISSUES A MESSAGE AND
CLEARS
THE TMP BUFFER.

ARGUMENTS:

P = TEXT_LINE *
LINE = CHAR []

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PRINTF
ABORT
EDITCI/GETNODE - GET NODE
PMSGLS
EDITCI/DFLNODE - DELETE NODE

EDITCI/FREENODE - FREE NODE
MEMCPY
EDITCI/ADDNODE - ADD NODE

CALLED DIRECTLY BY:

EDITCI/NEWLINE - NEW LINE
EDITCI/YAN - PASTE FUNCTION
EDITCI/FIL - PASTE WITH FILL FUNCTION
EDITCI/SELECT - SELECT LINES FUNCTION
EDITCI/SPLIT - SPLIT A LINE
LOAD - LOAD A FILE
REPLACE - REPLACE COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/LASTPAGE
PURPOSE: LAST PAGE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID LASTPAGE()

DESCRIPTION - LASTPAGE

IMPLEMENTS THE LAST PAGE FUNCTION.
SETS BUF_START SO THE LAST DSP_HT LINES OF BUF ARE DISPLAYED.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPLACE - REPLACE COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/MIDLINE
PURPOSE: MIDLINE BREAK FUNCTION
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID MIDLINE()

DESCRIPTION - MIDLINE

IMPLEMENTS THE MIDLINE BREAK FUNCTION.
SPLITS THE LINE POINTED TO BY CUR_ROW AT SCRN_COL AND SETS
THE CURSOR TO
THE BEGINNING OF THE NEW LINE.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/RETRN - RETURN
EDITCI/SPLIT - SPLIT A LINE

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
EDITCI/CUT - CUT FUNCTION
EDITCI/SELECT - SELECT LINES FUNCTION
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/NEWLINE
PURPOSE: NEW LINE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID NEWLINE()

DESCRIPTION - NEWLINE

IMPLEMENTS THE INSERT LINE FUNCTION.
INSERTS A BLANK LINE AT CUR_ROW.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/INLINE - INSERT LINE

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/NXTLINE
PURPOSE: NEXT LINE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID NXTLINE()

DESCRIPTION - NXTLINE

IMPLEMENTS THE NEXT LINE FUNCTION.
ADVANCES BUF_START BY ONE LINE TO THE NEXT LINE IS DISPLAYED.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/NXTPAGE
PURPOSE: NEXT PAGE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID NXTPAGE()

DESCRIPTION - NXTPAGE

IMPLEMENTS THE NEXT PAGE FUNCTION.
ADVANCES BUF_START SO THE NEXT DSP_HT LINES OF THE BUFFER
ARE DISPLAYED.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
SIDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/NXTVAL
PURPOSE: NEXT VALUE OF COMMAND LINE
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: INT ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC INT NXTVAL(CMD_LINE)
CHAR CMD_LINE[];

DESCRIPTION - NXTVAL

PARSES THE CMD_LINE ARGUMENT AND LEAVES EACH OPERAND IN A
DATA[I].
EACH OPERAND IS '\0' TERMINATED. PUTS THE NUMBER OF
ARGUMENTS FOUND
IN NUMDATA.

ARGUMENTS:

CMD_LINE = CHAR []

INCLUDE FILES:

STDTYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

CALLED DIRECTLY BY:

EDITCI/COMMAND - COMMAND FUNCTION
EDITCI/CMDLIST - COMMAND LIST
EDITCI/CMDMENU - COMMAND MENU

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME. EDITCI/PFSRCH
PURPOSE: CONTINUE SEARCH FUNCTION
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID PFSRCH()

DESCRIPTION - PFSRCH

IMPLEMENTS THE FIND NEXT OCCURRENCE OF THE STRING AS A
FUNCTION.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIC - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/DOCMD - DO A COMMAND
STRCPY

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/PRVLINE
PURPOSE: PREVIOUS LINE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID PRVLINE()

DESCRIPTION - PRVLINE

IMPLEMENTS THE PREVIOUS LINE FUNCTION.
BACKS UP THE BUF_START SO THE PREVIOUS LINE OF BUF IS
DISPLAYED.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/PRVPAGE
PURPOSE: PREVIOUS PAGE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID PRVPAGE()

DESCRIPTION - PRVPAGE

IMPLEMENTS THE PREVIOUS PAGE FUNCTION.
BACKS UP BUF_START SO THE PREVIOUS DSP_HT LINES OF THE
BUFFER ARE
DISPLAYED.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/PUTDEF
PURPOSE: PUT DEFAULTS
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: INT ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC PUTDEF(FIELD, DATA)
CHAR FIELD[], DATA[];

DESCRIPTION - PUTDEF

PUTS DEFAULT DATA IN THE FIELD.

ARGUMENTS:

FIELD = CHAR []
DATA = CHAR []

INCLUDE FILES:

STDYYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/INDEX - FIND INDEX OF SUBSTRING
STPCPY
STRLEN
MEMSET
PDATA
STRCAT

CALLED DIRECTLY BY:

EDITCI/CMDMENU - COMMAND MENU

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/QUIT
PURPOSE: QUIT FUNCTION
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: BOOL ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC BOOL QUIT()

DESCRIPTION - QUIT

IMPLEMENTS THE QUIT KEY FUNCTION.
IF THE BUFFER HAS BEEN MODIFIED (SINCE THE INITIAL LOAD OR
THE LAST SAVE)
YOU MUST PRESS THE QUIT KEY TWICE. PRESSING ANY OTHER KEY
ABORTS THE QUIT
AND RETURNS TO EDIT.

IF THE BUFFER HAS NOT BEEN MODIFIED THE PROGRAM TERMINATES.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

PMSGLS
OISCR

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/RETRN
PURPOSE: RETURN
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID RETRN()

DESCRIPTION - RETRN

SETS THE CURSOR TO THE BEGINNING OF THE NEXT LINE. THE
POINTERS BUF_START
AND CUR_ROW ARE MAINTAINED.

INCLUDE FILES:

STDYYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PRCESSOR PARAMETERS

CALLED DIRECTLY BY:

EDITCI/MIDLINE - MIDLINE BREAK FUNCTION

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/SELECT
PURPOSE: SELECT LINES FUNCTION
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID SELECT()

DESCRIPTION - SELECT

IMPLEMENTS THE MARK SELECT RANGE FUNCTION.
IF THE SELECT RANGE IS OFF, IT IS TURNED ON AND THE CUR_ROW
IS MARKED
AS ONE TERMINUS OF THE SELECT RANGE.
ELSE THE SELECT RANGE IS TURNED OFF.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FFPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/FREENODE - FREE NODE
EDITCI/DELLINE - DELETE LINE
EDITCI/INLINE - INSERT LINE
STRLEN
STRCPY
MEMSET
EDITCI/MIDLINE - MIDLINE BREAK FUNCTION

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
EDITCI/CUT - CUT FUNCTION
REPLACE - REPLACE COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/SPLIT
PURPOSE: SPLIT A LINE
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID SPLIT()

DESCRIPTION - SPLIT

SPLITS THE LINE POINTED TO BY CUR_ROW AT SCRN_COL.

INCLUDE FILES:

STDTyp - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/INLINE - INSERT LINE

CALLED DIRECTLY BY:

EDITCI/CUT - CUT FUNCTION
EDITCI/MIDLINE - MIDLINE BREAK FUNCTION

USED IN MAIN PROGRAM(S):

IE/MAIL: - MAIN MODULE FOR TEXT EDITOR .

TEXT EDITOR Module Documentation

NAME: EDITCI/TMPCPY
PURPOSE: TEMPORARY COPY
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID TMPCPY(MOVE_START)
 BOOL MOVE_START;

DESCRIPTION - TMPCPY

MOVES THE CONTENTS OF THE TMP BUFFER TO THE BUF BUFFER JUST
 BEFORE THE
CUR_ROW. THE POINTER BUF_START IS MAINTAINED IF MOVE_START
 IS TRUE.

ARGUMENTS:

MOVE_START = BOOL

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/ADDNODE - ADD NODE
EDITCI/DELNODE - DELETE NODE

CALLED DIRECTLY BY:

EDITCI/YAN - PASTE FUNCTION
EDITCI/FIL - PASTE WITH FILL FUNCTION
LOAD - LOAD A FILE
REPLACE - REPLACE COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: EDITCI/YANK
PURPOSE: PASTE FUNCTION
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

STATIC VOID YANK()

DESCRIPTION - YANK

IMPLEMENTS THE PASTE FUNCTION.
INSERTS A COPY OF THE PASTE BUFFER BEFORE CUR_ROW

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/TMPCPY - TEMPORARY COPY
EDITCI/INLINE - INSERT LINE

CALLED DIRECTLY BY:

EDITCI/EDI - EDIT LOOP
REPEAT - REPEAT FUNCTION/COMMAND

USED IN MAIN PROGRAM(S):

IE-MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: LOAD
PURPOSE: LOAD A FILE
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *LOAD()

DESCRIPTION - LOAD

IMPLEMENTS THE LOAD FILE COMMAND.
LOADS THE FILE NAMED BY DATA[1] AND INSERTS IT BEFORE
CUR_ROW IN THE BUFFER
BUF.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

FCLOSE
EDITCI/TMPCPY - TEMPORARY COPY
EDITCI/INLINE - INSERT LINE
FGETS
MEMSET
FOPEN

CALLED DIRECTLY BY:

EDITCI/DOCMD - DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: MARGIN
PURPOSE: SET MARGINS
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *MARGIN()

DESCRIPTION - MARGIN

IMPLEMENTS THE SET FILL MARGINS COMMAND.
SETS THE LEFT MARGIN TO DATA[1] AND THE RIGHT MARGIN TO
DATA[2].

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

ATOI

CALLED DIRECTLY BY:

EDITCI/DOCMD - DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: NAME
PURPOSE: NAME THE BUFFER
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE.
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *NAME()

DESCRIPTION - NAME

IMPLEMENTS THE GIVE THE BUFFER A DEFAULT SAVE NAME.
SETS THE DEFAULT SAVE NAME TO DATA[1].

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

MEMCPY

CALLED DIRECTLY BY:

EDITCI/DOCMD - DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: REPEAT
PURPOSE: REPEAT FUNCTION/COMMAND
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * (
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *REPEAT()

DESCRIPTION - REPEAT

IMPLEMENTS THE REPEAT COMMAND/FUNCTION COMMAND.
THE COMMAND OR FUNCTION WHICH FOLLOWS WILL BE PERFORMED THE
NUMBER
OF TIMES GIVEN BY DATA[1].

INCLUDE FILES:

STDTYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/PFSRCH - CONTINUE SEARCH FUNCTION
EDITCI/MIDLINE - MIDLINE BREAK FUNCTION
EDITCI/CUT - CUT FUNCTION
EDITCI/FILL - PASTE WITH FILL FUNCTION
EDITCI/YANK - PASTE FUNCTION
EDITCI/NEWLINE - NEW LINE
EDITCI/PRVLINE - PREVIOUS LINE
EDITCI/NXTLINE - NEXT LINE
EDITCI/PRVPAGE - PREVIOUS PAGE
EDITCI/NXTPAGE - NEXT PAGE
EDITCI/DOCMD - DO A COMMAND
EDITCI/COMMAND - COMMAND FUNCTION
EDITCI/CMDLIST - COMMAND LIST
STRNCMP
PUTCUR
PMSGIS
ATOI

CALLED DIRECTLY BY:

EDITCI/DOCMD -- DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: REPLACE
PURPOSE: REPLACE COMMAND
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *REPLACE()

DESCRIPTION - REPLACE

IMPLEMENTS THE REPLACE STRING COMMAND.
THE STRING DATA[1] IS REPLACED BY STRING DATA[2] ACCORDING
TO THE OPTION
IN DATA[3] (OR THE SELECT RANGE IF ACTIVE). THESE BECOME THE
DEFAULTS
FROM_STR, TO_STR, AND REPTYP RESPECTIVELY. IF DATA[1..3] ARE
UNSPECIFIED
THE DEFAULTS ARE USED. THE POINTERS CUR_ROW AND BUF_START
ARE MAINTAINED.
WARNING: IF REPLACE CANNOT INSERT A LINE THE REPLACEMENTS
PERFORMED ARE
NOT BACKED OUT BUT THE CURSOR IS LEFT AT THE LINE WHERE THE
FAILURE
OCCURED. NO LINE IS LEFT PARTIALLY REPLACED.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STD IO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/SELECT - SELECT LINES FUNCTION
EDITCI/LASTPAGE - LAST PAGE
EDITCI/FRSTPAGE - FIRST PAGE
EDITCI/FREENODE - FREE NODE
EDITCI/DELLINE - DELETE LINE
EDITCI/TMPCPY - TEMPORARY COPY
EDITCI/INLINE - INSERT LINE

STRCAT
STRNCAT
STRLEN
EDITCI/INDEX - FIND INDEX OF SUBSTRING
MEMCPY

CALLED DIRECTLY BY:

EDITCI/DOCMD - DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: SAVE
PURPOSE: SAVE FILE
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *SAVE()

DESCRIPTION - SAVE

IMPLEMENTS THE WRITE BUFFER TO A FILE COMMAND.
WRITES THE BUFFER BUF TO THE FILE NAMED BY DATA[1]. IF NO
NAME IS
SPECIFIED THE NAME IN WORK_NAME IS USED.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

FCLOSE
FWRITE
MEMCPY
FOPEN

CALLED DIRECTLY BY:

EDITCI/DOCMD - DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: SEARCH
PURPOSE: SEARCH COMMAND
LANGUAGE: C
MODULE TYPE: FUNCTION
FUNCTION TYPE: CHAR * ()
SOURCE FILE: EDITCI
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

CHAR *SEARCH()

DESCRIPTION - SEARCH

IMPLEMENTS THE SEARCH BUFFER FOR A STRING.
THE BUFFER BUF IS SEARCHED FOR THE STRING CONTAINED IN
DATA[1] IN THE
DIRECTION SPECIFIED IN DATA[2]. THESE BECOME THE DEFAULT
SEARCH VALUES
SRCH_LINE AND SRCHDIR RESPECTIVELY. THE SEARCH IS STARTED
FROM CUR_ROW
AND SCR_N_COL. IF DATA[1] AND DATA[2] ARE UNSPECIFIED THEN
SRCH_LINE AND
SRCHDIR ARE USED RESPECTIVELY. THE POINTERS BUF_START AND
CUR_ROW ARE
MAINTAINED.

INCLUDE FILES:

STD TYP - STANDARD TYPE DEFINITIONS
STDIO - **** PURPOSE NOT FOUND BY STRIPPER ****
FPD - FORM PROCESSOR DATA
CTYPE - **** PURPOSE NOT FOUND BY STRIPPER ****
FPCODE - FORM PROCESSOR RETURN CODES
FPPARM - FORM PROCESSOR PARAMETERS

ROUTINES CALLED:

EDITCI/INDEX - FIND INDEX OF SUBSTRING
STRLEN
MEMCPY

CALLED DIRECTLY BY:

EDITCI/DOCMD - DO A COMMAND

USED IN MAIN PROGRAM(S):

TE/MAIN - MAIN MODULE FOR TEXT EDITOR

TEXT EDITOR Module Documentation

NAME: TE/MAIN
PURPOSE: MAIN MODULE FOR TEXT EDITOR
LANGUAGE: C
MODULE TYPE: SUBROUTINE
FUNCTION TYPE: VOID ()
SOURCE FILE: TE
SOURCE FILE TYPE: .C
HOST:
SUBSYSTEM: UI
SUBDIRECTORY: TE
DOCUMENTATION GROUP: TEXTEDT

DESCRIPTION:

SYNOPSIS

```
VOID MAIN(ARGC, ARGV)
  INT ARGC;
  CHAR *ARGV[];
```

INPUTS:

ARGC - ARGUMENT COUNT
ARCV - ARGUMENT VECTOR

DESCRIPTION - MAIN

CALLS EDITCI WITH A FILE NAME, IF SPECIFIED ELSE CALLS IT
WITH NULL
STRING.

INCLUDE FILES:

STDYTP - STANDARD TYPE DEFINITIONS
NTM - NTM INTERFACE INCLUDE FILE

ROUTINES CALLED:

INITAL
MEMCMP
PRINTF
INITFP
EDITCI - EDIT CALLABLE INTERFACE
TERMFP
TRMNAT

3.10.9 Include File Descriptions

The following list contains a purpose and description of each include file listed in 3.10.4 as specified in the source code. The language it is written in is also given.

TEXT EDITOR Include File Description

FILE NAME: FPCODE
PURPOSE: FORM PROCESSOR RETURN CODES
LANGUAGE: C

DESCRIPTION:

TEXT EDITOR Include File Description

FILE NAME: FPD
PURPOSE: FORM PROCESSOR DATA
LANGUAGE: C

DESCRIPTION:

DESCRIPTION
DATA DEFINITIONS FOR ALL FORM PROCESSOR (INCLUDING
MONITER) DATA.

TEXT EDITOR Include File Description

FILE NAME: FPPARM
PURPOSE: FORM PROCESSOR PARAMETERS
LANGUAGE: C

DESCRIPTION:

DESCRIPTION: THESE DATA DEFINITIONS ARE USED
IN THE FORM PROCESSOR ROUTINES.

TEXT EDITOR Include File Description

FILE NAME: NTM
PURPOSE: NTM INTERFACE INCLUDE FILE
LANGUAGE: C

DESCRIPTION:

DESCRIPTION
INCLUDE FILE FOR NTM INTERFACE

TEXT EDITOR Include File Description

FILE NAME: STD TYP
PURPOSE: STANDARD TYPE DEFINITIONS
LANGUAGE: C

DESCRIPTION:

DESCRIPTION

THIS FILE ENSURES THAT THE FOLLOWING STANDARD TYPES ARE
AVAILABLE:

FLOAT - SINGLE PRECISION FLOAT
DOUBLE - DOUBLE PRECISION FLOAT

LONG - 32 BIT (OR LARGER) SIGNED INTEGER
LBITS - 32 BITS (OR MORE) FOR BIT MANIPULATION

INT - NATURAL SIZE SIGNED INTEGER
UNSIGNED - NATURAL SIZE UNSIGNED INTEGER
BOOL - NATURAL SIZE LOGICAL (ZERO / NON-ZERO ONLY)

SHORT - 16 BIT (OR LARGER) SIGNED INTEGER
USHORT - 16 BIT (OR LARGER) UNSIGNED INTEGER
BITS - 16 BITS (OR MORE) FOR BIT MANIPULATION

CHAR - SINGLE MACHINE CHARACTER (REAL CHARACTERS
ALWAYS POSITIVE)

TINY - 8 BIT (OR LARGER) SIGNED INTEGER
UTINY - 8 BIT (OR LARGER) UNSIGNED INTEGER
TBITS - 8 BITS (OR MORE) FOR BIT MANIPULATION
TBOOL - 8 BIT (OR LARGER) LOGICAL (ZERO / NON-ZERO
ONLY)

METACHAR - 16 BIT (OR LARGER) AUGMENTED CHARACTER
(SIGNED)

VOID - FUNCTION THAT RETURNS NO VALUE

FORTTRAN - STORAGE CLASS FOR FOREIGN (NON-C) ROUTINES
OR C ROUTINES
WHICH ARE CALLABLE FROM FOREIGN ROUTINES

SINCE NOT ALL COMPILERS SUPPORT USHORT, TINY, AND UTINY,
THE FUNCTIONS
USHORT(), TINY(), AND UTINY() SHOULD BE USED WHENEVER
REFERENCING THEM.

IN ADDITION, THE FOLLOWING UTILITY MACROS ARE DEFINED:
LURSHIFT(N, B) - UNSIGNED LONG RIGHT SHIFT
MAX(A, B) - MAXIMUM OF A AND B
MIN(A, B) - MINIMUM OF A AND B

TEXT EDITOR Include File Description

ABS(A) - ABSOLUTE VALUE OF A
STRASN(A, B) - TRANSPORTABLE A = B FOR STRUCTURES
NULL - NULL POINTER VALUE (0)
TRUE - 1
FALSE - 0
SUCCESS - EXIT(SUCCESS) INDICATES SUCCESSFUL
COMPLETION
FAILURE - EXIT(FAILURE) INDICATES ERRORS

THE FOLLOWING SYMBOLS SHOULD BE DEFINED BASED ON THE
COMPILER BEING USED:


USHORT - COMPILER SUPPORTS UNSIGNED SHORT
TINY - COMPILER TREATS CHAR AS SIGNED
UTINY - CHAR IS SIGNED AND COMPILER SUPPORTS
UNSIGNED CHAR
VOID - COMPILER SUPPORTS VOID
FORTRAN - COMPILER SUPPORTS FORTRAN
STRASN - DEFINE APPROPRIATE MACRO
SUCCESS - DEFINE APPROPRIATE VALUE IF NOT 0
FAILURE - DEFINE APPROPRIATE VALUE IF NOT 1

3.10.10 Hierarchy Chart


The following hierarchy charts show the relationships between all of the modules mentioned in the above documentation. A module may call a subroutine several times within its code, but the call will only be shown once as a single relationship on this hierarchy chart. All modules shown at the top of the first page are considered Main Programs as described in section 3.10.1 above.

There is an internal paging scheme as marked by the numbers in the upper right corner of each page. An index after the last page of the chart shows where a routine and its calls are first defined. If a routine has no page reference, it either makes no calls or is an external routine. A continuation box on the end of a tree limb shows where that the tree continues on the page numbered mentioned. A number in a box with a routine name points to the page where the routine is further defined within the hierarchy tree. If there is no number in a box, the routine either makes no calls or is an external routine.


1





2




3







6





7




8







11




12




13




14




15




16




17




18




19




20




21




22




23




24




25




26




27




28




29




30




31




32




33




34




35




36




37




38




39




40




41




42




43




44




45




46




47




48




49




50




51




52




53




54




55




56



57



58



ABORT	INITFP
ADDFRM	ISPRINT
ATOI	LOAD.....16
CLEAR.....8	MALLOC
EDITCI.....2	MARGIN.....4
EDITCI/ADDNODE	MEMCMP
EDITCI/CMDLIST....39	MEMCPY
EDITCI/CMDMENU....52	MEMSET
EDITCI/COMMAND....37	NAME.....4
EDITCI/CUT.....23	OISCR
EDITCI/DELLINE....27	PDATA
EDITCI/DELNODE	PMSGLC
EDITCI/DOCMD.....4	PMSGLS
EDITCI/EDIT.....10	PRINTF
EDITCI/FILL.....30	PUTATT
EDITCI/FREENODE	PUTCUR
EDITCI/FRSTPAGE....5	PUTLOC
EDITCI/GETNODE....34	REPEAT.....6
EDITCI/INDEX.....38	REPLACE.....7
EDITCI/INLINE....34	RMVPAG
EDITCI/LASTPAGE...38	SAVE.....15
EDITCI/MIDLINE....18	SEARCH.....9
EDITCI/NEWLINE....31	STRCAT
EDITCI/NXTLINE....47	STRCPY
EDITCI/NXTPAGE....49	STRLEN
EDITCI/NXTVAL	STRNCAT
EDITCI/PFSRCH....10	STRNCMP
EDITCI/PRVLINE....42	STRUPC
EDITCI/PRVPAGE....47	TE/MAIN.....1
EDITCI/PUTDEF....58	TERMPF
EDITCI/QUIT.....49	TOUPPER
EDITCI/RETRN	TRMNAT
EDITCI/SELECT....19	
EDITCI/SPLIT....18	
EDITCI/TMPCPY....21	
EDITCI/YANK.....24	
ESCPY	
FCLOSE	
FGFTS	
FOPEN	
FWRITE	
GDATA	
GETCUR	
GETMORE	
GPAGE	
GWINDO	
INITAL	

3.11 Program Listings Comments

This information is contained in the Module Descriptions in section 3.10.

SECTION 4

QUALITY ASSURANCE PROVISIONS

4.1 Introduction and Definitions

"Testing" is a systematic process that may be preplanned and explicitly stated. Test techniques and procedures may be defined in advance, and a sequence of test steps may be specified. "Debugging" is the process of isolation and correction of the cause of an error.

"Antibugging" is defined as the philosophy of writing programs in such a way as to make bugs less likely to occur and when they do occur, to make them more noticeable to the programmer and the user. In other words, as much error checking as is practical and possible in each routine should be performed.

4.2 Computer Programming Test and Evaluation

The quality assurance provisions for test consists of the normal testing techniques that are accomplished during the construction process. They consist of design and code walk-throughs, unit testing, and integration testing. These tests are performed by the design team. Structured design, design walk-through and the incorporation of "antibugging" facilitate this testing by exposing and addressing problem areas before they become coded "bugs."