

WRDC-TR-90-8007  
Volume IV  
Part 4

**AD-A250 125**



INTEGRATED INFORMATION SUPPORT SYSTEM (IISS)  
Volume IV - IISS System  
Part 4 - System Integration Test

S. Singh, M. Apicella

Control Data Corporation  
Integration Technology Services  
2970 Presidential Drive  
Fairborn, OH 45324-6209

**DTIC**  
**ELECTE**  
**MAY 07 1992**  
**S D D.**

September 1990

Final Report for Period 1 April 1987 - 31 December 1990

Approved for Public Release; Distribution is Unlimited

MANUFACTURING TECHNOLOGY DIRECTORATE  
WRIGHT RESEARCH AND DEVELOPMENT CENTER  
AIR FORCE SYSTEMS COMMAND  
WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433-6533

**92 5 04 156**

**92-12201**




## NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever, regardless whether or not the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data. It should not, therefore, be construed or implied by any person, persons, or organization that the Government is licensing or conveying any rights or permission to manufacture, use, or market any patented invention that may in any way be related thereto.


This technical report has been reviewed and is approved for publication.

This report is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations

  
DAVID L. JUDSON, Project Manager  
WRDC/MTI  
Wright-Patterson AFB, OH 45433-6533

25 July 91  
DATE

FOR THE COMMANDER:

  
BRUCE A. RASMUSSEN, Chief  
WRDC/MTI  
Wright-Patterson AFB, OH 45433-6533

25 July 91  
DATE

If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify WRDC/MTI, Wright-Patterson Air Force Base, OH 45433-6533 to help us maintain a current mailing list.

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

Unclassified

## SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				
1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for Public Release; Distribution is Unlimited.		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE				
4. PERFORMING ORGANIZATION REPORT NUMBER(S) STP620340001		5. MONITORING ORGANIZATION REPORT NUMBER(S) WRDC-TR-90-8007 Vol. IV, Part 4		
6a. NAME OF PERFORMING ORGANIZATION Control Data Corporation; Integration Technology Services	6b. OFFICE SYMBOL (if applicable) WRDC/MTI	7a. NAME OF MONITORING ORGANIZATION WRDC/MTI		
6c. ADDRESS (City, State, and ZIP Code) 2970 Presidential Drive Fairborn, OH 45324-6209		7b. ADDRESS (City, State, and ZIP Code) WPAFB, OH 45433-6533		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Wright Research and Development Center, Air Force Systems Command, USAF	8b. OFFICE SYMBOL (if applicable) WRDC/MTI	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUM. F33600-87-C-0464		
8c. ADDRESS (City, State, and ZIP Code) Wright-Patterson AFB, Ohio 45433-6533		10. SOURCE OF FUNDING NOS.		
11. TITLE (Include Security Classification) See Block 19		PROGRAM ELEMENT NO. 78011F	PROJECT NO. 595600	TASK NO. F95600 WORK UNIT NO. 20950607
12. PERSONAL AUTHOR(S) Control Data Corporation: Singh, S., Apicella, M. L.				
13a. TYPE OF REPORT Final Report	13b. TIME COVERED 4/1/90-12/31/90	14. DATE OF REPORT (Yr., Mo., Day) 1990 September 30		15. PAGE COUNT 58
16. SUPPLEMENTARY NOTATION WRDC/MTI Project Priority 6203				
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify block no.)		
FIELD	GROUP	SUB GR.		
1308	0905			
19. ABSTRACT (Continue on reverse if necessary and identify block number)  This document describes the system test tool that is used to demonstrate an application executing within the IISS environment. This tool also is used as a system integration testing tool.  Block 11 - INTEGRATED INFORMATION SUPPORT SYSTEM (IISS) Vol IV - IISS System Part 4 - System Integration Test				
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED x SAME AS RPT. DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL David L. Judson		22b. TELEPHONE NO. (Include Area Code) (513) 255-7371	22c. OFFICE SYMBOL WRDC/MTI	

### FOREWORD

This technical report covers work performed under Air Force Contract F33600-87-C-0464, DAPro Project. This contract is sponsored by the Manufacturing Technology Directorate, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Bruce A. Rasmussen, Branch Chief, Integration Technology Division, Manufacturing Technology Directorate, through Mr. David L. Judson, Project Manager. The Prime Contractor was Integration Technology Services, Software Programs Division, of the Control Data Corporation, Dayton, Ohio, under the direction of Mr. W. A. Osborne. The DAPro Project Manager for Control Data Corporation was Mr. Jimmy P. Maxwell.

The DAPro project was created to continue the development, test, and demonstration of the Integrated Information Support System (IISS). The IISS technology work comprises enhancements to IISS software and the establishment and operation of IISS test bed hardware and communications for developers and users.

The following list names the Control Data Corporation subcontractors and their contributing activities:

#### SUBCONTRACTOR

#### ROLE

Control Data Corporation	Responsible for the overall Common Data Model design development and implementation, IISS integration and test, and technology transfer of IISS.
D. Appleton Company	Responsible for providing software information services for the Common Data Model and IDEF1X integration methodology.
ONTEK	Responsible for defining and testing a representative integrated system base in Artificial Intelligence techniques to establish fitness for use.
Simpact Corporation	Responsible for Communication development.

Accession For	
NTIS CRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	



STP620340001  
30 September 1990

Structural Dynamics  
Research Corporation

Responsible for User Interfaces,  
Virtual Terminal Interface, and Network  
Transaction Manager design,  
development, implementation, and  
support.

Arizona State University

Responsible for test bed operations  
and support.

Table of Contents

	<u>Page</u>
SECTION 1 INTRODUCTION.....	1-1
SECTION 2 IISS OVERVIEW.....	2-1
SECTION 3 DEMONSTRATION SCENARIO.....	3-1
SECTION 4 THE DEMONSTRATION.....	4-1
SECTION 5 CONCLUSION.....	5-1

Appendices

APPENDIX A DATABASES BUILD.....	A-1
APPENDIX B IISS DEMO ENVIRONMENT.....	B-1

SECTION 1  
INTRODUCTION

This document is a comprehensive package to demonstrate an application executing in the IISS environment.)

This demonstration uses all four subsystems of the IISS, namely, Common Data Model (CDM), User Interface and Virtual Terminal Interface (UI/VTI), Network Transaction Manager (NTM) and the Communication (Comm) Subsystem. The application is written using the UI/VTI application definition language, and COBOL and accesses the CDM data dictionary to retrieve information about the databases and where the data resides and processes distributed queries using the NTM and COMM.)

At any one stage during the demonstration, an application may be accessing up to three databases on three different DBMS and processing data retrieved across two computers - IBM and VAX. ←

Section 2 provides the demonstrator with a background of IISS. Section 3 sets the stage for the demonstration. This section contains information about the data definition phase and the precompilation or data manipulation phase. Section 4 provides details for each application with screen layouts and the semantics of each application. Section 5 is a summary of "Why to use IISS."

The appendices provide the CDMA with enough information to build the environment for this demonstration.

## SECTION 2

### IISS OVERVIEW

This section provides the demonstrator with a history of IISS and a brief introduction to the IISS concepts.

IISS is one of the original CIM programs to design and develop integration methodologies and to support technology transfer to industry as well as to other ICAM programs such as the Integrated Sheet Metal Center. IISS has also embodied development from other CIM programs such as the ICAM Definition Methodology, or IDEF.

Currently, IISS work is being continued under the DAPRO (Data Automation Processor) Program.

Control Data is the prime contractor for DAPRO with Structural Dynamics Research Corporation (SDRC) as a main development subcontractor.

In most factories today, there are different kinds of computers being used, providing different kinds of independent functions such as scheduling, process planning, engineering analysis, and shop floor control. These computer systems very often contain the same or related data, but no standard technique exists for tying them together. This is the heterogeneous environment for which IISS is being developed.

IISS's approach to solving the problem is through a Test Bed technology designed to integrate all the various functions into one information base.

This approach is an evolutionary one, which answers:

#### INFORMATION PROBLEMS of

- o shareability
- o ease of use
- o communication among computers

and

#### INFORMATION QUESTIONS of

- o where is the data?
- o how is it stored?
- o how can it be controlled?

IISS has developed an integration concept that allows:

- o data to be stored in a single information base
- o all terminals to function as a single terminal
- o all computers to look like a single computer

This integration concept makes the

- o MULTI COMPUTER
- o MULTI DATABASE
- o MULTI TERMINAL

environment "APPEAR" to be a single integrated system.

The key to this system is that all of the computers "appear" to be a single large computer with a single consistent type of terminal interface to the users of the system, and all of the data "appearing" to be stored in one enterprise database. The key, again, is in "appearance" to the user because nothing is actually physically moved.

The IISS environment consists of 4 (four) subsystems which encompass the integration concepts of:

- o SYSTEM                      INTEGRATION
- o DATA                        INTEGRATION
- o USER INTERFACE            INTEGRATION

System integration is provided through the COMM and the NTM subsystems.

The COMM subsystem allows computers to communicate with one another, providing hardware integration. A local area network is used to provide this physical connection between the computers. A software communications protocol is provided on each computer; this is the language that allows computers to understand one another.

The NTM provides the connection between all of the subsystems and the application processes. The NTM is also responsible for start-up and shut-down services, system operation, and managing message traffic in the IISS environment. It is the operating system of IISS.

Data Integration is provided through the Common Data Model (CDM) Subsystem.

This subsystem uses the IDEF integration methodology to model the enterprise. This methodology uses the three schema architecture to provide an integrated view of the information in the enterprise. The CDM contains the information about WHERE and HOW the data is stored. Data Integration is also provided through the Neutral Data Manipulation Language and the Common Data Model Processors which perform data transforms between the three schemas.

User Interface Integration is provided through the UI/VTI subsystem.

This subsystem allows a user to use any terminal to access any application regardless of the computer on which it resides and which terminal it is targeted for. The terminal hardware characteristics are made transparent to the programs in the computer by translating them to a neutral format. This provides hardware independence. The VTI is connected to a

forms package that provides formatted screens (for output display and data input), which interfaces to the application programs. This provides a consistent interface to the user as well as being easy for both the programmer and the end user to understand and use.

Have you ever needed to obtain information that is stored in different places or different databases? How difficult was this to accomplish? Very difficult, if you had to access several different computers and correlate the data from each to get the information. This is known as a distributed query. In the manufacturing world of heterogeneous computers and databases, which is typical in the aerospace environment, distributed queries are very time consuming to perform and require much manual effort. With IISS, a single request can be made for all of the data and the answer is provided automatically.

With this overview, let us continue with a demonstration of an application utilizing all components of the IISS environment. This application is running on VAX using a TEK 4XX terminal and will at times be accessing three databases, Oracle, VAX-11 and DB2, and two computers, IBM and VAX, to obtain the results.

### SECTION 3

#### DEMONSTRATION SCENARIO

This demonstration uses a Conceptual Schema (CS) of eleven entities. The CS has been mapped to three databases. They are as follows: one ORACLE Database on the VAX, one VAX-11 Codasyl Database on the VAX and one DB2 Database on the IBM. The Schemas and Interschema mappings have been defined to the CDM using the Neutral Data Definition Language (NDDL).

The application consists of eight (8) tasks which have been written using an Application Definition Language (ADL) and a COBOL subroutine. Both the ADL and the COBOL have Neutral Data Manipulation Language (NDML) statements embedded in them.


The IISS Demo environment can be created by following the steps listed in Appendix A and B. Since the CDMA or the I & T team will be creating the environment, familiarity with the nodes VAX and IBM, the DBMS ORACLE, VAX-11 and DB2, and the CDM, UI and NTM Subsystem is assumed.


The application is written against External Schema views and needs to be precompiled. The user writes applications against a view because he/she needs no prior knowledge of where the data is resident i.e., on which host computer or on which DBMS. The precompiler performs a translation between the three Schemas. It translates the neutral NDML request into DBMS specific calls. In our scenario, this implies that programs are generated that access Oracle, VAX-11 and DB2 Databases.

The NTM and COMM provide the communication between the two nodes in our scenario, IBM and VAX.

The Conceptual Schema, Internal Schema, and a mapping example for the IISS Demo follow:

CONCEPTUAL SCHEMA





INTERNAL SCHEMA

<b>DATABASE: CUST</b> <b>DBMS : VAX-11</b> <b>HOST : VAX</b> <b>CUSTOMER</b>	<b>DATABASE: MFG</b> <b>DBMS : ORACLE</b> <b>HOST : VAX</b> <b>STOCK_ROOM</b>	<b>DATABASE: PURCH</b> <b>DBMS : DB2</b> <b>HOST : IBM</b> <b>VENDOR</b>
<b>CUSTOMER_NO</b> <b>CUSTOMER_NAME</b> <b>CUSTOMER_ADDR</b>	<b>STOCK_ROOM_ID</b>    	<b>VENDOR_</b> <b>NO</b> <b>VENDOR_</b> <b>NAME</b>   
<b>MAY_PLACE</b>		
<b>CUSTOMER_ORDER</b> <b>CUSTOMER ORDER NO</b> <b>CO PURCHASE ORD_DATE</b> <b>CO_STATUS_CODE</b>	<b>COMMODITY_CODES</b> <b>COMMODITY_</b> <b>CODE</b> <b>COMMODITY_</b> <b>DESC</b>	<b>PART_VENDOR</b> <b>VENDOR_</b> <b>NO</b> <b>PART_</b> <b>NO</b>   
		<b>PURCHASE ORDER</b> <b>PURCHASE PO STATUS</b> <b>ORDER_NO CODE</b>   


**3-5**

A MAPPING EXAMPLE

INTERNAL SCHEMA

CONCEPTUAL SCHEMA

EXTERNAL SCHEMA



#### SECTION 4

##### THE DEMONSTRATION

Welcome to a demonstration of an application using all components of IISS.

An ORACLE, NTM and UI environment must be established as detailed in Appendices A and B.

The demonstration may run in black and white from a VT terminal, or it may be run in color from a TEK terminal.

At the VAX (\$) prompt, type:

VT100 (if VT terminal)

or

TEK4100 (if TEK terminal)

At the UIMS screen, type:

User: IISSDEMO  
Password: IISSDEMO  
Role: IISSDEMO

At the function screen, type:

Function: IISSDEMO

A menu screen appears. Eight applications will be demonstrated in order, listing the screen visuals, purpose of the application, features being demonstrated, and databases accessed.

Here we go... Please follow along...

INTEGRATED INFORMATION  
SUPPORT SYSTEM  
DEMO

Prepared By  
CONTROL DATA CORPORATION  
STRUCTURAL DYNAMICS RESEARCH CORPORATION

MSG: 1 Press <ENTER> to begin demo, <QUIT> to end  
application

This is the first screen  
Press <ENTER>  
As a rule of thumb, <ENTER> or <PF5> start up most  
applications. <PF4> takes you back 1 level and <PF16> takes  
you back to the main menu. Tasks can be exited using  
successive <PF4>s or using a single <PF16>.

Next Task: REVIEWCO    MAINMENU  
Date: 2/24/88  
Press <PF7> for Keypad Help

MAIN MENU

Customer Order Information  
    REVIEWCO    (Review Open Customer Orders)

Inventory Information  
    ADDPART    (Assign New Part to Stock Room(s) )  
    INVENTORY (Stock Room Inventory)  
    DELPART    (Delete Part From Stock Room)

Purchasing Information  
    ADDVENDOR (Insert a New Vendor)  
    SUPPLIERS (Determine Suppliers)  
    UPDATEPO    (Update Open Purchase Orders)  
    LISTPO      (List Purchase Order Information)

MSG: 1 Enter task keyword and press <ENTER>    applcation

The first task selected, REVIEWCO, reviews "open" customer orders. An "open" order is one that has any line item due within a specified time frame, and the line item status is "active" ("AC").

Press <PF7> to familiarize yourself with the keypad.

Next Task: \_\_\_\_\_ REVIEW OPEN CUSTOMER ORDERS  
Date: 2/24/88  
Press <PF7> for Keypad Help

TIME FRAME: From 01-JAN-00 To 31-DEC-99

MSG: 1 Enter time-frame (DD-MMM-YY), press <QUERY> for open  
orders application

Insert a time frame so that we can view open orders. If no  
time frame is inserted, the default values are assumed as is  
the case for this demonstration. Press <Query>

Next Task: \_\_\_\_\_ OPEN CUSTOMER ORDERS    Date: 2/24/88  
Press <PF7> for Keypad Help

TIME FRAME:    From 01-JAN-00 To 31-DEC-99

Customer Name	Order Number	Date Placed
DELTA AIRLINES	4009	20-JUL-87
NORTHWEST AIRLINES	4010	03-AUG-87
US AIR FORCE	4002	03-AUG-87
US AIR FORCE	4003	25-MAY-87
US AIR FORCE	4004	06-JUL-87
US NAVY	4005	20-JUL-87
US NAVY	4006	27-JUL-87

Position cursor on order#, press <QUERY> for order information

MSG: 1 Open Orders Retrieved - Press <CONT> for more application

This query accessed a VAX-11 database on the VAX and traverses sets to obtain open customer orders.  
Now, if I want to find out more about customer order number 4002, tab down to order-number 4002 and press <Query>.

STP620340001  
30 September 1990

Next Task: \_\_\_\_\_ CUSTOMER ORDER INFORMATION Date: 2/24/88  
Press <PF7> for Keypad Help

Customer Name: US AIR FORCE  
Order Number : 4002  
Date Placed : 03-AUG-87

Line Item	Part Number	Quantity Required	Due Date	Status
001	12347	100.00	17-AUG-87	AC

Position cursor on part number and press <HELP> for part information

MSG: 1 Press <QUIT> to return to previous screen application

Here is additional information on the open, active customer order #4002. This distributed query accesses two databases, VAX-11 and ORACLE, both on the VAX. Further description of the PART is available by positioning the cursor on a part number and pressing <HELP>.

Next Task: \_\_\_\_\_ CUSTOMER ORDER INFORMATION Date:2/24/88  
Press <PF7> for Keypad Help

Customer Name: US AIR FORCE  
Order Number : 4002  
Date Placed : 03-AUG-87

Line Item	Part Number	Quantity Required	Due Date	Status
001	12347	100.00	17-AUG-87	AC

PART INFORMATION

Commodity Cd : AD  
Part Number : 12347  
Part Desc. : PLATE - BACKUP  
Unit of Meas.: EA  
Unit Cost : 621.00  
Lead Time : 5.00

Position cursor on part number and press <HELP> for part information

MSG: 1 Press <QUIT> to return to previous screen applcation

Part HELP is available as a pop-up screen as shown in the outlined box. This query accesses the ORACLE database on the VAX.

Next Task: ADDPART      MAINMENU  
Press <PF7> for Keypad Help

Date: 2/24/88

MAIN MENU

Customer Order Information

    REVIEWCO    (Review Open Customer Orders)

Inventory Information

    ADDPART    (Assign New Part to Stock Room(s) )

    INVENTORY (Stock Room Inventory)

    DELPART    (Delete Part From Stock Room)

Purchasing Information

    ADDVENDOR (Insert a New Vendor)

    SUPPLIERS (Determine Suppliers)

    UPDATEPO   (Update Open Purchase Orders)

    LISTPO     (List Purchase Order Information)

MSG:   1   Enter task keyword and press <ENTER>                      application

The second task, ADDPART, determines all parts that have not yet been assigned a stockroom, and then assigns a selected part to a stockroom(s).

Next Task: \_\_\_\_\_ ASSIGN NEW PART TO STOCK ROOM(s)

Date: 2/24/88

Press <PF7> for Keypad Help

Quantity	Part Number	Part Description	StockRoom ID	On Hand
	12356	CARRIER, LINING		
	12362	STEPPED SLEEVE		
	12363	CARRIER , LINING		
	12364	BRAKE DISK - STATOR		
	12365	RIVET		
	12366	CARRIER , LINING		
	12367	WASHER		
	12372	RIVET		

- 1 - Enter stockroom and quantity, press <ENTER> to assign
- 2 - Press <HELP> from stockroom ID field to display valid IDs
- 3 - Press <QUERY> from Part# to verify assignments

MSG: \_\_ Stock Room Assignment Entered application

A list of all unassigned parts is displayed. This query accessed nodes VAX and IBM and DBMS ORACLE and DB2 and performed an Outer Join operation against the PART and PART-STOCK-ROOM tables. Suppose Part #12365 is the part needing a stock room assignment. Tab down to line 5 and press <HELP> for valid stockroom IDs.

Next Task: \_\_\_\_\_ ASSIGN NEW PART TO STOCK ROOM(s) Date:  
2/24/88

Press <PF7> for Keypad Help

Quantity	Part Number	Part Description	Stock Room ID	On Hand
12356		CARRIE	Valid Stock Room IDs	
12362		STEPPE		
12363		CARRIE	FABRICATION	- 1
12364		BRAKE	FABRICATION	- 2
12365		RIVET	FABRICATION	- 3
12366		CARRIE	FABRICATION	- 4
12367		WASHER	FABRICATION	- 5
12372		RIVET	FABRICATION	- 6
			FINAL - ASSEMBLY	
			FINISHED GOODS	
			SUBASSEMBLY	

- 1 - Enter stockroom ENTER> to assign
- 2 - Press <HELP> from stockroom ID field to display valid IDs
- 3 - Press <QUERY> from Part# to verify assignments

MSG: 1 Position cursor on desired stock room and press <ENTER>  
application

Valid stockroom IDs is a pop-up screen as shown in the outlined box. The data is provided from the ORACLE database on the VAX. Let's assume, Stockroom FABRICATION-1 is the room being assigned. Press <ENTER> to assign the stockroom to Part #12365.

Next Task: \_\_\_\_\_ ASSIGN NEW PART TO STOCK  
ROOM(s) Date: 2/24/88  
Press <PF7> for Keypad Help

Quantity	Part Number	Part Description	Stock Room ID	On Hand
	12356	CARRIER, LINING		
	12362	STEPPED SLEEVE		
	12363	CARRIER , LINING		
	12364	BRAKE DISK - STATOR		
	12365	RIVET		
		FABRICATION - 1	1000	
	12366	CARRIER , LINING		
	12367	WASHER		
	12372	RIVET		

- 1 - Enter stockroom and quantity, press <ENTER> to assign
- 2 - Press <HELP> from stockroom ID field to display valid IDs
- 3 - Press <QUERY> from Part# to verify assignments

MSG: 1 Stock Room Assignment Entered application

Now, tab to enter the quantity-on-hand value. This user entered 1000 and pressed <ENTER>. This INSERTed into the DB2 database on the IBM. Referential integrity checks were performed by accessing the ORACLE database on the VAX to validate the existence of Part #12365 and stockroom with ID FABRICATION-1. To verify that the INSERT worked, tab to part number 12365 and press <query>.

Next Task:                      VERIFY PART/STOCK ROOM  
ASSIGNMENTS Date: 2/24/88  
Press <PF7> for Keypad Help

Part Number: 12365

Stock Room ID	Quantity On Hand	Position cursor on part number and press <HELP> for part information
FABRICATION - 1	1000.00	

Press <QUIT> to return to  
ASSIGN NEW PART TO STOCK ROOM(s) screen

MSG: 1 Stock Room Inventory Retrieved - Press <CONT> for More  
application

As we can see, the part-stock-room assignment has been performed.  
This check was verified against the DB2 database on the IBM.  
Note: The next application provides the same functionality.

Next Task: INVENTORY MAINMENU  
Press <PF7> for Keypad Help

Date: 2/24/88

MAIN MENU

Customer Order Information  
REVIEWCO (Review Open Customer Orders)

Inventory Information  
ADDPART (Assign New Part to Stock Room(s) )  
INVENTORY (Stock Room Inventory)  
DELPART (Delete Part From Stock Room)

Purchasing Information  
SUPPLIERS (Determine Suppliers)  
UPDATEPO (Update Open Purchase Orders)  
LISTPO (List Purchase Order Information)

MSG: 1 Enter task keyword and press <ENTER> application

The third task is a check point. The demonstrator returns here to prove that INSERTing or DELETing a part-stock-room assignment worked.

STP620340001  
30 September 1990

Next Task: \_\_\_\_\_ STOCKROOM INVENTORY  
Press <PF7> for Keypad Help

Date: 2/24/88

Part Number: ALL

Enter part number for specific part inventory, press <QUERY>  
or enter 'ALL' for complete stock room inventory, press <QUERY>

MSG: 0

application

Enter "ALL" if data is limited, else, enter a particular part  
number for verification.

Next Task: \_\_\_\_\_ STOCK ROOM INVENTORY FOR ALL PARTS  
Date: 2/24/88  
Press <PF7> for Keypad Help

**Part Number:** 12348

Stock Room ID	Quantity On Hand	Position cursor on part number
FABRICATION - 1	78.00	press <HELP> for part

MSG: 2 Press <CONT> for More

application

This INVENTORY Query accesses the DB2 database on the IBM. All parts are displayed in ascending order. Since each part and all its stockrooms are presented on separate screens, use the <CONT> key to view the entire Inventory.

Next Task: DELPART MAINMENU  
Press <PF7> for Keypad Help

Date: 2/24/88

MAIN MENU

Customer Order Information  
REVIEWCO (Review Open Customer Orders)

Inventory Information  
ADDPART (Assign New Part to Stock Room(s) )  
INVENTORY (Stock Room Inventory)  
DELPART (Delete Part From Stock Room)

Purchasing Information  
SUPPLIERS (Determine Suppliers)  
UPDATEPO (Update Open Purchase Orders)  
LISTPO (List Purchase Order Information)

MSG: 1 Enter task keyword and press <ENTER> application

The fourth task, DELPART, allows the user to delete a part-stock-room assignment where the stockroom's quantity-on-hand is zero.

This query accesses the DB2 database on the IBM.

Next Task: \_\_\_\_\_ DELETE PART FROM STOCK ROOM  
Date: 2/24/88  
Press <PF7> for Keypad Help

Part Number: 12351  
Stock Room ID      Quantity      Position cursor on part number  
and      On Hand      press <HELP> for part  
information  
FINAL - ASSEMBLY      0.00  
part/stock      Press <DEL> to delete  
room relationship

MSG: 2 Relationships Retrieved - Press <CONT> for more  
application

The output is displayed one part per screen. Press <CONT> to  
display each part. The user may delete any/all assignment(s) by  
pressing <DEL>.

STP620340001  
30 September 1990

Next Task: \_\_\_\_\_ DELETE PART FROM STOCK ROOM Date: 2/24/88  
Press <PF7> for Keypad Help

Part Number: 12352

Stock Room ID	Quantity On Hand	Position cursor on part number
FABRICATION - 4	0.00	press <HELP> for part
part/stock		Press <DEL> to delete room relationship

MSG: 2 Press <CONT> for More

application

This user did not elect to delete any assignments, but merely to view all parts with zero quantity-on-hand.

Next Task: ADDVENDOR MAINMENU

Date: 3/28/88

MAIN MENU

Customer Order Information

REVIEWCO (Review Open Customer Orders)

Inventory Information

ADDPART (Assign New Part to Stock Room(s) )

INVENTORY (Stock Room Inventory)

DELPART (Delete Part From Stock Room)

Purchasing Information

ADDVENDOR (Insert a New Vendor)

SUPPLIERS (Determine Suppliers)

UPDATEPO (Update Open Purchase Orders)

LISTPO (List Purchase Order Information)

MSG: 1 Enter task keyword and press <ENTER> applcation

The fifth task, ADDVENDOR, allows the user to add new vendors for a specified commodity code. The assumption is that a vendor supplies all the parts associated with a commodity code.

Next Task: \_\_\_\_\_ ADD NEW VENDOR(S)

Date: 3/28/88

Commodities Supplied ( Mark choices with an X )

AA RAW MATL STEEL  
AB HDWE ITEM  
AC RAW FORGING  
AD MACHINED PART  
AE ASSEMBLY

Press <QUERY> to select parts for commodities OR  
Press <MENU> to return to MAINMENU

MSG:   0  

applcation

The first screen presents a list of the valid commodity codes and their descriptions. This data is retrieved from the Oracle Database on the VAX.

Next Task: \_\_\_\_\_ ADD NEW VENDOR(S)

Date: 3/28/88

Commodities Supplied ( Mark choice with an X )

	AA	RAW MATL STEEL
	AB	HDWE ITEM
X	AC	RAW FORGING
	AD	MACHINED PART
	AE	ASSEMBLY

Press <QUERY> to select parts for commodities OR  
Press <MENU> to return to MAINMENU

MSG:   0  

application

The user places an 'X' in front of the commodity code that will be supplied by the new vendor or vendors. The user then presses the <QUERY> key to retrieve all the part numbers associated with the commodity code chosen.

Next Task: \_\_\_\_\_ INSERT VENDOR INFORMATION Date: 3/28/88  
Commodity Selected: AC  
Associated Part Numbers  
12348

Vendor No Phone Number	Vendor Name	Rating	Point of Contact
---------------------------	-------------	--------	------------------

Enter Vendor information and press <QUERY> OR  
Press <QUIT> to return to Commodity Code list

MSG: 1 Parts to be supplied by new vendor(s) have been selected  
application

The part numbers associated with the commodity code are retrieved  
from the VAX Oracle database and the vendor input form is  
presented.

Next Task: \_\_\_\_\_ INSERT VENDOR INFORMATION  
3/28/88

Date:

Commodity Selected: AC

Associated Part Numbers  
12348

Vendor No	Vendor Name	Rating	Point of Contact	Phone Number
42210	CDC	10	D. ALBANI	294-1751
42211	ALLIED-EGRY	5	T.ACHESON	234-5472

Enter Vendor information and press <QUERY> OR  
Press <QUIT> to return to Commodity Code list

MSG: 1 Parts to be supplied by new vendor(s) have been selected  
application

The user enters the vendor information and presses the <QUERY>  
key, which starts up insert actions into two entities, VENDOR and  
PART\_VENDOR.

Since VENDOR is vertically partitioned between the IBM DB2  
database and the VAX Oracle database, two internal schema insert  
transactions were generated along with a key uniqueness check.  
One insert transaction inserts vendor no., vendor name and vendor  
rating into the DB2 partition, and the other insert transaction  
inserts vendor no., point of contact and phone number into the  
Oracle partition.

The insert transaction for PART\_VENDOR associates each part number  
in the associated parts list with each vendor in the vendor input  
form. In our example, two rows of data are inserted into  
PART\_VENDOR on the ORACLE VAX database.

Next Task: \_\_\_\_\_ INSERT VENDOR INFORMATION Date: 3/28/88  
Commodity Selected: AC  
Associated Part Numbers  
12348

Vendor No	Vendor Name	Rating	Point of Contact	Phone Number
42210	CDC	10	D. ALBANI	294-1751
42211	ALLIED-EGRY	5	T.ACHESON	434-5472

Vendor and Part-Vendor Insert actions completed  
Press <MENU> to return to MAINMENU

MSG: application

When all insert transactions are finished, a completion message is displayed and the user returns to the main menu.

Next Task: SUPPLIERS MAINMENU  
Press <PF7> for Keypad Help

Date: 2/24/88

MAIN MENU

Customer Order Information

REVIEWCO (Review Open Customer Orders)

Inventory Information

ADDPART (Assign New Part to Stock Room(s) )

INVENTORY (Stock Room Inventory)

DELPART (Delete Part From Stock Room)

Purchasing Information

ADDVENDOR (Insert a New Vendor)

SUPPLIERS (Determine Suppliers)

UPDATEPO (Update Open Purchase Orders)

LISTPO (List Purchase Order Information)

MSG: 1 Enter task keyword and press <ENTER> application

The sixth task is SUPPLIERS. In this user's review process, there is a need to determine which part has a low quantity-on-hand so that it can be re-ordered. A vendor with a good rating, who currently supplies this part, has to be determined.

Next Task: \_\_\_\_\_ DETERMINE SUPPLIERS      Date: 2/24/88  
Press <PF7> for Keypad Help

Commodity Code: \_\_\_\_

Commodity Code	Commodity Description
AA	RAW MATL STEEL
AB	HDWE ITEM
AC	RAW FORGING
AD	MACHINED PART
AE	ASSEMBLY

Position Cursor on Desired Commodity Code and Press  
<ENTER>

MSG: 1 Commodity Codes Retrieved - Press <CONT> for More  
application

In this scenario, each part is associated with a commodity code.  
A pop-up HELP window provides a list of valid commodity codes.  
These codes are retrieved from an ORACLE database on the VAX.

Next Task: \_\_\_\_\_ COMMODITY CODE PARTS LIST Date: 2/24/88  
Press <PF7> for Keypad Help

Commodity Code: AA

Quantity	Unit	Lead Time	Part Number	Description	On Hand	Meas	In Days
12352				STEEL	0.00	EA	15.00
12354				STEEL	2614.00	EA	20.00
12359				STEEL	429.00	EA	10.00
12368				STEEL	7196.00	EA	10.00
12371				STEEL	0.00	EA	10.00

Position Cursor on Part#, Press <QUERY> to Display Vendors  
for a Part

MSG: 1 Associated Parts Retrieved - Press <CONT> for more  
applcation

This user wanted all parts associated with Commodity Code "AA".  
The information on this screen is provided by accessing the DB2  
database on IBM and ORACLE database on the VAX.  
It is determined that Part #12352 needs to be re-ordered. Press  
<QUERY> to display vendors for a part.

Next Task: \_\_\_\_\_ VENDORS FOR A SPECIFIED PART Date:2/24/88  
Press <PF7> for Keypad Help

Part Number: 12352

Vendor Name	Point of Contact	Phone Number	Rating
ACME STEEL	STEVEN SMITH	202-555-9063	9
AAA STEEL	JONATHON ADAMS	501-433-5561	8

Press <QUIT> to return to commodity code/parts list screen

MSG: 1 Vendors for part retrieved - Press <CONT> for More  
application

This is a list of all vendors currently providing Part #12352.  
This information is provided by accessing the vendor data which is  
vertically partitioned between the DB2 and ORACLE databases. The  
user of this application may now choose a particular vendor to  
provide the part.

Next Task: UPDATEPO MAINMENU  
Press <PF7> for Keypad Help

Date: 2/24/88

MAIN MENU

Customer Order Information

REVIEWCO (Review Open Customer Orders)

Inventory Information

ADDPART (Assign New Part to Stock Room(s) )

INVENTORY (Stock Room Inventory)

DELPART (Delete Part From Stock Room)

Purchasing Information

ADDVENDOR (Insert a New Vendor)

SUPPLIERS (Determine Suppliers)

UPDATEPO (Update Open Purchase Orders)

LISTPO (List Purchase Order Information)

MSG: 1 Enter task keyword and press <ENTER> application

This task lists all open purchase orders of a specified vendor.  
The user may update these open P.O.'s identified by a status code  
of "AC" to either completed "CO" or canceled "CA".

Next Task: \_\_\_\_\_ UPDATE PURCHASE ORDERS Date: 2/24/88  
Press <PF7> for Keypad Help

Vendor Name: \_\_\_\_\_

Valid Vendor Names  
AAA STEEL  
ACME STEEL  
AMERICAN FORGING  
USA PARTS  
WHITE MACHINE CO.

Position cursor on desired vendor name and press <ENTER>

MSG: 1 Valid Vendor Names - Press <CONT> for More application

HELP in the form of a pop-up window is available to list all vendors. Vendor names are retrieved from the DB2 database on the IBM.

Next Task: \_\_\_\_\_ UPDATE PURCHASE ORDER STATUS Date:2/24/88  
Press <PF7> for Keypad Help

Vendor Name: AAA STEEL

PO Number	Line Item	Part Number	Due Date	Status
3005	001	12352	24-AUG-87	<u>AC</u>
3006	001	12354	31-AUG-87	<u>AC</u>

- 1 - Update line item status and press <ENTER>
- 2 - Position cursor on status, press <HELP> for valid status codes
- 3 - Position cursor on part number, press <HELP> for part information
- 4 - Position cursor on PO number, press <HELP> for detail PO info

MSG: 1 Active POs Retrieved - Press <CONT> for More application

This user entered AAA STEEL as the vendor to determine all their active purchase orders. This query accessed the DB2 database on the IBM and ORACLE on the VAX to retrieve information about active PO line items.

Next Task: \_\_\_\_\_ UPDATE PURCHASE ORDER STATUS Date:2/24/88  
Press <PF7> for Keypad Help

Vendor Name: AAA STEEL

PO Number	Line Item	Part Number	Due Date	Status
3005	001	12352		CO - Complete
3006	001	12354		CA - Cancel

Position cursor  
on desired status  
code and press  
<ENTER>

AC  
AC

- 1 - Update line item status and press <ENTER>
- 2 - Position cursor on status, press <HELP> for valid status codes
- 3 - Position cursor on part number, press <HELP> for part information
- 4 - Position cursor on PO number, press <HELP> for detail PO info

MSG: 1 Position cursor on desired status and press <ENTER>  
application

This user determined that PO #3006, line item 1, is complete and needs updating. A pop-up window provides valid status codes. Exercise Option 4 to review detail purchase order information.

Next Task: \_\_\_\_\_ UPDATE PURCHASE ORDER STATUS Date:2/24/88  
Press <PF7> for Keypad Help

Vendor Name: AAA STEEL

PO Number	Line Item	Part Number	Due Date	Status
PART INFORMATION				
24-AUG-87	<u>AC</u>			
31-AUG-87	<u>CO</u>			
Part Number		: 12354		
Part Desc.		: STEEL		
Unit of Meas.:		EA		
Unit Cost		: 1.01		
Lead Time		: 20.00		

- 1 - Update line item status and press <ENTER>
- 2 - Position cursor on status, press <HELP> for valid status codes
- 3 - Position cursor on part number, press <HELP> for part information
- 4 - Position cursor on PO number, press <HELP> for detail PO info

MSG: 1 Press <QUIT> to return to previous screen application

Detailed description about a part is available, again, as a pop-up window. This user modifies the status to "CO" and presses <ENTER> to update. The update is performed in the DB2 database on IBM. Exercise Option 4, once again, to review detail Purchase Order Information.

Next Task: LISTPO MAINMENU  
Press <PF7> for Keypad Help

Date: 2/24/88

MAIN MENU

Customer Order Information

REVIEWCO (Review Open Customer Orders)

Inventory Information

ADDPART (Assign New Part to Stock Room(s) )

INVENTORY (Stock Room Inventory)

DELPART (Delete Part From Stock Room)

Purchasing Information

ADDVENDOR (Insert a new Vendor)

SUPPLIERS (Determine Suppliers)

UPDATEPO (Update Open Purchase Orders)

LISTPO (List Purchase Order Information)

MSG: 1 Enter task keyword and press <ENTER>

applcation

The final application, LISTPO, is a checkpoint. It is exercised to verify that purchase order information has been updated. It also provides a purchase order review.

Next Task: \_\_\_\_\_ PURCHASE ORDER INFORMATION Date: 2/24/88  
Press <PF7> for Keypad Help

Purchase Order Number: 3006

Line Item	Part Number	Due Date	Status
001	12354	31-AUG-87	CO

1 - Position cursor on part number and press <HELP> for part information

2 - Enter new PO# and press <QUERY> to display PO information

MSG: 1 PO Information Retrieved - Press <CONT> for more application

A purchase order number is entered. This query accesses the ORACLE database on the VAX and the DB2 database on the IBM to retrieve all line items, associated parts and the status.

Next Task: \_\_\_\_\_ PURCHASE ORDER INFORMATION Date: 2/24/88  
Press <PF7> for Keypad Help

Purchase Order Number: 3006

Line Item	Part Number	Due Date	Status
		31-AUG-87	CO
PART INFORMATION			
Part Number	: 123543		
Part Desc.	: STEEL		
Unit of Meas.	: EA		
Unit Cost	: 1.01		
Lead Time	: 20.00		

- 1 - Position cursor on part number and press <HELP> for part information
- 2 - Enter new PO# and press <QUERY> to display PO information

MSG: 1 Press <QUIT> to return to previous screen application

To obtain further part descriptions, HELP is available as a pop-up window as shown in the outlined box. Part information is available from the ORACLE database.

This concludes the demonstration.

SECTION 5

CONCLUSION

In summation, IISS provides many benefits to:

Programmers  
Users  
Management and  
Business

For programmers, it:

- o hides detail of different computers
- o obtains data from several independent systems with a single request

For users, it:

- o provides common interface and procedures to several independent systems

For management, it:

- o provides timely, accurate information through common data and on-line environment

For business it:

- o directs creativity of entire organization to running more productive factories
- o causes computers to fade into the background as support systems

IISS DEMO

APPENDIX A - DATABASE BUILD

I. FILES TO CREATE THE DATABASES AND LOAD THE DATA

A. ORACLE DATABASE

1. Create ORACLE Database
  - MFG.UFI
2. Load Tables with Data
  - VENDOR.UFI
  - PART.UFI
  - CC.DAT, CC.UFI
  - STKRM.DAT, STKRM.UFI

B. VAX-11 DATABASE

1. Create VAX-11 Database
  - CUSTD.DDL
2. Load Records with Data
  - CUSTD.LFL
  - CUSTD1.INP
  - CUSTD1.LSL
  - CUSTD2.INP
  - CUSTD2.LSL
  - CUSTD3.INP
  - CUSTD3.LSL

C. DB2 DATABASE

1. Create DB2 Database
  - PURCH.DDL
2. Load Tables with Data
  - PURPO.DAT
  - PURPOLI.DAT
  - PURPSR.DAT
  - PURPTVN.DAT
  - PURVNDR.DAT

## II. PROCEDURES AND STEPS TO CREATE AND LOAD THE DATABASES

### A. ORACLE DATABASE

#### 1. Create the Database on VAX

```
$ UFI CDM/CDM  
> START MFG.UFI  
  (Creates MFG Database 4 Tables and Indexes)
```

#### 2. Load 4 Tables with Data

```
$ UFI MFG/MFG  
> START PART  
  (Loads Data into PART)  
  
> START VENDOR.UFI  
  (Loads Data into VENDOR)  
  
$ ODL CC.DAT CC.ERR MFG/MFG -C1 -E1  
  (Examine CC.ERR for Errors)  
  (Loads Data into COMMODITY CODES)  
  
$ ODL STKRM.DAT STKRM.ERR MFG/MFG -C1 -E1  
  (Examine STKRM.ERR for Errors)  
  (Loads Data into Stock Room)
```

### B. VAX-11 DATABASE

#### 1. Create the Database on VAX

```
$ DDL/COMPILE CUSTD.DDL  
$ DBO/CREATE CUSTD
```

#### 2. Load 3 Tables with Data

```
$ DBO/LOAD/FORMAT=CUSTD.LFL/SEQUENCE=CUSTD1.LSL/  
  FILE=CUSTD1.INP/LOG CUSTD  
  
$ DBO/LOAD/FORMAT=CUSTD.LFL/SEQUENCE=CUSTD2.LSL/  
  FILE=CUSTD2.INP/LOG CUSTD  
  
$ DBO/LOAD/FORMAT=CUSTD.LFL/SEQUENCE=CUSTD3.LSL/  
  FILE=CUSTD3.INP/LOG CUSTD
```

### C. DB2 DATABASE

#### 1. Create the database on IBM

Choose the DB2 option from the ISPF Main Menu

Choose the SPUFI option from the DB2 menu

Execute PURCH.DDL

2. Load 5 tables with data

Choose the DB2 option from the ISPF Main Menu

Choose the SPUFI option from the DB2 menu

Execute PURPO.DAT  
Execute PURPOLI.DAT  
Execute PURPSR.DAT  
Execute PURPTVN.DAT  
Execute PURVNDR.DAT

IISS DEMO

APPENDIX B - IISS DEMO ENVIRONMENT

I. FILES REQUIRED TO BUILD THE IISS DEMO ENVIRONMENT

A. NDDL FILES TO DEFINE THE SCHEMAS

- DEMODOM.DAT
- DEMOCS.DAT
- DEMOIS.DAT
- DEMOMAP.DAT
- DEMOES.DAT
- DEMOALG.DAT

NOTE: File DEMOIS.DAT must be edited to specify the exact location of the VAX-11 database CUSTD.

B. FILE CONTAINING THE IISS DEMO APPLICATION

- IISSDEM.FDL
- IISSVEN.PRC

C. RELATED FILES

- DATE1.COB
- DATE2.COB

II. PROCEDURES TO BUILD THE IISS DEMO ENVIRONMENT

A. DEFINE THE SCHEMAS

At the VAX \$ prompt, proceed as follows:

```
$ NDDL DEMODOM
$ NDDL DEMOCS
$ NDDL DEMOIS
$ NDDL DEMOMAP
$ NDDL DEMOES
$ NDDL DEMOALG
```

At the end of these steps, the Domains, Conceptual Schema, Internal Schema, External Schema and Inter Schema Mappings will be defined to the CDM.

B. COMPILE THE COMPLEX MAPPING ALGORITHM

At the VAX \$ prompt, proceed as follows:

```
$ COBGLIB DATE1  
$ COBGLIB DATE2
```

The objects will be placed in the object library  
GENOLB.OLB

C. CREATE THE APPLICATION

At the VAX \$ prompt, execute the procedure file  
GENAP.COM. Proceed as follows:

```
$ GENAP
```

\*\*\*APPLICATION GENERATOR MAIN MENU\*\*\*

1. Gap Only
2. Precompile Only
3. Link Only
4. Gap And Precompile
5. Precompile And Link
6. Gap, Precompile, And Link
7. Help - Option Descriptions
8. Exit

```
PLEASE ENTER AN OPTION NUMBER: 1  
ENTER NAME OF THE .FDL FILE: IISSDEM  
ENTER YOUR CDM USERNAME/PASSWORD: CDM/CDM
```

At the end of this step, the forms for the ADL  
application IISSDM have been compiled, the IISSDM.PRC  
file has been generated, and the IISSDM.C has been  
generated, compiled and placed in the library. At  
the VAX \$ prompt, execute the procedure file  
GENAP.COM again. Proceed as follows:

\$ GENAP

\*\*\*APPLICATION GENERATOR MAIN MENU\*\*\*

1. Gap Only
2. Precompile Only
3. Link Only
4. Gap And Precompile
5. Precompile And Link
6. Gap, Precompile, And Link
7. Help - Option Descriptions
8. Exit

PLEASE ENTER AN OPTION NUMBER: 5  
ENTER YOUR CDM USERNAME/PASSWORD: CDM/CDM  
ENTER NAME OF LOGICAL UNIT OF WORK: IISSDEMO  
ENTER NAME OF HOST WHERE APPLICATION WILL RUN: VAX  
DO YOU WANT OBSOLETE GENERATED CODE DELETED? (Y/N): Y  
DOES THE APPLICATION ACCESS ANY IBM DATABASES?  
(Y/N):Y  
ENTER YOUR IBM USERNAME: (DEPENDENT ON YOUR TESTING  
ENVIRONMENT)  
ENTER YOUR IBM PASSWORD: (DEPENDENT ON YOUR TESTING  
ENVIRONMENT)  
ENTER THE PDS NAME FOR YOUR IBM SOURCE CODE:  
(DEPENDENT ON YOUR TESTING  
ENVIRONMENT)  
ENTER NAME OF PRC (C/R TO STOP, LEAVE.PRC OFF):  
IISSDM  
ENTER NAME OF PRC (C/R TO STOP, LEAVE.PRC OFF):  
IISSVEN  
ENTER NAME OF PRC (C/R TO STOP, LEAVE.PRC OFF): <CR>

At the end of this step, the application IISSDM has been created i.e., the application has been precompiled, the generated code compiled, placed in the library at the appropriate host computer and an executable IISSDMZZ.EXE has been created.

D. UI ENVIRONMENT

1. Using the SYSGEN utility, define the User/Password/Role and Function to be IISSDEMO. Make sure the Form\_file\_Name specifies:  
[forms dir]%S.FD
2. The procedure file GENAP.COM will automatically FLAN the file IISSDM.FDL to create the form definitions. Ensure the logical IISSULIB points to where the forms are located.

E. NTM ENVIRONMENT

1. There must be two NTMS on VAX and IBM, which must be connected to the same port of the protocol converter.

2. NTM Tables (APITBL, APTTBL) must be updated on IBM with the application name and the IBM RP-Main. NTM Tables on the VAX are automatically updated by the Procedure GENAP.COM.

F. RUN ENVIRONMENT

1. Three Executables, two remote RP Mains (one on the IBM and the other in the VAX runarea) and the Application IISSDMZZ in the VAX runarea environment are automatically created by the procedure file GENAP.COM.
2. The VAX DIRTBL must have an entry for "DM" which points to where the demo executables are located.