

AD-A250 793

2



MIPR NO: 91MM1504

TITLE: DEVELOPMENT OF THE OMPAT NEUROPSYCHOLOGICAL/PSYCHOMOTOR PERFORMANCE EVALUATION AND OMPAT DATA AND TIMING SUPPORT PROGRAMS

PRINCIPAL INVESTIGATOR: Kathryn P. Winter

CONTRACTING ORGANIZATION: *Naval* Navy Computer and Telecommunications Station, Naval Air Station Pensacola, Florida 32508-6100

REPORT DATE: December 5, 1991

TYPE OF REPORT: Annual Report

DTIC
SELECTE
MAY 26 1992
S B D

PREPARED FOR: U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release; distribution unlimited

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

92-13622


December 5, 1991 Annual Report (11/15/90 - 11/14/91)

Development of the OMPAT Neuropsychological/Psychomotor
Performance Evaluation and OMPAT Data and Timing Support
Programs

Kathryn P. Winter

MIPR No. 91MM1504

63002A

3M263002D995.BG.194

WUDA335701

Naval
Navy Computer and Telecommunications Station
Naval Air Station
Pensacola, Florida 32508-6100

U.S. Army Medical Research and Development Command
Fort Detrick
Frederick, Maryland 21702-5012

Approved for public release; distribution unlimited

The objectives of this project have been: 1) to create a millisecond accuracy software timer module that could be incorporated into OMPAT and other testing programs, 2) to construct a set of automated, i.e., "computerized" OMPAT Level I neuropsychological and psychomotor tests with documentation that provide a standardized, clinically relevant, and rapid method for assessment of nervous system integrity, 3) to construct a version of UTCPAB that incorporates the software timer.

UTC-PAB; Computerized; Battery; Neuropsychological;
Millisecond timer; MIPR; RA V; Humans; Performance; Analysis

Unclassified

Unclassified

Unclassified

Unlimited

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

Where copyrighted material is quoted, permission has been obtained to use such material.

Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

Citations of commercial organizations and trade names in this report do not constitute an official Department of the Army endorsement or approval of the products or services of these organizations.

In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).

For the protection of human subjects, the investigator(s) have adhered to policies of applicable Federal Law 45CFR46.

In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

Kathy P. Hunt
PI Signature

12/5/91
Date



CONTENTS

| | PAGE |
|---|------|
| FORWARD | iii |
| 1. INTRODUCTION | 1 |
| 2. METHODS | 2 |
| 3. RESULTS | 3 |
| 4. CONCLUSIONS | 4 |
| APPENDIX | 5 |
| Presentation and Publications | 6 |

| | |
|----------------------|-------------------------------------|
| Accession For | |
| NTIS GRA&I | <input checked="" type="checkbox"/> |
| DTIC TAB | <input type="checkbox"/> |
| Unannounced | <input type="checkbox"/> |
| Justification | |
| By _____ | |
| Distribution/ | |
| Availability Codes | |
| Dist | Avail and/or Special |
| A-1 | |



1. INTRODUCTION

This annual report provides a summary of FY91 work completed towards the development of software timing programs and specified OMPAT Level I and II Performance Assessment Batteries that incorporated timing support programs. This effort was accomplished at the Navy Computer and Telecommunications Station.

The objectives of this project have been: 1) to create a millisecond accuracy software timer module that could be incorporated into OMPAT and other testing programs, 2) to construct a set of automated, i.e., "computerized" OMPAT Level I neuropsychological and psychomotor tests with documentation that provide a standardized, clinically relevant, and rapid method for assessment of nervous system integrity, 3) to construct a version of UTCBAB that incorporates the software timer.

Previously developed computerized testing software provided data and information for human performance researchers but was often "hard coded" for a specific types of research and/or equipment. As a result it was frequently unadaptable for other similar human performance research projects because of constraints due to available time, space, and/or economic constraints, etc.

Computerized software developed to date, requires no additional equipment (i.e., special timing cards) other than a standard IBM AT compatible personal computer. Our testing software has been constructed to allow the administration of tests individually, i.e., as single or "standalone" tests, or to be incorporated into a standardized battery that could be configured by the researcher.

2. METHODS

Software programs were created to meet OMPAT specifications as described as followed: Software includes timing modules to provide millisecond accuracy for subject/patient response times. All program modules developed are compatible in data format, instruction formats, and tests structure to existing OMPAT batteries (e.g., UTC-PAB/AGARD STRES Battery.) This standard for testing software will provide for ease of use for all researchers and versatility of software usage. Design characteristics incorporated into the test software are as follows:

1) Local area networking (LAN) capability allowing for simultaneous subject testing in a controlled laboratory or field site. A level of security for test software is provided, as the individual subjects data and test setups may be stored at a location other than where the test software resides (a fileserver or alternate disk drive). There is no test program requirement for writing information in the area where the testing software exists so software may be protected from the subject.

2) The ability to test a specified domain of neuropsychological functions including sensory, perceptual and cognitive abilities.

3) Sensitivity to detect the interactive and independent effects of chemical agents and other stressors, i.e., heat, cold, and fatigue on neuropsychological functions.

4) Compatibility with existing normative databases for comparison of test results with standardization samples such as age, education, and occupational norms.

5) Multiple options for ordering subtests, storage and presentation of test data.

6) Operator control of stimulus presentation order, length of interstimulus intervals, duration of test, results feedback, composition of test instructions, response key definitions, size of stimulus display.

3. RESULTS

Neuropsychological performance evaluation software has been developed specifically designed to screen for deficits in the following domains: attention, memory, verbal skills, spatial skills and motor performance. The Level I Automated Neuropsychological Assessment Metrics (ANAM) is a collection of individual tests that can be run independently or run with the ANAM menu system as a test battery. It is extremely versatile at the single test level and may be used for human performance measures by the clinician or researcher. Initial beta testing sites for this battery has involved a diverse arena ranging from supporting neurodiagnostic procedures, evaluation of brain injury patients and clinical neuropsychological testing to sustained operations performance testing, ship motion research and human performance research with environmental stressors.

4. CONCLUSIONS

Development of automated neuropsychological assessment software has broadened the scope of OMPAT sponsored and other human performance research. There has been a recognized need for dynamic software, versatile enough to be used as clinical, laboratory, and field test measures, yet easily re-configured and modifiable to meet hybrid needs of the laboratory research. Testing software is being developed and appropriately structured to meet demands for human performance evaluation at several levels, providing greater depth for developing human performance databases. Test software is being structured and implemented to meet the needs of the area of human performance to be evaluated not limited to the criteria of a specific research project or clinical procedure.

APPENDIX

TECHNOLOGY TRANSFER

Transferred human performance neuropsychological testing software to NAMI, Pensacola NAS for evaluation. Provided onsite installation and training.

Transferred human performance neuropsychological testing software to NBDL, New Orleans NAS for use in ship motion research. A setup, installation procedure and software demonstration was provided at Pensacola NAS.

Transferred human performance neuropsychological testing software to USAARL, Ft Rucker for human performance research. A demonstration of software and installation procedures was provided at Pensacola NAS.

Transferred upgraded STRES software to NAMRL, Pensacola NAS for use in sustained operations performance testing.

Transferred upgraded STRES software to USAFSAM Brooks AFB, San Antonio for use in performance testing.

Transferred human performance neuropsychological testing software to National Rehabilitation Hospital, Washington, DC for evaluation of brain injury patients. A setup, installation and demonstration of software was provided at NRH.

Transferred human performance neuropsychological testing software to Krug International Life Sciences to support ongoing NASA research at the Johnson Space Center, Houston, TX.

Transferred human performance neuropsychological testing software to the University of Massachusetts Medical Center to support ongoing research in neuropsychological assessment. A setup, installation and demonstration of software was provided.

Transferred human performance neuropsychological testing software to Georgetown University Medical Center, Department of Neurology, Washington, DC to support neurodiagnostic procedures. A setup, installation and demonstration of software was provided at GU.

Presentation and Publications

Reeves, D., Schlegal, R., Guiland, K. and Crabtree, M.
UTC-PAB and the NATO/AGARD STRES Battery: Results from standard-ization studies.
Proceedings of the 1991 Medical Defense Bioscience Review. Aberdeen Proving Grounds,
MD, 1991.

Winter, K. and Reeves, D. Update and Software Demonstration of UTC-PAB, ANAM and
AAMS. Presented at the OMPAT Technical Advisory Group Meeting, 06 AUG 1991.

Hegge, F., Elsmore, T., Reeves, D. Office of Military Performance and Assessment
Technology (OMPAT): Demonstration of OMPAT Software Products. Presented at the
1991 Army Research Psychologist (68T) Meeting, Silver Spring, MD 16-19 SEP 1991.

Duf

December 5, 1991 Annual Report (11/15/90 - 11/14/91)

Development of the OMPAT Neuropsychological/Psychomotor Performance Evaluation and OMPAT Data and Timing Support Programs

MIPR No. 91MM1504

63002A
3M263002D995.BG.194
WUDA335701

Kathryn P. Winter

Naval

Navy Computer and Telecommunications Station
Naval Air Station
Pensacola, Florida 32508-6100

U.S. Army Medical Research and Development Command
Fort Detrick
Frederick, Maryland 21702-5012

Approved for public release; distribution unlimited

The objectives of this project have been: 1) to create a millisecond accuracy software timer module that could be incorporated into OMPAT and other testing programs, 2) to construct a set of automated, i.e., "computerized" OMPAT Level I neuropsychological and psychomotor tests with documentation that provide a standardized, clinically relevant, and rapid method for assessment of nervous system integrity, 3) to construct a version of UTC-PAB that incorporates the software timer.

UTC-PAB; Computerized; Battery; Neuropsychological; Millisecond timer; MIPR; RA V; Humans; Performance; Analysis

Unclassified

Unclassified

Unclassified

Unlimited

DyA