

# (1)

## **Department of Computer Science**

**Technical Report** 



### Analysis of a Linearly Constrained Least Squares Algorithm for Adaptive Beamforming

Franklin T. Luk Computer Science Department, Rensselaer Polytechnic Institute Troy, New York 12180

Sanzheng Qiao Communications Research Laboratory, McMaster University Hamilton, Ontario L8S 4K1 Canada



Rensselaer Polytechnic Institute Troy, New York 12180-3590

This document has been approved for public release and sule; its distribution is unlimited.

020

Report No. 92-19

9 23

92

July 1992





MAS	TER COPY KEEP	HIS COPY FOR REF	RODUCTION PURPOSES
REPORT (	DOCUMENTATION P	AGE	Form Approved OMB No. 5704-0188
<pre>construction construction construction</pre>	(a) and a second of the second of the second sec	and the second s	re, exilegi estru a trajuntar en presidente pografica en el argina te sigui tente el entre prografica entre pografica en el argina tense el control en el prografica entre pografica entre si cent prografica entre el prografica entre sigui cent prografica entre el prografica entre sigui entre sigui entre sigui entre sigui entre sigui entre sigui entre entre sigui entre sigui entre entre sigui entre si entre sigui entre si entre sigui en
1 AGENCY USE ONLY (Leave Dh	August 1992	J. REPORT TYPE AN Technical	ID DATES COVERED
4. TITLE AND SUBTITLE	<u>×</u>		5. FUNDING NUMBERS
Analysis of a Linearly Constrained Least Squares Algorithm for Adaptive Beamforming 6. AUTHOR(S)			DAAL03-90-G-0104
Frank in T. Luk, Sa	nzheng Qiao		
7. PERFORMING ORGANIZATION	NAME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION
Cornell University Ithaca, NY 14850			REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING / MONITORING
U. S. Army Research Office			AGENCI REPORT NUMBER
P. O. Box 12211 Research Triangle Park, NC 27709-2211			ARO 26930.1-MA-SDI
1. SUPPLEMENTARY NOTES			L
The view, opinions author(s) and shoul	and/or findings contai d not be construed as	ned in this repo an official Depa	rt are those of the rtment of the Army
The view, opinions author(s) and shoul position, policy, o	and/or findings contai d not be construed as r decision, unless so GTATEMENT	ned in this repo an official Depa designated by ot	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE
The view, opinions author(s) and shoul position, policy, o 2a. DISTRIBUTION AVAILABILITY Approved for public	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution	ned in this repo an official Depa designated by ot unlimited.	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE
11. SUPPLEMENTARY NOTES The view, opinions author(s) and shoul position, policy, o 12a. DISTRIBUTION AVAILABILITY Approved for public	and/or findings contai d not be construed as <u>r decision, unless so</u> STATEMENT release; distribution	ned in this repo an official Depa designated by ot unlimited.	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE
The problem of linearly we present a perturbation as a perturbation bounds for the realistic and shoul the problem of the realistic and the problem of the realistic as the perturbation approach and the perturbation bounds for the realistic approach and the perturbation bounds for the realistic and the perturbation bounds for the realistic approach	and/or findings contai d not be construed as <u>r decision, unless so</u> (STATEMENT release; distribution rds) y constrained least squares ha nalysis of a linearly constraine solution as well as for the late esidual element. which can be	ned in this repo an official Depa <u>designated by ot</u> unlimited. s many applications in d least squares algorith st residual element are incorporated into a sy	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE
The view, opinions author(s) and shoul position, policy, o 12a. DISTRIBUTION / AVAILABILITY Approved for public 13. ABSTRACT (Maximum 200 wol The problem of linearly we present a perturbation as perturbation bounds for the estimation scheme for the re algorithm.	and/or findings contai d not be construed as <u>r decision, unless so</u> (STATEMENT release; distribution rds) y constrained least squares ha nalysis of a linearly constraine solution as well as for the late esidual element. which can be	ned in this repo an official Depa <u>designated by ot</u> unlimited. s many applications in d least squares algorith st residual element are incorporated into a sy	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE n signal processing. In this paper im for adaptive beamforming. The derived. We also propose an error stolic array implementation of the 15. NUMBER OF PAGES 9 16. PRICE CODE
<ul> <li>SUPPLEMENTARY NOTES         The view, opinions             author(s) and shoul             position, policy, o      </li> <li>DISTRIBUTION / AVAILABILITY         Approved for public     </li> <li>ABSTRACT (Maximum 200 wold)         The problem of linearly         we present a perturbation as         perturbation bounds for the         estimation scheme for the re         algorithm.     </li> <li>SUBJECT TERMS     </li> </ul>	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution rds) y constrained least squares ha nalysis of a linearly constraine solution as well as for the late esidual element. which can be	ned in this repo an official Depa designated by ot unlimited. s many applications in d least squares algorith st residual element are incorporated into a sy	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE a signal processing. In this paper. Im for adaptive beamforming. The derived. We also propose an error stolic array implementation of the 15. NUMBER OF PAGES 9 16. PRICE CODE CATION 20. LIMITATION OF ABSTRAC
<ul> <li>ABSTRACT (Maximum 200 wold)</li> <li>The problem of linearly we present a perturbation at perturbation bounds for the realignithm.</li> <li>ABSTRACT TERMS</li> <li>SECURITY CLASSIFICATION OF REPORT UNCLASSIFICATION</li> </ul>	and/or findings contait d not be construed as <u>r decision</u> , <u>unless so</u> (STATEMENT release; distribution rds) y constrained least squares hat nalysis of a linearly constraine esolution as well as for the late esidual element. which can be 18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFICATION	ned in this repo an official Depa designated by ot unlimited. s many applications in d least squares algorith st residual element are incorporated into a sy	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE in signal processing. In this paper. In for adaptive beamforming. The derived. We also propose an error stolic array implementation of the 15. NUMBER OF PAGES 9 16. PRICE CODE CATION 20. LIMITATION OF ABSTRAC III.

	ACC IN ES
Analysis of a Linearly Constrained Least Squares Algorithm for Adaptive Beamforming	NEIS CENTRA DIRECTURE Una processo d Justicius
Franklin T. Luk Computer Science Department, Rensselaer Polytechnic Institute Troy, New York 12180	By Dut Du
Sanzheng Qiao Communications Research Laboratory, McMaster University Hamilton, Ontario L8S 4K1 Canada	A-1
ABSTRACT DTIC QUALITY INSP	PECTED 3

The problem of linearly constrained least squares has many applications in signal processing. In this paper, we present a perturbation analysis of a linearly constrained least squares algorithm for adaptive beamforming. The perturbation bounds for the solution as well as for the latest residual element are derived. We also propose an error estimation scheme for the residual element, which can be incorporated into a systolic array implementation of the algorithm.

#### **1. INTRODUCTION**

The least squares problem with linear equality constraints has important applications in signal processing, e.g., adaptive beamforming. To solve this problem, McWhirter and Shepherd [5] proposed a systolic algorithm and architecture. In this paper, we present a perturbation analysis of the problem and propose an error estimation scheme for the McWhirter-Shepherd (MS) algorithm [5]. This paper is organized as follows. The least squares problem is defined in Section 2 and error bounds are derived in Section 3. An error estimation algorithm is given in Section 4, and in Section 5 a numerical example is presented to illustrate how well our new algorithm works.

#### 2. PROBLEM DEFINITION

Given an  $n \times q$  complex data matrix X(n), the least squares problem with linear equality constraints is to find a q-element complex vector w(n) such that

$$||X(n)w(n)|| = \min$$
(2.1a)

subject to the linear constraints

$$Sw(n) = b, \tag{2.1b}$$

where S is a  $k \times q$  (k < q) complex matrix and b is a k-element complex vector. Throughout this paper, we use the 2-norm:

$$|| \cdot || = || \cdot ||_2$$

In signal processing, new data arrives continuously. Define the data matrix X(n) recursively by

$$X(n) \equiv \begin{pmatrix} X(n-1) \\ x(n)^T \end{pmatrix},$$

i.e., the nth row  $r(n)^T$  represents a snapshot at time n. Our goal is to compute the n-th residual element

$$r_n = r(n)^T w(n). \tag{2.2}$$

Is the solution vector w(n) unique? Define a  $(k+n) \times q$  matrix  $S_X(n)$  by

$$S_X(n) \equiv \left(\frac{S}{X(n)}\right).$$

We assume that  $k + n \ge q$ . The solution is unique if and only if the matrix  $S_X(n)$  has full column rank; that is, the overdetermined matrix equation

$$S_X(n)w(n) = 0 \tag{2.3}$$

has a unique solution w(n) = 0.

Next, we wish to transform (2.1) into a familiar unconstrained problem; see [3] and [4]. Let

$$p = q - k$$

and partition the matrix S as

$$S = (S_1 - S_2).$$

where  $S_1$  is  $k \times k$  and  $S_2$  is  $k \times p$ . For simplicity, we assume that  $S_1$  is nonsingular and upper triangular; for example,  $S_1$  may be the result of an initial QR decomposition of S. Accordingly, we also partition X(n) as

$$X(n) = (X_1(n) - X_2(n)),$$

so that  $X_1$  is  $n \times k$  and  $X_2$  is  $n \times p$ . Then (2.3) becomes

$$\begin{pmatrix} S_1 & S_2 \\ X_1(n) & X_2(n) \end{pmatrix} w(n) = 0,$$

which is equivalent to

$$\begin{pmatrix} S_1 & S_2 \\ 0 & C(n) \end{pmatrix} w(n) = \mathbf{0},$$

where

$$C(n) \equiv X_2(n) - X_1(n)S_1^{-1}S_2$$

The matrix C(n) is called the Schur complement of  $S_1$  in  $S_X$ . The equation (2.3) has the trivial solution if and only if C(n) has full column rank. We proceed to eliminate the constraints. Let

$$w(n) = \begin{pmatrix} w_1(n) \\ w_2(n) \end{pmatrix}.$$

so that  $w_1(n)$  is  $k \times 1$  and  $w_2(n)$  is  $p \times 1$ . Since

$$S_1 w_1(n) + S_2 w_2(n) = b$$
,

we get

$$w_1(n) = S_1^{-1}b - S_1^{-1}S_2w_2(n).$$
(2.4)

Let

$$v(n) = -X_1(n)S_1^{-1}b$$

We derive

$$||C(n)w_2(n) - v(n)|| = \min,$$
(2.5)

an unconstrained problem analyzed in [3], [4]. Now, what about the residual element  $r_n$ ? Define the Schur complement matrix C(n) recursively by

$$C(n) \equiv \left(\frac{C(n-1)}{c(n)^T}\right).$$

Partition the row vector  $r(n)^T$  so that

$$x(n)^{T} = (x_{1}(n)^{T} \quad x_{2}(n)^{T}).$$

where  $x_1(n)^T$  is  $1 \times k$  and  $x_2(n)^T$  is  $1 \times p$ . We get

$$c(n)^T = x_2(n)^T - x_1(n)^T S_1^{-1} S_2.$$

Let  $v_n$  denote the *n*-th element of v(n). The last residual element of (2.5) is then

$$c(n)^T w_2(n) - v_n = x_2(n)^T w_2(n) + x_1(n)^T w_1(n) + v_n - v_n = r_n.$$

i.e., the same residual element as desired by the constrained problem (2.1).

How do we calculate  $r_n$  recursively? Suppose that we have available a QR decomposition of the  $(n-1) \times p$  matrix C(n-1):

$$C(n-1) = Q(n-1)R(n-1),$$

where Q(n-1) is  $(n-1) \times p$  with orthonormal columns and the matrix R(n-1) is  $p \times p$  upper triangular. The problem (2.5) is reduced to

$$\left\| \begin{pmatrix} R(n-1) \\ c(n)^T \end{pmatrix} w_2(n) - \begin{pmatrix} u(n-1) \\ v_n \end{pmatrix} \right\| = \min,$$

where  $u(n-1) = Q(n-1)^H v(n-1)$ . We triangularize the coefficient matrix by a unitary matrix P. Then

$$P^{H}\begin{pmatrix} R(n-1) & u(n-1) \\ c(n)^{T} & v_{n} \end{pmatrix} = \begin{pmatrix} R(n) & u(n) \\ 0^{T} & \gamma \end{pmatrix},$$

so that R(n) is  $p \times p$  upper triangular. The matrix P consists of p Givens matrices. From P and Q(n-1) we can construct an  $n \times p$  orthonormal matrix Q(n) such that C(n) = Q(n)R(n) and  $u(n) = Q(n)^H v(n)$ . The desired element  $r_n$  is given by

$$r_n = -(c_1 \dots c_p)\gamma,$$

where  $c_1, \ldots, c_p$  denote cosines of the p rotations that make up P.

#### 3. PERTURBATION ANALYSIS

Eldén [1] presented a perturbation analysis of the linearly constrained least squares problem. Since his theory is general, it involves weighted pseudoinverses and their corresponding condition numbers. In this section, we derive simpler perturbation bounds for the solution w(n) as well as for the residual element  $r_n$ . To simplify our presentation, we will drop the argument (n) for the matrices and vectors, and let  $\kappa(M)$  denote the condition number of a matrix M with respect to the 2-norm.

Let  $\hat{w}$  solve the perturbed least squares problem

$$\| (X_1 + \epsilon E_{X_1} - X_2 + \epsilon E_{X_2}) \hat{w} \| = \min$$
(3.1a)

subject to the perturbed linear equality constraints

$$(S_1 + \epsilon E_{S_1} - S_2 + \epsilon E_{S_2}) \hat{w} = b + \epsilon f_b.$$
(3.1b)

Suppose that  $t \ge 0$  is a real variable and let

$$C + tE_C = (X_2 + tE_{X_2}) - (X_1 + tE_{X_1})(S_1 + tE_{S_1})^{-1}(S_2 + tE_{S_2})$$

and

$$v + tf_v = -(X_1 + tE_{X_1})(S_1 + tE_{S_1})^{-1}(b + tf_b).$$

Recall that  $S_1$  is nonsingular and that C has full column rank. Suppose  $\epsilon$  is sufficiently small so that for  $t \in [0, \epsilon]$  we have  $S_1 + tE_{C_1}$  is nonsingular and  $C + tE_C$  has full column rank. Let w(t) solve the matrix equation

$$\begin{pmatrix} S_1 + tE_{S_1} & S_2 + tE_{S_2} \\ 0 & (C + tE_C)^H (C + tE_c) \end{pmatrix} w(t) = \begin{pmatrix} b + tf_b \\ (C + tE_C)^H (v + tf_v) \end{pmatrix}.$$
(3.2)

Then w(0) and  $w(\epsilon)$  are solutions to problems (2.1) and (3.1), respectively. Define  $w \equiv w(0)$  and  $\hat{w} \equiv w(\epsilon)$ . Then

$$\hat{w} = w(0) + \epsilon \dot{w}(0) + O(\epsilon^2).$$

Differentiate (3.2) with respect to t and set t = 0. We get

$$\begin{pmatrix} E_{S_1} & E_{S_2} \\ 0 & E_C^H C + C^H E_C \end{pmatrix} w(0) + \begin{pmatrix} S_1 & S_2 \\ 0 & C^H C \end{pmatrix} \dot{w}(0) = \begin{pmatrix} f_b \\ E_C^H v + C^H f_v \end{pmatrix}.$$
(3.3)

Let

$$\tilde{S} \equiv \begin{pmatrix} S_1 & S_2 \\ 0 & I \end{pmatrix}, \quad \tilde{C} \equiv \begin{pmatrix} I & 0 \\ 0 & C \end{pmatrix}, \quad d \equiv \begin{pmatrix} b \\ v \end{pmatrix} \text{ and } f_d \equiv \begin{pmatrix} f_b \\ f_v \end{pmatrix}.$$

Then

$$\begin{pmatrix} S_1 & S_2 \\ \mathbf{0} & C^H C \end{pmatrix}^{-1} = \check{S}^{-1} (\check{C}^H \check{C})^{-1} \quad \text{and} \quad ||C|| \le ||\check{C}||.$$

Solving for  $\dot{w}(0)$  in (3.3), we obtain

$$\dot{w}(\mathbf{0}) = \begin{pmatrix} S_1 & S_2 \\ \mathbf{0} & C^H C \end{pmatrix}^{-1} \begin{bmatrix} \begin{pmatrix} f_b \\ C^H f_v \end{pmatrix} - \begin{pmatrix} E_{S_1} & E_{S_2} \\ \mathbf{0} & C^H E_C \end{pmatrix} w + \begin{pmatrix} \mathbf{0} \\ E_C^H v \end{pmatrix} - \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & E_C^H C \end{pmatrix} w \end{bmatrix}$$
$$= \tilde{S}^{-1} (\tilde{C}^H \tilde{C})^{-1} \tilde{C}^H \begin{bmatrix} f_d - \begin{pmatrix} E_{S_1} & E_{S_2} \\ \mathbf{0} & E_C \end{pmatrix} w \end{bmatrix} - \tilde{S}^{-1} (\tilde{C}^H \tilde{C})^{-1} \begin{pmatrix} \mathbf{0} \\ E_C^H r \end{pmatrix}.$$
(3.4)

where  $r \equiv Cw_2 - v$  denotes the residual vector. Furthermore, by assuming

$$||f_b|| \le ||b||, \quad ||f_r|| \le ||v||, \quad ||E_C|| \le ||C||$$
 (3.5a)

and

$$\left\| \begin{pmatrix} E_{S_1} & E_{S_2} \\ \mathbf{0} & E_C \end{pmatrix} \right\| \le \left\| \begin{pmatrix} S_1 & S_2 \\ \mathbf{0} & C \end{pmatrix} \right\| \le \|\tilde{S}\| \|\tilde{C}\|, \tag{3.5b}$$

we derive the inequality

$$\|\dot{w}(\mathbf{0})\| \le \|\ddot{S}^{-1}\| \|(\check{C}^{H}\check{C})^{-1}\check{C}^{H}\| \left[ \|d\| + \|\check{C}\| \|\check{S}\| \|w\| \right] + \|\check{S}^{-1}\| \|(\check{C}^{H}\check{C})^{-1}\| \|\check{C}\| \|r\|.$$

Consequently, we obtain the following perturbation result.

**Lemma.** Using the notations defined above and assuming that  $\epsilon$  in (3.1) is sufficiently small so that the inequalities (3.5) are satisfied, we get

$$\frac{\|\hat{w} - w\|}{\|w\|} \le \epsilon \left\{ \kappa(\tilde{S})\kappa(\tilde{C}) \left( \frac{\|d\|}{\|\tilde{C}\| \|\tilde{S}\| \|w\|} + 1 \right) + \kappa(\tilde{S})\kappa(\tilde{C})^2 \frac{\|r\|}{\|\tilde{C}\| \|\tilde{S}\| \|w\|} \right\} + O(\epsilon^2) . \mathbf{n}$$
(3.6)

To illustrate the effect of  $\kappa(\tilde{S})$  on the solution of (2.1), consider a simple example in which  $S = (S_1 - 0)$  and  $X = (I_n - I_n)$ , where  $I_n$  is an  $n \times n$  identity matrix and  $n \leq k < 2n$ . By observation,  $w_1 = S_1^{-1}b$  and  $w_2 = -w_1$ . Since  $\kappa(\tilde{S}) = \kappa(S_1)$  in this example, we see why the presence of  $\kappa(\tilde{S})$  is necessary in (3.6).

We proceed to derive a bound for the error in the residual. Let

$$\begin{pmatrix} \mathbf{0} \\ r(t) \end{pmatrix} = \begin{pmatrix} S_1 + tE_{S_1} & S_2 + tE_{S_2} \\ \mathbf{0} & C + tE_C \end{pmatrix} w(t) - \begin{pmatrix} b + tf_b \\ v + tf_v \end{pmatrix}.$$

differentiate the equation, and then set t = 0. Using (3.4) to substitute for  $\dot{w}(0)$ , we get

$$\begin{pmatrix} \mathbf{0} \\ \dot{r}(\mathbf{0}) \end{pmatrix} = \begin{pmatrix} E_{S_1} & E_{S_2} \\ \mathbf{0} & E_C \end{pmatrix} w + \begin{pmatrix} S_1 & S_2 \\ \mathbf{0} & C \end{pmatrix} \dot{w}(\mathbf{0}) - f_d$$
$$= (I - \tilde{C}\tilde{C}^{\dagger}) \left[ \begin{pmatrix} E_{S_1} & E_{S_2} \\ \mathbf{0} & E_C \end{pmatrix} w - f_d \right] - \tilde{C}(\tilde{C}^H\tilde{C})^{-1} \begin{pmatrix} \mathbf{0} \\ E_C^H r \end{pmatrix},$$

where  $\tilde{C}^{\dagger} = (\tilde{C}^H \tilde{C})^{-1} \tilde{C}^H$ . Consequently,

$$\dot{r}(0) = (I - CC^{\dagger})(E_C w_2 - f_v) - C(C^H C)^{-1} E_C^H r.$$

As for the residual element we have  $r_n = e_n^T r$ , where  $e_n \equiv (0, \dots, 0, 1)$  denotes the *n*-th unit coordinate vector. Using the assumptions (3.5a) and noticing that  $w_2 = C^{\dagger} v$  and  $r = (I - CC^{\dagger})v$ , we derive our major result.

Theorem. Under the same conditions as in the Lemma, we get

$$\frac{\|\hat{r} - r\|}{\|v\|} \le \epsilon \left[ \|I - CC^{\dagger}\| (2\kappa(C) + 1) \right] + O(\epsilon^2)$$
(3.7)

and

$$\frac{|\hat{r}_n - r_n|}{\|v\|} \le \epsilon \left[ \|I - CC^{\dagger}\|(\kappa(C) + \|C\| \|C^{\dagger}e_n\| + 1) \right] + O(\epsilon^2). \quad \Box$$
(3.8)

Here are some additional remarks. If we set  $\tilde{S} = I$  and b = 0, then (3.6) leads to a perturbation bound for the standard least squares problem [2]. We also note that  $\|\tilde{C}\tilde{S}w\|^2 + \|r\|^2 = \|d\|^2$ . Thus, we can define

 $\cos \theta = ||\tilde{C}\tilde{S}w||/||d||$ 

and use  $(1/\cos\theta)$  and  $\tan\theta$  in (3.6). The bound (3.7) is similar to a result derived in [2]. The inequality (3.8) indicates that  $|\hat{r}_n - r_n|$  depends on  $\kappa(C)$  as well as on ||v||. Both (3.7) and (3.8) can be simplified by using the relation that  $||I - CC^{\dagger}|| = \min\{1, n-p\}$ .

#### 4. ERROR ESTIMATION

Although the error bound (3.8) is simple, it requires  $C^{\dagger}e_n$ , whose computation involves at least a back-solve. In this section, we present an error estimation scheme for the desired residual element. When the new data vector  $x(n)^T$  arrives, it is first processed by S so that  $x_1(n)^T$  is annihilated. In particular, let

$$(z_1^{(0)} \ldots z_q^{(0)}) = x(n)^T$$
 and  $u^{(0)} = 0$ .

Then the preprocessing proceeds as follows:

$$\begin{pmatrix} s_{l,l} & s_{l,l+1} & \cdots & s_{l,q} \\ 0 & z_{l+1}^{(l)} & \cdots & z_q^{(l)} \end{pmatrix} = \begin{pmatrix} 1 & 0 \\ -g_l & 1 \end{pmatrix} \begin{pmatrix} s_{l,l} & s_{l,l+1} & \cdots & s_{l,q} \\ z_l^{(l-1)} & z_{l+1}^{(l-1)} & \cdots & z_q^{(l-1)} \end{pmatrix}$$

$$\begin{pmatrix} b_l \\ u^{(l)} \end{pmatrix} = \begin{pmatrix} 1 & 0 \\ -g_l & 1 \end{pmatrix} \begin{pmatrix} b_l \\ u^{(l-1)} \end{pmatrix}.$$

and

for l = 1, 2, ..., k, where  $g_l = z_l^{(l-1)} / s_{l,l}$ . Writing in algorithmic form, we have

for 
$$l = 1, 2, ..., k$$
  
begin  
 $g_l = \frac{1}{2} \frac{(l-1)}{s_{l,l}};$   
for  $j = l + 1, ..., q$   
 $z_j^{(l)} = z_j^{(l-1)} - g_l s_{l,j};$   
 $u^{(l)} = u^{(l-1)} - g_l b_l$   
end.

The above process shows that

$$(z_{k+1}^{(k)}, \ldots, z_q^{(k)}) = x_2(n)^T - x_1(n)^T S_1^{-1} S_2$$
 and  $u^{(k)} = -x_1(n)^T S_1^{-1} b.$ 

These two variables are then used for updating the QR decomposition of C(n-1) and computing the residual element. We present below the algorithm derived in [4].

for 
$$l = 1, 2, ..., p$$
  
begin  
 $c_{l,l}^{(n)} = \sqrt{|c_{l,l}^{(n-1)}|^2 + |z_{k+l}^{(k+l-1)}|^2};$   
 $\cos \theta_l = c_{l,l}^{(n-1)}/c_{l,l}^{(n)};$   
 $\sin \theta_l = \frac{z_{k+l}^{(k+l-1)}}{c_{l,l}^{(n)}};$   
for  $j = l + 1, ..., p$   
begin  
 $c_{l,j}^{(n)} = c_{l,j}^{(n-1)} \cos \theta_l + \frac{z_{k+j}^{(k+l-1)}}{sin \theta_l};$   
 $z_{k+j}^{(k+l)} = -c_{l,j}^{(n-1)} \sin \theta_l + \frac{z_{k+j}^{(k+l-1)}}{sin \theta_l};$   
end;  
 $v_l^{(n)} = v_l^{(n-1)} \cos \theta_l + u^{(k+l-1)} \sin \theta_l;$   
 $u^{(k+l)} = -v_l^{(n-1)} \sin \theta_l + u^{(k+l-1)} \cos \theta_l$   
end;  
 $r_n = u^{(k+p)} \prod_{i=1}^p \cos \theta_i.$ 

In the above,  $c_{i,j}^{(k)}$  (for k = n - 1, n) denotes the (i, j)-element of C(k) and  $v_i^{(k)}$  the *i*-th element of v(k).

Now, we discuss an error estimation scheme for the preprocessing. Let  $\hat{}$  denote the corresponding computed value and fl the floating point computation. In the above procedure we calculate

$$\begin{aligned} \hat{g}_{l} &= fl(\hat{z}_{l}^{(l-1)}/\hat{s}_{l,l}), \\ \hat{z}_{j}^{(l)} &= fl(\hat{z}_{j}^{(l-1)} - fl(\hat{g}_{l}\hat{s}_{l,j})), \\ \hat{u}^{(l)} &= fl(\hat{u}^{(l-1)} - fl(\hat{g}_{l}\hat{m}_{l})). \end{aligned}$$

Define the relations between the exact and computed quantities as follows:

$$\begin{split} \hat{s}_{i,j} &= s_{i,j} (1 + \sigma_{i,j} \phi_{i,j}(\epsilon)), \\ \hat{z}_{j}^{(l)} &= z_{j}^{(l)} (1 + \zeta_{j}^{(l)} \psi_{j}^{(l)}(\epsilon)), \\ \hat{g}_{l} &= g_{l} (1 + \alpha_{l} \xi_{l}(\epsilon)), \\ \hat{u}^{(l)} &= u^{(l)} (1 + \eta^{(l)} \theta^{(l)}(\epsilon)), \\ \hat{b}_{l} &= b_{l} (1 + \mu_{l} \delta_{l}(\epsilon)), \end{split}$$

where  $|\phi_{i,j}(\epsilon)| = O(\epsilon)$ ,  $|\psi_j^{(l)}(\epsilon)| = O(\epsilon)$ ,  $|\xi_l(\epsilon)| = O(\epsilon)$ ,  $|\theta^{(l)}(\epsilon)| = O(\epsilon)$  and  $|\delta_l(\epsilon)| = O(\epsilon)$ . The five quantities  $\sigma_{i,j}$ ,  $\zeta_j^{(l)}$ ,  $\alpha_l$ ,  $\eta^{(l)}$  and  $\mu_l$  are all real and nonnegative. We also assume that the errors such as  $\sigma_{i,j}\phi_{i,j}(\epsilon)$  and  $\zeta_j^{(l)}\psi_j^{(l)}(\epsilon)$  are so small that higher order terms like  $(\sigma_{l,l}\phi_{l,l}(\epsilon))^2$  and  $(\sigma_{l,l}\phi_{l,l}(\epsilon))(\zeta_l^{(l-1)}\psi_l^{(l-1)}(\epsilon))$  can be ignored. Using the lemma in [3], we obtain the following algorithm for estimating the errors in preprocessing.

for 
$$l = 1, 2, ..., k$$
  
begin  
 $\alpha_l = \max\{\zeta_l^{(l-1)}, \sigma_{l,l}\};$   
for  $j = l + 1, ..., q$   
 $\zeta_j^{(l)} = \frac{|z_1^{(l-1)}\zeta_j^{(l-1)}| + |g_l s_{l,l} \max\{\alpha_l, \sigma_{l,l}\}|}{|z_1^{(l)}|}$   
 $\eta^{(l)} = \frac{|u^{(l-1)}\eta^{(l-1)}| + |g_l b_l \max\{\alpha_l, \mu_l\}|}{|u^{(l)}|}$   
end.

As explained in [3], the above estimation scheme can be incorporated with the preprocessing procedure and implemented on the same systolic architecture. Additional time is minimal because the calculations can be carried out during the otherwise idle time of the processors.

:

The error estimate for  $r_n$  can be obtained by the algorithm presented in [3] using  $(\zeta_{k+1}^{(k)} \cdots \zeta_q^{(k)})$  and  $\eta^{(k)}$  as the error estimates for  $(z_{k+1}^{(k)} \cdots z_q^{(k)})$  and  $u^{(k)}$ , respectively. Again, we list the error estimation algorithm and refer the details to [3]. Define the relations between the exact and computed quantities as follows:

$$\begin{split} \hat{c}_{i,j}^{(n-1)} &= c_{i,j}^{(n-1)} (1 + \xi_{i,j} \alpha_{1,j}(\epsilon)), & \hat{c}_{i,j}^{(n)} &= c_{i,j}^{(n)} (1 + \sigma_{i,j} \phi_{i,j}(\epsilon)), \\ \hat{z}_{j}^{(k)} &= z_{j}^{(k)} (1 + \zeta_{j}^{(k)} w_{j}^{(k)}(\epsilon)), & \cos \hat{\theta}_{l} &= \cos \theta_{l} (1 + \sigma_{l,l} \phi_{l,l}^{(c)}(\epsilon)), \\ \hat{u}^{(k)} &= u^{(k)} (1 + \eta^{(k)} \theta^{(k)}(\epsilon)), & \sin \hat{\theta}_{l} &= \sin \theta_{l} (1 + \sigma_{l,l} \phi_{l,l}^{(c)}(\epsilon)), \\ \hat{v}_{i}^{(n-1)} &= v_{i}^{(n-1)} (1 + \xi_{i,p+1} \alpha_{i,p+1}(\epsilon)), & \hat{v}_{i}^{(n)} &= v_{i}^{(n)} (1 + \sigma_{i,p+1} \phi_{i,p+1}(\epsilon)). \end{split}$$

and

$$\hat{r}_n = r_n(1 + \eta \theta(\epsilon))$$

The following algorithm estimates the error in the last element of the residual vector:

$$\begin{aligned} & \text{for } l = 1, 2, \dots, p \\ & \text{begin} \\ & \sigma_{l,l} = \max\{\xi_{l,l}, \zeta_{k+l}^{(k+l-1)}\}; \\ & \text{for } j = l+1, \dots, p \\ & \text{begin} \\ & \sigma_{l,j} = \frac{|c_{l,j}^{(n-1)} \cos \theta_l \max\{\xi_{l,j}, \sigma_{l,l}\}| + |z_{k+j}^{(k+l-1)} \sin \theta_l \max\{\zeta_{k+j}^{(k+l-1)}, \sigma_{l,l}\}|}{|(r_{l,j}^{(n-1)} \cos \theta_l + z_{k+j}^{(k+l-1)} \sin \theta_l)}; \\ & \zeta_{k+j}^{(l+k)} = \frac{|c_{l,j}^{(n-1)} \sin \theta_l \max\{\xi_{l,j}, \sigma_{l,l}\}| + |z_{k+j}^{(k+l-1)} \cos \theta_l \max\{\zeta_{k+j}^{(k+l-1)}, \sigma_{l,l}\}|}{|(r_{l,j}^{(n-1)} \sin \theta_l - z_{k+j}^{(k+l-1)} \cos \theta_l)} \\ & \text{end;} \\ & \sigma_{l,p+1} = \frac{|t_{l}^{(n-1)} \cos \theta_l \max\{\xi_{l,p+1}, \sigma_{l,l}\}| + |u^{(k+l-1)} \sin \theta_l \max\{\tau^{(k+l-1)}, \sigma_{l,l}\}|}{|t_l^{(n-1)} \cos \theta_l + u^{(k+l-1)} \sin \theta_l]} : \\ & \eta^{(k+l)} = \frac{|t_{l}^{(n-1)} \sin \theta_l \max\{\xi_{l,p+1}, \sigma_{l,l}\}| + |u^{(k+l-1)} \cos \theta_l \max\{\tau^{(k+l-1)}, \sigma_{l,l}\}|}{|t_l^{(n-1)} \sin \theta_l - u^{(k+l-1)} \cos \theta_l} \\ & \text{end;} \\ & \eta = \eta^{(k+p)} \max\{\sigma_{1,1}, \dots, \sigma_{p,p}\}. \end{aligned}$$

#### 5. AN EXAMPLE

The example in this section shows that the computed residual element may be accurate even when the matrix C is ill-conditioned. In this case, the proposed scheme gives a better error estimate than (3.8). Both the MS algorithm and the error estimation algorithm were implemented using MATLAB and run on a VAX 8300 with machine precision  $\epsilon = 1.1102 \times 10^{-16}$  in the Communications Research Laboratory at McMaster University.

Example. Suppose the exact constraint matrix and corresponding right side vector are

$$S = \begin{pmatrix} 10^3 & 0 & 0 & 1 & 0 & 0 \\ 0 & 10^{-3} & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 1 \end{pmatrix} \text{ and } b = \begin{pmatrix} -120000\sqrt{2}/7 \\ \sqrt{10}/700 \\ 6\sqrt{5}/7 \end{pmatrix}.$$

Thus we set the error estimates as  $\sigma_{i,j} = \mu_l = 1$  and  $\phi_{i,j}(\epsilon) = \delta_l(\epsilon) = \epsilon$ . The data matrix at time n-1 is

$$X(n-1) = \begin{pmatrix} -1 & -\sqrt{5} & -2\sqrt{10} & 0 & 0 & 0\\ 0 & -1 & \sqrt{2} & 0 & 0 & 0\\ 0 & 0 & -1 & 0 & 0 & 0 \end{pmatrix}$$

Suppose we know the exact R(n-1) and u(n-1):

$$R(n-1) = \begin{pmatrix} 0.001 & 1000\sqrt{5} & 2\sqrt{10} \\ 0 & 1000 & -2\sqrt{2} \\ 0 & 0 & 1 \end{pmatrix} \text{ and } u(n-1) = \begin{pmatrix} -10\sqrt{2}/7 \\ 4\sqrt{10}/7 \\ 6\sqrt{5}/7 \end{pmatrix}.$$

Similarly, the error estimates of their elements are all initialized as  $\epsilon$ . Now the new data

$$x(n)^{T} = (-1 - \sqrt{5} - 2\sqrt{10} \ 0.001 \ 0 \ 0)$$
 and  $u^{(1)} = 0$ 

are available and their error estimates are initialized as  $\zeta_j^{(0)} = 1$ , for  $j = 1, \dots, 6$ , and  $\eta^{(0)} = 1$ , respectively. After preprocessing, we get  $c(n)^T = (0.002 - 1000\sqrt{5} - 2\sqrt{10})$  and  $v_n = -10\sqrt{2}/7$ . The corresponding error estimates are  $\zeta_j^{(3)} = 1$ , for j = 4, 5, 6, and  $\eta^{(3)} = 23$ . The QR updating scheme and its error estimation algorithm are then applied to R(n-1), u(n-1), c(n),  $v_n$  and their error estimates. The exact residual element  $v_n = 6\sqrt{2}/35$ . The computed error is

$$|\hat{r}_n - r_n| = 1.11 \times 10^{-16}$$

The condition number of C(n) is  $4.6 \times 10^{6}$  and the error bound as given by (3.8) equals  $3.40 \times 10^{-4}$ . The estimation algorithm gives a much more accurate value of  $9.62 \times 10^{-16}$ .

#### ACKNOWLEDGEMENTS

The work of F. T. Luk was supported in part by the Rensselaer Polytechnic Institute, and by the Army Research Office under grant DAAL03-90-G-0104 and the Joint Services Electronics Program under contract F49620-90-C-0039 at Cornell University. The work of S. Qiao was supported in part by Natural Sciences and Engineering Research Council of Canada under grant OGP0046301.

#### 5. REFERENCES

- [1] L. Eldén, "Perturbation theory for the least squares problem with linear equality constraints," SIAM J. Numer. Anal., Vol. 17, No. 3, June 1980, pp. 338–350.
- G. H. Golub and C. F. Van Loan, Matrix Computations, Second Edition, The Johns Hopkins University Press, Baltimore, Maryland, 1989.
- [3] F. T. Luk and S. Qiao, "Analysis of a recursive least-squares signal-processing algorithm," SIAM J. Sci. Stat. Comput. Vol. 10, No. 3, May 1989, pp. 407–418.
- [4] J. G. McWhirter, "Recursive least-squares minimization using a systolic array," Real Time Signal Processing VI. K. Bromley, Ed., Proc. SPIE 431, 1983, pp. 105–112.
- [5] J. G. McWhirter and T. J. Shepherd, "A systolic array for linearly constrained least-squares problems," Advanced Algorithms and Architectures for Signal Processing, J. M. Speiser, Ed., Proc. SPIE 696, 1987, pp. 80– 87.