MAS		REP	RODUCTION PURPOSES
	AD-A256	5 975	Form Approved OMB No. 0704-0188
ublic reporting burden for this collection of athering and maintaining the data needed, a ollection of information, including suggestio lavis Highway, Suite 1204, Arlington, VA 222		e for r ts regi rate fo on Pro	eviewing instructions, searching existing data sources arding this burden estimate or any other aspect of this or information Operations and Reports, 1215 Jeffersor oject (0704-0188), Washington, DC 20503.
I. AGENCY USE ONLY (Leave bla	Ink) 2. REPORT DATE	3. REPORT TYPE AN	D DATES COVERED
L TITLE AND SUBTITLE	<u>Sept 1992</u>	<u> </u>	S. FUNDING NUMBERS
National Defense Sci Fellowship Program 1 AUTHOR(S)	ience & Engineering Gra in Electrical Engineer	duate Ing	DAAL03-89-G-0051
Otmar S. Schlunk	Л	TIC	
PERFORMING ORGANIZATION I Univ. of Illir Urbana, IL 61	NAME(S) AND ADDRESS(ES) EL	ECTE T 2 2 1992	8. PERFORMING ORGANIZATION REPORT NUMBER
. SPONSORING / MONITORING A	GENCY NAME(S) AND ADDRESS(ES		10. SPONSORING / MONITORING
U. S. Army Research P. O. Box 12211	Office		AGENCY REPORT NUMBER
Research intangre ra	IIR, NG 27703-2211		
1. SUPPLEMENTARY NOTES The view, opinions a author(s) and should position, policy, or 2a. DISTRIBUTION / AVAILABILITY	and/or findings contai d not be construed as r decision, unless so r STATEMENT	ned in this repo an official Depa designated by ot	rt are those of the rtment of the Army her documentation. 125. DISTRIBUTION CODE
 SUPPLEMENTARY NOTES The view, opinions a author(s) and should position, policy, or Distribution / AVAILABILITY Approved for public 	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution	ned in this repo an official Depa designated by ot unlimited.	rt are those of the rtment of the Army her documentation. 126. DISTRIBUTION CODE
 II. SUPPLEMENTARY NOTES The view, opinions a author(s) and should position, policy, or position, policy, or position, policy, or position, availability Approved for public 13. ABSTRACT (Maximum 200 work) 	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution	ned in this repo an official Depa designated by ot unlimited.	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE
 SUPPLEMENTARY NOTES The view, opinions a author(s) and should position, policy, or second state of the second state of the	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution ros) ess signaling technique broadband code-divis livision multiple-acces between signal design System performance f ytical tools were deve nvestigated for a wide provides a summary of	ned in this repo an official Depa designated by ot unlimited. s of current int ion multiple-acc s (TDMA). This and system perfo or fading, multi loped for that p range of system the work.	rt are those of the rtment of the Army her documentation. 126. DISTRIBUTION CODE erest for mobile ess (CDMA) and project examined ormance for each of path channels was ourpose, and and channel parameters.
 11. SUPPLEMENTARY NOTES The view, opinions a author(s) and should position, policy, or 22. DISTRIBUTION/AVAILABILITY Approved for public 13. ABSTRACT (Maximum 200 wood) Two multiple-acce communications ar narrowband time-d the relationship these techniques. emplasized. Anal performance was i The final report 	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution rots) ess signaling technique broadband code-divis ivision multiple-acces between signal design System performance f ytical tools were deve nvestigated for a wide provides a summary of	ned in this repo an official Depa designated by ot unlimited. s of current int ion multiple-acc s (TDMA). This and system perfo or fading, multi loped for that p range of system the work. 92- 220	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE erest for mobile ess (CDMA) and project examined rmance for each of path channels was burpose, and and channel parameters. -27674
 11. SUPPLEMENTARY NOTES The view, opinions author(s) and should position, policy, or 12a. DISTRIBUTION / AVAILABILITY Approved for public 13. ABSTRACT (Maximum 200 wor) Two multiple-acce communications ar narrowband time-d the relationship these techniques. emplasized. Anal performance was i The final report 14. SUBJECT TERMS 	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution rot) ess signaling technique be broadband code-divis ivision multiple-acces between signal design System performance f ytical tools were deve nvestigated for a wide provides a summary of	ned in this repo an official Depa designated by ot unlimited. s of current int ion multiple-acc s (TDMA). This and system perfo or fading, multi loped for that p range of system the work. 92. 92.	rt are those of the rtment of the Army her documentation. 126. DISTRIBUTION CODE erest for mobile ess (CDMA) and project examined rmance for each of path channels was surpose, and and channel parameters. -27674 15. NUMBER OF PAGES
 II. SUPPLEMENTARY NOTES The view, opinions author(s) and should position, policy, or position, policy, p	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution rds) ess signaling technique be broadband code-divis ivision multiple-acces between signal design System performance f ytical tools were deve nvestigated for a wide provides a summary of	ned in this repo an official Depa designated by ot unlimited. s of current int ion multiple-acc s (TDMA). This and system perfo or fading, multi loped for that p range of system the work. 92. 92. s, Signal Design cations	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE erest for mobile ess (CDMA) and project examined ormance for each of path channels was surpose, and and channel parameters. -27674 15. NUMBER OF PAGES 3 16. PRICE CODE
 II. SUPPLEMENTARY NOTES The view, opinions author(s) and should position, policy, or position, position, policy, or position, position, position, policy, or position, position, policy, or position, policy, or position, po	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution rots) ess signaling technique be broadband code-divis ivision multiple-acces between signal design System performance f ytical tools were deve nvestigated for a wide provides a summary of , Mobile Communication Gand Systems, Communi 18. SECURITY CLASSIFICATION OF THIS PAGE	ned in this repo an official Depa designated by ot unlimited. s of current int ion multiple-acc s (TDMA). This and system perfo or fading, multi loped for that p range of system the work. 92- S, Signal Design cations 19. SECURITY CLASSIFI OF ABSTRACT	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE erest for mobile ess (CDMA) and project examined rmance for each of path channels was burpose, and and channel parameters. -27674
 SUPPLEMENTARY NOTES The view, opinions author(s) and should position, policy, or position, policy, policy,	and/or findings contai d not be construed as r decision, unless so STATEMENT release; distribution of rot) ess signaling technique e broadband code-divis ivision multiple-acces between signal design System performance f sytical tools were deve nvestigated for a wide provides a summary of	ned in this repo an official Depa designated by ot unlimited. s of current int ion multiple-acc s (TDMA). This and system perfo or fading, multi loped for that p range of system the work. 92. S, Signal Design cations	rt are those of the rtment of the Army her documentation. 12b. DISTRIBUTION CODE erest for mobile ess (CDMA) and project examined rmance for each of path channels was burpose, and and channel parameters. -27674 15. NUMBER OF PAGES 3 16. PRICE CODE CATION 20. LIMITATION OF ABSTRAC

.

²⁹⁸⁻¹⁰²

DI L

Project Final Report Project Number: P-27399-EL-NDF Grant Number: DAAL03-89-G-0052

Daniel L. Noneaker: Project Director University of Illinois

ACGUESSION FOR SITS CHANI Ø SHEC 148 U.4::aouneed Justification 3v... Distribution/ Availability Codes Avail and/or Special Dist

Two multiple-access signaling techniques of current interest for mobile communications are broadband code-division multiple-access (CDMA) and narrowband time-division multipleaccess (TDMA). This project examines the relationship between signal design and system performance for each of these techniques. System performance for fading, multipath channels is emphasized. Analytical tools are developed for that purpose, and performance is investigated for a wide range of system and channel parameters.

The performance of CDMA systems is shown in this project to be highly dependent on the choice of direct-sequence (DS) spread-spectrum waveforms employed. The degree of dependence is a function of both the statistical characterization of the communications channel and the receiver architecture. This work examines both correlator receiver performance [1,2] and Rake receiver performance [3,4]. For each type of receiver it is shown that DS waveforms can be selected which yield good system performance over a range of channel delay spreads and Doppler spreads. In addition, it is shown that the DS waveforms can be selected to yield good performance as the number of Rake receiver taps is varied.

Prior analyses of narrowband systems employing phase-shift keyed (PSK) modulation for fading, multipath channels have been restricted to binary and four-phase signaling. In this project, analytical expressions have been derived for the bit and symbol error probabilities of PSK and differential PSK of arbitrary symbol alphabet size [5,6]. The error probability expressions are applicable to equal-gain or maximal-ratio diversity combining and a broad class of fading, multipath diversity channels. These expressions provide the analytical tools necessary for future investigation of coded or uncoded bandwidth-efficient signaling techniques.

In this project, the effects of signal design on system performance have been investigated for both narrowband and wideband multiple-access systems. It is concluded that careful assignment of wideband signaling waveforms can significantly enhance the performance of a CDMA system. In addition, analytical "vols have been developed to facilitate the study of bandwidth/performance tradeoffs for narrowband TDMA systems.

References

- D. L. Noneaker and M. B. Pursley, "Selection of spreading sequences for direct-sequence spread-spectrum communications over a frequency-selective fading channel," Proc. 1991 International Conference on Communications, pp. 889-893, June 1991.
- [2] D. L. Noneaker and M. B. Pursley, "Selection of spreading sequences for direct-sequence spread-spectrum communications over a doubly selective fading channel," submitted to the IEEE Trans. Commun.
- [3] D. L. Noneaker and M. B. Pursley, "Selection of spreading sequences for direct-sequence spread-spectrum communications over a doubly selective fading channel with RAKE reception," Proc. 1992 Vehicular Technology Society Conference, pp. 229-232, May 1992.
- [4] D. L. Noneaker and M. B. Pursley, "The effects of spreading sequence selection on ds spread-spectrum with selective fading and two forms of Rake reception," To appear in the Proceedings of the 1992 Global Telecommunications Conference Record.
- [5] D. L. Noneaker and M. B. Pursley, "M-ary differential phase-shift keying with diversity combining for communications over a time- and frequency-selective fading channel," Proc. 1992 International Conference on Communications, pp. 46-50, June 1992.

[6] D. L. Noneaker and M. B. Pursley, "Error probability bounds for M-ary DPSK signaling over doubly selective fading diversity channels," submitted to the 1993 IEEE International Symposium on Information Theory.

•

• • • •

•