	COCUMENTATION P	CUMENTATION PAGE		
-A263 737	nation is estimated to average 1 hour or impleting and reviewing the collection o reducing this burden to Washington H 02, and to the Office of Management an	nation is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, mpleting and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this reducing this burden. To Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson 02, and to the Office of Management and Budget, Paperwork Reduction Project (0704–0188), Washington, DC 20503.		
	2. REPORT DATE 2/23/93	3. REPORT TYPE AND DATE FINAL REPORT	S COVERED 1/90 - 12/92	
MOLECULAR D	NAMICS OF PHYSICA	LAGING		
3. AUTHOR(S)	V POLYMER GLASSES		AALO3-40-6-0023	
V. D. MEGER	VE 7	DT	'IC	
7. PERFORMING ORGANIZATI	ON NAME(S) AND ADDRESS(ES)	SITY CELE	PORT NUM IN NIZATION	
CLEVELAND	OK 44106	J	Usea	
9. SPONSORING/MONITORIN	G AGENCY NAME(S) AND ADDRESS(E	(S) 10. SP	ONSORING / MONITORING	
U. S. Army Resear P. O. Box 12211	ch Office		IENCY REPORT NUMBER	
Research Triangle	Park, NC 27709-2211	AR	o 27037.6-ms	
11. SUPPLEMENTARY NOTES	and/or findings contain	ined in this report or	a those of the	
11. SUPPLEMENTARY NOTES The view, opinion author(s) and she position, policy, 12a. DISTRIBUTION / AVAILAB	as and/or findings contain buld not be construed as or decision, unless so MATY STATEMENT	ined in this report ar an official Departmen designated by other d 12b. C	e those of the t of the Army ocumentation. HSTRUBUTION CODE	
 SUPPLEMENTARY NOTES The view, opinion author(s) and she position, policy, Distribution / Availab Approved for publ ABSTRACT (Meximum 200 	ns and/or findings conta: buld not be construed as or decision, unless so HUTY STATEMENT Lic release; distribution	ined in this report ar an official Departmen <u>designated by other d</u> 12b. C n unlimited.	e those of the t of the Army ocumentation. HSTRUBUTION CODE	
 11. SUPPLEMENTARY NOTES The view, opinion author(s) and she position, policy, 12a. Distribution/Available Approved for puble 13. ABSTRACT (Maximum 200 We have used the the microscopic properties (press state. Measurements function of temp sensitive to the that refinements an unambiguous are being tested generated simula curve-fitting mether 	as and/or findings contain build not be construed as or decision, unless so unity statement lic release; distribution (words) e positron as a microscop properties (e.g., free ure, volume, and temperate ents of the positron life becature, aging, and appli- distribution of free volum in data analysis are necess free-volume distribution free to see if they are con- ted positron lifetime dis- nods, and we have discover- lution curve exceeds approx	ic probe to clraify the volume distributions) ture relations) of polynetime distribution in the elements. However, wasary, and that we are om the current results. Insistent with the results. Insistent with the results of the stributions to test the ed that these methods be imately 250 nanoseconds,	connection between and macroscopic mers in the glassy the polymer as a that positrons are we have also found far from obtaining Theoretical models lts. We have also e validity of our reak down when the In width.	
 11. SUPPLEMENTARY NOTES The view, opinion author(s) and she position, policy. 12a. Distribution/Available Approved for puble 13. ABSTRACT (Maximum 200 We have used the the microscopic properties (press state. Measurements function of temp sensitive to the that refinements an unambiguous are being tested generated simula curve-fitting meth instrumental reso 14. SUBJECT TERMS 	as and/or findings contain build not be construed as or decision, unless so unity statement lic release; distribution words) e positron as a microscop properties (e.g., free- ure, volume, and temperate ents of the positron life benature, aging, and appli- distribution of free volum in data analysis are necess free-volume distribution free to see if they are con- ted positron lifetime dis- nods, and we have discover- bution curve exceeds approx	ined in this report ar an official Departmen designated by other d 12b. C in unlimited. ic probe to clraify the volume distributions) ture relations) of polyr etime distribution in the ed strain have shown he elements. However, w ssary, and that we are ond the current results. Insistent with the results insistent with the results of that these methods be imately 250 nanoseconds,	e those of the t of the Army ocumentation. HSTRIBUTION CODE connection between and macroscopic mers in the glassy the polymer as a that positrons are we have also found far from obtaining Theoretical models its. We have also e validity of our reak down when the in w:dth.	
 11. SUPPLEMENTARY NOTES The view, opinion author(s) and she position, policy. 12a. DISTRIBUTION / AVAILAB Approved for publes 13. ABSTRACT (Maximum 200 We have used the the microscopic properties (press state. Measurements function of temp sensitive to the that refinements an unambiguous are being tested generated simula curve-fitting meth instrumental reso. 14. SUBJECT TERMS PHYSICAL AG 	As and/or findings contain build not be construed as or decision, unless so unity statement lic release; distribution (words) e positron as a microscop properties (e.g., free ure, volume, and tempera- ents of the positron life becature, aging, and appli- distribution of free volum in data analysis are necess free-volume distribution free to see if they are con- ted positron lifetime dis- nods, and we have discover- lution curve exceeds approx	ined in this report ar an official Departmen designated by other d lib. C a unlimited. ic probe to clraify the volume distributions) ture relations) of polyn etime distribution in the ed strain have shown be elements. However, w ssary, and that we are ont the current results. Insistent with the results. Insis	e those of the t of the Army ocumentation. HISTRIBUTION CODE connection between and macroscopic mers in the glassy the polymer as a that positrons are we have also found far from obtaining Theoretical models lts. We have also e validity of our reak down when the In width.	
 11. SUPPLEMENTARY NOTES The view, opinion author(s) and she position, policy. 12a. Distrubution/Avanae Approved for publes 13. ABSTRACT (Maximum 200 We have used the the microscopic properties (press state. Measurements function of temp sensitive to the that refinements an unambiguous are being tested generated simula curve-fitting meth instrumental reso. 14. SUBJECT TERMS PHYSICAL AG POSITRON AN 12. SECURITY CLASSERS. 	As and/or findings contains build not be construed as or decision, unless so unity statement lic release; distribution (words) e positron as a microscop properties (e.g., free ure, volume, and tempera- ents of the positron life berature, aging, and appli- distribution of free volum in data analysis are necess free-volume distribution fr i to see if they are con- ted positron lifetime dis- hods, and we have discover- lution curve exceeds approx (NIG, POLYMER CLA NIMILATION	ined in this report ar an official Departmen designated by other d lib. C a unlimited. ic probe to clraify the volume distributions) ture relations) of polyr etime distribution in the ed strain have shown be elements. However, w ssary, and that we are ond the current results. Insistent with the results. Insistent with the results on stributions to test the ed that these methods be imately 250 nanoseconds, SSES,	e those of the t of the Army ocumentation. HISTRIBUTION CODE connection between and macroscopic mers in the glassy the polymer as a that positrons are we have also found far from obtaining Theoretical models lts. We have also e validity of our reak down when the hawidth. IS. NUMBER OF PAGES 2 16. PRICE CODE	
 11. SUPPLEMENTARY NOTES The view, opinion author(s) and she position, policy. 12a. DISTRIBUTION/AVAILAN Approved for publes 13. ABSTRACT (Maximum 200 We have used the the microscopic properties (press state. Measurements function of temp sensitive to the that refinements an unambiguous are being tested generated simula curve-fitting meth instrumiental reso 14. SUBJECT TERMS PRYS ICAL AG POSITRON AN 17. SECURITY CLASSIFICATION OF REPORT UNITY CLASSIFICATION 	As and/or findings contains build not be construed as or decision, unless so with statement lic release; distribution (words) e positron as a microscop properties (e.g., free ure, volume, and temperation ents of the positron life berature, aging, and appli- distribution of free volum in data analysis are necessaries of free-volume distribution fir i to see if they are conted positron lifetime distribution curve exceeds approx (while a second we have discover- lution curve exceeds approx (while a second we have discover- lution curve exceeds approx (while a second we have discover- lution curve exceeds approx) (while second we have discover- lution curve exceeds approx) (while a second we have discover- lution curve exceeds approx) (while second we have discover- lution curve exceeds approx)	ined in this report ar an official Department designated by other d lib. C in unlimited. ic probe to chraify the volume distributions) ture relations) of polyr etime distribution in the relations) of polyr etime distribution in the elements. However, w ssary, and that we are ond the current results. Insistent with the results. Insistent with the results. Insistent with the results. Insistent with the results. SSES, SSES, IS SECURITY CLASSFICATION OF ABSTRACT UNIT ACCURATE.	e those of the t of the Army ocumentation. HSTRIBUTION CODE connection between and macroscopic mers in the glassy the polymer as a that positrons are we have also found far from obtaining Theoretical models lts. We have also e validity of our reak down when the hawidth. 15. NUMBER OF PAGES 2 16. PRICE CODE 20. LIMITATION OF ABSTRACE III	

DTIC QUALITY INSPECTED 8

27037-MS

Dist

NTIS	CRA&I TAB		Ø
announced			ō
*1	cation		-

Availability Codes

Avail and for

Special

Accesion For

FINAL REPORT, ARO CONTRACT NUMBER DAAL03-90-G-0023

MOLECULAR DYNAMICS OF PHYSICAL AGING PROCESSES IN POLYMER GLASSES (EXPERIMENT AND THEORY)

Case Western Reserve University

John D. McGervey

STATEMENT OF PROBLEM STUDIED

We have attempted to clarify the connection between microscopic properties (free volume) in polymers and macroscopic properties (relaxation under strain or pressure, overail volume as a function of temperature or pressure, etc.) by using the positron as a microscopic probe. The lifetime distributions of positrons have been measured as a function of temperature, aging, pressure, and applied strain, and the results have been correlated with those of more conventional measurements. In addition, the methods of data analysis have been carefully scrutinized to determine whether some results could be explained as artifacts of the computer fitting program, which is a standard program used in many positron research laboratories.

SUMMARY OF IMPORTANT RESULTS

During this project the most important results were:

. 71 3

- Observation that some polymers are, in a sense, rejuvenated by application of tensile strain. This means that an old polymer, which is no longer shrinking as it ages further, will shrink to a smaller volume after the application and release of tensile strain.
- Confirmation of studies showing that some, but not all, polymers undergo chemical or physical changes as a result of positron irradiation. Thus one must be careful in interpretation of results when using positrons as a probe.
- Simulation of positron annihilation data from polymers, which showed that a simulated curve could not be fitted properly by the most commonly used computer fitting program unless the time resolution function is much narrower than the time resolution that is normally used in polymer studies. This result explains some discrepancies in results that have been reported from different laboratories in studies of polymers of identical composition and history, and it shows what must be done to produce meaningful results.
- Development of apparatus to measure simultaneously the positron lifetime and the totai gamma-ray momentum from annihilation of ortho positronium (o-Ps). This apparatus, which needs further refinement, can in principle magnify the o-Ps component in the lifetime spectrum. This is significant, because o-Ps is the probe whose lifetime is affected by free-volume changes in polymers, and it is important to be able to distinguish between o-Ps and other positron states in the positron annihilation results.

93 5 04 041



1

LIST OF PUBLICATIONS

Positron Annihilation Lifetime Measurements of Free Volume in Polycarbonate Under Tensile Strain, M. Ruan, H. Moaddel, A. M. Jamieson, R. Simha, and J. D. McGervey, Bull. Am. Phys. Soc. 36, 692 (1991)

1.21 5

Positron Lifetimes and Free Volume in Polycarbonate Under Tensile Strain, M. Y. Ruan, H. Moaddei, Z. Yu, A. M. Jamieson, R. Simha, and J. D. McGervey, Materials Science Forum 105-110 (1992) 1691-1694

Combined Lifetime-Momentum Measurement of Ortho-Positronium in Polymers, M. Ruan, W. Zheng, J. D. McGervey, Materials Science Forum 105-110 (1992) 1695-1698

Positron Annihilation Lifetime Studies of Free Volume Changes in Polycarbonate Under Static Tensile Deformation, M. Ruan, H. Moaddei, A. M. Jamieson, R. Slmha, and J. D. McGervey, Macromolecules 25, 2407 (1992)

Temperature and Time Dependence of Free Volume in Bisphenol-A Polycarbonate Studied by Positron Lifetime Spectroscopy, J.-E. Kiuin, Z. Yu, S. Vieeshouwers, J. D. McGervey, A. M. Jamleson, and R. Simha. Macromolecules 25, 5089 (1992)

Free Volume Distributions and Positron Spectroscopy, S. Vleeshouwers and R. Simha, Bull. Am. Phys. Soc. 37, #1, 206 (1992)

Monte Carlo Calculations of Hole Size Distributions; Simulation of Positron Annihilation Spectroscopy. S. Vieeshouwers, J.-E. Kluln, J. D. McGervey, A. M. Jamieson, and R. Simha, Journal of Polymer Science B, Polymer Physics, 30 1429-1435 (1992)

Probe Spectroscopy, Free Volume Concepts, and Physical Aging of Polymer Glasses, M. Ruan, H. Moaddel, A. M. Jamieson, R. Simha, and J. D. McGervey, American Chemical Society Symposium Series, in press

Positron Annihilation Lifetime Studies of Free Volume Changes in Polycarbonate Under Static Tensile Deformation, M. Ruan, H. Moaddei, A. M. Jamieson, R. Simha, and J. D. McGervey, Macromolecules, in press

Ortho-Positronium Lifetime Studies of Free Volume in Polycarbonates of Different Structures: Influence of Hole Size Distributions. J.-E. Kiuin, Z. Yu, S. Vieeshouwers, J. D. McGervey, A. M. Jamieson, and R. Simha, Macromolecules, in press

PARTICIPATING SCIENTIFIC PERSONNEL AND DEGREES AWARDED

Professor J. D. McGervey, Physics Department, CWRU
Professors R. Simha and A. Jamieson, Department of Macromolecular Science, CWRU
Dr. J.-E. Kluin, postdoctoral research associate
M. Franz, (visiting from Germany, 1/92 to 4/92)
P. Hslang, graduate student (awarded M. S. degree, May, 1990).
H. Moaddel, graduate student (awarded M. S. degree, May, 1991)
M. Y. Ruan, graduate student (awarded Ph. D. degree, May, 1992)
S. Vieeshouwers, graduate student (visiting from the Netherlands, 10/91 to 4/92)
Z. Yu, graduate student (expected to receive Ph. D. in 1994)