

SUBJECT: Management of the DoD Intermodal Container System

- References: (a) DoD Instruction 4500.37, "Use of Intermodal Containers, Special-Purpose Vans, and Tactical Shelters," March 17, 1981 (hereby canceled)
 - (b) DoD Instruction 4500.45, "DoD Transportation Policy Council," April 24, 1984
 - (c) DoD Instruction 4100.14, "Packaging of Material," July 2, 1980
 - (d) DoD Instruction 4100.33, "Operation of Commercial Activities," September 9, 1985
 - (e) through (g), see enclosure 1

A. REISSUANCE AND PURPOSE



93-24445

6145

This Directive:

1. Reissues reference (a) to update policy, procedures, and responsibilities for the development and management of a fully interrelated DoD and commercial intermodal container system.

2. Ensures a coordinated effort in the development and adoption of a container-oriented distribution system with standard equipment, policies, and procedures.

3. Integrates the development and management of the DoD intermodal system with the functions of the DoD Transportation Policy Council (DTPC) (reference (b)).

B. APPLICABILITY AND SCOPE

This Directive:

1

1. Applies to the Office of the Secretary of Defense (OSD), the Organization of the Joint Chiefs of Staff (OJCS), the Military Departments, the Unified and Specified Commands, and the Defense Agencies (hereafter referred to collectively as "DoD Components"). The term "Military Services," used herein, includes the Army, Navy, Air Force, and Marine Corps.

2. Applies to the United States Coast Guard (USCG) and to the Maritime Administration (MARAD) by agreement with the Department of Transportation (DoT).

3. Includes DoD policies for the use of intermodal containers, specialpurpose vans, and tactical shelters.

Approved for public mission

Best Available Copy

4. Encompasses the effects of containerization and intermodality on organizational and equipment development; standardization; needs at ports, air terminals, ships and aircraft; and forward movement in overseas theaters.

C. DEFINITIONS

Terms used in this Directive are defined in enclosure 2.

D. POLICY

1. It is DoD policy that DoD Components attain and maintain a containeroriented distribution system of sufficient capability to meet DoD-established mobilization and deployment goals while ensuring commonality and interchangeability of intermodal containers, hardware, and equipment between the Military Services and commercial industry, which collectively constitute the DoD container-oriented distribution system. The container-oriented distribution system must interface with and complement the movement and control of all other noncontainerized DoD cargo.

2. The DoD policy is to rely on the use of intermodal container resources and services furnished by the commercial transportation industry when doing so is responsive to military requirements.

3. Containerized shipment shall be the preferred method, unless cost effectiveness or peculiar shipment requirements are an overriding factor.

E. RESPONSIBILITIES

1. The Under Secretary of Defense (Acquisition) (USD(A)) shall:

a. Coordinate the continued development of the overall DoD program for the container-oriented distribution system.

b. Maintain liaison and coordinate container system development with Federal, executive, and regulatory agencies.

c. Provide policy guidance implementing this Directive.

d. Review, at least annually, the status of each program assigned in enclosure 4 of this Directive.

2. The Organization of the Joint Chiefs of Staff (OJCS) shall provide oversight to the maintenance and improvement of interoperability between the various Service container systems. Service plans that require assistance of, or impact on, the container programs of other Services shall be brought to OJCS Logistics Directorate (J-4) for coordination.

Acce	ssion For	1
NTIS	GRA&I	
DTIC	TAB	П
Unan	feounced	П
Just	ffleetton_	
Dist	ribulion/	
•• • • •	Avail and	
Dist	Special	
A-1		

2

DTIC QUALITY INSPECTED 2

3. The <u>Secretary of the Army</u>, through the Military Traffic Management Command (MTMC), shall manage and monitor the status of intermodal surface containers in common-user service while these containers are in the Defense Transportation System (DTS).

4. The <u>Secretary of the Navy</u>, through the Military Sealift Command (MSC), shall act as DoD agent for procurement of intermodal surface containers for common-user service supporting those DoD Component requirements and capability assessments coordinated through MTMC.

5. The <u>Secretary of the Air Force</u>, through the Military Airlift Command (MAC), shall act as the DoD agent responsible for the procurement of intermodal air containers and for the implementation of a system of airlift intermodal air containers and shelters for the Military Services.

6. The Heads of DoD Components shall:

a. Review, develop, coordinate, and carry out assigned container programs (see enclosure 4).

b. Develop container-oriented distribution system equipment, including doctrine, organization structure, logistic support, and maintenance requirements, and training programs to satisfy Service-unique requirements.

c. Direct container system development to ensure that:

(1) Tasks assigned to the DoD Components are consistent with overall DoD goals.

(2) Satisfactory progress is achieved within identified periods, including the preparation of required progress reports.

(3) Development problems are identified properly, assigned priorities, and followed up until resolved.

(4) Development is within established DoD policy guidance.

(5) There is optimum compatibility with commercial container systems in general use in the industry, and that it is within the packaging policy guidance established by DoD Instruction 4100.14 (reference (c)).

(6) Related phases of research, development, initial procurement, testing and evaluation, production, distribution, logistic support, maintenance, and mobilization planning are coordinated to achieve a balanced program in total system development and integration.

d. Comply with applicable military specifications in packaging and shelter designs.

e. Establish a central point, or points, of contact to address tasks contained in this Directive and to provide advice to the DTPC members on intermodal matters and container system development. 8. Logistic support systems, both existing and planned, shall be made to accommodate these DoD policies, and shall include a mix of commercial and DoD assets that function together to provide a source-to-user capability for handling, storing, and transporting containerized and breakbulk shipments.

9. Each DoD Component shall coordinate with other concerned DoD Components in the development of concepts, procedures, software, and hardware that shall be used throughout the DoD system to use the full potential of a containeroriented distribution system. Heavy reliance shall be placed on interservice coordination and awareness of each other's programs and progress.

10. Domestic and foreign technological accomplishments and trends shall be considered throughout the development, procurement, and fielding of container equipment. Standardization and interoperability of equipment are vital to the efficiency, effectiveness, and flexibility of the system. There exists a continual requirement to reduce equipment proliferation through Military Service coordination and to realize the economies resulting from standardization.

11. Each DoD Component shall prepare plans for container programs assigned to it in enclosure 4. Each plan shall identify tasks, milestones, funding programs, and priorities. Service plans shall be forwarded to the USD(A) for approval and OJCS (J-4) for review. The status of each plan shall be briefed no less than annually to the DTPC (see DoD Instruction 4500.45 (reference (b)).

12. Maintenance support requirements and responsibilites shall be assigned to achieve long-term reliability and maintainability.

G. EFFECTIVE DATE AND IMPLEMENTATION

This Directive is effective immediately. Forward two copies of implementing documents to the Under Secretary of Defense (Acquisition) within 120 days.

Dillion H. 7-70

William H. Taft, IV Deputy Secretary of Defense

Enclosures - 4

- 1. References
- 2. Definitions
- 3. DoD Standard Family of Tactical Shelters
- 4. Program Description and Planning Responsibilities

Apr 2, 87 4500.37 (Encl 1)

REFERENCES, continued

- (e) Title 10, United States Code, Section 2631
 (f) DoD Directive 4500.9, "Transportation and Traffic Management," June 28, 1976
 (g) DoD Directive 3224.1, "Engineering for Transportability," November 29, 1977

Apr 2, 87 4500.37 (Encl 2)

DEFINITIONS

1. <u>American National Standards Institute (ANS1) and International Organization</u> For Standardization (ISO) Standards. ANSI and ISO have established standards for the design and construction of containers used in intermodal transportation systems, and have recommended procedures and specifications for their testing. The Department of Defense adheres to those standards to the maximum extent practical. The ANSI and ISO standard nominal exterior dimensions for surface containers are 8 feet wide, 8 to 9 feet 6 inches high, and 5 to 45 feet long. The standard nominal lengths are 20 and 40 feet. Air/surface containers have a nominal width and height of 8 feet; the length may vary from 10 to 40 feet. The standard nominal length is 20 feet.

2. <u>Associated Equipment</u>. Associated equipment includes the chassis, airlift adapter pallets, bogey assembly, and coupler devices, but does not include self-propelled vehicles, railcars, and automotive tractors.

3. <u>Breakbulk Ship</u>. A ship with conventional holds for the stowage of breakbulk cargo, below or above deck, and equipped with cargo-handling gear. Ships also may be capable of carrying a limited number of containers, above or below deck, secured by conventional methods.

4. Defense Transportation System. The collection of transportation facilities and services consisting of military-controlled terminal facilities, MAC-controlled airlift, MSC-controlled sealift, and any other Government-controlled air or surface transportation.

5. <u>Full Containership</u>. A ship specially constructed and equipped to carry only containers without associated equipment, in all available cargo spaces, either below or above deck. The ship may or may not be a self-sustaining containership.

6. Intermodal Container. An article of transport equipment designed to be carried in various ways, designed to optimize the carrying of goods by one or more transportation modes without intermediate handling of the contents, and equipped with features permitting its ready handling and transfer. Containers may have one or more doors, and be open top, refrigerated tank, open rack, gondola, air/surface, or other designs. Included in this definition are modules or clusters that are configured so that they can be coupled to form an integral unit regardless of intention to move singly or in multiplex configurations. For the purpose of this Directive, this definition also includes seasheds and flatracks, although the use of such equipment may require intermediate handling of their contents when transferring from one mode of transportation to another.

7. Joint Committee on Tactical Shelters (JOCOTAS). A Joint Services Committee established to obtain the coordination of all Military Services in developing the DoD Tactical Shelter Program. This committee integrates all tactical shelter requirements from the Military Services and DoD Components.

8. <u>Multipurpose Ship</u>. A ship capable of carrying various combinations of breakbulk cargo, containers, roll-on or roll-off vehicles, and heavy lifts. Ships may be equipped with helicopter platforms, vehicle ramps, and conventional cargo gear. Includes lighter-aboard-ship and sea barge ships, both designed

2-1

with the capability of loading and offloading with onboard cranes, or in the absence of fixed facilities, for beithing and docking. Barges and lighters are not self-propelled.

9. <u>Non Self-Sustaining Containership</u>. A containership that does not have a built-in capability to load or offload containers, and requires port crane service.

10. <u>Partial Containership</u>. A ship with a portion of its cargo space specially designed and equipped for the exclusive carriage of containers without associated equipment. Remainder of cargo space is available for noncontainerized cargo. The ship may or may not be a self-sustaining containership.

11. <u>Point-To-Point Transportation</u>. As applied to the use of containers, point-to-point transportation is that application when the container is limited to transportation, and normally is stuffed and unstuffed within the free time allowed by the carrier.

12. <u>Self-Sustaining Containership</u>. A containership with shipboard-installed cranes capable of loading and offloading containers without the assistance of port crane service.

13. <u>Shelters or Special-Purpose Vans</u>. A presized, portable structure designed to provide a live-in or work-in capability. This structure may be either rigid or expandable. Insofar as practical, the shelter shall conform to applicable ANSI and ISO container standards.

Apr 2, 87 4500.37 (Encl 3)

DOD STANDARD FAMILY OF TACTICAL SHELTERS

	Shipping Mode		
Type Shelter ,	Size	Responsible	
(Nomenclature) ¹	(in feet)	Service	Remarks
Non-Expandable			2
ISO	8x8x10	Marine Corps	emi ²
ISO	8x8x20	Marine Corps	EMI
150	8x8x20	Marine Corps	Side removable for complexing
ISO	8x8x20	Navy	Mobile Facility System
ISO Non-ISO	8x8x20	Army	General purpose
S-250()/G Non-ISO	6x6 1/2x7	Army	EMI
S-280B/G-C/G	7 1/2x7 1/2x12	Army	EMI
Expandable			
ISO	8x8x20	Army	2:1 one side expandable
ISO	8x8x20	Army	3:1 two side expandable
ISO	8x8x20	Army	7:1 (accordian) 50-ft expand- able
ISO	8x8x20	Army	7:1 expandable building
Non-ISO			C
S-530-A/G	7 1/2x7 1/2x12	Air Force	3:1 EMI
Knock down ³ ISO	8x8x20	Marine Corps	Expandable indefinitely in 8x8x20-ft units

¹The S-numeric designation reflects the assigned nomenclature for the shelter. Those shelters designated ISO have been assigned a Federal stock number of

• .

L.

NSM 5411. 2Electromagnetic interference. 3Shipped in 4-high stack to form 8x8x20 feet ANSI and ISO compatible unit. 4Responsible for research, development, testing, and evaluation.

Apr 2, 87 4500.37 (Encl 4)

A. PROGRAM DESCRIPTION

1. The designated DoD Component shall prepare program plans for containerization actions assigned to them for development, integration, and management. As a minimum, the program plan shall contain program direction, guidance, responsibilities, objectives, tasks, priorities, and target dates for program completion. The other DoD Components shall provide assistance and data input when a particular subsystem task falls under their mission responsibility. Test reports and independent evaluations pertaining to the container-oriented distribution system shall be forwarded to the Director of Transportation Policy, Office of the Under Secretary of Defense (Acquisition) (OUSD(A)), for review.

2. Each Military Service is responsible for funding of assigned programs. OUSD(A) shall assist the Services in establishing funding priorities for accomplishing assigned program tasks, and shall monitor the programs' line items in the DoD budget.

3. Program plans prepared in accordance with this Directive shall be updated annually by the responsible DoD Component as of December 31, and forwarded to the Director of Transportation Policy, OUSD(A), within 90 days following the cutoff date.

4. The DoD Component assigned specific programs for management shall provide briefings annually to the Director of Transportation Policy, OUSD(A), and to the members of the DTPC. Periodic updates may be requested by the chairman.

B. PLANNING RESPONSIBILITIES

PROGRAM TITLE	RESPONSIBLE DoD COMPONENT
Air Movement Plan	Department of Air Force
Containerized Ammunition Distribution Plan	Department of Army (AMC)
Seashed Program Management Plan	Department of Navy
Offshore Discharge of Containers/ Logistics over the Shore (OSDOC/LOTS) Program Management Plan	Departments of Army and Navy
Container Systems Hardware Status Report	Department of Army (AMC)
Container Requirements and Availability Study	Department of Army (MTMC)