




**US Army Corps  
of Engineers**

Hydrologic Engineering Center

**AD-A273 862**



**GENERALIZED COMPUTER PROGRAM**

**HECLIB**

DEC 13 1993

## **Volume 2: HECDSS Subroutines**

**Programmer's Manual**

**May 1991**

**93-30138**



Approved for Public Release. Distribution Unlimited.

**CPD-57**

**93 12 10042**

COVER 1

**Best  
Available  
Copy**

## REPORT DOCUMENTATION PAGE

Form Approved  
UMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Distribution of this document is unlimited.	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE			5. MONITORING ORGANIZATION REPORT NUMBER(S)	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			7a. NAME OF MONITORING ORGANIZATION	
6a. NAME OF PERFORMING ORGANIZATION Hydrologic Engineering Center	6b. OFFICE SYMBOL (If applicable) CEWRC-HEC	7b. ADDRESS (City, State, and ZIP Code)		
6c. ADDRESS (City, State, and ZIP Code) 609 Second Street Davis, CA 95616-4687		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	10. SOURCE OF FUNDING NUMBERS		
8c. ADDRESS (City, State, and ZIP Code)		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.
		WORK UNIT ACCESSION NO.		
11. TITLE (Include Security Classification) HECLIB Volume 2: HECDSS Subroutines Programmer's Manual				
12. PERSONAL AUTHOR(S) CEWRC-HEC				
13a. TYPE OF REPORT Final	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) May 1991	15. PAGE COUNT 273	
16. SUPPLEMENTARY NOTATION				
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	HECDSS, DSS, Time-Series Data, Database	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Programmers's manual for computer programmers to interface FORTRAN application programs to HEC's Data Storage System (HECDSS or DSS). The DSS is a database system that was developed to meet needs for data storage and retrieval for water resource studies. The system enables efficient storage and retrieval of time series (such as precipitation hyetographs or hydrographs of stage, discharge, etc.) and other data-types for which storage in blocks of contiguous data elements is most appropriate. The DSS consists of a library of FORTRAN subroutines which can be readily used with application programs to enable retrieval and storage of information. The current application programs include the widely used program Flood Hydrograph Package (HEC-1) and the Expected Annual Damage (EAD) program. In addition, approximately 17 DSS utility programs have been developed. A number of these programs are for data entry, for example from the USGS WATSTORE database, or from NWS precipitation data files. Other utility programs include a powerful graphics program, a report generator, and a program for performing mathematical transformations.				
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL William J. Charley			22b. TELEPHONE (Include Area Code) (916) 756-1104	22c. OFFICE SYMBOL CEWRC-HEC

# **HECLIB**

## **Volume 2: HECDSS Subroutines**

### **Programmer's Manual**

**May 1991**

Hydrologic Engineering Center  
US Army Corps of Engineers  
609 Second Street  
Davis, CA 95616-4687

(916) 756-1104

CPD-57



## Table of Contents

1	Introduction .....	1-1
1.1	Background .....	1-1
1.2	DSS Contrasted with Other Database Systems .....	1-2
1.3	General Information .....	1-3
1.4	A Short Description of How DSS Works .....	1-5
1.5	Programming with DSS .....	1-6
1.5.1	Opening and Closing DSS Files .....	1-6
1.5.2	The IFLTAB Array .....	1-7
1.5.3	DSS Subroutines .....	1-7
1.5.4	Message Control .....	1-8
1.6	Typical Order of Calling DSS Subroutines .....	1-8
1.7	Machine Specifics .....	1-9
1.7.1	Harris Computers .....	1-9
1.7.2	Microcomputers Using Microsoft FORTRAN .....	1-10
1.7.3	Microcomputers Using Lahey FORTRAN .....	1-11
1.7.4	Unix Operating Systems .....	1-11
2	General Subroutines .....	2-1
2.1	ZOPEN - Open a DSS File .....	2-2
2.2	ZCLOSE - Close a DSS File .....	2-4
2.3	ZFNAME - Add File Name Extension and Determine if the File Exists .....	2-5
2.4	ZDTYPE - Determine a Record's Data Type and if it Exists .....	2-7
2.5	ZSET - Set DSS Parameters .....	2-9
2.6	ZINQIR - Inquire About DSS Parameters .....	2-15
2.7	ZFVER - Get a DSS File's Version .....	2-19
3	Pathname Manipulation Subroutines .....	3-1
3.1	ZPATH - Construct a Pathname .....	3-2
3.2	ZUPATH - Determine a Pathname's Parts .....	3-4
3.3	ZUFPN - Un-Form a Pathname .....	3-6
3.4	ZGPNP - Get Pathname Parts .....	3-8
3.5	ZCHKPN - Check a Pathname .....	3-11
4	Time Series Subroutines .....	4-1
4.1	ZRRTS - Retrieve Regular-Interval Time Series Data .....	4-3
4.2	ZRRTSX - Retrieve Regular-Interval Time Series Data (Extended) .....	4-7
4.3	ZSRTS - Store Regular-Interval Time Series Data .....	4-13
4.4	ZSRTSX - Store Regular-Interval Time Series Data (Extended) .....	4-16
4.5	ZRITS - Retrieve Irregular-Interval Time Series Data .....	4-21
4.6	ZRITSX - Retrieve Irregular-Interval Time Series Data (Extended) .....	4-25
4.7	ZSITS - Store Irregular-Interval Time Series Data .....	4-30
4.8	ZSITSX - Store Irregular-Interval Time Series Data (Extended) .....	4-35
4.9	ZGINTL - Get Time Series Interval .....	4-40
4.10	ZOFSET - Determine the Time Offset of Time Series Data .....	4-42
5	Paired Data Subroutines .....	5-1
5.1	ZRPD - Retrieve Paired Data .....	5-2
5.2	ZSPD - Store Paired Data .....	5-7

6	Text Subroutines	6-1
6.1	ZRTEXT - Retrieve Text Data (Into a File)	6-2
6.2	ZRTXTA - Retrieve Text Data (Into an Array)	6-5
6.3	ZSTEXT - Store Text Data (From a File)	6-8
6.4	ZSTXTA - Store Text Data (From an Array)	6-10
7	Catalog and Tag Subroutines	7-1
7.1	ZOPNCA - Open a Catalog File	7-3
7.2	ZCAT - Catalog a DSS File	7-5
7.3	ZRDCAT - Read Pathnames from a Catalog File	7-9
7.4	ZRDPAT - Read a Pathname from a Catalog by Reference Number	7-13
7.5	ZTAGPA - Get Pathnames from Tags	7-16
7.6	ZRETAG - Change a Record Tag	7-19
7.7	ZSTAGS - Set the Tag Scheme for a DSS file	7-20
7.8	ZRTALL - Change all Record Tags in a DSS file	7-22
7.9	Example of Obtaining Pathnames from a Command Line	7-23
7.10	Example of a Catalog Display Subroutine	7-28
8	General Read / Write Subroutines	8-1
8.1	ZREAD - Read an Individual Record	8-2
8.2	ZREADX - Read an Individual Record (Extended)	8-4
8.3	ZRDBUF - Read an Individual Record in a Buffered Mode	8-6
8.4	ZWRITE - Write an Individual Record	8-9
8.5	ZWRITX - Write an Individual Record (Extended)	8-12
8.6	ZWRBUF - Write an Individual Record in a Buffered Mode	8-15
9	Utility Subroutines	9-1
9.1	ZSTFH - Stuff the User Header Array	9-2
9.2	ZUSTFH - Un-stuff the User Header Array	9-5
9.3	ZCHECK - Check if a Record Exists	9-9
9.4	ZRECIN - Display Information About a Record	9-10
9.5	ZFILST - Display Information About a DSS File	9-12
9.6	ZCOREC - Copy a Record	9-13
9.7	ZCOFIL - Copy a DSS File	9-16
9.8	ZRENAM - Rename a Record	9-18
9.9	ZDELET - Delete a Record	9-19
9.10	ZUNDEL - Un-Delete a Record	9-20
9.11	ZUDALL - Un-Delete All Records in a DSS File	9-21
9.12	ZDEBUG - Display Coded Information in the IFLTAB Array	9-22
10	Data Compression Subroutines	10-1
10.1	ZSCOMP - Set Data Compression for a Record	10-4
10.2	ZDCINF - Get Data Compression Information for a Record	10-6
10.3	ZSETCI - Set Default Data Compression for a DSS File	10-8
10.4	ZPRTCI - Print the Default Data Compression for a DSS file	10-11
11	Outdated DSS Subroutines	11-1
11.1	ZFPN - Form DSS Pathname	11-2
11.2	ZGTDTS - Get Regular-Interval Time Series Data	11-4
11.3	ZPTDTS - Put Regular-Interval Time Series Data in a DSS File	11-8
11.4	ZGIRTS - Get Irregular-Interval Time Series Data	11-12
11.5	ZPIRTS - Put Irregular-Interval Time Series Data	11-16
11.6	ZGTPFD - Get Paired Function Data	11-20
11.7	ZPTPFD - Put Paired Function Data	11-25
11.8	ZOPCAT - Open a Catalog File	11-31
11.9	ZCATLG - Catalog a DSS file	11-32
11.10	ZRDPN - Read Pathnames from a Catalog By Reference Number	11-35

Appendix A - Example Application .....	A-1
Appendix B - Internal Subroutines .....	B-1
Appendix C - Data Screening Use of Data Flags .....	C-1
Appendix D - Cross Reference Listing .....	D-1
Appendix E - Abort Error Codes .....	E-1
Appendix F - Summary of Subroutine Calling Sequences .....	F-1

# Subroutine Index

Accession For	
NTIS - CI&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Date _____	
Availability _____	
Notes _____	
A-1	

## **1 Introduction**

This manual is intended to provide programmers with information on how to interface programs with the Hydrologic Engineering Center's Data Storage System (HECDSS or DSS), and to provide a background on DSS and its capabilities. This document is intended to be used both as an introduction to programming with DSS and as a reference manual.

DSS is written in FORTRAN 77 and is designed to be called by FORTRAN programs. It is assumed that the reader has a working knowledge of FORTRAN. The DSS makes use of several subroutines in the software library "HECLIB". The HECLIB programmers manual is a companion document that should be accessible when programming with DSS.

### **1.1 Background**

HEC developed the Data Storage System (or DSS) to meet needs for data storage and retrieval for water resource studies. The system, which has been under development since 1979, enables efficient storage and retrieval of time series and other data-types for which storage in blocks of contiguous data elements is most appropriate. The DSS consists of a library of subroutines which can be readily used with applications programs to enable retrieval and storage of information. At present approximately 20 applications programs have been adapted in this fashion, including the widely used program Flood Hydrograph Package (HEC-1) and the Expected Annual Damage (EAD) program. In addition, approximately 17 DSS utility programs have been developed. A number of these programs are for data entry, for example from the U.S. Geological Survey WATSTORE database, or from National Weather Service precipitation data files. Other utility programs include a powerful graphics program, a report generator, and a program for performing mathematical transformations. Macros, selection screens, and other user interface features combine with DSS products to provide a set of tools whose application is limited only by the ingenuity of the user.

The DSS was the outgrowth of a need that emerged in the mid 1970's. During that time most studies were performed in a step-wise fashion, passing data from one analysis program to another in a manual mode. While this was functional, it was not very productive. Programs that used the same type of data, or that were sequentially related, did not use a common data format. Also, this required that each program have its own set of graphics routines, or other such functions, to aid in the program's use.

The Kissimmee River study performed by the HEC for the Jacksonville District beginning in 1978, required that an orderly approach be used to properly manage the study data and the analysis results. A large number of alternative plans and conditions were to be processed in this project. This study gave birth to the first version of DSS. The basic design provided for the storage of data in a standard form, independent of any particular program. The data would be provided to the programs when it was needed, and results would be stored in the same independent form for use by utilities and other applications programs. The early design of DSS was conceived to support files containing many hundreds of data records, or even as many as a few thousand. As the use of DSS expanded into real-time data storage applications, data files were written to manage as many as 10,000 to 20,000 records. The current DSS version is now designed for rapid storage and retrieval of files containing as few as 40 to 50 records, or as many as 100,000 or more.

## 1.2 DSS Contrasted with Other Database Systems

DSS is designed for the storage and retrieval of large sets, or series, of data. This includes daily flow values, hourly precipitation measurements, rating tables, and pages of text information. DSS is the least efficient with small sets of data, or elements, the type for which most commercial database systems are designed. For example, such elemental data might include employee records, accounting data, and inventory of stock.

DSS incorporates a modified hashing algorithm and hierarchical design for database accesses. This algorithm provides quick access to data sets and an efficient means of adding new data sets to the database. Commercial databases usually employ a relational model. In this model data is stored in a related manner, so that the database can be viewed essentially as a collection of tables (composed of rows and columns). This type of system requires the construction of a data definition file. Although a relational database requires some initial setup, it can effectively store short data sets comprised of both characters and numbers. The structure usually provides a advantageous method of retrieving and storing data based on the data definition. Most of the newer systems use the ANSI ratified Structured Query Language (SQL) to access data. (An example of SQL might be "SELECT models FROM parts WHERE model=3210".)

While relational databases are ideal for elemental data sets, they are not as practical for longer series of data. DSS, however, is designed for such sets of data. DSS database files are not defined by a data definition file like relational models require; thus there is no set up required by the user. DSS data is defined by the pathname and conventions used. The type of data generally stored in DSS does not lend itself well to a query language such as SQL (although the selective catalog feature has some similar capabilities). Also, the DSS is

made up of a set of utility programs and application programs, whereas commercial databases are typically accessed by one main program.

### **1.3 General Information**

Direct access files are used for DSS data storage. These files are conventionally named by the user. Such a file cannot be directly viewed or accessed by programs that do not interface to the DSS. A DSS file does not need to exist before the first DSS subroutine (ZOPEN) is called; it will be created if it is not present. Nor are DSS files initialized or set up prior to use.

Data within a database file is stored in blocks, or records, and each record is identified by a unique identifier called a "pathname". Each time data is stored or retrieved, its pathname must be given. Along with the data, information about the data (e.g., units of the data) is stored in an internal "header". The DSS automatically stores the name of the program writing the data, the number of times the data has been written, and the last write date and time.

Through information contained in the pathname and internal header, the data is self-documented. That is, no additional information is required to identify it. This feature of the database allows information to be recognized and understood years after it was stored.

Data of most any type, using a pathname of any structure (up to 80 characters), can be stored by DSS. To facilitate the ability of application and utility programs to work with and display data, standard record conventions were developed. These conventions define what should be contained in a pathname, how data is stored and what additional information is stored along with the data. For regular-interval time series data (e.g., hourly data), the conventions specify that data are stored in blocks of a standard length, uniform for that time interval, with a pathname that contains the date of the beginning of the block and the time interval. The conventions identify how a pathname for that data should be constructed. Conventions have been defined for regular and irregular interval time series data, paired (curve) data, and text (alphanumeric) data. Conventions for other types of data have been proposed.

A major component of the DSS conventions is the structure of the pathname. All conventions segment the pathname into six parts. Parts are referenced by the letters A, B, C, D, E, and F, and delimited by a slash "/", as follows:

/A/B/C/D/E/F/

An example pathname that follows the time-series convention is:

/ALLEGHENY/KINZUA/FLOW-RES IN/01JAN1972/1DAY/OBS/

A non-standard convention may be used to store and retrieve data from a DSS database file by applications programs for which it is defined. However DSS utility programs (DSSUTL and DSPLAY) will have only limited to the data. Such data can be copied, tabulated, renamed, etc.. It cannot be edited or graphically displayed. The non-standard convention does not have to have a segmented pathname as shown above, although it is recommended. A pathname which does not follow the standard conventions might be:

/DATA SET 5-A/

Although the beginning and ending slash in this pathname is not required, it is highly recommended because the slashes identify the string as a pathname, and allow limited use of the record in utility programs. A preferable modification of this pathname would be:

/DATA SET 5-A/////

In order to maximize the effectiveness of a database, several users should be able to access the same database file at the same time. For example, a flood forecast model may need to retrieve data from the file at the same time data elsewhere in the file is being updated. To do this, the database must incorporate a method of handling multiple users of the same file at virtually the same time. A DSS multiple user scheme accomplishes this by a first come - first served approach. When a program requests to write to the file, the DSS software will queue that request and hold it until all prior requests are completed. Typical delays take only a fraction of a second and are not detectable by users. This feature does not require any added programming; the DSS accomplishes multiple user access internally.

A DSS version identifier is stored internally along with each DSS file. The version is in the form "6-FG", where the number portion (e.g., 6) indicates the file structure, the first letter signifies moderate software modifications or a collection of minor changes, and the last letter connotes minor changes. DSS software is not compatible with files that were created with a different number version (e.g., a file version of 4 is not compatible with software with a version of 5). (On Harris "H series" computers, DSS version 6 software will access DSS version 4 files.) The DSS version is printed in the ZOPEN statement and in the catalog file.

## **1.4 A Short Description of How DSS Works**

DSS version 6 utilizes a modified hash algorithm based upon the pathname to store and retrieve data. This structure allows the DSS to "jump" to the location of the data in the file based upon a disk address determined from the pathname's hash code. The DSS does its own blocking, providing the maximum use of disk space while allowing varying lengths for data records.

The first portion of a DSS file is the "permanent section" of the file. This area contains information about the DSS file, such as its size, how many records are contained in it, and the amount of inactive space. Following the permanent section is the "hash table". When retrieving data, the DSS computes a hash code from the pathname. This code points to a location in the hash table which contains the disk address of the record's "pathname bin". The pathname bin contains pathnames that have the same hash code and the disk addresses of their data sets. If there are more pathnames with the same hash code than that which will fit in the bin (typically 5), an "overflow bin" is used for the remainder of the pathnames. The hash code size is usually adjusted so that there are few overflow bins. This structure allows most data to be retrieved in 3 or 4 disk accesses. These accesses are to the hash table, the pathname bin (and possibly an overflow bin), and the data record.

The process for storing data operates in a similar same manner. First it is determined if the data record already exists. If it does, then the existing data area is written over with the new data (unless the new data record size is larger). If the record does not exist, then the data is appended to the end of the file, and the appropriate address and information are added to the hash table and pathname bin. The address buffers are structured in such a way that if an abort occurs (e.g., a system crash) during a write operation, only the data record being written will be lost.

The structure described above is for a "dynamic" hash table. It provides for a wide range in the number of records in a DSS file while efficiently balancing disk space and record access times. A variation in this algorithm is for "stable" files. In a stable file, a hash table is not utilized. Instead, the pathname hash code indicates directly the location of the pathname bin without having to access an intermediate table. In this type of file, all pathname bins are pre-allocated when the file is first created. A stable type file saves one disk access for each record, but it causes the DSS files to be large when they are first opened and can be less efficient with disk space, especially when there are less than the optimum number of records in the file. This method is intended for somewhat stable databases that do not frequently change in size (e.g., a master database file).



The hash code size can be adjusted for a new database to optimize storage and retrieval of data according to the expected number of records in the file. It should be noted that any of the sizes will operate with any number of records, but an incorrect size will not be as efficient as the appropriate one. When a user squeezes a database file with the program DSSUTL, the size parameter is automatically adjusted based on the number of records in the file at that time. The possible sizes are:

<u>Size Name</u>	<u>Hash Size</u>	<u>Ideal Number of Records</u>	<u>Target Range of Records</u>
Tiny	8	20	1-50
Extra-Small	32	50	1-200
Small	128	200	100-1,000
Medium (default)	512	1,000	200-5,000
Large	1024	4,000	1,000-10,000
Extra-Large	2048	10,000	2,000-20,000
Huge	4096	20,000	5,000-50,000
Extra-Huge	8192	50,000	>25,000

The table type and size are generally set by the experienced user who desires control over the optimization of database files. The default parameters are sufficient for most users. These parameters may be set by a call to ZSET prior to opening a new file with ZOPEN, or by the "SQUEEZE" or "OPEN" commands in DSSUTL.

The DSS software has been tested with database files containing over 200,000 records on MS-DOS and other computers. With larger files, use of the catalog becomes impracticable and all references to records should be made with their pathnames only. (When a catalog reference number is used, a sequential search is made through the catalog file for the pathname corresponding to that number. This search can take a long time for large catalogs.) When a correct table size is selected, the DSS shows little degradation in storing or retrieving records from a very large file. However, such large files are not recommended because of general computer limitations such as the backup and copying of those files.

## **1.5 Programming with DSS**

### **1.5.1 Opening and Closing DSS Files**

DSS was designed to be consistent with the style set by the FORTRAN 77 standards. Before data can be accessed in a DSS database file, the file must first be opened with subroutine ZOPEN. After all transactions are completed, the file is closed with subroutine ZCLOSE. Any calls to store or retrieve data without the file opened by ZOPEN will result in an error. Generally, a DSS file should not be opened more than once during the execu-

tion of a program. Never open or close a DSS file using a FORTRAN OPEN or CLOSE statement; DSS files must only be opened by ZOPEN and closed by ZCLOSE.

Programs can access more than one DSS file simultaneously. For example, data can be retrieved from one DSS file and stored in another. The first file opened by DSS will be connected to unit 71, then the second will be connected to unit 72, etc. The unit number can be modified by calling ZSET prior to ZOPEN. A separate IFLTAB array is needed for each opened DSS file.

### **1.5.2 The IFLTAB Array**

Programs accessing DSS must provide an array named IFLTAB for each DSS file opened. This array holds file pointers and parameters, and it can be viewed in a similar manner to a FORTRAN unit number. IFLTAB is an integer array that is dimensioned to 300 INTEGER\*4 words or 600 INTEGER\*2 words. On Harris "H series" computers, where DSS version 4 files might be accessed, the array must be dimensioned to 1200 INTEGER\*3 words. The IFLTAB array must not be altered after the DSS file has been opened. A separate IFLTAB array is needed for each DSS file opened concurrently.

Certain elements in IFLTAB contain key flags that are checked frequently by the DSS. If one of these flags has changed, then memory has been overwritten and the array is corrupted. When this occurs an error message is printed and the program is aborted. If this error occurs, it must be corrected before further work is done (bounds checking is useful for this).

### **1.5.3 DSS Subroutines**

Higher level subroutines are available to store and retrieve time series data, paired (curve) data, and text data. Time series data is composed of two categories: regular-interval and irregular-interval data. For regular-interval time series data, the date and time of each data value is implied by its position within the record. For irregular-interval time series data, each data value has its own date and time stamp associated with it. Regular interval time-series data is stored by subroutine ZSRTS or ZSRTSX and is retrieved by ZRRTS or ZRRTSX. Irregular interval time-series data is stored by subroutine ZSITS or ZSITSX and is retrieved by ZRITS or ZRITSX. Paired data, which usually defines a curve or set of curves, is stored by ZSPD and is retrieved by ZRPD. Text data may be stored by subroutine ZSTEXT or ZSTXTA and retrieved by ZRTEXT or ZRTXTA. Data that does not meet any of the conventions established may be stored in a DSS file by calling subroutine ZWRITE

and retrieved by calling ZREAD. These subroutines should only be used when no other subroutines are available for the type of data being used.

Other subroutines are available for the following tasks: to set parameters, such as the program name (ZSET); to inquire about the value of parameters (ZINQIR); to generate a pathname (ZPATH); to get pathname parts from a input line (ZGPNP); to break a pathname into separate parts (ZUPATH); to determine if a record exists and what its data type is (ZDTYPE); and to provide cataloging and other utility functions (e.g., ZCAT).

#### **1.5.4 Message Control**

DSS messages are written to FORTRAN unit 6. This message unit number may be set to some other number by calling the subroutine ZSET. The amount of message output can be controlled by setting "MLEVEL" (the message level) with ZSET. This message level can vary from 0 to 15. Level zero will cause information to be printed only when a sever error occurs. Most of the higher level subroutines, such as ZSRTS, will print an internal trace for debugging when the message level is set to 9. Message levels higher than 9 are for installing DSS on a new computer and generally do not provide any additional information for the programmer. The default level is 4, which prints the pathname whenever a record is retrieved or stored.

#### **1.6 Typical Order of Calling DSS Subroutines**

A typical sequence of programming instructions used to store or retrieve data in a DSS file is as follows:

- 1) The program detects that a DSS database file is to be accessed. For several HEC application programs this is triggered by a "ZR" or "ZW" record in the input.
- 2) The DSS file is opened by ZOPEN. The file name is often obtained from the execution line or from the input. If ZOPEN is called in a routine that may be called several times, a logical flag may be set to indicate that the file has already been opened (so the file will not be opened a second time). If data values are to be stored, the program name is set by a call to ZSET with the 'PROGRAM' parameter.

- 3) A DSS pathname for the data to be accessed is constructed from information on the "ZR" or "ZW" record. Often the subroutine ZGPNP (Get Pathname Parts) and ZPATH (Form Pathname) are called to produce the pathname.
- 4) If data values are to be stored, they are organized sequentially into an array. The data units and type are identified. If the data is time series, the associated times are identified.
- 5) The DSS storage or retrieval subroutine is called (e.g., ZSRTS or ZRRTS).
- 6) The status of the call is checked. If an error occurred, the appropriate action is taken.
- 7) If data was retrieved, it is used as input for the program.
- 8) The remaining sets of data are retrieved or stored, until all DSS accesses are completed.
- 9) When all DSS accesses are complete, the file is closed by ZCLOSE (often this is called at the end of the program).

## **1.7 Machine Specifics**

### **1.7.1 Harris Computers**

Access to DSS subroutines is accomplished by linking with the library HECLIB. HECLIB is stored in the qualifier 2000SYSS. These subroutines are compiled without any compiler options. A typical compilation and linking procedure is as follows:

```
SAUF77 MYSOURCE  
VU.R MYPROG  
LIB 2000SYSS*HECLIB *LIBERY  
BEGIN
```

The IFLTAB array must be dimensioned to 1200 INTEGER\*3 words on the Harris, to allow compatibility with DSS version 4 files. Unit 6 must be assigned to standard output prior to calling DSS, unless the message unit is reset with subroutine ZSET.

It should be noted that an old FORTRAN 66 version of HECLIB exists on some Harris computers. This library does not contain the subroutines documented in this manual.

## **1.7.2 Microcomputers Using Microsoft FORTRAN**

The DSS (and HECLIB) subroutines are compiled with Microsoft FORTRAN using a default word length of INTEGER\*2. All integer arguments passed to DSS subroutines must be this length, unless otherwise indicated. The julian dates and the time interval passed to the time series routines are some of the variables that must have a word length of INTEGER\*4. The IFLTAB array should be dimensioned to 600 INTEGER\*2 words or 300 INTEGER\*4 words.

The DSS subroutines are distributed in the library \LIB\HECLIB.LIB. At the time of the publication of this manual, the subroutines were compiled with Microsoft version 5.0. The following options were used to compile the library:

```
/Zl /FPi /Ols /4I2 /Gt80 /c
```

The Microsoft linker supplied with the FORTRAN compiler should be used to link your program. The linker supplied with DOS should not be used, as it does not know about the FORTRAN libraries (both linkers are named "LINK"). Typically, programs accessing DSS require additional segments. The number of segments can be increased by the link option /SE:number-of-segments. Generally 400 to 500 segments are needed. Occasionally the stack size may also need to be increased. The instructions necessary to compile and link a program with DSS might be the following:

```
FL /FPi /4I2 /c MYPROG.FOR  
LINK MYPROG /SE:400 /ST:3000 /NOD /E  
Library: HECLIB+LLIBFORE
```

(The DSS utility programs are linked with the large memory FORTRAN library with math chip emulation software.)

Occasionally, large programs will require a larger environment size. The error "HEAP SPACE EXCEEDED", obtained when executing the program, often indicates an insufficient environment size. To increase the size, the /P and /E switches need to be added to the COMMAND.COM command in your CONFIG.SYS file. An example of this is:

```
shell=c:\dos\command.com /p/e:512
```

More information about this may be found in your DOS manual under the COMMAND command.

DSS files generated with Microsoft FORTRAN are binary compatible with software compiled with different compilers for DOS and with most Unix computers. A DSS file can be copied (binary) to a Unix computer, then used by DSS programs on that computer (or

visa versa). Software linked to the HECLIB produced after February 1991 contains file locking features that allow multiple user access of DSS files on a networked system.

### **1.7.3 Microcomputers Using Lahey FORTRAN**

The DSS and HECLIB subroutines have been compiled with Lahey and Lahey extended memory (32 bit) FORTRAN. The library compiled with the regular Lahey compiler has a default integer word length of INTEGER\*2. The library compiled with extended memory Lahey has a default integer word length of INTEGER\*4. Because not all HECLIB subroutines have been converted to Lahey, it is preferred that the Microsoft FORTRAN HECLIB be used, if possible. The IFLTAB array must be dimensioned to 600 INTEGER\*2 words or 300 INTEGER\*4 words.

The DSS library compiled with regular Lahey FORTRAN is distributed in the file \LIB\HECLIBL.LIB, and the library compiled with extended memory Lahey is distributed in \LIB\HECLIBL3.LIB. The following options are used in the F77L3.FIG file to compile the library with extended memory Lahey:

/n0/n7/B/C/D/nF/nH/I/nK/nL/nO/P/nQ1/R/nS/nT/W/nX/Z1

Note that the /D option is needed so that DSS files (which are direct access) will not have a Lahey Header. The subroutine compiled with the regular Lahey compiler use the option "/T" to default integer word lengths to INTEGER\*2.

DSS files generated with either Lahey compiler are binary compatible with DSS files created with the Microsoft compiler and with most Unix computers. However, the Lahey ZOPEN may adjust the DSS file size if it has been opened by program compiled by Microsoft.

### **1.7.4 Unix Operating Systems**

The DSS and HECLIB subroutines have been compiled in several Unix operating systems. (Contact HEC for a current list of which Unix computers for which DSS is available.) The library is compiled with a default integer word length of INTEGER\*4. The IFLTAB array should be dimensioned to 300 INTEGER\*4 words.

Generally, the library is compiled using the default compiler options. The library is distributed in the file:

`/usr/heclib/heclib.a`

DSS files are generally compatible across Unix and DOS computers. However, DSS files created by a library not converted by HEC may be incompatible with other computers.

## **2 General Subroutines**

This chapter describes general DSS subroutines, including ZOPEN and ZCLOSE, both of which must be called by all programs accessing DSS. ZOPEN opens (or connects) a DSS file before any data transactions can occur. ZCLOSE closes (or disconnects) a DSS file after all accesses to that file are complete. ZOPEN and ZCLOSE should be called once for each DSS file accessed.

ZFNAME adds any default extensions to a DSS file name (e.g., ".dss") and determines if that file exists. ZFVER will determine the DSS version number of a file before it is opened with ZOPEN.

ZDTYPE determines if a record exists and, if it does, returns its data type (e.g., whether it is regular-interval time series, paired data, etc.).

ZSET provides a means of setting several DSS parameters during execution. Items, such as the program name, and the message level (trace) may be set. ZINQIR provides a means of determining what parameters are set to. This includes items such as the message level, the DSS version, and the number of records in a file.



## **ZOPEN**

### **2.1 ZOPEN - Open a DSS File**

#### **Purpose:**

ZOPEN is used to open (or connect) a DSS file. If the file does not exist, ZOPEN will create it with public access. Except for the subroutines ZFNAME, ZFVER and ZSET, ZOPEN must be called prior to any other DSS subroutine.

ZOPEN must be called once (and only once unless the file is closed) for each DSS file to be accessed. DSS files cannot be opened or connected by any other means.

#### **Calling Sequence:**

```
CALL ZOPEN (IFLTAB, CNAME, IOSTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), IOSTAT  
CHARACTER CNAME*(*)
```

#### **Argument Description:**

IFLTAB	(Input-Output) IFLTAB is an array used by the DSS software to manage the file. After the DSS file has been opened, that file is referred to in DSS subroutines by IFLTAB. Each DSS file opened must have its own IFLTAB array, and that array must not be altered. See "Remarks" concerning the required length of IFLTAB.
CNAME	(Input-Output) The name of the DSS file to be opened. If the computer uses file name extensions (e.g., "db.dss"), ZOPEN will append the default extension (".dss") to the name if it has none.
IOSTAT	(Output) A status parameter indicating the success of the operation. If IOSTAT is returned with zero, then the file was opened successfully. If IOSTAT is returned non-zero, then a fatal error occurred, and the file was not opened. Do not attempt to retrieve or store data if IOSTAT is non-zero. The possible values are:

IOSTAT	Description
0	Successful Open.
-1	Unable to create the DSS file.
-2	Unable to connect to the file.
-3	Incompatible DSS versions.
-10	No file name was provided.
>0	Unable to OPEN the file; See the IOSTAT parameter in the OPEN statement of your FORTRAN manual.

**Remarks:**

For DSS version 6, IFLTAB must have a length of 300 long integer words, or 600 short integer words. On Harris computers, its length must be 1200 (short) integer words for compatibility with version 4 of DSS. Hereafter, its length will be shown as 600 (short) integer words.

ZOPEN will create the DSS file if it does not exist. Subroutine ZFNAME can be called prior to ZOPEN to determine if the file exists.

ZOPEN must be called once per DSS file used. ZCLOSE must be called when all references to that file are complete. After ZOPEN, a DSS file is referred to by use of the IFLTAB array. By default, the first DSS file opened will be connected to unit 71, the second to unit 72, etc. This parameter may be changed by a call to ZSET.

**DO NOT** attempt to open a DSS file with an OPEN statement, or ASSIGN or ATTACH a DSS file as ZOPEN will accomplish this. To do so may destroy the DSS file (IBM mainframes are an exception).

The DSS version of a file (e.g., 5-BD or 6-FA) can be determined prior to calling ZOPEN with subroutine ZFVER. Once the file has been opened, a call to ZINQIR will obtain the version.

**Example:**

```

      INTEGER IFLTAB(600)
      CHARACTER CNAME*64, CNNAME*64
      LOGICAL LEXIST
C
C      Connect unit 6 to the standard output via ATTACH.
      CALL ATTACH ( 6, 'OUTPUT', 'STDOUT', ' ', CNAME, ISTAT)
C      Get the name of the DSS file from the execution line via ATTACH.
      CALL ATTACH ( IDUM, 'DSSFILE', ' ', 'NOP', CNAME, ISTAT)
      CALL ATTEND
C
C      Because data is to be retrieved, make sure the DSS file exists
C      before calling ZOPEN (as ZOPEN would create it).
      CALL ZFNAME (CNAME, CNNAME, NNAME, LEXIST)
      IF (.NOT.LEXIST) THEN
        WRITE (6,10) CNNAME
10      FORMAT ( ' ** The DSS File does not exist: ',A)
        GO TO 900
      ENDIF
C
      CALL ZOPEN (IFLTAB, CNAME, IOSTAT)
      IF (IOSTAT.NE.0) THEN
        WRITE (6,20) IOSTAT, CNAME
20      FORMAT ( ' *** Error in opening DSS file, status:',I5,
*           ' , Name: ',A)
        GO TO 900
      ENDIF

```

## **ZCLOSE**

### **2.2 ZCLOSE - Close a DSS File**

#### **Purpose:**

ZCLOSE is used to close (or disconnect) a DSS file after all DSS transactions with that file have been completed. ZCLOSE must be called once (and only once) for each DSS file opened.

#### **Calling Sequence:**

CALL ZCLOSE (IFLTAB)

#### **Declarations:**

INTEGER IFLTAB(600)

#### **Argument Description:**

IFLTAB	(Input-Output) The work space used by DSS to manage the file. This is the same array that is used in the ZOPEN call and most other DSS subroutines.
--------	-----------------------------------------------------------------------------------------------------------------------------------------------------

#### **Remarks:**

ZCLOSE "zeros" the IFLTAB array so that another DSS file can be opened with it afterwards. Once a file is closed, it must be reopened before it can be accessed again. Information about the file size and number of records is written to standard output by ZCLOSE.

### 2.3 ZFNAME - Add File Name Extension and Determine if the File Exists

#### Purpose:

On computers where file name extensions are used, ZFNAME will add the default extensions to a DSS file name (unless the file name already has an extension) and determine if that file exists. File name extensions include ".DSS" on MS-DOS computers and ".dss" on Unix machines. ZFNAME is an optional subroutine, as ZOPEN will automatically add extensions to the name.

#### Calling Sequence:

```
CALL ZFNAME (CNAMIN, CNAME, NNAME, LEXIST)
```

#### Declarations:

```
CHARACTER CNAMIN*(*), CNAME*64
INTEGER NNAME
LOGICAL LEXIST
```

#### Argument Description:

CNAMIN	(Input) The DSS file name. This is generally the name a user enters. The name may or may not have extensions.
CNAME	(Output) The DSS file name with the default extensions added to it. If the file name already has an extension, or the computer does not use extensions, no extension will be added.
NNAME	(Output) The number of non-blank characters in CNAME (i.e., its length).
LEXIST	(Output) A logical variable set to .TRUE. if the file exists, or .FALSE. if it does not.

#### Remarks:

An extension in the name is defined as a period and any characters that follow it. On MS-DOS computers the default extension is ".DSS". However, a DSS file does not necessarily have to have that extension (although DSS utility programs will not "highlight" files that do not have the ".DSS" extension). Any extension or no extensions are legal for a DSS file name, as long as a period appears in the name. For example, "MYDB.DAT", and "MYDB." are allowable names, whereas "MYDB" (with no period) will have ".DSS" automatically added to it. The default extension of the catalog file is ".DSC".

Similarly, Unix computers use a default extension of ".dss". and the catalog has an extension of ".dssc". No extension will be added if the file name contains a period within it. On computers where extensions are not commonly used (e.g., Harris), ZFNAME will not change the name (CNAME will equal CNAMIN), and will only determine if the file exists.

## ZFNAME

### Example:

```
C      Open a DSS file for retrieving data.
C
      CHARACTER CNAMIN*64, CNAME*64
      LOGICAL LEXIST
C
      CALL ATTACH ( 0, 'DSS', ' ', 'NOP', CNAMIN, ISTAT)
      . . .
C
      IF (CNAMIN(1:1).EQ.' ') THEN
        WRITE (6,*)'No DSS file name provided!'
        GO TO 900
      ENDIF
C
      CALL ZFNAME (CNAMIN, CNAME, NNAME, LEXIST)
C
      IF (.NOT.LEXIST) THEN
        WRITE (6,20) CNAME(1:NNAME)
20      FORMAT (' The DSS File ',A,' Does Not Exist!','/
*      ' The DSS file must exist in order to retrieve data.')
```

## **2.4 ZDTYPE - Determine a Record's Data Type and if it Exists**

### **Purpose:**

ZDTYPE determines if a record exists and, if it does, returns its data type (e.g., whether it is regular-interval time series, paired data, etc.). If the record does not exist, ZDTYPE will examine the pathname in an attempt to determine if it follows the time-series conventions.

### **Calling Sequence:**

```
CALL ZDTYPE (IFLTAB, CPATH, NSIZE, LEXIST, CDTYPE, IDTYPE)
```

### **Declarations:**

```
INTEGER IFLTAB(600), NSIZE, IDTYPE
CHARACTER CPATH*80, CDTYPE*3
LOGICAL LEXIST
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the record to examine. The length of CPATH is implicit (e.g., CPATH(1:NPATH)).
NSIZE	(Output) The size of the data portion of the record, given relative to floating point values (i.e., if the record consisted of real numbers). If the record does not exist, NSIZE is returned as zero.
LEXIST	(Output) A logical variable set to .TRUE. if the record exists.
CDTYPE	(Output) The character representation of the data type. This variable corresponds to the data type displayed in the catalog file and as shown below.
IDTYPE	(Output) An integer flag indicating the data type. The currently defined data types are as follows:

IDTYPE	CDTYPE	Data Type
0	UND	Undefined
100	RTS	Regular-Interval Time Series Data
110	ITS	Irregular-Interval Time Series Data
200	PD	Paired Data
300	TXT	Text Data

## ZDTYPE

### Remarks:

ZDTYPE replaces the function of subroutine ZCHECK. The data type is stored by the standard storage routines (e.g., ZSRTS), while ZWRITE sets the data type to 0 (undefined). Data types cannot be changed or set externally.

### Example:

```
C      Tabulate different types of data in a DSS file.
C
      INTEGER IFLTAB(600)
      CHARACTER CPATH*80, CDTYPE*3
      LOGICAL LEXIST
      . . .
C
C      Open the DSS file.
      CALL ZOPEN (IFLTAB, ...
C
C      Get the pathname.
      WRITE (6,*) 'Enter DSS Pathname'
      READ (5, 20, END=800, ERR=900) CPATH
20    FORMAT (A)
C
C      Determine if the record exists, and its data type.
      CALL ZDTYPE (IFLTAB, CPATH, NSIZE, LEXIST, CDTYPE, IDTYPE)
C
C      Print a message if the record does not exist, and it
C      is not time series. (If the data is time series with a time
C      window, the "D" (date) part is not required; thus the record
C      may exist with another D part.)
      IF ((.NOT.LEXIST).AND.(CDTYPE(2:3).NE.'TS')) THEN
        WRITE (6,40) CPATH
40      FORMAT (' Record Does Not Exist: ',A)
        GO TO 200
      ENDIF
C
      IF (IDTYPE.EQ.100) THEN
        CALL ZRRTS ( ...
C
      ELSE IF (IDTYPE.EQ.110) THEN
        CALL ZRITS ( ...
C
      ELSE IF (IDTYPE.EQ.200) THEN
        CALL ZRPD ( ...
C
      ELSE IF (IDTYPE.EQ.300) THEN
        CALL ZRTEXT ( ...
C
      ELSE
        CALL ZREAD ( ...
C
      ENDIF
```

## **2.5 ZSET - Set DSS Parameters**

### **Purpose:**

ZSET provides a means of resetting several default parameters used by DSS. This includes items such as the name of the program storing data, the DSS file unit number to use, etc.. ZSET may be called at any time (before or after ZOPEN).

### **Calling Sequence:**

CALL ZSET (CITEM, CSTR, INUMB)

### **Declarations:**

INTEGER INUMB  
CHARACTER CITEM\*4, CSTR\*6

### **Argument Description:**

CITEM	(Input) The item to be set. Items may be abbreviated to the first 4 characters of the name. A list of the available items follows.
CSTR	(Input) A character string containing the value to be set. If the parameter to be set is an integer number, this argument is ignored (and can be ' ').
INUMB	(Input) The integer number containing the value to be set. If the parameter to be set is a character string, this argument is ignored.



## ZSET

### Summary Table:

CITEM	Description	Default	
		CSTR	INUMB
'PROGRAM'	Sets the name of the program to store with the data.	'Undefi'	
'UNIT'	Sets the unit number of the next DSS file to be opened (via ZOPEN).		71
'MLEVEL'	Sets the message level (trace) for MUNIT.		4
'MUNIT'	Sets the unit number of the message output (standard out).		6
'80COL'	Abbreviates the size of messages to fit within 80 columns.	'OFF'	
'TAG'	Sets the tag of the next record to be written.		
'PRECISION'	Sets the precision of the data for use by utility programs.		0
'TOLERANCE'	Sets the tolerance of regular-interval times series data to prevent overwriting unchanged data.		0
'PROTECT'	Protects existing records from being written over.	'OFF'	
'READONLY'	Places the file in a "read only" mode.	'OFF'	
'EXCLUSIVE'	Places the file in an "exclusive use" mode.	'OFF'	
'WLOCK'	Places the file in an "exclusive write lock" mode.	'OFF'	
'SIZE'	Sets the internal hash table size for a new file.	'MEDIUM'	1000
'TABLE'	Indicates whether a dynamic or stable hash table should be used for a new file.	'DYNAMIC'	
'COMP'	Re-compresses regular- interval time series data when ZCOFIL is called.	'OFF'	
'CAST'	Catalog Status - Causes a status line to be displayed during a catalog.	'OFF'	
'SQST'	Squeeze Status - Causes a status line to be displayed during a file copy.	'OFF'	
'MAP'	Causes a catalog map to be created when a new catalog is generated.	'OFF'	
'MAPUNIT'	Sets the unit number to use for the catalog map file.		

Parameters:

**PROGRAM** This sets the name of the program which is stored with the data. The name can be up to six characters long. This call should be made prior to calling any DSS storage subroutines. The default value is 'Undefi'.

**UNIT** This sets the unit number of the next DSS file to open. In order to use this parameter, ZSET must be called prior to ZOPEN for that file (you cannot change the unit number once the file has been opened). This setting will not change the unit number of other DSS files to be opened. The default unit number of the first DSS file opened is 71, the second is 72, and for subsequent files the unit number is incremented by one.

**MLEVEL** This sets the level of messages to be written to the output unit (MUNIT). The level ranges from "abort" only messages to internal trace messages. Level 4 is the default. Levels greater than 5 provide debugging messages for some DSS subroutines (see documentation on the specific subroutine for debug levels). Level 10 and above are used for first time installation of DSS on a new computer (and will generate several pages of cryptic trace for one write). A higher level incorporates all lower level messages.

<u>Level</u>	<u>Type of Messages</u>
0	Messages from an abort only.
1	ZOPEN and ZCLOSE statements.
2	Error and warning messages.
3	ZWRITE messages.
4	ZREAD messages (default).
7	Beginning level of debugging messages.
8	Intermediate level of debugging messages.
9	Maximum level of debugging messages.
>10	Internal DSS trace (don't use unless you know what you are doing).

**MUNIT** This sets the unit number for messages (the standard output). The default is unit 6. The unit must be opened prior to calling ZSET.

**80COL** When CSTR is 'ON', DSS output messages (e.g., ZWRITE and ZREAD messages) are abbreviated so that they will (usually) fit within 80 columns. If pathnames are long, the 80 column size may be exceeded.

**TAG** This causes CSTR to be the tag for the next new record written (or multiple records for a single call to store time-series data). The tag can be up to 8 character long. It must begin with a non-numeric character and cannot have embedded blanks or commas. See chapter 7 for more information on tags. Default tags will be used for subsequent writes (ZSET must be called prior to every write where a tag is to be set).

**PRECISION** This stores a precision value to be used by utility programs when tabulating the record. The precision is a number between 1 and 7 that represents the minimum number of places to the right of the decimal that must be displayed. If the precision is 2, the data will be displayed to the nearest hundredth; 3 indicates to the nearest thousandth. A zero indicates no precision value is set. The precision is set only for the next record written (i.e., call ZSET just prior to each write). Subsequent writes will not store a precision value unless ZSET is called again.

## ZSET

- TOLERANCE** When storing regular-interval time series data (ZSRTS), this setting provides a means of preventing existing data from being overwritten with the same data but at a possibly lesser precision. This is designed to preserve the precision of unchanged data during editing. The tolerance is a number between 0 and 7 that indicates the accuracy of data by the number of places to the right of the decimal. For example, if a tolerance of 2 is set, a data value that was within a hundredth of the value currently stored would not replace that value (138.76 would not replace 138.7574, but 138.77 would). The tolerance is set only for the next record written (i.e., call ZSET just prior to each ZSRTS). No tolerance is checked for subsequent writes (unless ZSET is called again). This setting is ignored for new records.
- PROTECT** When CSTR is 'ON', this prevents the next record to be written from writing over an existing record (with the same pathname). The protection is only for the next record written (i.e., call ZSET just prior to each write). Existing records for subsequent writes are not protected (unless ZSET is called again).
- READONLY** When CSTR is 'ON' prior to the call to ZOPEN, this will cause the next file opened to be placed in a "read only" mode. Nothing can be written to the file in this mode. This setting does not prevent other programs from writing to the file. This flag applies only to the next file opened; subsequent files opened will be in a read/write mode unless ZSET is called again.
- EXCLUSIVE** When CSTR is 'ON' prior to a call to ZOPEN, this will cause the next file opened to be placed in a "exclusive use" mode. No other programs can access the file in this mode. This flag applies only to the next file opened; subsequent files opened will be opened normally unless ZSET is called again.
- WLOCK** When CSTR is 'ON' prior to the call to ZOPEN, this will cause the next file opened to be placed in a "exclusive write lock" mode. In this mode the file is placed in an exclusive use mode, and portions of the main address tables are kept in memory, causing writing to be slightly faster. If the file is not correctly closed (a system crash or power failure), the file will have to be squeezed by DSSUTL prior to being used. No other programs can access the file in this mode. This flag applies only to the next file opened; subsequent files will be opened normally unless ZSET is called again.
- SIZE** This parameter sets the size of the internal hash-address table (according to the expected number of records) for new files. The expected number of records should be passed as INUMB. Alternatively, the size name, as describe in the DSSUTL open command documentation, can be passed in CSTR instead of INUMB. This call is ignored for existing files.
- TABLE** This parameter sets the internal hash-address table type for new files. CSTR can be either 'DYNAMIC' or 'STABLE'. A stable table is primarily intended for databases that do not change in size frequently. A dynamic table is intended where the file size may vary considerably or where the ultimate file size is not known. A stable table reserves a large portion of space at the beginning of the file for the table (which is incrementally added in a dynamic table). This call is ignored for existing files.

<b>COMP</b>	When set to 'ON', prior to a call to ZCOFIL, this will cause regular-interval time series data to be "re-compressed" as it is copied. The compression method used will be that which matches pathname parts set in the file's compression header. If the file does not have a compression header, then all the data will be "un-compressed".
<b>CAST</b>	When set to 'ON', prior to a call to ZCAT, this will cause a status line to be written to MUNIT during cataloging. The status line is updated every 10 records. MUNIT must be connected to a terminal or console (not a file) during the catalog.
<b>SQST</b>	When set to 'ON', prior to a call to ZCOFIL, this will cause a status line to be written to MUNIT during copying. The status line is updated during the copy. MUNIT must be connected to a terminal or console (not a file) during the copy.
<b>MAP</b>	When set to 'ON', a map output is written to unit MAPUNT when a new catalog is created. See the ZCAT subroutine documentation for more information. Before setting MAP to 'ON', call ZSET setting MAPUNT to a valid unit number. MAP is set to 'OFF' by default.
<b>MAPUNT</b>	This sets the unit number for the MAP output when MAP is 'ON' and a new catalog is created. The unit must have been previously opened. See the ZCAT subroutine documentation for further information.

**Remarks:**

The precision and tolerance parameters are completely independent of each other, as are the size and table type parameters. The size parameter is set more frequently than the table type. The message unit (MUNIT) must be connected to a terminal or console to set the catalog status or squeeze status. If a file has system read only permission, READONLY is set to ON automatically by ZOPEN. The exclusive use mode may not be available on all computers. The exclusive write lock mode should be set sparingly.

## ZSET

### Example:

```
C      If this is a new file, set the hash size.
      CALL ZFNAME (CN, CNAME, NNAME, LEXIST)
C
      IF (.NOT.LEXIST) THEN
        CALL ZSET ('SIZE', ' ', 5000)
      ENDIF
C
      CALL ZOPEN (IFLTAB, CNAME, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C      Set the program name and output to 80 columns.
      CALL ZSET ('PROG', 'DATSTR', IDUM)
      CALL ZSET ('80COL', 'ON', IDUM)
C
C      . . .
C
C      Store regular-interval time series data.
C      Set the tag and the precision.
      MAXPRE = 0
      NVALS = 0
100  CONTINUE
      READ (9,120,END=200) CLINE
120  FORMAT (A)
C      Parse the line.
      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
C
      DO 140 I=1,NFIELD
        NVALS = NVALS + 1
        VALUES(NVALS) = XREAL (CLINE, IBF(I), ILF(I), IERR)
        IF (IERR.NE.0) GO TO 910
        N = INDEX (CLINE(IBF(I):IEF(I)), '.')
        IF (N.GT.0) THEN
          J = ILF(I) - N
          IF (N.GT.MAXPRE) MAXPRE = N
        ENDIF
140  CONTINUE
C
C      Go back and read the next value.
      GO TO 100
C
C      All the data has been read; store it.
      CALL ZSET ('TAG', 'NF-FLOW', IDUM)
      CALL ZSET ('PREC', ' ', MAXPRE)
      IF (LDEBUG) CALL ZSET ('MLEVEL', ' ', 9)
      CALL ZSITS (IFLTAB, . . .
```

## **2.6 ZINQIR - Inquire About DSS Parameters**

### **Purpose:**

ZINQIR provides a means of determining what parameters or flags are set to. This includes items such as the message level, a record's last written date and time, and the number of records in the file.

### **Calling Sequence:**

CALL ZINQIR (IFLTAB, CITEM, CSTR, INUMB)

### **Declarations:**

INTEGER IFLTAB(600), INUMB  
CHARACTER CITEM\*4, CSTR\*(\*)

On MS-DOS microcomputers, INUMB must be INTEGER\*4:

INTEGER\*4 INUMB

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CITEM	(Input) The item to inquire about. Items may be abbreviated to four characters. A list of available items follows.
CSTR	(Output) If the item inquired about is returned as a character string, it is returned in this variable.
INUMB	(Output) If the item inquired about is returned as an integer number, it is returned in this variable.

### **Remarks:**

ZINQIR will either return a character string, or an integer number; the other variable will be unchanged. Several items refer to the last record read (e.g., record version). If no records have been accessed, the variables will be undefined. The information returned is current to the time the file was last accessed by your program. If someone else is writing to the file at the same time, and you have not accessed the file for some time, some of the information returned may not be current (e.g., the number of records in the file).

## ZINQIR

### Summary Table:

CITEM	Description	Variable
'80COL'	Returns 'ON' if the abbreviate messages to 80 column flag is set.	CSTR
'DEAD'	Returns the percentage of dead space in this file.	INUMB
'FDATE'	Returns the creation date of the DSS file.	CSTR
'FVERS'	Returns the DSS version of the file when it was created.	CSTR
'HSIZE'	Returns the hash table size.	INUMB
'MLEVEL'	Returns the message level.	INUMB
'MUNIT'	Returns the unit number used for message output.	INUMB
'NAME'	Returns the name of DSS file.	CSTR
'NREC'	Returns the number of records in the file.	INUMB
'PRECISION'	Returns the precision setting of the last record read.	INUMB
'PROGRAM'	Returns the name of the program for the last record read.	CSTR
'FLAGS'	Returns the data flag for the last record read.	INUMB
'RDATE'	Returns the last write date of the last record read.	CSTR
'READONLY'	Returns 'ON' if the file is in a read only mode.	CSTR
'RTIME'	Returns the last write time of the last record read.	CSTR
'RVERS'	Returns the version number of the last record read.	INUMB
'SIZE'	Returns the size of the DSS file in kilobytes.	INUMB
'TABLE'	Returns the hash table type of the file.	CSTR
'TAG'	Returns the tag of the last record read.	CSTR
'UNIT'	Returns the unit number of the DSS file.	INUMB
'VERSION'	Returns the DSS software version.	CSTR

**Parameters:**

<b>80COL</b>	This returns 'ON' in CSTR if the abbreviate message output to 80 columns flag is set. If the flag is not set, 'OFF' is returned.
<b>DEAD</b>	This returns in INUMB the percentage of inactive space in the file, rounded to the nearest integer.
<b>FDATE</b>	This returns in CSTR the creation date of the DSS file, as recorded in the file header. The date is in a 7 character military style form (e.g., 20MAR84).
<b>FVERS</b>	This returns in CSTR the DSS version of the file when it was created, or last squeezed. The version is returned in a form similar to "6-FC".
<b>HSIZE</b>	This returns in INUMB the hash table size as a number of 1 through 8. The eight sizes correspond to the sizes discussed in the DSSUTL open command, where 1 represents 'tiny', and 8 'extra-huge'.
<b>MLEVEL</b>	This returns in INUMB the current message level. See the MLEVEL documentation in ZSET for information on the different levels.
<b>MUNIT</b>	This returns in INUMB the unit number for writing messages.
<b>NAME</b>	This returns in CSTR the name of the DSS file.
<b>NREC</b>	This returns in INUMB the number of records in the file, according to the last access (if someone else is writing to the file at the same time, the actual number may be different).
<b>PRECISION</b>	This returns in INUMB the precision setting of the last record read. If INUMB is zero, no precision has been set for that record. See ZSET for more information.
<b>PROGRAM</b>	This returns in CSTR the name of the program which stored data in the last record read.
<b>FLAGS</b>	This returns in INUMB the data flag of the last record read. INUMB will be 1 if data flags are used, otherwise it will be returned as 0.
<b>RDATE</b>	This returns in CSTR the last write date of the last record read. The date is returned in a military style (e.g., 20MAR78).
<b>READONLY</b>	This returns 'ON' in CSTR if the file mode is set to read only.
<b>RTIME</b>	This returns in CSTR the last write time of the last record accessed. The time is given in twenty-four hour clock time (e.g., 1630 for 4:30 p.m.).
<b>RVERS</b>	This returns in INUMB the version number of the last record accessed. The version number corresponds to the number of times that record has been written to.



## **ZINQIR**

<b>SIZE</b>	This returns in INUMB the size of the DSS file in kilobytes (according to the last access).
<b>TABLE</b>	This returns in CSTR 'DYNAMIC' if the hash table is dynamic, or 'STABLE' if the table type is stable.
<b>TAG</b>	This returns in CSTR the tag of the last record read.
<b>UNIT</b>	This returns in INUMB the unit number of the DSS file.
<b>VERSION</b>	This returns in CSTR the current DSS software version. Versions are in a form such as "6-EA".

## **2.7 ZFVER - Get a DSS File's Version**

### **Purpose:**

ZFVER determines the software version for an un-opened DSS file. This routine is used primarily in environments where older (incompatible) DSS version files may exist (for example both DSS versions 5 and 6 exist on MS-DOS computers). The software version for an opened DSS file may be obtained by the subroutine ZINQIR.

### **Calling Sequence:**

CALL ZFVER (CNAME, CVER, IVER)

### **Declarations:**

CHARACTER CNAME\*64, CVER\*4  
INTEGER IVER

### **Argument Description:**

CNAME	(Input) The name of the DSS file. The default file name extension will be used if no extension is passed (and the computer system uses extensions). The file must be un-opened.
CVER	(Output) The four character DSS version identifier (e.g., "6-FC"). If the file is not a DSS file, CVER will be returned blank filled.
IVER	(Output) The DSS file version number, or status parameter if the file is not a DSS file. The possible values returned are:

#### **IVER Description**

-3	The file is not a DSS file.
-2	Unable to access the file (but it exists).
-1	The file does not exist.
4	Version 4 file.
5	Version 5 file.
6	Version 6 file.

### **Remarks:**

ZFVER calls ZFNAME to determine if the file exists. If it does, it is temporarily opened, and key file identifiers are read and examined. ZFVER can also be used to determine if a file is a DSS file before calling ZOPEN.

## ZFVER

### Example:

```
C      Open a DSS file.  It is ok to open a new DSS file, but
C      don't open a non-DSS file, or an older version file.
C
C      CHARACTER CNAME*64, CVER*4
C
C      CALL ATTACH ( 0, 'DSS', ' ', 'NOP', CNAME, ISTAT)
C      . .
C
C      CALL ZFVER (CNAME, CVER, IVER)
C
C      IF (IVER.EQ.-3) THEN
C          WRITE (6,20) CNAME
20      FORMAT (' File ',A,' is not a DSS file!')
C          GO TO 900
C      ENDIF
C
C      IF (IVER.EQ.-2) THEN
C          WRITE (6,40) CNAME
40      FORMAT (' Unable to Access File ',A)
C          GO TO 900
C      ENDIF
C
C      A IVER of -1 is ok (the file does not exist).
C
C      IF (IVER.NE.6) THEN
C          WRITE (6,60) CNAME, CVER
60      FORMAT (' The file ',A,' is a version ',A,' file',/
*      ' This program can only access DSS version 6 files.')
C          GO TO 900
C      ENDIF
C
C      CALL ZOPEN (IFLTAB, CNAME, ISTAT)
```

### **3 Pathname Manipulation Subroutines**

DSS records are referenced by their pathnames. A pathname consists of up to 80 characters and is, by convention, separated into six parts. The parts are referred to by the characters A, B, C, D, E, and F, and are delimited by a slash "/", as follows:

/A/B/C/D/E/F/

Each pathname part may contain up to 32 characters, with the total length of the pathname not exceeding 80 characters. Pathname parts may have embedded blanks (e.g., "RED RIVER" for the A part), but blanks prior to and following each part are removed (so that a blank will never be adjacent to a slash).

Valid pathname characters are the set of upper case characters, digits, the space character and the characters ! \$ % & ( ) \* + - . : ; < > ? [ ] { } \ | ~. The characters @ # = can also be used, but are discouraged because they conflict with other uses. Invalid pathname characters are the set of lower case characters, control characters (including the null character), the characters , ' " ^ and the "delete" character. Any lower case characters used in a pathname are translated to upper case by the DSS software. The forward slash (/) can only be used as a part separator.

Refer to the data conventions portion of the Overview section in the "HECDSS User's Guide and Utility Program Manuals" as to what each of the parts should contain.

Subroutine ZPATH constructs a pathname from the six pathname parts. ZUPATH determines the beginning and ending position and length of each part of a pathname. ZUFPN (un-form pathname) returns each part of a pathname in a character variable. ZGPNP (get pathname parts) obtains pathname parts from a line where the parts are identified by the part letter and an equal sign (e.g., A=SCIOTO, B=SOUTH BEND). An example of using ZPATH, ZUFPN, and ZGPNP is provided in the ZGPNP documentation.

ZCHKPN examines a pathname to determine if it meets the requirements for a pathname. This includes determining if the pathname contains seven slashes, is equal to or less than 80 characters in length, and contains invalid characters (e.g., control codes).

## **ZPATH**

### **3.1 ZPATH - Construct a Pathname**

#### **Purpose:**

ZPATH constructs a DSS pathname from the six pathname parts. ZPATH removes leading and trailing blanks from each part, and inserts a slash (/) between each part and at the beginning and end of the pathname.

#### **Calling Sequence:**

CALL ZPATH (CA, CB, CC, CD, CE, CF, CPATH, NPATH)

#### **Declarations:**

CHARACTER CA\*32, CB\*32, CC\*32, CD\*32, CE\*32, CF\*32, CPATH\*80  
INTEGER NPATH

#### **Argument Description:**

CA	(Input) A character string containing the "A" part of the pathname. The part may be up to 32 characters in length. The part may have blanks before and after the part, which will be removed by ZPATH. Embedded blanks (e.g., "RED RIVER") are not removed. A null part should be specified by setting the part to all blanks (e.g., CA = ' ').
CB	(Input) The "B" part of the pathname.
CC	(Input) The "C" part of the pathname.
CD	(Input) The "D" part of the pathname.
CE	(Input) The "E" part of the pathname.
CF	(Input) The "F" part of the pathname.
CPATH	(Output) The completed pathname.
NPATH	(Output) The number of characters in the pathname.

#### **Remarks:**

ZPATH replaces the functionality of subroutine ZFPN. Each pathname part may contain up to 32 characters, and the pathname may be up to 80 characters in length (including slashes). If the sum of the parts and slashes is greater than 80 characters, the last part(s) will be truncated so that the pathname is 80 characters.

An empty or null pathname part is specified by passing a blank string (' '). Parts should be blanked prior to calling ZPATH so that null characters (CHAR(0)) do not become accidentally imbedded in the pathname.

**Example:**

```
      CHARACTER CPATH*80, CA*32, CB*32, CF*32
C
      WRITE (6,*)'Enter Basin Name'
      READ (5,10,END=100,ERR=900) CA
10    FORMAT (A)
      WRITE (6,*)'Enter Location Name'
      READ (5,10,END=100,ERR=900) CB
C
      CF = 'COMPUTED'
C
      CALL ZPATH (CA, CB, 'STAGE-DAMAGE', ' ', ' ', CF,
* CPATH, NPATH)
C
      WRITE (6,20) CPATH(1:NPATH)
20    FORMAT (' Pathname: ',A)
```

## **ZUPATH**

### **3.2 ZUPATH - Determine a Pathname's Parts**

#### **Purpose:**

ZUPATH determines the beginning and ending position, and length of each part of a pathname. This information is returned in 3 six-element integer arrays. The subroutine ZUFPN may be called instead of ZUPATH to return the pathname parts.

#### **Calling Sequence:**

CALL ZUPATH (CPATH, IBPART, IEPART, ILPART, ISTAT)

#### **Declarations:**

CHARACTER CPATH\*80  
INTEGER IBPART(6), IEPART(6), ILPART(6), ISTAT

#### **Argument Description:**

CPATH	(Input) The pathname to process.
IBPART	(Output) A six-element integer array returned with the beginning positions (in CPATH) of each of the pathname parts. IBPART(1) is the beginning position of the "A" part, IBPART(2) is the beginning position of the B part, etc.. The starting positions do not include slashes.
IEPART	(Output) A six-element integer array returned with the ending position of each of the pathname parts. The ending position is the last character in each part, and does not include the slash.
ILPART	(Output) A six element integer array returned with the length of each of the pathname parts (excluding slashes). A null part is returned with a length of zero.
ISTAT	(Output) A status parameter that is set to zero if there were no errors. If CPATH is not a valid pathname, ISTAT is returned as -1.

#### **Remarks:**

If a pathname part is null (ILPART() = 0 ), the beginning position and the ending position are both set to the position of the slash following the null part. A program should not attempt to use these positions when a part is null.

Example:

```

C      If a pathname meets the time series conventions,
C      print the D part and the time interval (in minutes).
      CHARACTER CPATH*80, CC
      INTEGER IBPART(6), IEPART(6), ILPART(6)

C
      READ (9,20,END=200,ERR=900) CPATH
20     FORMAT (A)
C
      CALL ZUPATH (CPATH, IBPART, IEPART, ILPART, ISTAT)
C
      IF (ISTAT.NE.0) THEN
        WRITE (6,30) CPATH
30     FORMAT (' Error:  Invalid Pathname Entered: ',A)
        GO TO 900
      ENDIF

C
C      Get the "C" part of the pathname and move into CC.
C      Be sure we do not have a null part.
      IF (ILPART(3).GT.0) THEN
        CC = CPATH(IBPART(3):IEPART(3))
      ELSE
C        This is a null part.  Blank fill.
        CC = ' '
        GO TO 200
      ENDIF

C
C      Get the time interval and date if it is time-series.
      IF ((ILPART(4).GT.0).AND.(ILPART(5).GT.0)) THEN
        JSTAT = 1
        CALL ZGINTL (INTL, CPATH(IBPART(5):IEPART(5)), NVALS, JSTAT)
        IF (JSTAT.GE.0) THEN
          WRITE (6,40) CC, CPATH(IBPART(4):IEPART(4)), INTL
40     FORMAT (1X, A, ' data is available for ',A,/,
*           ' with a time interval of ',I5,' minutes.')
        ENDIF
      ENDIF

```



## **ZUFPN**

### **3.3 ZUFPN - Un-Form a Pathname**

#### **Purpose:**

ZUFPN takes a standard pathname and segments it into six parts. Each part is returned as a separate character variable.

#### **Calling Sequence:**

```
CALL ZUFPN (CA, NA, CB, NB, CC, NC, CD, ND, CE, NE,  
* CF, NF, CPATH, NPATH, ISTAT)
```

#### **Declarations:**

```
CHARACTER CA*32, CB*32, CC*32, CD*32, CE*32, CF*32, CPATH*80  
INTEGER NA, NB, NC, ND, NE, NF, NPATH, ISTAT
```

#### **Argument Description:**

CA	(Output) A character string containing the "A" part of the pathname. The part will be left justified, blank filled in CA. If the part is null, CA will be returned with all blanks.
NA	(Output) The number of characters in the A part. NA will be set to zero if the part is null (CA is all blanks).
CB	(Output) The "B" part of the pathname.
NB	(Output) The number of characters in the B part.
CC	(Output) The "C" part of the pathname.
NC	(Output) The number of characters in the C part.
CD	(Output) The "D" part of the pathname.
ND	(Output) The number of characters in the D part.
CE	(Output) The "E" part of the pathname.
NE	(Output) The number of characters in the E part.
CF	(Output) The "F" part of the pathname.
NF	(Output) The number of characters in the F part.
CPATH	(Input) The pathname which is to be segmented.
NPATH	(Input) The number of characters in the pathname.

ISTAT            (Output) A status parameter that is set to zero if there were no errors.  
If CPATH is not a valid pathname, ISTAT is returned as -1.

Remarks:

If only one or two parts of the pathname are needed, use subroutine ZUPATH, which returns the part positions within the pathname. The pathname must follow the standard conventions (six parts, each part separated by a slash). Each part may contain up to 32 characters, and the pathname may contain up to 80 characters (including slashes). If a part is longer than the length of the corresponding character variable passed, the part will be truncated to fit the character variable.

Example:

```

C      Break apart a pathname and print its parts.
      CHARACTER CPATH*80, CA*32, CB*32, CC*32, CD*32, CE*32, CF*32
C
C      Get the pathname.
      READ (5,10) CPATH
10     FORMAT (A)
C
C      Get the position of the last non-blank character.
      CALL CHRNLB (CPATH, NPATH)
      CALL ZUFPN (CA, NA, CB, NB, CC, NC, CD, ND, CE, NE,
* CF, NF, CPATH, NPATH, ISTAT)
C
      IF (ISTAT.NE.0) THEN
        IF (NPATH.EQ.0) NPATH = 1
        WRITE (6,10) CPATH(1:NPATH)
10     FORMAT (' Illegal Pathname: ',A)
        GO TO 900
      ENDIF
C
      WRITE (6,20) CA, CB, CC, CD, CE, CF
20     FORMAT (' Part A: ',A,/, ' Part B: ',A,/,
*           ' Part C: ',A,/, ' Part D: ',A,/,
*           ' Part E: ',A,/, ' Part F: ',A)
C

```

## **ZGPNP**

### **3.4 ZGPNP - Get Pathname Parts**

#### **Purpose:**

ZGPNP takes a character string (usually read from input) and searches for parts of a pathname. Pathname parts are identified by a part identifier (A, B, C, D, E, or F), followed by an equal sign, then the part. Each part must be delimited by either a comma and/or a blank. Imbedded blanks may be included in a part, but commas, equal signs, and invalid pathname characters cannot be. The line may contain extraneous information (e.g., a "ZR" identifier), as long as the parts are identifiable. An example line that might be processed by ZGPNP is:

ZR-IN A=SCIOTO, B=SOUTH BEND F=OBS,C=FLOW D=

#### **Calling Sequence:**

CALL ZGPNP (CLINE, CA, CB, CC, CD, CE, CF, NPARTS)

#### **Declarations:**

CHARACTER CA\*32, CB\*32, CC\*32, CD\*32, CE\*32, CF\*32  
CHARACTER CLINE\*(\*)  
INTEGER NPARTS(6)

#### **Argument Description:**

CLINE (Input) The character string from which to extract the pathname parts. The string may contain information other than the pathname parts, as long as it can be distinguished. For example:

ZR, XXX B=SOUTH FORK, XXX F=OBS

(the parts are distinguishable)

ZR B=SOUTH FORK XXX F=OBS

(XXX cannot be distinguished from the "B" part).

CA (Output) The "A" part, if found. If the part is not found, CA is not altered (a previously set "A" part may be passed without alteration).

CB (Output) The "B" part, if found.

CC (Output) The "C" part, if found.

CD (Output) The "D" part, if found.

CE (Output) The "E" part, if found.

CF (Output) The "F" part, if found.

**NPARTS** (Input-Output) A six-element array that returns the lengths of the parts found. The first element of NPARTS corresponds to the A part, the second element corresponds to the B part, etc.. NPARTS may also be used so that specific parts will not be searched for. To not search for a part, set the corresponding NPARTS to -2. On return, if a part was not found, the corresponding NPARTS will be set to -1. If no parts were found, NPARTS(1) will be set to -10.

## Remarks:

ZGPNP is meant to update parts of a pathname, and is often used along with ZUFPN and ZPATH. Unless a part is found, it will not be altered. ZGPNP searches for a part letter followed by an equal sign, so other information may be on the input line, as long as it is distinguishable. If a part is longer than the character variable passed, the part will be truncated to fit within the length of that variable.

Null parts may be specified by the part letter followed by an equal sign then a comma (if it is at the end of CLINE, the comma is not necessary). A null part variable is returned blank filled.

## Example 1:

For the following code:

```
NPARTS(4) = -2
CALL ZGPNP (CLINE(1:80), CA, CB, CC, CD, CE, CF(1:10), NPARTS)
```

If CLINE contains:

```
ZR-IN ZA=HI, B-SOUTH BEND, XX C-, D-01JAN1960 F-PLAN 2B-COMPUTED
```

ZGPNP returns:

```
NPARTS(1) = -1,   CA =
NPARTS(2) = 10,   CB = SOUTH BEND
NPARTS(3) = 0,    CC =
NPARTS(4) = -2,   CD =
NPARTS(5) = -1,   CE =
NPARTS(6) = 10,   CF = PLAN 2B-CO
```

Note that ZA is not a valid part identifier, so no "A" part was returned. The B part is terminated by a comma, so the "XX" was ignored. The C part was set to 0, since a comma immediately followed the equal sign. No D part was returned because NPARTS(4) was preset to -2. The F part was truncated, because CF was limited to a length of ten characters (1:10).

## ZGPNP

### Example 2:

The following example illustrates the use of subroutines ZPATH, ZUFPN, and ZGPNP. This code reads a line, determines if it is a pathname or pathname parts. Pathname parts are extracted via ZUFPN or ZGPNP; then a new pathname is constructed. This code may be used in a loop, allowing the user to specify a completely new pathname or just change certain parts.

```
CHARACTER CLINE*80, CPATH*80
CHARACTER CA*32, CB*32, CC*32, CD*32, CE*32, CF*32
INTEGER NPARTS(6)

C
C   DATA CA, CB, CC, CD, CE, CF /6* ' '/
C
C   Get the pathname or parts.
WRITE (6,*) 'Enter pathname, or pathname parts, or FINISH'
READ (5,20) CLINE
20  FORMAT (A)
C
C   Is this a FINISH command?
IF (CLINE(1:3).EQ.'FIN') GO TO 800
C
C   Is this a pathname?
IF (CLINE(1:1).EQ.'/') THEN
C
C       Yes it is.
CALL ZUFPN (CA, NA, CB, NB, CC, NC, CD, ND, CE, NE,
*  CF, NF, CLINE, 80, ISTAT)
IF (ISTAT.NE.0) GO TO 910
C
ELSE IF (INDEX(CLINE(1:20),'-')) THEN
C
C       The line appears to contain pathname parts.
CALL ZGPNP (CLINE, CA, CB, CC, CD, CE, CF, NPARTS)
C
IF (NPARTS(1).EQ.-10) THEN
WRITE (6,*) 'Invalid Pathname Line.'
GO TO 800
ENDIF
C
ELSE
C
WRITE (6,*) 'Invalid Pathname Line.'
GO TO 800
C
ENDIF
C
C   Now that the pathname is in parts, (re)construct the pathname.
CALL ZPATH (CA, CB, CC, CD, CE, CF, CPATH, NPARTS)
C
WRITE (6,40) CPATH(1:NPARTS)
40  FORMAT ( ' Pathname: ', A)
```

### **3.5 ZCHKPN - Check a Pathname**

#### **Purpose:**

ZCHKPN examines a pathname to determine if it meets the requirements for a pathname. This includes determining if the pathname contains seven slashes, is equal or less than 80 characters in length, and contains any invalid characters (e.g., control codes). If any "null characters" are found, they are changed to blanks.

#### **Calling Sequence:**

```
CALL ZCHKPN (CPATH, NPATH, ISTAT)
```

#### **Declarations:**

```
CHARACTER CPATH*80
INTEGER NPATH, ISTAT
```

#### **Argument Description:**

CPATH	(Input-Output) The pathname to be checked.
NPATH	(Input) The number of characters in CPATH
ISTAT	(Output) A status parameter indicating the validity of the pathname. ISTAT is returned as zero if CPATH is a valid pathname. If ISTAT is less than zero, the pathname is invalid and should not be used. The possible status codes are:
ISTAT	Description
0	The pathname is valid.
+6	One or more null characters were detected and converted to blank characters.
-1	The first character in the pathname is not a slash (/).
-2	The last character in the pathname is not a slash (/).
-3	The number of slashes within the pathname is not seven. (There must be exactly seven slashes.)
-4	There are fewer than seven characters in the pathname.
-5	There are more than eighty characters in the pathname.
-6	Illegal characters were found in the pathname. (They were not modified.)

## **ZCHKPN**

### **Remarks:**

ZCHKPN will print an error message to unit MUNIT if any errors are detected and the message level is 3 or greater. The pathname will be modified only if it contains null characters (which can usually be avoided by initializing all pathname parts to blanks in a data statement).

## **4 Time Series Subroutines**

The following chapter describes the subroutines used to store and retrieve regular-interval and irregular-interval time series data.

Regular-interval time series data is data that occurs at a standard time interval. The date and time of each value is implied by its position within the data block. As described in "HECDSS User's Guide and Utility Program Manuals", Overview section, the A part of the pathname contains the group identifier, the B part provides the location, the C part carries the parameter, the D part is the block start date, the E part holds the time interval and the F part is an optional descriptor. The E part must be one of the following time intervals:

<u>Valid Time Intervals (E Parts)</u>	<u>Block Length</u>
1MIN, 2MIN, 3MIN, 4MIN, 5MIN, 10MIN, 15MIN, 20MIN, 30MIN	One Day
1HOUR, 2HOUR, 3HOUR, 4HOUR, 6HOUR, 8HOUR, 12HOUR	One Month
1DAY	One Year
1WEEK, 1MON	One Decade
1YEAR	One Century

Regular-interval time series data may be retrieved with either subroutine ZRRTS or ZRRTSX. ZRRTSX is the extended form of ZRRTS, and will obtain data flags, the user header array, and data compression information. Regular-interval time series data may be stored with either ZSRTS or ZSRTSX, where ZSRTSX is the extended version of ZSRTS. ZSRTSX can store the user header array and data flags, whereas ZSRTS cannot. Data compression parameters may also be specified with ZSRTSX. (Data compression cannot be applied when data flags are stored.) Missing values within a record are flagged by values of -901.0, and values for missing records are flagged with -902.0.

Irregular-interval time series data has an explicit date and time stored with each value. This data is retrieved with either subroutine ZRITS or ZRITSX. ZRITSX is the extended form of ZRITS, and will return data flags and the user header in addition to the data. Irregular-interval time series data may be stored in a DSS file with either ZSITS or ZSITSX. ZSITSX can store the user header array and data flags, whereas ZSITS cannot.



Most of the DSS time series routines use julian dates, in days since 31DEC1899 (not days since the beginning of the year). This form of date provides an exact and relative easy means of dealing with time date information. For example, to increment the date by one day, one is added to the julian date, whereas a more complex algorithm would be required for a military style date such as 28FEB1972. Julian dates can be negative, allowing for handling data in the 1800's. A julian date can be converted to another-style date (of which many forms are available) using the HECLIB subroutine JULDAT. Conversely, different styles of dates can be converted to julian using the subroutine DATJUL. See the HECLIB documentation for more information on these subroutines.

Several subroutines pass time information in minutes past midnight. The time in minutes can be converted to a 24 hour military style time (e.g., 1430 is 2:30 p.m.) by the HECLIB subroutine M2IHM, and back to minutes with subroutine IHM2M. The time interval of the data is also given in minutes, regardless of the length of the interval.

A utility subroutine, ZGINTL, is used to convert a time interval (in minutes) to the "E part" of the pathname, and vice-versa. Subroutine ZOFSET will determine the time offset of regular-interval data. The time offset is defined as the length of time between the standard time for that interval and the actual time. For example, the time offset for daily data measured at 8:00 a.m. is 480 minutes (8 hours).

On MS-DOS computers, the julian dates, time interval, and time offset must always be declared as INTEGER\*4.

## **4.1 ZRRTS - Retrieve Regular-Interval Time Series Data**

### **Purpose:**

ZRRTS is a short call to retrieve regular-interval time series data from a DSS file. The data retrieved may be based on a time window and can cross record boundaries (that is, it can read several records with different dates to retrieve the data specified), or it can read all the data in one record according to the pathname (with no time window). When reading data based on a time window, the "D part" is ignored, as ZRRTS forms pathnames with a D part determined by that time window. The time window is specified by variables CDATE, CTIME, and NVALS. If data flags, compression information, or the user header needs to be retrieved, use subroutine ZRRSTX, the extended version of this subroutine.

### **Calling Sequence:**

```
CALL ZRRTS (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,
* CUNITS, CTYPE, IOFSET, ISTAT)
```

### **Declarations:**

```
INTEGER IFLTAB(600), NVALS, IOFSET, ISTAT
REAL VALUES(NVALS)
CHARACTER CPATH*80, CDATE*20, CTIME*4, CUNITS*8, CTYPE*8
```

On MS-DOS microcomputers, the time offset must be INTEGER\*4:

```
INTEGER*4 IOFSET
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to read. The pathname must meet the regular-interval time series conventions (including a correct "E part"). With a time window specified, the "D part" (date part) will be ignored, as ZRRTS will form it internally (there may be several D parts, depending on the time window). If no time window is given, the D part must be provided. The length of CPATH is implicit (e.g., CPATH(1:NPAT)).
CDATE	(Input) The beginning date of the time window. This can be in any one of the styles accepted by the HECLIB subroutine DATJUL (see the HECLIB documentation for the different date styles). If the data is to be retrieved based upon the date in the pathname (that is, no time window), CDATE should be blank (i.e., ' ').
CTIME	(Input) The beginning time of the time window. This must be a standard 24 hour clock time (e.g., '1630'). If no time window is set (CDATE is blank), this argument is ignored.

## ZRRTS

NVALS	(Input-Output) The number of data values to retrieve. This defines the end of the time window. If no time window is given, NVALS must contain the dimension limit of array VALUES on input, and is returned with the number of data values actually read by ZRRTS (and must be a variable).
VALUES	(Output) The data retrieved. This will be in a sequential order, with the first value having a date and time of CDATE and CTIME (unless no time window is given, whereas the first value will correspond to the date and time of the beginning of the record).
CUNITS	(Output) The units of the data (e.g., 'FEET').
CTYPE	(Output) The type of the data (e.g., 'PER-AVER').
IOFSET	(Output) The time offset of the data in minutes. (If hourly data is recorded at 15 minutes past the hour, the offset would be 15 minutes.) If there is no offset, IOFSET will be returned as zero. Refer to the subroutine ZOFSET (at the end of this chapter) for more information about time offsets. The offset must be INTEGER*4 on MS-DOS micro-computers.
ISTAT	(Output) A status parameter indicating the success of the operation. If ISTAT is returned as zero, then the data was successfully read. If ISTAT is returned with a value between one and three, then data was retrieved, but some missing values were detected. If ISTAT is greater than ten, a fatal error occurred, and no data was returned. The possible values are:

ISTAT	Description
0	All data retrieved.
1	Some missing data was detected (-901.0).
2	Missing record(s) (-902.0), but some data was found.
3	Missing record(s) and missing data in the data set, however some data was found.
4	There was no data for this time window, but a record was read.
5	No records were found (the data is returned as all -902's).
GT 10	A "fatal" error occurred:
11	The number of values requested was less than one.
12	A non-standard time interval was provided in the "E" part of the pathname.
15	The starting date or time was not recognized.
20	The data was not recognized as regular-interval time series.
24	The pathname given does not meet the regular-interval time series conventions.
53	The data could not be un-compressed.

**Remarks:**

CUNITS and CTYPE will contain the units and type for the last record read when reading several records. If no records were found (ISTAT=5), or a fatal error occurred, CUNITS and CTYPE will be unchanged.

If data flags or the user header needs to be retrieved, or compression information is required, use ZRRTSX, the extended version of this subroutine.

A debug trace will be printed when the message level (MLEVEL) is set to 8 via subroutine ZSET. This trace will print the pathname, dates, times, and other information used by the subroutine.

**Example 1:**

```

C      Retrieve 200 values starting from December 13, 1982,
C      then print them out.
      INTEGER IFLTAB(600), IBPART(6), IEPART(6), ILPART(6)
      INTEGER*4 JULS, JULE, INTL, IOFSET
      CHARACTER CPATH*80, CDATE*20, CTIME*4, CUNITS*8, CTYPE*8
      REAL VALUES(200)

C
C      Open the DSS file and get the pathname.
      CALL ZOPEN ( ...

C
C      Retrieve the data.
      NVALS = 200
      CALL ZRRTS (IFLTAB, CPATH, '13DEC82', '2400', NVALS,
* VALUES, CUNITS, CTYPE, IOFSET, ISTAT)
      IF (ISTAT.GE.10) GO TO 900
      IF (ISTAT.GE.4) GO TO 100

C
C      Get the time interval from the pathname.
      CALL ZUPATH (CPATH, IBPART, IEPART, ILPART, ISTAT)
      IF (ISTAT.NE.0) GO TO 910
      JSTAT = 1
      CALL ZGINTL (INTL, CPATH(IBPART(5):IEPART(5)), N, JSTAT)
      IF (JSTAT.NE.0) GO TO 920

C
C      Convert 13DEC82 to julian.
      CALL DATJUL ('13DEC82', JULS, IERR)
      ISTEIME = 1440

C      Adjust for any time offset.
      CALL ZOFSET (JULS, ISTEIME, INTL, 2, IOFSET)

C
C      Print the values, along with the date and time of each one.
      DO 80 I=1,200
          IDUM = INCTIM (INTL, 0, I-1, JULS, ISTEIME, JULE, IETIME)
          CALL JULDAT (JULE, 0, CDATE, NDATE)
          IDUM = M2IHM (IETIME, CTIME)
          WRITE (6,40) CDATE(1:NDATE), CTIME, VALUES(I)
40      FORMAT (1X,A,2X,A,F10.3)
      80 CONTINUE

```

## ZRRTS

### Example 2:

```
C      Retrieve and print the last 60 values from the current time.
C
      INTEGER IFLTAB(600), IBPART(6), IEPART(6), ILPART(6)
      INTEGER*4 JULS, JULE, INTL, IOFSET
      CHARACTER CPATH*80, CDATE*20, CTIME*4, CUNITS*8, CTYPE*8
      REAL VALUES(60)

C
C
C      Open the DSS file and get the pathname.
      CALL ZOPEN ( ...

C
C      Get the time interval from the pathname.
      CALL ZUPATH (CPATH, IBPART, IEPART, ILPART, ISTAT)
      IF (ISTAT.NE.0) GO TO 910
      JSTAT = 1
      CALL ZGINTL (INTL, CPATH(IBPART(5):IEPART(5)), N, JSTAT)
      IF (JSTAT.NE.0) GO TO 920

C
C      Get the current date and time, in julian days.
      CALL CURTIM ( JULE, IETIME)

C      Decrement it by 59 periods (60 values).
      IDUM = INCTIM ( INTL, 0, -59, JULE, IETIME, JULS, IETIME)

C      Date style 104 is used here, but any style would be ok.
      CALL JULDAT (JULS, 104, CDATE, NDATE)
      IDUM = M2IHM (ISTIME, CTIME)

C
C      Now retrieve the data.
      NVALS = 60
      CALL ZRRTS (IFLTAB, CPATH, CDATE(1:NDATE), CTIME,
* NVALS, VALUES, CUNITS, CTYPE, IOFSET, ISTAT)
      IF (ISTAT.GE.10) GO TO 900
      IF (ISTAT.GE.4) GO TO 100

C
C      Adjust for any time offset.
      CALL ZOFSET (JULS, IETIME, INTL, 2, IOFSET)

C
C      Print the values, along with the date and time of each one.
      DO 80 I=1,60
          IDUM = INCTIM (INTL, 0, I-1, JULS, IETIME, JULE, IETIME)
          CALL JULDAT (JULE, 0, CDATE, NDATE)
          IDUM = M2IHM (IETIME, CTIME)
          WRITE (6,40) CDATE(1:NDATE), CTIME, VALUES(I)
40      FORMAT (1X,A,2X,A,F10.3)
80      CONTINUE
```

## **4.2 ZRRTSX - Retrieve Regular-Interval Time Series Data (Extended Version)**

### **Purpose:**

ZRRTSX is the extended call to retrieve regular-interval time series data from a DSS file. This subroutine will return data flags, the user header, and compression information (if available) along with data. If this additional information is not needed, use ZRRTS, the short form of this subroutine.

The data retrieved may be based on a time window and can cross record boundaries (that is, it can read several records with different dates to retrieve the data specified), or it can read all the data in one record according to the pathname (with no time window). When reading data based on a time window, the "D part" is ignored, as ZRRTSX forms pathnames with a D part determined by that time window. The time window is specified by variables CDATE, CTIME, and NVALS.

### **Calling Sequence:**

```
CALL ZRRTSX (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,
* FLAGS, LFLAGS, LFREAD, CUNITS, CTYPE, HEADU, KHEADU, NHEADU,
* IOFSET, ICOMP, ISTAT)
```

### **Declarations:**

```
INTEGER IFLTAB(600)
INTEGER NVALS, KHEADU, NHEADU, ICOMP, IOFSET, ISTAT
REAL VALUES(NVALS), HEADU(KHEADU), FLAGS(NVALS)
LOGICAL LFLAGS, LFREAD
CHARACTER CPATH*80, CDATE*20, CTIME*4, CUNITS*8, CTYPE*8
```

On MS-DOS microcomputers the time offset must be INTEGER\*4:

```
INTEGER*4 IOFSET
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to read. The pathname must meet the regular-interval time series conventions. With a time window specified, the "D part" (date part) will be ignored, as ZRRTSX will form it internally (there may be several D parts, depending on the time window). If no time window is given, the D part must be provided. The length of CPATH is implicit (e.g., CPATH(1:NPATHTH)).
CDATE	(Input) The beginning date of the time window. This can be in any one of the styles accepted by the HECLIB subroutine DATJUL (see the HECLIB documentation for the different date styles). If the data is to be retrieved based upon the date in the pathname (that is, no time window), CDATE should be blank (i.e., ' ').

## ZRRTSX

CTIME	(Input) The beginning time of the time window. This must be a standard 24 hour clock time (e.g., '1630'). If no time window is set (CDATE is blank), this argument is ignored.
NVALS	(Input-Output) The number of data values to retrieve. This defines the end of the time window. If no time window is specified, NVALS must contain the dimension limit of array VALUES on input, and is returned with the number of data values actually read by ZRRTSX (and must be a variable).
VALUES	(Output) The data retrieved. This will be in a sequential order, with the first value having a date and time of CDATE and CTIME (unless no time window is given, whereas the first value will correspond to the date and time of the beginning of the record).
FLAGS	(Output) The 32-bit data flags retrieved. See the appendix to interpret the bit settings. If data flags are not to be retrieved, set LFLAGS to .FALSE. and FLAGS may be a dummy argument.
LFLAGS	(Input) A logical flag indicating whether data flags should be retrieved, if available. Set this to .TRUE. if flags are to be retrieved, .FALSE. if flags are not to be retrieved.
LFREAD	(Output) A logical flag indicating whether data flags were retrieved. If the data did not have flags, or LFLAGS was set to .FALSE., this variable will be returned as .FALSE. (and FLAGS will be unchanged). If flags were retrieved, this variable will be set to .TRUE..
CUNITS	(Output) The units of the data (e.g., 'FEET').
CTYPE	(Output) The type of the data (e.g., 'PER-AVER').
HEADU	(Output) The optional user header array. This array usually may be decoded by subroutine ZUSTFH.
KHEADU	(Input) The dimension of array HEADU. No more than KHEADU elements of the user header array will be retrieved. If you do not want to retrieve the user header, set this to zero.
NHEADU	(Output) The number of elements in the user header actually retrieved. NHEADU will always be equal to or less than KHEADU.
IOFSET	(Output) The time offset of the data in minutes. (If hourly data is recorded at 15 minutes past the hour, the offset would be 15 minutes.) If there is no offset, IOFSET will be returned as zero. Refer to the subroutine ZOFSET (at the end of this chapter) for more information about time offsets. The offset must be INTEGER*4 on MS-DOS micro-computers.
ICOMP	(Output) The data compression method used if this data was compressed. If the data was not compressed, ICOMP will be returned as zero. If ICOMP is greater than zero, more data compression information can be obtained by calling subroutine ZDCINF.

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then all the data was successfully read. If ISTAT is returned with a value between one and three, then data was retrieved, but some missing values were detected. If ISTAT is greater than ten, a fatal error occurred, and no data was returned. The possible values are:

ISTAT	Description
0	All data retrieved.
1	Some missing data was detected (-901.0).
2	Missing record(s) (-902.0), but some data was found.
3	Missing record(s) and missing data in the data set, however some data was found.
4	No data found for this time window, but a record was found.
5	No records found (no data is returned).
GT 10	A "fatal" error occurred:
11	The number of values requested was less than one.
12	A non-standard time interval was provided in the "E" part of the pathname.
15	The starting date or time was not recognized.
20	The data was not recognized as regular-interval time series.
24	The pathname given does not meet the regular-interval time series conventions.
53	The data could not be un-compressed.

**Remarks:**

CUNITS and CTYPE will contain the units and type for the last record read when reading several records. If no records were found (ISTAT=5), or a fatal error occurred, CUNITS and CTYPE will be unchanged.

If the data was stored with data flags, no data compression method will be returned, because data cannot be compressed when flags are used.

A debug trace will be printed when the message level (MLEVEL) is set to 8 via subroutine ZSET. This trace will print the pathname, dates, times, and other information used by the subroutine.



## ZRRTSX

### Example 1:

(Note: This is a more "comprehensive" example of retrieving time series data. For a simpler example, see the ZRRTS documentation.)

```
C
C      Retrieve database on a user's time window, then print
C      the data and information about the data.
C
      PARAMETER (KHEADU=100, KDATA=1000)
      REAL VALUES(KDATA), HEADU(KHEADU), FLAGS(KDATA)
      INTEGER IFLTAB(600)
      INTEGER IBPART(6), IEPART(6), ILPART(6)
      INTEGER*4 JULS, JULE, INTL, IOFSET
      CHARACTER CLINE*80, CPATH*80, CDATE*20, CTIME*4
      CHARACTER CUNITS*8, CTYPE*8, CINFO*24, CLABEL*20, CITEM*20
      LOGICAL LFREAD, LBASEV
C
C      Open the DSS file.
      CALL ZOPEN (IFLTAB, ...
C
C      Get the pathname and its length.
      WRITE (6,*) 'Enter the pathname'
      READ  (5,10) CPATH
10    FORMAT (A)
C
C      Get the time window.
      WRITE (6,*) 'Enter the time window'
      READ  (5,10) CLINE
      CALL GETIME (CLINE, 1, 80, JULS, ISTAT, JULE, IETIME, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C
C      Get the time interval from the pathname.
      CALL ZUPATH (CPATH, IBPART, IEPART, ILPART, ISTAT)
      IF (ISTAT.NE.0) GO TO 910
      JSTAT = 1
      CALL ZGINTL (INTL, CPATH(IBPART(5):IEPART(5)), N, JSTAT)
      IF (JSTAT.NE.0) GO TO 920
C
C      Compute the number of data values asked for.
      NVALS = NOPERS (INTL, 0, JULS, ISTAT, JULE, IETIME)
      IF (NVALS.LE.0) GO TO 930
      IF (NVALS.GT.KDATA) GO TO 940
C
C      Convert the date and time to character.
      CALL JULDAT (JULS, 104, CDATE, NDATE)
      I = M2IHM (ISTIME, CTIME)
```

```

C      Retrieve the data.
      CALL ZRRTSX (IFLTAB, CPATH, CDATE, CTIME, NVALS,
* VALUES, FLAGS, .TRUE., LFREAD, CUNITS, CTYPE, HEADU,
* KHEADU, NHEADU, IOFSET, ICOMP, ISTAT)

C
C      "Fatal" error?
      IF (ISTAT.GE.10) GO TO 950
C      No data?
      IF (ISTAT.GE.4) GO TO 960
C
C      Write pathname, units.
      CALL CHRLNB (CPATH, NPATH)
      WRITE (6,40) CPATH(1:NPATH), CUNITS, CTYPE
40     FORMAT (' Pathname: ',A,/, ' Units: ',A,T20, 'Type: ',A)
C
C      Get more compression information (if used).
      IF (ICOMP.GT.0) THEN
          CALL ZDCINF (ICOMP, BASEV, LBASEV, ISIZE, IPREC, ISTAT)
          WRITE (6,60) ICOMP, LBASEV, BASEV, ISIZE, IPREC
60     FORMAT (' Compression Method:',I3, ' User Base:',L2,
*           ' Base: ',F6.1,/, ' Size Allocated:',I2, ' Precision:',I3)
          ELSE
              WRITE (6,80)
80     FORMAT (' No Compression Used.')
          ENDIF
C
C      Print the user header (if any).
      IF (NHEADU.GT.0) THEN
          NITEM = 0
          IPOS = 0
          WRITE (6,*) 'Header:'
100    CONTINUE
          CALL ZUSTFH (CLABEL, CITEM, NITEM, IPOS, HEADU, NHEADU, ISTAT)
          IF (ISTAT.NE.0) THEN
              WRITE (6,*) 'Invalid User header.'
              GO TO 140
          ENDIF
          WRITE (6,120) CLABEL, CITEM
120    FORMAT (1X,A,1X,A)
          IF (IPOS.GE.0) GO TO 100
          ENDIF
C
C      Adjust for any time offset.
140    CONTINUE
      CALL ZOFSET (JULS, ISTEIME, INTL, 2, IOFSET)

```

## ZRRTSX

```
C      Print the values, along with the date and time of each one,
C      and any information from the header.
      DO 200 I=1,NVALS
          IDUM = INCTIM (INTL, 0, I-1, JULS, ISTEIME, JULE, IETIME)
          CALL JULDAT (JULE, 0, CDATE, NDATE)
          IDUM = M2IHM (IETIME, CTIME)

C
C      Do we need to print data flag information?
      IF (LFREAD) THEN
          CALL GETBIT (FLAGS(I), 1, ISCRN)
          CALL GETBIT (FLAGS(I), 8, IMOD)

C
          IF (ISCRN.EQ.1) THEN
              IF (IMOD.EQ.1) THEN
                  CINFO = 'Screened and Modified'
              ELSE
                  CINFO = 'Screened'
              ENDIF
          ELSE
              CINFO = ' '
          ENDIF

C
          ELSE
              CINFO = ' '
          ENDIF

C
          WRITE (6,160) CDATE(1:NDATE), CTIME, VALUES(I), CINFO
160      FORMAT (1X,A,' at ',A,'; ',F10.3,2X,A)
200      CONTINUE
```

### **4.3 ZSRTS - Store Regular-Interval Time Series Data**

#### **Purpose:**

ZSRTS is a short call to store regular-interval time series data in a DSS file. The data to be stored is based on a time window which can cross record boundaries (that is, it can write several records with different "D parts"). Because the time window is specified by variables CDATE, CTIME, and NVALS, the "D part" of the pathname is ignored.

If data flags or a user header is to be stored along with the data, use ZSRTSX, the extended version of this subroutine. ZSRTSX also provides a means of specifying a data compression method and optional compression parameters. However, data may be compressed by ZSRTS if subroutine ZSCOMP is called just prior to ZSRTS, or if a file compression method is set and the required pathname parts match, or if the record already exists and is compressed.

#### **Calling Sequence:**

```
CALL ZSRTS (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,
* CUNITS, CTYPE, IPLAN, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), NVALS, IPLAN, ISTAT
REAL VALUES(NVALS)
CHARACTER CPATH*80, CDATE*20, CTIME*4, CUNITS*8, CTYPE*8
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. The pathname must meet the regular-interval time series conventions. The "D part" (date part) is ignored, as ZSRTS will form it internally from the time window. The length of CPATH is implicit (e.g., CPATH(1:NPATH)).
CDATE	(Input) The beginning date of the time window (the date of the first value). This can be in any one of the styles accepted by the HECLIB subroutine DATJUL (see the HECLIB documentation for the different date styles).
CTIME	(Input) The beginning time of the time window in 24 hour clock time (e.g., '1630'). Any time offset is implied by the date and time specified (for example, if daily data is measured at 8:00 a.m., then setting CTIME to '0800' implies an offset of 8 hours or 480 minutes).
NVALS	(Input) The number of values to store. This defines the end of the time window.
VALUES	(Input) The data to store. This must be in a sequential order, with the first value data having a date and time of CDATE and CTIME.

## ZSRTS

**CUNITS** (Input) The units of the data (e.g., 'FEET').

**CTYPE** (Input) The type of the data (e.g., 'PER-AVER').

**IPLAN** (Input) An argument to indicate whether to write over existing data or not. If **IPLAN** is set to zero, the data provided will always replace any existing data (with the same pathname at the same times).

IPLAN	Description
0	Always write over existing data.
1	Only replace missing data flags in the record (-901).
4	If a input value is missing (-901), do not allow it to replace a non-missing value.

**ISTAT** (Output) A status parameter indicating the success of the operation. If **ISTAT** is returned with zero, then all the data was successfully stored. The possible values are:

ISTAT	Description
0	The data was successfully stored.
4	All of the input data provided were missing data flags (-901).
GT 10	A "fatal" error occurred:
11	The number of values to store (NVALS) is less than one.
12	Unrecognized time interval (E part).
15	The starting date or time is invalid.
24	The pathname given does not meet the regular-interval time series-conventions.
51	Unrecognized data compression scheme (when ZSCOMP is called prior to ZSRTS). Valid schemes are 0 to 5.
52	Invalid precision exponent specified for the delta data compression method (when ZSCOMP is called prior to ZSRTS). The precision exponent range is -6 to 6.

**Remarks:**

Missing data in the array VALUES should be flagged by setting those values to -901.0.

To set a data compression method to be used by ZSRTS, call subroutine ZSCOMP just prior to ZSRTS, or use subroutine ZSRTSX, in which compression information is passed as arguments. A file compression method may also be set to compress data.

If data without data flags is merged with (or replaces) data with flags, then data flags (set to zero) will be added to the new data.

If the record exists and has a user header stored with it, ZSRTS will not change or delete that header.

A debug trace may be turned on by setting the message level (MLEVEL) to either 7, 8, or 9 via subroutine ZSET. Level 7 gives information regarding the arguments being passed. The higher levels provide information about the steps taking place inside ZSRTS.

**Example:**

```

C      A program has computed 86 time series data values.
C      Store them in a DSS file.
C
C      INTEGER IFLTAB(600)
C      CHARACTER CPATH*80, CDATE*20, CTIME*4
C      REAL VALUES(86)
C
C      Open the DSS file and get the pathname.
C      CALL ZOPEN ( ...
C
C      Assuming the time interval is in minutes,
C      convert it to a valid "E part".
C      ISTAT = 2
C      CALL ZGINTL (INTL, CE, IDUM, ISTAT)
C      CALL ZPATH ( ...
C
C      Convert the date from integer 12/24/83
C      to a character date.
C      CALL YMDDAT ( IYR, IMON, IDAY, 0, CDATE, NDATE, IERR)
C      IF (IERR.NE.0) GO TO 900
C      Convert the time from minutes to 24 hour clock time.
C      IDUM = M2IHM (ITIME, CTIME)
C
C      Now store the data.
C      CALL ZSRTS (IFLTAB, CPATH, CDATE, CTIME, 86, VALUES,
* 'FEET', 'PER-AVER', 0, ISTAT)
C      IF (ISTAT.GT.0) GO TO 900

```

## ZSRTSX

### 4.4 ZSRTSX - Store Regular-Interval Time Series Data (Extended Version)

#### Purpose:

ZSRTSX is the extended call to store regular-interval time series data in a DSS file. ZSRTSX will store data flags and a user header along with the data. In addition, a data compression method and related parameters may be set with ZSRTSX. If data flags or a user header is not to be stored or data compression is not used, call ZSRSTS, the short form of this subroutine.

Data is stored based on a time window which can cross record boundaries (that is, it can write several records with different "D parts"). Because the time window is specified by variables CDATE, CTIME, and NVALS, the "D part" of the pathname is ignored.

#### Calling Sequence:

```
CALL ZSRTSX (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,  
* FLAGS, LFLAGS, CUNITS, CTYPE, HEADU, NHEADU, IPLAN,  
* ICOMP, BASEV, LBASEV, LHIGH, IPREC, ISTAT)
```

#### Declarations:

```
INTEGER IFLTAB(600)  
INTEGER NVALS, NHEADU, ICOMP, IPREC, IPLAN, ISTAT  
REAL VALUES(NVALS), FLAGS(NVALS), HEADU(NHEADU), BASEV  
CHARACTER CPATH*80, CDATE*20, CTIME*4, CUNITS*8, CTYPE*8  
LOGICAL LFLAGS, LBASEV, LHIGH
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. The pathname must meet the regular-interval time series conventions. The "D part" (date part) is ignored, as ZSRTSX will form it internally from the time window. The length of CPATH is implicit (e.g., CPATH(1:NPATH)).
CDATE	(Input) The beginning date of the time window (the date of the first value). This can be in any one of the styles accepted by the HECLIB subroutine DATJUL (see the HECLIB documentation for the different date styles).
CTIME	(Input) The beginning time of the time window. This must be a standard 24 hour clock time (e.g., '1630'). Any time offset is implied by the date and time specified (for example, if daily data is measured at 8:00 a.m., then setting CTIME to '0800' implies an offset of 8 hours or 480 minutes).
NVALS	(Input) The number of values to store. This defines the end of the time window.

<b>VALUES</b>	(Input) The data to store. This must be in a sequential order, with the first value having a date and time of CDATE and CTIME.								
<b>FLAGS</b>	(Input) An array containing 32 bit data flags. If flags are not to be stored then set LFLAGS to <b>.FALSE.</b> and <b>FLAGS</b> may be a dummy argument.								
<b>LFLAGS</b>	(Input) A logical flag indicating whether data flags are to be stored or not. To store the <b>FLAGS</b> array, set <b>LFLAGS</b> to <b>.TRUE.</b> . If data flags are not to be stored, set this to <b>.FALSE.</b>								
<b>CUNITS</b>	(Input) The units of the data (e.g., 'FEET').								
<b>CTYPE</b>	(Input) The type of the data (e.g., 'PER-AVER').								
<b>HEADU</b>	(Input) The optional user header array. Information should be placed in this array by subroutine <b>ZSTFH</b> . If no user header is to be stored, this may be a dummy argument and <b>NHEADU</b> should be set to zero.								
<b>NHEADU</b>	(Input) The number of elements in the user header array <b>HEADU</b> . If no user header information is to be stored, set this to zero. To have <b>ZSRTSX</b> not change an existing record's user header, set this to -1. For new records, a -1 (as well as 0) will store no user header.								
<b>IPLAN</b>	(Input) An argument to indicate whether to write over existing data or not. If <b>IPLAN</b> is set to zero, the data provided will always replace any existing data (with the same pathname at the same times).								
	<table> <tr> <th><b>IPLAN</b></th><th>Description</th></tr> <tr> <td>0</td><td>Always write over existing data.</td></tr> <tr> <td>1</td><td>Only replace missing data flags in the record (-901).</td></tr> <tr> <td>4</td><td>If a input value is missing (-901), do not allow it to replace a non-missing value.</td></tr> </table>	<b>IPLAN</b>	Description	0	Always write over existing data.	1	Only replace missing data flags in the record (-901).	4	If a input value is missing (-901), do not allow it to replace a non-missing value.
<b>IPLAN</b>	Description								
0	Always write over existing data.								
1	Only replace missing data flags in the record (-901).								
4	If a input value is missing (-901), do not allow it to replace a non-missing value.								
<b>ICOMP</b>	(Input) The data compression method to use. To use the default file method, set this to zero. To disallow compression for this data, set <b>ICOMP</b> to -1. The compression methods are described in chapter 10. If data flags are stored the data will not be compressed.								
<b>BASEV</b>	(Input) When the delta data compression method is used, the base value may be specified by setting this argument to the base value and <b>LBASEV</b> to <b>.TRUE.</b> . If the delta method is not used, this argument is ignored.								
<b>LBASEV</b>	(Input) A logical flag indicating if the argument <b>BASEV</b> has been set. To let the compression software select a base value, set this argument to <b>.FALSE.</b>								
<b>LHIGH</b>	(Input) When the delta data compression method is used, setting <b>LHIGH</b> to <b>.TRUE.</b> will pre-allocate two bytes of storage per data value. If <b>LHIGH</b> is set to <b>.FALSE.</b> , the compression software will select the storage size based on the data. If the delta method is not used, this argument is ignored.								



## ZSRTSX

**IPREC** (Input) When the delta data compression method is used, this defines the precision exponent of the data (required). The precision exponent may range from -6 to +6. If the delta method is not used, this argument is ignored.

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then all the data was successfully stored. The possible values are:

ISTAT	Description
0	The data was successfully stored.
4	All of the input data provided were missing data flags (-901).
GT 10	A "fatal" error occurred:
11	The number of values to store (NVALS) is less than one.
12	Unrecognized time interval (E part).
15	The starting date or time is invalid.
24	The pathname given does not meet the regular-interval time series-conventions.
51	Unrecognized data compression scheme. Valid schemes are 0 to 5.
52	Invalid precision exponent specified for the delta data compression method. The precision exponent range is -6 to 6.

### Remarks:

Missing data in the array VALUES should be flagged by setting those values to -901.0.

If data with data flags is merged with (or replaces) data without data flags, then data flags (set to zero) will be added to the old data before the merge. If data without data flags is merged with (or replaces) data with flags, then data flags (set to zero) will be added to the new data. If data flags are used, data compression is disabled.

If ICOMP is set to -1, the data will not be compressed no matter what the default file data compression settings are. If ICOMP is -1, and the record already exists and is compressed, the entire record will be un-compressed (and stored un-compressed).

A debug trace may be turned on by setting the message level (MLEVEL) to either 7, 8, or 9 via subroutine ZSET. Level 7 gives information regarding the arguments being passed. The higher levels provide information about the steps taking place inside ZSRTSX.

Example:

```

C      Store hourly elevation values that are provided
C      on a daily report (24 values per report).
C      Assume the daily report has been opened as unit 9,
C      and the report appears somewhat like the following:
C
C      SOUTH BASIN, MARTIN LAKE REPORT, 5/20/90
C      1123.44 1123.48 1124.21 1124.56 1124.99
C      1125.08 1125.12 1125.18 ...
C      END
C
C      INTEGER IFLTAB(600)
C      INTEGER IBF(2), IEF(20), ILF(20)
C      CHARACTER CPATH*80, CDATE*12
C      CHARACTER CBASIN*32, CLOC*32, CLINE*80
C      LOGICAL LBASEV, LHIGH
C      REAL VALUES(100), BASEV, HEADU, FLAGS
C
C      Open the dss file.
C      CALL ZOPEN (IFLTAB, ...
C
C      Read the basin, location name, and the date of the first
C      value from the report.
C      READ (9, 20, ERR=900, END=990) CBASIN, CLOC, CDATE
C
C      Construct the pathname (no date part is needed).
C      CALL ZPATH (CBASIN, CLOC, 'ELEV', ' ', '1HOUR', 'OBS',
* CPATH, NPATH)
C
C      Read the data.
C      NVALS = 0
30    CONTINUE
      READ (9, 40, ERR=910, END=800) CLINE
40    FORMAT (A)
C      Have we reached the end of the data?
C      IF (INDEX(CLINE, 'END').GT.0) GO TO 100
C      Parse the line.
C      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
C      DO 50 I=1, NFIELD
C          NVALS = NVALS + 1
C      Convert the character number to a real number.
C      VALUES(NVALS) = XREAL(CLINE, IBF(I), ILF(I), IERR)
C      IF (IERR.NE.0) VALUES(NVALS) = 901.0
50    CONTINUE
      GO TO 30

```

## ZSRTSX

```
100 CONTINUE
C   This data is to be compressed.
C   Elevation data is normally compressed using the delta method.
C   Because this data is updated daily, we should set a base
C   value which would be a reasonable minimum elevation that might
C   be recorded (say middle of conservation). This value is
C   needed only for the first time the month/block is written to.
      ICOMP = 2          ! (Delta compression method)
      BASEV  = 1023.0     ! (base value, probably obtained from
      LBASEV = .TRUE.     ! an external table)
      LHIGH  = .TRUE.     ! (allocate 2 bytes of space for elevation)
      IPREC  = -2         ! (store to the nearest hundredth of a foot)
C
C   Now store the data.
      CALL ZSRTSX (IFLTAB, CPATH, CDATE, '0100', NVALS,
* VALUES, FLAGS, .FALSE., 'FEET', 'INST-VAL', HEADU, 0,
* 0, ICOMP, BASEV, LBASEV, LHIGH, IPREC, ISTAT)
C
      IF (ISTAT.GT.0) GO TO 940
```

## **4.5 ZRITS - Retrieve Irregular-Interval Time Series Data**

### **Purpose:**

ZRITS is a short call to retrieve irregular-interval time series data from a DSS file. The data retrieved may be based on a time window and can cross record boundaries (that is, it can read several records with different dates to retrieve the data specified), or it can read all the data in one record according to the pathname (with no time window). When reading data based on a time window, the "D part" is ignored, as ZRITS forms pathnames with a D part determined by the time window.

If data flags or the user header needs to be retrieved, use subroutine ZRITSX, the extended version of this subroutine. ZRITSX also has the capability to retrieve the value previous to the time window and the value subsequent to the time window.

### **Calling Sequence:**

```
CALL ZRITS (IFLTAB, CPATH, JULS, ISTE, JULE, IETIM,
* ITIMES, VALUES, KVALS, NVALS, JBDATE, CUNIT, CTYP, ISTAT)
```

### **Declarations:**

```
INTEGER IFLTAB(600), KVALS, NVALS, ISTAT
INTEGER JULS, ISTE, JULE, IETIM, JBDATE, ITIMES(KVALS)
REAL VALUES(KVALS)
CHARACTER CPATH*80, CUNIT*8, CTYP*8
```

On MS-DOS microcomputers, the julian dates and time array must be INTEGER\*4:

```
INTEGER*4 JULS, JULE, JBDATE, ITIMES(KVALS)
```

On Harris computers, the time array must be INTEGER\*6:

```
INTEGER*6 ITIMES(KVALS)
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to read. The pathname must meet the irregular-interval time series conventions (including a correct "E part"). With a time window specified, the "D part" (date part) will be ignored, as ZRITS will form it internally (there may be several D parts, depending on the time window). If no time window is given, the D part must be provided. The length of CPATH is implicit (e.g., CPATH(1:NPAT)).

## ZRITS

JULS	(Input) The julian date of the start of the time window. This is days since December 31, 1899, not since the beginning of the current year. If no time window is specified, this argument is ignored (see ISTEIME).
ISTEIME	(Input) The starting time of the time window, in minutes past midnight (for midnight ISTEIME would be 1440, not 0). To read the entire record (with no time window set), set ISTEIME to -2. The D part of the pathname will be used to define the time window.
JULE	(Input) The julian date of the end of the time window in days since December 31, 1899. If no time window is set, this argument is ignored.
IETIME	(Input) The ending time of the time window in minutes past midnight. If no time window is set, this argument is ignored.
ITIMES	(Output) An array containing the relative date/times of the data values, in a one-to-one correspondence. The times are given in minutes since the base date (JBDATE), and can be converted into julian dates and times using the procedure described in the remarks section.
VALUES	(Output) The values retrieved. The date/time of each value is provided in array ITIMES. Both arrays VALUES and ITIMES must be dimensioned to KVALS.
KVALS	(Input) The dimension of arrays VALUES and ITIMES, or (if desired) the maximum number of data values to retrieve. No more than KVALS values will be retrieved. If the message level (MLEVEL set via ZSET) is 5 or greater, a warning message will be printed when the KVALS limit has been reached.
NVALS	(Output) The number of values retrieved. Arrays ITIMES and VALUES will contain NVALS elements.
JBDATE	(Output) The julian base date (in days since Dec. 31, 1899), usually equivalent to the D part of the first pathname. This date, in conjunction with the ITIMES array, gives the date/time of each data value.
CUNITS	(Output) The units of the data (e.g., 'FEET').
CTYPE	(Output) The type of the data (e.g., 'PER-AVER').

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully read. If ISTAT is greater than ten, a fatal error occurred. The possible values are:

ISTAT	Description
0	Successful data retrieval.
1	The number of data values requested (according to the time window) exceeds KVALS. The ITIMES and VALUES arrays will contain KVALS values.
4	No data found (pathname not found). The output arguments are undefined.
GT 10	A "fatal" error occurred:
20	The data was not recognized as irregular-interval time series.
21	An internal buffer array is not large enough to read the record. (This will seldom occur as the same array is used to store the data, and the error would be detected at that time.)
24	The pathname does not meet the irregular-interval time series-conventions.

**Remarks:**

The base date combined with the ITIMES array provide the date and time of each data value. The ITIMES array is returned with minutes from JBDATE for each value. This can be converted to a julian date and time with the subroutine DATCLL. An example use of DATCLL is:

```

      INTEGER*4 JUL(KVALS), ITIMES(KVALS), JBDATE
      INTEGER MINS(KVALS)
      . . .
      CALL ZRITS ( . . .
C
      DO 20 I=1,NVALS
        CALL DATCLL (JBDATE, ITIMES(I), JUL(I), MINS(I))
20    CONTINUE
      . . .

```

Earlier versions of DSS stored fractions of a day instead of minutes for the time array. This caused precision difficulties on 32 bit machines. A minimum of a 32 bit word size for the ITIMES array will allow a relative time range of up to 4085 years ( $2^{31}$  minutes).

CUNITS and CTYPE will contain the units and type for the last record read (when reading several records). If no data was found (ISTAT=4), or a fatal error occurred, CUNITS and CTYPE will be unchanged.

## ZRITS

If data flags or the user header needs to be retrieved, or the previous or next data value (relative to the time window) is needed, use ZRITSX, the extended version of this subroutine.

A debug trace may be turned on by setting the message level (MLEVEL) to either 7, 8, or 9 via subroutine ZSET. Level 7 gives information regarding the arguments being passed, whereas the higher levels provides information about the steps taking place inside ZRITS.

### Example:

```
C      Retrieve the past 60 days of data values and print their dates,  
C      times and values.  
C  
      PARAMETER (KVALS=1000)  
      REAL VALUES(KVALS)  
      INTEGER*4 ITIMES(KVALS), JULS, JULE, JUL, JBDATE  
      INTEGER IFLTAB(600)  
      CHARACTER CPATH*80, CUNITS*8, CTYPE*8, CDATE*20, CTIME*4  
  
C      Open the DSS file and get the pathname.  
C      CALL ZOPEN (IFLTAB, . . .  
  
C      Get the current julian date and time.  
C      CALL CURTIM (JULE, IETIME)  
C      Decrement it by 60 days.  
      IDUM = INCTIM (1440, 0, -60, JULE, IETIME, JULS, ISTEIME)  
      ISTEIME = 1440  
  
C      Retrieve the data.  
C      CALL ZRITS (IFLTAB, CPATH, JULS, ISTEIME, JULE,  
* IETIME, ITIMES, VALUES, KVALS, NVALS, JBDATE, CUNITS,  
* CTYPE, ISTAT)  
  
C      Check for errors.  
C      IF (ISTAT.GE.10) GO TO 900  
      IF (ISTAT.EQ.4) GO TO 100  
  
C      Print out the data.  
C      CALL CHRLNB (CPATH, NPATH)  
      WRITE (6,20) CPATH(1:NPATH), CUNITS, CTYPE  
20  FORMAT (. . .  
      DO 60 I=1, NVALS  
C      Convert the times array into a regular date and time.  
      CALL DATCLL (JBDATE, ITIMES(I), JUL, IMIN)  
      CALL JULDAT (JUL, 0, CDATE, NDATE)  
      IDUM = M2IHM (IMIN, CTIME)  
      WRITE (6,40) CDATE(1:NDATE), CTIME, VALUES(I)  
40  FORMAT (1X,A,', ',A,', ',F8.2)  
60  CONTINUE
```

## **4.6 ZRITSX - Retrieve Irregular-Interval Time Series Data (Extended Version)**

### **Purpose:**

ZRITSX is the extended call to retrieve irregular-interval time series data from a DSS file. This subroutine will return data flags and the user header along with the data. In addition, ZRITSX will, if desired, return the value preceding and/or following the time window. If this additional information is not needed, use ZRITS, the short form of this subroutine.

The data retrieved by ZRITSX may be based on a time window and can cross record boundaries (that is, it can read several records with different dates), or it can read all the data in one record with no time window. When reading data based on a time window, the "D part" is ignored, as ZRITSX forms pathnames with a D part determined by the time window.

### **Calling Sequence:**

```
CALL ZRITSX (IFLTAB, CPATH, JULS, ITIME, JULE, IETIME,
* ITIMES, VALUES, KVALS, NVALS, JBDATE, FLAGS, LFLAGS, LFREAD,
* CUNITS, CTYPE, HEADU, KHEADU, NHEADU, INFLAG, ISTAT)
```

### **Declarations:**

```
INTEGER IFLTAB(600), KVALS, NVALS, ISTAT
INTEGER JULS, ITIME, JULE, IETIME, JBDATE
INTEGER ITIMES(KVALS), KHEADU, NHEADU, INFLAG
REAL VALUES(KVALS), FLAGS(KVALS), HEADU(KHEADU)
CHARACTER CPATH*80, CUNITS*8, CTYPE*8
LOGICAL LFLAGS, LFREAD
```

On MS-DOS microcomputers, the julian dates and the time array must be INTEGER\*4:

```
INTEGER*4 JULS, JULE, JBDATE, ITIMES(KVALS)
```

On Harris computers, the time array must be INTEGER\*6:

```
INTEGER*6 ITIMES(KVALS)
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to read. The pathname must meet the irregular-interval time series conventions (including a correct "E part"). With a time window specified, the "D part" (date part) will be ignored, as ZRITSX will form it internally. If no time window is given, the D part must be provided. The length of CPATH is implicit (e.g., CPATH(1:NPATH)).



## ZRITSX

JULS	(Input) The julian date of the start of the time window. This is days since December 31, 1899 (not since the beginning of the current year). If no time window is specified, this argument is ignored (see ISTEIME).
ISTEIME	(Input) The starting time of the time window, in minutes past midnight (for midnight ISTEIME would be 1440, not 0). To use no time window and read the entire record, set ISTEIME to -2. The D part of the pathname will be used to define the time window.
JULE	(Input) The julian date of the end of the time window in days since December 31, 1899. If no time window is set, this argument is ignored.
IETIME	(Input) The ending time of the time window in minutes past midnight. If no time window is set, this argument is ignored.
ITIMES	(Output) An array containing the relative date/times of the data values, in a one-to-one correspondence. The times are given in minutes since the base date (JBDATE), and can be converted into julian dates and minutes since midnight as discussed in the remarks section.
VALUES	(Output) The values retrieved. The date/time of each value is provided in array ITIMES. Both arrays VALUES and ITIMES must be dimensioned to KVALS.
KVALS	(Input) The dimension of arrays VALUES and ITIMES, or (if desired) the maximum number of data values to retrieve. No more than KVALS values will be retrieved. If the message level is 5 (MLEVEL) or greater, a warning message will be printed when the KVALS limit has been reached.
NVALS	(Output) The number of values retrieved. Arrays ITIMES and VALUES will contain NVALS elements.
JBDATE	(Output) The julian base date (in days since Dec. 31, 1899), usually equivalent to the D part of the pathname. This date, in conjunction with the ITIMES array, gives the date/time of each data value.
FLAGS	(Output) The 32-bit data flags retrieved. This must be dimensioned to KVALS. See the appendix to interpret the bit settings. If data flags are not to be retrieved, set LFLAGS to .FALSE. and FLAGS may be a dummy argument.
LFLAGS	(Input) A logical flag indicating whether data flags should be retrieved, if available. Set this to .TRUE. if flags are to be retrieved, .FALSE. if flags are not to be retrieved.
LFREAD	(Output) A logical flag indicating whether data flags were retrieved. If the data did not have flags, or LFLAGS was set to .FALSE., this variable will be returned as .FALSE. (and FLAGS will be unchanged). If flags were retrieved, this variable will be set to .TRUE..
CUNITS	(Output) The units of the data (e.g., 'FEET').
CTYPE	(Output) The type of the data (e.g., 'PER-AVER').

**HEADU** (Output) The optional user header array. This array usually may be decoded by subroutine ZUSTFH.

**KHEADU** (Input) The dimension of array HEADU. No more than KHEADU elements of the user header array will be retrieved. If you do not want to retrieve the user header, set KHEADU to zero.

**NHEADU** (Output) The number of elements in the user header actually retrieved. NHEADU will always be equal to or less than KHEADU.

**INFLAG** (Input) A flag indicating if the value preceding and/or following the time window should be retrieved. This is valid only when a time window is provided (i.e., ISTE is not set to -2). Valid INFLAG values are:

INFLAG	Description
0	Normal - retrieve data based on the time window.
1	Retrieve the value (and its date/time) preceding the time window in addition to the data within the time window.
2	Retrieve the value (and its date/time) following the time window in addition to the data within the time window.
3	Retrieve both values (and their date/time) preceding and following the time window in addition to the data within the time window.

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully read. If ISTAT is greater than ten, a fatal error occurred. The possible values are:

ISTAT	Description
0	Successful data retrieval.
1	The number of values requested (according to the time window) exceeds KVALS. The ITIMES and VALUES arrays will contain KVALS values.
4	No data found (pathname not found). The output arguments are undefined.
GT 10	A "fatal" error occurred:
20	The data was not recognized as irregular-interval time series.
21	An internal buffer array is not large enough to read the record. (This will seldom occur as the same array is used to store the data, and the error would be detected at that time.)
24	The pathname does not meet the irregular-interval time series-conventions.

## ZRITSX

### Remarks:

The base date combined with the ITIMES array provide the date and time of each data value. The ITIMES array is returned with minutes from JBDATE for each value. This can be converted to a julian date and time with the subroutine DATCLL. An example use of DATCLL is:

```
      INTEGER*4 JUL(KVALS), ITIMES(KVALS), JBDATE
      INTEGER MINS(KVALS)
      . . .
      CALL ZRITSX ( . . .
C
      DO 20 I=1,NVALS
          CALL DATCLL (JBDATE, ITIMES(I), JUL(I), MINS(I))
20    CONTINUE
      . . .
```

Earlier versions of DSS stored fractions of a day instead of minutes for the time array. This caused precision difficulties on 32 bit machines. A minimum of a 32 bit word size for the ITIMES array will allow a relative time range of up to 4085 years ( $2^{31}$  minutes).

When a preceding or subsequent value to the time window is requested via INFLAG, ZRITSX will search up to one record preceding or following the records within the data block. If no value is found, that point is not returned (i.e., a missing data flag is not returned).

CUNITS and CTYPE will contain the units and type for the last record read (when reading several records). If no data was found (ISTAT=4), or a fatal error occurred, CUNITS and CTYPE will be unchanged.

A debug trace may be turned on by setting the message level (MLEVEL) to either 7, 8, or 9 via subroutine ZSET. Level 7 gives information regarding the arguments being passed, whereas the higher levels provides information about the steps taking place inside ZRITSX.

### Example:

```
C      Retrieve cumulative precipitation data from January 5, 1990
C      until January 25, 1990, then convert and print incremental
C      precipitation for those times.
C
      PARAMETER (KVALS=1000)
      REAL VALUES(KVALS), FLAGS(KVALS)
      INTEGER*4 ITIMES(KVALS), JULS, JULE, JUL, JBDATE
      INTEGER IFLTAB(600)
      CHARACTER CPATH*80, CUNITS*8, CTYPE*8
      CHARACTER CDATE1*20, CTIME1*4, CDATE2*20, CTIME2*4
      LOGICAL LFREAD
C
C      Open the DSS file and get the pathname.
      CALL ZOPEN (IFLTAB, . . .
C
```

```

C      Convert Jan 5 '90 and Jan 25 '90 to julian.
      CALL DATJUL ('JAN 5, 1990', JULS, IERR)
      IF (IERR.NE.0) GO TO 900
      CALL DATJUL ('JAN 25, 1990', JULE, IERR)
      IF (IERR.NE.0) GO TO 900
      ISTEIME = 0001
      IETIME = 1400

C
C      Retrieve the previous and following data values.
      INFLAG = 3

C
C      Retrieve the data.
      CALL ZRITSX (IFLTAB, CPATH, JULS, ISTEIME, JULE,
* IETIME, ITIMES, VALUES, KVALS, NVALS, JBDATE, FLAGS, .TRUE.,
* LFREAD, CUNITS, CTYPE, IDUM, 0, NDUM, INFLAG, ISTAT)

C
C      Check for errors.
      IF (ISTAT.GE.10) GO TO 900
      IF (ISTAT.EQ.4) GO TO 100

C
C      Convert and print the data.
      CALL CHRLNB (CPATH, NPATH)
      WRITE (6,20) CPATH(1:NPATH), CUNITS, CTYPE
20    FORMAT (. . .

C
      DO 60 I=1, NVALS-1
C      Check for invalid precipitation data.
      IF ((VALUES(I).LT.0).OR.(VALUES(I+1).LT.0)) GO TO 60

C
C      Compute incremental from cumulative.
      PREINC = VALUES(I+1) - VALUES(I)

C
C      Convert the times of both into regular dates and times.
      CALL DATCLL (JBDATE, ITIMES(I), JUL, IMIN)
      CALL JULDAT (JUL, 0, CDATE1, NDATE1)
      IDUM = M2IHM (IMIN, CTIME1)
      CALL DATCLL (JBDATE, ITIMES(I+1), JUL, IMIN)
      CALL JULDAT (JUL, 0, CDATE2, NDATE2)
      IDUM = M2IHM (IMIN, CTIME2)

C
      WRITE (6,40) CDATE1(1:NDATE1), CTIME1, CDATE2(1:NDATE2),
* CTIME2, PREINC
40    FORMAT (' From ',A,' at ',A,' through ',A,' at ',A,' ;',F6.2)

C
      IF (LFREAD) THEN
        CALL GETBIT (FLAGS(I), 8, IEST)
        CALL GETBIT (FLAGS(I+1), 8, JEST)
        IF ((IEST.GT.0).OR.(JEST.GT.0)) WRITE (6,*) '(Estimated)'
      ENDIF
60    CONTINUE

```

## **ZSITS**

### **4.7 ZSITS - Store Irregular-Interval Time Series Data**

#### **Purpose:**

ZSITS is a short call to store irregular-interval time series data in a DSS file. The data to be stored is based on an implied time window which can cross record boundaries (that is, ZSITS can write several records with different "D parts"). The time window is implied by the date and time of the first and last data values (which is to be provided in the "ITIMES" array).

Irregular-interval time series data is stored with times to the nearest minute. Data for times of less than a minute cannot be stored with this convention. The times of the data must be in ascending order, and no value may have the same exact time as another (you cannot have two data points for the same time in a record).

If data flags or a user header is to be stored with the data, use ZSITSX, the extended version of this subroutine.

#### **Calling Sequence:**

```
CALL ZSITS (IFLTAB, CPATH, ITIMES, VALUES, NVALS, JBDATE,  
* CUNITS, CTYPE, INFLAG, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), ITIMES(NVALS), NVALS, JBDATE, INFLAG, ISTAT  
REAL VALUES(NVALS)  
CHARACTER CPATH*80, CUNITS*8, CTYPE*8
```

On MS-DOS microcomputers, the base date and the time array must be INTEGER\*4:

```
INTEGER*4 JBDATE, ITIMES(KVALS)
```

On Harris computers, the time array must be INTEGER\*6:

```
INTEGER*6 ITIMES(KVALS)
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. The pathname must meet the irregular-interval time series conventions. The "D part" (date part) is ignored, as ZSITS will form it internally. The length of CPATH is implicit (e.g., CPATH(1:NPATH)).

**ITIMES** (Input) The array containing the relative date/times of the data values, in a one-to-one correspondence to the data. These values are to be in minutes from the base date (JBDATE), and can be generated from standard dates and times by the methods discussed in remarks (following). The times must be in ascending order, and no two times can be the same.

**VALUES** (Input) The values to store. The date/time of each value must be defined in array ITIMES.

**NVALS** (Input) The number of values to store. Arrays ITIMES and VALUES must contain NVALS elements.

**JBDATE** (Input) The julian base date (in days since Dec. 31, 1899), which when combined with each element of ITIMES will give the julian date and time for that value. All numbers in ITIMES must be relative to this value.

**CUNITS** (Input) The units of the data (e.g., 'FEET').

**CTYPE** (Input) The type of the data (e.g., 'PER-AVER').

**INFLAG** (Input) INFLAG is a flag to indicate whether the data should be replaced or merged with existing data. Replace will replace all the data between the implied time window (time of first and last data). Merge will combine the data with the data already stored. (Merging data replaces data occurring at the same time and inserts data at new times.)

INFLAG = 0 to merge data.  
INFLAG = 1 to replace data.

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then all the data was successfully stored. If ISTAT is greater than ten, a fatal error occurred. The possible values are:

ISTAT	Description
0	The data was successfully stored.
4	No data was given to store (NVALS was zero).
GT 10	A "fatal" error occurred:
21	An internal buffer array is not large enough to store this number of data values. If this error occurs, the time-block identified by in the "E part" of the pathname spans too long of a time, and holds more data values than the internal buffers can accommodate. The time-block should be changed to the next lower size (e.g., from "IR-MONTH" to "IR-DAY").
24	The pathname does not meet the irregular-interval time series conventions.
30	The times of the data values are not in a ascending order, or two values occur at the same time.

## **ZSITS**

### **Remarks:**

Generally the base date (JBDATE) is the julian date of the first value (although it does not have to be as long as ITIMES will produce the correct date). The ITIMES array can be computed from the julian date (JUL) and time (IMIN) of the data values by the following procedure (where JBDATE has been determined earlier):

```
INTEGER*4 JBDATE, JUL, ITIMES(NVALS)
INTEGER IMIN

ITIMES(I) = ((JUL - JBDATE) * 1440) + IMIN
```

Note that this math must usually be done in large integers (INTEGER\*4 or INTEGER\*6).

Earlier versions of DSS stored fractions of a day instead of minutes for the time array. This caused precision difficulties on 32 bit machines. A minimum of a 32 bit word size for the ITIMES array will allow a relative time range of up to 4085 years ( $2^{31}$  minutes).

With reference to INFLAG and data already present in the DSS file, replace will replace all the data within the implied time window, while merge will combine the two data sets, only replacing those values that occur at exactly the same time (within one minute of significance). INFLAG has no meaning for a new record. Usually the replace mode is used for editing data, and the merge mode is used for adding new data to the record.

If you are updating data where the first or last value might be deleted (for example an editing process where the first data might be removed), an explicit time window may be specified by setting the beginning time of the time window in the first element of ITIMES, and setting the corresponding data value to -902.0. The end of the time window is indicated in a similar manner, by setting the ending time in the last element in ITIMES and the corresponding value to -902.0. ZSITS will ignore the -902.0, but use the times to delete any data between that time and the next (or preceding) value in the array. (This cannot be used to delete an entire record, just data within a record.)

If data without data flags is merged with (or replaces) data with flags, then data flags (set to zero) will be added to the new data.

A debug trace may be turned on by setting the message level (MLEVEL) to 9 via subroutine ZSET.

Example:

```

C      Read Irregular-interval time series data from an ASCII file, then
C      store it in DSS. The input file might appear like the following:
C          3/12/90, 0800, 32.25
C          3/13/90, 1200, 33.14
C          END
C      Set a data precision (used by DSSUTL) by counting the number of
C      digits to the right of the decimal point.
C
C      PARAMETER (KVALS=1000)
C      INTEGER*4 ITIMES(KVALS), JBDATE, JUL
C      INTEGER IFLTAB(600), IBF(20), IEF(20), ILF(20)
C      REAL VALUES(KVALS)
C      CHARACTER CLINE*80, CPATH*80, CUNITS*8, CTYPE*8
C
C      Open DSS file and get the pathname.
C      CALL ZOPEN (IFLTAB, ...
C
C      20  CONTINUE
C          READ (9,40,END=200) CPATH, CUNITS, CTYPE
C      40  FORMAT ( ...
C
C          NVALS = 0
C          MAXPRE = 0
C      60  CONTINUE
C      Read a line from the input.
C          READ (9,80,END=200) CLINE
C      80  FORMAT (A)
C      Did we reach the end of the data yet?
C          IF (INDEX(CLINE,'END').GT.0) GO TO 100
C
C      Parse the line.
C          CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
C          IF (NFIELD.NE.3) GO TO 900
C
C      Get the date and time from this line.
C          CALL DATJUL (CLINE(IBF(1):IEF(1)), JUL, IERR)
C          IF (IERR.NE.0) GO TO 900
C          IMIN = IHM2M (CLINE(IBF(2):IEF(2)))
C          IF (IMIN.LT.0) GO TO 900
C      Compute the relative time of this value.
C          NVALS = NVALS + 1
C          IF (NVALS.EQ.1) JBDATE = JUL
C          ITIMES(NVALS) = ((JUL - JBDATE) * 1440) + IMIN
C
C      Get the data value.
C          VALUES(NVALS) = XREAL (CLINE, IBF(3), ILF(3), IERR)
C          IF (IERR.NE.0) GO TO 900
C
C

```



## ZSITS

```
C      Determine the data precision.
      N = INDEX (CLINE(IBF(3):IEF(3)), '.')
      IF (N.GT.0) THEN
        J = ILF(3) - N
        IF (J.GT.MAXPRE) MAXPRE = J
      ENDIF

C
C      Go back and read the next value.
      GO TO 60

C
C      All the data has been read; store it.
100  CONTINUE
      IF (NVALS.LE.0) GO TO 800

C
C      Set the data precision.
      CALL ZSET ('PREC', ' ', MAXPRE)

C
      CALL ZSITS (IFLTAB, CPATH, ITIMES, VALUES, NVALS,
* JBDATE, CUNITS, CTYPE, 0, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      GO TO 20
```

## **4.8 ZSITSX - Store Irregular-Interval Time Series Data (Extended Version)**

### **Purpose:**

ZSITSX is the extended call to store irregular-interval time series data in a DSS file. This subroutine will store data flags and a user header along with the data. If flags or the user header will not be stored, use ZSITS, the short form of this subroutine.

The data stored by ZSITSX is based on implied time window which can cross record boundaries (that is ZSITSX can write several records with different "D parts"). The time window is implied by the date and time of the first and last data values (which is to be provided in the "ITIMES" array).

Irregular-interval time series data is stored with times to the nearest minute. Data for times of less than a minute cannot be stored with this convention. The times of the data must be in an ascending order, and no value may have the same exact time as another (you cannot have two data points for the same time in a record).

### **Calling Sequence:**

```
CALL ZSITSX (IFLTAB, CPATH, ITIMES, VALUES, NVALS, JBDATE,
*  FLAGS, LFLAGS, CUNITS, CTYPE, HEADU, NHEADU, INFLAG, ISTAT)
```

### **Declarations:**

```
INTEGER IFLTAB(600), ITIMES(NVALS), NVALS, JBDATE
INTEGER NHEADU, INFLAG, ISTAT
REAL VALUES(NVALS), FLAGS(NVALS), HEADU(NHEADU)
CHARACTER CPATH*80, CUNITS*8, CTYPE*8
LOGICAL LFLAGS
```

On MS-DOS microcomputers, the base date and the time array must be INTEGER\*4:

```
INTEGER*4 JBDATE, ITIMES(KVALS)
```

On Harris computers, the time array must be INTEGER\*6:

```
INTEGER*6 ITIMES(KVALS)
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. The pathname must meet the irregular-interval time series conventions. The "D part" (date part) is ignored, as ZSITSX will form it internally. The length of CPATH is implicit (e.g., CPATH(1:NPATHTH)).

**ITIMES** (Input) The array containing the relative date/times of the data values, in a one-to-one correspondence to the data. These values are to be in minutes from the base date (JBDATE), and can be generated from standard dates and times by the methods discussed in remarks (following). The times must be in ascending order, and no two times can be the same.

**VALUES** (Input) The values to store. The date/time of each value must be defined in array ITIMES.

**NVALS** (Input) The number of values to store. Arrays ITIMES and VALUES must contain NVALS valid elements.

**JBDATE** (Input) The julian base date (in days since Dec. 31, 1899), which when combined with each element of ITIMES will give that data values total julian date and time. All values in ITIMES must be relative to this value.

**FLAGS** (Input) An array containing 32 bit data flags. If flags are not to be stored then set LFLAGS to .FALSE. and FLAGS may be a dummy argument.

**LFLAGS** (Input) A logical flag indicating whether data flags are to be stored or not. To store the FLAGS array, set LFLAGS to .TRUE.. If flags are not to be stored, set this to .FALSE..

**CUNITS** (Input) The units of the data (e.g., 'FEET').

**CTYPE** (Input) The type of the data (e.g., 'PER-AVER').

**HEADU** (Input) The optional user header array. Information should be placed in this array by subroutine ZSTFH. If no user header is to be stored, this may be a dummy argument and NHEADU should be set to zero.

**NHEADU** (Input) The number of elements in the user header array HEADU. If no header information is to be stored, set this to zero. If the record exists and is stored with a user header, that header may be retained by setting this to the negative of the dimension of HEADU. Up to the absolute value of that dimension number of header elements will be retained (and also retrieved in HEADU). If the record does not exist, then no header will be stored when NHEADU is less than zero.

**INFLAG** (Input) INFLAG is a flag to indicate whether the data should be replaced or merged with existing data. Replace will replace all the data between the implied time window (time of first and last data). Merge will combine the data with the data already stored. (Merging data replaces data occurring at the same time, while inserting data that are for new times.)

INFLAG = 0 to merge data.  
INFLAG = 1 to replace data.

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then all the data was successfully stored. If ISTAT is greater than ten, a fatal error occurred. The possible values are:

ISTAT	Description
0	The data was successfully stored.
4	No data was given to store (NVALS was zero).
GT 10	A "fatal" error occurred:
21	An internal buffer array is not large enough to store this number of data values. If this error occurs, the time-block identified by in the "E part" of the pathname spans too long of a time, and holds more data values than the internal buffers can accommodate. The time-block should be changed to the next lower size (e.g., from "IR-MONTH" to "IR-DAY").
24	The pathname given does not meet the irregular-interval time series-conventions.
30	The times of the data values are not in a ascending order, or two values occur at the same time.

**Remarks:**

Generally the base date (JBDATE) is the julian date of the first data value (although it does not have to be as long as ITIMES will produce the correct date). The ITIMES array can be computed from the julian date (JUL) and time (IMIN) of the data values by the following procedure (where JBDATE has been determined earlier):

```
INTEGER*4 JBDATE, JUL, ITIMES(NVALS)
INTEGER IMIN
```

```
ITIMES(I) = ((JUL - JBDATE) * 1440) + IMIN
```

Note that this math must usually be done in large integers (INTEGER\*4 or INTEGER\*6).

Earlier versions of DSS stored fractions of a day instead of minutes for the time array. This caused precision difficulties on 32 bit machines. A minimum of a 32 bit word size for the ITIMES array will allow a relative time range of up to 4085 years ( $2^{31}$  minutes).

With reference to INFLAG and data already present in the DSS file, replace will replace all the data within the implied time window, while merge will combine the two data sets, only replacing those values that occur at exactly the same time (within one minute of significance). INFLAG has no meaning for a new record. Usually the replace mode is used for editing data, and the merge mode is used for adding new data to the record.

## ZSITSX

If you are updating data where the first or last value might be deleted (for example an editing process where the first data might be removed), an explicit time window may be specified by setting the beginning time of the time window in the first element of ITIMES, and setting the corresponding data value to -902.0. The end of the time window is indicated in a similar manner, by setting the ending time in the last element in ITIMES and the corresponding value to -902.0. ZSITSX will ignore the -902.0, but use the times to delete any data between that time and the next (or preceding) value in the array. (This cannot be used to delete an entire record, just data within a record.)

If data with data flags is merged with (or replaces) data without data flags, then data flags (set to zero) will be added to the old data before the merge. If data without data flags is merged with (or replaces) data with flags, then data flags (set to zero) will be added to the new data.

A debug trace may be turned on by setting the message level (MLEVEL) to 9 via subroutine ZSET.

### Example:

```
C      Do a range check on data stored in a DSS file.
C      Read the pathnames, and the time window from an external file.
C
      PARAMETER (KVALS=4000, KHEADU=500)
      INTEGER*4 ITIMES(KVALS), JULS, JULE, JBDATE
      INTEGER IFLTAB(600)
      REAL VALUES(KVALS), HEADU(KHEADU), FLAGS(KVALS)
      CHARACTER CLINE*80, CPATH*80, CUNITS*8, CTYPE*8
      LOGICAL LFREAD
C
C      Open the DSS file.
      CALL ZOPEN (IFLTAB, ...
C
C      Read the time window.
      READ (5, 20) CLINE
20    FORMAT (A)
      CALL GETIME (CLINE, 1, 80, JULS, ISTEIME, JULE, IETIME, IST)
      IF (IST.NE.0) GO TO 900
C
C      Read irregular-interval time series pathnames.
100   CONTINUE
      READ (5, 20, END=800) CPATH
C
C      Retrieve the data.
      CALL ZRITSX (IFLTAB, CPATH, JULS, ISTEIME, JULE, IETIME, ITIMES,
* VALUES, KVALS, NVALS, JBDATE, FLAGS, .TRUE., LFREAD, CUNITS,
* CTYPE, HEADU, KHEADU, NHEADU, 0, ISTAT)
      IF (ISTAT.NE.0) GO TO 100
```

```

C      Now do a range check.
C      If the value is less than zero, reject it.
C      If it is greater than 30, mark it questionable, greater than 50
C      reject it. (Bit 2 is ok, 4 is questionable, bit 5 is rejected.)
C
      DO 120 I=1,NVALS
C      If we did not read flags, zero out the flag.
C      (Note that on some computers, a zero may set some bits on,
C      and FLAGS must be zeroed by equivalencing to an integer.)
      IF (.NOT.LFREAD) FLAGS(I) = 0.0
C      Does it fail to be a positive value?
      IF (VALUES(I).LT.0.0) THEN
          CALL SETBIT (FLAGS(I), 5)
C      Is it greater than 30?
      ELSE IF (VALUES(I).GT.30.0) THEN
C      Is it greater than 50?
          IF (VALUES(I).GT.50.0) THEN
              CALL SETBIT (FLAGS(I), 5)
          ELSE
C      Data is questionable.
              CALL SETBIT (FLAGS(I), 4)
          ENDIF
      ELSE
C      Passes the range check, mark ok.
          CALL SETBIT (FLAGS(I), 2)
      ENDIF
120  CONTINUE
C
C      Test complete. Re-store the data.
      CALL ZSITSX (IFLTAB, CPATH, ITIMES, VALUES, NVALS, JBDATE, FLAGS,
* .TRUE., CUNITS, CTYPE, HEADU, NHEADU, 0, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C
C      Get the next set of data.
      GO TO 100

```

## ZGINTL

### 4.9 ZGINTL - Get Time Series Interval

#### Purpose:

Given the "E part" from a regular-interval time series pathname, ZGINTL will compute the time interval in minutes and the maximum number of data values contained in a block. Conversely, given a time interval in minutes, ZGINTL will generate a standard E part. If the E part meets the irregular-interval time series conventions, a status parameter will be returned indicating so (although no time interval will be returned).

#### Calling Sequence:

```
CALL ZGINTL (INTL, CE, NVALS, ISTAT)
```

#### Declarations:

```
INTEGER INTL, NVALS, ISTAT  
CHARACTER CE*32
```

On MS-DOS microcomputers, the time interval INTL must be declared as INTEGER\*4.

```
INTEGER*4 INTL
```

#### Argument Description:

INTL	(Input or Output) The time interval in minutes. When generating the E part, this will be input. When computing the interval from the E part, this will be output.
CE	(Input or Output) The E part. When generating the E part, this will be output. When computing the interval from the E part, this will be input.
NVALS	(Output) The number of data values in a regular-interval time series block for this interval.
ISTAT	(Input-Output) ISTAT is used both as a flag on input, and a status parameter on output. On input, ISTAT indicates on whether to convert INTL to an E part, or convert the E part to INTL.

#### As Input:

ISTAT	Description
1	Get the integer interval (INTL) from the character E part (CE).
2	Get the character E part (CE) from the integer interval (INTL) in minutes.

**As Output:**

ISTAT	Description
0	E part or INTL meets the regular-interval time series conventions.
1	E part meets the irregular-interval time series conventions (no interval returned).
-1	The E part is not recognized as time series.

**Remarks:**

ZGINTL can be used to help determine the type of data from the pathname. Because ISTAT is used both as an input and an output parameter, make sure that it is a variable that is set properly before calling ZGINTL.

**Example:**

```
C      Get the time interval from a pathname.
C
      CALL ZUFPN (... , CE, NE, ...
           or, alternatively
      CALL ZGPNP (... , CE, ...
C
C      Get the time interval in minutes from the E part.
      ISTAT = 1
      CALL ZGINTL (INTL, CE, ND, ISTAT)
C
C      If ISTAT is returned as -1, the pathname is not time series.
      IF (ISTAT.EQ.-1) GO TO 900
C      Is the record irregular-interval time series?
      IF (ISTAT.EQ.1) GO TO 100
C      Regular-interval time series data.
```



## ZOFSET

### 4.10 ZOFSET - Determine the Time Offset of Time Series Data

#### Purpose:

ZOFSET will compute the interval offset from the standard interval time for regular-interval time series data. For example, the standard times for daily data is at 2400 hours (midnight), but data that is recorded at 0800 has an offset of 480 minutes (8 hours). ZOFSET can also change the julian date and time to the standard time for that interval. Another capability of ZOFSET is to adjust the date and time according to the offset given.

#### Calling Sequence:

```
CALL ZOFSET (JUL, ITIME, INTL, IFLAG, IOFSET)
```

#### Declarations:

```
INTEGER JUL, ITIME, INTL, IFLAG, IOFSET
```

On MS-DOS micro-computers, the julian date, time interval and time offset must be INTEGER\*4:

```
INTEGER*4 JUL, INTL, IOFSET
```

#### Argument Description:

JUL	(Input-Output) The julian date, in days from 31DEC1899.
ITIME	(Input-Output) The time, in minutes past midnight.
INTL	(Input) The time interval, in minutes. This must correspond to the standard regular-interval time series conventions.
IFLAG	(Input) A flag indicating whether the date and time should be changed to a standard time :

IFLAG	Description
0	Only compute the offset (don't change JUL or ITIME).
1	Compute the offset and change the date and time to the standard date and time for that interval.
2	Adjust JUL and ITIME according to the offset provided (JUL and ITIME will be changed to a standard date and time first, then adjusted).

IOFSET	(Input-Output) The computed time offset, in minutes. The offset is the number of minutes between the standard time and the given time (JUL, ITIME). If IFLAG is 2, then this argument must contain the offset to adjust JUL and ITIME with.
--------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Remarks:

If the date/time are changed to a standard date/time, it is adjusted up. For example, a daily data value must occur between 0001 hours, and 2400 hours (1440 minutes). If ZOFSET changes the date and time to standard, it will become 2400 hours (1440 minutes).

Example 1:

```

C      Check for a time offset of a date and time.
      CALL ZOFSET (JUL, ITIME, INTL, 0, IOFSET)
C
C      Now call an interpolation routine to compute data
C      for the standard time interval.
      IF (IOFSET.GT.0) THEN
      RATIO = REAL(IOFSET)/REAL(INTL)
      CALL INTERP (...

```

In the above example, if:

```

      INTL  = 1440  (1 day)
      JUL   = 29348 (May 8, 1980)
      ITIME = 420   (7 a.m.)

```

then IOFSET would be returned:

```

      IOFSET = 420

```

if IFLAG were set to 1 (adjust date/time), then the following variables would be returned:

```

      JUL   = 29348 (May 8, 1990)
      ITIME = 2400  (midnight)
      IOFSET = 420

```

Example 2:

```

C      Adjust the date and time for data returned by ZRRTS
C      according to the offset, so that values are printed
C      with the correct time.
C
      CALL ZRRTS (... , IOFSET, ...)
C
C      Print the values and their date and time.
      DO 80 I=1,NVALS
      IDUM = INCTIM (INTL, 0, I-1, JULS, ITIME, JULE, IETIME)
C      Adjust the date and time according to the offset.
      CALL ZOFSET ( JULE, IETIME, INTL, 2, IOFSET)
      CALL JULDAT (JULE, 0, CDATE, NDATE)
      IDUM = M2IHM (IETIME, CTIME)
      WRITE (6,40) CDATE(1:NDATE), CTIME, VALUES(I)
40      FORMAT (1X,A,2X,A,F10.3)
80      CONTINUE

```

## **5 Paired Data Subroutines**

Paired data is a group of data that represents a two variable relationship. Typical examples are data that make up a curve (e.g., a rating table or a flow-frequency curve). Several sets of data may be stored in the same record if one of the variables is the same. For example, several elevation-damage curves may be stored in the same record, where the curves may be residential, commercial, etc.. However, a stage-damage curve and a stage-flow curve should not be stored in the same record. A scale associated with the data set may be one of three types: linear, logarithmic, or probability.

Paired data is exchanged between a program and DSS in a singly dimensioned array. This usually requires that data be transferred from a doubly dimensioned array (with X and Y ordinates) into a singly dimensioned array. Examples of such a procedure are provided.

A label may be given to each data set. Labels are typically used to differentiate between curves within the same record. For example, a elevation-damage record may contain three curves whose labels might be "RESIDENTIAL", "AGRICULTURAL", and "COMMERCIAL".

Paired data is retrieved by subroutine ZRPD and stored with subroutine ZSPD. Prior to February 1987, paired data was stored and retrieved with subroutines ZWRITE and ZREAD, respectively. Because DSS version 6 uses an internal header to store information about the data, ZWRITE and ZREAD can no longer be used. The older subroutines ZGTPFD and ZPTPFD may still be used, although they maybe somewhat more cumbersome than ZRPD and ZSPD.

Further paired data conventions may be found in the Overview section of the "HECDSS User's Guide and Utility Program Manuals".

## **ZRPD**

### **5.1 ZRPD - Retrieve Paired Data**

#### **Purpose:**

ZRPD retrieves paired (curve) data from a DSS file. The curve's labels and the user header may be retrieved in addition to the data.

#### **Calling Sequence:**

```
CALL ZRPD (IFLTAB, CPATH, NORD, NCURVE, IHORIZ,  
* C1UNIT, C1TYPE, C2UNIT, C2TYPE, VALUES, KVALS, NVALS,  
* CLABEL, KLABEL, LABEL, HEADU, KHEADU, NHEADU, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), NORD, NCURVE, IHORIZ, KVALS, NVALS  
INTEGER KLABEL, KHEADU, NHEADU, ISTAT  
REAL VALUES(KVALS), HEADU(KHEADU)  
CHARACTER CPATH*80, CLABEL(KLABEL)*12  
CHARACTER C1UNIT*8, C1TYPE*8, C2UNIT*8, C2TYPE*8  
LOGICAL LABEL
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.						
CPATH	(Input) The pathname of the data to read. The pathname must meet the paired function data conventions.						
NORD	(Output) The number of ordinates (number of points per curve) read. Each curve within a single record will have the same number of ordinates.						
NCURVE	(Output) The number of curves retrieved in this record.						
IHORIZ	(Output) The variable number to appear on the horizontal axis for plotting (1 for first variable, 2 for second).						
C1UNIT	(Output) The units of the first variable (e.g., 'FEET', 'PERCENT').						
C1TYPE	(Output) The type of data for the first variable. The following types are recognized by DSS utility programs: <table><tr><td>UNT</td><td>Untransformed</td></tr><tr><td>LOG</td><td>Logarithmic - data expressed as logarithms.</td></tr><tr><td>PROB</td><td>Probability - data expressed in percent.</td></tr></table>	UNT	Untransformed	LOG	Logarithmic - data expressed as logarithms.	PROB	Probability - data expressed in percent.
UNT	Untransformed						
LOG	Logarithmic - data expressed as logarithms.						
PROB	Probability - data expressed in percent.						
C2UNIT	(Output) The units of the second variable.						

**C2TYPE** (Output) The type of data for the second variable.

**VALUES** (Output) The data values retrieved. The first NORD elements in VALUES correspond to the first variable (i.e., the X axis values of the data points). The data for the second variable (the Y axis values) begins at element NORD+1. Y axis values for a second curve would begin at (NORD \* 2) + 1.

**KVALS** (Input) The dimension of array VALUES. VALUES must be dimensioned to at least:

$$KVALS = (NCURVE + 1) * NORD$$

**NVALS** (Output) The number of values retrieved.

**CLABEL** (Output) The labels for each curve. For example, if a ELEVATION-DAMAGE function is retrieved containing residential, agricultural and commercial damage, then CLABEL might be returned as:

```
CLABEL(1) = 'RESIDENTIAL '
CLABEL(2) = 'AGRICULTURAL'
CLABEL(3) = 'COMMERCIAL  '
```

For this example, NCURVE would be returned with 3, and CLABEL should be dimensioned to at least 3.

**KLABEL** (Input) The dimension of CLABEL. No more than KLABEL labels will be placed into CLABEL. If you do not wish to retrieve any labels, set KLABEL to zero.

**LABEL** (Output) A logical variable indicating if labels were returned. LABEL will be set to .TRUE. if labels were retrieved (there will be NCURVE labels), otherwise it will be as .FALSE..

**HEADU** (Output) The optional user header array. This array usually may be decoded by subroutine ZUSTFH.

**KHEADU** (Input) The dimension of array HEADU. No more than KHEADU elements of the user header array will be retrieved. If you do not want to retrieve the user header, set this to zero.

**NHEADU** (Output) The number of elements in the user header actually retrieved. NHEADU will always be equal to or less than KHEADU.

## ZRPD

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully read. The possible values are:

ISTAT	Description
0	Successful data retrieval.
-1	The record does not exist.
1	The dimension of VALUES (KVALS) was not large enough to retrieve all the data. Only KVALS values returned; the curves are incomplete.
20	The record is not paired data.

### Remarks:

Up to 50 curves (with the same ordinates) can be stored in one record. The maximum number of labels is also 50. Either all curves will have a label, or no curves will have labels. If the VALUES array is dimensioned smaller than the number of data values in the record, only the first KVALS values will be retrieved.

A debug trace will be printed when the message level (MLEVEL) is set to 7 (or above) via subroutine ZSET.

Points can be located within a singly dimension array by the following example:

```
C      To print the data (as X, Y1, Y2, Y3, ...):  
      DO 20 I=1,NORD  
          WRITE (6,10) (VALUES(J),J=I,NVALS,NORD)  
10      FORMAT (' X:',F8.2,',', Y(s):',50(2X,F8.2))  
20      CONTINUE
```

```
C      To transform the data into a doubly dimensioned array:  
      IPOS = 0  
      DO 20 I=1,NCURVE+1  
          DO 20 J=1,NORD  
              IPOS = IPOS + 1  
              CURVE(J,I) = VALUES(IPOS)  
20      CONTINUE
```

Example:

```

C      Retrieve Paired Data from a DSS file, then print it in the form:
C      1, X, Y1, Y2, ...
C
      PARAMETER (KVALS=1000, KLABEL=50)
      INTEGER IFLTAB(600), NORD, NCURVE, IHORIZ, NVALS
      INTEGER NHEADU, ISTAT
      REAL VALUES(KVALS)
      CHARACTER CPATH*80, C1UNIT*8, C2UNIT*8, C1TYPE*8, C2TYPE*8
      CHARACTER CLABEL(KLABEL)*12, CNAME*64
      LOGICAL LABEL

C
C      Open the DSS file.
      CALL ZOPEN (IFLTAB, CNAME, ISTAT)
      IF (ISTAT.NE.0) GO TO 900

C
C      Get the pathname.
      CALL ZPATH (. . .

C
C      Retrieve the data.
      CALL ZRPD (IFLTAB, CPATH, NORD, NCURVE, IHORIZ,
* C1UNIT, C1TYPE, C2UNIT, C2TYPE, VALUES, KVALS, NVALS,
* CLABEL, KLABEL, LABEL, DUM, 0, NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 910

C
C      Write the record's pathname.
      CALL CHRLNB (CPATH, NPATH)
      WRITE (6,20) CPATH(1:NPATH)
20    FORMAT (' Record Pathname: ',A)

C
C      Write the label information (if there are labels).
      IF ((LABEL).AND.(NCURVE.LE.KLABEL)) THEN
        WRITE (6,30)
30      FORMAT (' Curve Labels:')
        DO 50 I=1,NCURVE
          WRITE (6,40) I, CLABEL(I)
40      FORMAT (' Curve',I3,' Label: ',A)
50      CONTINUE
      ENDIF

C
C      Write the data (as point, X, Y1, Y2, Y3, ...).
      DO 80 I=1,NORD
        WRITE (6,60) I, (VALUES(J),J=1,NVALS,NORD)
60      FORMAT (' Point',I4,'; X:',F8.2,', Y(s):',50(2X,F8.2))
80      CONTINUE
C

```

## ZRPD

Example results for an ELEVATION-DAMAGE Function having two damage categories and 18 ordinates:

### Input:

CPATH = /JAMES RIVER/DR1/ELEVATION-DAMAGE//1980/PLAN B/  
NPATH = 48  
KLABEL = 10  
KVALS = 1000

### Output:

NORD = 18  
NCURVE = 2  
IHORIZ = 2  
C1UNIT = 'FEET'  
C1TYPE = 'UNT'  
C2UNIT = '\$1000'  
C2TYPE = 'UNT'  
NVALS = 54  
LABEL = .TRUE.  
CLABEL(1) = 'S.F. RES'  
CLABEL(2) = 'COMMERCIAL'  
ISTAT = 0

The VALUES array contains all of the data:

VALUES(1) through VALUES(18) contain the ELEVATION data.  
VALUES(19) through VALUES(36) contain DAMAGE data for "S.F. RES".  
VALUES(37) through VALUES(54) contain DAMAGE data for "COMMERCIAL".



## 5.2 ZSPD - Store Paired Data

### Purpose:

ZSPD stores paired (curve) data in a DSS file. Curve labels and the user header may be stored in addition to the data.

### Calling Sequence:

```
CALL ZSPD (IFLTAB, CPATH, NORD, NCURVE, IHORIZ,
* CIUNIT, C1TYPE, C2UNIT, C2TYPE, VALUES,
* CLABEL, LABEL, HEADU, NHEADU, IPLAN, ISTAT)
```

### Declarations:

```
INTEGER IFLTAB(600), NORD, NCURVE, IHORIZ
INTEGER KVALS, KLABEL, NHEADU, IPLAN, ISTAT
REAL VALUES(KVALS), HEADU(NHEADU)
CHARACTER CPATH*80, CLABEL(KLABEL)*12
CHARACTER CIUNIT*8, C1TYPE*8, C2UNIT*8, C2TYPE*8
LOGICAL LABEL
```

### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.						
CPATH	(Input) The pathname of the data to store. The pathname must meet the paired function data conventions.						
NORD	(Input) The number of ordinates (number of points per curve). Each curve to be stored in a single record must have the same number of ordinates.						
NCURVE	(Input) The number of curves to store in this record.						
IHORIZ	(Input) The variable number to appear on the horizontal axis for plotting (1 for first variable, 2 for second).						
CIUNIT	(Input) The units of the first variable (e.g., 'FEET', 'PERCENT').						
C1TYPE	(Input) The type of data for the first variable. The following types are recognized by DSS utility programs:						
	<table border="0"> <tbody> <tr> <td>UNT</td> <td>Untransformed</td> </tr> <tr> <td>LOG</td> <td>Logarithmic - data expressed as logarithms.</td> </tr> <tr> <td>PROB</td> <td>Probability - data expressed in percent.</td> </tr> </tbody> </table>	UNT	Untransformed	LOG	Logarithmic - data expressed as logarithms.	PROB	Probability - data expressed in percent.
UNT	Untransformed						
LOG	Logarithmic - data expressed as logarithms.						
PROB	Probability - data expressed in percent.						
C2UNIT	(Input) The units of the second variable.						

## ZSPD

**C2TYPE** (Input) The type of data for the second variable.

**VALUES** (Input) The data values to store. The first NORD elements in VALUES correspond to the first variable (the X axis). The data for the second variable must begin at element NORD+1 (the Y axis). Y axis values for a second curve would begin at  $(\text{NORD} * 2) + 1$ .

**CLABEL** (Input) A optional character array with labels corresponding to each curve. For example, if a ELEVATION-DAMAGE function is to be stored containing residential, agricultural and commercial damage, then CLABEL might be as follows:

```
CLABEL(1) = 'RESIDENTIAL '  
CLABEL(2) = 'AGRICULTURAL '  
CLABEL(3) = 'COMMERCIAL '
```

For this example, NCURVE would be set to 3, and CLABEL should be dimensioned to at least 3.

**LABEL** (Input) A logical variable indicating if labels are to be stored. LABEL must be set to .TRUE. to store labels, otherwise it should be set to .FALSE..

**HEADU** (Input) The optional user header array. Information should be placed in this array by subroutine ZSTFH. If no additional user information is to be stored, this may be a dummy argument and NHEADU should be set to zero.

**NHEADU** (Input) The number of elements in the user header array HEADU. If no header information is to be stored, set this to zero.

**IPLAN** (Input) A flag indicating whether to write over existing data or not:

IPLAN	Description
0	Always write the record to the file.
1	Only write the record if it is new (i.e., no record previously existed in that file under that pathname).
2	Only write the data if the record already existed in the file.

ISTAT (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully stored, otherwise an error occurred. The possible values are:

ISTAT	Description
0	The data was successfully stored.
-1	The IPLAN specified requested the record be written only if it was new, but the file already contained a record with the pathname supplied.
-2	The IPLAN specified requested the record be written only if it already existed, but the pathname supplied was not found.
-3	The pathname does not meet the paired data conventions.
-4	The number of ordinates is less than one.
-5	NCURVE is less than one or greater than 50.

#### Remarks:

Up to 50 curves (with the same ordinates) can be stored in one record. The maximum number of labels is also 50. Either all curves will have a label, or no curves will have labels.

A debug trace will be printed if the message level (MLEVEL) is set to 7 (or above) via subroutine ZSET.

Unless the number of data points for the curve(s) is known prior to obtaining them (for example, if you are reading them from an external file), the data usually must be read into a buffer, then reorganized into a singly dimensioned array before storing with ZSPD. Points can be converted from a doubly dimensioned array into a singly dimension array by the following example:

```

C
C   The data has been read into array CURVE as X, Y1, Y2, Y3, ...
      IPOS = 0
      DO 20 I=1,NCURVE+1
      DO 20 J=1,NORD
      IPOS = IPOS + 1
      VALUES(IPOS) = CURVE(J,I)
20  CONTINUE

```

## ZSPD

### Example:

```
C      Read (a) Curve(s) from an external file, then store it in DSS.
C      Up to 10 curves (in one record) can be stored by this routine.
C      The external file contains data in the form:
C      X, Y1, Y2, . . .
C      X, Y1, Y2, . . .
C      END
C
      PARAMETER (KVALS=1000, KLABEL=10)
      INTEGER IFLTAB(600), NORD, NCURVE, IHORIZ
      INTEGER ISTAT, IBF(20), IEF(20), ILF(20)
      REAL VALUES(KVALS), CURVES(300,11)
      CHARACTER CPATH*80, C1UNIT*8, C2UNIT*8, C1TYPE*8, C2TYPE*8
      CHARACTER CLABEL(KLABEL)*12, CNAME*64, CLINE*80
C
C      Open the DSS file.
      CALL ZOPEN (IFLTAB, CNAME, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C
C      Get the pathname.
      CALL ZPATH (. . .
C
C      Get the number of Curves, IHORIZ.
      READ (5,*) NCURVE, IHORIZ
C
C      Get the data units and type.
      READ (5,20) C1UNIT, C1TYPE, C2UNIT, C2TYPE
20  FORMAT ( ...
C
C      Read the label information.
      DO 40 I=1,NCURVE
      READ (5,30) CLABEL(I)
30  FORMAT ( ...
40  CONTINUE
C
C      Read the data (as X, Y1, Y2, Y3, ...).
      NORD = 0
50  CONTINUE
      READ (5,60,END=200) CLINE
60  FORMAT (A)
C
C      Did we reach the end of the data yet?
      IF (INDEX(CLINE,'END').GT.0) GO TO 100
C
C      Parse the line.
      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
      IF (NFIELD.NE.NCURVE+1) GO TO 900
C
```

```

C      Place the data in the curves array.
      NORD = NORD + 1
      DO 80 I=1,NFIELD
      CURVES(NORD,I) = XREAL (CLINE, IBF(I), ILF(I), IERR)
      IF (IERR.NE.0) GO TO 900
80    CONTINUE
C
C      Go back and read the next value.
      GO TO 50
C
C
100  CONTINUE
C      All the data has been read.  Transfer the data into
C      a singly dimensioned array.
      IPOS = 0
      DO 120 I=1,NCURVE+1
      DO 120 J=1,NORD
      IPOS = IPOS + 1
      VALUES(IPOS) = CURVES(J,I)
120  CONTINUE
C
C      Store the data.
      CALL ZSPD (IFLTAB, CPATH, NORD, NCURVE, IHORIZ,
* C1UNIT, C1TYPE, C2UNIT, C2TYPE, VALUES, CLABEL, .TRUE.,
* HEADU, 0, 0, ISTAT)
      IF (ISTAT.NE.0) GO TO 910
C
C      . . .

```

## ZSPD

Example results for storing an ELEVATION-DAMAGE function having two damage categories ("S.F. RES" and "COMMERCIAL") and 5 ordinates:

ELEVATION	S.F. RES DAMAGE	COMMERCIAL DAMAGE
500.0	0.0	0.0
502.0	25.8	0.0
504.0	51.2	323.4
506.0	93.8	655.7
508.0	137.9	809.1

### Input:

```
CPATH = /JAMES RIVER/DR1/ELEVATION-DAMAGE//1980/PLAN B/  
NORD = 5  
NCURVE = 2  
IHORIZ = 2  
C1UNIT = 'FEET'  
C1TYPE = 'UNT'  
C2UNIT = '$1000'  
C2TYPE = 'UNT'  
LABEL = .TRUE.  
CLABEL(1) = 'S.F. RES'  
CLABEL(2) = 'COMMERCIAL'  
NHEADU = 0  
IPLAN = 0
```

The VALUES array contains all of the ELEVATION-DAMAGE data:

VALUES(1) through VALUES(5) contain the ELEVATION data.

VALUES(6) through VALUES(10) contain DAMAGE data for "S.F. RES".

VALUES(11) through VALUES(15) contain DAMAGE data for "COMMERCIAL".

For example:

```
VALUES(1) = 500.0  
VALUES(2) = 502.0  
...  
VALUES(5) = 508.0  
VALUES(6) = 0.0  
VALUES(7) = 25.8  
...  
VALUES(10) = 137.9  
VALUES(11) = 0.0  
VALUES(12) = 0.0  
...  
VALUES(15) = 809.1
```

## **6 Text Subroutines**

Text data is defined as generic alpha-numeric lines of text, where each line is preceded by a line feed character and ends with a carriage return character. It does not, at this time, accommodate other types of characters, such as those that would be used to create a graphical display. There are no definitive size limitations for a DSS text record, but it is recommended that a record contain no more than about 200 lines of text. There are no conventions set for the structure of a text record's pathname. However, it is recommended that the pathname parts be labeled in a descending order of importance, and that the pathname imply that the record contains text data and not one of the other types of data.

The maximum possible length of a line in a DSS text record is 160 characters. A reasonable maximum length is 132 characters. Text data is stored with trailing blanks (blanks to the right of the last character in a line) removed. A line feed character is stored at the beginning of each line, and a carriage return character is stored at the end. A blank line consists of a line feed, a single blank, and a carriage return. Generally, text is stored without carriage control (e.g., a blank in column 1), although this is up to the programmer, as DSS does not check for this.

The maximum number of bytes that can be stored in a text record is 9600 on DOS machines, and 16,000 on most other machines (including the line feed and carriage return). The number of lines that can be stored is dependent on the average length of the lines. If the average length is about 40 characters, the maximum number of lines would be about 200 for DOS and about 350 for other computers. Generally, an appropriate number of lines to store in a single record is from 2 to 150 lines. If one desired to store a large amount of text, for example an entire book, the text could be divided into sections consisting of 1 to 3 pages. A sequence number (or page number) could be converted into character form (using subroutine INTGRC), and used as part of the pathname.

Subroutines ZRTEXT and ZRTXTA retrieve text records from a DSS file, and subroutines ZSTEXT and ZSTXTA store text data. ZRTEXT places the retrieved text in a file (or writes it on the screen), while ZRTXTA puts it into a character array. Conversely, ZSTEXT stores text read from an ASCII file, while ZSTXTA stores text from a character array.

## **ZRTEXT**

### **6.1 ZRTEXT - Retrieve Text Data (Into a File)**

#### **Purpose:**

Subroutine ZRTEXT retrieves text data from a DSS file, and places it into an ASCII file or writes it to the screen. The file or screen is identified by a unit number, which must have been opened by the calling program. An alternative subroutine, ZRTXTA, will retrieve text data and place the text into a character array.

#### **Calling Sequence:**

```
CALL ZRTEXT (IFLTAB, CPATH, IUNIT, HEADU, KHEADU, NHEADU,  
* LCCNTL, NLINES, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), IUNIT, NLINES, ISTAT  
INTEGER KHEADU, NHEADU  
REAL HEADU(KHEADU)  
CHARACTER CPATH*80  
LOGICAL LCCNTL
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the text record to retrieve.
IUNIT	(Input) The unit number (connected to a file or the screen) of where to write the text data. The unit must be opened prior to calling ZRTEXT.
HEADU	(Output) The optional user header array. This array usually may be decoded by subroutine ZUSTFH.
KHEADU	(Input) The dimension of array HEADU. No more than KHEADU elements of the user header array will be retrieved. If you do not want to retrieve the user header, set this to zero.
NHEADU	(Output) The number of elements in the user header actually retrieved. NHEADU will always be equal to or less than KHEADU.
LCCNTL	(Input) A logical flag indicating whether a FORTRAN carriage control character (a blank space) should be placed at the beginning of each text line. If LCCNTL is set to .TRUE., a blank character will be inserted.
NLINES	(Output) The number of lines in the text record.



ISTAT (Output) A status parameter indicating the success of the retrieval. If ISTAT is returned with zero, then the data was successfully retrieved. If ISTAT is any other value, no data was retrieved. The possible values are:

ISTAT	Description
0	The record was successfully retrieved.
-1	The record was not found.
-2	The record specified is not a text record.
-3	An internal buffer was not large enough to retrieve the record.
-4	An error occurred while writing the text data to IUNIT. The FORTRAN error code is printed in an error message.

Remarks:

ZRTEXT does not page the text (if the text is written to the screen, it will be displayed all at once). If an unknown amount of text is to be displayed on the screen, it is usually preferable that it first be written to a scratch file, then copied to the screen a page at a time.

Generally, text data is stored without carriage control characters (although DSS does not check for this). ZRTEXT uses FORTRAN to write each line of text to IUNIT. FORTRAN requires that the first character in a formatted write be used for carriage control. By setting LCCNTL to .TRUE., a blank space is inserted at the beginning of each line to account for this. Generally, when writing text data to the screen LCCNTL is set to .TRUE., and when writing to a file LCCNTL is set to .FALSE.

If an error occurs, an error message will be written to the output (MUNIT) if the message level (MLEVEL) is one or greater. The messages contain the pathname, and information about the error. A debug trace may be activated by setting the message level to 7 (or above) with subroutine ZSET.

Example:

```

C      Read a text record from a DSS file.  If the output is to
C      the screen, display the text one page at a time.
C
      INTEGER IFLTAB(600)
      CHARACTER CPATH*80, CLINE*132, CNAME*64
      LOGICAL LSCREEN
C
      CALL ATTACH (5, 'INPUT', 'STDIN', 'S=O', CLINE, NSTAT)
      CALL ATTACH (6, 'OUTPUT', 'STDOUT', ' ', CLINE, ISTAT)
      CALL ATTACH (7, 'TEXT', 'STDOUT', ' ', CLINE, ISTAT)
      CALL ATTACH (8, 'SCRATCH', 'SCRATCH1', ' ', CLINE, ISTAT)
      CALL ATTEND
C
      CALL ZOPEN (IFLTAB, ...

```

## ZRTEXT

```
WRITE (6,*) 'Enter Pathname'
READ (5,20,END=800) CPATH
20  FORMAT (A)
C
C   Is the text to be written to the screen or a file?
INQUIRE (UNIT=7, NAME=CNAME)
IF (CNAME(1:3).EQ.'CON') THEN
C   Text is to be written to the screen. First write it to
C   a scratch file so that it can be paged to the screen.
LSCREEN = .TRUE.
IUNIT = 8
ELSE
C   Text is to be written to a file. No paging.
LSCREEN = .FALSE.
IUNIT = 7
ENDIF
C
CALL ZRTEXT (IFLTAB, CPATH, IUNIT, HEADU, 0, NHEADU,
* .FALSE., NLines, ISTAT)
IF (ISTAT.NE.0) GO TO 800
C
IF (LSCREEN) THEN
C   Page text from the scratch file to the screen.
REWIND (UNIT=IUNIT)
40  CONTINUE
C
C   Write 24 lines of text to the screen.
DO 80 I=1,24
READ (IUNIT, 20, END=800) CLINE
CALL CHRLNB (CLINE, N)
IF (N.EQ.0) N = 1
WRITE (7, 60) CLINE(1:N)
60  FORMAT (1X,A)
80  CONTINUE
C
C   Pause by waiting for a carriage return.
READ (5,20) CLINE(1:1)
GO TO 40
ENDIF
C
800 CONTINUE
CLOSE (UNIT=8)
CLOSE (UNIT=9)
```

## 6.2 ZRTXTA - Retrieve Text Data (Into an Array)

### Purpose:

Subroutine ZRTXTA retrieves text data from a DSS file and places it into a character array. ZRTXTA is usually called when the text is to be processed by the calling program, or the amount of text retrieved is small enough that it conveniently fits into a character array. An alternative subroutine, ZRTEXT, retrieves text data and places it into a file.

### Calling Sequence:

```
CALL ZRTXTA (IFLTAB, CPATH, CARRAY, KLines, NLines,
* HEADU, KHEADU, NHEADU, ISTAT)
```

### Declarations:

```
INTEGER IFLTAB(600), KLines, NLines, ISTAT
INTEGER KHEADU, NHEADU
REAL HEADU(KHEADU)
CHARACTER CPATH*80, CARRAY(KLines)*(*)
```

### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the text record to retrieve.
CARRAY	(Input) A character array that will contain the text data. The first element of CARRAY (i.e., CARRAY(1)) will contain the first line of text.
KLines	(Input) The dimension (number of elements) of CARRAY. No more than KLines lines of text will be placed into CARRAY. The length of CARRAY is implied by FORTRAN (e.g., CARRAY(KLines)*80).
NLines	(Output) The number of lines retrieved and placed into CARRAY.
HEADU	(Output) The optional user header array. This array usually may be decoded by subroutine ZUSTFH.
KHEADU	(Input) The dimension of array HEADU. No more than KHEADU elements of the user header array will be retrieved. If you do not want to retrieve the user header, set this to zero.
NHEADU	(Output) The number of elements in the user header actually retrieved. NHEADU will always be equal to or less than KHEADU.

## **ZRTXTA**

**ISTAT** (Output) A status parameter indicating the success of the retrieval. If ISTAT is returned with zero, then the data was successfully retrieved. If ISTAT is negative, no data was retrieved. The possible values are:

ISTAT	Description
0	The record was successfully retrieved.
1	CARRAY was not large enough (the dimension KLINEs) to hold all the text lines in the record. CARRAY will contain KLINEs lines of text. No error message will be printed.
-1	The record was not found.
-2	The record specified is not a text record.
-3	An internal buffer was not large enough to retrieve the record.

### Remarks:

Generally, ZRTXTA is called when the type of text to retrieve (its approximate length and number of lines) is known. Each element (line) in CARRAY is pre-blanked. A blank line in the text will show up as an element in CARRY containing all blanks. If a text line is longer than the length of CARRAY, it will be truncated to the length of CARRAY. (ISTAT will not reflect truncation; therefore CARRAY should be declared as long as necessary.) Elements in CARRAY greater than NLINEs are undefined.

If an error occurs, an error message will be written to the output (MUNIT) if the message level (MLEVEL) is one or greater. The messages contain the pathname, and information about the error. No error message is printed if CARRAY is not large enough to hold all the lines of text in the record (ISTAT = 1). A debug trace may be activated by setting the message level to 7 (or above) with subroutine ZSET.

Example:

```

C      Retrieve text data from a DSS file and write it to
C      a file connected to unit 9.  If the word "Location:"
C      is found in the text, pass the location name to the
C      subroutine PROCES.
C
C      PARAMETER (KLINE=500)
C      INTEGER IFLTAB(600)
C      CHARACTER CPATH*80, CLOC*40, CARRAY(KLINE)*132
C
C      CALL ZOPEN (IFLTAB, ...
C
C      WRITE (6,*) 'Enter Pathname'
C      READ (5,20,END=800) CPATH
20    FORMAT (A)
C
C      Retrieve the text data for this record.
C      CALL ZRTXTA (IFLTAB, CPATH, CARRAY, KLINE, NLINE,
C      * HEADU, 0, NHEADU, ISTAT)
C      IF (ISTAT.LT.0) GO TO 800
C
C      Was the array large enough to hold the entire record?
C      IF (ISTAT.EQ.1) THEN
C      WRITE (6,*) 'Caution: Text record terminated at ', NLINE, ' lines'
C      ENDIF
C
C      Process the text, one line at a time.
C      DO 60 I=1,NLINE
C      CALL CHRLNB (CARRAY(I), NLEN)
C      Is this a blank line? If so set its length to 1 for writing.
C      IF (NLEN.EQ.0) NLEN = 1
C
C      Write the text line to unit 9.
C      WRITE (9,40,ERR=900) CARRAY(I)(1:NLEN)
40    FORMAT (A)
C
C      Scan for "Location:". If found, process this location.
C      J = INDEX (CARRAY(I)(1:NLEN), 'Location:')
C      IF (J.GT.0) THEN
C      CLOC = CARRAY(I)(J+9:)
C      CALL PROCES (CLOC)
C      ENDIF
C
C      60 CONTINUE
C

```

## ZSTEXT

### 6.3 ZSTEXT - Store Text Data (From a File)

#### Purpose:

ZSTEXT reads text from an ASCII file and stores it in a DSS text record. The file is identified by a unit number passed as an argument. An alternative subroutine, ZSTXTA, will store text data from a character array.

#### Calling Sequence:

```
CALL ZSTEXT (IFLTAB, CPATH, IUNIT, HEADU, NHEADU,  
* NLINES, ISTAT)
```

#### Declarations:

```
INTEGER IFLTAB(600), IUNIT, NLINES, ISTAT, NHEADU  
REAL HEADU(NHEADU)  
CHARACTER CPATH*80
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the text record to store.
IUNIT	(Input) The unit number of the file containing the text to store. The file must be opened (and rewound) prior to calling ZSTEXT.
HEADU	(Input) The optional user header array. Information should be placed in this array by subroutine ZSTFH. If no user header is to be stored, this may be a dummy argument and NHEADU should be set to zero.
NHEADU	(Input) The number of elements in the user header array HEADU. If no header information is to be stored, set this to zero.
NLINES	(Output) The number of lines read from the file and stored in the text record.
ISTAT	(Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully stored. If ISTAT is any other value, no data was stored. The possible values are:  ISTAT Description  0 The record was successfully stored.  -3 An internal buffer was not large enough to store the record.  -4 An error occurred while reading the text data from the file. The FORTRAN error code will be printed.

Remarks:

ZSTEXT does not rewind the unit before reading. ZSTEXT can read from the keyboard (if IUNIT is connected to the keyboard).

ZSTEXT uses a FORTRAN read to read from IUNIT until the end-of-file is reached, or, alternatively, an end-of-file marker is found. The end-of-file condition (defined by an "END=" statement in a FORTRAN read) is typically used. The alternative end-of-file marker on Harris computers is a \$EOF at the beginning of a new line, or a control-Z at the beginning of a line for DOS and Unix machines. Because these characters must be read by FORTRAN, a carriage return must follow. If IUNIT is connected to a keyboard, reading can only be terminated when an end-of-file marker is typed (the user must enter a control-Z or \$EOF, then a carriage return).

If an error occurs (ISTAT is not zero), an error message will be written to the output (MUNIT) if the message level (MLEVEL) is one or greater. The messages contain the pathname, and information about the error. A debug trace may be activated by setting the message level to 7 (or above) with subroutine ZSET.

Example:

```

C      This program is initiated when a NWS weather summary is
C      received. It calls a routine to retrieve the summary and
C      place it into a temporary scratch file. ZSTEXT is then called
C      to store the summary in a DSS file.
C
      INTEGER IFLTAB(600)
      CHARACTER CTEMP*64, CNAME*64, CPATH*80
      CHARACTER CLOC*32, CDATE*8, CTIME*8
C
C
      CALL ATTACH ( 5, 'INPUT', 'STDIN', 'S-O', CTEMP, ISTAT)
      CALL ATTACH ( 6, 'OUTPUT', 'STDOUT', ' ', CTEMP, ISTAT)
      CALL ATTACH ( 0, 'DSSFILE', ' ', 'NOP', CNAME, ISTAT)
      CALL ATTACH ( 8, 'SCRATCH', 'SCRATCH2', ' ', CTEMP, ISTAT)
      CALL ATTEND
C
      CALL ZOPEN (IFLTAB, CNAME, ISTAT)
      IF (ISTAT.NE.0) STOP
C
C      LOADSM will retrieve the latest summary received from the NWS,
C      and place it in the file connected to unit 8. The location,
C      date, and time, of the summary will also be returned.
      CALL LOADSM (8, CLOC, CDATE, CTIME, IERR)
      IF (IERR.NE.0) GO TO 900
C
      CALL ZPATH ('NWS', CLOC, 'SUMMARY', CDATE, CTIME, ' ', CPATH,
      * NPATH)
C
      REWIND (UNIT=8)
      CALL ZSTEXT (IFLTAB, CPATH, 8, HEADU 2, N.LINES, ISTAT)
      IF (ISTAT.NE.0) GO TO 910

```

## **ZSTXTA**

### **6.4 ZSTXTA - Store Text Data (From an Array)**

#### **Purpose:**

Subroutine ZSTXTA stores ASCII text from a character array into a DSS text record. An alternative subroutine, ZSTEXT, stores text data from a file.

#### **Calling Sequence:**

```
CALL ZSTXTA (IFLTAB, CPATH, CARRAY, NLINES, HEADU, NHEADU,  
* ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), NLINES, ISTAT, NHEADU  
REAL HEADU(NHEADU)  
CHARACTER CPATH*80, CARRAY(NLINES)*(*)
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.						
CPATH	(Input) The pathname of the text record to store.						
CARRAY	(Input) A character array containing the text data to store. The array must be padded with blanks (i.e., characters to the right of the end of each line must be blanks). Trailing blanks are not stored. The length of CARRAY is implied by FORTRAN (e.g., CARRAY(NLINES)*132).						
NLINES	(Input) The number of lines in CARRAY to store.						
HEADU	(Input) The optional user header array. Information should be placed in this array by subroutine ZSTFH. If no user header is to be stored, this may be a dummy argument and NHEADU should be set to zero.						
NHEADU	(Input) The number of elements in the user header array HEADU. If no header information is to be stored, set this to zero.						
ISTAT	(Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully stored. If ISTAT is any other value, no data was stored. The possible values are: <table><tr><th>ISTAT</th><th>Description</th></tr><tr><td>0</td><td>The record was successfully stored.</td></tr><tr><td>-3</td><td>An internal buffer was not large enough to store the record.</td></tr></table>	ISTAT	Description	0	The record was successfully stored.	-3	An internal buffer was not large enough to store the record.
ISTAT	Description						
0	The record was successfully stored.						
-3	An internal buffer was not large enough to store the record.						



Remarks:

If an error occurs (ISTAT is not zero), an error message will be written to the output (MUNIT) if the message level (MLEVEL) is one or greater. The messages contain the pathname, and information about the error. A debug trace may be activated by setting the message level to 7 (or above) with subroutine ZSET.

Example:

```

C      A flood forecast has been made.  Read notes typed in by the
C      forecaster and store in a text record.
C
      INTEGER IFLTAB(600), IBF(2), IEF(2), ILF(2)
      CHARACTER CPATH*80, CBASIN*32, CDATE*9, CTIME*4, CLINE*80
      PARAMETER (KLINE=600)
      CHARACTER CARRAY(KLINE)*132
C
      CALL ZOPEN (IFLTAB, ...
C
      WRITE (6, *) 'Enter Forecast Basin Name'
      READ (5,20) CBASIN
20    FORMAT (A)
C
      WRITE (6,*) 'Enter Forecast Date and Time'
      READ (5,20) CLINE
      CALL PARSLI (CLINE, 2, NFIELD, IBF, IEF, ILF)
      IF (NFIELD.NE.2) GO TO 900
      CDATE = CLINE(IBF(1):IEF(1))
      CTIME = CLINE(IBF(2):IEF(2))
C
      WRITE (6,*) 'Enter Forecast Notes.'
      WRITE (6,*) 'Enter END at the beginning of the line when done.'
C
C      Read text from the forecaster.  Write data to DSS when "END" is
C      entered, or the number of lines reaches the dimension limit.
      NLINES = 0
40    CONTINUE
          NLINES = NLINES + 1
          IF (NLINES.GT.KLINE) GO TO 100
          READ (5,20) CARRAY(NLINES)
          IF (CARRAY(NLINES)(1:3).EQ.'END') GO TO 100
      GO TO 40
C
100    CONTINUE
          CALL ZPATH (CBASIN, 'FORECAST NOTES', CDATE, CTIME, ' ', ' ',
          * CPATH, NPATH)
C
C      Don't store the entry "END".
      NLINES = NLINES - 1
      CALL ZSTXTA (IFLTAB, CPATH, CARRAY, NLINES, HEADU, 0, ISTAT)
      IF (ISTAT.NE.0) GO TO 900

```

## **7 Catalog and Tag Subroutines**

The following chapter describes the subroutines that are used to access or generate the catalog and condensed catalog, and the subroutines that utilize record tags.

The catalog file is a list of the record pathnames in a DSS file, along with their last written date and time and the name of the program that wrote that record. The catalog is usually sorted alphabetically by pathname parts. Each pathname has a record tag and a reference number, either of which may be used in place of the pathname in several of the utility programs. On most computers, the name given to the catalog file is the DSS file's name with a "C" appended to it (e.g., On Unix "file.dssc"). On MS-DOS computers, the catalog file has an extension of ".DSC".

A catalog reference number is the sequential number of a pathname in the catalog file. These numbers are provided for quick interactive reference to a record from a utility program. When a number is given, the utility program sequentially searches the catalog file until it finds that number, then returns the associated pathname. Reference numbers are temporary; they may change each time the catalog is updated.

A record tag is a one to eight character semi-permanent record identifier that is not necessarily unique. It must begin with a non-numeric valid tag character. Valid tag characters are the set of upper case characters, numbers, and the characters ! \$ % & ( ) \* + - . : ; < > ? [ ] { } \ | ~. The characters @ # can also be used, but are discouraged because they conflict with other uses. Invalid tag characters are the set of lower case characters, the space character, control characters (including the null character), the characters , ' " ^ \_ / = and the "delete" character.

Tags can be set by the user, or can be set according to a scheme based on the parts of the pathname. For example, a scheme might cause a data record of observed flow with a "B part" of NATP to have a tag of NATP-OF. The default tag is the letter "T" followed by the "sequence number" of the record (the number of new records written to the file). Tag(s) may be used in place of pathnames in several DSS programs. If more than one pathname has the same tag, only the first one found will be used.

A special catalog, called a "condensed catalog", is useful primarily for time series data. In this type of catalog, pathname parts are listed in columns, and pathnames for time series data, which differ only by the date (D part), are referenced with just one line. Repeating parts are replaced by dashes for easier reading. On most computers, the name given to the condensed catalog file is the name of the DSS file with the letter "D" appended to it (e.g., On

Unix "file.dssd"). On MS-DOS computers, the condensed catalog file has an extension of ".DSD".

Subroutine ZOPNCA opens the catalog file, and determines if a valid catalog exists in that file. ZCAT generates a new catalog (and the optional condensed catalog), and can also obtain pathnames from a current catalog based on selective pathname parts (e.g., all pathnames with a "C" part of "FLOW"). A program may read pathnames from the catalog file with subroutine ZRDCAT, or read pathnames based on their reference number with ZRDPAT.

If a record's tag is known, ZTAGPA will retrieve its pathname using internal DSS tables, usually quicker than reading it from the catalog file. Subroutine ZSTAGS will set the tagging scheme to be used for new records stored in a DSS file. A single record tag may be changed by ZRETAG. All tags within a DSS file may be changed according the tagging scheme by subroutine ZRTALL.

These subroutines are usually used only by utility programs. Two extensive examples of these subroutines are provided at the end of this section.

## 7.1 ZOPNCA - Open a Catalog File

### Purpose:

ZOPNCA opens a DSS file's catalog file. If the catalog file does not exist, ZOPNCA can create it. If the file does exist, ZOPNCA returns the number of records in the catalog. ZOPNCA will also open the condensed catalog file, if desired.

### Calling Sequence:

```
CALL ZOPNCA (CDSSFI, ICUNIT, LGENCA, LOPNCA, LCATLG,
* ICDUNT, LGENCD, LOPNCD, LCATCD, NRECS)
```

### Declarations:

```
CHARACTER CDSSFI*64
INTEGER ICUNIT, ICDUNT, NRECS
LOGICAL LGENCA, LOPNCA, LCATLG, LGENCD, LOPNCD, LCATCD
```

On MS-DOS microcomputers, NRECS must be INTEGER\*4:

```
INTEGER*4 NRECS
```

### Argument Description:

CDSSFI	(Input) The name of the DSS file whose catalog file is to be opened.
ICUNIT	(Input) The unit number to open the catalog file with. (Most DSS utility programs use unit 12 for the catalog file).
LGENCA	(Input) A logical flag indicating whether the catalog file should be created if it does not exist. When set to .TRUE., the file will be created.
LOPNCA	(Output) A logical variable indicating the status of the open. LOPNCA will be .TRUE. if the catalog file was successfully opened. If the file could not be opened, LOPNCA will be set to .FALSE..
LCATLG	(Output) A logical variable returned as .TRUE. if the file contains a valid catalog. If LCATLG is .FALSE., ZCAT should be called to generate a new catalog of the DSS file.
ICDUNT	(Input) The unit number to open the condensed catalog file with. (Most DSS utility programs use unit 13 for this file).
LGENCD	(Input) A logical flag indicating whether the condensed catalog file should be created if it does not exist. When set to .TRUE., the file will be created.

## ZOPNCA

**LOPNCD** (Output) A logical variable indicating the status of the condensed catalog open. LOPNCD will be .TRUE. if the condensed catalog file was successfully opened. If the file could not be opened, LOPNCD will be set to .FALSE..

**LCATCD** (Output) A logical variable returned as .TRUE. if the condensed catalog file contains a valid (condensed) catalog.

**NRECS** (Output) The number of records in the (regular) catalog file. This is the number shown in the catalog header.

### Remarks:

Pathnames may be obtained from the catalog file with subroutine ZRDCAT, which is a general catalog reading routine, or by subroutine ZRDPAT, which obtains pathnames based on their reference number. If the tag of the pathname desired is known, subroutine ZTAGPA should be called to obtain the pathname.

The condensed catalog is designed primarily for DSS files with time series data (although it may be used with any type of record). It does not need to be accessed, but should be opened if it exists. If it does exist, it is typically updated whenever a new complete catalog is made (it does not require much additional computer time). The condensed catalog is for display purposes only; pathnames cannot be read from it.

A comprehensive example of ZOPNCA is provided at the end of this section.

### Example:

```
CHARACTER CDSSFI*64
LOGICAL LOPNCA, LCATLG, LGENCD, LOPNCD, LCATCD
INTEGER*4 NRECS

C
C   Open DSS file, etc.
C
C   Assume COPT contains command options. IF COPT contains
C   a "C" (e.g., CA.C), get the condensed catalog.
IF (INDEX(COPT,'C').GT.0) THEN
    LGENCD = .TRUE.
ELSE
    LGENCD = .FALSE.
ENDIF

C
C   Don't open the catalog if it is already opened (unless we
C   want a condensed catalog, and it is not yet opened).
IF ((.NOT.LOPNCA).OR.(LGENCD.AND.(.NOT.LOPNCD))) THEN
    CALL ZOPNCA (CDSSFI, 12, .TRUE., LOPNCA, LCATLG, 13,
*   LGENCD, LOPNCD, LCATCD, NRECS)
ENDIF

C
IF (.NOT.LOPNCA) GO TO 900
IF (.NOT.LCATLG) CALL ZCAT (...
```

## 7.2 ZCAT - Catalog a DSS File

### Purpose:

ZCAT generates a catalog (or listing) of the record pathnames in a DSS file. The catalog may be sorted by pathname parts. ZCAT can create a selective catalog by matching pathname parts. The selective catalog can be created from a current catalog (which is much more efficient than generating a new catalog), or directly from the DSS file. ZCAT can also produce an optional condensed catalog when generating a new catalog. The catalog files must be opened externally to ZCAT by subroutine ZOPNCA.

### Calling Sequence:

```
CALL ZCAT (IFLTAB, ICUNIT, ICDUNT, INUNIT, CINSTR,
* LABREV, LSORT, LCDCAT, NRECS)
```

### Declarations:

```
INTEGER IFLTAB(600), ICUNIT, ICDUNT, INUNIT, NRECS
CHARACTER CINSTR*(*)
LOGICAL LABREV, LSORT, LCDCAT
```

On MS-DOS microcomputers, the number of records variable must be INTEGER\*4:

```
INTEGER*4 NRECS
```

### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
ICUNIT	(Input) The unit number of file where the catalog is to be written. If a new catalog is to be made, this should be the unit number of the catalog file. If a selective catalog is to be produced from an existing catalog, this unit should probably be attached to a scratch file.
ICDUNT	(Input) The unit number of the condensed catalog file. If ICDUNT is set to zero, ZCAT will not generate a condensed catalog.
INUNIT	(Input) The input catalog unit number. If a new catalog is to be made, this must be set to zero. If a selective catalog is to be produced from an existing catalog, this is the unit number of the existing catalog. If INUNIT is non-zero, the DSS file will not be cataloged.
CINSTR	(Input) A character string containing any instructions for generating the catalog, such as the sort order or selective pathname parts. For example, if CINSTR is 'O=FB, C=FLOW', the catalog will be sorted in the pathname part order of FBACED, and only those pathnames with a C part of "FLOW" will be cataloged. CINSTR is usually a portion of the input line of the program. If no special instructions are given, set this to blank (' ').

## ZCAT

LABREV	(Input) A logical flag indicating whether an abbreviated catalog should be produced. If set to <code>.TRUE.</code> , an abbreviated catalog will be generated, otherwise the standard catalog will be produced.
LSORT	(Input) A logical flag indicating whether the pathnames should be sorted. When LSORT is set to <code>.TRUE.</code> , the pathnames are sorted (this takes longer than an unsorted catalog).
LCDCAT	(Output) A logical flag returned with <code>.TRUE.</code> if a condensed catalog was produced.
NRECS	(Output) The number of records cataloged. This number will be the same as the reference number for the last pathname in the catalog file.

### Remarks:

A description of the catalog and condensed catalog may be found in the "HECDSS User's Guide and Utility Program Manuals", Overview section. Additional information may also be found in the DSSUTL documentation, located in the same publication. Information about the selective catalog is located in Chapter 5 of the DSSUTL documentation.

The fastest catalog that can be generated is an unsorted abbreviated catalog. In this procedure, pathnames are just copied from the internal DSS address tables to the catalog. In a regular extended catalog, each record must be accessed to obtain the program name, date and time, etc..

After the catalog (or condensed catalog) has been generated, it may be displayed on the screen by reading directly from the catalog. ZCAT should not be used to display the catalog on the screen (do not set ICUNIT to standard output).

Pathnames may be read from the catalog file with subroutine ZRDCAT, which is a general catalog reading routine, or by subroutine ZRDPAT, which obtains pathnames based on their reference number. If you desire to display an abbreviated catalog and a regular catalog already exists, use subroutine ZRDPAT to read the pathnames from the catalog (see the example at the end of this section). The condensed catalog is for display purposes only; Pathnames cannot be read from it.

DSS uses the computer's native sorting algorithm (not its own). On MS-DOS computers, the size of a file that can be sorted by the DOS sort function is 64,000 bytes. Thus, larger files will not be able to be sorted. (The typical limit for sorting is between 1,000 and 2,000 records.) DOS also requires additional RAM for sorting. If this RAM is not available (a large program or other memory resident programs are present), the catalog will not be sorted.

Units 66, 67, 68, and 69 are used for sorting. On Harris computers, work files W2, W3, U1, and U2 are used for sorting (and their contents destroyed). On other computers the files dsssort.in, dsssort.out, and dsssort.tmp are used then deleted.

The condensed catalog is an optional catalog designed primarily for time series data (although it may be used with any record type). Generally, if the condensed catalog already exists, it should be updated when a complete sorted catalog is produced. A condensed catalog can only be made when the default sort order is used. (An abbreviated or complete catalog can be used, and selective pathname parts may be specified).

A status line with the percent complete can be displayed on the screen by setting 'CAST' to 'ON' with ZSET before calling ZCAT. The message unit (MUNIT) must be connected to the screen to display a status line.

A "catalog map" may be generated by ZCAT when creating a new catalog. A catalog map is a listing of the pathnames only (no title or reference numbers), which is useful for creating a input file of pathnames for some programs. This option is initiated by setting the map options in subroutine ZSET. The map file must be opened and its unit number passed to ZSET through the 'MAPUNT' parameter, then the ZSET 'MAP' parameter must be set to 'ON'. The catalog map is only created when a new catalog is generated. Be sure to call ZSET with 'MAP' set to 'OFF' after the map has been made.

A comprehensive example of ZCAT is provided at the end of this section.

Example 1:

```

      INTEGER IFLTAB(600)
      LOGICAL LCDCAT
      INTEGER*4 NRECS
C
C      Open the DSS file, etc.
C
C      Open the catalog file.
      CALL ZOPNCA (...
      IF (.NOT.LOPNCA) GO TO 900
C
C      If a condensed catalog may be made, set the unit number.
      IF (LOPNCD) THEN
        ICDUNT = 13
      ELSE
        ICDUNT = 0
      ENDIF
C
C      Generate a new catalog.
      CALL ZCAT (IFLTAB, 12, ICDUNT, 0, ' ', .FALSE., .TRUE.,
* LCDCAT, NRECS)
      IF (NRECS.EQ.0) GO TO 900

```



## ZCAT

### Example 2:

```
C      Search the DSS file for all pathnames
C      with a "B" part of "SOUTH BRIDGE".
      CHARACTER CPATH*80, CTAG*8
      INTEGER*4 NRECS
      LOGICAL LDUM
C
C      Open the DSS file.
      CALL ZOPEN ( ...
C
C      Use a scratch file for this catalog.
      OPEN (UNIT=12, STATUS='SCRATCH', ERR=900)
C
C      Call ZCAT to obtain a scratch catalog of pathnames
C      with a "B" part of "SOUTH BRIDGE". Make the catalog
C      abbreviated and unsorted to get the pathnames quickly.
      CALL ZCAT (IFLTAB, 12, 0, 0, 'B=SOUTH BRIDGE', .TRUE.,
* .FALSE., LDUM, NRECS)
      IF (NRECS.EQ.0) GO TO 920
C
      Now process these pathnames.
      REWIND (UNIT=12)
20    CONTINUE
C      Read a pathname.
      CALL ZRDCAT (12, .TRUE., 0, CTAG, IDUM, CPATH, NPATH, NFOUND)
C      Have we read all the pathnames?
      IF (NFOUND.EQ.0) GO TO 800
C
C      Process the pathname.
      CALL PROCES (CPATH)
C      Get the next one.
      GO TO 20
```

### **7.3 ZRDCAT - Read Pathnames from a Catalog File**

#### **Purpose:**

ZRDCAT reads pathnames from a catalog file. All the pathnames in the catalog may be read, or pathnames may be obtained based on their record tags. ZRDCAT can return multiple pathnames in a single call, if desired.

This routine is frequently used by programs to obtain pathnames for computation or utility purposes. If the pathnames are to be displayed on the screen, subroutine ZRDPAT is preferable. If the tag of a record is known, subroutine ZTAGPA will usually obtain its pathname faster than ZRDCAT can.

#### **Calling Sequence:**

```
CALL ZRDCAT (ICUNIT, LALL, IOUNIT, CTAGS, NDIM,
* CPATHS, NPATHS, NFOUND)
```

#### **Declarations:**

```
INTEGER ICUNIT, IOUNIT, NDIM, NPATHS(NDIM), NFOUND
CHARACTER CTAGS(NDIM)*8, CPATHS(NDIM)*80
LOGICAL LALL
```

#### **Argument Description:**

ICUNIT	(Input) The unit number of the catalog file (from ZOPNCA).
LALL	(Input) A logical variable that, when set to .TRUE., indicates all of the pathnames should be read from the catalog file. Under this condition, one pathname at a time is returned. NFOUND will be set to one until the end of the catalog is reached, at which point it will be set to zero. If LALL is .FALSE., then ZRDCAT will search for pathnames according to the tags given in CTAGS.
IOUNIT	(Input) If desired, the pathnames can be written to a file instead of returned in the CPATHS array, when LALL is set to .FALSE.. IOUNIT is the unit number of this file (which must be opened prior to calling ZRDCAT). If the pathnames are to be returned in the variable CPATHS, set this to zero.
CTAGS	(Input-Output) If LALL is set to .TRUE., then CTAGS will be returned with the tag corresponding to the pathname read. If LALL is .FALSE., then CTAGS should be a character array (or a single character variable) containing the tags of the pathnames to read.
NDIM	(Input) If LALL is .FALSE., this is the number of tags in CTAGS to search for, and must also be the dimension of CTAGS, CPATHS, and NPATHS. If LALL is set to .TRUE., this argument is ignored (only one pathname will be returned at a time).

## ZRDCAT

CPATHS	(Output) The pathname(s) retrieved. If LALL is .TRUE., this will contain the single pathname read from the catalog. If LALL is .FALSE., the first element of CPATHS will contain the pathname corresponding to the tag in the first element of CTAGS. If a pathname was not found for the corresponding tag, then that element of CPATHS will be blank filled. If IOUNIT is greater than zero, nothing will be returned in this argument.
NPATHS	(Output) The length of the pathname(s) retrieved in CPATHS. If the pathname for the tag specified could not be found, then the corresponding element will be zero. NPATHS must be dimensioned to NDIM, regardless if IOUNIT is greater than zero or not, as it is used for internal bookkeeping. If LALL is .TRUE., NPATHS can be a single integer variable.
NFOUND	(Output) The number of pathnames obtained. If LALL is .FALSE., then this is the number of pathnames returned in the array CPATHS. If LALL is .TRUE., then NFOUND will be set to one until the end of the catalog file is reached (and then it will be set to zero).

### Remarks

ZRDCAT is usually used when a program needs to read pathnames from the catalog file for processing. If pathnames are to be displayed on the screen, where reference numbers are used, subroutine ZRDPAT should be called instead. Although ZRDCAT will obtain pathnames based on their tags, subroutine ZTAGPA will obtain a pathname from a tag more efficiently than ZRDCAT can.

If several pathnames are to be searched for based on their tags, it is much more efficient to pass all the tags to ZRDCAT in the CTAGS array, than to call ZRDCAT once for each tag. If duplicate tags exist (for different pathnames), the pathname corresponding to the first matching tag is returned.

When IOUNIT is set greater than zero, ZRDCAT will write a sequence number (not the catalog reference number), the record tag, and the pathname. The format (I6,2X,A8,4X,A80) is used.

ZRDCAT rewinds the catalog before accessing it except for subsequent calls when LALL is .TRUE.. However, if LALL is .TRUE. and ZRDCAT does not reach the end of the catalog, the catalog file must be rewound before calling ZRDCAT again. (Call ZRDCAT until NFOUND returns 0, or rewind the catalog before using it the next time.)

Example 1:

```

C      Search the catalog file for pathnames
C      with a "B" part of "SOUTH BRIDGE".
      CHARACTER CPATH*80, CTAG*8
      INTEGER IBPART(6), IEPART(6), ILPART(6)

C
C      Open the DSS file, catalog file, etc.
C
20    CONTINUE
C      Read a pathname.
      CALL ZRD CAT (12, .TRUE., 0, CTAG, IDUM, CPATH, NPATH, NFOUND)
C      Have we read all the pathnames from the catalog?
      IF (NFOUND.EQ.0) GO TO 800
C      Break it apart to get the B part.
      CALL ZUPATH (CPATH, IBPART, IEPART, ILPART, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C      Check the B part.
      IF (CPATH(IBPART(2):IEPART(2)).EQ.'SOUTH BRIDGE') THEN
          CALL PROCES (CPATH)
      ENDIF
      GO TO 20

```

Example 2:

```

C      We have 3 tags. Obtain their pathnames from the catalog.
      CHARACTER CTAGS(3)*8, CPATHS(3)*80
      INTEGER NPATHS(3)

C
C      Open DSS file, catalog file, etc.
C
C      Set the CTAGS array.
      CTAGS(1) = 'T312'
      CTAGS(2) = 'SB-FLOW'
      CTAGS(3) = 'SB-PREC'

C
C      Read the pathnames.
      CALL ZRD CAT (12, .FALSE., 0, CTAGS, 3, CPATHS, NPATHS, NFOUND)

C
C      Print the pathnames.
      IF (NFOUND.EQ.0) THEN
          WRITE (6,*) 'No pathnames found matching the tags given.'
      ELSE
          DO 40 I=1,3
              IF (NPATHS(I).GT.0) WRITE (6,20) CTAGS(I), CPATHS(I)(1:NPATHS(I))
20         FORMAT (' Tag: ',A,'; Pathname: ',A)
40         CONTINUE
      ENDIF

```

## ZRDCAT

### Example 3:

```
C      Get tags from a command line, then obtain their pathnames from
C      the catalog and place them in a scratch file for later processing.
      CHARACTER CTAGS(20)*8, CDUM*1, CLINE*80
      INTEGER NPATHS(20), IBF(20), IEF(20), ILF(20)

C
C      Open DSS file, catalog file, etc.
C
C      Get the tags.
      WRITE (6,*) 'Enter Record Tags'
      READ (5,20) CLINE
20     FORMAT (A)
      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
      DO 40 I=1,NFIELD
         CTAGS(I) = CLINE(IBF(I):IEF(I))
40    CONTINUE

C
C      Open a scratch file.
      OPEN (UNIT=15, STATUS='SCRATCH', ERR=900)

C
C      Read the pathnames.
      CALL ZRDCAT (12, .FALSE., 15, CTAGS, NFIELD, CDUM, NPATHS, NFOUND)
C
      . . .

C      At some later point, get the pathnames and process.
      CHARACTER CTAG*8, CPATH*80
C
      REWIND (UNIT=15)
      DO 120 I=1,NFOUND
         READ (15, 110, END=800) J, CTAG, CPATH
110        FORMAT (I6,2X,A8,4X,A)
         CALL PROCES (CTAG, CPATH)
120     CONTINUE
```

**7.4 ZRDPAT - Read a Pathname from a Catalog File by Reference Number****Purpose:**

ZRDPAT searches for a pathname from a catalog file according to the pathname's reference number. ZRDPAT may be used in a loop to obtain a set of pathnames, or used to read a single pathname. If reference numbers are not used, subroutine ZRDCAT should be called instead. If the record tag is known, call subroutine ZTAGPA.

**Calling Sequence:**

CALL ZRDPAT (ICUNIT, IPOS, INUMB, CTAG, CPATH, NPATH, LEND)

**Declarations:**

INTEGER ICUNIT, IPOS, INUMB, NPATH  
CHARACTER CPATH\*80, CTAG\*8  
LOGICAL LEND

On MS-DOS microcomputers, the position variables must be INTEGER\*4:

INTEGER\*4 IPOS, INUMB

**Argument Description:**

ICUNIT	(Input) The catalog unit number (from ZOPNCA).
IPOS	(Input-Output) A file position indicator used by ZRDPAT. When first reading from the catalog, ICUNIT should be rewound and IPOS set to 0. (The calling program must always set IPOS to 0 when the catalog is rewound.)
INUMB	(Input-Output) The catalog reference number of the pathname to read. When the end of the catalog file is reached, INUMB will be returned with the reference number of the last pathname in the catalog. If INUMB is less than or equal to IPOS on input, ZRDPAT will return the next pathname and its reference number from the catalog.
CTAG	(Output) The record tag of the pathname read.
CPATH	(Output) The pathname corresponding to the reference number INUMB.
NPATH	(Output) The number of characters in the pathname retrieved.
LEND	(Output) A logical flag set to .TRUE. when the end of the catalog file has been reached. No pathname will be returned when LEND is .TRUE. (CPATH will be unchanged).

## ZRDPAT

### Remarks:

The catalog file must be rewound and IPOS set to zero before calling ZRDPAT to retrieve a (or set of) pathname(s). ZRDPAT only can search for pathnames in a forward direction; INUMB must always be greater than IPOS. Thus, if a sequence of reference numbers for pathnames to be retrieved is "12, 18, 9, 20", then the catalog has to be rewound and IPOS set to 0 after reading pathname 18 before pathname 9 will be found. It is more efficient to sort the reference numbers in ascending order prior to calling ZRDPAT.

If INUMB is less than or equal to IPOS on input, ZRDPAT will read the next pathname in the catalog and return its reference number as INUMB. Thus, the entire catalog file can be read by rewinding the file, setting IPOS and INUMB both to zero, then calling ZRDPAT until LEND is .TRUE.. In this case INUMB does not need to be reset by the program each time ZRDPAT is called.

### Example 1:

```
C      Obtain the pathname that has the reference number 24.
C
      CHARACTER CTAG*8, CPATH*80
      INTEGER*4 IPOS, INUMB
      LOGICAL LEND
C
      CALL ZOPNCA (...)
C
      REWIND 12
      IPOS = 0
      INUMB = 24
      CALL ZRDPAT (12, IPOS, INUMB, CTAG, CPATH, NPATH, LEND)
C      If LEND is .TRUE., or INUMB is not 24, the pathname
C      was not found.
      IF ((LEND).OR.(INUMB.NE.24)) GO TO 900
```

### Example 2:

```
C      Read all the pathnames from the catalog.
C
      REWIND 12
      IPOS = 0
      INUMB = 0
10     CONTINUE
      CALL ZRDPAT (12, IPOS, INUMB, CTAG, CPATH, NPATH, LEND)
      IF (LEND) GO TO 900
      WRITE (6,20) INUMB, CTAG, CPATH(1:NPATH)
20     FORMAT (1X,I6,2X,A,2X,A)
      GO TO 10
```

Example 3:

```

C      Read the set of pathnames with the reference numbers of
C      10 through 60.
C
      REWIND 12
      IPOS = 0
      INUMB = 9
10     CONTINUE
      INUMB = INUMB + 1
      CALL ZRDPAT (12, IPOS, INUMB, CTAG, CPATH, NPATH, LEND)
      IF (LEND) GO TO 900
      WRITE (6,20) INUMB, CTAG, CPATH(1:NPATH)
20     FORMAT (1X,I6,2X,A,2X,A)
      IF (INUMB.LT.60) GO TO 10

```

Example 4:

```

C      Read the set of pathnames whose reference numbers are
C      contained in the array NUMBS (e.g., 8, 12, 15, 9, 20, 13).
C
      REWIND 12
      IPOS = 0
      DO 20 I=1,JNUMBS
        INUMB = NUMBS(I)
C      Are the numbers in ascending order?
C      If not, rewind the catalog and reset IPOS.
        IF (INUMB.LE.IPOS) THEN
          REWIND 12
          IPOS = 0
        ENDIF
        CALL ZRDPAT (12, IPOS, INUMB, CTAG, CPATH, NPATH, LEND)
        IF (LEND) GO TO 900
        WRITE (6,10) INUMB, CTAG, CPATH(1:NPATH)
10     FORMAT (1X,I6,2X,A,2X,A)
20     CONTINUE

```



## **ZTAGPA**

### **7.5 ZTAGPA - Get Pathnames from Tags**

#### **Purpose:**

Given a record tag, or an array of tags, subroutine ZTAGPA obtains the corresponding pathname(s). ZTAGPA searches through tables in the DSS file, not the catalog file, to find the pathnames. ZTAGPA provides the fastest means of obtaining pathnames from tags.

#### **Calling Sequence:**

```
CALL ZTAGPA (IFLTAB, IOUNIT, CTAGS, NDIM, CPATHS, NPATHS  
* NFOUND)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), IOUNIT, NDIM, NPATHS(NDIM), NFOUND  
CHARACTER CTAGS(NDIM)*8, CPATHS(NDIM)*80
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
IOUNIT	(Input) If desired, the pathnames can be written to a file instead of returned in the CPATHS array. IOUNIT is the unit number of this file (which must be opened prior to calling ZTAGPA). If the pathname(s) are to be returned in variable CPATHS, set this to zero.
CTAGS	(Input) A character variable or array containing the tag(s) of the pathnames to search for.
NDIM	(Input) The number of tags in CTAGS to search for. CPATHS and NPATHS must have a minimum dimension of NDIM.
CPATHS	(Output) The pathname(s) retrieved. If more than one tag is specified, then the first element of CPATHS will contain the pathname corresponding to the tag in the first element of CTAGS. If a pathname was not found for a tag, that element of CPATHS will be blank filled. If IOUNIT is greater than zero, this argument is ignored.
NPATHS	(Output) The length of the pathname(s) retrieved in CPATHS. If the pathname for the tag specified could not be found, then this element will be zero. NPATHS must be dimensioned to NDIM, regardless if IOUNIT is greater than zero or not (it is used for internal bookkeeping).
NFOUND	(Output) The number of pathnames retrieved. If a pathname is not found, this will be returned as zero.

Remarks

If duplicate tags exist (the same tag is used for more than one pathname), the pathname for that the first matching tag found is returned. ZTAGPA has no capability of returning more than one pathname with an identical tag.

ZTAGPA first searches an internal tag table in the DSS file for matching tags. This table is automatically updated whenever the file is squeezed or cataloged. If the tag is not found in the internal table (the table has not been updated since the record was added), the main pathname-hash table will be searched. If the tag is in the tag table, the pathname will be retrieved very quickly. Otherwise the search will take somewhat longer. However, this is usually faster than searching the catalog file.

If several pathnames are to be retrieved based on their tags, it is more efficient to pass all the tags in the CTAGS array at one time than to call ZTAGPA for each tag.

When IOUNIT is greater than zero, ZTAGPA will write to that unit a sequence number (not the catalog reference number), the tag, and the pathname in the format (I6,2X,A8,4X,A80).

Example 1:

```

C      Get the pathname corresponding to the tag "LA-FLOW".
      CHARACTER CPATH*80, CTAG*8
C
C      Open the DSS file, etc.
C      CALL ZOPEN ( ...
C
      CTAG = 'LA-FLOW'
      CALL ZTAGPA (IFLTAB, 0, CTAG, 1, CPATH, NPATH, NFOUND)
C      Did we find it?
      IF (NFOUND.EQ.0) GO TO 800
C      Yes, process it.
      CALL PROCES (CPATH, NPATH)

```

Example 2:

```

C      We have 3 tags.  Print their pathnames.
      CHARACTER CTAGS(3)*8, CPATHS(3)*80
      INTEGER NPATHS(3)
C
C      Open the DSS file, etc.
C      CALL ZOPEN ( ...
C
C      Set the CTAGS array.
      CTAGS(1) = 'T312'
      CTAGS(2) = 'SB-FLOW'
      CTAGS(3) = 'SB-PREC'
C
C      Obtain the pathnames.
      CALL ZTAGPA (IFLTAB, 0, CTAGS, 3, CPATHS, NPATHS, NFOUND)

```

## ZTAGPA

```
C      Print the pathnames.
      IF (NFOUND.EQ.0) THEN
        WRITE (6,*) 'No pathnames found matching the tags given.'
      ELSE
        DO 40 I=1,3
          IF(NPATHS(I).GT.0)WRITE(6,20)CTAGS(I),CPATHS(I)(1:NPATHS(I))
20      FORMAT (' Tag: ',A,'; Pathname: ',A)
40      CONTINUE
      ENDIF
```

### Example 3:

```
C      Get tags from a command line. Retrieve their pathnames
C      and place them in a scratch file for later processing.
      CHARACTER CTAGS(20)*8, CDUM*1, CLINE*80
      INTEGER NPATHS(20), IBF(20), IEF(20), ILF(20)

C
C      Open the DSS file, etc.
C      CALL ZOPEN ( ...
C
C      Get the tags.
      WRITE (6,*) 'Enter Record Tags'
      READ (5,20) CLINE
20      FORMAT (A)
      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
      DO 40 I=1,NFIELD
        CTAGS(I) = CLINE(IBF(I):IEF(I))
40      CONTINUE
C
C      Open a scratch file.
      OPEN (UNIT=15, STATUS='SCRATCH', ERR=900)
C
C      Get the pathnames.
      CALL ZTAGPA (IFLTAB, 15, CTAGS, NFIELD, CDUM, NPATHS, NFOUND)
C
      . . .

C      At some later point, get the pathnames and process.
C
      CHARACTER CTAG*8, CPATH*80
      REWIND (UNIT=15)
      DO 120 I=1,NFOUND
        READ (15, 110, END=800) J, CTAG, CPATH
110      FORMAT (I6,2X,A8,4X,A)
        CALL PROCES (CTAG, CPATH)
120      CONTINUE
```

## **7.6 ZRETAG - Change a Record Tag**

### **Purpose:**

Subroutine ZRETAG changes the tag of a single existing record. A new record's tag may be set by subroutine ZSET.

### **Calling Sequence:**

CALL ZTAGPA (IFLTAB, CPATH, NPATH, CTAG, LFOUND)

### **Declarations:**

INTEGER IFLTAB(600), NPATH  
CHARACTER CPATH\*80, CTAG\*8  
LOGICAL LFOUND

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the record whose tag is to be changed.
NPATH	(Input) The number of characters in CPATH.
CTAG	(Input) The new tag for the record. The tag must be left justified and blank padded.
LFOUND	(Output) A logical flag set to .TRUE. if the record exists and was re-tagged. If the record does not exist, LFOUND is set to .FALSE..

### **Remarks:**

ZRETAG ignores any file tagging scheme, and sets the tag to that provided. The entire file may be re-tagged using the file's tagging scheme by calling subroutine ZRTALL.

Be sure that the new tag meets the tag requirements discussed at the beginning of this chapter.

## **ZSTAGS**

### **7.7 ZSTAGS - Set the Tag Scheme for a DSS file**

#### **Purpose:**

ZSTAGS sets or changes a DSS file's default tagging scheme. The scheme is set by a string that identifies the characters of pathname parts to make up the tags. A further description is given below in remarks.

#### **Calling Sequence:**

```
CALL ZSTAGS (IFLTAB, CSCHEM, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), ISTAT  
CHARACTER CSCHEM*(*)
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CSCHEM	(Input) A character string containing the tagging scheme to be set (e.g., 'B1,B2,...'). To clear the file's tag scheme (so that sequence numbers will be used for tags), set CSCHEM to blank.
ISTAT	(Output) A status parameter set to zero if no error occurred. If the tagging scheme was not recognized, this variable will be returned as -1.

#### **Remarks:**

A file tag scheme generates tags based on characters from pathnames. A typical tag might be the location name followed by part of the data parameter. For example, the observed flow at location NATP might have a tag of "NATP-FO"; the barometric pressure at FLD might be "FLD-BP". Each character in the tag scheme is set by specifying the pathname part letter (A, B, C, D, E, or F) followed by the character position number in that part. Tag character identifiers must be separated by commas. When a character or symbol without a character position is used, that character is inserted into the tag. For example, the tag "NATP-FO" may be generated by the following scheme:

```
B1,B2,B3,B4,-,C1,F1
```

This generates a tag using the first through fourth characters of the B part, a dash, the first character of the C part, then the first character of the F part. If no character corresponds to the position given, that character is ignored.

It is also possible to use characters from the second word of a part by preceding the part letter with an underscore "\_". The tag "FLD-BP", from a pathname with a C part of "BAROMETRIC PRESSURE", was created using the following scheme:

```
B1,B2,B3,-,C1,_C1
```

## ZSTAGS

The underscore causes the first character of the second word to be counted as position one. Words within a pathname are delimited by any of the following characters:

- @ \_ + . ; : <blank>

If there is not a second word for a part, that tag character is ignored.

Only one tag scheme may be set for a file.

### Example:

```
INTEGER IFLTAB(600)
CHARACTER CSCHEM*20
C
C   Open the DSS file, etc..
C
CSCHEM = 'B1,B2,B3,B4,-,C1,_C1'
CALL ZSTAGS (IFLTAB, CSCHEM, ISTAT)
C
IF (ISTAT.NE.0) WRITE (6,20) CSCHEM
20  FORMAT (' Invalid tagging scheme provided: ',A)
```

## **ZRTALL**

### **7.8 ZRTALL - Change all Record Tags in a DSS file**

#### **Purpose:**

Subroutine ZRTALL changes all record tags in a DSS file according to the file's tag scheme (set by ZSTAGS). If no tag scheme is set, the records are re-tagged according to the current sequence number (e.g., T32).

#### **Calling Sequence:**

CALL ZRTALL (IFLTAB)

#### **Declarations:**

INTEGER IFLTAB(600)

#### **Argument Description:**

IFLTAB        (Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.

#### **Remarks:**

Subroutine ZSTAGS is usually called prior to ZRTALL.

## 7.9 Example of Obtaining Pathnames from References on a Command Line

The following comprehensive example takes a program's input line and obtains the pathnames identified by the user. The user may specify the pathname, a selective catalog reference (e.g., "C=FLOW"), catalog reference numbers, record tags, or "ALL". This example is a complete subroutine, which may be obtained on floppy diskette from the HEC.

```
      SUBROUTINE GETPAT (IFLTAB, CLINE)
C
C      Get pathnames for processing (call PROCES).
C
C      This subroutine takes a command line, figures
C      out what pathnames are referenced, then calls
C      subroutine PROCES with those paths (one at a time).
C      Example command lines are:
C          TA /OHIO/PITTSBURGH/FLOW/01JAN1950/1DAY/OBS/
C          TA 1, 29, 5-8, 3
C          TA C=FLOW F=OBS
C          TA T432, PITT-OF, T53
C          TA ALL
C
C      CLINE is the command line with the command removed.
C
C      Written by Bill Charley, HEC, 1990.
C
C
C      PARAMETER (KTAGS=20)
C      CHARACTER CLINE*(*), CPATH*80, CTAG*8, CDSSFI*64
C      CHARACTER CPATHS(KTAGS)*80, CTAGS(KTAGS)*8
C      INTEGER IFLTAB(*), NPATHS(KTAGS), IBF(20), IEF(20), ILF(20)
C      INTEGER*4 IPOS, IBEG, IEND, ICOUNT, NRECS, IDUM
C      LOGICAL LEND
C
C      COMMON /LOGS/ LOPNCA, LCATLG, LOPNCD, LCATCD
C      LOGICAL LOPNCA, LCATLG, LOPNCD, LCATCD
C
C      Get the length of the command line.
C      CALL CHRLNB (CLINE, NLINE)
C      IF (NLINE.EQ.0) GO TO 900
C
C      Was a regular pathname entered?
C      IF (CLINE(1:1).EQ.'/') THEN
C          CPATH = CLINE
C          CALL PROCES (CPATH)
C
```



```

C      Was a reference to a catalog file made?
      ELSE IF ((INDEX(CLINE(1:5),'-').NE.0).OR.(CLINE(1:3).EQ.'ALL'))
*      .OR.(INDEX('123456789',CLINE(1:1)).GT.0)) THEN
C
C      Yes. Be sure we have a catalog.
      IF (.NOT.LOPNCA) THEN
C      Get the name of the DSS file.
      CALL ZINQIR (IFLTAB, 'NAME', CDSSFI, IDUM)
      CALL ZOPNCA (CDSSFI, 12, .TRUE., LOPNCA, LCATLG, 13,
*      .FALSE., LOPNCD, LCATCD, NRECS)
      IF (.NOT.LOPNCA) GO TO 910
C      If not cataloged produce a new complete catalog.
      IF (.NOT.LCATLG) THEN
C      Is a condensed catalog associated with this DSS file?
      IF (LOPNCD) THEN
        ICDUNT = 13
      ELSE
        ICDUNT = 0
      ENDIF
      CALL ZCAT (IFLTAB, 12, ICDUNT, 0, ' ', .FALSE.,
*      .TRUE., LCATCD, NRECS)
      IF (NRECS.LE.0) GO TO 930
      ENDIF
    ENDIF
C
C      Check for a selective catalog reference.
      IF (INDEX(CLINE(1:5),'-').NE.0) THEN
C      Yes. Open a scratch file to place pathnames in.
      OPEN (UNIT=14, STATUS='SCRATCH')
      REWIND 12
C      Have ZCAT make a selective catalog from the original catalog.
      CALL ZCAT (IFLTAB, 14, 0, 12, CLINE, .TRUE., .FALSE., LCATCD,
*      NRECS)
      IF (NRECS.LE.0) GO TO 900
C      Read through the catalog.
      20 CONTINUE
      CALL ZRDCAT (14, .TRUE., 0, CTAG, 1, CPATH, NPATH, NFOUND)
C      All done?
      IF (NFOUND.EQ.0) THEN
        CLOSE (UNIT=14)
        GO TO 800
      ENDIF
      CALL PROCES (CPATH)
      GO TO 20
C
C      Were all pathnames specified?
      ELSE IF (CLINE(1:3).EQ.'ALL') THEN
C      Yes. Read all pathnames from the catalog.
      40 CONTINUE
      CALL ZRDCAT (12, .TRUE., 0, CTAG, 1, CPATH, NPATH, NFOUND)
      IF (NFOUND.EQ.0) GO TO 800
      CALL PROCES (CPATH)
      GO TO 40

```

```

C      Was a catalog reference number given?
      ELSE IF (INDEX('123456789',CLINE(1:1)).GT.0) THEN
C      Yes. Parse the command line.
      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
C
      REWIND 12
      IPOS = 0
C
C      Get the reference number(s).
      DO 80 I=1,NFIELD
C      Is there a dash between two numbers (e.g., "5-8").
      IDASH = INDEX (CLINE(IBF(I):IEF(I)),'-')
      IF (IDASH.GT.0) THEN
C      Yes. Find the beginning and ending number
      IBEG = INTGR (CLINE, IBF(I), IDASH-1, IERR)
      IF (IERR.NE.0) GO TO 920
      IEND = INTGR (CLINE, IBF(I)+IDASH, ILF(I)-IDASH, IERR)
      IF (IERR.NE.0) GO TO 920
      IF (IBEG.GT.IEND) GO TO 920
      ELSE
C      No a single number. Make the end equal
C      the beginning (e.g., 5-5).
      IBEG = INTGR (CLINE, IBF(I), ILF(I), IERR)
      IF (IERR.NE.0) GO TO 920
      IEND = IBEG
      ENDIF
C
C      Now read the records.
      IF (IBEG.LT.IPOS) THEN
      REWIND 12
      IPOS = 0
      ENDIF
      DO 60 ICOUNT=IBEG,IEND
      CALL ZRDPAT (12, IPOS, ICOUNT, CTAG, CPATH, NPATH, LEND)
      IF (LEND) THEN
      WRITE (6,*) 'The reference number given is greater than',
*      ' the number cataloged.'
      GO TO 800
      ENDIF
      CALL PROCES (CPATH)
60      CONTINUE
80      CONTINUE
C
      ENDIF
C
      ELSE
C

```

```

C      Must be Record Tags.
C      Parse the command line.
      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
C
      IF (NFIELD.GT.KTAGS) NFIELD = KTAGS
C      Copy the tags from the line into the CTAGS array.
      DO 100 I=1,NFIELD
        IF (ILF(I).GT.8) GO TO 950
        CTAGS(I) = CLINE(IBF(I):IEF(I))
100    CONTINUE
C
C      Get the pathnames from the DSS file.
      CALL ZTAGPA (IFLTAB, 0, CTAGS, NFIELD, CPATHS, NPATHS, NFOUND)
C
C      Make sure that we found some pathnames.
      IF (NFOUND.EQ.0) GO TO 940
      IF (NFOUND.LT.NFIELD) THEN
        WRITE (6, 120)
120    *   FORMAT (' *** Unable to Find Pathnames for the',
        *   ' Following Tag(s):')
        DO 160 I=1,NFIELD
          IF (NPATHS(I).EQ.0) WRITE (6, 140) CTAGS(I)
140    *   FORMAT (' Tag: ',A)
160    CONTINUE
      ENDIF
C
      DO 180 I=1,NFIELD
        IF (NPATHS(I).GT.0) CALL PROCES (CPATHS(I))
180    CONTINUE
C
      ENDIF
C
C
800  CONTINUE
      RETURN
C
C
C      Error Messages.
900  CONTINUE
      WRITE (6,*)'*** No Pathnames Match the Parameters Specified ***'
      GO TO 800
C
910  CONTINUE
      WRITE (6,*)'*** Unable to access the catalog file ***'
      GO TO 800
C
920  CONTINUE
      WRITE (6,*)'*** Unrecognizable Catalog Reference Number Given'
      GO TO 800
C

```

```
930  CONTINUE
      WRITE (6,*)'***** No Records Cataloged - Possible Empty File ***'
      GO TO 800
C
940  CONTINUE
      WRITE (6,*)' *** No Pathnames Match the Tag(s) Specified ***'
      GO TO 800
C
950  CONTINUE
      WRITE (6,*)'*** Unrecognized Pathname Reference ***'
      GO TO 800
C
      END
```

## 7.10 Example of a Catalog Display Subroutine

The following is a comprehensive example of a subroutine that may be used by a program to process DSS catalog display requests. These requests include displaying the general catalog, the condensed catalog, and generating a new catalog with a variety of options. It may be used in conjunction with the previous example (subroutine GETPAT). This example is a complete subroutine, which may be obtained on floppy diskette from the HEC.

```

SUBROUTINE CATALG (IFLTAB, CIN, COPT)
C
C   General DSS catalog functions.
C   Display catalog, unless options indicate otherwise.
C   On Input:
C       CIN - Input command line with command removed (e.g., "C=FLOW").
C       COPT - Command Options (parsed from command line):
C           A: Abbreviated
C           C: Condensed catalog
C           F: Full (display all the catalog at once - don't pause)
C           M: Catalog Map file
C           N: Generate New catalog
C           P: Send catalog to the printer
C           S: Suppress catalog output
C           U: Generate unsorted catalog (when new)
C
C   Written by Bill Charley, HEC, 1990
C
C
C   CHARACTER CIN(*), COPT(*), CLINE*132, CPATH*80, CTAG*8
C   CHARACTER CDSSFI*64
C   INTEGER IFLTAB(*)
C   LOGICAL LSORT, LABBR, LGENCD, LEND
C   INTEGER*4 ICUR, IBEG, NREC, NORECS
C
C   COMMON /LOGS/ LOPNCA, LCATLG, LOPNCD, LCATCD
C   LOGICAL LOPNCA, LCATLG, LOPNCD, LCATCD
C
C
C   ICUNIT = 12
C   ICDUNT = 13
C
C   Check if the catalog file has been opened yet, or a
C   condensed catalog is requested and is unopened.
C   IF ((.NOT.LOPNCA).OR.
*   ((.NOT.LOPNCD).AND.(INDEX(COPT,'C').GT.0))) THEN
C
C       Condensed catalog requested?
C       IF (INDEX(COPT,'C').GT.0) THEN
C           LGENCD = .TRUE.
C       ELSE
C           LGENCD = .FALSE.
C       ENDIF

```

```

C      Get the name of the DSS file.
      CALL ZINQIR (IFLTAB, 'NAME', CDSSFI, IDUM)
C      Open the catalog file(s).
      CALL ZOPNCA (CDSSFI, ICUNIT, .TRUE., LOPNCA, LCATLG,
*      ICDUNT, LGENCN, LOPNCD, LCATCD, NORECS)
C
      IF (.NOT.LOPNCA) THEN
        WRITE (6,*) ' *** Unable to Access the Catalog File ***'
        GO TO 820
      ENDIF
C
      ENDIF
C
C
C      Are we creating a new catalog?
      IF (INDEX(COPT,'N').GT.0) LCATLG = .FALSE.
C      Are we requesting a condensed catalog, and it does not exist?
      IF ((.NOT.LCATCD).AND.(INDEX(COPT,'C').GT.0).AND.
*      (LOPNCD)) LCATLG = .FALSE.
C
C      Should the Catalog file be updated?
      IF (LCATLG) THEN
        CALL ZINQIR (IFLTAB, 'NREC', CLINE, NREC)
        IF (NREC.NE.NORECS) THEN
          WRITE (6,20) NREC, NORECS
20      FORMAT (/, ' The Catalog File Needs to be Updated -',/,
*      ' Current Number of Records in the DSS File:',I5,/,
*      ' Number of Records in the Catalog File: ',I5,/)
          ENDIF
        ENDIF
C
C      New option specified?
      IF (INDEX(COPT,'N').GT.0) LCATLG = .FALSE.
      IF ((.NOT.LCATCD).AND.(INDEX(COPT,'C').GT.0).AND.(LOPNCD))
*      LCATLG = .FALSE.
C
C      REWIND ICUNIT
      IF (LOPNCD) REWIND ICDUNT
C
C      Should a new catalog be made?
      IF (.NOT.LCATLG) THEN
C
C      Check for 'Map' option.
      IF (INDEX(COPT,'M').GT.0) THEN
        OPEN (UNIT=MAPUNT, FILE='T3', IOSTAT=ISTAT)
        IF (ISTAT.EQ.0) THEN
          WRITE (6,*) ' Catalog Map file = T3'
          CALL ZSET ('MAP', 'ON', I)
          CALL ZSET ('MAPUNT', ' ', MAPUNT)
        ELSE
          WRITE (6,*) ' Unable to Access the Catalog Map File T3.'
        ENDIF
      ENDIF

```

```

C      Check for 'Unsorted' option.
      IF (INDEX(COPT,'U').GT.0) THEN
        LSORT = .FALSE.
        IF (INDEX(COPT,'C').GT.0) THEN
          WRITE (6,*) '*** Must Generate a SORTED catalog to produce',
*           ' the condensed version.'
          LSORT = .TRUE.
        ENDIF
      ELSE
        LSORT = .TRUE.
      ENDIF

C
C      Check for 'Abbreviated' option.
      IF (INDEX(COPT,'A').GT.0) THEN
        LABBR = .TRUE.
      ELSE
        LABBR = .FALSE.
      ENDIF

C
C      Should we get a condensed catalog?
      IF (.NOT.LOPNCD) ICDUNT = 0

C
C      Now catalog the file.
      CALL ZCAT (IFLTAB, ICUNIT, ICDUNT, 0, CIN, LABBR, LSORT,
*      LCATCD, NORECS)

C
      IF (INDEX(COPT,'M').GT.0) CLOSE (UNIT-MAPUNT)

C
C      Successful catalog ?
      IF (NORECS.LE.0) THEN
        IF (INDEX(CIN(1:5),'-').GT.0) THEN
          WRITE (6,*) '*** No Pathnames Match Parts Specified ***'
        ELSE
          WRITE (6,*) '*** No Records Cataloged: Empty File ***'
        ENDIF
        GO TO 820
      ENDIF

C
      LCATLG = .TRUE.

C
      ENDIF

C
      IF (INDEX(COPT,'S').GT.0) GO TO 800

C
C      Now display the catalog file.
      IUNIT = ICUNIT

C      Do we want to look at the condensed catalog?
      IF ((LCATCD).AND.(INDEX(COPT,'C').GT.0)) IUNIT = ICDUNT
      REWIND IUNIT

C      Set the number of lines to print on the screen at 22.
      JLINE = 22

C      Check for 'Full' option.
      IF (INDEX(COPT,'F').GT.0) JLINE = 30000

```

```

        ICUR = 0
        IBEG = 0
100    CONTINUE
C
C    Check for abbreviated mode.
        IF ((INDEX(COPT,'A').GT.0).AND.(INDEX(COPT,'C').EQ.0)) THEN
C
        DO 140 I=1,JLINE
            CALL ZRDPAT (IUNIT, ICUR, IBEG, CTAG, CPATH, NPATH, LEND)
            IF (LEND) GO TO 800
            WRITE (6,120) ICUR, CTAG, CPATH(1:NPATH)
120        FORMAT (1X,I6,2X,A,2X,A)
140        CONTINUE
C
        ELSE
C    Long form, or condensed catalog.
        DO 180 I=1,JLINE
            READ (IUNIT, 150, END=800) CLINE
150        FORMAT (A)
            CALL CHRLNB (CLINE, NLAST)
            IF (NLAST.EQ.0) NLAST = 1
            WRITE (6, 160) CLINE(1:NLAST)
160        FORMAT (1X,A)
180        CONTINUE
C
        ENDIF
C
C    Prompt user for next Screen of catalog or next command.
        IF (ICUR.LT.NORECS) THEN
            WRITE (6,*) 'Press Carriage Return To Continue,',
*      ' or Enter New Command.'
            READ (5,200) CIN
200        FORMAT (A)
            CALL CHRLNB (CIN, NIN)
            IF (NIN.EQ.0) GO TO 100
        ENDIF
C
        800 CONTINUE
C    Done displaying pathnames - print file if option given.
        IF (INDEX(COPT,'P').GT.0) CALL PRINTF (IUNIT, 'Catalog')
C
        820 CONTINUE
        RETURN
C
        END

```



## **8 General Read / Write Subroutines**

The following chapter describes the DSS subroutines for reading or writing individual records. These subroutines should only be used for data that does not meet any of the standard DSS conventions (time series data, paired data, or text data). Data stored by one of these subroutines will not be recognized as a standard data type by the DSS programs. However, the data may be tabulated by DSSUTL.

A pathname does not have to follow the DSS conventions, although it cannot be more than 80 characters or less than 4 characters long. However, if it does not contain six parts separated by slashes, DSSUTL will not be able to access the record.

The basic routine for reading a record is ZREAD, and for writing a record is ZWRITE. These routines store or retrieve the user header array and the data array. The lengths of these arrays are treated as short integer words for several computers (e.g., Harris, MS-DOS). If floating point numbers are stored, then the array lengths need to be multiplied by the number of short integer words per real word. On Unix workstations, all lengths are in long integer words (INTEGER\*4).

ZREADX and ZWRITX are extended versions of ZREAD and ZWRITE. These subroutines will read or write an internal header array and the data compression array as well as the user header and data arrays. The arrays in ZREADX and ZWRITX are all in long integer words. There is more control with these subroutines than with ZREAD or ZWRITE.

ZRDBUF and ZWRBUF can preform "buffered" reading or writing. These subroutines can read or write a large amount of data in a single record with a relatively small data array. This is accomplished by calling the subroutine multiple times with the same pathname to store or retrieve the record. For example, 10,000 data values can be stored 500 at a time by calling ZWRBUF 20 times. ZWRBUF has the additional capability of being able to store data whose total number is unknown until the last call is made. For example, a program can read data from an external file into a relatively small array, then call ZWRBUF when that array becomes full, instead of having to read all the data into a large array and count the number of data values before storing it.

## **ZREAD**

### **8.1 ZREAD - Read an Individual Record**

#### **Purpose:**

ZREAD reads an individual record from a DSS file. It should be called only for data that does not follow the standard DSS conventions. ZREAD returns the user header and the data array as short integer words for Harris computers and MS-DOS computers. On other computers (e.g., Unix) these arrays are in long integer words (INTEGER\*4).

#### **Calling Sequence:**

```
CALL ZREAD (IFLTAB, CPATH, NPATH, IHEADU, NHEADU, IDATA,  
* NDATA, IPLAN, LFOUND)
```

#### **Declarations:**

```
INTEGER NHEADU, NDATA, NPATH, IPLAN  
INTEGER IFLTAB(600), IHEADU(NHEADU), IDATA(NDATA)  
CHARACTER CPATH*80  
LOGICAL LFOUND
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to retrieve. This pathname does not have to follow the DSS conventions. However, it cannot be greater than 80 characters or less than 4 characters long.
NPATH	(Input) The number of characters in CPATH. Trailing blanks must be excluded.
IHEADU	(Output) The user header array.
NHEADU	(Input-Output) The number of elements returned in the user header array. On input, this should be the dimension of IHEADU. If IPLAN is set to 1, then NHEADU will be returned with the actual number of elements read. To have ZREAD not retrieve the user header, set this variable to zero. NHEADU must be a variable.
IDATA	(Output) The data array.
NDATA	(Input-Output) The number of elements in the data array. As input, this should be the dimension of IDATA. If IPLAN is set to 1, then this will be returned with the number of data elements read. NDATA must be a variable.

## ZREAD

**IPLAN** (Input) This argument indicates whether the NHEADU and NDATA variables should be updated to the actual number of values read. If set to one, NHEADU and NDATA will be updated. If set to any other value, NHEADU and NDATA will not be changed.

**LFOUND** (Output) A logical status variable indicating if the record was found or not. If LFOUND is returned .TRUE., then the record was retrieved. If LFOUND is returned .FALSE., then the record does not exist, not found, and no data was retrieved.

### Remarks:

The IDATA array may either be real or integer. The number of data elements returned (NDATA) is given in integer words. On some computers (e.g., Harris, MS-DOS), two integer words are required for each real word and NDATA must be modified to reflect this (if real numbers are retrieved). The ninth word of the HECLIB common block "WORDS" contains the number of single integer words per real word. By either multiplying or dividing NDATA by this value, machine transportable code for retrieving real data can be produced. An example using this common block follows.

### Example:

```
C Retrieve the record named "/DATA SET 5/",
C (which contains floating point numbers).
C INTEGER IFLTAB(600), IHEADU(100)
C REAL RDATA(1000)
C LOGICAL LFOUND
C
C COMMON /WORDS/ IWORDS(10)
C
C CALL ZOPEN (...)
C
C NDATA = 1000
C NHEADU = 100
C
C The record contains real values, so change NDATA to
C reflect this. Element 9 in common block "WORDS"
C contains the number of short integer words in a
C long (real) word.
C NDATA = NDATA * IWORD(9)
C
C CALL ZREAD (IFLTAB, '/DATA SET 5/', 12, IHEADU, NHEADU,
C * RDATA, NDATA, 1, LFOUND)
C IF (.NOT.LFOUND) GO TO 900
C
C Change NDATA back to reflect real words.
C NDATA = NDATA / IWORD(9)
```

## **ZREADX**

### **8.2 ZREADX - Read an Individual Record (Extended)**

#### **Purpose:**

ZREADX reads an individual record from a DSS file. It not only returns the data and user header arrays, but the internal header and the compression header as well. ZREADX should only be called for data that does not follow the standard DSS conventions.

#### **Calling Sequence:**

```
CALL ZREADX (IFLTAB, CPATH, HEADI, KHEADI, NHEADI,  
* HEADC, KHEADC, NHEADC, HEADU, KHEADU, NHEADU, DATA,  
* KDATA, NDATA, IPLAN, LFOUND)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), KHEADI, NHEADI, KHEADC, NHEADC  
INTEGER KHEADU, NHEADU, KDATA, NDATA, IPLAN  
REAL HEADI(KHEADI), HEADC(KHEADC), HEADU(KHEADU), DATA(KDATA)  
CHARACTER CPATH*80  
LOGICAL LFOUND
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to retrieve. This pathname does not have to follow the DSS conventions. However, it cannot be greater than 80 characters or less than 4 characters long.
HEADI	(Output) The internal header array. This array contains items such as the units of the data.
KHEADI	(Input) The dimension of HEADI. No more than KHEADI elements will be retrieved.
NHEADI	(Output) The number of elements returned in HEADI.
HEADC	(Output) The data compression header array. This array contains internal information on how the data is compressed.
KHEADC	(Input) The dimension of HEADC. No more than KHEADC elements will be retrieved.
NHEADC	(Output) The number of elements returned in HEADC.
HEADU	(Output) The user header array. This array usually may be decoded by subroutine ZUSTFH.

## **ZREADX**

<b>KHEADU</b>	(Input) The dimension of HEADU. No more than KHEADU elements will be retrieved.
<b>NHEADU</b>	(Output) The number of elements returned in HEADU.
<b>DATA</b>	(Output) The data retrieved.
<b>KDATA</b>	(Input) The dimension of the array DATA. No more than KDATA values will be returned.
<b>NDATA</b>	(Output) The number of elements returned in the data array.
<b>IPLAN</b>	(Input) An internal DSS flag. Set to zero.
<b>LFOUND</b>	(Output) A logical status variable indicating if the record was found or not. If LFOUND is returned .TRUE., then the record was retrieved. If LFOUND is returned .FALSE., then the record does not exist and no data was retrieved.

### **Remarks:**

The header and data arrays passed to ZREADX are treated as real arrays. They can be integer arrays as well, but the number variables (KHEADU, NHEADU, etc.) must be modified to reflect this on some computers. The ninth word of the HECLIB common block "WORDS" contains the number of single integer words per real word. By dividing the number variable by this value, machine transportable code for retrieving short integer data can be produced.

## ZRDBUF

### 8.3 ZRDBUF - Read an Individual Record in a Buffered Mode

#### Purpose:

ZRDBUF reads an individual record from a DSS file. It can, if desired, buffer the data by reading a portion of the record at a time. This is useful when a large amount of data is to be retrieved. The data array can be relatively small, and multiple calls to ZRDBUF will retrieve all the data. ZRDBUF should only be called for data that does not follow the standard DSS conventions.

#### Calling Sequence:

```
CALL ZRDBUF (IFLTAB, CPATH, HEADU, KHEADU, NHEADU, DATA, KDATA,  
* NDATA, LEND, IPLAN, LFOUND)
```

#### Declarations:

```
INTEGER IFLTAB(600), KHEADU, NHEADU, KDATA, NDATA, IPLAN  
REAL HEADU(KHEADU), DATA(KDATA)  
CHARACTER CPATH*80  
LOGICAL LEND, LFOUND
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to retrieve. This pathname does not have to follow the DSS conventions. However, it cannot be greater than 80 characters or less than 4 characters long.
HEADU	(Output) The user header array. If the number of elements stored is greater than KHEADU, subsequent calls to ZRDBUF will read the remainder of HEADU.
KHEADU	(Input) The dimension of the array HEADU. No more than KHEADU values will be returned at a time.
NHEADU	(Output) The number of elements returned in the user header array.
DATA	(Output) The data retrieved. If the number of elements stored is greater than KDATA, then subsequent calls to ZRDBUF will return the remainder of the data.
KDATA	(Input) The dimension of the array DATA. No more than KDATA values will be returned at a time.
NDATA	(Output) The number of elements returned in the data array.

## ZRDBUF

LEND	(Output) A logical variable that is returned .TRUE. if all the data (including HEADU) has been read for this record. If LEND is .FALSE., then subsequent call to ZRDBUF (with the same pathname) will return more data.
IPLAN	(Input) An internal DSS flag. Set to zero.
LFOUND	(Output) A logical status variable indicating if the record was found or not. If LFOUND is returned .TRUE., then the record was retrieved. If LFOUND is returned .FALSE., then the record does not exist.

### Remarks:

ZRDBUF may be called for a standard read, or a buffered read. For a buffered read, ZRDBUF is called multiple times with the same pathname, until LEND is returned as .TRUE.. An example of this follows.

The header and data arrays passed to ZRDBUF are treated as real arrays. They can be integer arrays as well, but the number variables (KHEADU, NHEADU, KDATA, and NDATA) must be modified to reflect this on some computers. The ninth word of the HECLIB common block "WORDS" contains the number of single integer words per real word. By dividing the number variable by this value, machine transportable code for retrieving short integer data can be produced.

## ZRDBUF

### Example:

```
C      Retrieve data and print it.
C      If more data exists than the size of the data array, call
C      ZRDBUF several times to read all of it.
C
      PARAMETER (KDATA=500, KHEADU=100)
      INTEGER IFLTAB(600)
      REAL DATA(KDATA), HEADU(KHEADU)
      LOGICAL LEND, LFOUND
      CHARACTER CPATH*80
C
C      Open the DSS file, etc.
C
      WRITE (6,*) 'Enter Pathname'
      READ (5,20) CPATH
C
20    CONTINUE
      CALL ZRDBUF (IFLTAB, CPATH, HEADU, KHEADU, NHEADU, DATA,
* KDATA, NDATA, LEND, 0, LFOUND)
C
      IF (.NOT.LFOUND) THEN
        WRITE (6,40) CPATH
40      FORMAT (' *** Record Not Found ***',/, ' Pathname: ',A)
        GO TO 900
      ENDIF
C
      DO 60 I=1,NHEADU
        WRITE (6,*) HEADU(I)
60    CONTINUE
C
      DO 80 I=1,NDATA
        WRITE (6,*) DATA(I)
80    CONTINUE
C
      IF (.NOT.LEND) GO TO 20
```



## **8.4 ZWRITE - Write an Individual Record**

### **Purpose:**

ZWRITE writes an individual record to a DSS file. ZWRITE should only be called for data that does not follow the standard DSS conventions. ZWRITE stores the user header and the data array as short integer words for Harris computers and MS-DOS computers. On other computers (e.g., Unix) these arrays are in long integer words (INTEGER\*4).

### **Calling Sequence:**

```
CALL ZWRITE (IFLTAB, CPATH, NPATH, IHEADU, NHEADU, IDATA,  
* NDATA, IPLAN, LFOUND)
```

### **Declarations:**

```
INTEGER NHEADU, NDATA, NPATH, IPLAN  
INTEGER IFLTAB(600), IHEADU(NHEADU), IDATA(NDATA)  
CHARACTER CPATH*80  
LOGICAL LFOUND
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. This pathname does not have to follow the DSS conventions. However, if it does not contain six parts separated by slashes, utility programs (e.g., DSSUTL) will not be able to access the record. The pathname cannot be greater than 80 characters or less than 4 characters long.
NPATH	(Input) The number of characters in CPATH. Trailing blanks must be excluded.
IHEADU	(Input) An array that contains any additional user information to store. Generally, subroutine ZSTFH is called to prepare this array.
NHEADU	(Input) The number of elements in IHEADU (in integer words).
IDATA	(Input) The data to store. This may be either an integer array or a real array.
NDATA	(Input) The number of elements in the data array to store (in integer words). If the array is declared as REAL, this number should be multiplied by the ninth element in the common block words, as described under remarks.

## **ZWRITE**

<b>IPLAN</b>	(Input) An argument indicating whether to write over existing data or not:
<b>IPLAN</b>	<b>Description</b>
0	Always write the record to the file.
1	Only write the record if it new (i.e., it does not currently exist).
2	Only write the data if the record already exists.
	If IPLAN is set to 1 or 2, and that condition is not met, then an error message will be written to the output (provided the message level is set to two or greater).
<b>LFOUND</b>	(Output) A logical status variable indicating if the record already existed. If LFOUND is returned <b>.TRUE.</b> , then the record existed, and was written over (unless IPLAN was set to 1). If LFOUND is returned <b>.FALSE.</b> , then the record did not previously exist.

### **Remarks:**

The data may be real or integer. The number of elements to store is in integer words. On some computers (e.g., Harris, MS-DOS), two integer words are required for each real word, and NDATA must be modified to reflect this. The ninth word of the HECLIB common block "WORDS" contains the number of single integer words per real word. By either multiplying or dividing NDATA by this value, machine transportable code for storing real data can be produced. An example using this common block follows.

When a record is written, ZWRITE issues a message containing the pathname and version number of the record if the message level is 3 or greater (the default is 3). If an error occurs (such as IPLAN indicates only a new record may be written, and the record already exists), then an error message will be given for a message level of 2 or greater. If a fatal error occurs (e.g., there is no more disk space left), then an error message will be written, regardless of the message level.

**Example:**

```
C      Store a record named "/DATA SET 5/", (containing REAL data).  
      INTEGER IFLTAB(600)  
      REAL RDATA(1000)  
      LOGICAL LFOUND  
  
C  
      COMMON /WORDS/ IWORDS(10)  
  
C  
      . . .  
      CALL ZOPEN (...  
      . . .  
  
C  
C      Compute the data values (and place in array RDATA).  
C      . . .  
C  
C      The record contains real values, so change NDATA to  
C      reflect short integer words. Word 9 in common block  
C      "WORDS" contains the number of short (integer) words  
C      in a long (real) word.  
C  
      NDATA = NDATA * IWORD(9)  
  
C  
      CALL ZWRITE (IFLTAB, '/DATA SET 5/', 12, IHEADU, 0,  
* RDATA, NDATA, 0, LFOUND)
```

## ZWRITX

### 8.5 ZWRITX - Write an Individual Record (Extended)

#### Purpose:

ZWRITX writes an individual record to a DSS file. It will not only store the data and the user header array, but will also store an internal header array and a data compression header array. ZWRITX should only be called for data that does not follow the standard DSS conventions.

#### Calling Sequence:

```
CALL ZWRITX (IFLTAB, CPATH, NPATH, HEADI, NHEADI,  
* HEADC, NHEADC, HEADU, NHEADU, DATA, NDATA, ITYPE,  
* IPLAN, ISTAT, LFOUND)
```

#### Declarations:

```
INTEGER IFLTAB(600), NPATH, NHEADI, NHEADC  
INTEGER NHEADU, NDATA, ITYPE, IPLAN, ISTAT  
REAL HEADI(NHEADI), HEADC(NHEADC), HEADU(NHEADU), DATA(NDATA)  
CHARACTER CPATH*80  
LOGICAL LFOUND
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. This pathname does not have to follow the DSS conventions. However, if it does not contain six parts separated by slashes, utility programs (e.g., DSSUTL) will not be able to access the record. The pathname cannot be greater than 80 characters or less than 4 characters long.
NPATH	(Input) The number of characters in CPATH. Trailing blanks must be excluded.
HEADI	(Input) The internal header array. This array usually contains the data units and similar information.
NHEADI	(Input) The number of elements in HEADI.
HEADC	(Input) The data compression array.
NHEADC	(Input) The number of elements in HEADC.
HEADU	(Input) The user header array. Generally, subroutine ZSTFH is called to prepare this array.
NHEADU	(Input) The number of elements in HEADU.

<b>DATA</b>	(Input) The data array.
<b>NDATA</b>	(Input) The number of elements in the data array to store.
<b>ITYPE</b>	(Input) The data type (set to zero).
<b>IPLAN</b>	(Input) An argument indicating whether to write over existing data or not:
<b>IPLAN</b>	<b>Description</b>
0	Always write the record to the file.
1	Only write the record if it new (i.e., it does not currently exist).
2	Only write the data if the record already exists.
If IPLAN is set to 1 or 2, and that condition is not met, then an error message will be written to the output (provided the message level is set to two or greater).	
<b>ISTAT</b>	(Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully stored. The possible values are:
<b>ISTAT</b>	<b>Description</b>
0	Data stored.
-1	The record does not exist, and IPLAN was set to 2 (write over existing records only).
-2	The record already exists, and IPLAN was set to 1 (do not write over existing records).
-10	An invalid pathname was given.
-11	An invalid number of data values (NDATA) was given.
-12	The DSS file has read access only.
<b>LFOUND</b>	(Output) A logical status variable indicating if the record already existed. If LFOUND is returned .TRUE., then the record existed, and was written over (unless IPLAN was set to 1). If LFOUND is returned .FALSE., then the record did not previously exist.

**Remarks:**

The header and data arrays passed to ZWRITX are treated as real arrays. They can be integer arrays as well, but the number variables (NHEAD1, etc.) must be modified to reflect this for some computers. The ninth word of the HECLIB common block "WORDS" contains the number of single integer words per real word. By multiplying the number variable by this value, machine transportable code for storing short integer data can be produced.

## **ZWRITX**

When a record is written, ZWRITX issues a message containing the pathname and version number of the record if the message level is 3 or greater (the default is 3). If an error occurs (such as IPLAN indicates only a new record may be written, and the record already exists), then an error message will be given for a message level of 2 or greater. If a fatal error occurs (e.g., there is no more disk space left), then an error message will be written, regardless of the message level.

## **8.6 ZWRBUF - Write an Individual Record in a Buffered Mode**

### **Purpose:**

ZWRBUF writes an individual record to a DSS file. It can, if desired, buffer the data by storing a portion of it at a time. This is useful when a large amount of the data is stored. The data array supplied to ZWRBUF can be relatively small, and multiple calls to the subroutine will store all the data. ZWRBUF should only be called for data that does not follow the standard DSS conventions.

### **Calling Sequence:**

```
CALL ZWRBUF (IFLTAB, CPATH, HEADU, NHEADU, NTOTH, DATA, NDATA,  
* NTOTD, LEND)
```

### **Declarations:**

```
INTEGER IFLTAB(600), NHEADU, NTOTH, NDATA, NTOTD  
REAL HEADU(NHEADU), DATA(NDATA)  
CHARACTER CPATH*80  
LOGICAL LEND
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. This pathname does not have to follow the DSS conventions. However, if it does not contain six parts separated by slashes, utility programs (e.g., DSSUTL) will not be able to access the record. The pathname cannot be greater than 80 characters or less than 4 characters long.
HEADU	(Input) The user header array. Generally, subroutine ZSTFH is called to prepare this array.
NHEADU	(Input) The number of elements in HEADU for this call. If the header array needs to be buffered, then this value will be less than NTOTH, and subsequent calls will store the remainder of the array.
NTOTH	(Input) The total number of elements to store in the header area. This is usually equal to NHEADU, but will be greater if the header is to be buffered.
DATA	(Input) The data array.
NDATA	(Input) The number of elements in DATA for this call. If the data array needs to be buffered, then this value will be less than NTOTD, and subsequent calls will store the remainder of the array.

## **ZWRBUF**

- NTOTD** (Input) The total number of elements to store in the data area. If this is not a buffered write, then NTOTD will equal NDATA. If the write is buffered, then this will be the total number of data values to be stored. If the amount of data to store is unknown, then set this variable to -1, and set LEND to indicate when all of the data has been stored. See remarks for a further explanation.
- LEND** (Input) A logical flag indicating the end of the data set. If the total number of data values to store is unknown when ZWRBUF is first called (NTOTD set to -1), then LEND should be set to .FALSE. until ZWRBUF is called with the last set of data. If NTOTD is not minus one, then this argument is ignored.

### Remarks:

ZWRBUF may be called for a standard single write, or a buffered write. For a buffered write, ZWRBUF is called multiple times with the same pathname, until all the data is stored. If the write is to be unbuffered, set NTOTD equal to NDATA.

ZWRBUF can store data where the number of data values to be stored is unknown. To use the subroutine in this fashion, set NTOTD to minus one and LEND to .FALSE., then call ZWRBUF as many times as needed to store the data. On the last call for that data set, set LEND to .TRUE.. When used this way, the data is always stored at the end of the file, which will produce inactive space if the record already existed. NTOTD must always be specified.

The header and data arrays passed to ZWRBUF are treated as real arrays. They can be integer arrays as well, but the number variables (KHEADU, etc.) must be modified to reflect this for some computers. The ninth word of the HECLIB common block "WORDS" contains the number of single integer words per real word. By multiplying the number variable by this value, machine transportable code for retrieving short integer data can be produced.



Example 1:

```

      PARAMETER (KHEADU=100, KDATA=500)
      INTEGER IFLTAB(600)
      REAL HEADU(KHEADU), DATA(KDATA)
      CHARACTER CPATH*80
      LOGICAL LEND, LDUM
C
C   Open the DSS file, etc..
C
C
C   Store 400 values with ZWRBUF in a non-buffered write.
      READ (5,20) CPATH
20    FORMAT (A)
C
C   Get the data values.
      CALL DATVAL ( DATA, HEADU)
      NHEADU = 50
      NDATA = 400
      CALL ZWRBUF (IFLTAB, CPATH, HEADU, NHEADU, NHEADU,
* DATA, NDATA, NDATA, LDUM)
C

```

Example 2:

```

C   Store 10,000 values a buffered mode, where the total
C   number of data values is known.
      READ (5,20) CPATH
C
      NTOTD = 10000
      ICOUNT = 0
C
      DO 100 I=1,10000
         ICOUNT = ICOUNT + 1
C         Get a data value.
         CALL GETVAL (DATA(ICOUNT))
C         If we have reached the array dimension limit, store the data.
         IF (ICOUNT.EQ.KDATA) THEN
            CALL ZWRBUF (IFLTAB, CPATH, HEADU, 0, 0,
* DATA, ICOUNT, NTOTD, LDUM)
C         Reset the counter.
            ICOUNT = 0
         ENDIF
      100 CONTINUE
C

```

## ZWRBUF

### Example 3:

```
C      Store data in a buffered mode, where the total
C      number of data values to store is unknown.
      READ (5,20) CPATH
C
C      We don't know how much to store (but LEND will be set
C      to .TRUE. when we have all the data).
      NTOTD = -1
      ICOUNT = 0
C
200  CONTINUE
      ICOUNT = ICOUNT + 1
C      Get a data value.
      CALL GETNUM (DATA(ICOUNT), LEND)
C      If we have reached the array dimension limit, or the last
C      data value has been calculated, store the data array.
      IF ((ICOUNT.EQ.KDATA).OR.(LEND)) THEN
          CALL ZWRBUF (IFLTAB, CPATH, HEADU, 0, 0,
*      DATA, ICOUNT, NTOTD, LEND)
C      Do we need to compute more data?
          IF (LEND) GO TO 300
C      Reset the counter.
          ICOUNT = 0
      ENDIF
C
      GO TO 200
C
C
300  CONTINUE
```

## **9 Utility Subroutines**

The following chapter describes several DSS utility subroutines. Some of these routines (e.g., ZSTFH) are for use by general application programs, while others (e.g., ZRENAM) are usually used only by utility programs.

Subroutine ZSTFH places additional record information in the user header array. Such information may include a project's latitude and longitude, or the operator's name. Rating tables often include a datum, shift, offset and transform in the user header. A program can decode information from the user header with ZUSFTH.

Subroutine ZCHECK determines if a record exists (similar to ZDTYPE), and returns the number of data values and user header elements stored. Subroutine ZRECIN will display information about a record, while ZFILST will display information about a file. These two subroutines are used for display purposes only; subroutine ZINQIR returns information about a record or file for a program's internal use.

Subroutine ZCOREC copies a record from one DSS file to another, or duplicates a record within the same file. ZCOFIL copies a DSS file to a new DSS file, or appends the file to an existing DSS file.

Subroutine ZDELET deletes a record from a DSS file by flagging a record status cell. The data is not physically removed until the file is squeezed by DSSUTL. The record may be recovered by calling subroutine ZUNDEL (until file is squeezed). All records in a DSS file that were deleted by ZDELET may be recovered by ZUDALL. ZUDALL can also display a list of the deleted records within the file that are recoverable.

A record can be renamed (its pathname changed) with subroutine ZRENAM. Information in the DSS file or in the IFLTAB array can be decoded with ZDEBUG. ZDEBUG is used only for "low level" de-bugging. Subroutine trace statements activated by setting the message level MLEVEL with ZSET are intended to be used for de-bugging a program interface with DSS.

## **ZSTFH**

### **2.1 ZSTFH - Stuff the User Header Array**

#### **Purpose:**

ZSTFH places user information in the user header array in preparation for writing to a DSS record. The information is stored in Hollerith (alpha-numeric) format. Each header item is identified by a label indicating what the data is. ZSTFH places a colon (:) between each label and item, and a semi-colon (;) after each item. For example, if the item 1234.0 has the label "DATUM", and the item "LOGLOG" has the label "TRANSFORM", the following header array would be produced:

```
0032DATUM:1234.0; TRANSFORM:LOGLOG;
```

The first element in the header will contain the total number of bytes in the array (0032 in this example).

ZSTFH can stuff several items in the header at one time, or append information to the header (allowing multiple calls to ZSTFH to stuff multiple items).

A user header assembled by ZSTFH can be disassembled by subroutine ZUSTFH.

#### **Calling Sequence:**

```
CALL ZSTFH (CLABEL, CITEM, NITEM, HEADU, KHEADU, NHEADU, ISTAT)
```

#### **Declarations:**

```
INTEGER NITEM, KHEADU, NHEADU, ISTAT  
CHARACTER CLABEL(NITEM)*(*), CITEM(NITEM)*(*)  
REAL HEADU(KHEADU)
```

#### **Argument Description:**

CLABEL	(Input) A character string identifying the item to stuff. Usually this is a single word (e.g., "DATUM"), but it can be more than one (with embedded blanks). If more than one item is to be stored, then this must be a character array, and the first element of CLABEL corresponds to the first element of CITEM. A label may not contain a colon or semi-colon.
CITEM	(Input) A character string containing the item to stuff. If the item is a number, it must be converted to character by an internal write or with subroutine INTGRC or XREALC. The item may contain blanks but not a colon or semi-colon. If more than one item is to be stored, then this must be a character array, and the first element of CITEM corresponds to the first element of CLABEL.
NITEM	(Input) The number of items to store in this call, which is also the dimension of arrays CLABEL and CITEM. This is often set to one.
HEADU	(Input-Output) The header array to stuff.

**KHEADU** (Input) The dimension of HEADU. No more than KHEADU elements will be stored in HEADU.

**NHEADU** (Input-Output) The number of elements in HEADU. On the first call set this to zero to initialize HEADU.

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then information was successfully added to the user header array. If ISTAT is non-zero, an error occurred. The possible values are:

ISTAT	Description
0	Successful operation.
1	A label contains all blanks.
2	An item contains all blanks.
3	The number of elements required for this information is greater than KHEADU. Increase the dimension of HEADU.
4	Array HEADU is invalid. This is most probably caused by not initializing HEADU for this data set (set NHEADU to zero on the first call).
5	NITEM is less than or equal to zero.

**Remarks:**

On the first call to ZSTFH set NHEADU to zero. Information in the header cannot be edited; The array would need to be completely un-stuffed, then re-stuffed.

The label and item variables can each be up to 60 characters in length. However, it is recommended to keep the combination of both under 70 characters for manageability.

Information stored in the user header does not have to be generated by ZSTFH, although if it is not, it cannot be displayed by DSS utility programs.

The minimum dimension of the header array can be computed from the number of bytes to be stuffed (the length of the labels and items) and the number of bytes per real word. The minimum dimension is:

$$[(\text{number of bytes} + (3 * \text{number of items})) / \text{bytes per word}] + 2$$

Usually, a dimension size of 50 words is sufficient for most purposes.

A debug trace is available by setting the message level to 9 with ZSET.

## ZSTFH

### Examples:

```
C      Store information about a gage in the user header,
C      by appending information to the header.
      PARAMETER (KHEADU=100)
      REAL HEADU(KHEADU)

C
      NHEADU = 0
      CALL ZSTFH ('USGS GAGE ID', '012345678', 1, HEADU, KHEADU,
* NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      CALL ZSTFH ('LATITUDE', '412345', 1, HEADU, KHEADU,
* NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      CALL ZSTFH ('LONGITUDE', '1212345', 1, HEADU, KHEADU,
* NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      CALL ZSTFH ('DATUM', '1234.56', 1, HEADU, KHEADU,
* NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      CALL ZSTFH ('OPERATOR', 'JOHN DOE', 1, HEADU, KHEADU,
* NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900

C
C      Store information about a gage in the user header,
C      with one call to ZSTFH.
      PARAMETER (KHEADU=100)
      REAL HEADU(KHEADU)
      CHARACTER CLABEL(5)*20, CITEM(5)*20

C
      DATA CLABEL(1) /'USGS GAGE ID'/
      DATA CLABEL(2) /'LATITUDE'/
      DATA CLABEL(3) /'LONGITUDE'/
      DATA CLABEL(4) /'DATUM'/
      DATA CLABEL(5) /'OPERATOR'/

C
      CITEM(1) = '012345678'
      WRITE (CITEM(2), '(I7)') LAT
      WRITE (CITEM(3), '(I7)') LONG
      WRITE (CITEM(4), '(F10.2)') DATUM
      CITEM(5) = 'JOHN DOE'
      NHEADU = 0
      CALL ZSTFH (CLABEL, CITEM, 5, HEADU, KHEADU, NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
```

Both of these examples would generate the following header array:

```
0094USGS GAGE ID:012345678; LATITUDE:412345; LONGITUDE:1212345;
DATUM:1234.56; OPERATOR:JOHN DOE;
```

## 9.2 ZUSTFH - Un-stuff the User Header Array

### Purpose:

ZUSTFH disassembles a user header array created by ZSTFH. ZUSTFH can either return all items in the array (returning one at a time), or search for specific items. For a description of this array, see the ZSTFH documentation.

### Calling Sequence:

```
CALL ZUSTFH (CLABEL, CITEM, NITEM, IPOS, HEADU, NHEADU, ISTAT)
```

### Declarations:

```
INTEGER NITEM, IPOS, NHEADU, ISTAT
CHARACTER CLABEL(NITEM)*(*), CITEM(NITEM)*(*)
REAL HEADU(NHEADU)
```

### Argument Description:

CLABEL	(Input-Output) If specific items are to be searched for in the header, this is the labels of those items to search for. Labels must be left-justified and blank filled. If ZUSTFH is to return all items in the header (NITEM set to zero), one at a time, then this will be returned with the label corresponding to CITEM.
CITEM	(Output) The items corresponding to CLABEL. If you are searching for specific items, and the label given was not found, then CITEM will be returned blank filled.
NITEM	(Input) If ZUSTFH is to search for specific items in the array, then NITEM is the number of items to search for and CLABEL and CITEM must be dimensioned to at least NITEM. If all items in the header array are to be returned (one at a time), then this should be set to zero on the first call, and ZUSTFH should be called multiple times, returning one item at a time, until IPOS is returned with -1.
IPOS	(Input-Output) An internal position variable. If all items are to be returned from the header (NITEM set to 0), then this variable must be set to zero on the first call. When all items have been returned, then IPOS will be returned as -1. If ZUSTFH is to search for specific items, then this argument is ignored. IPOS must be a variable.
HEADU	(Input) The user header array.
NHEADU	(Input) The number of elements in HEADU.

## **ZUSTFH**

### **ISTAT**

(Output) A status parameter indicating the success of the operation. If ISTAT is zero, then information was successfully returned from the user header array. If ISTAT is less than zero, an error occurred and no items were returned. If ISTAT is greater than zero, an error occurred and portions of the items are returned. The possible values are:

ISTAT	Description
0	Successful operation.
-1	The header array is invalid. (The first element of HEADU does not contain a valid header count.)
-2	The internal header count indicates that the header array is greater than the size passed (NHEADU).
2	The length of the item or label is greater than the character variable CITEM or CLABEL. The item or label is truncated to the variable length.
4	The length of the item or label is greater than 60, an internal dimension limit. The item or label is truncated to 60 characters.

### **Remarks:**

The items and labels are returned left-justified, blank filled, with colons and semi-colons removed. There is no debug trace for ZUSTFH.



Examples:

Given the following user header array:

```
0094USGS GAGE ID:012345678; LATITUDE:412345; LONGITUDE:1212345;
DATUM:1234.56; OPERATOR:JOHN DOE;
```

```
C      Example 1
C      Search for the latitude and longitude stored in the user
C      header array, getting one item at a time.
C
      REAL HEADU(NHEADU)
      CHARACTER CLABEL*20, CITEM*20
C
      CALL ZUSTFH ('LATITUDE', CITEM, 1, IPOS, HEADU, NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      WRITE (6,*)'The latitude is: ', CITEM
      CALL ZUSTFH ('LONGITUDE', CITEM, 1, IPOS, HEADU, NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      WRITE (6,*)'The longitude is: ', CITEM
```

```
C      Example 2
C      Search for the latitude and longitude stored in the user
C      header array, getting both items at the same time.
C
      REAL HEADU(NHEADU)
      CHARACTER CLABEL(2)*20, CITEM(2)*20
C
      CLABEL(1) = 'LATITUDE'
      CLABEL(2) = 'LONGITUDE'
      CALL ZUSTFH (CLABEL, CITEM, 2, IPOS, HEADU, NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      WRITE (6,*)'The latitude is: ', CITEM(1)
      WRITE (6,*)'The longitude is: ', CITEM(2)
```

Both of these examples would print:

```
The latitude is: 412345
The longitude is: 1212345
```

## ZUSTFH

```
C      Example 3
C      Get all labels and items from the user header.
C
      REAL HEADU(NHEADU)
      CHARACTER CLABEL*20, CITEM*20
C
      IPOS = 0
      NITEM = 0
20     CONTINUE
      CALL ZUSTFH (CLABEL, CITEM, NITEM, IPOS, HEADU, NHEADU, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      WRITE (6,40) CLABEL(1), CITEM(1)
40     FORMAT (' Label: ',A,' Item: ',A)
      IF (IPOS.GT.0) GO TO 20
```

Using the same header array, this example would print:

Label: USGS GAGE ID	,	Item: 012345678
Label: LATITUDE	,	Item: 412345
Label: LONGITUDE	,	Item: 1212345
Label: DATUM	,	Item: 1234.56
Label: OPERATOR	,	Item: JOHN DOE

### **9.3 ZCHECK - Check if a Record Exists**

#### **Purpose:**

ZCHECK checks for the presence of a record in a DSS file. If the record exists, the number of elements in the user header and data arrays are returned.

#### **Calling Sequence:**

CALL ZCHECK (IFLTAB, CPATH, NPATH, NHEAD, NDATA, LFOUND)

#### **Declarations:**

INTEGER IFLTAB(600), NPATH, NHEAD, NDATA  
CHARACTER CPATH\*80  
LOGICAL LFOUND

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the record to check. The pathname does not have to follow the standard conventions.
NPATH	(Input) The number of characters in CPATH. Trailing blanks must be excluded.
NHEAD	(Output) The number of real elements stored in the user header array.
NDATA	(Output) The number of real elements stored in the data array.
LFOUND	(Output) A logical status variable that is returned .TRUE. if the record was found, or .FALSE. if it does not exist.

#### **Remarks:**

ZCHECK is generally used only by lower level routines. Programs typically call ZDTYPE instead of ZCHECK. No messages are printed by ZCHECK.

#### **Note:**

Earlier versions of DSS returned the lengths NHEAD and NDATA in short integer words. Version 6 now returns those values for real arrays. This change is the only incompatibility between DSS version 6 and earlier versions.

## **ZRECIN**

### **9.4 ZRECIN - Display Information About a Record**

#### **Purpose:**

ZRECIN displays information about a record. This information is the same as that printed in the CHECK command for DSSUTL. It contains the type of data, its last written date and time, and the program that wrote it. If it is time-series data, then any data compression statistics or data flag information is also displayed. Examples of the output are given below.

#### **Calling Sequence:**

```
CALL ZRECIN (IFLTAB, IUNIT, MLEVEL, CPATH, BUFF, KBUFF, LFOUND)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), IUNIT, MLEVEL, KBUFF  
REAL BUFF(KBUFF)  
CHARACTER CPATH*80  
LOGICAL LFOUND
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
IUNIT	(Input) The unit number to write the information to. This is usually connected to the standard output.
MLEVEL	(Input) The message level. If this is set to zero, only a statement indicating if the record exists or not is displayed. If MLEVEL is two or more, information about the record is displayed.
CPATH	(Input) The record pathname.
BUFF	(Input) A temporary buffer array. The record header and compression header are read into this array. Its size should be a minimum of 70 elements.
KBUFF	(Input) The dimension of BUFF.
LFOUND	(Output) A logical status variable that is returned .TRUE. if the record was found, or .FALSE. if it does not exist.

#### **Remarks:**

ZRECIN is designed to display information, not as a means of a program obtaining information about a record. A program should not attempt to read information from it, as items may be moved in the display in different versions of DSS.

**Example Displays:**

Record Found:

/ALLEGHENY/NATP/PRECIP-INC/01JUL1989/1HOUR/OBS/

Regular-interval time series; Tag: T1284

Last Written on 11OCT89, at 09:58 by Program: Undefi

Version: 1; Number of data: 744; Space Allocated: 10

Compressed to 4.3%

Compression Method: 3; Repeat + Delta

Precision: -2; Element Size: 1; Base: 0.00; User set base: F

Record Found:

/ALLEGHENY/BRFP/FLOW/01APR1990/1HOUR/REV/

Regular-interval time series; Tag: T299

Last Written on 10JUL90, at 16:43 by Program: DATCHK

Version: 2; Number of data: 720; Space Allocated: 1440

Data flags set.

## ZFILST

### 9.5 ZFILST - Display Information About a DSS File

#### Purpose:

ZFILST displays status information about a DSS file. The information displayed is the same as that displayed in the DSSUTL FQ (File Query) command. It includes items such as the file size, amount inactive space, and file statistics. The information is written to unit MUNIT (which can be reset from the default by subroutine ZSET).

#### Calling Sequence:

CALL ZFILST (IFLTAB)

#### Declarations:

INTEGER IFLTAB(600)

#### Argument Description:

IFLTAB (Input-Cutput) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.

#### Remarks:

ZFILST is designed to display information, not as a means of a program obtaining information about the file. A program should not attempt to read information from it, as items may be moved in the display in different versions of DSS.

#### Example Display:

```
-----  
DSS File MASTDB;   Created on 10JAN90;   DSS Version 6-EA  
Number of Records: 3840;   Pointer Utilization: 2.50  
File Size: 12210.4 Kilobytes;   Percent Inactive Space: 6.06  
Max Hash Code: 1024;   Stable Hash Table  
Numb Bins per Block: 32;   Size of Bin: 112 words  
Bins Used: 619;   Overflow Bins: 181  
Hash Codes Used: 438;   Max Paths for one Hash Code: 11  
Average Number of Paths to search: 8.8;   (Max Hash Code: 262)  
-----
```

## 2.6 ZCOREC - Copy a Record

### Purpose:

ZCOREC copies a record from one DSS file to another, or duplicates a record within the same file. A regular-interval time series record can also be compressed (or un-compressed) according to the new file's default data compression setting, if desired.

### Calling Sequence:

```
CALL ZCOREC (IFTOLD, IFTNEW, CPOLD, CPNEW, BUFF1, KBUFF1,
* BUFF2, KBUFF2, ISTAT)
```

### Declarations:

```
INTEGER IFTOLD(600), IFTNEW(600), KBUFF1, KBUFF2, ISTAT
REAL BUFF1(KBUFF1), BUFF2(KBUFF2)
CHARACTER CPOLD*80, CPNEW*80
```

### Argument Description:

IFTOLD	(Input-Output) The DSS work space used to manage the DSS file. This is the IFLTAB for the DSS file to copy <u>from</u> .
IFTNEW	(Input-Output) The DSS work space used to manage the DSS file. This is the IFLTAB for the DSS file to copy <u>to</u> . If the record is to be duplicated within the same file, this should be array IFTOLD.
CPOLD	(Input) The pathname of the record to copy.
CPNEW	(Input) The pathname that the copied record is to have. If the record is to be copied from one file to another, then this may be CPOLD. If the record is being duplicated within the file, then this pathname cannot be the same as CPOLD.
BUFF1	(Input) A scratch array that will temporarily hold the data, or portions of the data. If the data is time series and is to be re-compressed, this must be large enough to hold all the data within the record. Otherwise BUFF1 can be smaller, as buffered reads and writes are used. However, it is more efficient to make this array large enough to hold all of the data within the record. A typical dimension for this array is 750.
KBUFF1	(Input) The dimension of BUFF1.
BUFF2	(Input) A scratch array that will temporarily hold the internal header array. This array does not need to be as large as BUFF1. A typical dimension for this array is 100.
KBUFF2	(Input) The dimension of BUFF2.

## ZCOREC

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned as zero, then the record was copied successfully. If ISTAT is other than zero, the record was not copied. The possible values are:

ISTAT	Description
0	Successful operation.
1	The record to be copied (CPOLD) does not exist.
2	The new record (CPNEW) already exists, and write protection was set for the file.
-1	KBUFF1 or KBUFF2 is zero.
-2	The buffers supplied (BUFF1 and BUFF2) are too small for this record. The size required will be printed if the message level is 2 or greater.
-12	The file being copied to is in a read access only mode.

### Remarks:

Except for time series data that is to be re-compressed, the data is copied by buffered reads and writes. Thus only portions of the data and user header arrays will be copied at a time (up to KBUFF1 values). If space is available, setting KBUFF1 to the size of the data array is most efficient.

Time series data can be re-compressed (or un-compressed) using the default data compression settings of the DSS file being copied to by calling ZSET with a parameter of "COMP", prior to ZCOREC. This will remain set until explicitly set "OFF" by a subsequent call to ZSET.



Example 1:

```

C      Copy a record from one DSS file to another.
      INTEGER IFTOLD(600), IFTNEW(600)
      CHARACTER CPATH*80
      PARAMETER (KBUFF1=750, KBUFF2=100)
      REAL BUFF1(KBUFF1), BUFF2(KBUFF2)
      CHARACTER CNOLD*64, CNNEW*64

C
      READ (5,*) CNOLD, CNNEW
      CALL ZOPEN (IFTOLD, CNOLD, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
      CALL ZOPEN (IFTOLD, CNNEW, ISTAT)
      IF (ISTAT.NE.0) GO TO 900

C
      CPATH = '/SACRAMENTO/I ST/FLOW/01JAN1980/1HOUR/OBS/'

C
      CALL ZCOREC (IFTOLD, IFTNEW, CPATH, CPATH, BUFF1, KBUFF1,
* BUFF2, KBUFF2, ISTAT)
      IF (ISTAT.NE.0) GO TO 910

C

```

Example 2:

```

C      Duplicate a record within a DSS file.
      INTEGER IFTAB(600)
      CHARACTER CPOLD*80, CPNEW*80
      PARAMETER (KBUFF1=750, KBUFF2=100)
      REAL BUFF1(KBUFF1), BUFF2(KBUFF2)
      CHARACTER CNAME*64

C
      READ (5,*) CNAME
      CALL ZOPEN (IFTAB, CNAME, ISTAT)
      IF (ISTAT.NE.0) GO TO 900

C
      CPOLD = '/SACRAMENTO/I ST/ELEV-DAMAGE//1980/PLAN B/'
      CPNEW = '/SACRAMENTO/I ST/ELEV-DAMAGE//1980/REVISED/'

C
      CALL ZCOREC (IFTAB, IFTAB, CPOLD, CPNEW, BUFF1, KBUFF1,
* BUFF2, KBUFF2, ISTAT)
      IF (ISTAT.NE.0) GO TO 910

C

```

## ZCOFIL

### 9.7 ZCOFIL - Copy a DSS File

#### Purpose:

ZCOFIL copies a DSS file to a new DSS file, or appends the file to an existing DSS file. ZCOFIL copies only valid data, so any inactive space is not copied. ZCOFIL is called by DSSUTL to "squeeze" a DSS file. Regular interval time series records can also be compressed (or un-compressed) according to the new file default data compression setting, if desired. ZCOREC should be called if less than the entire file is to be copied.

#### Calling Sequence:

```
CALL ZCOFIL (IFTOLD, IFTNEW, BUFF1, KBUFF1, BUFF2, KBUFF2,  
* LUNDEL, LRETAG)
```

#### Declarations:

```
INTEGER IFTOLD(600), IFTNEW(600), KBUFF1, KBUFF2  
REAL BUFF1(KBUFF1), BUFF2(KBUFF2)  
LOGICAL LUNDEL, LRETAG
```

#### Argument Description:

IFTOLD	(Input-Output) The DSS work space used to manage the DSS file. This is the IFLTAB for the DSS file to copy <u>from</u> .
IFTNEW	(Input-Output) The DSS work space used to manage the DSS file. This is the IFLTAB for the DSS file to copy <u>to</u> .
BUFF1	(Input) A scratch array that will temporarily hold data and internal arrays. The minimum dimension of this array should be 750 elements.
KBUFF1	(Input) The dimension of BUFF1.
BUFF2	(Input) A scratch array that will temporarily hold data and internal arrays. The minimum dimension of this array should be 750 elements.
KBUFF2	(Input) The dimension of BUFF2.
LUNDEL	(Input) A logical flag that should be set to .TRUE. if records that have been deleted, but not yet physically removed, should be copied. (They will be un-deleted in the new file).
LRETAG	(Input) A logical flag that should be set to .TRUE. if the records should be assigned new tag identifiers when they are copied. The tags assigned will use the file tag settings. (See chapter 7 for information on tags.)

**Remarks:**

ZCOFIL reads through the file in a "brute force" fashion. Thus, if a file somehow becomes damaged, ZCOFIL will copy all data that is recoverable. (It cannot tell if data itself has become corrupt.)

Buffered reads and writes are used for larger data records. The buffer arrays passed do not necessarily need to be as large as the record sizes.

Time series data can be re-compressed (or un-compressed) using the default data compression settings of the DSS file being copied to by calling ZSET with a parameter of "COMP", prior to ZCOFIL. This will be reset to 'OFF' upon completion of the copy.

## **ZRENAM**

### **2.8 ZRENAM - Rename a Record**

#### **Purpose:**

ZRENAM changes the pathname of a record in a DSS file.

#### **Calling Sequence:**

CALL ZRENAM (IFLTAB, CPATHO, NPATHO, CPATHN, NPATHN, LFOUND)

#### **Declarations:**

INTEGER IFLTAB(600), NPATHO, NPATHN  
CHARACTER CPATHO\*80, CPATHN\*80  
LOGICAL LFOUND

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATHO	(Input) The pathname of the record to be renamed.
NPATHO	(Input) The number of characters in CPATHO.
CPATHN	(Input) The new pathname to be given to the record.
NPATHN	(Input) The number of characters in CPATHN
LFOUND	(Output) A logical status variable that is returned .TRUE. if the record was found and renamed, or .FALSE. if the original record did not exist in the DSS file.

#### **Remarks:**

ZRENAM does not change the record's tag or any other information. With a message level of 3 or greater, ZRENAM prints a message with the old pathname and the new pathname. Error messages are printed with a message level of 2 or greater.

## **9.9 ZDELET - Delete a Record**

### **Purpose:**

ZDELET deletes a record from a DSS file by flagging a record status cell. The data is not physically removed until the file is squeezed by DSSUTL. A deleted record can be undeleted by DSSUTL or the subroutines ZUNDEL and ZUDALL (until the file is squeezed).

### **Calling Sequence:**

CALL ZDELET (IFLTAB, CPATH, NPATH, LFOUND)

### **Declarations:**

INTEGER IFLTAB(600), NPATH  
CHARACTER CPATH\*80  
LOGICAL LFOUND

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the record to eliminate. This pathname does not have to follow the standard conventions.
NPATH	(Input) The number of characters in CPATH. Trailing blanks must be excluded.
LFOUND	(Output) A logical status variable that is returned .TRUE. if the record was deleted, or .FALSE. if the record did not exist in the DSS file.

### **Remarks:**

ZDELET is usually only called by utility programs. With a message level of 3 or greater, ZDELET prints a message indicating the record was deleted. Error messages are printed with a message level of 2 or greater.

## ZUNDEL

### 2.10 ZUNDEL - Un-Delete a Record

#### Purpose:

ZUNDEL recovers a DSS record that was previously deleted by ZDELET by modifying a record status cell. The DSS file must not have been squeezed by DSSUTL since the record was deleted (as that will physically remove the record). All deleted records within a file can be recovered by subroutine ZUDALL. ZUDALL can also determine what records are available to recover.

#### Calling Sequence:

```
CALL ZUNDEL (IFLTAB, CPATH, NPATH, ISTAT)
```

#### Declarations:

```
INTEGER IFLTAB(600), NPATH, ISTAT  
CHARACTER CPATH*80
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the record to recover.
NPATH	(Input) The number of characters in CPATH. Trailing blanks must be excluded.
ISTAT	(Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the record was successfully recovered. If ISTAT is non-zero, an error occurred. The possible values are:

ISTAT	Description
0	Successful operation.
1	The record could not be found.
2	The record already exists (it was not deleted).

#### Remarks:

With a message level of 3 or greater, ZUNDEL prints a message indicating the record was recovered. Error messages are printed with a message level of 2 or greater.

**9.11 ZUDALL - Un-Delete All Records in a DSS File****Purpose:**

ZUDALL recovers all records in a DSS file that were previously deleted by ZDELET. The DSS file must not have been squeezed by DSSUTL since the records were deleted (as that will physically remove the records). ZUDALL can also display a list of the deleted records within the file that are available to recover.

**Calling Sequence:**

CALL ZUDALL (IFLTAB, IUNIT)

**Declarations:**

INTEGER IFLTAB(600), IUNIT

**Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
IUNIT	(Input) If the records available to recover are to be displayed, this is the unit number to write the pathnames of those records to. If the records are to be recovered, IUNIT must be zero.

**Remarks:**

To only display the deleted records in a file, set IUNIT to the unit number of the output (otherwise IUNIT must be zero). ZUDALL will not recover any records when displaying available records to recover. The following message is printed for each record available to recover:

---ZUNDEL; Available: pathname

IUNIT must be set to zero to actually recover records.

With a message level of 3 or greater, ZUDALL prints a message with the pathname for each record that was recovered. If no records are available to recover, ZUDALL prints a message indicating so.

## **ZDEBUG**

### **9.12 ZDEBUG - Display Coded Information from the file or the IFLTAB Array**

#### **Purpose:**

ZDEBUG displays coded information in the IFLTAB array or an array containing information read from the DSS file. ZDEBUG is used internally in debugging possible damaged areas in a file, and for installing the DSS software on a new computer. It is not intended for debugging programs accessing DSS.

#### **Calling Sequence:**

CALL ZDEBUG (MUNIT, IARRAY, IADD, ILEN)

#### **Declarations:**

INTEGER MUNIT, IARRAY(\*), IADD, ILEN

On MS-DOS microcomputers, the address must be INTEGER\*4:

INTEGER\*4 IADD

On Harris computers, the address must be INTEGER\*6:

INTEGER\*6 IADD

#### **Argument Description:**

MUNIT	(Input) The unit number to print out the information to.
IARRAY	(Input) The DSS IFLTAB array or other array to display.
IADD	(Input) The file address or location within the array. (For example, if you were displaying the IFLTAB array from word 32 to 50, this would be the number 32.) The address is displayed in the left-hand column, and incremented for each word. It is used for informational purposes only.
ILEN	(Input) The number of large integer words to print.

#### **Remarks:**

The output from ZDEBUG occupies 132 columns. Each word in the array is printed as a large integer, a character string, a real number, two small integers, and 4 or 6 bytes (depending on the computer). The address, and the address' record and word are printed on the left side of the information.



# ZDEBUG

## Example:

If ZDEBUG is called with the IFLTAB array and a length of 30 after a call to ZOPEN, the output might appear as the following:

Address	Rac	Word	Offset	Large Int	Char	Real	Small	Ints	Bytes					
1	1	1	( 1)	6	-----	0.00	0	6	0	0	0	0	0	6
2	1	2	( 2)	13579	-----5-	0.00	0	13579	0	0	0	0	53	11
3	1	3	( 3)	71	-----G	0.00	0	71	0	0	0	0	0	71
4	1	4	( 4)	71	-----G	0.00	0	71	0	0	0	0	0	71
5	1	5	( 5)	1	-----	0.00	0	1	0	0	0	0	0	1
6	1	6	( 6)	1	-----	0.00	0	1	0	0	0	0	0	1
7	1	7	( 7)	0	-----	0.00	0	0	0	0	0	0	0	0
8	1	8	( 8)	4929	-----A	*****	0	4929	0	0	0	0	19	65
9	1	9	( 9)	2207838	----- ~^	*****	0	2207838	0	0	0	33	176	94
10	1	10	( 10)	1	-----	0.00	0	1	0	0	0	0	0	1
11	1	11	( 11)	0	-----	0.00	0	0	0	0	0	0	0	0
12	1	12	( 12)	0	-----	0.00	0	0	0	0	0	0	0	0
13	1	13	( 13)	0	-----	0.00	0	0	0	0	0	0	0	0
14	1	14	( 14)	0	-----	0.00	0	0	0	0	0	0	0	0
15	1	15	( 15)	49624753831936	ZDSS--	0.71	5915731	5439488	90	68	83	83	0	0
16	1	16	( 16)	4193	-----a	*****	0	4193	0	0	0	0	16	97
17	1	17	( 17)	4194	-----b	*****	0	4194	0	0	0	0	16	98
18	1	18	( 18)	0	-----	0.00	0	0	0	0	0	0	0	0
19	1	19	( 19)	29784033787904	6-EA--	0.42	3550533	4259840	54	45	69	65	0	0
20	1	20	( 20)	2207838	----- ~^	*****	0	2207838	0	0	0	33	176	94
21	1	21	( 21)	127762	-----	0.00	0	127762	0	0	0	1	243	18
22	1	22	( 22)	27041739132473	10JAN9	*****	3223626	4279865	49	48	74	65	78	57
23	1	23	( 23)	26388279066624	0-----	0.37	3145728	0	48	0	0	0	0	0
24	1	24	( 24)	26496278285881	02JAN9	*****	3158602	4279865	48	50	74	65	78	57
25	1	25	( 25)	26938034880512	1-----	0.38	3211264	0	49	0	0	0	0	0
26	1	26	( 26)	26511175398202	09:13:	*****	3160378	3224378	48	57	58	49	51	58
27	1	27	( 27)	27049704030208	14-----	0.38	3224576	0	49	52	0	0	0	0
28	1	28	( 28)	1383873	-----	0.00	0	1383873	0	0	0	21	29	193
29	1	29	( 29)	1024	-----	0.00	0	1024	0	0	0	0	4	0
30	1	30	( 30)	2	-----	0.00	0	2	0	0	0	0	0	2

## **10 Data Compression Subroutines**

Regular-interval time series data may be compressed by one or more of three methods. The method may be selected by the user or by the storing program based on the kind of data that is being stored. At this time, no other data types can be compressed by DSS.

The first method is a repeat counter scheme that flags duplicate values. It uses one bit per value to indicate a repeated value. It is often used for precipitation data, and can compress some precipitation records by up to 97 percent. This compression method should never be used for data that is updated frequently (e.g., entering real time data in a master database file), as it would cause the record to expand often and require excessive rewrites.

The second method (called the delta method) compresses data by storing the differences between the data values and the minimum value in the record. This is designed for data where the difference between the maximum value and the minimum value is not too large, and the "precision" of the values (the number of digits to the right of the decimal place) is known. The software determines the amount of space required for the data based on the difference between the maximum and the minimum (or base) value (excluding missing data flags), and the precision number. If data is to be updated frequently with this method (e.g., entering real-time data in a master database file), the base value and a storage size can be specified. This allows the software to update the data without having to recompute a base value (and possibly re-compress the record) each time. Data compressed by this method are typically precipitation and stage values, and are compressed by 50 or 75 percent of their original size.

The third type of compression stores three significant digits for each value, and is often used to compress flow data. Data records compressed under with method are reduced in size by 50 percent.

The repeat method can be used in combination with the differences method or significant digits method. The differences method may not be used with the significant digits method.

The methods discussed in this chapter are often referenced by the software as numbers. The numbers and their corresponding methods are as follows:

<u>Number</u>	<u>Method</u>
0	NONE
1	REPEAT
2	DELTA
3	REPEAT + DELTA
4	SIGNIFICANT DIGITS
5	REPEAT + SIGNIFICANT DIGITS

The delta method requires a precision exponent parameter indicating the accuracy of the data. If the data to be stored is measured to the nearest hundredth (0.01) (e.g., precipitation), the precision exponent would be -2. If the data is to the nearest thousandth, the precision exponent would be -3.

In addition, a "base value" and "data size" parameter may be specified for the delta method. These parameters are typically only used with "real-time data", data that is updated frequently, and only to increase the efficiency of storing future data. The base value is the expected minimum value that the data will obtain for that record. For example, the base value for incremental precipitation would be 0.0. The data size parameter indicates whether one or two bytes should be pre-allocated for each data value. One byte allocates a difference of 256 units, two bytes allocates a difference of 65,536 units. Typically, hourly precipitation would pre-allocate only one byte (up to 2.56 inches per hour), whereas reservoir elevations would pre-allocate two bytes (up to 65.536 feet difference). If the data changes so that either of the selected values is invalid, the software will automatically select new values and re-compress the data. If the parameters are not specified, the software will automatically select values based upon the data.

There are two ways to instruct the DSS software to compress regular-interval time series data. One is to set data compression methods for the entire DSS file based on matching pathname parts, and the other is to specify the compression method as an argument in the subroutine that stores the data.

In the first procedure a header section in the file is set with pathname part(s) and compression methods. If a new record is stored, and its pathname part(s) match those in the file header section, then that record will be compressed with the method specified. For example, one may designate that records with a pathname C part that begins with "PRECIP" be compressed with the REPEAT + DELTA method, and a pathname C part of "FLOW" be compressed with the SIGNIFICANT DIGITS method. As many parts/methods as desired may be defined in the file header. Only new records are compressed by this means, unless the "C" option is used in the DSSUTL squeeze command. The data compression file header may be set by the Data Compression command in DSSUTL, or by calling the subroutine ZSETCI.

For the second procedure subroutine ZSCOMP is called prior to ZSRTS to define a data compression method, or subroutine ZSRTSX is called instead of ZSRTS, with the data compression method passed as an argument. In both cases the method passed will override any default file methods set.

The compression method used, and its associated parameters, may be obtained for a record by calling subroutine ZDCINF after retrieving the data. Compression information about a record can be printed with subroutine ZRECIN, as described in chapter 9. A DSS file's default compression methods can be printed with subroutine ZPRTCI.

Data compression may not be used in conjunction with data flags.

## **ZSCOMP**

### **10.1 ZSCOMP - Set Data Compression for a Record**

#### **Purpose:**

ZSCOMP sets data compression parameters when storing data with subroutine ZSRTS. ZSCOMP must be call just prior to ZSRTS, and the compression parameters apply only to that call to ZSRTS.

#### **Calling Sequence:**

CALL ZSCOMP (ICOMP, BASEV, LBASEV, LHIGH, IPREC)

#### **Declarations:**

INTEGER ICOMP, IPREC  
REAL BASEV  
LOGICAL LBASEV, LHIGH

#### **Argument Description:**

ICOMP	(Input) The data compression method to use, as described in the introduction to this chapter.
BASEV	(Input) When the delta data compression method is used, the base value may be specified by setting this argument to the base value and LBASEV to .TRUE.. If the delta method is not used, this argument is ignored.
LBASEV	(Input) A logical flag indicating if the argument BASEV has been set. To let the compression software select a base value, set this argument to .FALSE.. If the delta method is not used, this argument is ignored.
LHIGH	(Input) When the delta data compression method is used, setting LHIGH to .TRUE. will pre-allocate two bytes of storage per data value. If LHIGH is set to .FALSE., the compression software will select the storage size based on the data. If the delta method is not used, this argument is ignored.
IPREC	(Input) When the delta data compression method is used, this defines the precision exponent of the data (required). The precision exponent may range from -6 to +6.

#### **Remarks:**

ZSCOMP is normally used when adding data compression capabilities to existing code. The subroutine ZSRTSX includes data compression parameters as arguments, and is typically called in place of ZSCOMP.

## ZSCOMP

The compression parameters passed in for ZSCOMP override any default file compression methods set (unless ICOMP is set to zero). To disallow compression for this data, set ICOMP to -1.

ZSCOMP must be called prior to each call to ZSRSTS to set data compression parameters. The parameters set by ZSCOMP are reset upon exit from ZSRSTS. If the record is already compressed, it will be re-compressed with the new method specified.

### Example:

```
C      If precipitation or flow data is to be stored, compress the data.
C      For precipitation, use the delta + repeat method (method #3).
C      For flow data, use the significant digits method (method #4).
C
C      . . .
C
C      CALL ZPATH (CA, CB, CC, CD, CE, CF, CPATH, NPATH)
C
C      Is this precip data? (If so, compress with delta + repeat).
C      IF (CC(1:6).EQ.'PRECIP') THEN
C          Set the compression method to 3, with a base value of 0.0.
C          Store data to the nearest hundredth of an inch. Do not
C          require a two byte space pre-allocation.
C          CALL ZSCOMP (3, 0.0, .TRUE., .FALSE., -2)
C      ENDIF
C
C      Is this flow data? (If so, compress with significant digits).
C      IF (CC(1:4).EQ.'FLOW') THEN
C          Set the compression method to 4. All other arguments
C          are ignored.
C          CALL ZSCOMP (4, DUM, LDUM, LDUM, IDUM)
C      ENDIF
C
C      Now store the data.
C      CALL ZSRSTS (IFLTAB, CPATH, CDATE, CTIME, NVALS,
C      * VALUES, CUNITS, CTYPE, IPLAN, ISTAT)
```

## **ZDCINF**

### **10.2 ZDCINF - Get Data Compression Information for a Record**

#### **Purpose:**

ZDCINF returns data compression parameters for the last regular-interval time series record read. This includes the compression method, and if the delta method was used, the base value, the precision, and the number of bytes allocated for each value. The record must have been retrieved to use this subroutine. To obtain data compression information about a record that has not been read, call subroutine ZRECIN.

#### **Calling Sequence:**

```
CALL ZDCINF (ICOMP, BASEV, LBASEV, ISIZE, IPREC, ISTAT)
```

#### **Declarations:**

```
INTEGER ICOMP, IPREC, ISIZE, ISTAT  
REAL BASEV  
LOGICAL LBASEV
```

#### **Argument Description:**

ICOMP	(Output) The data compression method used, as described in the introduction to this chapter.
BASEV	(Output) The base (minimum) value of data when the delta compression method is used. If the delta method is not used, this argument is undefined.
LBASEV	(Output) A logical flag set to .TRUE. if the base value was set for the delta method. If the delta method is not used, this argument is undefined.
ISIZE	(Output) If the delta compression method was used, this argument will contain the number of bytes (one or two) allocated for each data value. If the delta method is not used, this argument is undefined.
IPREC	(Output) If the delta compression method was used, this argument will contain the precision exponent. If the delta method is not used, this argument is undefined.
ISTAT	(Output) A status parameter set to zero if the data was compressed. If ISTAT is non-zero, the data was not compressed and the subroutine arguments are undefined.

#### **Remarks:**

ZDCINF can only be called after the data has been retrieved with ZRRTS or ZRRTSX. If the data was not compressed, ISTAT will be returned negative, and the arguments will be unchanged.

Example:

```

C      Retrieve time-series data and print the data compression
C      information about it.
C
C      Retrieve the data
      CALL ZRRTS (IFLTAB, CPATH, CDATE, CTIME, NVALS,
* VALUES, CUNITS, IOFSET, ISTAT)
C
C      "Fatal" error?
      IF (ISTAT.GE.10) GO TO 950
C      No data?
      IF (ISTAT.GE.4) GO TO 960
C
C      Write pathname, units.
      CALL CHRLNB (CPATH, NPATH)
      WRITE (6,40) CPATH(1:NPATH), CUNITS, CTYPE
40     FORMAT (' Pathname: ',A,/, ' Units: ',A,T20, 'Type: ',A)
C
C      Get compression information.
      CALL ZDCINF (ICOMP, BASEV, LBASEV, ISIZE, IPREC, JSTAT)
C
      IF (JSTAT.EQ.0) THEN
C      Does this compression include the delta method?
      IF ((ICOMP.EQ.2).OR.(ICOMP.EQ.3)) THEN
          WRITE (6,60) ICOMP, LBASEV, BASEV, ISIZE, IPREC
60         FORMAT (' Compression Method:',I3, ' Based Set:',L2,
*          ' Base: ',F6.1,/, ' Size Allocated:',I2, ' Precision:',I3)
          ELSE
              WRITE (6,80) ICOMP
80         FORMAT (' Compression Method:',I3)
          ENDIF
          ELSE
              WRITE (6,100)
100        FORMAT (' No Compression Used')
          ENDIF
C

```



## ZSETCI

### 10.3 ZSETCI - Set Default Data Compression for a DSS File

#### Purpose:

ZSETCI sets the data compression header for a DSS file. The compression method set will be used on all new regular-interval time series records that match the defined pathname parts, unless a compression method is specified when storing the data with ZSRTSX or ZSCOMP. For example, one may designate that records with a pathname C part that begins with "PRECIP" be compressed with the REPEAT + DELTA method. Any time a new record is written (from any program), and the C part begins with "PRECIP", the data will be compressed automatically with the REPEAT + DELTA method (unless overridden). As many parts/methods settings as desired may be defined in the file header. Only new records are compressed by this means, unless the "C" option is used in the DSSUTL squeeze command. File compression settings may also be removed with ZSETCI.

#### Calling Sequence:

```
CALL ZSETCI (IFLTAB, CPARTS, LPARTS, ICOMP, BASEV, LBASEV,  
* LHIGH, IPREC, ISTAT)
```

#### Declarations:

```
INTEGER IFLTAB(600), ICOMP, IPREC, ISTAT  
CHARACTER CPARTS(6)*32  
REAL BASEV  
LOGICAL LBASEV, LHIGH, LPARTS(6)
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPARTS	(Input) A six element character array containing the pathname parts to match. Only those elements that are to be matched (as indicated by LPARTS) need to be defined. The first element of CPARTS corresponds to the A part of the pathname, the second element to the B part, etc.. The "@" character may be used as a wild character at the <u>end</u> (only) of a portion of a part, so only the beginning of the part is matched. For example, if CPARTS(3) = 'PRECIP@', "PRECIP-CUM", and "PRECIP-INC", will both match.
LPARTS	(Input) A six element logical array indicating which parts are to be matched. The first element of LPARTS corresponds to CPARTS(1) (the "A" part), the second element to CPARTS(2), etc.. If an element of LPARTS is .FALSE., that part will not be matched. If an element is .TRUE., then that part must match.
ICOMP	(Input) The data compression method to use, as described in the introduction to this chapter. To delete a file setting, set ICOMP to zero.

- BASEV** (Input) When the delta data compression method is used, the base value may be specified by setting this argument to the base value and **LBASEV** to **.TRUE.**. If the delta method is not used, this argument is ignored.
- LBASEV** (Input) A logical flag that should be set to **.TRUE.** if the argument **BASEV** has been set.
- LHIGH** (Input) When the delta data compression method is used, setting **LHIGH** to **.TRUE.** will pre-allocate two bytes of storage per data value. If **LHIGH** is set to **.FALSE.**, the compression software will select the storage size based on the data.
- IPREC** (Input) When the delta data compression method is used, this defines the precision exponent of the data (required). The precision exponent may range from -6 to +6.
- ISTAT** (Output) A status parameter indicating the success of the operation. If **ISTAT** is returned with zero, then the file header was changed successfully. The possible values are:

**ISTAT Description**

- 0 The file header was successfully modified.
- 1 The part identifiers were not found (no match). This only applies when deleting a file setting (**ICOMP** is zero).
- 1 An invalid compression method (**ICOMP**) was specified. **ICOMP** may range from 0 to 5.
- 2 An invalid precision value (**IPREC**) was specified for use with the delta compression method. **IPREC** may range from -6 to +6.

**Remarks:**

If the parts match an existing file setting, then that compression method will be replaced. A file setting can be deleted by making **ICOMP** zero (with matching **CPARTS**).

As many compression sets may be defined for a DSS file as desired. If a pathname matches more than one set, the first matching set encountered is used.

The data compression header may be displayed with subroutine **ZSETCI**.

## ZSETCI

### Example:

```
C      Set a dss file's data compression header so that precipitation
C      and flow data are automatically compressed.
C
      CHARACTER CPARTS(6)*32
      LOGICAL LPARTS(6)
      . . .
C
C      Attach units, open the DSS file, etc.
      CALL ZOPEN (...)
C
C      Use the repeated values + delta method for precipitation data
C      Set the base to zero, and the precision to a hundredth (0.01).
      DO 20 I=1,6
         LPARTS(I) = .FALSE.
20    CONTINUE
      CPARTS(3) = 'PRECIP@'
      LPARTS(3) = .TRUE.
      CALL ZSETCI (IFLTAB, CPARTS, LPARTS, 3, .TRUE., 0.0,
* .FALSE., -2, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C
C      Use the significant digits method for flow data.
      DO 40 I=1,6
         LPARTS(I) = .FALSE.
40    CONTINUE
      CPARTS(3) = 'FLOW@'
      LPARTS(3) = .TRUE.
      CALL ZSETCI (IFLTAB, CPARTS, LPARTS, 4, .FALSE., 0.0,
* .FALSE., IDUM, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C
```

## **10.4 ZPRTCI - Print the Default Data Compression for a DSS file**

### **Purpose:**

ZPRTCI prints information about a DSS file's data compression header. All compression information, or a portion of it based on matching pathname parts, can be printed. The information is written to the DSS message unit (MUNIT).

### **Calling Sequence:**

```
CALL ZPRTCI (IFLTAB, LALL, CPARTS)
```

### **Declarations:**

```
INTEGER IFLTAB(600)  
CHARACTER CPARTS(6)*32  
LOGICAL LALL
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
LALL	(Input) A logical variable indicating if all information is to be printed out, or just information for specific parts. If LALL is .TRUE., then all information is printed, and the argument CPARTS is ignored. If LALL is .FALSE., the CPARTS is examined for matching parts to determine what compression information should be printed.
CPARTS	(Input) A six element character array containing the pathname parts to match when LALL is .TRUE.. The first element of CPARTS corresponds to the A part of the pathname, the second element to the B part, etc.. If a part is not to be matched, it must be blank filled. The parts must match exactly as specified in the file header (wild characters are not expanded).

### **Remarks:**

ZPRTCI will always print a message to MUNIT, regardless if parts match or not. If LALL is .FALSE. and the parts do not match, the message "No Data Compression Set" will be printed. The information printed is the same as that displayed with the "DC ?" command in DSSUTL.

## ZPRTCI

An example message that might be printed for a file, with LALL set to .TRUE. is:

Pathname Parts: C-PRECIP@  
Compression Method: 3; Repeat + Delta  
Precision: -2  
Compression Software selects allocation space for the Delta scheme.

Pathname Parts: A-NORTH RIVER, C-STAGE  
Compression Method: 2; Delta  
Precision: -3  
Two bytes allocated for each value.

### Example:

```
C      Print a file's data compression header.  
      CHARACTER CPARTS(6)*32  
      LOGICAL LALL  
  
C  
C      Attach files, open the DSS file, etc.  
      CALL ZOPEN (...  
  
C      . . .  
  
C      IF (LALL) THEN  
C          Print all of the file's data compression header.  
          CALL ZPRTCI (IFLTAB, .TRUE., CPARTS)  
      ELSE IF (LPRCIP) THEN  
C          Print compression information for precipitation data only.  
          DO 20 I=1,6  
              CPARTS(I) = ' '  
20      CONTINUE  
          CPARTS(3) = 'PRECIP@'  
          CALL ZPRTCI (IFLTAB, .FALSE., CPARTS)  
      ELSE  
          . . .
```

## **11 Outdated Subroutines**

The subroutines documented in this chapter were written for previous versions of DSS and have since been replaced by other routines that are more convenient to use or provide more capability. These routines are still fully supported, but their replacements should be called instead when writing new DSS interface code. In fact, most of these routines rearrange arguments and call their replacements. This chapter is intended as an aid for modifying existing DSS interface code.

## **ZFPN**

### **11.1 ZFPN - Form DSS Pathname**

#### **Purpose:**

ZFPN constructs a record pathname from six pathname parts. ZFPN removes leading and trailing blanks from each part, and inserts a slash (/) between each part.

#### **Replaced By:**

ZPATH

#### **Calling Sequence:**

CALL ZFPN (CA, NA, CB, NB, CC, NC, CD, ND, CE, NE,  
\* CF, NF, CPATH, NPATH)

#### **Declarations:**

INTEGER NA, NB, NC, ND, NE, NF, NPATH  
CHARACTER CA\*32, CB\*32, CC\*32, CD\*32, CE\*32, CF\*32, CPATH\*80

#### **Argument Description:**

CA	(Input) A character string containing the "A" (first) part of the pathname. Up to 32 characters may be used in a pathname part. The part may have leading and trailing blanks which will be removed by ZFPN
NA	(Input) The number of characters in CA. This number may include leading and trailing blanks. If the part is null, NA may be set to zero (or CA should contain only blanks).
CB	(Input) The "B" part of the pathname.
NB	(Input) The number of characters in CB.
CC	(Input) The "C" part of the pathname.
NC	(Input) The number of characters in CC.
CD	(Input) The "D" part of the pathname.
ND	(Input) The number of characters in CD.
CE	(Input) The "E" part of the pathname.
NE	(Input) The number of characters in CE.
CF	(Input) The "F" part of the pathname.

NF            (Input) The number of characters in CF.

CPATH        (Output) The completed pathname.

NPATH        (Output) The number of characters in CPATH, including slashes.

Remarks:

ZFPN calls ZPATH.

Each pathname part may contain up to 32 characters, and the pathname may contain up to 80 characters (including slashes). If the sum of the parts and slashes is greater than 80 characters, the pathname will be truncated to 80 characters.

A frequent problem encountered is the entrance of control characters (or null characters) in the pathname. This usually occurs when the pathname part is not blanked prior to usage or the part length specified is longer than the dimension of the part. It is good practice to initialize pathname parts with blanks.

Example:

```

C      Form a pathname, reading the A part from the keyboard,
C      and using the location for the B part.
      CHARACTER CA*32, CB*32, CYEAR*4, CPATH*80
C
      READ (5,10,END=100,ERR=900) CA
10     FORMAT (A)
      CB = CLOC
C
      CALL ZFPN (CA, 32, CB, 32, 'STAGE-DAMAGE', 12, ' ', 0,
* CYEAR, 4, 'COMPUTED', 8, CPATH, NPATH)
C
      WRITE (6, 20) CPATH(1:NPATH)
20     FORMAT (' Pathname: ',A)

```



## ZGTDTS

### 11.2 ZGTDTS - Get Regular-Interval Time Series Data

#### Purpose:

ZGTDTS retrieves regular-interval time series data from a DSS file. The data retrieved is based on a time window and may cross record boundaries (that is, ZGTDTS may read several records with different D (date) parts to retrieve the data specified).

#### Replaced by:

ZRRTS and ZRRTSX

#### Calling Sequence:

```
CALL ZGTDTS (IFLTAB, CA, NA, CB, NB, CC, NC, CF, NF,  
* JULS, ISTEIME, JULE, IETIME, INTL, DUM, 0,  
* IOFSET, VALUES, NVALS, CUNITS, CTYPE, ISTAT)
```

#### Declarations:

```
INTEGER IFLTAB(600), NA, NB, NC, NF, JULS, ISTEIME, JULE  
INTEGER INTL, IETIME, IOFSET, NVALS, ISTAT  
REAL VALUES(NVALS), DUM  
CHARACTER CA*32, CB*32, CC*32, CF*32, CUNITS*8, CTYPE*8
```

On MS-DOS microcomputers, the julian dates, the time interval and interval offset must be INTEGER\*4:

```
INTEGER*4 JULS, JULE, IOFSET, INTL
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CA	(Input) A character string containing the "A" part of the pathname. Up to 32 characters may be used in a pathname part. The part may have leading and trailing blanks (which will be removed).
NA	(Input) The number of characters in CA. This number may include leading and trailing blanks, if desired. If the part is null, NA may be set to zero (or CA should contain only blanks).
CB	(Input) The "B" part of the pathname.
NB	(Input) The number of characters in CB.
CC	(Input) The "C" part of the pathname.

NC	(Input) The number of characters in CC.
CF	(Input) The "F" part of the pathname.
NF	(Input) The number of characters in CF.
JULS	(Input) The julian date of the start of the time window. This is in days since 31DEC1899 (not since the beginning of the current year).
ISTIME	(Input) The starting time of the time window, in minutes past midnight (for midnight ISTIME would be 1440, not 0). JULS and ISTIME define the time of the first data value.
JULE	(Input) The julian date of the end of the time window, in days since 31DEC1899.
IETIME	(Input) The ending time of the time window in minutes past midnight.
INTL	(Input) The time interval of the data in minutes. For hourly data this would be 60. For monthly data set INTL to 43200.
DUM	(Unused) A dummy variable. This used to be the internal header array, which now is returned as parameters (e.g., CUNITS, CTYPE).
	(Unused) Zero. This used to be the length of the internal header array.
IOFSET	(Output) The time offset of the data in minutes. (If hourly data is recorded at 15 minutes past the hour, the offset would be 15 minutes.) If there is no offset, IOFSET will be returned as zero. [For version 4, this was buffer space to hold the record. Data is now read directly from the disk into the values array.]
VALUES	(Output) The actual data values retrieved. The values in this array are undefined if ISTAT is greater than 10.
NVALS	(Input-Output) As input, this variable must contain the dimension size of VALUES. NVALS is returned with the number of data values read. The array VALUES will contain NVALS real elements.
CUNITS	(Output) The units of the data (e.g., FEET).
CTYPE	(Output) The type of the data (e.g., PER-AVER).

## ZGTDTS

ISTAT (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then all the data was successfully read. If ISTAT is returned with a value between one and three, then data was retrieved, but some missing values were detected. If ISTAT is greater than ten, a fatal error occurred, and no data was returned. The possible values are:

ISTAT	Description
0	All data retrieved.
1	Some missing data was detected (missing values set to -901.0).
2	Missing record(s) (missing values set to -902.0 for the record not found), but some data was found.
3	Missing record(s) and missing data in the data set, however some data was found.
4	No data found for this time window, but a record was found.
5	No records found (no data is returned).
GT 10	A "fatal" error occurred:
11	The number of values requested was less than one.
12	A non-standard time interval was provided.
15	The starting date or time was not recognized.
20	The data was not recognized as regular-interval time series.
24	The pathname given does not meet the regular-interval time series conventions.
53	The data could not be un-compressed.

### Remarks:

ZGTDTS calls ZRRTSX.

CUNITS and CTYPE will contain the units and type for the last record read (when reading several records). If no data was found (ISTAT=4), or a fatal error occurred, CUNITS and CTYPE will be unchanged.

A debug trace will be printed when the message level (MLEVEL) is set to 8 via subroutine ZSET. This trace will print the pathname, dates, times, and other information used by the subroutine.

Example:

```

C      Retrieve the past 50 days of daily data and print them.
C
      INTEGER IFLTAB(600)
      INTEGER*4 JULS, JULE, INTL, IOFSET
      CHARACTER CA*32, CB*32, CC*32, CF*32
      CHARACTER CDATE*20, CTIME*4, CUNITS*8, CTYPE*8
      REAL VALUES(100)

C
C      Open the DSS file, get the pathname parts, time interval, etc.
      CALL ZOPEN ( ...

C
C
C      Get the current date and time.
      CALL CURTIM ( JULE, IETIME)
      INTL = 1440

C      Decrement it by 49 days (50 values).
      IDUM = INCTIM ( INTL, 0, -49, JULE, IETIME, JULS, ISTAT)

C
C      Now retrieve the data.
      NVALS = 100
      CALL ZGTDTS (IFLTAB, CA, NA, CB, NB, CC, NC, CF, NF,
* JULS, ISTAT, JULE, IETIME, INTL, DUM, 0, IOFSET,
* VALUES, NVALS, CUNITS, CTYPE, ISTAT)
      IF (ISTAT.GE.10) GO TO 900
      IF (ISTAT.GE.3) GO TO 100

C
C      Adjust the starting time to account for any offset.
      CALL ZOFSET ( JULS, ISTAT, INTL, 2, IOFSET)

C
C      Print the data values along with their date and time.
      DO 80 I=1,50
      IDUM = INCTIM (INTL, 0, I-1, JULS, ISTAT, JULE, IETIME)
      CALL JULDAT (JULE, 0, CDATE, NDATE)
      IDUM = M2IHM (IETIME, CTIME)
      WRITE (6,40) CDATE(1:NDATE), CTIME, VALUES(I)
40    FORMAT (1X,A,2X,A,F10.3)
80    CONTINUE

```

## **ZPTDTS**

### **11.3 ZPTDTS - Put Regular-Interval Time Series Data in a DSS File**

#### **Purpose:**

ZPTDTS stores regular-interval time series data in a DSS file. The data is based on a time window, and may cross record boundaries (that is, ZPTDTS may write several records with different D (date) parts).

#### **Replaced By:**

ZSRTS and ZSRTSX

#### **Calling Sequence:**

```
CALL ZPTDTS (IFLTAB, CA, NA, CB, NB, CC, NC, CF, NF,  
* JULS, IETIME, JULE, IETIME, INTL, DUM1, IDUM,  
* DUM2, VALUES, NVALS, CUNITS, CTYPE, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), NA, NB, NC, NF, JULS, IETIME, JULE  
INTEGER INTL, IETIME, IDUM, NVALS, ISTAT  
REAL VALUES(NVALS), DUM1, DUM2  
CHARACTER CA*32, CB*32, CC*32, CF*32, CUNITS*8, CTYPE*8
```

On MS-DOS microcomputers, the julian dates and time interval must be INTEGER\*4:

```
INTEGER*4 JULS, JULE, INTL
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CA	(Input) A character string containing the "A" part of the pathname. Up to 32 characters may be used in a pathname part. The part may have leading and trailing blanks (which will be removed).
NA	(Input) The number of characters in CA (the dimension). This number may include leading and trailing blanks, if desired. If the part is null, NA should be set to zero (or CA should contain only blanks).
CB	(Input) The "B" part of the pathname.
NB	(Input) The number of characters in CB.
CC	(Input) The "C" part of the pathname.

NC (Input) The number of characters in CC.

CF (Input) The "F" part of the pathname.

NF (Input) The number of characters in CF.

JULS (Input) The julian date of the start of the time window. This is in days since 31DEC1899 (not since the beginning of the current year).

ISTIME (Input) The starting time of the time window, in minutes past midnight (for midnight ISTIME would be 1440, not 0). JULS and ISTIME define the time of the first data value. Any time offset is implied by these values (e.g., for daily data recorded at 8:00 a.m., set ISTIME to 480, an implied offset of 480 minutes).

JULE (Input) The julian date of the end of the time window (in days since 31DEC1899).

IETIME (Input) The ending time of the time window in minutes past midnight.

INTL (Input) The time interval of the data in minutes. For hourly data this would be 60. For monthly data, INTL would be 43200.

DUM1 (Unused) A dummy variable. In version 4 this contained the internal header array.

IDUM (Unused) A dummy variable. In version 4 this was the length of the internal header array.

DUM2 (Unused) A dummy variable. In version 4 this was a buffer array to hold the record written to disk. The subroutine now has its own buffers to accomplish this.

VALUES (Input) The actual data values to store. Values in the array that are missing should be set to -901.

NVALS (Input-Output) As input, this variable must contain the dimension size of VALUES. NVALS is returned with the number of data values stored. The array VALUES must contain NVALS real elements.

CUNITS (Input) The units of the data (e.g., FEET).

CTYPE (Input) The type of the data (e.g., PER-AVER).

## ZPTDTS

**ISTAT** (Input-Output) As input, ISTAT is an argument to indicate whether to write over existing data or not. If ISTAT is set to zero, the data provided will always replace any existing data (with the same pathname at the same times). As output, ISTAT is a status parameter indicating the success of the operation. If ISTAT is returned with zero, then all the data was successfully stored. If ISTAT is greater than ten, a fatal error occurred. The possible values are:

### As Input:

ISTAT	Description
0	Always write over existing data.
-1	Only replace missing data flags in the record (-901).
-2	If all the data are missing data flags (-901), write the record regardless. (Normally, if all the input data values are missing, the record will not be written).
-4	If an input data value is missing (-901), do not allow it to replace an existing data value.

### As Output:

0	The data was successfully stored.
4	All of the input data provided were missing data flags (-901). No data was stored.
GT 10	A "fatal" error occurred:
11	NVALS is less than one.
12	An illegal time interval was given.
15	The starting date is illegal.
24	The pathname does not meet the regular-interval time series conventions.

### Remarks:

ZPTDTS calls ZSRTSX.

The argument NVALS must be set to the dimension of VALUES prior to calling ZPTDTS. NVALS is not necessarily the number of data values to store; the number of data values to store is determined by the time window.

A debug trace may be turned on by setting the message level (MLEVEL) to either 7, 8, or 9 via subroutine ZSET. Level 7 gives information regarding the arguments being passed. The higher levels provide information about the steps taking place inside the subroutine.

If ISTAT is not returned with zero, an error (or warning) message will be written to the standard output, provided the message level is set accordingly. The error messages are explicit. If a fatal error occurs, what the error is, and any relevant information will be printed.

Example:

```

C      Store NVALS data values.
C
      INTEGER IFLTAB(600)
      INTEGER*4 JULS, JULE, INTL, IYMDJL
      CHARACTER CA*32, CB*32, CC*32, CF*32, CTIME*4
      REAL VALUES(1000)
C
C      Open the DSS file, get the pathname parts, etc.
      CALL ZOPEN ( ...
      CALL ZGPNP ( ...
C
C      If the date is in the integer form 12/24/82,
C      convert it to julian.
      JULS = IYMDJL (IYR, IMON, IDAY)
C      Convert the time from 24 hour clock time to minutes.
      ISTEIME = IHM2M (CTIME)
C
C      Increment the time by NVALS-1 periods.
      IDUM = INCTIM (INTL, 0, NVALS-1, JULS, ISTEIME, JULE, IETEIME)
C
C      Now store the data.
      ISTAT = 0
C      As input, NVALS is the dimension of VALUES,
C      not necessarily the number of values.
      NVALS = 1000
      CALL ZPTDTS (IFLTAB, CA, NA, CB, NB, CC, NC, CF, NF,
* JULS, ISTEIME, JULE, IETEIME, INTL, DUM, IDUM, DUM,
* VALUES, NVALS, 'CFS', 'PER-AVER', ISTAT)
      IF (ISTAT.GT.0) GO TO 900
C

```



## ZGIRTS

### 11.4 ZGIRTS - Get Irregular-Interval Time Series Data

#### Purpose:

ZGIRTS retrieves irregular-interval time series data from a DSS file. The data retrieved may be based on a time window and can cross record boundaries (i.e., several records with different "D parts" may be read with one call to ZGIRTS). If no time window is specified, all the data from that record will be retrieved (using the "D part" for the date).

#### Replaced By:

ZRITS and ZRITSX

#### Calling Sequence:

```
CALL ZGIRTS (IFLTAB, CPATH, NPATH, JULS, ISTEIME, JULE, IETIME,  
* DUM1, IDUM1, DUM2, IDUM2, KVALS, DATES, VALUES, NVALS,  
* BDATE, CUNITS, CTYPE, ISTAT)
```

#### Declarations:

```
INTEGER IFLTAB(600), NPATH, JULS, ISTEIME, JULE, IETIME  
INTEGER IDUM1, IDUM2, KVALS, NVALS, ISTAT  
REAL DATES(KVALS), VALUES(KVALS), BDATE, DUM1, DUM2  
CHARACTER CPATH*80, CUNITS*8, CTYPE*8
```

On MS-DOS microcomputers, the julian dates must be INTEGER\*4:

```
INTEGER*4 JULS, JULE
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to read. The pathname must meet the irregular time-series conventions specified in the HECDSS Users Guide, including a correct "E part". With a time window specified, the "D part" (date part) will be ignored, as ZGIRTS will form it internally (there may be several D parts, depending on the time window). If no time window is specified, a correct D part must be provided.
NPATH	(Input) The number of characters in CPATH.
JULS	(Input) The julian date of the start of the time window. This is days since 31DEC1899, not since the beginning of the current year. If no time window is specified, this argument is ignored (see ISTEIME).

<b>ISTIME</b>	(Input) The starting time of the time window, in minutes past midnight (for midnight ISTIME would be 1440, not 0). To have no time window set (and read the entire record), set ISTIME to -2. This will use the D part of the pathname to define the time window.
<b>JULE</b>	(Input) The julian date of the end of the time window in days since 31DEC1899. If no time window is set, this argument is ignored.
<b>IETIME</b>	(Input) The ending time of the time window in minutes past midnight. If no time window is set, this argument is ignored.
<b>DUM1</b>	(Unused) A dummy variable. In version 4 this was a buffer array to hold the record to read. The subroutine now has internal buffers to read the record with.
<b>IDUM1</b>	(Unused) A dummy variable. In version 4 this was the dimension of the buffer.
<b>DUM2</b>	(Unused) A dummy variable. In version 4 this was the internal header array, which now is returned as parameters (e.g., CUNITS, CTYPE).
<b>IDUM2</b>	(Unused) A dummy variable. In version 4 this was the length of the internal header array.
<b>KVALS</b>	(Input) The dimension of arrays DATES and VALUES, or (if desired) the maximum number of data values to retrieve. No more than KVALS data values will be retrieved.
<b>DATES</b>	(Output) An array containing the dates of the data (VALUES), in a one-to-one correspondence. The dates are given in the number of days and fraction of a day from BDATE. On computers where the precision is sufficiently large, BDATE can be added to each element of DATES to produce julian days and fractions of a day since 31DEC1899. DATES will be returned with NVALS elements.
<b>VALUES</b>	(Output) The actual data values retrieved.
<b>NVALS</b>	(Output) The number of data values read. Arrays DATES and VALUES will contain NVALS elements.
<b>BDATE</b>	(Output) The julian base date (in days since 31DEC1899), usually equivalent to JULS (with no fractional part). All the dates in array DATES are relative to this date.
<b>CUNITS</b>	(Output) The units of the data (e.g., FEET).
<b>CTYPE</b>	(Output) The type of the data (e.g., PER-AVER).

## ZGIRTS

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully read. If ISTAT is greater than ten, a fatal error occurred. The possible values are:

ISTAT	Description
0	Successful data retrieval.
1	The number of data values requested (according to the time window) exceeds KVALS. The ITIMES and VALUES arrays will contain KVALS values.
4	No data found (pathname not found). The output arguments are undefined.
GT 10	A "fatal" error occurred:
20	The data was not recognized as irregular-interval time series.
21	An internal buffer array is not large enough to read the record. (This will seldom occur as the same array is used to store the data, and the error would be detected at that time.)
24	The pathname does not meet the irregular-interval time series-conventions.

### Remarks:

ZGIRTS calls ZRITSX.

The BDATE argument is provided to take care of precision problems on many computers. The complete julian date and fraction of a day requires precision of 9 significant digits (for example a number of 35020.0001). This can be represented by a BDATE of 35000.0 and a DATES(N) value of 20.0001. On machines with a precision of 9 or more significant digits, BDATE can be added to each of the DATES elements to compute a total julian date and fraction. This cannot be done on 32 bit machines (e.g., a PC), but can be accomplished on 48 bit and larger machines (e.g., Harris and CDC). An example of changing this style of date to a standard style is provided in the example following.

CUNITS and CTYPE will contain the units and type for the last record read (when reading several records). If no data was found (ISTAT=4), or a fatal error occurred, CUNITS and CTYPE will be unchanged.

A debug trace may be turned on by setting the message level (MLEVEL) to either 7, 8, or 9 via subroutine ZSET. Level 7 gives information regarding the arguments being passed. The higher levels provide information about the steps taking place inside the subroutine.

Example:

```

C      Retrieve data for the past 60 days and print them.
C
      INTEGER IFLTAB(600)
      INTEGER*4 INTL, JULS, JULE, JUL, JULR, JULB
      REAL DATES(1000), VALUES(1000), BDATE
      CHARACTER CPATH*80, CUNITS*8, CTYPE*8, CDATE*20, CTIME*4
C
C      Open the DSS file and get the pathname parts.
      CALL ZOPEN ( ...
C
C      Get the current julian date and time.
      CALL CURTIM (JULE, IETIME)
      INTL = 1440
C      Decrement it by 60 days (from midnight).
      IDUM = INCTIM ( INTL, 0, -60, JULE, IETIME, JULS, IETIME)
      IETIME = 1440
C
C      Retrieve the data.
      CALL ZGIRTS (IFLTAB, CPATH, NPATH, JULS, IETIME, JULE, IETIME,
* DUM1, IDUM1, DUM2, IDUM2, 1000, DATES, VALUES, NVALS, BDATE,
* CUNITS, CTYPE, ISTAT)
C
C      Check for errors.
      IF (ISTAT.EQ.4) GO TO 100
      IF (ISTAT.GE.10) GO TO 900
C
C      Print the data values.
      WRITE (6,20) CUNITS, CTYPE
20    FORMAT (' Units: ',A,', Type: ',A)
C
      JULB = INT4(BDATE)
      DO 60 I=1,NVALS
C          Convert julian dates to standard.
          JULR = INT4(DATES(I))
          JUL = JULB + JULR
          FRACT = DATES(I) - REAL(JULR)
          RMIN = (FRACT * 1440.) + 0.6
          MIN = INT(RMIN)
C          Convert to standard date and time.
          CALL JULDAT (JUL, 0, CDATE, NDATE)
          IDUM = M2IHM (MIN, CTIME)
C          Print the value.
          WRITE (6,40) CDATE(1:NDATE), CTIME, VALUES(I)
40    FORMAT (1X,A,', ',A,': ',F8.2)
60    CONTINUE

```

## **ZPIRTS**

### **11.5 ZPIRTS - Put Irregular-Interval Time Series Data**

#### **Purpose:**

ZPIRTS stores irregular-interval time series data in a DSS file. The data is stored based upon an implied time window which can cross record boundaries. The time window is implied by the date and times of the first and last values in the time array.

Irregular-interval time series data is stored with times to the nearest minute. Data for times of less than a minute cannot be stored with this convention. The times of the data must be in ascending order, and no value may have the same exact time as another (you cannot have two data points for the same time in a record).

#### **Replaced By:**

zsits and zsitsx

#### **Calling Sequence:**

```
CALL ZPIRTS (IFLTAB, CPATH, NPATH, DUM1, IDUM1, DUM2,  
* IDUM2, DATES, VALUES, NVALS, BDATE, CUNITS, CTYPE,  
* INFLAG, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), NPATH, NVALS, INFLAG, ISTAT, IDUM1, IDUM2  
REAL DATES(NVALS), VALUES(NVALS), BDATE, DUM1, DUM2  
CHARACTER CPATH*80, CUNITS*8, CTYPE*8
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. The pathname must meet the irregular-interval time series conventions specified in the HECDSS Users Guide, including a correct "E part". The "D part" (date part) is ignored, as ZPIRTS will form it internally.
NPATH	(Input) The number of characters in CPATH.
DUM1	(Unused) A dummy variable. In version 4 this was a buffer array to hold the record to store. The subroutine now has internal buffers to accomplish this.
IDUM1	(Unused) A dummy variable. In version 4 this was the dimension of the buffer.
DUM2	(Unused) A dummy variable. In version 4 this was the internal header array.

**IDUM2** (Unused) A dummy variable. In version 4 this was the length of the internal header array.

**DATES** (Input) The array containing the dates of the data (**VALUES**), in a one-to-one correspondence. The dates must be given in days and fraction of a day from **BDATE**, where the addition of **BDATE** and **DATES(I)** is the date and time of the respective data value. On computers where the precision is sufficiently large, **BDATE** can be set to zero, and each element of **DATES** may be the total julian day and fraction of the day since 31DEC1899. **DATES** should contain **NVALS** elements.

**VALUES** (Input) The data values to store.

**NVALS** (Input) The number of data values to store. Arrays **DATES** and **VALUES** must contain **NVALS** valid elements.

**BDATE** (Input) The base date, which when added with each element of **DATES** will give the total julian day and fraction of a day for the respective data. All values in array **DATES** should be relative to this value. (See remarks).

**CUNITS** (Input) The units of the data (e.g., FEET).

**CTYPE** (Input) The type of the data (e.g., PER-AVER).

**INFLAG** (Input) **INFLAG** is a flag to indicate whether the data should be replaced or merged with existing data. Replace will replace all the data between the implied time window (time of first and last data). Merge will combine the data with the data already stored. (Merging data replaces data occurring at the same time and inserts data at new times.)

**INFLAG** = 0 to merge data.  
**INFLAG** = 1 to replace data.

## ZPIRTS

ISTAT (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then all the data was successfully stored. If ISTAT is greater than ten, a fatal error occurred. The possible values are:

ISTAT	Description
0	The data was successfully stored.
4	No data was given to store (NVALS was zero).
GT 10	A "fatal" error occurred:
21	An internal buffer array is not large enough to store this number of data values. If this error occurs, the time-block identified by in the "E part" of the pathname spans too long of a time period, and holds more data values than the internal buffers can accommodate. The time-block should be changed to the next lower size (e.g., from "IR-MONTH" to "IR-DAY").
24	The pathname does not meet the irregular-interval time series conventions.
30	The times associated with the data values are not in a ascending order, or two values occur at the same time.

### Remarks:

ZPIRTS calls ZSITSX.

The BDATE argument is provided to take care of precision problems on many computers. The complete julian date and fraction of a day require a precision of 9 significant digits (for example a number of 35020.0001). This can be represented by a BDATE of 35000.0 and a DATES(N) value of 20.0001. On machines with a precision of 9 or more significant digits, BDATE can be set to zero, and each of the DATES elements may be a total julian date and fraction. Typically this cannot be done on 32 bit machines (e.g., a PC), but can be accomplished on 48 bit and larger machines (e.g., Harris and CDC). An example of obtaining this style of date from a standard style is provided in the example following.

With reference to INFLAG and data already present in the DSS file, replace will replace all the data within the implied time window, while merge will combine the two data sets, only replacing those values that occur at exactly the same time (within one minute of significance). INFLAG has no meaning for a new record. Usually the replace mode is used for editing data, and the merge mode is used for adding new data to the record.

A debug trace may be turned on by setting the message level (MLEVEL) to 9 via subroutine ZSET.

Example:

```

C      Read data from an ASCII file and store in the DSS file.
      INTEGER IFLTAB(600), IBF(5), IEF(5), ILF(5)
      INTEGER*4 JUL
      CHARACTER CPATH*80, CLINE*80, CUNITS*8, CTYPE*8
      REAL DATES(1000), VALUES(1000)

C
C      Open the DSS file and get the pathname parts.
      CALL ZOPEN ( ...

C
      READ (5,20) CUNITS, CTYPE
20    FORMAT (A,A)
      NVALS = 0

C
100   CONTINUE
      IF (NVALS.GE.1000) GO TO 200
      READ (5,20,END=200) CLINE

C
C      Parse the line.
      CALL PARSLI (CLINE, 5, NFIELD, IBF, IEF, ILF)
      IF (NFIELD.NE.3) GO TO 900

C
C      The date should be in the first field, the time in
C      the second, and the data in the third field.
      NVALS = NVALS + 1
      CALL DATJUL (CLINE(IBF(1):IEF(1)), JUL, IERR)
      IF (IERR.NE.0) GO TO 900

C      Set BDATE to the date of the first value.
      IF (NVALS.EQ.1) BDATE = REAL(JUL)

C
      NTIME = IHM2M (CLINE(IBF(2):IEF(2)))
      IF (NTIME.LT.0) GO TO 900

C
      DATES(NVALS) = (REAL(JUL) - BDATE) + (REAL(NTIME)/1440.)
      VALUES (NVALS) = XREAL (CLINE, IBF(3), ILF(3), IERR)
      IF (IERR.NE.0) GO TO 900

C
      GO TO 100

C
200   CONTINUE
C      Now store the data.
      IF (NVALS.LE.0) GO TO 800
      CALL ZPIRTS ( IFLTAB, CPATH, NPATH, DUM, IDUM, DUM, IDUM,
* DATES, VALUES, NVALS, BDATE, CUNITS, CTYPE, 0, ISTAT)
      IF (ISTAT.NE.0) GO TO 900

```



## **ZGTPFD**

### **11.6 ZGTPFD - Get Paired Function Data**

#### **Purpose:**

ZGTPFD retrieves paired function data from a DSS file.

#### **Replaced By:**

ZRPD

#### **Calling Sequence:**

```
CALL ZGTPFD (IFLTAB, CPATH, NPATH, NORD, NCURVE, IHORIZ  
* C1UNIT, C2UNIT, C1TYPE, C2TYPE, CLABEL, KLABEL, NLABEL,  
* DUM, IDUM1, IDUM2, VALUES, KVALS, NVALS, ISTAT)
```

#### **Declarations:**

```
INTEGER IFLTAB(600), NPATH, NORD, NCURVE, IHORIZ  
INTEGER KLABEL, NLABEL, IDUM1, IDUM2, KVALS, NVALS, ISTAT  
REAL VALUES(KVALS)  
CHARACTER CPATH*80, C1UNIT*8, C2UNIT*8, C1TYPE*8, C2TYPE*8  
CHARACTER CLABEL(KLABEL)*12
```

#### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to retrieve. The pathname must meet the paired function data conventions.
NPATH	(Input) The number of characters in CPATH.
NORD	(Output) The number of ordinates read (number of points per curve). Each curve stored in a single record must have the same number of ordinates.
NCURVE	(Output) The number of curves retrieved.
IHORIZ	(Output) The variable number to appear on the horizontal axis for plotting (1 for first variable, 2 for second).
C1UNIT	(Output) The units of the first variable (e.g., 'FEET', or 'PERCENT').
C2UNIT	(Output) The units of the second variable.

**C1TYPE** (Output) The type of data for the first variable. The following types are recognized by the DSS utility programs:

UNT	Untransformed
LOG	Logarithmic - data expressed as logarithms.
PROB	Probability - data expressed in percent.

**C2TYPE** (Output) The type of data for the second variable.

**CLABEL** (Output) The labels for each curve. For example, if an ELEVATION-DAMAGE function is retrieved containing residential, agricultural and commercial damage, then CLABEL might be returned as:

```
CLABEL(1) = 'RESIDENTIAL '
CLABEL(2) = 'AGRICULTURAL '
CLABEL(3) = 'COMMERCIAL '
```

For this example, NCURVE would be returned with 3, and CLABEL should be dimensioned to at least 3.

**KLABEL** (Input) The dimension of CLABEL. No more than KLABEL labels will be placed into CLABEL.

**NLABEL** (Output) The number of labels read.

**DUM** (Unused) A dummy variable. In version 4 this contained the internal header array.

**IDUM1** (Unused) A dummy variable. In version 4 this was the dimension of the internal header array.

**IDUM2** (Unused) A dummy variable. In version 4 this was the length of the internal header array.

**VALUES** (Output) The data values retrieved. The first NORD elements in VALUES correspond to the first variable. The data for the second variable begins at element NORD+1.

**KVALS** (Input) The dimension of array VALUES. VALUES must be dimensioned to at least:

$$KVALS = (NCURVE + 1) * NORD$$

**NVALS** (Output) The number of values retrieved.

## ZGTPFD

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully read. The possible values are:

ISTAT	Description
0	Successful data retrieval.
-1	The record does not exist. The output arguments are undefined.
1	The dimension of VALUES (KVALS) was not large enough to retrieve all the data. Only KVALS values returned; the curves are incomplete.
20	The record is not paired data.

### Remarks:

ZGTPFD calls ZRPD.

Up to 50 curves (with the same ordinates) can be stored in one record. The maximum number of labels is also 50. Either all curves will have a label, or no curves will have labels. If the VALUES array is dimensioned smaller than the number of data values in the record, only the first KVALS values will be retrieved.

A debug trace will be printed when the message level (MLEVEL) is set to 7 (or above) via subroutine ZSET.

Points can be located within a singly dimension array by the following example:

```
C      To print the data (as X, Y1, Y2, Y3, ...):  
      DO 20 I=1,NORD  
          WRITE (6,10) (VALUES(J),J=I,NVALS,NORD)  
10      FORMAT (' X:',F8.2,',', Y(s):',50(2X,F8.2))  
20      CONTINUE
```

```
C      To transform the data into a doubly dimensioned array:  
      IPOS = 0  
      DO 20 I=1,NCURVE+1  
          DO 20 J=1,NORD  
              IPOS = IPOS + 1  
              CURVE(J,I) = VALUES(IPOS)  
20      CONTINUE
```

Example:

```

C      Retrieve paired data from a DSS file.
      PARAMETER (KVALS=900, KLABEL=8)
      INTEGER IFLTAB(600)
      REAL VALUES(KVALS)
      CHARACTER CPATH*80, C1UNIT*8, C2UNIT*8, C1TYPE*8, C2TYPE*8,
* CLABEL(KLABEL)*12
C
C      Open the DSS file.
      CALL ZOPEN( . . .
C
C      Get the pathname.
      CALL ZPATH ( . . .
C
C
C      Retrieve the data.
      CALL ZGTPFD (IFLTAB, CPATH, NPATH, NORD, NCURVE, IHORIZ
* C1UNIT, C2UNIT, C1TYPE, C2TYPE, CLABEL, KLABEL, NLABEL,
* DUM, IDUM1, IDUM2, VALUES, KVALS, NVALS, ISTAT)
      IF (ISTAT.NE.0) GO TO 900
C
C      Write the record's pathname.
      WRITE (6,20) CPATH(1:NPATH)
20     FORMAT (' Record Pathname: ',A)
C
C      Write the label information (if there are labels).
      IF (NLABEL.GE.1) THEN
        WRITE (6,30)
30       FORMAT (' Curve Labels:')
        DO 50 I=1,NLABEL
          WRITE (6,40) I, CLABEL(I)
40       FORMAT (' Curve',I3,' Label: ',A)
50       CONTINUE
      ENDIF
C
C      Write the data (as point, X, Y1, Y2, Y3, ...).
      DO 80 I=1,NORD
        WRITE (6,60) I, (VALUES(J),J=I,NVALS,NORD)
60       FORMAT (' Point',I4,'; X:',F8.2,', Y(s):',50(2X,F8.2))
80       CONTINUE
C

```

## ZGTPFD

Example results for an ELEVATION-DAMAGE Function having two damage categories and 18 ordinates:

### Input:

CPATH = /JAMES RIVER/DR1/ELEVATION-DAMAGE//1980/PLAN B/  
NPATH = 48  
KLABEL = 10  
KVALS = 1000

### Output:

NORD = 18  
NCURVE = 2  
IHORIZ = 2  
C1UNIT = 'FEET'  
C1TYPE = 'UNT'  
C2UNIT = '\$1000'  
C2TYPE = 'UNT'  
NVALS = 54  
LABEL = .TRUE.  
CLABEL(1) = 'S.F. RES'  
CLABEL(2) = 'COMMERCIAL'  
ISTAT = 0

The VALUES array contains all of the data:

VALUES(1) through VALUES(18) contain the ELEVATION data.  
VALUES(19) through VALUES(36) contain DAMAGE data for "S.F. RES".  
VALUES(37) through VALUES(54) contain DAMAGE data for "COMMERCIAL".

## **11.7 ZPTPFD - Put Paired Function Data**

### **Purpose:**

ZPTPFD stores paired function data in a DSS file.

### **Replaced By:**

ZSPD

### **Calling Sequence:**

```
CALL ZPTPFD (IFLTAB, CPATH, NPATH, NORD, NCURVE, IHORIZ,  
* C1UNIT, C2UNIT, C1TYPE, C2TYPE, CLABEL, KLABEL, NLABEL,  
* DUM, IDUM1, IDUM2, VALUES, KVALS, NVALS, IPLAN, ISTAT)
```

### **Declarations:**

```
INTEGER IFLTAB(600), NPATH, NORD, NCURVE, IHORIZ  
INTEGER KLABEL, NLABEL, KVALS, NVALS, IPLAN, ISTAT  
INTEGER IDUM1, IDUM2  
REAL VALUES(KVALS), DUM  
CHARACTER CPATH*80, C1UNIT*8, C2UNIT*8, C1TYPE*8, C2TYPE*8  
CHARACTER CLABEL(KLABEL)*12
```

### **Argument Description:**

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
CPATH	(Input) The pathname of the data to store. The pathname must meet the paired function data conventions.
NPATH	(Input) The number of characters in CPATH.
NORD	(Input) The number of ordinates (number of points per curve). Each curve to store in a single record must have the same number of ordinates.
NCURVE	(Input) The number of curves to store in this record.
IHORIZ	(Input) The variable number to appear on the horizontal axis for plotting (1 for first variable, 2 for second).
C1UNIT	(Input) The units of the first variable (e.g., 'FEET', 'PERCENT').
C2UNIT	(Input) The units of the second variable.

## ZPTPFD

**C1TYPE** (Input) The type of data for the first variable. The following types are recognized by the DSS utility programs:

UNT	Untransformed
LOG	Logarithmic - data expressed as logarithms.
PROB	Probability - data expressed in percent.

**C2TYPE** (Input) The type of data for the second variable.

**CLABEL** (Input) A optional character array with labels corresponding to each curve. For example, if a ELEVATION-DAMAGE function is to be stored containing residential, agricultural and commercial damage, then CLABEL might be as follows:

```
CLABEL(1) = 'RESIDENTIAL '  
CLABEL(2) = 'AGRICULTURAL '  
CLABEL(3) = 'COMMERCIAL '
```

**KLABEL** (Input) The dimension of CLABEL.

**NLABEL** (Input) The number of curve labels to store. If no labels are to be stored, set this to zero. If labels are supplied, NLABEL must be equal to NCURVE.

**DUM** (Unused) A dummy variable. In version 4 this contained the internal header array.

**IDUM1** (Unused) A dummy variable. In version 4 this was the dimension of the internal header array.

**IDUM2** (Unused) A dummy variable. In version 4 this was the length of the internal header array.

**VALUES** (Input) The data values to store. The first NORD elements in VALUES correspond to the first variable (the X axis). The data for the second variable must begin at element NORD+1 (the Y axis).

**KVALS** (Input) The dimension of VALUES.

**NVALS** (Output) The number of values stored.

**IPLAN** (Input) An argument indicating whether to write over existing data or not:

IPLAN	Description
0	Always write the record to the file.
1	Only write the record if it is new (i.e., no record exists with that pathname).
2	Only write the data if the record already existed in the file.

**ISTAT** (Output) A status parameter indicating the success of the operation. If ISTAT is returned with zero, then the data was successfully stored, otherwise an error occurred. The possible values are:

ISTAT	Description
0	The data was successfully stored.
-1	IPLAN requested that the record be written only if it was new, but the file already contained a record with the pathname supplied.
-2	IPLAN requested that the record be written only if it already existed, but the pathname supplied was not found.
-3	The pathname does not meet the paired data conventions).
-4	The number of ordinates is less than one.
-5	NCURVE is less than one or greater than 50.

**Remarks:**

ZPTPFD calls ZSPD.

Up to 50 curves (with the same ordinates) can be stored in one record. The maximum number of labels is also 50. Either all curves will have a label, or no curves will have labels.

A debug trace will be printed if the message level (MLEVEL) is set to 7 (or above) via subroutine ZSET.

Unless the number of data points for the curve(s) is known prior to obtaining them (for example, if you are reading them from an external file), the data usually must be read into a buffer, then reorganized into a singly dimensioned array before storing with ZSPD. Points can be converted from a doubly dimensioned array into a singly dimensioned array by the following example:

```

C
C   The data has been read into array CURVE as X, Y1, Y2, Y3, ...
      IPOS = 0
      DO 20 I=1,NCURVE+1
      DO 20 J=1,NORD
      IPOS = IPOS + 1
      VALUES(IPOS) = CURVE(J,I)
20    CONTINUE

```



## ZPTPFD

### Example:

```
C      Read (a) Curve(s) from an external file, then store it in DSS.
C      Up to 10 curves (in one record) can be stored by this routine.
C      The external file contains data in the form:
C      X, Y1, Y2, . . .
C      X, Y1, Y2, . . .
C      END
C
C      PARAMETER (KVALS=1000, KLABEL=10)
C      INTEGER IFLTAB(600), NORD, NCURVE, IHORIZ
C      INTEGER ISTAT, IBF(20), IEF(20), ILF(20)
C      REAL VALUES(KVALS), CURVES(300,11)
C      CHARACTER CPATH*80, C1UNIT*8, C2UNIT*8, C1TYPE*4, C2TYPE*4
C      CHARACTER CLABEL(KLABEL)*12, CNAME*64, CLINE*80
C
C      Open the DSS file.
C      CALL ZOPEN (IFLTAB, CNAME, ISTAT)
C      IF (ISTAT.NE.0) GO TO 900
C
C      Get the pathname.
C      CALL ZPATH (. . .
C
C      Get the number of Curves, IHORIZ.
C      READ (5,*) NCURVE, IHORIZ
C
C      Get the data units and type.
C      READ (5,20) C1UNIT, C1TYPE, C2UNIT, C2TYPE
C
C      Read the label information.
C      DO 40 I=1,NCURVE
C      READ (5,30) CLABEL(I)
40    CONTINUE
C
C      Read the data (as X, Y1, Y2, Y3, ...).
C      NORD = 0
50    CONTINUE
C      READ (5,60,END=200) CLINE
60    FORMAT (A)
C
C      Did we reach the end of the data yet?
C      IF (INDEX(CLINE,'END').GT.0) GO TO 100
C
C      Parse the line.
C      CALL PARSLI (CLINE, 20, NFIELD, IBF, IEF, ILF)
C      IF (NFIELD.NE.NCURVE+1) GO TO 900
```

```

C      Place the data in the curves array.
      NORD = NORD + 1
      DO 80 I=1,NFIELD
      CURVES(NORD,I) = XREAL (CLINE, IBF(I), ILF(I), IERR)
      IF (IERR.NE.0) GO TO 900
80    CONTINUE
C
C      Go back and read the next value.
      GO TO 50
C
100   CONTINUE
C      All the data has been read.  Transfer the data into
C      a singly dimensioned array.
      IPOS = 0
      DO 120 I=1,NCURVE+1
      DO 120 J=1,NORD
      IPOS = IPOS + 1
      VALUES(IPOS) = CURVES(J,I)
120   CONTINUE
C
C      Store the data.
      NLABEL = NCURVE
      CALL ZPTPFD (IFLTAB, CPATH, NPATH, NORD, NCURVE, IHORIZ,
* C1UNIT, C2UNIT, C1TYPE, C2TYPE, CLABEL, KLABEL, NLABEL,
* DUM, IDUM1, IDUM2, VALUES, KVALS, NVALS, 0, ISTAT)
      IF (ISTAT.NE.0) GO TO 900

```

## ZPTPFD

Example results for storing an ELEVATION-DAMAGE function having two damage categories ("S.F. RES" and "COMMERCIAL") and 5 ordinates:

ELEVATION	S.F. RES DAMAGE	COMMERCIAL DAMAGE
500.0	0.0	0.0
502.0	25.8	0.0
504.0	51.2	323.4
506.0	93.8	655.7
508.0	137.9	809.1

### Input:

```
CPATH = /JAMES RIVER/DR1/ELEVATION-DAMAGE//1980/PLAN B/  
NORD = 18  
NCURVE = 2  
IHORIZ = 2  
C1UNIT = 'FEET'  
C1TYPE = 'UNT'  
C2UNIT = '$1000'  
C2TYPE = 'UNT'  
LABEL = .TRUE.  
CLABEL(1) = 'S.F. RES'  
CLABEL(2) = 'COMMERCIAL'  
NHEADU = 0  
IPLAN = 0
```

The VALUES array contains all of the ELEVATION-DAMAGE data:

VALUES(1) through VALUES(5) contain the ELEVATION data.

VALUES(6) through VALUES(10) contain DAMAGE data for "S.F. RES".

VALUES(11) through VALUES(15) contain DAMAGE data for "COMMERCIAL".

For example:

```
VALUES(1) = 500.0  
VALUES(2) = 502.0  
...  
VALUES(5) = 508.0  
VALUES(6) = 0.0  
VALUES(7) = 25.8  
...  
VALUES(10) = 137.9  
VALUES(11) = 0.0  
VALUES(12) = 0.0  
...  
VALUES(15) = 809.1
```

## **11.8 ZOPCAT - Open a Catalog File**

### **Purpose:**

ZOPCAT opens a DSS file's catalog file. If the catalog file does not exist, ZOPCAT can create it. If the file does exist, ZOPCAT returns the number of records in the catalog. ZOPCAT cannot open the condensed catalog file.

### **Replaced By:**

ZOPNCA

### **Calling Sequence:**

CALL ZOPCAT (CDSSFI, CATFIL, ICUNIT, LOPEN, LCATLG,  
\* LCREAT, NRECS)

### **Declarations:**

INTEGER ICUNIT, NRECS  
CHARACTER CDSSFI\*64, CATFIL\*64  
LOGICAL LOPEN, LCATLG, LCREAT

On MS-DOS microcomputers, NRECS must be INTEGER\*4:

INTEGER\*4 NRECS

### **Argument Description:**

CDSSFI	(Input) The name of the DSS file whose catalog file is to be opened.
CATFIL	(Output) The name of the catalog file.
ICUNIT	(Input) The unit number to open the catalog file with. (Most DSS utility programs use unit 12 for the catalog file).
LOPEN	(Input) A logical variable indicating the status of the open. LOPEN will be .TRUE. if the catalog file was successfully opened (otherwise it will be .FALSE.)
LCATLG	(Output) A logical variable returned as .TRUE. if the file opened is a valid catalog file. If LCATLG is .FALSE., ZCAT should be called to generate a catalog of the DSS file.
LCREAT	(Input) A logical flag indicating whether the catalog file should be created, if it does not exist. When set to .TRUE., the file will be created.
NRECS	(Output) The number of records in the catalog file. This is the number shown in the catalog header.

## ZCATLG

### 11.9 ZCATLG - Catalog a DSS file

#### Purpose:

ZCATLG generates a catalog (or listing) of the record pathnames in a DSS file. The catalog may be sorted by pathname parts. ZCATLG can create a selective catalog by matching pathname parts. The selective catalog can be created from a current catalog (reducing resources), or directly from the DSS file. The catalog file must be opened externally by subroutine ZOPNCA.

ZCATLG cannot produce a condensed catalog.

#### Replaced By:

ZCAT

#### Calling Sequence:

```
CALL ZCATLG (IFLTAB, ICUNIT, INUNIT, CINSTR, IBEG, NINSTR,  
* LABREV, LSORT, NRECS)
```

#### Declarations:

```
INTEGER IFLTAB(600), ICUNIT, INUNIT, IBEG, NINSTR, NRECS  
CHARACTER CINSTR*(*)  
LOGICAL LABREV, LSORT
```

On MS-DOS microcomputers, NRECS must be INTEGER\*4:

```
INTEGER*4 NRECS
```

#### Argument Description:

IFLTAB	(Input-Output) The DSS work space used to manage the DSS file. This is the same array used in the ZOPEN call.
ICUNIT	(Input) The unit number of file where the catalog is to be written. If a new catalog is to be made, this should be the unit number of the catalog file. If a selective catalog is to be produced from an existing catalog, this unit should probably be attached to a scratch file.
INUNIT	(Input) The input catalog unit number. If a new catalog is to be made, this must be set to zero. If a selective catalog is to be produced from an existing catalog, this is the unit number of the existing catalog. If INUNIT is non-zero, the DSS file will not be cataloged.

CINSTR	(Input) A character string containing any instructions for generating the catalog, such as the sort order or selective pathname parts. For example, if CINSTR is 'O=FB, C=FLOW', the catalog will be sorted in the pathname part order of FBACED, and only those pathnames with a C part of "FLOW" will be cataloged. CINSTR is usually a portion of the input line of the program. If no special instructions are given, set this to blank (' ').
IBEG	(Input) The beginning position in CINSTR (all characters prior to IBEG are ignored).
NINSTR	(Input) The number of characters in CINSTR to use, starting at IBEG. If there are no instructions, set NINSTR to 0.
LABREV	(Input) A logical flag indicating whether an abbreviated catalog should be produced. If set to .TRUE., an abbreviated catalog will be generated, otherwise the standard catalog will be produced.
LSORT	(Input) A logical flag indicating whether the pathnames should be sorted. When LSORT is set to .TRUE., the pathnames are sorted (this takes longer than an unsorted catalog).
NRECS	(Output) The number of records cataloged. This number will be the same as the reference number for the last pathname in the catalog file.

Remarks:

ZCATLG calls ZCAT.

A description of the catalog may be found in the "HECDSS User's Guide and Utility Program Manuals", Overview section. Additional information may also be found in the DSSUTL documentation, located in the same publication. Information about the selective catalog is located in Chapter 5 of the DSSUTL documentation.

The fastest catalog that can be generated is an unsorted abbreviated catalog. In this procedure, pathnames are just copied from the internal DSS address tables to the catalog. In a regular extended catalog, each record must be accessed to obtain the program name, date and time, etc..

After the catalog has been generated, it may be displayed on the screen by reading directly from the catalog. ZCATLG should not be used to display the catalog on the screen (do not set ICUNIT to standard output).

Pathnames may be read from the catalog file with subroutine ZRDCAT, which is a general catalog reading routine, or by subroutine ZRDPAT, which obtains pathnames based on their reference number. If you desire to display an abbreviated catalog and a regular catalog already exists, use subroutine ZRDPAT to read the pathnames from the catalog.

Units 66, 67, 68, and 69 are used for sorting. On Harris computers, work files W2, W3, U1, and U2 are used for sorting (and their contents destroyed). On other computers the files dsssort.in, dsssort.out, and dsssort.tmp are used then deleted.

## **ZCATLG**

A status line with the percent complete can be displayed on the screen by setting 'CAST' to 'ON' with ZSET before calling ZCATLG. The message unit must be connected to the screen to display a status line.

A "catalog map" may be generated by ZCATLG when creating a new catalog. A catalog map is a listing of the pathnames only (no title or reference numbers), which is useful for creating an input file of pathnames for some programs. This option is initiated by setting the map options in subroutine ZSET. The map file must be opened and its unit number passed to ZSET through the MAPUNT parameter, then the ZSET MAP parameter must be set to 'ON'. The catalog map is only created when a new catalog is generated. Be sure to call ZSET with MAP set to 'OFF' after the map has been made.

### 11.10 ZRDPN - Read Pathnames from a Catalog File By Reference Number

Purpose:

ZRDPN reads pathnames from a catalog file according to their reference numbers. ZRDPN may be used in a loop to obtain a set of pathnames, or it can read a single pathname.

Replaced By:

ZRDPAT

Calling Sequence:

CALL ZRDPN (ICUNIT, IPOS, INUMB, CPATH, NPATH)

Declarations:

INTEGER ICUNIT, IPOS, INUMB, NPATH  
CHARACTER CPATH\*80

On MS-DOS microcomputers, IPOS and INUMB must be INTEGER\*4:

INTEGER\*4 IPOS, INUMB

Argument Description:

ICUNIT	(Input) The unit number of the catalog file.
IPOS	(Input-Output) A file position indicator used by ZRDPN. When first reading from the catalog, the file should be rewound and IPOS set to 0. (The calling program must always set IPOS to 0 when the catalog is rewound.) Upon reaching the end of the catalog file, IPOS will be set to 100,000, and no pathname will have been read (CPATH would be undefined).
INUMB	(Input-Output) The catalog reference number of the pathname to read. When the end of the catalog file is reached, INUMB will be returned with the reference number of the last pathname in the catalog. If IPOS is less than or equal to INUMB on input, ZRDPN will return the next pathname, and its reference number, in the catalog.
CPATH	(Output) The pathname corresponding to the reference number INUMB.
NPATH	(Output) The number of characters in the pathname.



## ZRDPN

### Remarks:

ZRDPN calls ZRDPAT.

The catalog file must be rewound and IPOS set to zero before calling ZRDPN to retrieve a (set of) pathname(s). ZRDPN only can search for pathnames in a forward direction; INUMB must always be greater than IPOS. Thus, if a sequence of reference numbers for pathnames to be retrieved is "12, 18, 9, 20", then the catalog has to be rewound and IPOS set to 0 after reading pathname 18 before pathname 9 will be found. It is more efficient to sort the reference numbers in ascending order prior to calling ZRDPN.

If INUMB is less than or equal to IPOS on input, ZRDPN will read the next pathname in the catalog and return its reference number as INUMB. Thus, the entire catalog file can be read by rewinding the file, setting IPOS and INUMB both to zero, then calling ZRDPN until IPOS is 100,000. In this case INUMB does not need to be reset by the program each time ZRDPAT is called.

### Example 1:

```
C      Read a single pathname (e.g., INUMB=24).  
      CALL ZOPNCA (...  
  
C      REWIND 12  
      IPOS = 0  
      INUMB = 24  
      CALL ZRDPN (12, IPOS, INUMB, CPATH, NPATH)  
C      If IPOS=100,000, then pathname 24 was not found.  
      IF (IPOS.GE.100000) GO TO 900
```

### Example 2:

```
C      Read a series of pathnames from 10 through 60.  
      REWIND 12  
      IPOS = 0  
      INUMB = 9  
10     CONTINUE  
      INUMB = INUMB + 1  
      CALL ZRDPN (12, IPOS, INUMB, CPATH, NPATH)  
      IF (IPOS.GE.100000) GO TO 900  
      WRITE (6,20) INUMB, CPATH(1:NPATH)  
20     FORMAT (1X,I6,2X,A)  
      IF (INUMB.LT.60) GO TO 10
```

Example 3:

```
C      Read the set of pathnames whose reference numbers are
C      contained in the array NUMBS (e.g., 8, 12, 15, 9, 20, 13).
C
      REWIND 12
      IPOS = 0
      DO 20 I=1,JNUMBS
        INUMB = NUMBS(I)
C        Are the numbers in ascending order?
C        If not, rewind the catalog and reset IPOS.
        IF (INUMB.LE.IPOS) THEN
          REWIND 12
          IPOS = 0
        ENDIF
        CALL ZRDPN (12, IPOS, INUMB, CPATH, NPATH)
        IF (IPOS.GE.100000) GO TO 900
        WRITE (6,10) INUMB, CPATH(1:NPATH)
10      FORMAT (1X,I6,2X,A)
20      CONTINUE
```

### Example Application

```
C CHARACTER CNAME*64, CDSSIN*64, CDSSOT*64, CLINE*80
C INTEGER IFLTAB(600)
C LOGICAL LDSSIN
C DATA LDSSIN /.FALSE./
C . . .
C
C Open unit 6 to the standard output via subroutine ATTACH.
C CALL ATTACH ( 6, 'OUTPUT', 'STDOUT', ' ', CNAME, ISTAT)
C
C Obtain the names of the DSS input and DSS output files.
C ATTACH passes information from the execution line to the program.
C The following code allows either one file specified for both the
C input and output DSS file, or a separate DSS file for input and
C for output.
C CNAME = ' '
C CALL ATTACH (IDUM, 'DSSFILE', ' ', 'NOP', CNAME, ISTAT)
C CALL ATTACH (IDUM, 'DSSIN', CNAME, 'NOP', CDSSIN, ISTAT)
C CALL ATTACH (IDUM, 'DSSOUT', CNAME, 'NOP', CDSSOT, ISTAT)
C
C READ INPUT.
C
C As the input file is being read in, look for either a "ZR",
C or a "ZW" card to trigger access to the DSS file.
C READ (5, 20, END=800, ERR=900) CLINE
20 FORMAT (A)
C
C IF (CLINE(1:2).EQ.'ZR') THEN
C   CALL DSSIN (CDSSIN, CLINE, IFLTAB)
C   Remember that this DSS file was opened.
C   LDSSIN = .TRUE.
C ELSE IF (CLINE(1:2).EQ.'ZW') THEN
C   For DSS output, just save the ZW line, until the results
C   are computed (subroutine DSSOUT will use CLINE).
C   CALL SAVDSS (CLINE)
C ELSE IF . . .
C
C . . .
C
C End of reading input. At this point, any data read from the
C DSS file would have already occurred. Close the DSS input file.
C IF (LDSSIN) CALL ZCLOSE (IFLTAB)
```

```

SUBROUTINE DSSIN (CDSSIN, CLINE, IFLTAB)
C
C GET DATA FROM DSS
C
C Read time series data specified on the ZR card from DSS.
C Put flow data in array FLOWIN and precipitation data in PRECIN.
C
C CHARACTER CDSSIN*(*), CLINE*(*)
C INTEGER IFLTAB(600)
C
C CHARACTER CA*32, CC*32, CE*8, CF*32, CPATH*80, CDUM*1
C CHARACTER CLOC(10)*20, CDATE*20, CTIME*4, CTEMP*64
C INTEGER JSTATS(6)
C INTEGER*4 INTL
C REAL VALUES(500), FLOWIN(500,10), PRECIN(500,10)
C LOGICAL LFIRST, LEXIST
C (Several variables are passed by common blocks.)
C
C DATA LFIRST /.TRUE./
C DATA CA, CC, CE, CF, CPATH /5* ' '/
C
C Open the DSS file the first time this subroutine is executed.
C IF (LFIRST) THEN
C   LFIRST = .FALSE.
C   Make sure that the DSS input file exists.
C   CTEMP = CDSSIN
C   CALL ZFNAME (CTEMP, CDSSIN, NDSSIN, LEXIST)
C   IF (.NOT.LEXIST) THEN
C     The DSS input file does not exist: No data can be read in.
C     Print error message and stop.
C     WRITE (6,*) 'The DSS input file does not exist!', CDSSIN
C     STOP
C   ENDIF
C   Open the DSS file.
C   CALL ZOPEN (IFLTAB, CDSSIN, ISTAT)
C   IF (ISTAT.NE.0) GO TO 900
C
C   Check that a time window (from a time card) has been given.
C   Also, make sure that the number of data values to retrieve (NVALS)
C   is defined.
C   . . .
C
C   Put the time interval in the E part.
C   IS = 2
C   CALL ZGINTL (INTL, CE, ND, IS)
C   IF (IS.NE.0) GO TO 900
C ENDIF
C

```

```

C      Obtain the pathname parts from this card. (The locations
C      names are already provided in array CLOC).
C      First, indicate not to look for the B, D, or E parts.
      JSTATS(2) = -2
      JSTATS(4) = -2
      JSTATS(5) = -2
      CALL ZGPNP (CLINE, CA, CDUM, CC, CDUM, CDUM, CF, JSTATS)

C
C      Check that we have a valid "C" part.
      IF ((CC.NE.'FLOW').AND.(CC.NE.'PRECIP')) GO TO 900

C
C      Read data from DSS for each location specified.
C
      DO 100 I=1,NLOCS

C
C      Put the pathname together.
      CALL ZPATH (CA, CLOC(I), CC, ' ', CE, CF, CPATH, NPATH)

C
C      Now retrieve the data.
      CALL ZRRTS (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,
*      CUNITS, CTYPE, IOFSET, ISTAT)
C      Check for a fatal error.
      IF (ISTAT.GT.10) GO TO 940

C
C      Now transfer the data into the proper input arrays,
C      while checking for missing data (-901 or -902). If
C      missing data is found, interpolate or set to 0.
      IF (CC(1:4).EQ.'FLOW') THEN
          CALL DATRAN (CC, VALUES, FLOWIN, NVALS, IOFSET, ISTAT)
      ELSE
          CALL DATRAN (CC, VALUES, PRECIN, NVALS, IOFSET, ISTAT)
      ENDIF
      IF (ISTAT.NE.0) GO TO 960

C
      100 CONTINUE

C
C      All done reading data for this parameter.
      RETURN

C
C      ERROR PROCESSING.
      900 CONTINUE
      . . .
      END

```

```

SUBROUTINE DSSOUT (CDSSOT)
C
C WRITE DATA OUT TO DSS
C
C After all the data has been computed, write out the
C computed flows and stages.
C
C CHARACTER CDSSOT*(*)
C
C CHARACTER CA*32, CE*8, CF*32, CPATH*80, CDUM*1
C CHARACTER CLINE*80, CLOC(10)*20, CDATE*9, CTIME*4
C INTEGER IFLTAB(600), JSTATS(6)
C REAL FLOOUT(500,10), STGOUT(500,10)
C LOGICAL LSTORF(10), LSTORS(10)
C (Several variables are passed by common blocks.)
C
C
C Open the DSS file (it will be created if it does not exist).
C CALL ZOPEN (IFLTAB, CDSSOT, ISTAT)
C IF (ISTAT.NE.0) GO TO 900
C Set the name of the program (COMFLO).
C CALL ZSET ('PROGRAM', 'COMFLO', IDUM)
C
C Obtain the A and F pathname parts from the line saved earlier
C by subroutine CLINE (which is passed via a common block).
C First, indicate not to look for the B, C, D, or E parts.
C JSTATS(2) = -2
C JSTATS(3) = -2
C JSTATS(4) = -2
C JSTATS(5) = -2
C CALL ZGPNP (CLINE, CA, CDUM, CDUM, CDUM, CDUM, CF, JSTATS)
C
C Store data in DSS for each location and parameter specified.
C
C DO 100 I=1,NLOCS
C
C     Is the computed flow to be stored?
C     IF (LSTORF(I)) THEN
C
C         Put the pathname together.
C         CALL ZPATH (CA, CLOC(I), 'FLOW', ' ', CE, CF, CPATH, NPATH)
C
C         Store the flow data (date and time computed earlier).
C         CALL ZSRIS (IFLTAB, CPATH, CDATE, CTIME, NVALS,
C * FLOOUT(1,I), 'CFS', 'PER-AVER', 0, ISTAT)
C         Check for a fatal error.
C         IF (ISTAT.GT.10) GO TO 940
C
C     ENDIF
C

```

```

C      Is the computed stage to be stored?
C      IF (LSTORS(I)) THEN
C
C          Put the pathname together.
C          CALL ZPATH (CA, CLOC(I), 'STAGE', ' ', CE, CF, CPATH, NPATH)
C
C          Store the stage data (date and time computed earlier).
C          CALL ZSRSTS (IFLTAB, CPATH, CDATE, CTIME, NVALS,
*          STGOUT(1,I), 'FEET', 'PER-AVER', 0, ISTAT)
C          Check for a fatal error
C          IF (ISTAT.GT.10) GO TO 940
C
C      ENDIF
C
C
C      100 CONTINUE
C
C      Done storing data.
C      CALL ZCLOSE (IFLTAB)
C      RETURN
C
C
C      Error Processing.
C      900 CONTINUE
C
C      . . .
C      CALL ZCLOSE (IFLTAB)
C      RETURN
C      END

```

## **Appendix B**

### **Internal Subroutines**

The following describes the subroutines that are used internally to the DSS, and which DSS subroutines call them. These subroutines are not intended to be called directly by the programmer; they are provided for general information and as an aid in tracking down program errors.

#### **ZABORT - Abort upon a Fatal Error**

**Purpose:** When a fatal (un-recoverable) error occurs (such as no more disk space left), this causes an abnormal termination of the software.

**Called By:** ZBDUMP      ZCHECK      ZERROR      ZGTREC  
ZMULTU      ZOPEN      ZPTREC      ZTAGPA  
ZWRBUF

#### **ZASSIG - Assign DSS File**

**Purpose:** Makes a "shared assignment" or "exclusive assignment" for DSS files on Harris computers only. Creates the DSS file, if not present.

**Called By:** ZOPEN

#### **ZBDUMP - Dump Buffers**

**Purpose:** Causes all internal buffers (that have been modified) to be written to disk, then cleared from memory. This normally occurs at the completion of every write.

**Called By:** ZGTREC      ZMULTU      ZOPEN      ZRRTS  
ZSRTSX

#### **ZBEGDT - Beginning Date**

**Purpose:** Determines the standard block start date for regular interval time-series data.

**Called By:** ZCAOUT      ZRRTSX      ZSRTSX

#### **ZBKDAT - Block Data**

**Purpose:** Block data for DSS. This is usually part of the ZINIT subroutine.

**Called By:** ZINIT



### **ZCAOUT - Catalog Output**

**Purpose:** Copies pathnames and information from the intermediate sorted file to the catalog file and produces the condensed catalog.

**Called By:** ZCAT

### **ZCATDR - Catalog Date Reference**

**Purpose:** Sets the D part of a time-series pathname to search for, when a date reference is given (e.g., "D=M-2M").

**Called By:** ZSETCA

### **ZCATFI - Catalog File**

**Purpose:** This physically searches the DSS file for pathnames when a new catalog is generated. This routine can also generate an internal tag-hash code table.

**Called By:** ZCAT            ZCOFIL

### **ZCATIT - Catalog Title**

**Purpose:** Writes the catalog title information.

**Called By:** ZCAT

### **ZERROR - Fatal Error Processing**

**Purpose:** Prints fatal error messages that are common to several subroutines.

<b>Called By:</b>	ZBDUMP	ZCAT	ZCATFI	ZCHECK
	ZDELET	ZDTYPE	ZOWRIT	ZPTREC
	ZRDINF	ZRETAG	ZRITSX	ZRPD
	ZRRTSX	ZRTALL	ZRTEXT	ZRTXTA
	ZSITSX	ZSPD	ZSRTSX	ZSTAGS
	ZSTEXT	ZSTXTA	ZTAGPA	ZUDALL
	ZUNDEL			

### **ZFSIZE - File Size**

**Purpose:** Determines the internal table sizes for new files.

**Called By:** ZOPEN

### **ZGETAD - Get Address**

**Purpose:** Gets a file address from a physical record number and word position.

**Called By:** ZCOFIL            ZNWBIN            ZOPEN            ZPTREC  
             ZTAGFI

### **ZGETAG - Generate Tag**

**Purpose:** Generates the tag for a new record.

**Called By:** ZNWRIT ZRTALL

### **ZGETCI - Get Compression Information**

**Purpose:** Determines if a record's pathname parts match those of the default data compression scheme for new regular-interval time series records. If it does, the associated compression method and parameters are returned.

**Called By:** ZPRTCI ZSETCI ZSRTSX

### **ZGETRW - Get Record and Word**

**Purpose:** Gets the physical file record and relative word position from a word address.

**Called By:** ZCOFIL ZDEBUG ZGTREC ZNWBIN  
ZOPEN ZPTREC ZTAGFI

### **ZGTAGS - Get Tag Scheme**

**Purpose:** Gets the default tag scheme for a file.

**Called By:** External programs

### **ZGTREC - Get a Disk Record**

**Purpose:** Obtains a section of the DSS file. If the data requested is in memory, it is transferred and not physically read.

**Called By:** ZCATFI ZCHECK ZCOFIL ZCOREC  
ZDELET ZGETCI ZGTAGS ZMULTU  
ZNWBIN ZOPEN ZOWRIT ZPRTCI  
ZRDBUF ZRDINF ZREADX ZRECIN  
ZRETAG ZRRTSB ZRRTSX ZRTALL  
ZSETCI ZSQPRM ZSRTSX ZTAGFI  
ZTAGPA ZUDALL ZUNDEL ZUPRTS  
ZWRITX

### **ZHASH - Determine the Hash Code**

**Purpose:** Obtains the hash code for a given pathname and hash table size.

**Called By:** ZCHECK

**ZINCBK - Increment Block**

**Purpose:** Increments the dates of a time series block.

**Called By:** ZCAOUT ZRRTSX ZSITSX ZSRTSX

**ZINIT - Initialize Variables**

**Purpose:** Initializes the variables used by DSS. This subroutine is only called once (regardless of the number of DSS files opened).

**Called By:** ZINQIR ZOPEN ZSET

**ZIRBEG - Irregular Beginning Date**

**Purpose:** Determines the start date and block length for irregular-interval time series data.

**Called By:** ZCAOUT ZRITSX ZSITSX

**ZIRDOW - Irregular Down**

**Purpose:** Moves data in a buffer array down for insertion of additional data when storing irregular-interval time series data.

**Called By:** ZSITSX

**ZLAHEY - Lahey Open Adjustment**

**Purpose:** If a Microsoft Fortran program previously wrote to the file, ZLAHEY adjusts the file size so that the last record can be read by Lahey Fortran.

**Called By:** ZOPEN

**ZMATCA - Match Catalog Pathname Parts**

**Purpose:** Matches pathname parts for the selective catalog feature.

**Called By:** ZSELCA

**ZMIN2R - Minutes to Real**

**Purpose:** Converts irregular-interval time series minutes array to a real array composed of julian dates and fractions of a day.

**Called By:** ZGIRTS ZPIRTS

### **ZMOVBK - Move a Data Block**

**Purpose:** Transfers data out of a regular-interval time series record into a data array.

**Called By:** ZSRTSX

### **ZMULTU - Multiple User**

**Purpose:** Initializes and dumps buffers, and takes care of multiple user accesses. This subroutine is very system dependent.

**Called By:** ZCATFI      ZCLOSE      ZCOFIL      ZCOREC  
ZDELET      ZRENAM      ZRETAG      ZRTALL  
ZSETCI      ZSETPR      ZSRTSX      ZSTAGS  
ZTAGFI      ZUDALL      ZUNDEL      ZWRBUF  
ZWRITX

### **ZNWBIN - New Bin**

**Purpose:** Generates a new pathname bin when needed.

**Called By:** ZNWRIT

### **ZNWRIT - New Write**

**Purpose:** Prepares addresses, bins, space and the information block for new records. This routine is called whenever a new record is written.

**Called By:** ZCOFIL      ZCOREC      ZRENAM      ZSRTSX  
ZWRBUF      ZWRITX

### **ZORDPN - Order Pathnames**

**Purpose:** Obtains pathnames from an already existing catalog file for ZCAT.

**Called By:** ZCAT

### **ZOWRIT - Old Write**

**Purpose:** Updates addresses and the information block when existing records are re-written.

**Called By:** ZCOFIL      ZCOREC      ZSRTSX      ZWRBUF  
ZWRITX

### **ZPRTC - Print Compression**

**Purpose:** Prints information about the file's default data compression settings.

**Called By:** ZPRTCI

### **ZPTREC - Put a Disk Record**

**Purpose:** Stores a set of information in the DSS file. ZPTREC actually transfers data into memory. It is not written to disk unless all the internal buffers are full or until the transaction is complete.

**Called By:**

ZCHECK	ZCOFIL	ZCOREC	ZDELET
ZNWBIN	ZNWRIT	ZOPEN	ZOWRIT
ZRENAM	ZRETAG	ZRTALL	ZSETCI
ZSETPR	ZSQPRM	ZSRTSX	ZSTAGS
ZTAGFI	ZUDALL	ZUNDEL	ZUPRTS
ZWRBUF	ZWRITX		

### **ZR2MIN - Real to Minutes**

**Purpose:** Converts a real array composed of julian dates and fractions of a day to minutes for irregular-interval time series data.

**Called By:** ZPIRTS

### **ZRDINF - Read Information Block**

**Purpose:** Reads a record's information block.

**Called By:**

ZRDBUF	ZRECIN	ZRRTSX	ZWRBUF
ZWRITX			

### **ZRREC - Read Record**

**Purpose:** Reads a physical record from the disk. All actual reading from the DSS file occurs in this subroutine.

**Called By:** ZGTREC ZPTREC

### **ZRRTSB - Retrieve Regular-Interval Time Series Buffer**

**Purpose:** Reads only the portion of the disk requested for regular-interval time series data (as opposed to the entire record).

**Called By:** ZRRTSX

### **ZSELCA - Selective Catalog**

**Purpose:** Determines which pathnames match selective catalog parameters.

**Called By:** ZCATFI ZORDPN

#### **ZSETCA - Set Catalog Parameters**

**Purpose:** Sets parameters to be used by ZSELCA.

**Called By:** ZCAT

#### **ZTAGFI - Tag File**

**Purpose:** Writes a new tag - hash code table when the file is cataloged or squeezed.

**Called By:** ZCATFI

#### **ZUPRTS - Update Regular-Interval Time Series**

**Purpose:** Writes only that portion of a record that needs to be updated when storing regular-interval time series data. (If only 3 values are to be written to an existing record, then only a portion of the record is written instead of the entire record).

**Called By:** ZSRTSX

#### **ZWREC - Write Record**

**Purpose:** Writes a physical record to the disk. All actual writing to the DSS file occurs in this subroutine.

**Called By:** ZBDUMP      ZGTREC      ZPTREC

## **Appendix C**

### **Data Screening Use of Data Flags**

This appendix illustrates the bit settings of data flags used by data screening software that may be stored with time-series data. Data flags written to DSS consist of 32 bits. The bits connote the following information about the associated data value:

<u>Bit</u>	<u>Representation</u>
------------	-----------------------

1:	Screened - set when original data has been screened
----	-----------------------------------------------------

Quality of original data:

2:	Okay
3:	Missing
4:	Questionable
5:	Reject

6-7:	Range of current data - an integer in [0,3]
8:	Current value is different from original value

9-11:	Who set current value - an integer in [0,7]:
	0 original value, no revision
	1 DATCHK program
	2 DATVUE program
	3 manual entry in the DATVUE program
	4 original value accepted in the DATVUE program

12-15:	Replacement method - an integer in [0,15]:
	0 no revision
	1 linear interpolation
	2 manual change
	3 replace with missing value

Tests Failed:

16:	absolute magnitude
17:	constant value
18:	rate-of-change
19:	relative magnitude
20:	duration-magnitude
21:	reserved for future use
22:	coefficient of variation
23:	gage list
24:	recurring value

Other:

25-31:	reserved for future use
32:	protect value from being automatically changed

## Appendix D

### Cross Reference Listing

The following is a cross reference list of which HECLIB subroutines are called by the DSS routines, and an inverse list showing the DSS subroutines called by the HECLIB routines. These lists are for aiding the design of a program overlay structure and for general information. The lists encompass software for several compilers. Not all the routines are necessarily called by the compiler you are using.

ZABORT calls:	ABORT WIND	GETNAM	WAIT	WHEN
ZASSIG calls:	CASSIG	CCREAT	CRETYP	WAITS
ZBDUMP calls:	ZABORT	ZERROR	ZINQIR	ZWREC
ZBEGDT calls:	JLIYMD			
ZBKDAT calls:	Nothing			
ZCAOUT calls:	CHRLNB ZINCBK	DATJUL ZIRBEG	ZBEGDT ZUPATH	ZGINTL
ZCAT calls:	CASSIG GETI! ZCATFI ZSETCA	CCREAT GETNAM ZCATIT	CHRLNB system ZERROR	FILEN ZCAOUT ZORDPN
ZCATDR calls:	CHRLNB IYMDJL	CURTIM JLIYMD	INCTIM JULDAT	INTGR
ZCATFI calls:	CHRWT ZGTREC	HOL2CH ZMULTU	HOLCHR ZSELCA	ZERROR ZTAGFI
ZCATIT calls:	CHRFLB JULDAT	CHRLNB M2IHM	CURTIM ZINQIR	DATJUL
ZCATLG calls:	ZCAT			
ZCHECK calls:	CH2HOL ZGTREC	HOL2CH ZHASH	ZABORT ZPTREC	ZERROR
ZCHKPN calls:	Nothing			
ZCLOSE calls:	CHRLNB	CLOSF	ZINQIR	ZMULTU
ZCOFIL calls:	CHRWT ZCOREC ZINQIR ZPTREC	HOLCHR ZGETAD ZMULTU	ZCATFI ZGETRW ZNWRIT	ZCHECK ZGTREC ZOWRIT



ZCOREC calls:	CHRLNB M2IHM ZMULTU ZPTREC ZUPATH	DATJUL ZCHECK ZNWRIT ZREADX	HOLCHR ZGINTL ZOFSET ZRRTSX	JULDAT ZGTREC ZOWRIT ZSRTSX
ZDCINF calls:	DHINFO			
ZDEBUG calls:	GETI1	HOL2CH	XREALC	ZGETRW
ZDELETE calls:	HOL2CH ZMULTU	ZCHECK ZPTREC	ZERROR	ZGTREC
ZDTYPE calls:	CHRLNB ZUPATH	ZCHECK	ZERROR	ZGINTL
ZERROR calls:	ZABORT			
ZFILST calls:	CHRFIL	CHRLNB	ZINQIR	
ZFNAME calls:	CHRFLB	UPCASE		
ZFPN calls:	ZPATH			
ZFSIZE calls:	UPCASE			
ZFVER calls:	HOLCHR	ZFNAME		
ZGETAD calls:	Nothing			
ZGETAG calls:	ISCAN	REMBLK	ZUPATH	
ZGETCI calls:	CHGTYP ZGTREC	CHRLNB	GETI1	HOLCHR
ZGETRW calls:	Nothing			
ZGINTL calls:	Nothing			
ZGIRTS calls:	ZMIN2R	ZRITSX		
ZGPNP calls:	CHRLNB	PARSEQ		
ZGTAGS calls:	ZGTREC			
ZGTDTS calls:	DATCLN ZADDHD	JULDAT ZFPN	M2IHM ZGINTL	NOPERS ZRRTSX
ZGTPFD calls:	ZRPD			
ZGTREC calls:	ZABORT ZWREC	ZBDUMP	ZGETRW	ZRREC
ZHASH calls:	Nothing			
ZINCBK calls:	IYMDJL	JLIYMD		

ZINIT calls:	ABORT	WHEN	ZBKDAT	
ZINQIR calls:	GETNAM	HOL2CH	HOLCHR	ZINIT
ZINTBK calls:	IDAYWK ZOFSET	INCTIM	JLIYMD	NOPERS
ZIRBEG calls:	JLIYMD			
ZIRDOW calls:	Nothing			
ZLAHEY calls:	HOLCHR			
ZMATCA calls:	Nothing			
ZMIN2R calls:	Nothing			
ZMOVBK calls:	JULDAT	LEQNER	NOPERS	
ZMULTU calls:	FLLKOF ZABORT	FLLKON ZBDUMP	LOCKF ZGTREC	sync
ZNWBIN calls:	ZGETAD	ZGETRW	ZGTREC	ZPTREC
ZNWRIT calls:	CH2HOL ZGETAG	CHRHOL ZNWBIN	GETII ZPTREC	PUTII ZUPATH
ZOFSET calls:	DATCLL JLIYMD	IDAYWK	INCTIM	IYMDJL
ZOPCAT calls:	CCREAT UPCASE	CHRLNB	CRETYP	INTGR
ZOPEN calls:	CH2HOL CREAF LFINFO ZASSIG ZGETAD ZLAHEY	CHRHOL FILEN OPENF ZBDUMP ZGETRW ZPTREC	CHRLNB GETNAM WHEN ZFNAME ZGTREC	CLOSF HOLCHR ZABORT ZFSIZE ZINIT
ZOPNCA calls:	CCREAT UPCASE	CHRLNB	CRETYP	INTGR
ZORDPN calls:	ZRDPAT	ZSELCA		
ZOWRIT calls:	CHRHOL ZGTREC	HOL2CH ZPTREC	ZDEBUG	ZERROR
ZPATH calls:	CHRFLB			
ZPIRTS calls:	ZMIN2R	ZR2MIN	ZSITS	
ZPRTC calls:	CHGTYP	GETII	HOLCHR	
ZPRTCI calls:	CHRLNB	ZGETCI	ZGTREC	ZPRTC

ZPTDTS calls:	DATCLN ZFPN	JULDAT ZGINTL	M2IHM ZSRTSX	NOPERS
ZPTREC calls:	ZABORT ZINQIR	ZERROR ZRREC	ZGETAD ZWREC	ZGETRW
ZR2MIN calls:	Nothing			
ZRDBUF calls:	CH2HOL ZRDINF	CHRLNB	HOL2CH	ZGTREC
ZRDCAT calls:	CHRLNB			
ZRDINF calls:	CHRLNB ZGTREC	HOL2CH ZINQIR	ZCHECK	ZERROR
ZRDPAT calls:	CHRLNB			
ZRDPN calls:	ZRDPAT			
ZREAD calls:	CHRLNB	ZRDBUF	ZREADX	
ZREADX calls:	CHRLNB	ZGTREC	ZRDBUF	
ZRECIN calls:	CHRLNB ZRDINF	DHINFO	HOLCHR	ZGTREC
ZRENAM calls:	HOLCHR ZNWRIT	ZCHECK ZPTREC	ZDELET	ZMULTU
ZRETAG calls:	CHRHOL ZMULTU	ZCHECK ZPTREC	ZERROR	ZGTREC
ZRITS calls:	ZRITSX			
ZRITSX calls:	CHRLNB JLIYMD ZINQIR ZUPATH	DATCLL JULDAT ZIRBEG	HOLCHR ZERROR ZR2MIN	IYMDJL ZGIRTS ZREADX
ZRPD calls:	CHRLNB ZREADX	HOLCHR	ZERROR	ZINQIR
ZRREC calls:	READF	SEEKF		
ZRRTS calls:	ZRRTSX			
ZRRTSB calls:	DUREAL	JULDAT	NOPERS	ZGTREC
ZRRTSX calls:	CHRLNB IHM2M M2IHM ZBDUMP ZGTREC ZRRTS	DATJUL INCTIM NINDX ZBEGDT ZINCBK ZRRTSB	HOLCHR IYMDJL NOPERS ZERROR ZOFSET ZUPATH	IDAYWK JULDAT YMDDAT ZGINTL ZRDINF

ZRTALL calls:	CHRHOL ZGTREC	HOL2CH ZMULTU	ZERROR ZPTREC	ZGETAG
ZRTEXT calls:	CHRLNB ZREADX	HOLCHR	ZERROR	ZINQIR
ZRTXTA calls:	CHRLNB ZREADX	HOLCHR	ZERROR	ZINQIR
ZSCOMP calls:	Nothing			
ZSELCA calls:	CHRLNB ZUPATH	DATJUL	ZGINTL	ZMATCA
ZSET calls:	ZINIT			
ZSETCA calls:	CHRLNB	ZCATDR	ZGPNP	
ZSETCI calls:	CHGTYP ZGETCI	CHRHOL ZGTREC	CHRLNB ZMULTU	PUTII ZPTREC
ZSETPR calls:	ZMULTU	ZPTREC		
ZSITS calls:	ZSITSX			
ZSITSX calls:	CHRHOL JULDAT ZINQIR ZPIRTS ZUPATH	CHRLNB M2IHM ZIRBEG ZR2MIN ZWRITX	DATCLL ZERROR ZIRDOW ZREADX	IYMDJL ZINCBK ZMIN2R ZSET
ZSPD calls:	CHRHOL	CHRLNB	ZERROR	ZWRITX
ZSQPRM calls:	CHRHOL	HOLCHR	ZGTREC	ZPTREC
ZSRTS calls:	ZSRTSX			
ZSRTSX calls:	CHRHOL DUREAL INCTIM NOPERS ZCHECK ZGTREC ZMULTU ZPATH ZUPRTS	CHRLNB HOL2CH IYMDJL YMDDAT ZERROR ZINCBK ZNWRIT ZPTREC	DATJUL IDAYWK JULDAT ZBDUMIP ZGETCI ZINQIR ZOFSET ZSRTS	DCREAL IHM2M M2IHM ZBEGDT ZGINTL ZMOV BK ZOWRIT ZUFPN
ZSTAGS calls:	INTGR ZPTREC	PARSLI	ZERROR	ZMULTU
ZSTEXT calls:	CHRHOL	CHRLNB	ZERROR	ZWRITX
ZSTFH calls:	CHRFLB	CHRHOL	HOLCHR	INTGR
ZSTXTA calls:	CHRHOL	CHRLNB	ZERROR	ZWRITX

ZTAGFI calls:	ZGETAD ZPTREC	ZGETRW	ZGTREC	ZMULTU
ZTAGPA calls:	HOL2CH	ZABORT	ZERROR	ZGTREC
ZTSINT calls:	INCTIM ZFPN ZRRTS	JULDAT ZGINTL	M2IHM ZINTBK	NOPERS ZOFSET
ZUDALL calls:	HOL2CH ZPTREC	ZERROR	ZGTREC	ZMULTU
ZUFPN calls:	CHRLNB	ZUPATH		
ZUNDEL calls:	HOL2CH ZMULTU	ZCHECK ZPTREC	ZERROR ZUDALL	ZGTREC
ZUPATH calls:	CHRLNB			
ZUPRTS calls:	CHRHOL ZGTREC	JULDAT ZPTREC	LEQNER	NOPERS
ZUSTFH calls:	CHRLNB	GETHOL	HOLCHR	INTGR
ZWRBUF calls:	CH2HOL ZCHECK ZPTREC	CHRLNB ZMULTU ZRDINF	HOL2CH ZNWRIT	ZABORT ZOWRIT
ZWREC calls:	SEEKF	WRITF		
ZWRITE calls:	ZWRITX			
ZWRITX calls:	ZCHECK ZOWRIT	ZGTREC ZPTREC	ZMULTU ZRDINF	ZNWRIT

ABORT is called by:	ZABORT	ZINIT		
CASSIG is called by:	ZCAT			
CCREAT is called by:	ZASSIG	ZCAT	ZOPCAT	ZOPNCA
CH2HOL is called by:	ZCHECK ZWRBUF	ZNWRIT	ZOPEN	ZRDBUF
CHGTYP is called by:	ZGETCI	ZPRTC	ZSETCI	
CHRFIL is called by:	ZFILST			
CHRFLB is called by:	ZCATIT	ZFNAME	ZPATH	ZSTFH
CHRHOL is called by:	ZNWRIT ZRTALL ZSQPRM ZSTXTA	ZOPEN ZSETCI ZSRTSX ZUPRTS	ZOWRIT ZSITSX ZSTEXT	ZRETAG ZSPD ZSTFH
CHRLNB is called by:	ZCAOUT ZCLOSE ZGETCI ZOPNCA ZRDINF ZRECIN ZRTEXT ZSETCI ZSTEXT ZUSTFH	ZCAT ZCOREC ZGPNP ZPRTCI ZRDPAT ZRITSX ZRTXTA ZSITSX ZSTXTA ZWRBUF	ZCATDR ZDTYPE ZOPCAT ZRDBUF ZREAD ZRPD ZSELCA ZSPD ZUFPN	ZCATIT ZFILST ZOPEN ZRDCAT ZREADX ZRRTSX ZSETCA ZSRTSX ZUPATH
CHRWTT is called by:	ZCATFI	ZCOFIL		
CLOSF is called by:	ZCLOSE	ZOPEN		
CREAF is called by:	ZOPEN			
CRETYP is called by:	ZASSIG	ZOPCAT	ZOPNCA	
CURTIM is called by:	ZCATDR	ZCATIT		
DATCLL is called by:	ZOFSET	ZRITSX	ZSITSX	
DATCLN is called by:	ZGTDTS	ZPTDTS		
DATJUL is called by:	ZCAOUT ZSELCA	ZCATIT ZSRTSX	ZCOREC	ZRRTSX
DCREAL is called by:	ZSRTSX			
DHINFO is called by:	ZDCINF	ZRECIN		
DUREAL is called by:	ZRRTSB	ZSRTSX		
FILEN is called by:	ZCAT	ZOPEN		

FLLKOF is called by:	ZMULTU			
FLLKON is called by:	ZMULTU			
GETHOL is called by:	ZUSTFH			
GETI1 is called by:	ZCAT ZPRTC	ZDEBUG	ZGETCI	ZNWRIT
GETNAM is called by:	ZABORT	ZCAT	ZINQIR	ZOPEN
HOL2CH is called by:	ZCATFI ZINQIR ZRTALL ZUNDEL	ZCHECK ZOWRIT ZSRTSX ZWRBUF	ZDEBUG ZRDBUF ZTAGPA	ZDELET ZRDINF ZUDALL
HOLCHR is called by:	ZCATFI ZGETCI ZPRTC ZRPD ZSQPRM	ZCOFIL ZINQIR ZRECIN ZRRTSX ZSTFH	ZCOREC ZLAHEY ZRENAM ZRTEXT ZUSTFH	ZFVER ZOPEN ZRITSX ZRTXTA
IDAYWK is called by:	ZINTBK	ZOFSET	ZRRTSX	ZSRTSX
IHM2M is called by:	ZRRTSX	ZSRTSX		
INCTIM is called by:	ZCATDR ZSRTSX	ZINTBK ZTSINT	ZOFSET	ZRRTSX
INTGR is called by:	ZCATDR ZSTFH	ZOPCAT ZUSTFH	ZOPNCA	ZSTAGS
ISCAN is called by:	ZGETAG			
IYMDJL is called by:	ZCATDR ZRRTSX	ZINCBK ZSITSX	ZOFSET ZSRTSX	ZRITSX
JLIYMD is called by:	ZBEGDT ZIRBEG	ZCATDR ZOFSET	ZINCBK ZRITSX	ZINTBK
JULDAT is called by:	ZCATDR ZMOVBK ZRRTSX ZUPRTS	ZCATIT ZPTDTS ZSITSX	ZCOREC ZRITSX ZSRTSX	ZGTDTS ZRRTSB ZTSINT
LEQNER is called by:	ZMOVBK	ZUPRTS		
LFINFO is called by:	ZOPEN			
LOCKF is called by:	ZMULTU			
M2IHM is called by:	ZCATIT ZRRTSX	ZCOREC ZSITSX	ZGTDTS ZSRTSX	ZPTDTS ZTSINT
NINDX is called by:	ZRRTSX			

NOPERS is called by:	ZGTDTS ZRRTSB ZUPRTS	ZINTBK ZRRTSX	ZMOVBK ZSRTSX	ZPTDTS ZTSINT
OPENF is called by:	ZOPEN			
PARSEQ is called by:	ZGPNP			
PARSLI is called by:	ZSTAGS			
PUTI1 is called by:	ZNWRIT	ZSETCI		
READF is called by:	ZRREC			
REMBLK is called by:	ZGETAG			
SEEKF is called by:	ZRREC	ZWREC		
sync is called by:	ZMULTU			
system is called by:	ZCAT			
UPCASE is called by:	ZFNAME	ZFSIZE	ZOPCAT	ZOPNCA
WAIT is called by:	ZABORT			
WAITS is called by:	ZASSIG			
WHEN is called by:	ZABORT	ZINIT	ZOPEN	
WIND is called by:	ZABORT			
WRITF is called by:	ZWREC			
XREALC is called by:	ZDEBUG			
YMDDAT is called by:	ZRRTSX	ZSRTSX		
ZABORT is called by:	ZBDUMP ZMULTU ZWRBUF	ZCHECK ZOPEN	ZERROR ZPTREC	ZGTREC ZTAGPA
ZADDHD is called by:	ZGTDTS			
ZASSIG is called by:	ZOPEN			
ZBDUMP is called by:	ZGTREC ZSRTSX	ZMULTU	ZOPEN	ZRRTSX
ZBEGDT is called by:	ZCAOUT	ZRRTSX	ZSRTSX	
ZBKDAT is called by:	ZINIT			
ZCAOUT is called by:	ZCAT			
ZCAT is called by:	ZCATLG			



ZCATDR is called by:	ZSETCA			
ZCATFI is called by:	ZCAT	ZCOFIL		
ZCATIT is called by:	ZCAT			
ZCHECK is called by:	ZCOFIL ZRDINF ZUNDEL	ZCOREC ZRENAM ZWRBUF	ZDELET ZRETAG ZWRITX	ZDTYPE ZSRTSX
ZCOREC is called by:	ZCOFIL			
ZDEBUG is called by:	ZOWRIT			
ZDELET is called by:	ZRENAM			
ZERROR is called by:	ZBDUMP ZDELET ZRDINF ZRRTSX ZSITSX ZSTEXT ZUNDEL	ZCAT ZDTYPE ZRETAG ZRTALL ZSPD ZSTXTA	ZCATFI ZOWRIT ZRITSX ZRTEXT ZSRTSX ZTAGPA	ZCHECK ZPTREC ZRPD ZRTXTA ZSTAGS ZUDALL
ZFNAME is called by:	ZFVER	ZOPEN		
ZFPN is called by:	ZGTDTS	ZPTDTS	ZTSL . T	
ZFSIZE is called by:	ZOPEN			
ZGETAD is called by:	ZCOFIL ZTAGFI	ZNWBIN	ZOPEN	ZPTREC
ZGETAG is called by:	ZNWRIT	ZRTALL		
ZGETCI is called by:	ZPRTCI	ZSETCI	ZSRTSX	
ZGETRW is called by:	ZCOFIL ZOPEN	ZDEBUG ZPTREC	ZGTREC ZTAGFI	ZNWBIN
ZGINTL is called by:	ZCAOUT ZPTDTS ZTSINT	ZCOREC ZRRTSX	ZDTYPE ZSELCA	ZGTDTS ZSRTSX
ZGIRTS is called by:	ZRITSX			
ZGPNP is called by:	ZSETCA			
ZGTREC is called by:	ZCATFI ZDELET ZNWBIN ZRDBUF ZRETAG ZSETCI ZTAGPA ZWRITX	ZCHECK ZGETCI ZOPEN ZRDINF ZRRTSB ZSQPRM ZUDALL	ZCOFIL ZGTAGS ZOWRIT ZREADX ZRRTSX ZSRTSX ZUNDEL	ZCOREC ZMULTU ZPRTCI ZRECIN ZRTALL ZTAGFI ZUPRTS

ZHASH is called by:	ZCHECK			
ZINCBK is called by:	ZCAOUT	ZRRTSX	ZSITSX	ZSRTSX
ZINIT is called by:	ZINQIR	ZOPEN	ZSET	
ZINQIR is called by:	ZBDUMP ZFILST ZRPD ZSRTSX	ZCATIT ZPTREC ZRTEXT	ZCLOSE ZRDINF ZRTXTA	ZCOFIL ZRITSX ZSITSX
ZINTBK is called by:	ZTSINT			
ZIRBEG is called by:	ZCAOUT	ZRITSX	ZSITSX	
ZIRDOW is called by:	ZSITSX			
ZLAHEY is called by:	ZOPEN			
ZMATCA is called by:	ZSELCA			
ZMIN2R is called by:	ZGIRTS	ZPIRTS	ZSITSX	
ZMOVBK is called by:	ZSRTSX			
ZMULTU is called by:	ZCATFI ZDELET ZSETCI ZTAGFI ZWRITX	ZCLOSE ZRENAM ZSETPR ZUDALL	ZCOFIL ZRETAG ZSRTSX ZUNDEL	ZCOREC ZRTALL ZSTAGS ZWRBUF
ZNWBIN is called by:	ZNWRIT			
ZNWRIT is called by:	ZCOFIL ZWRBUF	ZCOREC ZWRITX	ZRENAM	ZSRTSX
ZOFSET is called by:	ZCOREC ZTSINT	ZINTBK	ZRRTSX	ZSRTSX
ZORDPN is called by:	ZCAT			
ZOWRIT is called by:	ZCOFIL ZWRITX	ZCOREC	ZSRTSX	ZWRBUF
ZPATH is called by:	ZFPN	ZSRTSX		
ZPIRTS is called by:	ZSITSX			
ZPRTC is called by:	ZPRTCI			
ZPTREC is called by:	ZCHECK ZNWBIN ZRENAM ZSETPR ZTAGFI ZWRBUF	ZCOFIL ZNWRIT ZRETAG ZSQPRM ZUDALL ZWRITX	ZCOREC ZOPEN ZRTALL ZSRTSX ZUNDEL	ZDELET ZOWRIT ZSETCI ZSTAGS ZUPRTS

ZR2MIN is called by:	ZPIRTS	ZRITSX	XSITSX	
ZRDBUF is called by:	ZREAD	ZREADX		
ZRDINF is called by:	ZRDBUF ZWRITX	ZRECIN	ZRRTSX	ZWRBUF
ZRDPAT is called by:	ZORDPN	ZRDPN		
ZREADX is called by:	ZCOREC ZRTEXT	ZREAD ZRTXTA	ZRITSX XSITSX	ZRPD
ZRITSX is called by:	ZGIRTS	ZRITS		
ZRPD is called by:	ZGTPFD			
ZRREC is called by:	ZGTREC	ZPTREC		
ZRRTS is called by:	ZRRTSX	ZTSINT		
ZRRTSB is called by:	ZRRTSX			
ZRRTSX is called by:	ZCOREC	ZGTDTS	ZRRTS	
ZSELCA is called by:	ZCATFI	ZORDPN		
ZSET is called by:	XSITSX			
ZSETCA is called by:	ZCAT			
ZSITS is called by:	ZPIRTS			
ZSITSX is called by:	ZSITS			
ZSPD is called by:	ZPTPFD			
ZSRTS is called by:	ZSRTSX			
ZSRTSX is called by:	ZCOREC	ZPTDTS	ZSRTS	
ZTAGFI is called by:	ZCATFI			
ZUDALL is called by:	ZUNDEL			
ZUFPN is called by:	ZSRTSX			
ZUPATH is called by:	ZCAOUT ZNWRIT XSITSX	ZCOREC ZRITSX ZUFPN	ZDTYPW ZRRTSX	ZGETAG ZSELCA
ZUPRTS is called by:	ZSRTSX			
ZWREC is called by:	ZBDUMP	ZGTREC	ZPTREC	
ZWRITX is called by:	ZSITSX ZWRITE	ZSPD	ZSTEXT	ZSTXTA

## **Appendix E**

### **Abort Error Codes**

The following is a list of error codes that may be printed if a fatal error is detected by the basic DSS software that stores or retrieves information. If one these errors occur, a message will be printed with the error, then the program will be aborted. These "low-level" errors occur relatively infrequently, and are not the same as the errors for the "high-level" subroutines (such as ZSRTS). Refer to the individual subroutine documentation for error codes for high-level subroutines.

"Keys" within several DSS arrays (such as the IFLTAB) are checked frequently to ensure that the arrays are not corrupted (by the calling program overwriting memory), and damaging the database. However, it is possible for an area of a DSS array to be corrupted and stored on disk, damaging the database file, before being detected.

Internal addresses are physically stored after the data has been stored, so that if a crash occurs (e.g., a power failure or the disk space is exceeded), only that record will be lost and the database will not be damaged. However, occasionally all internal DSS buffers may become used, and some buffers will be written prior to the data block. If this occurs at the time of a crash, the file could become damaged. Also, some computers may buffer I/O in a way that records are not physically written to disk the way that the DSS software expects (such as disk caching). This also could cause damage to a database file if a crash occurs.

A damaged file can usually be recovered by squeezing the file with DSSUTL. (Be sure there is sufficient disk space to do so.) The cause of the error should be determined before proceeding. (It should be noted that a file with only minor damage may not be detected for a while.)

<b><u>Code</u></b>	<b><u>Error Description</u></b>
--------------------	---------------------------------

- |             |                                                                                                                                                                                                                                                                                                        |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>11 -</b> | <b>Pointer or address array incorrect.</b> The address from the pathname address array (pathname bin) points to a record information block where the pathname does not match the bin pathname. This typically indicates that the area read is not a record information block, and the file is damaged. |
| <b>20 -</b> | <b>Illegal Unit number.</b> An invalid unit number was encountered during a write or read operation.                                                                                                                                                                                                   |

**Code   Error Description**

- 30 - Error on Physical Read.** An error occurred during a read operation. This may be caused by a damaged file with an address that points to a location beyond the file's bounds. Typically, the error occurs when the end-of-file is reached.
- 40 - Error on Physical Write.** An error occurred during a write operation. This can occur if the disk space is exceeded. This usually does not indicate a damaged file (although squeezing the file is a good idea).
- 41 - Disk Space Exceeded.** There is insufficient disk space left for this file to continue writing.
- 50 - Corrupt IFLTAB array (Keys don't match).** The IFLTAB array has been overwritten by the calling program. Check your program for a bounds error that can cause this.
- 60 - Incomplete Buffered write.** A buffered write using ZWRBUF was not terminated with LEND set to .TRUE..
- 70 - DSS File Not Opened.** A DSS subroutine was called with an invalid IFLTAB array (containing only zeros). This error usually occurs when testing modifications to a program. Usually the routine that opens the DSS file was not called, or the IFLTAB array was not passed to the routine calling DSS (e.g., it is not in common), or there is a typographical error in the code (e.g., IFLTAB given the wrong name). Less frequently this error may occur if the IFLTAB array is overwritten by the calling program.
- 100 - Illegal KTABLE variable (IFLTAB Corrupt).** The IFLTAB variable containing the table type did not contain a valid type. *This can only occur if IFLTAB is overwritten.* Check your program for a bounds error.
- 110 - Illegal Number of Characters per Machine word Set.** The DSS software was not installed correctly, or a common block was destroyed.
- 130 - Excess writes on a read only file.** The file was given "read only" permission, and excessive writes were attempted. After 40 low-level write attempts the program is aborted.
- 200 - Unable to make shared assignment.** A file lock was attempted, but was denied because the file did not have shared access (although it was supposedly opened with shared access).
- 210 - Unable to lock file.** A lock on the file was denied (nor could it que for a lock).
- 220 - Unable to unlock file.** The file could not be unlocked. Memory is probably overwritten for this error to occur.
- 300 - Incompatible Versions.** The DSS file is not a version 6 file, and the routine accessed is version 6 only. If you are sure the file is version 6, and was correctly opened, then the IFLTAB array may be invalid or corrupt.
- 320 - Insufficient Header Space in ZWRBUF.** The total amount of user header data to store is greater than the space allocated in the first call to ZWRBUF.
- 330 - Insufficient Data Space in ZWRBUF.** The total number of data values to store is greater than the space allocated in the first call to ZWRBUF.

## Appendix F

### Summary of Subroutine Calling Sequences

<b>ZCAT</b>	- Catalog a DSS File .....	7-5
CALL ZCAT (IFLTAB, ICUNIT, ICDUNT, INUNIT, CINSTR, * LABREV, LSORT, LCDCAT, NRECS)		
<b>ZCATLG</b>	- Catalog a DSS file .....	11-32
CALL ZCATLG (IFLTAB, ICUNIT, INUNIT, CINSTR, IBEG, NINSTR, * LABREV, LSORT, NRECS)		
<b>ZCHECK</b>	- Check if a Record Exists .....	9-9
CALL ZCHECK (IFLTAB, CPATH, NPATH, NHEAD, NDATA, LFOUND)		
<b>ZCHKPN</b>	- Check a Pathname .....	3-11
CALL ZCHKPN (CPATH, NPATH, ISTAT)		
<b>ZCLOSE</b>	- Close a DSS File .....	2-4
CALL ZCLOSE (IFLTAB)		
<b>ZCOFIL</b>	- Copy a DSS File .....	9-16
CALL ZCOFIL (IFTOLD, IFTNEW, BUFF1, KBUFF1, BUFF2, KBUFF2, * LUNDEL, LRETAG)		
<b>ZCOREC</b>	- Copy a Record .....	9-13
CALL ZCOREC (IFTOLD, IFTNEW, CPOLD, CPNEW, BUFF1, KBUFF1, * BUFF2, KBUFF2, ISTAT)		
<b>ZDCINF</b>	- Get Data Compression Information for a Record .....	10-6
CALL ZDCINF (ICOMP, BASEV, LBASEV, ISIZE, IPREC, ISTAT)		
<b>ZDEBUG</b>	- Print Coded Information in the IFLTAB Array .....	9-22
CALL ZDEBUG (MUNIT, IARRAY, IADD, ILEN)		

<b>ZDELET</b>	- Delete a Record .....	9-19
CALL ZDELET (IFLTAB, CPATH, NPATH, LFOUND)		
<b>ZDTYPE</b>	- Determine a Record's Data Type and if it Exists .....	2-7
CALL ZDTYPE (IFLTAB, CPATH, NSIZE, LEXIST, CDTYPE, IDTYPE)		
<b>ZFILST</b>	- Display Information About a DSS File .....	9-12
CALL ZFILST (IFLTAB)		
<b>ZFNAME</b>	- Add File Name Extension and Determine if it Exists .....	2-5
CALL ZFNAME (CNAMIN, CNAME, NNAME, LEXIST)		
<b>ZFPN</b>	- Form DSS Pathname .....	11-2
CALL ZFPN (CA, NA, CB, NB, CC, NC, CD, ND, CE, NE, * CF, NF, CPATH, NPATH)		
<b>ZFVER</b>	- Get a DSS File's Version .....	2-19
CALL ZFVER (CNAME, CVER, IVER)		
<b>ZGINTL</b>	- Get Time Series Interval .....	4-40
CALL ZGINTL (INTL, CE, NVALS, ISTAT)		
<b>ZGIRTS</b>	- Get Irregular-Interval Time Series Data .....	11-12
CALL ZGIRTS (IFLTAB, CPATH, NPATH, JULS, ISTEIME, JULE, IETIME, * DUM1, IDUM1, DUM2, IDUM2, KVALS, DATES, VALUES, NVALS, * BDATE, CUNITS, CTYPE, ISTAT)		
<b>ZGPNP</b>	- Get Pathname Parts .....	3-8
CALL ZGPNP (CLINE, CA, CB, CC, CD, CE, CF, NPARTS)		
<b>ZGTDTS</b>	- Get Regular-Interval Time Series Data .....	11-4
CALL ZGTDTS (IFLTAB, CA, NA, CB, NB, CC, NC, CF, NF, * JULS, ISTEIME, JULE, IETIME, INTL, DUM, 0, * IOFSET, VALUES, NVALS, CUNITS, CTYPE, ISTAT)		

**ZGTPFD** - Get Paired Function Data ..... 11-20  
 CALL ZGTPFD (IFLTAB, CPATH, NPATH, NORD, NCURVE, IHORIZ  
 \* C1UNIT, C2UNIT, C1TYPE, C2TYPE, CLABEL, KLABEL, NLABEL,  
 \* DUM, IDUM1, IDUM2, VALUES, KVALS, NVALS, ISTAT)

**ZINQIR** - Inquire About DSS Parameters ..... 2-15  
 CALL ZINQIR (IFLTAB, CITEM, CSTR, INUMB)

**ZOFSET** - Determine the Time Offset of Time Series Data ..... 4-42  
 CALL ZOFSET (JUL, ITIME, INTL, IFLAG, IOFSET)

**ZOPCAT** - Open a Catalog File ..... 11-31  
 CALL ZOPCAT (CDSSFI, CATFIL, ICUNIT, LOPEN, LCATLG,  
 \* LCREAT, NRECS)

**ZOPEN** - Open a DSS File ..... 2-2  
 CALL ZOPEN (IFLTAB, CNAME, IOSTAT)

**ZOPNCA** - Open a Catalog File ..... 7-3  
 CALL ZOPNCA (CDSSFI, ICUNIT, LGENCA, LOPNCA, LCATLG,  
 \* ICDUNT, LGENCD, LOPNCD, LCATCD, NRECS)

**ZPATH** - Construct a Pathname ..... 3-2  
 CALL ZPATH (CA, CB, CC, CD, CE, CF, CPATH, NPATH)

**ZPIRTS** - Put Irregular-Interval Time Series Data ..... 11-16  
 CALL ZPIRTS (IFLTAB, CPATH, NPATH, DUM1, IDUM1, DUM2,  
 \* IDUM2, DATES, VALUES, NVALS, BDATE, CUNITS, CTYPE,  
 \* INFLAG, ISTAT)

**ZPRTCI** - Print the Default Data Compression for a DSS file ..... 10-11  
 CALL ZPRTCI (IFLTAB, LALL, CPARTS)



**ZPTDTS** - Put Regular-Interval Time Series Data in a DSS File ..... 11-8

CALL ZPTDTS (IFLTAB, CA, NA, CB, NB, CC, NC, CF, NF,  
 \* JULS, ISTEIME, JULE, IETIME, INTL, DUM1, IDUM,  
 \* DUM2, VALUES, NVALS, CUNITS, CTYPE, ISTAT)

**ZPTPFD** - Put Paired Function Data ..... 11-25

CALL ZPTPFD (IFLTAB, CPATH, NPATH, NORD, NCURVE, IHORIZ,  
 \* C1UNIT, C2UNIT, C1TYPE, C2TYPE, CLABEL, KLABEL, NLABEL,  
 \* DUM, IDUM1, IDUM2, VALUES, KVALS, NVALS, IPLAN, ISTAT)

**ZRDBUF** - Read an Individual Record in a Buffered Mode ..... 8-6

CALL ZRDBUF (IFLTAB, CPATH, HEADU, KHEADU, NHEADU, DATA, KDATA,  
 \* NDATA, LEND, IPLAN, LFOUND)

**ZRDCAT** - Read Pathnames from a Catalog File ..... 7-9

CALL ZRDCAT (ICUNIT, LALL, IOUNIT, CTAGS, NDIM,  
 \* CPATHS, NPATHS, NFOUND)

**ZRDPAT** - Read a Pathname from a Catalog by Reference Number ..... 7-13

CALL ZRDPAT (ICUNIT, IPOS, INUMB, CTAG, CPATH, NPATH, LEND)

**ZRDPN** - Read Pathnames from a Catalog File ..... 11-35

CALL ZRDPN (ICUNIT, IPOS, INUMB, CPATH, NPATH)

**ZREAD** - Read an Individual Record ..... 8-2

CALL ZREAD (IFLTAB, CPATH, NPATH, IHEADU, NHEADU, IDATA,  
 \* NDATA, IPLAN, LFOUND)

**ZREADX** - Read an Individual Record (Extended) ..... 8-4

CALL ZREADX (IFLTAB, CPATH, HEADI, KHEADI, NHEADI,  
 \* HEADC, KHEADC, NHEADC, HEADU, KHEADU, NHEADU, DATA,  
 \* KDATA, NDATA, IPLAN, LFOUND)

**ZRECIN** - Display Information About a Record ..... 9-10

CALL ZRECIN (IFLTAB, IUNIT, MLEVEL, CPATH, BUFF, KBUFF, LFOUND)

**ZRENAM** - Rename a Record ..... 9-18  
 CALL ZRENAM (IFLTAB, CPATHO, NPATHO, CPATHN, NPATHN, LFOUND)

**ZRETAG** - Change a Record Tag ..... 7-19  
 CALL ZTAGPA (IFLTAB, CPATH, NPATH, CTAG, LFOUND)

**ZRITS** - Retrieve Irregular-Interval Time Series Data ..... 4-21  
 CALL ZRITS (IFLTAB, CPATH, JULS, ISTEIME, JULE, IETIME,  
 \* ITIMES, VALUES, KVALS, NVALS, JBDATE, CUNITS, CTYPE, ISTAT)

**ZRITSX** - Retrieve Irregular-Interval Time Series Data (Extended) ..... 4-25  
 CALL ZRITSX (IFLTAB, CPATH, JULS, ISTEIME, JULE, IETIME,  
 \* ITIMES, VALUES, KVALS, NVALS, JBDATE, FLAGS, LFLAGS, LFREAD,  
 \* CUNITS, CTYPE, HEADU, KHEADU, NHEADU, INFLAG, ISTAT)

**ZRPD** - Retrieve Paired Data ..... 5-2  
 CALL ZRPD (IFLTAB, CPATH, NORD, NCURVE, IHORIZ,  
 \* C1UNIT, C1TYPE, C2UNIT, C2TYPE, VALUES, KVALS, NVALS,  
 \* CLABEL, KLABEL, LABEL, HEADU, KHEADU, NHEADU, ISTAT)

**ZRRTS** - Retrieve Regular-Interval Time Series Data ..... 4-3  
 CALL ZRRTS (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,  
 \* CUNITS, CTYPE, IOFSET, ISTAT)

**ZRRTSX** - Retrieve Regular-Interval Time Series Data (Extended) ..... 4-7  
 CALL ZRRTSX (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,  
 \* FLAGS, LFLAGS, LFREAD, CUNITS, CTYPE, HEADU, KHEADU, NHEADU,  
 \* IOFSET, ICOMP, ISTAT)

**ZRTALL** - Change all Record Tags in a DSS file ..... 7-22  
 CALL ZRTALL (IFLTAB)

**ZRTEXT** - Retrieve Text Data (Into a File) ..... 6-2  
 CALL ZRTEXT (IFLTAB, CPATH, IUNIT, HEADU, KHEADU, NHEADU,  
 \* LCCNTL, NLINES, ISTAT)

**ZRTXTA** - Retrieve Text Data (Into an Array) ..... 6-5  
 CALL ZRTXTA (IFLTAB, CPATH, CARRAY, KLINEs, NLINEs,  
 \* HEADU, KHEADU, NHEADU, ISTAT)

**ZSCOMP** - Set Data Compression for a Record ..... 10-4  
 CALL ZSCOMP (ICOMP, BASEV, LBASEV, LHIGH, IPREC)

**ZSET** - Set DSS Parameters ..... 2-9  
 CALL ZSET (CITEM, CSTR, INUMB)

**ZSETCI** - Set Default Data Compression for a DSS File ..... 10-8  
 CALL ZSETCI (IFLTAB, CPARTS, LPARTS, ICOMP, BASEV, LBASEV,  
 \* LHIGH, IPREC, ISTAT)

**ZSITS** - Store Irregular-Interval Time Series Data ..... 4-30  
 CALL ZSITS (IFLTAB, CPATH, ITIMES, VALUES, NVALS, JBDATE,  
 \* CUNITS, CTYPE, INFLAG, ISTAT)

**ZSITSX** - Store Irregular-Interval Time Series Data (Extended) ..... 4-35  
 CALL ZSITSX (IFLTAB, CPATH, ITIMES, VALUES, NVALS, JBDATE,  
 \* FLAGS, LFLAGS, CUNITS, CTYPE, HEADU, NHEADU, INFLAG, ISTAT)

**ZSPD** - Store Paired Data ..... 5-7  
 CALL ZSPD (IFLTAB, CPATH, NORD, NCURVE, IHORIZ,  
 \* C1UNIT, C1TYPE, C2UNIT, C2TYPE, VALUES,  
 \* CLABEL, LABEL, HEADU, NHEADU, IPLAN, ISTAT)

**ZSRTS** - Store Regular-Interval Time Series Data ..... 4-13  
 CALL ZSRTS (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,  
 \* CUNITS, CTYPE, IPLAN, ISTAT)

**ZSRTSX** - Store Regular-Interval Time Series Data (Extended) ..... 4-16  
 CALL ZSRTSX (IFLTAB, CPATH, CDATE, CTIME, NVALS, VALUES,  
 \* FLAGS, LFLAGS, CUNITS, CTYPE, HEADU, NHEADU, IPLAN,  
 \* ICOMP, BASEV, LBASEV, LHIGH, IPREC, ISTAT)

**ZSTAGS** - Set the Tag Scheme for a DSS file ..... 7-20  
CALL ZSTAGS (IFLTAB, CSCHEM, ISTAT)

**ZSTEXT** - Store Text Data (From a File) ..... 6-8  
CALL ZSTEXT (IFLTAB, CPATH, IUNIT, HEADU, NHEADU,  
\* NLINES, ISTAT)

**ZSTFH** - Stuff the User Header Array ..... 9-2  
CALL ZSTFH (CLABEL, CITEM, NITEM, HEADU, KHEADU, NHEADU, ISTAT)

**ZSTXTA** - Store Text Data (From an Array) ..... 6-10  
CALL ZSTXTA (IFLTAB, CPATH, CARRAY, NLINES, HEADU, NHEADU,  
\* ISTAT)

**ZTAGPA** - Get Pathnames from Tags ..... 7-16  
CALL ZTAGPA (IFLTAB, IOUNIT, CTAGS, NDIM, CPATHS, NPATHS  
\* NFOUND)

**ZUDALL** - Un-Delete All Records in a DSS File ..... 9-21  
CALL ZUDALL (IFLTAB, IUNIT)

**ZUFPN** - Un-Form a Pathname ..... 3-6  
CALL ZUFPN (CA, NA, CB, NB, CC, NC, CD, ND, CE, NE,  
\* CF, NF, CPATH, NPATH, ISTAT)

**ZUNDEL** - Un-Delete a Record ..... 9-20  
CALL ZUNDEL (IFLTAB, CPATH, NPATH, ISTAT)

**ZUPATH** - Determine a Pathname's Parts ..... 3-4  
CALL ZUPATH (CPATH, IBPART, IEPART, ILPART, ISTAT)

**ZUSTFH** - Un-stuff the User Header Array ..... 9-5  
CALL ZUSTFH (CLABEL, CITEM, NITEM, IPOS, HEADU, NHEADU, ISTAT)

**ZWRBUF** - Write an Individual Record in a Buffered Mode ..... 8-15

CALL ZWRBUF (IFLTAB, CPATH, HEADU, NHEADU, NTOTH, DATA, NDATA,  
\* NTOTD, LEND)

**ZWRITE** - Write an Individual Record ..... 8-9

CALL ZWRITE (IFLTAB, CPATH, NPATH, IHEADU, NHEADU, IDATA,  
\* NDATA, IPLAN, LFOUND)

**ZWRITX** - Write an Individual Record (Extended) ..... 8-12

CALL ZWRITX (IFLTAB, CPATH, NPATH, HEADI, NHEADI,  
\* HEADC, NHEADC, HEADU, NHEADU, DATA, NDATA, ITYPE,  
\* IPLAN, ISTAT, LFOUND)

## Subroutine Index

ZCAT .....	7-5	ZREAD .....	8-2
ZCATLG .....	11-32	ZREADX .....	8-4
ZCHECK .....	9-9	ZRECIN .....	9-10
ZCHKPN .....	3-11	ZRENAM .....	9-18
ZCLOSE .....	2-4	ZRETAG .....	7-19
ZCOFIL .....	9-16	ZRITS .....	4-21
ZCOREC .....	9-13	ZRITSX .....	4-25
ZDCINF .....	10-6	ZRPD .....	5-2
ZDEBUG .....	9-22	ZRRTS .....	4-3
ZDELET .....	9-19	ZRRTSX .....	4-7
ZDTYPE .....	2-7	ZRTALL .....	7-22
ZFILST .....	9-12	ZRTEXT .....	6-2
ZFNAME .....	2-5	ZRTXTA .....	6-5
ZFPN .....	11-2	ZSCOMP .....	10-4
ZFVER .....	2-19	ZSET .....	2-9
ZGINTL .....	4-40	ZSETCI .....	10-8
ZGIRTS .....	11-12	ZSITS .....	4-30
ZGPNP .....	3-8	ZSITSX .....	4-35
ZGTDTS .....	11-4	ZSPD .....	5-7
ZGTPFD .....	11-20	ZSRTS .....	4-13
ZINQIR .....	2-15	ZSRTSX .....	4-16
ZOFSET .....	4-42	ZSTAGS .....	7-20
ZOPCAT .....	11-31	ZSTEXT .....	6-8
ZOPEN .....	2-2	ZSTFH .....	9-2
ZOPNCA .....	7-3	ZSTXTA .....	6-10
ZPATH .....	3-2	ZTAGPA .....	7-16
ZPIRTS .....	11-16	ZUDALL .....	9-21
ZPRTCI .....	10-11	ZUFPN .....	3-6
ZPTDTS .....	11-8	ZUNDEL .....	9-20
ZPTPFD .....	11-25	ZUPATH .....	3-4
ZRDBUF .....	8-6	ZUSTFH .....	9-5
ZRDCAT .....	7-9	ZWRBUF .....	8-15
ZRDPAT .....	7-13	ZWRITE .....	8-9
ZRDPN .....	11-35	ZWRITX .....	8-12