

**Best
Available
Copy**

U_{NIVE}
R_{ESearch}
I_{NI}TIATIVE

AD-A275 022



AFOSR-TR-

4

**Nonlinear Dynamics of Deployable and
Maneuverable Space Structures**

University Research Initiative
AFOSR Grant/Contract No. AFOSR-90-0211

Professors F.C. Moon and J.F. Abel
204 Upson Hall, Cornell University, Ithaca, NY 14853

FINAL REPORT
April 1990 - September 1993

94-02642

DTIC
ELECTE
JAN 27 1994
S A

This document has been approved
for public release and sale; its
distribution is unlimited.

94 1 26 062

Nonlinear Dynamics and Control of Flexible Structures

CORNELL UNIVERSITY

Upson Hall, Ithaca, N.Y. 14853

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
1. This report contains information that is estimated to have a significant effect on the health, safety, or environment of the public. It is intended for use by the public in making decisions about the health, safety, or environment of the public. It is not intended for use by the public in making decisions about the health, safety, or environment of the public. It is not intended for use by the public in making decisions about the health, safety, or environment of the public.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 10 Dec 1993	3. REPORT TYPE AND DATES COVERED Final Apr 90 - Sep 93		
4. TITLE AND SUBTITLE Nonlinear Dynamics of Deployable and Maneuverable Space Structures		5. FUNDING NUMBERS AFOSR-90-0211		
6. AUTHOR(S) Moon, F. C. and Abel, J. F.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Moon, F C Cornell University Ithaca, NY 14853		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NA Bolling AFB, DC 20332-0001		10. SPONSORING MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for Public Release; Distribution is unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT The research goals of this URI efforts are: 1) to study the effects of nonlinearities on the dynamics of deployable and maneuverable structures, including the possibility of chaotic or transient dynamics, 2) to design experiments to study slewing transients of flexible structures both to test the analytical models and to explore for possible unmodelled dynamic effects, 3) to study the motion of unfolding of deployable structures, and 4) to advance computational capability for the simulation of dynamic controlled deployment and maneuver of large flexible structures. The accomplishments include: 1) developed a soliton deployment strategy for folded panel space structures, 2) showed spatially complex and chaotic solutions of a twisted elastica, 3) established evidence for transition from soliton to chaotic transient dynamics, 4) developed a robust cable controlled flexible robot arm structure, 5) completed the structural modelling, attribute assignment and visualization capabilities of an interactive graphic 3-D system for dynamic and static structural analysis, and 6) completed work on coarse-grained parallel processing for nonlinear structural dynamics by developing new explicit and implicit analysis and automatic domain partitioning algorithm for load balancing among processors.				
14. SUBJECT TERMS Nonlinear Structural Dynamics; Space Structures; Structural Computational Mechanics; Structural Modeling		15. NUMBER OF PAGES 19		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

Nonlinear Dynamics of Deployable and Maneuverable Space Structures

University Research Initiative
AFOSR Grant/Contract No. AFOSR-90-0211

Professors F.C. Moon and J.F. Abel
204 Upson Hall, Cornell University, Ithaca, NY 14853

FINAL REPORT
April 1990 - September 1993

DTIC QUALITY INSPECTED 5

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification:	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

URI II

Nonlinear Dynamics of Deployable and Maneuverable Space Structures

**University Research Initiative
AFOSR Grant/Contract No. AFOSR-90-0211**

**Professors F.C. Moon and J.F. Abel
204 Upson Hall, Cornell University, Ithaca, NY 14853**

FINAL REPORT

APRIL 1990 – SEPTEMBER 1993

OVERVIEW

The research goals of this project have been:

- I) To study the effects of nonlinearities on the dynamics of deployable and maneuverable structures, including the possibility of chaotic or transient dynamics.
- II) To design experiments to study slewing transients of flexible structures both to test the analytical models and to explore for possible unmodelled dynamic effects.
- III) To study the motion of unfolding or deployable structures both experimentally and analytically using one or more prototype systems. The goals are to derive methodologies for formulation of the governing nonlinear systems of equations and to test solutions for specific systems.
- IV) To advance practical numerical simulation of the dynamic controlled deployment and maneuver of large flexible structures by including geometrically exact large rotation/displacement effects and by improving the robustness and efficiency of solution methods for the highly nonlinear effects.

The hallmark of the research has been a balance among theory, experiments, and numerical simulation as well as a strong interaction among these components.

SUMMARY OF ACCOMPLISHMENTS

- 1. Developed a soliton deployment strategy for folded panel space structures.
- 2. Showed spatially complex and chaotic solutions of a twisted elastica.
- 3. Studied the impact dynamics of a multi-bay nonlinear elastic structure. Established evidence for transition from soliton to chaotic transient dynamics.
- 4. Studied the slewing transients of a cable controlled flexible robot arm structure.
- 5. Made significant progress in the development of innovative object-oriented 3-D nonlinear simulation tools for deployable and maneuverable space structures. Continued to employ and improve basic nonlinear analysis capabilities for the

controlled and uncontrolled dynamics of structures which were developed in earlier research sponsored by AFOSR (URI I) and others (NCEER, NASA LeRC).

6. Completed the structural modelling, attribute assignment, and visualization capabilities of our interactive graphic 3-D system for dynamic and static structural analysis.
7. Completed work on coarse-grained parallel processing for nonlinear structural dynamics by developing explicit and implicit analysis capabilities as well as a new automatic domain partitioning algorithm for load-balancing among processors.

PROJECT PARTICIPANTS

Francis C. Moon, Professor Mechanical and Aerospace Engineering, Project Director and Co-Principal Investigator.

John F. Abel, Professor of Civil and Environmental Engineering, Co-Principal Investigator.

Brian H. Aubert, Civil and Environmental Engineering, Graduate Research Assistant through January 1992, PhD May 1992. Currently: Staff Scientist, Los Alamos National Laboratories

Victor Balopoulos, Civil and Environmental Engineering, Graduate Research Assistant, May 1990 - August 1993. PhD expected December 1994.

Erin Catto, Theoretical and Applied Mechanics, Graduate Student, Summer 1992, Spring 1993. PhD expected August 1995.

Matthew Davies, Mechanical and Aerospace Engineering, Graduate Research Assistant, PhD August 1993. Currently: Postdoctoral Research Assistant, Mechanical Engineering, Cornell University.

Gyula Greschik, Civil and Environmental Engineering, Graduate Research Assistant (Summer 1992 only), PhD August 1992. Currently: Postdoctoral Research Assistant, Center for Space Structures and Control, University of Colorado, Boulder.

Shang-Hsien Hsieh, Civil and Environmental Engineering, Graduate Research Assistant, Spring 1993 only, PhD May 1993. Currently: Postdoctoral Research Assistant, Department of Civil Engineering, Purdue University

Paul Schubring, Theoretical and Applied Mechanics, Graduate Research Assistant. MS, January 1993. Currently: Engineer, Hewlett-Packard Corp.

Sanjeev Srivastav, Research Associate, Civil and Environmental Engineering, Post-Doctoral Research Assistant (Until August 1, 1992). Currently: Research Engineer, Stress Technology Inc., Rochester, NY.

Christopher White, Civil and Environmental Engineering, Graduate Research Assistant (Spring and Summer 1993 only). PhD expected May 1995.

BOOKS, PAPERS, PRESENTATIONS AND THESES

Book

Moon, F.C., *Chaotic and Fractal Dynamics*, J. Wiley & Sons, October 1992.

Papers and Presentations

- J. F. Abel, "Nonlinear Dynamics of Deployable and Maneuverable Space Structures," AFOSR Contractors Meeting on Structural Dynamics, Dayton, OH, October 10-11, 1991.
- B. H. Aubert, S. H. Hsieh, and J. F. Abel, "Simulation of the Dynamics of Large Space Structures," Proceedings of the IASS-CSCE International Congress on Innovative Large Span Structures (Toronto, July 1992), N.K. Srivastava et al. (editors), CSCE, Toronto, 1992, pp. 570-580. [presentation and publication].
- P.-Y. Chen, F. C. Moon, "Experiments on Co-located Feedback Vibration Suppression in a Space Frame Using New Magnetic Actuators," presented at the Joint U.S./Japan Conference on Adaptive Structures in Maui, Hawaii, 13-15 November 1990.
- Davies, Mathew A. and Francis C. Moon, "3-D Spatial Chaos in the Elastica and the Spinning Top: Kirchoff Analogy," *CHAOS: an Interdisciplinary Journal of Nonlinear Science*, Vol. 3, No. 1 [to appear]
- B. F. Feeny, F. C. Moon, "Chaos in a Forced Dry-Friction Oscillator: Experiments and Numerical Modeling," to appear *J. Sound and Vibration* 1993.
- B. F. Feeny, F. C. Moon, "Bifurcation Sequences of a Coulomb Friction Oscillator," *Nonlinear Dynamics* 4 (1993) 25-37.
- M. F. Golnaraghi and F. C. Moon, "Experimental Evidence for Chaotic Response in a Feedback System," *J. Dyn. Syst., Meas. and Contr.* 113 (199) 183-187.
- G. Greschik and J. F. Abel, "Analysis Efficiency and Predictor Step Size Control," Adaptive, Multilevel and Hierarchical Computational Strategies (ASME Winter Annual Meeting, Anaheim, CA, November 90112), A.K. Noor (editor), ASME, New York, AMD Vol. 157, 1992, pp. 385-412. [presentation and publication, partial support only].
- G. Greschik and J. F. Abel, "An Efficiency Study of Some Solution Options of a Quasi-Static Nonlinear Shell FEM Program," presented at the Second US National congress on Computational Mechanics, Washington, DC, August 16-18, 1993, and submitted for publication in the *International Journal for Numerical Methods in Engineering*.
- S. H. Hsieh, and J. F. Abel, "Use of Networked Workstations for Parallel Nonlinear Structural Dynamic Simulations of Rotating Bladed-Disk Assemblies," Second NASA Symposium on Parallel Computational Methods for Large-Scale Structural Analysis and Design, Norfolk, VA, February 1993, to appear in *Computing Systems in Engineering*. [presentation and publication, partial support only].

- S. H. Hsieh, and J. F. Abel, "Comparison of Two Finite Element Approaches for Analysis of Rotating Bladed Disk Assemblies," submitted to *Journal of Sound and Vibration*.
- S. H. Hsieh, G. H. Paulino, and J. F. Abel, "Evaluation of Automatic Domain Partitioning Algorithms for Parallel Finite Element Analysis," in preparation for submission to the *International Journal for Numerical Methods in Engineering*.
- S. H. Hsieh, G. H. Paulino, and J. F. Abel, "Recursive Spectral Algorithms for Automatic Domain Partitioning in Parallel Finite Element Analysis" submitted to *Computer Methods in Applied Mechanics and Engineering*.
- L. B. Larson, P. Gergely, J. Lu, J.S. Thorp, B. H. Aubert, and J. F. Abel, "An Experimental 10-Meter Space Truss with Tendon Control," *Proceedings of the Second Joint Japan-USA Conference on Adaptive Structures* (Nagoya, November 1991), Y. Matsuzaki and B.K. Wada (editors), Technomic Publishing Co., Lancaster, PA, 1992, pp. 227-241.
- F. C. Moon, "Nonlinear Dynamics and Chaos in Mechanical Systems in the Former Soviet Union," Chapter V of *Nonlinear Dynamics Research in the Former Soviet Union*, Ed. H.D.I. Abarbanel, FASCA Technical Assessment Report, SAIC, August 1992.
- F. C. Moon and M. A. Davies, "3-D Spatial Chaos in Elastica and the Spinning Top: Kirchhoff Analog," F.C. Moon and M.A. Davies, Cornell University Report, 1992.
- F. C. Moon, "Experiments in Spatio-Temporal Chaos in Solid Mechanics," First Experimental Chaos Conference, Arlington, VA, October 1-3, 1991.
- F. C. Moon, T Broschart: "Chaotic Sources of Noise in Machine Acoustics," *Ingenieur Archiv. (Archive of Applied Mechanics)* 61 (1991) 438-448.
- F. C. Moon, W. Holmes and P. Khoury, "Symbol Dynamic Maps of Spatial-Temporal Chaotic Vibrations of a String of Impact Oscillators," *CHAOS* 1 (1) (1991) 65-68.
- F. C. Moon, "Experimental Measurement of Chaotic Attractors in Solid Mechanics," *Chaos* 1 (1) (1991) 31-41.
- C. H. Pak, R. H. Rand, and F. C. Moon, "Free Vibrations of a Thin Elastica by Normal Modes," *Nonlinear Dynamics*, Vol. 3, 1992, 347-364.
- R. Pratap, S. Mukherjee, F. C. Moon, "Limit Cycles in an Elasto-plastic Oscillator," *Physics Letters A*, Vol. 170, 1992, 384-392.
- S. Srivastav and J. F. Abel, "Generalized Computer Modelling of Structures," IASS Symposium 91: *Spatial Structures at the Turn of the Millennium*, Copenhagen, Denmark, September 2-6, 1991, pp. 83-90, Vol. II of Proceedings.

Theses

- B. H. Aubert, "Numerical Simulation of the Transient Nonlinear Dynamics of Actively Controlled Space Structures," Ph.D. Thesis, Department of Civil and Environmental Engineering, Cornell University, May 1992.
- M. Davies, "Spatio-Temporal Chaos and Solitary Waves in Nonlinear Periodic Structures," PhD Thesis, Cornell University, August 1993.
- G. Greschik, "On the Incremental-Iterative Analysis of Plastic Stability Phenomena of Steel Members," PhD Thesis, Cornell University, August 1992. [partial support only].
- S. H. Hsieh, "Parallel Processing for Nonlinear Dynamics Simulations of Structures Including Rotating Bladed-Disk Assemblies," PhD Thesis, Cornell University, May 1993. [partial support only].
- O. M. O'Reilly, "The Chaotic Vibration of a String," PhD Thesis, Cornell University, August 1990. [partial support only].
- P. J. Schubring, "Solitary Wave Deployment of Nonlinear Structures," M.S. Thesis, Cornell University, January 1993.
- C. K. Yuan, "The Statics, Dynamics and Control of the Elasticarm: A Continuous Beam Manipulator," PhD Thesis, Cornell University, August 1991. [partial support only].

Invited Lectures

- J. F. Abel, "The Cornell 10-Meter Truss", Seminar, SUNY Buffalo, March 6, 1992.
- F. C. Moon, "Chaotic and Fractal Dynamics in Engineering Science," February 16, 1993 - University of Rochester.
- F. C. Moon, "Chaotic Dynamics," ASME Boise Idaho Area Section, May 5, 1992.
- F. C. Moon, "Spatial Complexity and Chaos in Structural Systems," May 8-10, 1992 - University of L'Aquila, Italy. Symposium on Chaos in Engineering,
- F. C. Moon, "Chaotic and Fractal Dynamics," October 8, 1992 - University of Toronto.
- F. C. Moon, "Chaotic and Fractal Dynamics," October 30, 1992 - Case Western Reserve University, Cleveland, Ohio.
- F. C. Moon, "Application of Chaotic Dynamics", Corning Glass Corporation, March 20, 1991.
- F. C. Moon, "Chaotic Dynamics", U.S. Navy David Taylor Model Basin, April 9, 1991.
- F. C. Moon, 4 Lectures - "Chaotic and Fractal Dynamics", NASA Langley Research Center, April 2-23, 1991.
- F. C. Moon, "Spatial and Temporal Chaos", ASME Summer Meeting, Ohio State University, June 18, 1991.

F. C. Moon, "Spatial Chaos in Solid Mechanics", U.S. Soviet Joint Meeting on Chaos, Woods Hole, MA., July 8-12, 1991.

F. C. Moon, "New Experiments in Chaotic Dynamics in Solid Mechanics", ONR Experimental Chaos Conference, Washington, D.C., October 1-3, 1991.

F. C. Moon, "Chaotic Dynamics", University of Pennsylvania, Philadelphia, PA., October 30, 1991.

RESEARCH ABSTRACTS

Following are abstracts of each of the subprojects active at the end of the third year of the parent project. The six topics encompassed are:

- I. Soliton Deployment Dynamics for Folded Panel Space Structures
- II. Impact Dynamics of Nonlinear Elastica Structures: Solitons and Spatial Chaos
- III. Spatially Chaotic Deformation of the Elastica
- IV. Development of Analytical Capabilities for Realistic and Efficient Simulations of 3-D Space Structures
- V. Interactive Modelling of 3-D Structures
- VI. Parallel Nonlinear Dynamic Analysis

Research Abstracts

I. Soliton Deployment Dynamics of Folded Panel Space Structures

A simplified one-dimensional model was adopted to study the problem of the dynamics of deployable structures. The model provides a nonlinear potential energy vs. displacement function for individual sections that form a large structure such as a solar panel. The model assumes that the structure is clamped at one end, and free at the other (Figure 1).

It was discovered that work done with nonlinear lattices, specifically molecular systems, was very similar to the problem being studied.

Numerical simulations were conducted on both the original system and one of the molecular systems as well. It was possible to numerically duplicate work that had been done with solitons and molecular systems. With this as a starting point, the original system was tested under a variety of initial conditions to see if solitary waves could be generated within it. Solitons were generated in the original system, and were found to facilitate the deployment process.

In addition to the one-dimensional models simulated, recommendations are provided to extend the simulations to an umbrella-like structure with periodic boundary conditions.

II. Impact Dynamics of Nonlinear Elastic Structures: Solitons and Spatial Chaos

Evidence for transition from soliton to chaotic motion in a nonlinear elastic periodic structures has been obtained for both impact and periodic loading. Experiments and numerical simulation are used to show how solitary wave dynamics in a coupled cell system with a finite number of cells can evolve into a complex spatial pattern with chaos-like dynamics. The experiment consists of eight elastic oscillators coupled with buckling sensitive elastica. This structure is analogous to those found in space structures, ship and aircraft structures (see Figure 2).

Numerical prediction of dynamic deformation of imperfection sensitive structures such as plates, shells, and arches have traditionally been poor predictors of actual motion, especially under transient loads. In this study we provide evidence for the inherent unpredictability of calculations of such nonlinear structural dynamics. Both numerical and

experimental measurements show how spatially coherent motions such as solitary waves break up into chaotic motions, extremely sensitive to initial conditions.

III. Spatially Chaotic Deformation of the Elastica

Elastica-based deployable structures have been designed for space antenna in both the United States and Japan (Figure 3). We investigate the existence of spatially chaotic deformations in an elastica and the analogous motions of a free spinning rigid body, an extension of the problem originally examined by Kirchhoff. It is shown that a spatially periodic variation in cross sectional area of the elastica results in spatially complex deformation patterns. The governing equations for the elastica were numerically integrated and Poincaré maps were created for a number of different initial conditions. In addition, three dimensional computer images of the twisted elastica were generated to illustrate periodic, quasi-periodic, and stochastic deformation patterns in space. These pictures clearly show the existence of spatially chaotic deformations with stunning complexity. This finding is relevant to a wide variety of fields in which coiled structures are important, from the modeling of DNA chains to video and audio tape dynamics to the design of deployable space structures (Figures 4,5).

IV. Development of Analytical Capabilities for Realistic and Efficient Simulations of 3-D Space Structures

In this project we seek to develop numerical tools for simulating large deformation nonlinear dynamics of space structures. We focus in particular on structures made of rods. Problems of interest include activity controlled slewing, as well as deployment and stowage. We hope to achieve realistic, accurate, and robust simulations with relatively coarse spatial and temporal discretization, by employing geometrically exact, material frame indifferent formulations [A. Cardona and M. Geradin (1988)] and unconditionally stable, momentum-preserving, implicit time-integration schemes [J. C. Simo et al., (1992)]. We follow A. Cardona, M. Geradin, and D. B. Doan (1991) in modeling constraints as special elements, and make use of sophisticated linear and nonlinear system solvers to reduce the need for expensive matrix factorizations.

All these methods and techniques are as complex to implement as the problems they address are challenging, and require a significant amount of experimentation and fine-tuning. In order to support their integration, a new object-oriented nonlinear dynamics analysis platform (henceforth referred to as ONDAP) is being developed, which emphasize modularity, clarity, flexibility, and reusability. It is organized in three sparsely interfacing modules responsible, respectively, for the finite element model (configuration updates, force/stiffness recovery), the analysis (assembly and solution of nonlinear system of equations), and the input/output.

The design of ONDAP re-addresses central procedures of the method of finite elements as object relations and rules of production. It makes the essence of the method obvious through innovative object classes, such as element-fields, element nodes, and nodal-variables, instead of hiding it in page-long definitions of stiffness matrix entries. Verifying the correctness of a new formulation's implementation is uncommonly easy in ONDAP, due to the element mechanics being expressed in terms of algebra of vector fields. ONDAP encourages experimentation by turning disjoint element implementations into parameterized options (e.g., element topology, order of field interpolation, rule and order of element quadrature, etc.). Finally, options which are mathematically, if not conceptually, independent are identified and assigned to different object classes, to

minimize duplication and maximize reusability of code. Overall ONDAP is designed to be modular, readable, reliable, and easy to expand.

Common operations in ONDAP have been standardized and centralized, in order to preserve reliability. Most object data structures have been defined, although some are not finalized. Functionality for linear elastic material model, prismatic I-beam structural members, and Lagrange interpolation on a Cartesian product topology have been implemented. An extensive library of vector and tensor functions has been created, with special emphasis on rotations and derivatives thereof. An interface with BASYS (the in-house pre- and post-processor -- see "Interactive Modelling of 3-D Structures" below) has been designed and is almost completely coded. Functionality that maps the BASYS description into ONDAP's internal representation has been designed and partially implemented.

The tasks that must be completed before a meaningful problem can be analyzed fall into two categories: general, having to do with the overall organization of ONDAP, and specific. The general tasks are the design and implementation of operations for degree of freedom numbering, updating of configuration, force and/or stiffness recovery, and implicit time integration. Specific tasks include implementation of element mechanics for rods as in Simo and Vu-Quoc (1991), Gauss quadrature on Cartesian product topologies, value and gradient calculation for position vector and rotation pseudo-vector variables, a simple line search algorithm, and skyline matrix functionality (initialization, assembly, left-multiplication into vector, factorization, forward- and back-substitution).

Once ONDAP is operation and stable, the implementation of constraint finite elements for realistic modeling of joints, and of advanced nonlinear system solvers for increased efficiency can be undertaken.

V. Interactive Modelling of 3-D Structures

This aspect of research involves enhancement of the three-dimensional structural modelling software BASYS [Srivastav (1991)]. A radial-edge topological database is used by BASYS to represent frame or truss structures comprised of elements having zero, one, or two dimensions (joint, line, and surface finite elements.) In the past, BASYS required that structural models be created and all attributes be assigned using a separate program, such as CU-PREPF [McGuire et al. (1989)]. As a result of this research and development in the third year of the project, tools are now in place which permit BASYS to be used for the entire model-building process.

Models are generated in BASYS by copying or extruding simple three-dimensional objects to eventually generate the complete structure. The simple objects are created using the Grid generator, or by repeated use of the Add operators (Add vertex, Add edge, Add face.) In BASYS, copying is a two-stage operation where the entities to be copied are first specified and stored in a temporary list, which is in turn operated upon by the copy algorithm selected by the user. Available copying algorithms include copying along a line, along a circular arc, along a radius, and mirror imaging about either a line (for two-dimensional problems) or a plane. Editing functions such as Delete, Split Edge, and Move are also available. Move operations are particularly hard to implement, even with element geometry being an attribute of the structural topology, as in BASYS. Sophisticated checks are necessary to ensure that (1) edges and surfaces will not penetrate existing surfaces, (2) overlapping elements (vertex-vertex, edge-edge, and face-face) will not be generated and pass into the database unknown to the user, and (3) surfaces do not lose their planar geometry as a result of a move request.

Attribute assignment involves two stages. First an attribute is defined and stored, then the components which inherit it are specified. For most attribute classes, BASYS employs a table and pointer-to-table paradigm which is described below. Special operators are included to accommodate orientation-dependent attributes such as orthotropic material, principal axes of bending for beam elements, and follower-type joint or member loads. Finally, pre-assigned attributes are conveniently propagated by the copy operators.

The table-and-pointer-to-table scheme is chosen because it minimizes storage requirements and facilitates modifications. It is typified by its application to material attributes. Typically, structures are constructed of several different materials. Each material type will have a table of its properties stored as an attribute of the model. Also stored with the material properties is a user-defined table name: subsequent references to the material table are made through this name. The attribute assignment procedure begins with the user specifying which of the stored tables is "active". As the table is assigned to a structural component, the component sets its material properties pointer to point to the currently "active" table.

Often, the user desires to know the coordinates of a specified vertex, the distance between vertices, or the coordinates and attribute data associated with a structural component such as an edge or surface element. An Inquiry menu page has been implemented to satisfy such queries, with the associated information appearing in a special Inquiry message box which is updated after each entity pick.

A mechanism has been provided which allows the user to define logical groups of structural elements for the purposes of assigning attributes, requesting analysis output, enhancing graphical displays, or for copying, moving, deleting, etc. Each group is referenced through a name and is displayed with a distinct color, both of which are specified by the user when the group is created. Extensions of this grouping feature will be made to post-processing features as time permits.

Active control is an important feature of many space structures. Anticipating the need to study actively-controlled systems, rudimentary features for them have been incorporated into the current version of BASYS. Active control systems considered in this research can be defined in terms of non-distributed sensors and control actuators. Sensors which monitor any combination of state variables in any orthogonal set of directions, fixed or follower, can be specified. Control actuators may be defined which are of the active mass, active tendon, or active strut type. Currently, BASYS interfaces with analysis software such as ABREAST and MATLAB through formatted ASCII files.

The work associated with this aspect of the research is rapidly nearing completion. The BASYS software is already being used to model complicated space structures, buildings, and other structures which require surface elements. An example is shown in Figure 6. The next logical phase of software development involves incorporating the properties of structural connections, especially connections between two edge elements or between edge and surface elements. Incremental improvements in postprocessing capabilities will be undertaken as time permits.

VI. Parallel Nonlinear Dynamic Analysis

The principal objective of this portion of the research, only partially supported under this grant, is to investigate, develop, and demonstrate coarse-grained parallel-processing strategies for nonlinear dynamics simulations. The parallel-processing

strategies addressed include numerical algorithms for parallel nonlinear solutions and techniques to effect load balancing among processors. The parallel environment employed is a distributed-memory, coarse-grained one consisting of networked workstations. Both parallel explicit and implicit time integration methods have been implemented for transient nonlinear nonlinear solutions. In the current year, automatic domain partitioning techniques have been investigated for load-balancing among processors, and a new version of Simon's spectral approach [Simon (1991)] has been developed, called the recursive spectral two-way (RST) algorithm. Advance computing environments, data structures, and interactive computer graphics all contribute to an integrated parallel finite element analysis system to facilitate more efficient and powerful dynamics simulations.

References

- Cardona, A. and Geradin, M. (1988). "A beam finite element non-linear theory with finite rotations." Int. J. Numer. Meth. Engng. 26, 2403-2438.
- Cardona, A., Geradin, M., and Doan, D. B. (1991). "Rigid and flexible joint modelling in multibody dynamics using finite elements." Computer Meth. Appl. Mech. Engng. 89, 395-418.
- McGuire, W., Deierlein, G. G., Sooi, T.K., and Zhao, Y. (1989). "Illustrated primer for CU-PREPF, CU-STAND, and CU-QUAND." Technical report, School of Civil and Environmental Engineering, Cornell University, Ithaca, NY.
- Simo, J. C. and Vu-Quoc, L. (1991). "A geometrically-exact rod model incorporating shear and torsion-warping deformation." Int. J. Solids Structures 27(3), 371-393.
- Simo, J. C., Tarnow, N., and Wong, K. K. (1992). "Exact energy-momentum conserving algorithms and symplectic schemes for nonlinear dynamics." Comp. Methods Appl. Mech. & Engrg. 100(1), 63-116.
- Simon, H. D. (1991). "Partitioning of unstructured problems for parallel processing." Comp. Sys. in Engrg. 2(2/3), 135-148.
- Srivastav, S. (1991). "Three-Dimensional Modelling and Simulation of Buildings for Seismic Analysis." PhD thesis, Cornell University, August 1991.




Figure 1.







Figure 2.



(a)



(b)



(c)

Figure 3.




Figure 4.




Figure 5.




Figure 6.