

TABLE OF CONTENTS

	Page
INTRODUCTION.....	1
INSTRUCTIONS FOR USE OF TIDE TABLES.....	2
HOW TO DETERMINE HEIGHT OF TIDE AT ANY TIME.....	3
REFERENCES.....	4

TABLES

Conversion Table - Feet to Meters.....	5
Sunrise and Sunset (SAIGON).....	6
Sunrise and Sunset Corrections (Six Locations).....	10
Daily Tide Tables	
Cap Saint-Jacques (10°20'N, 107°05'E).....	11
Qui Nhon (13°45'N, 109°13'E).....	23
Da Nang (Tourane) (16°07'N, 108°13'E).....	35
Do Son (20°40'N, 106°49'E).....	47
Tidal Corrections for Secondary Stations.....	59

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification .....	
By .....	
Distribution /	
Availability Codes	
Dist	Availability for special
A-1	

## INTRODUCTION

At the request of COMNAVFORV, the U.S. Naval Branch Oceanographic Office, Saigon, prepared tidal predictions for Vietnam for 1967 and 1968. Since 1969, the tables have been prepared at the Naval Oceanographic Office (NAVOCEANO). These annual tables are based largely on the French tide tables for the area. The reference stations are conversions of the French. The secondary station corrections were obtained from historical data provided by the Vietnamese Directorate of Navigation and by the United Nations Mekong Delta Commission. Further modifications were generated by observations of the NAVOCEANO Riverine Survey Team.

Users of this report are requested to evaluate the usefulness and applicability of the tide tables. Comments may be forwarded to the U.S. Naval Oceanographic Office, Washington, D.C. 20390.

## INSTRUCTIONS FOR USE OF TIDE TABLES

GENERAL: These tables contain the predicted times and heights of the high and low waters for each day at Cap Saint-Jacques, Qui Nhon, Da Nang (Tourane), and Do Son. By utilizing the local corrections for any specific place, the approximate times and heights of the tides can be determined. High water is the maximum height reached by each rising tide, and low water is the minimum height reached by each falling tide. These figures are to be added to/or subtracted from the charted depth which is computed for approximate lowest low water. For any time between high and low water, the height of the tide may be estimated from the heights of the preceding and following tides.

NOTE: ALL HEIGHTS GIVEN IN THESE TABLES ARE IN FEET AND METERS, AND ALL TIMES ARE IN -8 (Hotel) TIME ZONE.

VARIATION IN WATER LEVEL: Onshore winds and/or low barometric pressure will generally result in tides higher than those predicted. Conversely, offshore winds and/or high barometric pressure will result in lower tides than predicted. At stations situated on tidal rivers, the average seasonal variation in river level, due to freshets and droughts, may be considerably more than a foot. Tide predictions for these stations allow for this seasonal variation by including average freshet and drought conditions. UNUSUAL freshets or droughts, however, will cause the tides to be higher or lower, respectively, than predicted.

NOTE: THE TIME OF SLACK WATER MAY DIFFER BY SEVERAL HOURS FROM THE TIME OF HIGH OR LOW WATER STAND IN TIDAL RIVER AREAS.

NUMBER OF TIDES: There are usually two high and two low waters in a day. Tides follow the moon more closely than they follow the sun, and the lunar or tidal day is about 50 minutes longer than the solar day. This causes the tide to occur later each day, and a tide which has occurred near the end of one calendar day will be followed by a corresponding tide that may skip the next day and occur in the early morning of the third day. Thus, on certain days of each month, only a single high or a single low water occurs. At some stations, during portions of each month, the tide becomes diurnal - that is, only one high and one low water will occur during the period of a lunar day.

SUNRISE/SUNSET: All times in these tables are based on the predicted times for Saigon. Sunrise/sunset correction factors, which are monthly averages, may vary  $\pm$  10 minutes. Phases are indicated in the Sunrise/Sunset tables in the following manner:

- |                 |            |
|-----------------|------------|
| ● New Moon      | A Apogee   |
| ◐ First Quarter | P Perigee  |
| ◑ Full Moon     | S Solstice |
| ● Last Quarter  |            |

#### HOW TO DETERMINE HEIGHT OF TIDE AT ANY TIME

GRAPHICAL METHOD: If the height of the tide is required for a number of times on a certain day, the full tide curve for the day may be obtained by the "one-quarter, one-tenth" rule. The procedure is as follows:

1. On cross section paper plot the high and low water points in the order of their occurrence for the day, measuring time horizontally and height vertically. These are the basic points for the curve.

2. Draw light straight lines connecting the points representing successive high and low waters.

3. Divide each of these straight lines into four equal parts. The halfway point of each line gives another point for the curve.

4. At the quarter point adjacent to high water, draw a vertical line above the point and at a quarter point adjacent to low water draw a vertical line below the point, making the length of these lines equal to one-tenth of the range between the high and low waters used. The points marking the ends of these vertical lines give two additional intermediate points for the curve.

5. Draw a smooth curve through the points of high and low waters and the intermediate points, making the curve well rounded near high and low waters. This curve will approximate the actual tide curve and heights for any time of day and may be readily scaled from it.

\*\*\*\*\*

CAUTION: This method is based on the assumption that the rise and fall conform to simple cosine curve; therefore, the heights obtained will be approximate. The roughness of the approximation will vary as the tide curve differs from a cosine curve.

\*\*\*\*\*

## REFERENCES

- Josephson, Julian. 1968. Tidal Comparisions in the Mekong Delta. IR No. 68-16. UNPUBLISHED MANUSCRIPT. U.S. Naval Oceanographic Office. Washington, D.C.
- \_\_\_\_\_, and Burns, Donald A. 1968. Tidal Depth Sounding Corrections for the Mekong Delta. IR No. 68-11. UNPUBLISHED MANUSCRIPT. U.S. Naval Oceanographic Office. Washington, D. C.
- Service Hydrographique De La Marine. Annuaire Des Marees Pour L'an 1972 Tome II Ports D'Outre - Mer No. 571A. Paris, France.
- U.S. Coast and Geodetic Survey. Issued 1971. Tide Tables, High and Low Water Predictions, 1972, Central and Western Pacific Ocean and Indian Ocean. U.S. Coast and Geodetic Survey. Washington, D.C.
- U.S. Naval Observatory. The American Ephemeris and Nautical Almanac, 1972. U.S. Government Printing Office. Washington, D.C.
- U.S. Naval Oceanographic Office. 1969. Tide Tables, High and Low Water Predictions, Republic of Vietnam. UNPUBLISHED MANUSCRIPT. U.S. Naval Oceanographic Office. Washington, D.C.

## CONVERSION TABLE

### FEET TO METERS

FEET	0	.1	.2	.3	.4	.5	.6	.7	.8	.9
	EQUALS METERS									
0+	0	0.03	0.06	0.09	0.12	0.15	0.18	0.21	0.24	0.27
1+	0.30	0.33	0.36	0.39	0.42	0.45	0.48	0.51	0.54	0.57
2+	0.61	0.64	0.67	0.70	0.73	0.76	0.79	0.82	0.85	0.88
3+	0.91	0.94	0.97	1.00	1.03	1.06	1.09	1.12	1.15	1.18
4+	1.22	1.25	1.28	1.31	1.34	1.37	1.40	1.43	1.46	1.49
5+	1.52	1.55	1.58	1.61	1.64	1.67	1.70	1.73	1.76	1.79
6+	1.83	1.86	1.89	1.92	1.95	1.98	2.01	2.04	2.07	2.10
7+	2.13	2.16	2.19	2.22	2.25	2.28	2.31	2.34	2.37	2.40
8+	2.44	2.47	2.50	2.53	2.56	2.59	2.62	2.65	2.68	2.71
9+	2.74	2.77	2.80	2.83	2.86	2.89	2.92	2.95	2.98	3.01
10+	3.05	3.08	3.11	3.14	3.17	3.20	3.23	3.26	3.29	3.32
11+	3.35	3.38	3.41	3.44	3.47	3.50	3.53	3.56	3.59	3.62
12+	3.66	3.69	3.72	3.75	3.78	3.81	3.84	3.87	3.90	3.93
13+	3.96	3.99	4.02	4.05	4.08	4.11	4.14	4.17	4.20	4.23
14+	4.27	4.30	4.33	4.36	4.39	4.42	4.45	4.48	4.51	4.54
15+	4.57	4.60	4.63	4.66	4.69	4.72	4.75	4.78	4.81	4.84

FOR EXAMPLE: 7.5 feet equals 2.28 meters.

SUNRISE AND SUNSET (SAIGON) - 1972

JANUARY				FEBRUARY				MARCH			
DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE
1	0710	1842		1	0716	1858		1	0707	1904	
2	0711	1843		2	0716	1858		2	0707	1904	
3	0711	1843		3	0715	1859		3	0706	1904	
4	0712	1844		4	0715	1859		4	0706	1904	
5	0712	1844		5	0715	1859		5	0705	1904	A
6	0712	1845		6	0715	1859	A	6	0705	1904	
7	0713	1846		7	0715	1900	●	7	0704	1904	
8	0713	1846	●	8	0714	1900		8	0704	1904	●
9	0714	1847	A	9	0714	1900		9	0703	1904	
10	0714	1847		10	0714	1900		10	0703	1904	
11	0714	1847		11	0714	1900		11	0702	1904	
12	0714	1848		12	0713	1901		12	0702	1904	
13	0715	1848		13	0713	1901		13	0701	1904	
14	0715	1849		14	0713	1901		14	0701	1904	
15	0715	1849		15	0713	1901	●	15	0700	1904	●
16	0715	1850	●	16	0712	1901		16	0700	1904	
17	0715	1850		17	0712	1902		17	0659	1904	P
18	0716	1851		18	0712	1902	P	18	0659	1804	
19	0716	1851		19	0712	1902		19	0658	1904	
20	0716	1852		20	0711	1902		20	0657	1904	E
21	0716	1852		21	0711	1902		21	0657	1904	
22	0716	1853	P	22	0711	1903	●	22	0656	1904	●
23	0716	1853	●	23	0710	1903		23	0655	1904	
24	0716	1854		24	0710	1903		24	0655	1904	
25	0716	1854		25	0710	1903		25	0654	1904	
26	0716	1855		26	0709	1903		26	0654	1904	
27	0716	1855		27	0709	1903		27	0653	1904	
28	0716	1856		28	0708	1904		28	0653	1904	
29	0716	1856		29	0708	1904	○	29	0652	1904	
30	0716	1857	○					30	0651	1904	○
31	0716	1857						31	0651	1904	

SUNRISE AND SUNSET (SAIGON) - 1972

APRIL				MAY				JUNE			
DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE
1	0651	1904	A	1	0636	1904		1	0630	1910	
2	0650	1904		2	0635	1905		2	0630	1911	
3	0650	1904		3	0635	1905		3	0630	1912	
4	0649	1904		4	0635	1905		4	0630	1913	
5	0649	1904		5	0635	1905		5	0630	1913	●
6	0648	1904		6	0634	1905	●	6	0630	1914	
7	0648	1904	●	7	0634	1906		7	0630	1914	
8	0647	1904		8	0633	1906		8	0630	1915	
9	0646	1904		9	0633	1906		9	0630	1915	
10	0646	1904		10	0632	1906		10	0630	1915	P
11	0645	1904		11	0632	1906		11	0631	1915	●
12	0644	1903		12	0632	1906		12	0631	1915	
13	0644	1903		13	1631	1906	P ●	13	0631	1915	
14	0643	1903	● P	14	0631	1906		14	0631	1915	
15	0643	1903		15	0631	1906		15	0631	1915	
16	0642	1903		16	0631	1906		16	0632	1916	
17	0642	1904		17	0630	1907		17	0632	1916	
18	0641	1904		18	0630	1907		18	0632	1916	
19	0641	1904		19	0630	1907		19	0632	1916	●
20	1640	1904	●	20	0630	1907	●	20	0632	1916	
21	0639	1904		21	0630	1907		21	0633	1917	S
22	0639	1904		22	0630	1908		22	0633	1917	A
23	0638	1904		23	0630	1908		23	0633	1917	
24	0638	1904		24	0630	1908		24	0633	1917	
25	0638	1904		25	0630	1908	A	25	0633	1917	
26	0637	1904		26	0630	1908		26	0634	1918	
27	0637	1904		27	0630	1909		27	0634	1918	○
28	0636	1904	AO	28	0630	1909	○	28	0634	1918	
29	0636	1904		29	0630	1909		29	0634	1918	
30	0636	1904		30	0630	1909		30	0634	1918	
				31	0630	1910					



SUNRISE AND SUNSET (SAIGON) - 1972

JULY				AUGUST				SEPTEMBER			
DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE
1	0635	1919		1	0643	1916		1	0644	1902	
2	0635	1919		2	0643	1916	●	2	0644	1902	
3	0635	1919		3	0643	1916	P	3	0644	1901	
4	0635	1919	●	4	0643	1915		4	0643	1901	
5	0636	1919		5	0643	1915		5	0643	1900	
6	0636	1919		6	0643	1914		6	0643	1859	
7	0637	1919		7	0643	1914		7	0643	1859	
8	0637	1919	P	8	0643	1914		8	0643	1858	●
9	0637	1919		9	0643	1913	●	9	0643	1858	
10	0637	1919		10	0644	1913		10	0643	1857	
11	0638	1920	●	11	0644	1912		11	0643	1856	
12	0638	1920		12	0644	1912		12	0643	1856	
13	0638	1920		13	0644	1912		13	0643	1855	
14	0638	1920		14	0644	1911		14	0643	1855	
15	0638	1920		15	0644	1911		15	0643	1854	
16	0639	1919		16	0644	1910	A	16	0643	1853	●
17	0639	1919		17	0644	1910	●	17	0643	1853	
18	0639	1919	●	18	0644	1909		18	0643	1852	
19	0639	1919		19	0644	1909		19	0642	1852	
20	0639	1919	A	20	0644	1908		20	0642	1851	
21	0640	1919		21	0644	1908		21	0642	1850	
22	0640	1919		22	0644	1907		22	0642	1850	
23	0640	1919		23	0644	1907		23	0642	1849	EO
24	0640	1919		24	0644	1906		24	0642	1849	
25	0640	1919		25	0644	1906	O	25	0642	1848	P
26	0641	1918	O	26	0644	1905		26	0642	1847	
27	0641	1918		27	0644	1905		27	0641	1846	
28	0641	1918		28	0644	1904		28	0641	1845	
29	0641	1918		29	0644	1904	P	29	0640	1845	
30	0642	1917		30	0644	1903		30	0640	1844	●
31	0642	1917		31	0644	1903	●				

SUNRISE AND SUNSET (SAIGON) - 1972

OCTOBER				NOVEMBER				DECEMBER			
DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE	DATE	RISE H.M.	SET H.M.	PHASE
1	0639	1844		1	0643	1830		1	0656	1829	
2	0639	1843		2	0643	1830		2	0656	1829	
3	0640	1842		3	0644	1829		3	0657	1829	
4	0640	1842		4	0644	1829		4	0657	1830	A
5	0641	1841		5	0644	1829		5	0658	1830	
6	0641	1841		6	0644	1829	●	6	0658	1830	●
7	0641	1840	●	7	0645	1829	A	7	0659	1831	
8	0641	1840		8	0645	1828		8	0659	1831	
9	0641	1839		9	0646	1828		9	0700	1831	
10	0641	1839		10	0646	1828		10	0700	1832	
11	0641	1838	A	11	0646	1828		11	0701	1832	
12	0641	1838		12	0647	1828		12	0701	1833	
13	0641	1837		13	0647	1827		13	0702	1833	
14	0642	1837		14	0648	1827	●	14	0702	1834	●
15	0642	1836	●	15	0648	1827		15	0703	1834	
16	0642	1836		16	0649	1827		16	0703	1834	
17	0642	1835		17	0649	1827		17	0703	1835	
18	0642	1835		18	0650	1827		18	0704	1835	
19	0642	1834		19	0650	1827		19	0704	1836	P
20	0642	1834		20	0651	1827		20	0705	1836	O
21	0642	1833		21	0651	1827	OP	21	0705	1837	
22	0642	1833	●	22	0652	1827		22	0706	1837	S
23	0642	1832	P	23	0652	1827		23	0706	1838	
24	0642	1832		24	0653	1827		24	0707	1838	
25	0642	1831		25	0653	1827		25	0707	1839	
26	0642	1831		26	0654	1827		26	0708	1839	
27	0642	1831		27	0654	1827		27	0709	1840	●
28	0642	1831		28	0654	1827	●	28	0709	1840	
29	0643	1830	●	29	0655	1826		29	0710	1841	
30	0643	1830		30	0655	1826		30	0710	1841	
31	0643	1830						31	0711	1841	

1972 SUNRISE AND SUNSET CORRECTIONS - MINUTES

	JANUARY		FEBRUARY		MARCH		APRIL	
	Rise	Set	Rise	Set	Rise	Set	Rise	Set
Can Tho (10°02'N; 105°47'E)	+ 3	+ 5	+ 4	+ 4	+ 4	+ 4	+ 4	+ 4
Chu Lai (15°30'N; 104°30'E)	+ 1	-14	+ 2	-12	- 6	- 7	-11	- 3
Da Nang (16°04'N; 108°13'E)	+ 3	-14	0	-12	- 5	- 6	-10	- 1
Don Duong (11°51'N; 108°33'E)	- 5	- 9	- 5	- 9	- 7	- 7	- 8	- 5
Nha Trang (12°15'N; 109°11'E)	+ 3	-13	- 8	-12	-10	-10	-11	- 3
Qui Nhon (13°46'N; 109°14'E)	- 4	-15	- 6	-15	- 9	-10	-12	- 7

	MAY		JUNE		JULY		AUGUST	
	Rise	Set	Rise	Set	Rise	Set	Rise	Set
Can Tho (10°02'N; 105°47'E)	+ 5	+ 5	+ 5	+ 3	+ 5	+ 3	+ 4	+ 4
Chu Lai (15°30'N; 108°30'E)	-14	+ 2	-17	+ 3	-16	+ 1	-12	- 2
Da Nang (16°04'N; 108°13'E)	-14	+ 4	-17	+ 5	-16	+ 3	-12	0
Don Duong (11°51'N; 108°33'E)	- 9	- 3	-10	- 4	-10	- 5	- 9	- 5
Nha Trang (12°15'N; 109°11'E)	-13	- 5	-14	- 6	-13	- 7	-12	- 8
Qui Nhon (13°46'N; 109°14'E)	-15	- 3	-16	- 4	-15	- 4	-14	- 6

	SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Rise	Set	Rise	Set	Rise	Set	Rise	Set
Can Tho (10°02'N; 105°47'E)	+ 4	+ 4	+ 4	+ 4	+ 4	+ 5	+ 3	+ 5
Chu Lai (15°30'N; 108°30'E)	- 8	- 6	- 4	-11	- 9	-14	+ 2	-17
Da Nang (16°04'N; 108°13'E)	- 7	- 5	- 3	-10	+ 3	-14	+ 4	-17
Don Duong (11°51'N; 108°33'E)	- 7	- 7	- 6	- 8	- 4	- 9	- 4	-10
Nha Trang (12°15'N; 109°11'E)	-10	-10	- 9	-11	- 7	-13	- 7	-14
Qui Nhon (13°46'N; 109°14'E)	-11	- 9	- 8	-12	- 5	-15	- 5	-16

## CAP SAINT-JACQUES

JANUARY 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1 SA	0104		3.9	12.3	11 TU	0447		1.7	5.6	21 F	0500		3.6	11.8
	0848		0.1	0.3		1218		2.9	9.5		1150		1.0	3.3
	1615		3.7	12.1		1534		2.7	8.8		1735		3.7	12.1
	2101		2.9	9.5		2154		3.4	11.2					
2 SU	0148		3.9	12.8	12 W	0541		1.4	4.6	22 SA	0029		1.9	6.2
	0929		0.2	0.7		1326		3.1	10.2		0604		3.4	11.2
	1656		3.7	12.1		1704		2.9	9.5		1231		1.4	4.6
	2144		2.8	9.2		2240		3.4	11.2		1904		3.6	11.8
3 M	0234		3.9	12.8	13 TH	0628		1.1	3.6	23 SU	0122		1.7	5.6
	1009		0.3	1.0		1415		3.2	10.5		0720		3.2	10.5
	1732		3.7	12.1		1828		2.9	9.5		1311		1.8	5.9
	2226		2.7	8.8		2325		3.5	11.5		1935		3.6	11.8
4 TU	0318		3.7	12.1	14 F	0710		0.8	2.6	24 M	0222		1.5	4.9
	1049		0.5	1.6		1451		3.4	11.2		0858		3.0	9.8
	1810		3.6	11.8		1928		2.9	9.5		1355		2.3	7.5
	2311		2.6	8.5		2306		3.6	11.8		2010		3.5	11.5
5 W	0406		3.5	11.5	15 SA	0751		0.6	2.0	25 TU	0334		1.3	4.3
	1127		0.9	3.0		1522		3.6	11.8		1056		3.0	9.8
	1843		3.6	11.8		2014		2.9	9.5		1449		2.6	8.5
									2056			3.5	11.5	
6 TH	0000		2.5	8.2	16 SU	0050		3.7	12.1	26 W	0452		1.0	3.3
	0459		3.3	10.8		0830		0.4	1.3		1240		3.1	10.2
	1205		1.2	3.9		1556		3.7	12.1		1614		2.9	9.5
	1914		3.5	11.5		2055		2.8	9.2		2157		3.5	11.5
7 F	0052		2.3	7.5	17 M	0136		3.8	12.5	27 TH	0602		0.8	2.6
	0601		3.1	10.2		0909		0.3	1.0		1400		3.3	10.8
	1243		1.6	5.2		1627		3.7	12.1		1804		3.0	9.8
	1943		3.5	11.5		2135		2.7	8.8		2303		3.6	11.8
8 SA	0145		2.2	7.2	18 TU	0222		3.8	12.5	28 F	0702		0.5	1.6
	0718		2.9	9.5		0949		0.3	1.0		1451		3.5	11.5
	1317		1.9	6.2		1702		3.7	12.1		1924		3.0	9.8
	2011		3.4	11.2		2213		2.5	8.2					
9 SU	0242		2.1	6.9	19 W	0310		3.8	12.5	29 SA	0003		3.6	11.8
	0853		2.3	9.2		1029		0.4	1.3		0754		0.4	1.3
	1352		2.2	7.2		1733		3.7	12.1		1527		3.6	11.8
	2041		3.4	11.2		2255		2.4	7.9		2017		2.8	9.2
10 M	0344		1.9	6.2	20 TH	0403		3.8	12.5	30 SU	0100		3.7	12.1
	1045		2.8	9.2		1109		0.7	2.3		0740		0.3	1.0
	1434		2.5	8.2		1705		3.7	12.1		1601		3.6	11.8
	2114		3.4	11.2		2341		2.2	7.2		2100		2.6	8.5
									31 M	0155		3.7	12.1	
								0921			0.4	1.3		
								1629			3.6	11.8		
										2140		2.4	7.9	

## CAP SAINT-JACQUES

FEBRUARY 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	02	47	3.7	12.1	11	05	41	1.1	3.6	21	00	48	1.1	3.6
TU	09	59	0.6	2.0	F	14	06	3.2	10.5	M	07	23	3.2	10.5
	16	57	3.6	11.8		18	05	3.0	9.8		12	41	2.1	6.9
	22	16	2.2	7.2		22	38	3.3	10.8		13	28	3.6	11.3
2	03	38	3.6	11.8	12	06	38	0.9	3.0	22	01	45	1.0	3.3
W	10	35	0.9	3.0	SA	14	30	3.3	10.8	TU	08	57	3.0	9.8
	17	21	3.5	11.5		19	18	2.9	9.5		13	20	2.5	8.2
	22	54	2.0	6.6		23	45	3.4	11.2		18	57	3.5	11.5
3	04	25	3.5	11.5	13	07	28	0.7	2.3	23	02	54	1.0	3.3
TH	11	07	1.1	3.6	SU	14	59	3.5	11.5	W	11	02	3.0	9.8
	17	45	3.5	11.5		20	05	2.7	8.8		14	07	2.8	9.2
	23	30	1.9	6.2							19	38	3.4	11.2
4	05	12	3.3	10.8	14	00	45	3.5	11.5	24	04	15	1.0	3.3
F	11	39	1.4	4.6	M	08	14	0.5	1.6	TH	12	53	3.1	10.2
	18	05	3.5	11.5		15	24	3.6	11.8		15	53	3.0	9.8
						20	45	2.5	8.2		20	56	3.3	10.8
5	00	08	1.8	5.9	15	01	41	3.7	12.1	25	05	39	0.9	3.0
SA	12	06	1.7	5.6	TU	08	56	0.5	1.6	F	13	57	3.3	10.8
	18	24	3.4	11.2		15	52	3.6	11.8		18	29	3.0	9.8
						21	21	2.2	7.2		22	49	3.2	10.5
6	00	48	1.7	5.6	16	02	35	3.8	12.5	26	06	48	0.8	2.6
SU	06	53	3.0	9.8	W	09	37	0.5	1.6	SA	14	31	3.4	11.2
	12	33	2.0	6.6		16	18	3.7	12.1		19	40	2.7	8.8
	18	42	3.4	11.2		21	57	1.9	6.2					
7	01	31	1.6	5.2	17	03	26	3.8	12.5	27	00	10	3.3	10.8
M	08	01	2.8	9.2	TH	10	14	0.7	2.3	SU	07	45	0.7	2.3
	12	56	2.3	7.5		16	44	3.7	12.1		15	01	3.4	11.2
	19	00	3.4	11.2		22	35	1.6	5.2		20	20	2.4	7.9
8	02	21	1.6	5.2	18	04	18	3.8	12.5	28	01	17	3.4	11.2
TU	09	50	2.7	8.3	F	10	52	0.9	3.0	M	08	31	0.7	2.3
	13	22	2.5	8.2		16	09	3.7	12.1		15	24	3.5	11.5
	19	23	3.3	10.8		23	14	1.4	4.6		20	54	2.1	6.9
9	03	23	1.5	4.9	19	05	12	3.7	12.1	29	02	14	3.5	11.5
W	12	02	2.8	9.2	SA	11	28	1.3	4.3	TU	09	09	0.8	2.6
	13	53	2.8	9.2		17	57	3.7	12.1		15	46	3.5	11.5
	19	59	3.3	10.8		23	59	1.2	3.9		21	26	1.9	6.2
10	04	34	1.3	4.3	20	06	12	3.5	11.5					
TH	13	25	3.0	9.8	SU	12	04	1.7	5.6					
	15	41	3.0	9.8		18	00	3.6	11.8					
	21	08	3.2	10.5										

## CAP SAINT-JACQUES

MARCH 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	03	04	3.6	11.8	11	04	47	1.2	3.9	21	00	21	0.6	2.0
W	09	44	0.9	3.0	SA	13	22	3.2	10.5	TU	07	28	3.3	10.8
	16	05	3.5	11.5		18	12	2.9	9.5		12	18	2.4	7.9
	21	56	1.6	5.2		22	01	3.0	9.8		17	31	3.6	11.3
2	03	48	3.6	11.8	12	06	02	1.1	3.6	22	01	14	0.7	2.3
TH	10	13	1.1	3.6	SU	13	50	3.3	10.8	W	08	59	3.1	10.2
	16	23	3.5	11.5		19	13	2.6	8.5		12	59	2.7	8.8
	22	26	1.4	4.6		23	44	3.2	10.5		17	59	3.4	11.2
3	04	28	3.5	11.5	13	07	04	0.9	3.0	23	02	18	0.8	2.6
F	10	42	1.4	4.6	M	14	14	3.4	11.2	TH	10	54	3.1	10.2
	16	41	3.5	11.5		19	51	2.3	7.5		14	00	2.9	9.5
	22	56	1.3	4.3							18	30	3.2	10.5
4	05	08	3.4	11.2	14	00	52	3.4	11.2	24	03	37	1.0	3.3
SA	11	08	1.6	5.2	TU	07	55	0.8	2.6	F	12	23	3.2	10.5
	16	57	3.5	11.5		14	38	3.5	11.5		16	50	3.0	9.8
	23	27	1.2	3.9		20	25	2.0	6.6		19	45	3.0	9.8
5	05	49	3.3	10.8	15	01	51	3.6	11.8	25	05	10	1.1	3.6
SU	11	33	1.9	6.2	W	08	39	0.8	2.6	SA	13	14	3.2	10.5
	17	12	3.4	11.2		15	02	3.6	11.8		19	05	2.7	8.8
						20	59	1.6	5.2		23	04	2.9	9.5
6	00	01	1.2	3.9	16	02	44	3.8	12.5	26	06	29	1.1	3.6
M	06	35	3.1	10.2	TH	09	17	0.9	3.0	SU	13	46	3.3	10.8
	11	56	2.2	7.2		15	26	3.6	11.8		19	38	2.3	7.5
	17	27	3.4	11.2		21	35	1.2	3.9					
7	00	39	1.2	3.9	17	03	34	3.9	12.8	27	00	32	3.1	10.2
TU	07	34	2.9	9.5	F	09	54	1.1	3.6	M	07	28	1.1	3.6
	12	21	2.4	7.9		15	50	3.7	12.1		14	10	3.3	10.8
	17	44	3.4	11.2		22	10	0.9	3.0		20	06	2.0	6.6
8	01	22	1.2	3.9	18	04	24	3.8	12.5	28	01	35	3.3	10.8
W	09	04	2.8	9.2	SA	10	30	1.4	4.6	TU	08	11	1.2	3.9
	12	46	2.6	8.5		16	14	3.7	12.1		14	29	3.4	11.2
	18	05	3.3	10.8		22	50	0.7	2.3		20	34	1.6	5.2
9	02	16	1.2	3.9	19	05	18	3.7	12.1	29	02	25	3.4	11.2
TH	11	16	2.9	9.5	SU	11	05	1.7	5.6	W	08	48	1.3	4.3
	13	22	2.8	9.2		16	39	3.7	12.1		14	49	3.4	11.2
	18	34	3.2	10.5		23	33	0.6	2.0		21	01	1.3	4.3
10	03	24	1.2	3.9	20	06	18	3.5	11.5	30	03	08	3.5	11.5
F	12	47	3.0	9.8	M	11	41	2.1	6.9	TH	09	18	1.4	4.6
	15	12	3.0	9.8		17	05	3.6	11.8		15	06	3.4	11.2
	19	22	3.1	10.2							21	28	1.1	3.6
										31	03	47	3.5	11.5
										F	02	47	1.6	5.2
											15	23	3.5	11.5
											21	28	2.2	2.0

## CAP SAINT-JACQUES

APRIL 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0423		3.5	11.5	11	0632		1.2	3.9	21	0148		0.5	2.6
SA	1013		1.5	5.9	TU	1316		3.4	11.2	F	1018		3.2	10.5
	1540		3.5	11.5		1923		1.3	5.9		1423		2.8	9.2
	2223		0.8	2.6							1747		3.0	9.3
2	0502		3.4	11.2	12	0058		3.3	10.8	22	0300		1.1	3.6
SU	1040		2.0	6.6	W	0726		1.3	4.3	SA	1127		3.2	10.5
	1557		3.5	11.5		1341		3.5	11.5		1814		2.7	8.8
	2253		0.8	2.6		1958		1.4	4.6		2053		2.7	8.8
3	0542		3.3	10.8	13	0155		3.6	11.8	23	0431		1.4	4.6
M	1105		2.2	7.2	TH	0811		1.3	4.3	SU	1211		3.2	10.5
	1613		3.5	11.5		1406		3.6	11.8		1842		2.3	7.5
	2325		0.8	2.6		2034		0.9	3.0		2325		2.8	9.2
4	0627		3.2	10.5	14	0247		3.7	12.1	24	0554		1.5	4.9
TU	1133		2.4	7.9	F	0852		1.5	4.9	M	1241		3.3	10.8
	1631		3.4	11.2		1432		3.7	12.1		1909		1.9	6.2
						2110		0.6	2.0					
5	0000		0.8	2.6	15	0338		3.8	12.5	25	0042		3.0	9.8
W	0723		3.1	10.2	SA	0931		1.7	5.6	TU	0653		1.6	5.2
	1200		2.6	8.5		1458		3.7	12.1		1306		3.3	10.8
	1652		3.4	11.2		2150		0.3	1.0		1937		1.5	4.9
6	0041		0.9	3.0	16	0430		3.8	12.5	26	0138		3.2	10.5
TH	0737		3.0	9.8	SU	1007		1.9	6.2	W	0738		1.7	5.6
	1238		2.9	9.2		1525		3.7	12.1		1326		3.3	10.8
	1715		3.3	10.8		2230		0.1	0.3		2004		1.2	3.9
7	0130		1.0	3.3	17	0525		3.7	12.1	27	0223		3.3	10.8
F	1020		3.0	9.8	M	1045		2.2	7.2	TH	0814		1.8	5.9
	1338		2.9	9.5		1553		3.7	12.1		1347		3.4	11.2
	1744		3.2	10.5		2313		0.1	0.3		2031		0.9	3.0
8	0233		1.1	3.6	18	0626		3.5	11.5	28	0304		3.4	11.2
SA	1138		3.1	10.2	TU	1023		2.5	8.2	F	0847		1.9	6.2
	1555		2.9	9.5		1621		3.6	11.8		1406		3.4	11.2
	1835		2.9	9.5		2359		0.3	1.0		2059		0.7	2.3
9	0357		1.2	3.9	19	0732		3.3	10.8	29	0342		3.4	11.2
SU	1220		3.2	10.5	W	1204		2.7	8.8	SA	0916		2.0	6.6
	1806		2.6	8.5		1650		3.5	11.5		1426		3.4	11.2
	2208		2.8	9.2							2127		0.5	1.6
10	0523		1.3	4.3	20	0050		0.5	1.6	30	0419		3.5	11.5
M	1251		3.3	10.8	TH	0851		3.2	10.5	SU	0946		2.2	7.2
	1848		2.3	7.5		1258		2.8	9.2		1446		3.5	11.5
	2351		3.0	9.8		1718		3.3	10.8		2156		0.4	1.3

CAP SAINT-JACQUES								MAY 1972						
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0459		3.4	11.2	11	0057		3.2	10.5	21	0224		1.2	3.9
M	1014		2.3	7.5	TH	0648		1.7	5.6	SU	1019		3.2	10.5
	1506		3.5	11.5		1242		3.5	11.5		1642		2.3	7.5
	2226		0.4	1.3		1929		0.8	2.6		2129		2.5	8.2
2	0539		3.4	11.2	12	0157		3.4	11.2	22	0337		1.6	5.2
TU	1045		2.4	7.9	F	0740		1.9	6.2	M	1100		3.2	10.5
	1529		3.5	11.5		1310		3.6	11.8		1745		1.9	6.2
	2258		0.4	1.3		2010		0.4	1.3		2320		2.6	8.5
3	0624		3.3	10.8	13	0252		3.6	11.8	23	0453		1.8	5.9
W	1015		2.6	8.5	SA	0826		2.0	6.6	TU	1131		3.2	10.5
	1552		3.4	11.2		1342		3.7	12.1		1824		1.5	4.9
	2333		0.5	1.6		2051		0.1	0.3					
4	0716		3.3	10.8	14	0346		3.6	11.8	24	0033		2.8	9.2
TH	1153		2.7	8.8	SU	0908		2.2	7.2	W	0557		2.0	6.6
	1618		3.3	10.8		1412		3.7	12.1		1158		3.2	10.5
						2133		-0.1	-0.3		1858		1.2	3.9
5	0014		0.6	2.0	15	0439		3.6	11.8	25	0129		2.9	9.5
F	0817		3.2	10.5	M	0949		2.4	7.9	TH	0649		2.1	6.9
	1245		2.8	9.2		1446		3.7	12.1		1222		3.3	10.8
	1649		3.2	10.5		2114		-0.2	-0.7		1929		0.9	3.0
6	0102		0.8	2.6	16	0533		3.6	11.8	26	0219		3.1	10.2
SA	0927		3.2	10.5	TU	1029		2.5	8.2	F	0734		2.2	7.2
	1403		2.8	9.2		1519		3.7	12.1		1246		3.3	10.8
	1733		3.0	9.8		2257		-0.1	-0.3		2000		0.6	2.0
7	0102		1.1	3.6	17	0629		3.5	11.5	27	0302		3.2	10.5
SU	1029		3.2	10.5	W	1111		2.6	8.5	SA	0812		2.3	7.5
	1555		2.6	8.5		1552		3.5	11.5		1310		3.3	10.8
	1920		2.7	8.8		2342		0.1	0.3		2031		0.4	1.3
8	0316		1.3	4.3	18	0726		3.4	11.2	28	0340		3.3	10.8
M	1112		3.2	10.5	TH	1201		2.6	8.5	SU	0849		2.3	7.5
	1717		2.2	7.2		1628		3.3	10.8		1336		3.4	11.2
	2220		2.7	8.8							2101		0.3	1.0
9	0437		1.5	4.9	19	0030		0.4	1.3	29	0417		3.3	10.8
TU	1145		3.3	10.8	F	0825		3.2	10.5	M	0922		2.4	7.9
	1806		1.8	5.9		1307		2.6	8.5		1401		3.4	11.2
	2351		2.9	9.5		1708		3.0	9.8		2132		0.1	0.3
10	0548		1.6	5.2	20	0123		0.8	2.6	30	0455		3.4	11.2
W	1213		3.4	11.2	SA	0926		3.2	10.5	TU	0955		2.5	8.2
	1848		1.3	4.3		1438		2.5	8.2		1430		3.4	11.2
						1827		2.7	8.8		2204		0.1	0.3
										31	0533		3.4	11.2
										W	1029		2.5	8.2
											1458		3.4	11.2
											2238		0.1	0.3



## CAP SAINT-JACQUES

JUNE 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	06	16	3.3	10.8	11	03	04	3.3	10.8	21	03	31	1.9	6.2
TH	11	06	2.6	8.5	SU	08	02	2.4	7.9	W	10	13	3.1	10.2
	15	31	3.3	10.8		13	00	3.6	11.8		17	25	1.3	4.3
	23	15	0.2	0.7		20	37	-0.2	-0.7					
2	07	02	3.3	10.8	12	03	57	3.4	11.2	22	00	16	2.6	8.5
F	11	53	2.6	8.5	M	08	51	2.5	8.2	TH	04	36	2.2	7.2
	16	08	3.2	10.5		13	40	3.6	11.8		10	46	3.1	10.2
	23	58	0.4	1.3		21	20	-0.3	-1.0		18	12	1.0	3.3
3	07	49	3.3	10.8	13	04	46	3.4	11.2	23	01	23	2.7	8.8
SA	12	51	2.5	8.2	TU	09	35	2.5	8.2	F	05	45	2.3	7.5
	16	57	3.0	9.8		14	20	3.6	11.8		11	18	3.1	10.2
						22	02	-0.3	-1.0		18	52	0.7	2.3
4	00	46	0.7	2.3	14	05	32	3.4	11.2	24	02	18	2.8	9.2
SU	08	34	3.2	10.5	W	10	18	2.5	8.2	SA	06	48	2.4	7.9
	13	59	2.4	7.9		15	01	3.5	11.5		11	50	3.1	10.2
	18	11	2.8	9.2		22	45	-0.1	-0.3		19	29	0.5	1.6
5	01	40	1.0	3.3	15	06	20	3.4	11.2	25	03	01	3.0	9.8
M	09	19	3.2	10.5	TH	11	05	2.4	7.9	SU	07	41	2.5	8.2
	15	13	2.1	6.9		15	46	3.3	10.8		12	23	3.2	10.5
	20	11	2.6	8.5		23	28	0.1	0.3		20	03	0.3	1.0
6	02	39	1.3	4.3	16	07	05	3.3	10.8	26	02	34	3.1	10.2
TU	09	59	3.2	10.5	F	11	59	2.4	7.9	M	08	24	2.5	8.2
	16	22	1.7	5.6		16	35	3.1	10.2		12	56	3.2	10.5
	22	15	2.6	8.5							20	38	0.1	0.3
7	03	45	1.6	5.2	17	00	13	0.5	1.6	27	04	09	3.2	10.5
W	10	36	3.3	10.8	SA	07	47	3.2	10.5	TU	09	01	2.4	7.9
	17	22	1.3	4.3		13	01	2.2	7.2		13	32	3.3	10.8
	23	46	2.8	9.2		17	41	2.8	9.2		21	11	0.1	0.3
8	04	55	1.9	6.2	18	00	59	0.9	3.0	28	04	42	3.3	10.8
TH	11	10	3.3	10.8	SU	08	26	3.1	10.2	W	09	39	2.4	7.9
	18	14	0.8	2.6		14	09	2.1	6.9		14	08	3.3	10.8
						19	16	2.5	8.2		21	47	-0.0	-0.0
9	00	59	3.0	9.8	19	01	47	1.3	4.3	29	05	17	3.3	10.8
F	06	03	2.1	6.9	M	09	04	3.1	10.2	TH	10	16	2.4	7.9
	11	47	3.4	11.2		15	21	1.8	5.9		14	49	3.3	10.8
	19	04	0.4	1.3		21	09	2.4	7.9		21	24	0.0	0.0
10	02	05	3.2	10.5	20	02	36	1.6	5.2	30	05	54	3.3	10.8
SA	07	06	2.3	7.5	TU	09	40	3.1	10.2	F	10	58	2.3	7.5
	12	23	3.5	11.5		16	29	1.6	5.2		15	34	3.2	10.5
	19	52	0.0	0.0		22	55	2.4	7.9		23	04	0.1	0.3

CAP SAINT-JACQUES				JULY 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0629		3.3	10.8	11	0359	3.2	10.5	21	0002		2.4	7.9	
SA	1144		2.2	7.2	TU	0842	2.5	8.2	F	0257		2.3	7.5	
	1625		3.1	10.2		1326	3.4	11.2		0920		2.9	9.5	
	2346		0.4	1.3		2110	-0.3	-1.0		1716		1.0	3.3	
2	0703		3.2	10.5	12	0437	3.3	10.8	22	0123		2.6	8.5	
SU	1235		2.0	6.6	W	0928	2.3	7.5	SA	0428		2.5	8.2	
	1727		3.0	9.8		1415	3.4	11.2		1007		2.9	9.5	
						2153	-0.2	-0.7		1809		0.7	2.3	
3	0030		0.7	2.3	13	0515	3.3	10.8	23	0217		2.7	8.8	
M	0736		3.2	10.5	TH	1011	2.2	7.2	SU	0607		2.5	8.2	
	1329		1.8	5.9		1507	3.3	10.8		1058		3.0	9.8	
	1845		2.8	9.2		2234	0.0	0.0		1854		0.5	1.6	
4	0114		1.1	3.6	14	0550	3.2	10.5	24	0250		2.9	9.5	
TU	0809		3.2	10.5	F	1057	2.0	6.6	M	0717		2.5	8.2	
	1428		1.5	4.9		1601	3.1	10.2		1147		3.0	9.8	
	2018		2.6	8.5		2314	0.3	1.0		1936		0.3	1.0	
5	0201		1.5	4.9	15	0621	3.2	10.5	25	0317		3.0	9.8	
W	0844		3.2	10.5	SA	1144	1.9	6.2	TU	0806		2.4	7.9	
	1533		1.2	3.9		1658	3.0	9.8		1234		3.1	10.2	
	2206		2.6	8.5		2353	0.7	2.3		2015		0.1	0.3	
6	0254		1.9	6.2	16	0651	3.1	10.2	26	0346		3.1	10.2	
TH	0924		3.2	10.5	SU	1231	1.7	5.6	W	0847		2.3	7.5	
	1642		0.9	3.0		1801	2.8	9.2		1320		3.2	10.5	
	2347		2.7	8.8						2054		0.1	0.3	
7	0400		2.2	7.2	17	0030	1.0	3.3	27	0414		3.2	10.5	
F	1008		3.2	10.5	M	0718	3.1	10.2	TH	0924		2.2	7.2	
	1746		0.5	1.6		1321	1.6	5.2		1408		3.2	10.5	
						1911	2.6	8.5		2134		0.0	0.0	
8	0111		2.8	9.2	18	0104	1.4	4.6	28	0443		3.3	10.8	
SA	0523		2.4	7.9	TU	0745	3.0	9.8	F	1001		2.0	6.6	
	1057		3.3	10.8		1413	1.4	4.6		1458		3.3	10.8	
	1845		0.1	0.3		2033	2.4	7.9		2111		0.1	0.3	
9	0219		3.0	9.8	19	0139	1.7	5.6	29	0511		3.3	10.8	
SU	0644		2.5	8.2	W	0811	3.0	9.8	SA	1041		1.8	5.9	
	1147		3.4	11.2		1511	1.3	4.3		1550		3.3	10.8	
	1938		-0.1	-0.3		2216	2.3	7.5		2250		0.3	1.0	
10	0313		3.2	10.5	20	0212	2.0	6.6	30	0539		3.3	10.8	
M	0750		2.5	8.2	TH	0841	2.9	9.5	SU	1120		1.6	5.2	
	1237		3.4	11.2		1615	1.1	3.6		1645		3.2	10.5	
	2026		-0.2	-0.7						2329		0.6	2.0	
									31	0606		3.3	10.8	
									M	1204		1.4	4.6	
										1745		3.1	10.2	

## CAP SAINT-JACQUES

AUGUST 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0007		0.9	3.0	11	0434		3.2	10.5	21	0154		2.8	9.2
TU	0633		3.2	10.5	F	1000		1.7	5.6	M	0556		2.6	8.5
	1253		1.2	3.9		1526		3.2	10.5		1007		2.8	9.2
	1853		2.9	9.5		2219		0.4	1.3		1716		0.7	2.3
2	0046		1.3	4.3	12	0500		3.2	10.5	22	0218		2.9	9.5
W	0701		3.2	10.5	SA	1037		1.5	4.9	TU	0711		2.5	8.2
	1348		1.0	3.3		1617		3.2	10.5		1130		2.9	9.5
	2017		2.7	8.8		2254		0.7	2.3		1908		0.5	1.6
3	0126		1.8	5.9	13	0522		3.2	10.5	23	0241		3.1	10.2
TH	0732		3.2	10.5	SU	1114		1.4	4.6	W	0755		2.3	7.5
	1452		0.8	2.6		1706		3.1	10.2		1230		3.0	9.8
	2207		2.6	8.5		2326		1.0	3.3		1855		0.4	1.3
4	0211		2.2	7.2	14	0545		3.1	10.2	24	0305		3.2	10.5
F	0810		3.1	10.2	M	1152		1.2	3.9	TH	0831		2.1	6.9
	1606		0.6	2.0		1756		2.9	9.5		1326		3.2	10.5
						2355		1.3	4.3		2037		0.3	1.0
5	0000		2.7	8.8	15	0604		3.1	10.2	25	0328		3.3	10.8
SA	0316		2.5	8.2	TU	1231		1.2	3.9	F	0904		1.8	5.9
	0905		3.1	10.2		1851		2.7	8.8		1419		3.3	10.8
	1720		0.4	1.3							2116		0.4	1.3
6	0124		2.9	9.5	16	0023		1.7	5.6	26	0353		3.2	10.5
SU	0504		2.6	8.5	W	0623		3.0	9.8	SA	0940		1.5	4.9
	1021		3.1	10.2		1314		1.1	3.6		1510		3.4	11.2
	1827		0.2	0.7		1958		2.5	8.2		2154		0.5	1.6
7	0224		3.0	9.8	17	0049		2.0	6.6	27	0417		3.4	11.2
M	0646		2.6	8.5	TH	0640		3.0	9.8	SU	1014		1.3	4.3
	1132		3.2	10.5		1403		1.1	3.6		1600		3.5	11.5
	1926		0.0	0.0		2137		2.4	7.9		2230		0.7	2.3
8	0306		3.1	10.2	18	0113		2.2	7.2	28	0441		3.4	11.2
TU	0752		2.5	8.2	F	0700		2.9	9.5	M	1052		1.0	3.3
	1235		3.2	10.5		1500		1.1	3.6		1652		3.4	11.2
	2016		0.0	0.0		2345		2.5	8.2		2305		1.0	3.3
9	0338		3.2	10.5	19	0145		2.4	7.9	29	0505		3.4	11.2
W	0841		2.2	7.2	SA	0728		2.9	9.5	TU	1134		0.8	2.6
	1335		3.3	10.8		1608		1.0	3.3		1750		3.2	10.5
	2101		0.0	0.0							2341		1.4	4.6
10	0408		3.2	10.5	20	0117		2.6	8.5	30	0530		3.4	11.2
TH	0921		2.0	6.6	SU	0314		2.6	8.5	W	1220		0.7	2.3
	1433		3.3	10.8		0824		2.8	9.2		1857		3.0	9.8
	2142		0.2	0.7		1716		0.9	3.0					
										31	0017		1.8	5.9
										TH	1314		0.6	2.0
											2021		2.8	9.2

CAP SAINT-JACQUES				SEPTEMBER 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0056		2.2	7.2	11	0418	3.3	10.8	21	0149	3.3	10.8		
F	0626		3.3	10.8	M	1040	1.0	3.3	TH	0735	2.1	6.9		
	1417		0.6	2.0		1701	3.2	10.5		1237	3.1	10.2		
	2215		2.8	9.2		2254	1.5	4.9		1930	0.9	3.0		
2	0143		2.5	8.2	12	0436	3.3	10.8	22	0211	3.4	11.2		
SA	0702		3.2	10.5	TU	1112	0.9	3.0	F	0806	1.8	5.9		
	1531		0.6	2.0		1745	3.1	10.2		1333	3.4	11.2		
						2320	1.8	5.9		2013	0.9	3.0		
3	0008		2.9	9.5	13	0451	3.2	10.5	23	0233	3.5	11.5		
SU	0303		2.7	8.8	W	1147	0.9	3.0	SA	0839	1.4	4.6		
	0801		3.1	10.2		1834	2.9	9.5		1424	3.6	11.8		
	1656		0.6	2.0		2346	2.1	6.9		2053	1.0	3.3		
4	0118		3.0	9.8	14	0506	3.2	10.5	24	0257	3.5	11.5		
M	0539		2.7	8.8	TH	1224	0.9	3.0	SU	0912	1.1	3.6		
	1003		3.0	9.8		1935	2.8	9.2		1513	3.7	12.1		
	1812		0.5	1.6						2130	1.1	3.6		
5	0202		3.1	10.2	15	0011	2.3	7.5	25	0320	3.6	11.8		
TU	0709		3.5	11.5	F	0522	3.2	10.5	M	0948	0.7	2.3		
	1142		3.0	9.8		1306	1.0	3.3		1603	3.7	12.1		
	1915		0.5	1.6		2103	2.7	8.8		2205	1.4	4.6		
6	0230		3.2	10.5	16	0040	2.5	8.2	26	0345	3.6	11.8		
W	0756		2.2	7.2	SA	0540	3.1	10.2	TU	1026	0.5	1.6		
	1254		3.1	10.2		1356	1.1	3.6		1656	3.6	11.8		
	2005		0.5	1.6		2309	2.7	8.8		2241	1.7	5.6		
7	0257		3.2	10.5	17	0120	2.7	8.8	27	0409	3.6	11.8		
TH	0833		1.9	6.2	SU	0601	3.0	9.8	W	1108	0.4	1.3		
	1355		3.3	10.8		1500	1.1	3.6		1756	3.5	11.5		
	2048		0.6	2.0						2316	2.1	6.9		
8	0319		3.3	10.8	18	0024	2.9	9.5	28	0435	3.6	11.8		
F	0905		1.6	5.2	M	0322	2.8	9.2	TH	1154	0.4	1.3		
	1448		3.4	11.2		0633	2.9	9.5		1904	3.3	10.8		
	2124		0.8	2.6		1618	1.1	3.6		2354	2.4	7.9		
9	0340		3.3	10.8	19	0102	3.0	9.8	29	0502	3.6	11.8		
SA	0938		1.3	4.3	TU	0622	2.7	8.8	F	1247	0.5	1.6		
	1535		3.4	11.2		0935	2.8	9.2		2026	3.1	10.2		
	2157		1.0	3.3		1736	1.1	3.6						
10	0400		3.3	10.8	20	0124	3.2	10.5	30	0038	2.7	8.8		
SU	1008		1.1	3.6	W	0704	2.5	8.2	SA	0531	3.4	11.2		
	1618		3.4	11.2		1131	2.9	9.5		1347	0.6	2.0		
	2226		1.2	3.9		1839	1.0	3.3		2214	3.1	10.2		

## CAP SAINT-JACQUES

OCTOBER 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0139		2.9	9.5	11	0335		3.5	11.5	21	0112		3.6	11.8
SU	0602		3.3	10.8	W	1039		0.7	2.3	SA	0736		1.5	4.9
	1500		0.8	2.6		1737		3.4	11.2		1333		3.6	11.8
	2347		3.1	10.2		2251		2.3	7.5		1942		1.6	5.2
2	0348		2.9	9.5	12	0352		3.5	11.5	22	0137		3.7	12.1
M	0657		3.0	9.8	TH	1110		0.7	2.3	SU	0810		1.0	3.3
	1628		1.1	3.6		1824		3.3	10.8		1424		3.8	12.5
						2318		2.5	8.2		2024		1.7	5.6
3	0038		3.2	10.5	13	0409		3.4	11.2	23	0202		3.8	12.5
TU	0630		2.7	8.8	F	1145		0.8	2.6	M	0848		0.6	2.0
	1032		2.9	9.5		1920		3.2	10.5		1515		3.9	12.8
	1752		1.1	3.6		2347		2.7	8.8		2103		1.9	6.2
4	0113		3.3	10.8	14	0427		3.4	11.2	24	0229		3.9	12.8
W	0711		2.3	7.5	SA	1223		0.9	3.0	TU	0926		0.4	1.3
	1206		3.0	9.8		2031		3.1	10.2		1608		3.9	12.8
	1856		1.1	3.6							2141		2.1	6.9
5	0139		3.4	11.2	15	0027		2.9	9.5	25	0256		3.9	12.8
TH	0742		1.9	6.2	SU	0447		3.3	10.8	W	1006		0.2	0.7
	1313		3.2	10.5		1309		1.1	3.6		1703		3.8	12.5
	1946		1.2	3.9		2211		3.1	10.2		2218		2.4	7.9
6	0202		3.4	11.2	16	0135		3.0	9.8	26	0325		3.9	12.8
F	0812		1.6	5.2	M	0508		3.2	10.5	TH	1049		0.1	0.3
	1407		3.4	11.2		1408		1.2	3.9		1803		3.7	12.1
	2025		1.3	4.3		2320		3.2	10.5		2256		2.6	3.5
7	0222		3.4	11.2	17	0411		2.9	9.5	27	0354		3.9	12.8
SA	0841		1.2	3.9	TU	0533		3.0	9.8	F	1134		0.3	1.0
	1453		3.5	11.5		1525		1.4	4.6		1908		3.5	11.5
	2058		1.5	4.9		2359		3.3	10.8		2339		2.8	9.2
8	0241		3.5	11.5	18	0607		2.7	8.8	28	0424		3.7	12.1
SU	0910		1.0	3.3	W	0945		2.8	9.2	SA	1224		0.5	1.6
	1534		3.6	11.8		1651		1.4	4.6		2022		3.4	11.2
	2128		1.7	5.6										
9	0300		3.5	11.5	19	0024		3.4	11.2	29	0033		3.0	9.8
M	0940		0.8	2.6	TH	0632		2.3	7.5	SU	0454		3.5	11.5
	1614		3.5	11.5		1135		3.0	9.8		1320		0.3	2.6
	2156		1.9	6.2		1800		1.5	4.9		2140		3.4	11.2
10	0318		3.5	11.5	20	0049		3.5	11.5	30	0156		3.0	9.8
TU	1008		0.7	2.3	F	0703		1.9	6.2	M	0528		3.2	10.5
	1655		3.5	11.5		1239		3.3	10.8		1429		1.2	3.9
	2223		2.1	6.9		1856		1.5	4.9		2258		3.4	11.2
										31	0456		2.9	9.5
										TU	0751		2.9	9.5
											1554		1.5	4.9
											2343		3.4	11.2

## CAP SAINT-JACQUES

NOVEMBER 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	06	10	2.5	8.2	11	03	32	3.6	11.8	21	01	14	4.0	13.1
W	10	54	2.9	9.5	SA	11	16	0.7	2.3	TU	03	28	0.3	1.0
	17	18	1.6	5.2		19	06	3.5	11.5		15	22	3.9	12.8
						23	37	3.0	9.8		20	40	2.5	8.2
2	00	14	3.5	11.5	12	03	56	3.6	11.8	22	01	47	4.1	13.4
TH	06	43	2.1	6.9	SU	11	54	0.9	3.0	W	09	09	0.1	0.3
	12	17	3.1	10.2		20	04	3.4	11.2		16	15	3.9	12.8
	18	23	1.8	5.9							21	21	2.9	9.5
3	00	40	3.5	11.5	13	00	30	3.0	9.8	23	02	20	4.1	13.4
F	07	14	1.7	5.6	M	04	24	3.4	11.2	TH	09	52	0.0	0.0
	13	17	3.3	10.8		12	40	1.1	3.6		17	00	3.9	12.8
	19	12	1.9	6.2		21	09	3.4	11.2		22	01	2.8	9.2
4	01	03	3.6	11.8	14	01	48	3.0	9.8	24	02	54	4.1	13.4
SA	07	44	1.3	4.3	TU	05	01	3.2	10.5	F	10	34	0.1	0.3
	14	07	3.5	11.5		13	36	1.3	4.3		18	04	3.8	12.5
	19	52	2.1	6.9		22	06	3.4	11.2		22	45	2.9	9.5
5	01	24	3.6	11.8	15	03	33	2.9	9.5	25	03	31	4.0	13.1
SU	08	14	1.0	3.3	W	06	33	2.9	9.5	SA	11	18	0.3	1.0
	14	52	3.6	11.8		14	44	1.6	5.2		19	01	3.7	12.1
	20	28	2.2	7.2		22	47	3.5	11.5		23	33	3.0	9.8
6	01	45	3.7	12.1	16	04	59	2.5	8.2	26	04	07	3.8	12.5
M	08	44	0.8	2.6	TH	09	50	2.9	9.5	SU	12	06	0.6	2.0
	15	31	3.6	11.8		16	00	1.8	5.9		20	00	3.6	11.8
	20	59	2.3	7.5		23	18	3.6	11.8					
7	02	06	3.7	12.1	17	05	45	2.1	6.9	27	00	37	3.0	9.8
TU	09	13	0.7	2.3	F	11	28	3.1	10.2	M	03	51	3.5	11.5
	16	11	3.6	11.8		17	12	1.9	6.2		12	59	1.0	3.3
	21	30	2.5	8.2		23	47	3.7	12.1		20	58	3.5	11.5
8	02	28	3.7	12.1	18	06	25	1.6	5.2	28	02	01	2.9	9.5
W	09	43	0.6	2.0	SA	12	34	3.4	11.2	TU	06	03	3.1	10.2
	16	51	3.6	11.8		18	13	2.1	6.9		13	59	1.4	4.6
	21	58	2.6	8.5							21	51	3.5	11.5
9	02	48	3.7	12.1	19	00	14	3.8	12.5	29	03	50	2.6	8.5
TH	10	12	0.6	2.0	SU	07	05	1.1	3.6	W	08	45	2.9	9.5
	17	30	3.6	11.8		13	33	3.6	11.8		15	07	1.3	5.9
	22	29	2.7	8.8		19	06	2.2	7.2		22	33	3.5	11.5
10	03	09	3.7	12.1	20	00	44	3.9	12.8	30	05	11	2.2	7.2
F	10	43	0.6	2.0	M	07	47	0.7	2.3	TH	10	51	3.0	9.8
	18	15	3.5	11.5		14	28	3.8	12.5		16	22	2.1	6.9
	22	59	2.9	9.5		19	55	2.4	7.9		23	07	3.6	11.8

## CAP SAINT-JACQUES

DECEMBER 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0559		1.9	6.2	11	0352	3.6	11.8	21	0113	4.1	13.4		
F	1212		3.1	10.2	M	1138	0.8	2.6	TH	0858	0.0	0.0		
	1730		2.3	7.5		1923	3.6	11.8		1620	3.3	12.5		
	2337		3.6	11.8						2109	2.9	9.5		
2	0638		1.5	4.9	12	0027	2.9	9.5	22	0159	4.1	13.4		
SA	1315		3.3	10.8	TU	0437	3.4	11.2	F	0941	0.0	0.0		
	1827		2.5	8.2		1222	1.1	3.6		1707	3.8	12.5		
						2006	3.6	11.8		2153	2.9	9.5		
3	0003		3.6	11.8	13	0130	2.7	8.8	23	0243	4.0	13.1		
SU	0614		1.2	3.9	W	0543	3.2	10.5	SA	1024	0.1	0.3		
	1408		3.4	11.2		1311	1.4	4.6		1752	3.8	12.5		
	1915		2.6	8.5		2047	3.6	11.8		2240	2.8	9.2		
4	0031		3.7	12.1	14	0239	2.5	8.2	24	0330	3.9	12.8		
M	0748		1.0	3.3	TH	0730	3.0	9.8	SU	1107	0.4	1.3		
	1454		3.5	11.5		1405	1.7	5.6		1835	3.7	12.1		
	1957		2.7	8.8		2126	3.6	11.8		2330	2.7	8.8		
5	0056		3.7	12.1	15	0350	2.2	7.2	25	0420	3.6	11.8		
TU	0819		0.8	2.6	F	0937	3.0	9.8	M	1152	0.8	2.6		
	1531		3.6	11.8		1506	2.0	6.6		1917	3.6	11.8		
	2035		2.7	8.8		2203	3.6	11.8						
6	0122		3.7	12.1	16	0452	1.8	5.9	26	0028	2.6	8.5		
W	0850		0.6	2.0	SA	1116	3.1	10.2	TU	0523	3.4	11.2		
	1610		3.7	12.1		1614	2.3	7.5		1238	1.2	3.9		
	2107		2.8	9.2		2242	3.6	11.8		1956	3.6	11.8		
7	0148		3.8	12.5	17	0548	1.3	4.3	27	0131	2.4	7.9		
TH	0920		0.5	1.6	SU	1233	3.3	10.8	W	0647	3.1	10.2		
	1645		3.7	12.1		1726	2.6	8.5		1324	1.6	5.2		
	2141		2.8	9.2		2319	3.8	12.5		2033	3.5	11.5		
8	0215		3.8	12.5	18	0640	0.9	3.0	28	0240	2.2	7.2		
F	0952		0.5	1.6	M	1341	3.5	11.5	TH	0833	2.9	9.5		
	1721		3.7	12.1		1833	2.7	8.8		1412	2.0	6.6		
	2212		2.9	9.5		2357	3.9	12.8		2110	3.5	11.5		
9	0244		3.8	12.5	19	0628	0.5	1.6	29	0354	2.0	6.6		
SA	1024		0.5	1.6	TU	1439	3.7	12.1	F	1025	2.9	9.5		
	1301		3.7	12.1		1933	2.8	9.2		1505	2.4	7.9		
	2249		2.9	9.5						2149	3.5	11.5		
10	0315		3.7	12.1	20	0038	4.0	13.1	30	0501	1.7	5.6		
SU	1059		0.7	2.3	W	0714	0.2	0.7	SA	1201	3.0	9.8		
	1842		3.6	11.8		1530	3.8	12.5		1612	2.8	8.9		
	2333		2.9	9.5		2024	2.9	9.5		2227	3.5	11.5		
									31	0556	1.4	4.6		
									SU	1317	3.1	10.2		
										1730	2.8	9.2		
										2303	3.5	11.5		

QUI-NHON				JANUARY 1972							
DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.	
1	0636	0.5	1.6	11	0514	1.0	3.3	21	0116	1.8	5.9
SA	2158	2.3	7.5	TU	1818	1.9	6.2	F	0859	0.9	3.0
									1529	1.5	4.9
									2013	1.3	4.3
2	0714	0.5	1.6	12	0454	0.9	3.0	22	0211	1.6	5.2
SU	2247	2.3	7.5	W	1852	2.0	6.6	SA	0915	1.0	3.3
									1546	1.6	5.2
									2215	1.2	3.9
3	0748	0.5	1.6	13	0507	0.7	2.3	23	0321	1.4	4.6
M	2333	2.2	7.2	TH	1936	2.0	6.6	SU	0903	1.2	3.9
									1607	1.7	5.6
4	0817	0.6	2.0	14	0530	0.6	2.0	24	0007	1.1	3.6
TU				F	2024	2.1	6.9	M	0626	1.2	3.9
									0634	1.2	3.9
									1636	1.8	5.9
5	0010	2.1	6.9	15	0559	0.5	1.6	25	0156	0.9	3.0
W	0842	0.7	2.3	SA	2113	2.1	6.9	TU	1713	1.9	6.2
6	0043	1.9	6.2	16	0628	0.5	1.6	26	0324	0.7	2.3
TH	0901	0.9	3.0	SU	2203	2.2	7.2	W	1802	2.0	6.6
7	0107	1.7	5.6	17	0700	0.4	1.3	27	0426	0.5	1.6
F	0913	1.0	3.3	M	2252	2.2	7.2	TH	1903	2.1	6.9
	1657	1.6	5.2								
	2217	1.5	4.9								
8	0120	1.6	5.2	18	0731	0.5	1.6	28	0512	0.4	1.3
SA	0911	1.1	3.6	TU	2340	2.1	6.9	F	2009	2.1	6.9
	1705	1.7	5.6								
9	0848	1.1	3.6	19	0804	0.6	2.0	29	0551	0.4	1.3
SU	1723	1.7	5.6	W					2111	2.1	6.9
10	0758	1.1	3.6	20	0028	2.0	6.6	30	0623	0.4	1.3
M	1747	1.8	5.9	TH	0834	0.7	2.3	SU	2205	2.1	6.9
					1523	1.4	4.6				
					1813	1.3	4.3				
								31	0652	0.5	1.6
								M	2253	2.0	6.6



QUI-NHON

FEBRUARY 1972

QUI-NHON								FEBRUARY 1972			
DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.	
1	0717	0.6	2.0	11	0446	0.6	2.0	21	0419	1.2	3.9
TU	2337	1.9	6.2	F	1854	1.9	6.2	M	0644	1.2	3.9
									1458	1.8	5.9
									2347	0.8	2.6
2	0737	0.7	2.3	12	0507	0.5	1.6	22	1533	1.9	6.2
W	1456	1.4	4.6	SA	2004	1.9	6.2	TU			
	1724	1.3	4.3								
3	0013	1.8	5.9	13	0531	0.4	1.3	23	0129	0.7	2.3
TH	0754	0.8	2.6	SU	2106	2.0	6.6	W	1617	1.9	6.2
	1446	1.4	4.6								
	1853	1.3	4.3								
4	0048	1.6	5.2	14	0559	0.4	1.3	24	0306	0.6	2.0
F	0803	0.9	3.0	M	2202	2.0	6.6	TH	1722	1.9	6.2
	1455	1.5	4.9								
	2025	1.3	4.3								
5	0119	1.5	4.9	15	0627	0.5	1.6	25	0406	0.5	1.6
SA	0800	1.0	3.3	TU	1420	1.2	3.9	F	1851	1.9	6.2
	1508	1.6	5.2		1437	1.2	3.9				
	2201	1.2	3.9		2256	2.0	6.6				
6	0144	1.3	4.3	16	0657	0.6	2.0	26	0449	0.4	1.3
SU	0742	1.0	3.3	W	1327	1.3	4.3	SA	2014	1.9	6.2
	1525	1.6	5.2		1640	1.2	3.9				
	2347	1.1	3.6		2350	1.9	6.2				
7	0152	1.1	3.6	17	0724	0.7	2.3	27	0523	0.5	1.6
M	0714	1.0	3.3	TH	1334	1.3	4.3	SU	2118	1.8	5.9
	1547	1.7	5.6		1801	1.1	3.6				
8	0632	0.9	3.0	18	0045	1.8	5.9	28	0551	0.5	1.6
TU	1615	1.8	5.9	F	0748	0.9	3.0	M	2212	1.8	5.9
					1349	1.4	4.6				
					1923	1.0	3.3				
9	0446	0.8	2.6	19	0143	1.6	5.2	29	0614	0.6	2.0
W	1653	1.8	5.9	SA	0801	1.0	3.3	TU	1319	1.3	4.3
					1408	1.6	4.2		1620	1.2	3.9
					2047	0.9	3.0		2300	1.7	5.0
10	0434	0.7	2.3	20	0248	1.4	4.6				
TH	1745	1.9	6.2	SU	0753	1.1	3.6				
					1432	1.7	5.6				
					2213	0.9	3.0				

QUI-NHON				MARCH 1972							
DAY	TIME h m	Ht. m.	ft.	DAY	TIME h m	Ht. m.	ft.	DAY	TIME h m	Ht. m.	ft.
11	0632	0.8	2.6	11	0351	0.6	2.0	21	1405	1.9	6.2
W	1305	1.3	4.3	SA	1822	1.8	5.9	TU	2326	0.6	2.0
	1731	1.2	3.9								
	2346	1.6	5.2								
2	0647	0.9	3.0	12	0419	0.6	2.0	22	1445	1.9	6.2
TH	1308	1.4	4.6	SU	1949	1.8	5.9	W			
	1832	1.1	3.6								
3	0029	1.5	4.9	13	0448	0.6	2.0	23	0059	0.6	2.0
F	0655	0.9	3.0	M	2101	1.8	5.9	TH	1536	1.8	5.9
	1320	1.5	4.9								
	1931	1.1	3.6								
4	0108	1.4	4.6	14	0516	0.6	2.0	24	0218	0.6	2.0
SA	0652	1.0	3.3	TU	1202	1.2	3.9	F	1654	1.8	5.9
	1335	1.6	5.2		1441	1.1	3.6				
	2030	1.0	3.3		2206	1.8	5.9				
5	0146	1.3	4.3	15	0544	0.7	2.3	25	0316	0.6	2.0
SU	0636	1.0	3.3	W	1150	1.3	4.3	SA	1843	1.7	5.6
	1350	1.6	5.2		1613	1.0	3.3				
	2133	1.0	3.3		2308	1.7	5.6				
6	0221	1.1	3.6	16	0609	0.9	3.0	26	0359	0.6	2.0
M	0612	1.0	3.3	TH	1159	1.4	4.6	SU	2012	1.7	5.6
	1408	1.7	5.6		1728	0.9	3.0				
	2248	0.9	3.0								
7	0302	1.0	3.3	17	0009	1.7	5.6	27	0431	0.7	2.3
TU	0542	1.0	3.3	F	0630	1.0	3.3	M	1107	1.3	4.3
	1432	1.7	5.6		1216	1.5	4.9		1453	1.3	4.3
					1835	0.8	2.6		2122	1.6	5.2
8	0023	0.8	2.6	18	0110	1.5	4.9	28	0457	0.8	2.6
W	1503	1.8	5.9	SA	0641	1.1	3.6	TU	1135	1.3	4.3
					1239	1.6	5.2		1612	1.2	3.9
					1941	0.7	2.3		2222	1.5	4.9
9	0232	0.7	2.3	19	0215	1.4	4.6	29	0516	0.9	3.0
TH	1548	1.8	5.9	SU	0635	1.2	3.9	W	1132	1.4	4.6
					1304	1.8	5.9		1712	1.0	3.3
					2049	0.7	2.3		2315	1.5	4.9
10	0322	0.6	2.0	20	0340	1.2	3.9	30	0529	1.0	3.3
F	1652	1.8	5.9	M	0542	1.2	3.9	TH	1142	1.5	4.9
					1334	1.9	6.2		1803	1.0	3.3
					2204	0.6	2.0				
								31	0006	1.4	4.6
								F	0537	1.1	3.6
									1155	1.6	5.2
									1850	0.9	3.0

QUI-NHON

APRIL 1972

QUI-NHON				APRIL 1972							
DAY	TIME h m	Wt. m. ft.		DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Wt. m. ft.	
1	0053	1.3	4.3	11	0547	0.8	2.0	21	0011	0.5	1.6
SA	0534	1.1	3.6	TU	1024	1.2	3.9	F	1510	1.9	5.9
	1211	1.6	5.2		1404	1.1	3.0				
	1934	0.8	2.0		2100	1.0	3.2				
2	0138	1.2	3.9	12	0410	0.9	3.0	22	0109	0.6	2.0
SU	0516	1.1	3.6	W	1016	1.3	4.3	SA	1625	1.6	5.2
	1229	1.7	5.6		1537	1.0	3.3				
	2021	0.8	2.6		2228	1.0	3.2				
3	0227	1.1	3.6	13	0441	1.0	3.3	23	0158	0.7	2.3
M	0449	1.1	3.6	TH	1029	1.4	4.6	SU	1815	1.5	4.9
	1246	1.7	5.6		1648	0.8	2.6				
	2115	0.7	2.3		2333	1.7	4.9				
4	1308	1.8	5.9	14	0450	1.1	3.0	24	0237	0.8	2.6
TU	2220	0.7	2.3	F	1048	1.0	3.2	M	1024	1.3	4.3
					1749	0.7	2.3		1427	1.2	3.9
									2005	1.4	4.6
5	1337	1.8	5.9	15	0041	1.4	4.6	25	0309	0.9	3.0
W	2333	0.7	2.3	SA	0504	1.2	3.9	TU	1005	1.4	4.6
					1113	1.7	5.6		1551	1.1	3.6
					1847	0.6	2.0		2132	1.4	4.6
6	1415	1.8	5.9	16	0154	1.4	4.6	26	0331	1.0	3.3
TH				SU	0452	1.3	4.3	W	1006	1.5	4.9
					1143	1.9	6.2		1647	1.0	3.3
					1946	0.5	1.6		2242	1.3	4.3
7	0046	0.7	2.3	17	1215	1.9	6.2	27	0346	1.1	3.6
F	1506	1.8	5.9	M	2049	0.5	1.6	TH	1017	1.5	4.9
									1730	0.8	2.6
									2343	1.3	4.3
8	0145	0.6	2.0	18	1250	2.0	6.6	28	0351	1.1	3.6
SA	1614	1.7	5.6	TU	2150	0.8	2.6	F	1035	1.6	5.2
									1811	0.7	2.3
9	0231	0.7	2.3	19	1351	1.8	5.2	29	0040	1.2	3.9
SU	1750	1.7	5.6	W	2507	0.8	2.6	SA	0344	1.2	3.9
									1052	1.7	5.6
									1850	0.7	2.3
10	0312	0.7	2.3	20	1410	1.9	6.2	30	0151	1.2	3.9
M	1938	1.6	5.2	TH				SU	0310	1.2	3.9
									1112	1.8	5.9
									1931	0.6	2.0

QUI-NHON								MAY 1972						
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	1135		1.8	5.9	11	0247		1.1	3.6	21	1543		1.4	4.6
M	2017		0.6	2.0	TH	0858		1.5	4.9	SU				
						1607		0.7	2.3					
						2307		1.3	4.3					
2	1159		1.8	5.9	12	0257		1.2	3.9	22	0027		0.8	2.6
TU	2109		0.5	1.6	F	0922		1.7	5.6	M	0849		1.3	4.3
						1706		0.6	2.0		1321		1.2	3.9
											1729		1.3	4.3
3	1231		1.9	6.2	13	0033		1.3	4.3	23	0054		0.9	3.0
W	2202		0.5	1.6	SA	0245		1.3	4.3	TU	0829		1.4	4.6
						0951		1.8	5.9		1520		1.1	3.6
						1800		0.4	1.3		1907		1.1	3.6
4	1307		1.8	5.9	14	1026		1.9	6.2	24	0111		1.0	3.3
TH	2255		0.5	1.6	SU	1855		0.3	1.0	W	0836		1.4	4.6
											1617		0.9	3.0
											2206		1.1	3.6
5	1352		1.8	5.9	15	1102		2.0	6.6	25	0118		1.1	3.6
F	2344		0.6	2.0	M	1951		0.3	1.0	TH	0852		1.5	4.9
											1657		0.7	2.3
6	1444		1.7	5.6	16	1144		2.0	6.6	26	0912		1.6	5.2
SA					TU	2047		0.3	1.0	F	1732		0.6	2.0
7	0029		0.7	2.3	17	1230		2.0	6.6	27	0936		1.7	5.6
SU	1548		1.6	5.2	W	2141		0.4	1.3	SA	1809		0.5	1.6
8	0113		0.7	2.3	18	1314		1.9	6.2	28	1000		1.8	5.9
M	1729		1.5	4.9	TH	2230		0.4	1.3	SU	1848		0.4	1.3
9	0153		0.9	3.0	19	1401		1.8	5.9	29	1030		1.8	5.9
TU	0855		1.2	3.9	F	2315		0.6	2.0	M	1928		0.4	1.3
	1317		1.1	3.6										
	1946		1.4	4.6										
10	0224		1.0	3.3	20	1449		1.6	5.2	30	1101		1.8	5.9
W	0845		1.3	4.3	SA	2354		0.7	2.3	TU	2012		0.4	1.3
	1457		0.9	3.0										
	2136		1.3	4.3										
										31	1138		1.9	6.2
										W	2055		0.4	1.3

QUI-NHON

JUNE 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	12	18	1.8	5.9	11	09	11	1.9	6.2	21	06	47	1.4	4.6
TH	21	36	0.4	1.3	SU	18	12	0.3	1.0	W	15	35	0.9	3.0
2	13	00	1.8	5.9	12	09	56	1.9	6.2	22	07	11	1.5	4.9
F	22	15	0.5	1.6	M	19	03	0.2	0.7	TH	16	19	0.7	2.3
3	13	46	1.7	5.6	13	10	45	2.0	6.6	23	07	40	1.6	5.2
SA	22	54	0.6	2.0	TU	19	51	0.2	0.7	F	16	55	0.6	2.0
4	14	36	1.6	5.2	14	11	36	1.9	6.2	24	08	10	1.6	5.2
SU	23	29	0.7	2.3	W	20	34	0.3	1.0	SA	16	29	0.5	1.6
5	15	41	1.4	4.6	15	12	24	1.8	5.9	25	08	45	1.7	5.6
M					TH	20	13	0.4	1.3	SU	18	05	0.4	1.3
6	00	00	0.8	2.6	16	13	08	1.7	5.6	26	09	25	1.8	5.9
TU	07	02	1.2	3.9	F	20	48	0.5	1.6	M	18	41	0.3	1.0
	12	08	1.1	3.6										
	17	41	1.2	3.9										
7	00	22	1.0	3.3	17	13	50	1.6	5.2	27	10	06	1.8	5.9
W	07	03	1.3	4.3	SA	22	17	0.6	2.0	TU	18	16	0.3	1.0
	14	01	0.9	3.0										
	20	42	1.1	3.6										
8	00	25	1.1	3.6	18	14	32	1.4	4.6	28	10	50	1.8	5.9
TH	07	24	1.5	4.9	SU	22	40	0.7	2.3	W	19	52	0.3	1.0
	15	20	0.7	2.3										
9	07	53	1.6	5.2	19	06	24	1.2	3.9	29	11	36	1.8	5.9
F	16	22	0.5	1.6	M	11	25	1.1	3.6	TH	20	27	0.3	1.0
						14	11	1.2	3.9					
						22	53	0.8	2.6					
10	08	31	1.8	5.9	20	06	27	1.3	4.3	30	12	20	1.8	5.9
SA	17	19	0.4	1.3	TU	13	47	1.0	3.3	F	21	02	0.4	1.3
						16	31	1.0	3.3					
						22	49	0.9	3.0					





QUI-NHON				SEPTEMBER 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	02	46	1.8	5.9	11	00	32	1.6	5.2	21	00	48	1.4	4.6
F	12	13	0.7	2.3	M	07	24	1.0	3.3	TH	08	46	1.9	6.2
						13	41	1.5	4.9		16	35	1.0	3.3
						18	24	1.3	4.3		22	59	1.4	4.6
2	03	28	1.9	6.2	12	00	49	1.7	5.6	22	02	56	1.3	4.3
SA	13	46	0.7	2.3	TU	08	15	1.0	3.3	F	09	57	1.9	6.2
						14	29	1.4	4.6		17	07	1.1	3.6
						17	55	1.3	4.3		23	00	1.5	4.9
3	04	30	1.9	6.2	13	01	07	1.8	5.9	23	04	11	1.2	3.9
SU	15	05	0.6	2.0	W	09	09	1.0	3.3	SA	11	03	1.9	6.2
						15	26	1.3	4.3		17	35	1.2	3.9
						17	14	1.3	4.3		23	13	1.6	5.2
4	06	10	1.8	5.9	14	01	27	1.8	5.9	24	05	15	1.0	3.3
M	16	02	0.6	2.0	TH	10	08	0.9	3.0	SU	12	08	1.8	5.9
											17	57	1.3	4.3
											23	33	1.8	5.9
5	07	52	1.8	5.9	15	01	50	1.9	6.2	25	06	16	0.9	3.0
TU	16	44	0.7	2.3	F	11	18	0.9	3.0	M	13	13	1.8	5.9
											18	09	1.5	4.9
											23	54	1.9	6.2
6	09	08	1.8	5.9	16	02	21	1.9	6.2	26	07	15	0.8	2.6
W	17	18	0.8	2.6	SA	12	37	0.9	3.0	TU	14	22	1.7	5.6
											18	00	1.5	4.9
7	00	27	1.4	4.6	17	03	03	1.9	6.2	27	00	20	2.0	6.6
TH	03	21	1.3	4.3	SU	13	52	0.9	3.0	W	08	16	0.8	2.6
	10	10	1.8	5.9							16	28	1.6	5.2
	17	45	0.9	3.0							16	32	1.6	5.2
8	00	05	1.4	4.6	18	04	04	1.9	6.2	28	00	48	2.1	6.9
F	04	35	1.2	3.9	M	14	46	0.8	2.6	TH	09	22	0.8	2.6
	11	07	1.7	5.6										
	18	07	1.0	3.3										
9	05	35	1.1	3.6	19	05	37	1.8	5.9	29	01	21	2.1	6.9
SA	12	01	1.7	5.6	TU	15	26	0.8	2.6	F	10	35	0.8	2.6
	18	22	1.1	3.6										
10	00	15	1.6	5.2	20	07	25	1.8	5.9	30	01	58	2.1	6.9
SU	06	31	1.1	3.6	W	16	03	0.9	3.0	SA	11	53	0.8	2.6
	12	52	1.6	5.2										
	18	31	1.2	3.9										



QUI-NHON

OCTOBER 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	02	46	2.1	6.9	11	08	08	0.9	3.0	21	03	33	1.3	4.3
SU	13	07	0.8	2.6	W					SA	10	18	1.3	5.9
											15	48	1.5	4.9
											21	46	1.9	6.2
2	03	57	2.0	6.6	12	00	03	2.1	6.9	22	04	39	1.1	3.6
M	14	10	0.9	3.0	TH	08	55	0.9	3.0	SU	11	33	1.8	5.9
											16	06	1.6	5.2
											22	06	2.0	6.6
3	05	59	1.9	6.2	13	00	26	2.1	6.9	23	05	33	0.9	3.0
TU	15	01	1.0	3.3	F	09	48	0.9	3.0	M	12	49	1.8	5.9
	23	24	1.6	5.2							16	10	1.7	5.6
											22	34	2.2	7.2
4	01	48	1.6	5.2	14	00	54	2.1	6.9	24	06	26	0.8	2.6
W	07	54	1.8	5.9	SA	10	46	1.0	3.3	TU	14	20	1.7	5.6
	15	40	1.1	3.6							15	40	1.7	5.6
	22	46	1.6	5.2							23	01	2.6	8.5
5	03	18	1.5	4.9	15	01	30	2.1	6.9	25	07	20	0.7	2.3
TH	09	19	1.8	5.9	SU	11	43	1.0	3.3	W	23	34	2.4	7.9
	16	11	1.2	3.9										
	22	34	1.7	5.6										
6	04	21	1.3	4.3	16	02	15	2.1	6.9	26	08	17	0.7	2.3
F	10	31	1.7	5.6	M	12	36	1.0	3.3	TH				
	16	33	1.3	4.3										
	22	40	1.8	5.9										
7	05	14	1.2	3.9	17	03	17	2.0	6.9	27	00	08	2.4	7.9
SA	11	35	1.7	5.6	TU	13	23	1.0	3.3	F	09	18	0.7	2.3
	16	47	1.4	4.6										
	22	52	1.9	6.2										
8	06	01	1.1	3.6	18	04	47	1.9	6.2	28	00	48	2.4	7.9
SU	12	33	1.7	5.6	W	14	07	1.1	3.6	SA	10	19	0.8	2.6
	16	49	1.5	4.9		22	30	1.6	5.2					
	23	08	1.9	6.2										
9	06	44	1.0	3.3	19	00	22	1.6	5.2	29	01	33	2.3	7.5
M	13	29	1.6	5.2	TH	06	59	1.8	5.9	SU	11	17	0.9	3.0
	16	34	1.5	4.9		14	46	1.2	3.9					
	23	28	2.0	6.6		21	31	1.7	5.6					
10	07	25	1.0	3.3	20	02	24	1.5	4.9	30	02	22	2.1	6.9
TU	14	51	1.5	4.9	F	08	52	1.8	5.9	M	12	10	1.0	3.3
	15	43	1.5	4.9		15	20	1.3	4.3					
	23	45	2.1	6.9		21	33	1.8	5.9					
										31	03	25	2.0	6.6
										TU	12	56	1.1	3.6
											21	55	1.8	5.9

QUI-NHON				NOVEMBER 1972													
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.				
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.			
1 W	0116		1.7	5.6	11 SA	0829		0.9	3.0	21 TU	0544		0.8	2.6			
	0529		1.8	5.9									2149		2.4	7.9	
	1335		1.3	4.3													
	2120		1.8	5.9													
2 TH	0307		1.6	5.2	12 SU	0025		2.3	7.5	22 W	0633		0.7	2.3			
	0800		1.7	5.6									2228		2.5	8.2	
	1406		1.4	4.6													
	2112		1.9	6.2													
3 F	0409		1.4	4.6	13 M	0104		2.2	7.2	23 TH	0725		0.6	2.0			
	0952		1.7	5.6									2308		2.5	8.2	
	1428		1.5	4.9													
	2120		2.0	6.6													
4 SA	0453		1.2	3.9	14 TU	0149		2.1	6.9	24 F	0816		0.6	2.0			
	1121		1.6	5.2									2352		2.4	7.9	
	1436		1.6	5.2													
	2136		2.1	6.9													
5 SU	0531		1.1	3.6	15 W	0243		2.0	6.6	25 SA	0906		0.7	2.3			
	1306		1.6	5.2													
	1402		1.6	5.2													
	2154		2.1	6.9													
6 M	0608		1.0	3.3	16 TH	0401		1.8	5.9	26 SU	0038		2.3	7.5			
	2214		2.2	7.2									0951		0.8	2.6	
7 TU	0645		0.9	3.0	17 F	0142		1.6	5.2	27 M	0123		2.2	7.2			
	2236		2.3	7.5									1030		0.9	3.0	
8 W	0722		0.9	3.0	18 SA	0304		1.3	4.3	28 TU	0203		2.0	6.6			
	2256		2.3	7.5									1105		1.1	3.6	
													2038		1.8	5.9	
													2331		1.8	5.9	
9 TH	0803		0.9	3.0	19 SU	0403		1.1	3.6	29 W	0142		1.8	5.9			
	2322		2.3	7.5									1133		1.2	3.9	
													1950		1.8	5.9	
10 F	0846		0.9	3.0	20 M	0455		0.9	3.0	30 TH	1150		1.3	4.3			
	2350		2.3	7.5									1945		1.9	6.2	



DA NANG (TOURANE)				JANUARY 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0607		0.4	1.3	11	0223		0.7	2.3	21	0135		1.2	3.9
SA	1352		1.0	3.3	TU	0920		1.0	3.3	F	0842		0.6	2.0
	1445		1.0	3.3		1101		0.9	3.0		1523		1.2	3.9
	2242		1.4	4.6		1853		1.2	3.9		2117		0.9	3.0
2	0651		0.3	1.0	12	0313		0.7	2.3	22	0224		1.1	3.6
SU	1415		1.1	3.6	W	1109		1.0	3.3	SA	0910		0.7	2.3
	1611		1.0	3.3		1131		1.0	3.3		1554		1.2	3.9
	2332		1.4	4.6		1930		1.3	4.3		2234		0.8	2.6
3	0732		0.4	1.3	13	0356		0.6	2.0	23	0327		1.0	3.3
M	1441		1.1	3.6	TH	2007		1.3	4.3	SU	0935		0.8	2.6
	1756		1.0	3.3							1628		1.2	3.9
											2352		0.7	2.3
4	0017		1.3	4.3	14	0447		0.5	1.6	24	0532		0.9	3.0
TU	0808		0.4	1.3	F	1228		1.0	3.3	M	0952		0.8	2.6
	1509		1.1	3.6		1236		1.0	3.3		1708		1.3	4.3
	1931		1.0	3.3		2052		1.3	4.3					
5	0101		1.3	4.3	15	0517		0.4	1.3	25	0110		0.6	2.0
W	0842		0.5	1.6	SA	1301		1.0	3.3	TU	0833		0.9	3.0
	1535		1.1	3.6		1408		1.0	3.3		0950		0.9	3.0
	2040		1.0	3.3		2143		1.3	4.3		1753		1.3	4.3
6	0143		1.2	3.9	16	0556		0.4	1.3	26	0225		0.5	1.6
TH	0911		0.6	2.0	SU	1317		1.1	3.6	W	1846		1.3	4.3
	1606		1.1	3.6		1535		1.0	3.3					
	2145		1.0	3.3		2234		1.4	4.6					
7	0224		1.1	3.6	17	0634		0.4	1.3	27	0334		0.4	1.3
F	0939		0.7	2.6	M	1341		1.1	3.6	TH	1947		1.3	4.3
	1638		1.1	3.6		1650		1.0	3.3					
	2253		0.9	3.0		2320		1.4	4.6					
8	0312		1.0	3.3	18	0708		0.4	1.3	28	0432		0.4	1.3
SA	1002		0.8	2.6	TU	1406		1.1	3.6	F	2051		1.3	4.3
	1712		1.2	3.9		1756		1.0	3.3					
9	0007		0.9	3.0	19	0005		1.4	4.6	29	0519		0.3	1.0
SU	0450		1.0	3.3	W	0741		0.4	1.3	SA	2152		1.3	4.3
	1024		0.8	2.6		1428		1.1	3.6					
	1747		1.2	3.9		1859		1.0	3.3					
10	0120		0.8	2.6	20	0049		1.3	4.3	30	0600		0.3	1.0
M	0744		0.9	3.0	TH	0812		0.5	1.6	SU	1316		1.0	3.3
	1044		0.9	3.0		1456		1.2	3.9		1620		0.9	3.0
	1823		1.2	3.9		2005		0.9	3.0		2248		1.3	4.3
										31	0636		0.3	1.0
										M	1324		1.0	3.3
											1744		0.9	3.0
											2337		1.2	3.9

## DA NANG (TOURANE)

FEBRUARY 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0707		0.4	1.3	11	0317		0.5	1.6	21	0404		0.9	3.3
TU	1343		1.0	3.3	F	1909		1.2	3.9	M	0841		0.8	2.6
	1839		0.9	3.0							1525		1.2	3.9
											2323		0.5	1.6
2	0019		1.2	3.9	12	0409		0.4	1.3	22	0638		0.8	2.6
W	0736		0.4	1.3	SA	1225		1.0	3.3	TU	0831		0.8	2.6
	1403		1.1	3.6		1236		1.0	3.3		1559		1.2	3.9
	1930		0.8	2.6		2036		1.2	3.9					
3	0100		1.2	3.9	13	0451		0.4	1.3	23	0036		0.5	1.6
TH	0801		0.5	1.6	SU	1209		1.0	3.3	W	1640		1.2	3.9
	1423		1.1	3.6		1457		1.0	3.3					
	2018		0.8	2.6		2140		1.2	3.9					
4	0141		1.1	3.6	14	0527		0.3	1.0	24	0201		0.4	1.3
F	0825		0.6	2.0	M	1222		1.0	3.3	TH	1748		1.1	3.6
	1446		1.1	3.6		1618		0.9	3.0					
	2110		0.8	2.6		2234		1.3	4.3					
5	0222		1.0	3.3	15	0600		0.4	1.3	25	0320		0.4	1.3
SA	0843		0.7	2.3	TU	1244		1.1	3.6	F	1941		1.1	3.6
	1507		1.1	3.6		1717		0.8	2.6					
	2205		0.7	2.3		2322		1.3	4.3					
6	0313		1.0	3.3	16	0633		1.4	1.3	26	0418		0.3	1.0
SU	0857		0.8	2.6	W	1306		1.1	3.6	SA	1324		0.9	3.0
	1527		1.1	3.6		1811		0.8	2.6		1411		0.9	3.0
	2302		0.7	2.3							2102		1.1	3.6
7	0428		0.9	3.0	17	0009		1.2	3.9	27	0500		0.3	1.0
M	0905		0.8	2.6	TH	0704		0.5	1.6	SU	1210		0.9	3.0
	1551		1.1	3.6		1331		1.1	3.6		1632		0.9	3.0
						1908		0.7	2.3		2203		1.1	3.6
8	0000		0.7	2.3	18	0058		1.2	3.9	28	0535		0.3	1.0
TU	0722		0.9	3.0	F	0735		0.5	1.6	M	1214		1.0	3.3
	0859		0.8	2.6		1358		1.2	3.9		1718		0.8	2.6
	1617		1.2	3.9		2009		0.7	2.3		2254		1.1	3.6
9	0103		0.6	2.0	19	0150		1.1	3.6	29	0605		0.4	1.3
W	1653		1.2	3.9	SA	0803		0.6	2.0	TU	1227		1.0	3.3
						1425		1.2	3.9		1757		0.7	2.3
						2112		0.6	2.0		2340		1.1	3.6
10	0211		0.6	2.0	20	0248		1.0	3.3					
TH	1745		1.2	3.9	SU	0827		0.7	2.3					
						1455		1.2	3.9					
						2216		0.6	2.0					

DA NANG (TOURANE)								MARCH 1972						
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0633		0.5	1.6	11	0226		0.4	1.3	21	0438		0.8	2.6
W	1246		1.0	3.3	SA	1835		1.1	3.6	TU	0729		0.8	2.6
	1838		0.7	2.3							1434		1.2	3.9
											2256		0.4	1.3
2	0022		1.1	3.6	12	0322		0.4	1.3	22	1505		1.2	3.9
TH	0657		0.5	1.6	SU	1055		0.9	3.0	W				
	1305		1.0	3.3		1402		0.9	3.0					
	1917		0.6	2.0		2028		1.1	3.6					
3	0103		1.0	3.3	13	0404		0.4	1.3	23	0008		0.4	1.3
F	0718		0.6	2.0	M	1104		1.0	3.3	TH	1544		1.1	3.6
	1323		1.1	3.3		1527		0.8	2.6					
	1957		0.6	2.0		2135		1.1	3.6					
4	0145		1.0	3.3	14	0441		0.4	1.3	24	0129		0.4	1.3
SA	0734		0.7	2.3	TU	1122		1.0	3.3	F	1723		1.0	3.3
	1341		1.1	3.3		1622		0.7	2.3					
	2039		0.6	2.0		2231		1.1	3.6					
5	0227		0.9	3.0	15	0515		0.4	1.3	25	0243		0.4	1.3
SU	0742		0.7	2.3	W	1146		1.1	3.6	SA	1102		0.9	3.0
	1358		1.1	3.3		1719		0.7	2.3		1451		0.9	3.0
	2120		0.6	2.0		2323		1.1	3.6		1955		1.0	3.3
6	0314		0.9	3.0	16	0549		0.5	1.6	26	0338		0.4	1.3
M	0746		0.8	2.6	TH	1211		1.1	3.6	SU	1050		0.9	3.0
	1416		1.1	3.6		1812		0.6	2.0		1600		0.8	2.6
	2203		0.5	1.6							2109		1.0	3.3
7	0419		0.8	2.6	17	0016		1.1	3.6	27	0419		0.4	1.3
TU	0742		0.8	2.6	F	0621		0.6	2.0	M	1100		0.9	3.0
	1436		1.1	3.6		1239		1.2	3.9		1642		0.7	2.3
	2253		0.5	1.6		1907		0.5	1.6		2207		1.0	3.3
8	1500		1.1	3.6	18	0110		1.1	3.6	28	0453		0.5	1.6
W	2356		0.5	1.6	SA	0650		0.6	2.0	TU	1114		1.0	3.3
						1307		1.2	3.9		1718		0.6	2.0
						2002		0.4	1.3		2257		1.0	3.3
9	1534		1.1	3.6	19	0205		1.0	3.3	29	0524		0.5	1.6
TH					SU	0715		0.7	2.3	W	1133		1.0	3.3
						1336		1.2	3.9		1754		0.6	2.0
						2057		0.4	1.3		2344		1.0	3.3
10	0112		0.5	1.6	20	0308		0.9	3.0	30	0549		0.6	2.0
F	1629		1.1	3.6	M	0731		0.7	2.3	TH	1152		1.0	3.3
						1404		1.2	3.9		1830		0.5	1.6
						2154		0.4	1.3					
										31	0028		1.0	3.3
										F	0610		0.6	2.0
											1210		1.0	3.3
											1903		0.5	1.6

DA NANG (TOURANE)				APRIL 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0110		0.9	3.0	11	0300		0.5	1.6	21	1524		1.0	3.3
SA	0623		0.7	2.3	TU	1000		1.0	3.0	F				
	1223		1.1	3.6		1527		0.7	2.3					
	1936		0.4	1.3		2127		1.0	3.3					
2	0151		0.9	3.0	12	0341		0.5	1.6	22	0044		0.3	1.0
SU	0626		0.7	2.3	W	1024		1.1	3.6	SA	0915		0.9	3.0
	1244		1.1	3.6		1624		0.6	2.0		1325		0.8	2.6
	2007		0.4	1.3		2231		1.0	3.3		1750		0.9	3.0
3	0230		0.9	3.0	13	0419		0.5	1.6	23	0142		0.4	1.3
M	0628		0.8	2.6	TH	1051		1.1	3.6	SU	0921		0.9	3.0
	1259		1.1	3.6		1717		0.5	1.6		1459		0.7	2.3
	2042		0.4	1.3		2329		1.0	3.3		1952		0.9	3.0
4	0321		0.8	2.6	14	0454		0.6	2.0	24	0233		0.4	1.3
TU	0627		0.8	2.6	F	1120		1.2	3.9	M	0938		0.9	3.0
	1318		1.1	3.6		1803		0.4	1.3		1552		0.6	2.0
	2122		0.4	1.3							2106		0.9	3.0
5	1341		1.1	3.6	15	0024		1.0	3.3	25	0317		0.5	1.6
W	2213		0.4	1.3	SA	0525		0.6	2.0	TU	0958		1.0	3.3
						1150		1.2	3.9		1633		0.6	2.0
						1858		0.3	1.0		2207		0.9	3.0
6	1409		1.1	3.6	16	0119		0.9	3.0	26	0355		0.6	2.0
TH	2315		0.4	1.3	SU	0552		0.7	2.3	W	1019		1.0	3.3
						1220		1.2	3.9		1709		0.5	1.6
						1948		0.2	0.7		2302		0.9	3.0
7	1450		1.1	3.6	17	0217		0.9	3.0	27	0427		0.6	2.0
F					M	0611		0.7	2.3	TH	1040		1.0	3.3
						1251		1.2	3.9		1743		0.4	1.3
						2040		0.2	0.7		2351		0.9	3.0
8	0022		0.4	1.3	18	0328		0.8	2.6	28	0448		0.7	2.3
SA	1559		1.0	3.3	TU	0619		0.8	2.6	F	1059		1.0	3.3
						1322		1.2	3.9		1813		0.4	1.3
						2136		0.2	0.7					
9	0123		0.4	1.3	19	1355		1.1	3.6	29	0032		0.9	3.0
SU	0932		0.9	3.0	W	2236		0.2	0.7	SA	0459		0.7	2.0
	1248		0.9	3.0						1116		1.1	3.6	
	1816		1.0	3.3						1842		0.3	1.0	
10	0215		0.4	1.3	20	1433		1.1	3.6	30	0114		0.9	3.0
M	0943		1.0	3.0	TH	2341		0.3	1.0	SU	0503		0.8	2.6
	1422		0.8	2.6						1134		1.1	3.6	
	2011		1.0	3.3						1911		0.3	1.0	

DA NANG (TOURANE)				MAY 1972												
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.			
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.		
1 M	0158		0.8	2.6	11	0231		0.6	2.0	21	0746		0.9	3.0		
	0506		0.8	2.6		TH	0930		1.1		3.6	SU	1307		0.7	2.3
	1151		1.1	3.6			1621		0.4		1.3		1738		0.8	2.6
	1943		0.3	1.0			2237		0.9		3.0					
2 TU	0251		0.8	2.6	12	0311		0.6	2.0	22	0034		0.4	1.3		
	0506		0.8	2.6		F	0959		1.2		3.9	M	0810		0.9	3.0
	1210		1.1	3.6			1710		0.3		1.0		1427		0.6	2.0
	2021		0.3	1.0			2337		0.9		3.0		1939		0.8	2.6
3 W	0429		0.8	2.6	13	0346		0.7	2.3	23	0116		0.5	1.6		
	0431		0.8	2.6		SA	1033		1.2		3.9	TU	0836		1.0	3.3
	1237		1.1	3.6			1758		0.2		0.7		1530		0.6	2.0
	2105		0.3	1.0									2102		0.8	2.6
4 TH	1306		1.1	3.6	14	0032		0.8	2.6	24	0157		0.6	2.0		
	2155		0.3	1.0		SU	0415		0.7		2.3	W	0900		1.0	3.3
							1105		1.2		3.9		1614		0.5	1.6
							1845		0.1		0.3		2208		0.8	2.6
5 F	1348		1.1	3.6	15	0129		0.8	2.6	25	0233		0.7	2.3		
	2246		0.3	1.0		M	0441		0.7		2.3	TH	0925		1.0	3.3
							1140		1.2		3.9		1650		0.4	1.3
							1935		0.1		0.3		2304		0.8	2.6
6 SA	1441		1.0	3.3	16	0239		0.8	2.6	26	0258		0.7	2.3		
	2334		0.4	1.3		TU	0459		0.8		2.6	F	0946		1.0	3.3
							1216		1.2		3.9		1720		0.3	1.0
							2028		0.1		0.3		2352		0.8	2.6
7 SU	0807		0.9	3.0	17	0427		0.8	2.6	27	0313		0.7	2.3		
	1126		0.9	3.0		W	0438		0.8		2.6	SA	1004		1.1	3.6
	1554		0.9	3.0			1255		1.1		3.6		1750		0.3	1.0
							2121		0.1		0.3					
8 M	0020		0.4	1.3	18	1339		1.1	3.6	28	0034		0.8	2.6		
	0815		0.9	3.0		TH	2214		0.2		0.7	SU	0324		0.8	2.6
	1303		0.8	2.6									1025		1.1	3.6
	1755		0.9	3.0									1820		0.2	0.7
9 TU	0105		0.5	1.6	19	0726		0.9	3.0	29	0122		0.8	2.6		
	0836		1.0	3.3		F	0944		0.8		2.6	M	0338		0.8	2.6
	1421		0.7	2.3			1429		1.0		3.3		1046		1.1	3.6
	2003		0.9	3.0			2303		0.3		1.0		1854		0.2	0.7
10 W	0149		0.5	1.6	20	0725		0.9	3.0	30	0221		0.8	2.6		
	0900		1.0	3.3		SA	1137		0.8		2.6	TU	0346		0.8	2.6
	1526		0.5	1.6			1534		0.9		3.0		1112		1.1	3.6
	2130		0.9	3.0			2350		0.3		1.0		1933		0.2	0.7
										31	1144		1.1	3.6		
										W	2014		0.2	0.7		



DA NANG (TOURANE)				JUNE 1972							
DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.	
1	1222	1.1	3.6	11	0226	0.7	2.3	21	0000	0.6	2.0
TH	2055	0.2	0.7	SU	0949	1.2	3.9	W	0731	1.0	3.3
					1748	0.1	0.3		1452	0.5	1.6
									2056	0.7	2.3
2	1303	1.1	3.6	12	0057	0.8	2.6	22	0028	0.7	2.3
F	2135	0.3	1.0	M	0256	0.7	2.3	TH	0757	1.0	3.3
					1031	1.2	3.9		1538	0.4	1.3
					1838	0.1	0.3		2205	0.7	2.3
3	0613	0.9	3.0	13	0205	0.8	2.6	23	0052	0.7	2.3
SA	0751	0.9	3.0	TU	0332	0.8	2.6	F	0824	1.0	3.3
	1351	1.0	3.3		1114	1.2	3.9		1615	0.4	1.3
	2211	0.3	1.0		1928	0.1	0.3		2304	0.8	2.6
4	0616	0.9	3.0	14	0314	0.8	2.6	24	0111	0.7	2.3
SU	1006	0.8	2.6	W	0403	0.8	2.6	SA	0846	1.1	3.6
	1444	1.0	3.3		1201	1.2	3.9		1651	0.3	1.0
	2247	0.4	1.3		2016	0.1	0.3				
5	0636	0.9	3.0	15	0410	0.8	2.6	25	0003	0.8	2.6
M	1136	0.8	2.6	TH	0538	0.8	2.6	SU	0134	0.8	2.6
	1552	0.9	3.0		1250	1.1	3.6		0912	1.1	3.6
	2323	0.5	1.6		2101	0.1	0.3		1727	0.3	1.0
6	0700	1.0	3.3	16	0442	0.8	2.6	26	0106	0.8	2.6
TU	1300	0.7	2.3	F	0830	0.8	2.6	M	0150	0.8	2.6
	1755	0.8	2.6		1340	1.0	3.3		0943	1.1	3.6
					2142	0.2	0.7		1804	0.2	0.7
7	0000	0.5	1.6	17	0516	0.9	3.0	27	1019	1.1	3.6
W	0731	1.0	3.3	SA	0956	0.8	2.6	TU	1843	0.2	0.7
	1416	0.6	2.0		1431	0.9	3.0				
	2015	0.8	2.6		2220	0.3	1.0				
8	0039	0.6	2.0	18	0551	0.9	3.0	28	0228	0.8	2.6
TH	0801	1.1	3.6	SU	1111	0.7	2.3	W	0247	0.8	2.6
	1518	0.4	1.3		1530	0.8	2.6		1100	1.1	3.6
	2141	0.8	2.6		2255	0.4	1.3		1922	0.2	0.7
9	0116	0.6	2.0	19	0624	0.9	3.0	29	0306	0.9	3.0
F	0837	1.2	3.9	M	1226	0.7	2.3	TH	0431	0.8	2.6
	1611	0.3	1.0		1712	0.8	2.6		1145	1.1	3.6
	2250	0.8	2.6		2329	0.5	1.6		1957	0.2	0.7
10	0152	0.7	2.3	20	0658	0.9	3.0	30	0322	0.9	3.0
SA	0911	1.2	3.9	TU	1347	0.6	2.0	F	0553	0.8	2.6
	1700	0.2	0.7		1825	0.7	2.3		1230	1.1	3.6
	2353	0.8	2.6						2032	0.3	1.0

## DA NANG (TOURANE)

JULY 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	03	49	0.9	3.0	11	10	16	1.2	3.9	21	06	32	1.0	3.3
SA	07	24	0.8	2.6	TU	18	32	0.1	0.3	F	14	44	0.5	1.6
	13	13	1.1	3.6							22	16	0.8	2.6
	21	02	0.3	1.0							22	56	0.8	2.6
2	04	13	0.9	3.0	12	02	07	0.8	2.6	22	07	03	1.1	3.6
SU	08	51	0.8	2.6	W	03	30	0.8	2.6	SA	15	35	0.4	1.3
	14	00	1.0	3.3		11	11	1.2	3.9					
	21	33	0.4	1.3		19	15	0.1	0.3					
3	04	40	1.0	3.3	13	02	22	0.8	2.6	23	07	43	1.1	3.6
M	10	12	0.8	2.6	TH	05	28	0.8	2.6	SU	16	22	0.4	1.3
	14	53	0.9	3.0		12	02	1.1	3.6					
	22	02	0.5	1.6		19	53	0.2	0.7					
4	05	11	1.0	3.3	14	02	49	0.9	3.0	24	08	33	1.1	3.6
TU	11	30	0.7	2.3	F	07	11	0.8	2.6	M	17	05	0.3	1.0
	16	08	0.8	2.6		12	52	1.1	3.6					
	22	32	0.6	2.0		20	30	0.3	1.0					
5	05	45	1.1	3.6	15	03	15	0.9	3.0	25	09	27	1.1	3.6
W	12	48	0.6	2.0	SA	08	27	0.7	2.3	TU	17	45	0.3	1.0
	18	35	0.7	2.3		13	39	1.0	3.3					
	22	59	0.6	2.0		21	02	0.4	1.3					
6	06	23	1.1	3.6	16	03	46	0.9	3.0	26	01	11	0.9	3.0
TH	13	59	0.5	1.6	SU	09	32	0.7	2.3	W	03	00	0.9	3.0
	20	39	0.7	2.3		14	27	0.9	3.0		10	18	1.1	3.6
	23	28	0.7	2.3		21	34	0.5	1.6		18	20	0.3	1.0
7	07	02	1.2	3.9	17	04	18	1.0	3.3	27	01	24	0.9	3.0
F	15	03	0.4	1.3	M	10	36	0.7	2.3	TH	04	25	0.9	3.0
	22	11	0.7	2.3		15	24	0.9	3.0		11	06	1.2	3.9
	23	49	0.7	2.3		22	01	0.5	1.6		18	53	0.3	1.0
8	07	45	1.2	3.9	18	04	52	1.0	3.3	28	01	48	1.0	3.3
SA	16	00	0.3	1.0	TU	11	42	0.6	2.0	F	05	36	0.8	2.6
						16	57	0.8	2.6		11	52	1.2	3.9
						22	27	0.6	2.0		19	26	0.3	1.0
9	08	33	1.2	3.9	19	05	28	1.0	3.3	29	02	09	1.0	3.3
SU	16	54	0.2	0.7	W	12	47	0.6	2.0	SA	06	40	0.8	2.6
						19	06	0.8	2.6		12	37	1.2	3.9
						22	45	0.7	2.3		19	56	0.4	1.3
10	09	23	1.2	3.9	20	05	59	1.0	3.3	30	02	32	1.0	3.3
M	17	45	0.1	0.3	TH	13	48	0.5	1.6	SU	07	45	0.8	2.6
						20	45	0.8	2.6		13	23	1.1	3.6
						22	58	0.7	2.3		20	26	0.5	1.6
										31	03	00	1.1	3.6
										M	08	54	0.7	2.3
											14	14	1.0	3.3
											20	53	0.6	2.0



DA NANG (TOURANE)				SEPTEMBER 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	03	29	1.3	4.3	11	01	04	1.2	3.9	21	03	12	1.0	3.3
F	11	54	0.5	1.6	M	07	47	0.7	2.3	TH	09	16	1.3	4.3
						13	44	1.1	3.6		16	12	0.7	2.3
						19	26	0.8	2.6		22	56	1.2	3.9
2	04	07	1.3	4.3	12	01	25	1.2	3.9	22	04	07	0.9	3.0
SA	13	10	0.5	1.6	TU	08	30	0.7	2.3	F	10	14	1.3	4.3
						14	29	1.1	3.6		16	48	0.7	2.3
						19	37	0.9	3.0		23	19	1.3	4.3
3	05	03	1.3	4.3	13	01	44	1.3	4.3	23	04	59	0.9	3.0
SU	14	30	0.5	1.6	W	09	09	0.7	2.3	SA	11	08	1.3	4.3
						15	19	1.1	3.6		17	22	0.7	2.3
						19	40	0.9	3.0		23	45	1.3	4.3
4	06	49	1.2	3.9	14	02	02	1.3	4.3	24	05	51	0.8	2.6
M	15	38	0.5	1.6	TH	09	51	0.7	2.3	SU	12	02	1.3	4.3
						16	26	1.0	3.3		17	55	0.8	2.6
						19	35	1.0	3.3					
5	08	32	1.2	3.9	15	02	20	1.3	4.3	25	00	11	1.4	4.6
TU	16	27	0.5	1.6	F	10	37	0.7	2.3	M	06	44	0.7	2.3
	23	33	1.0	3.3							12	56	1.3	4.3
											18	24	0.9	3.0
6	03	45	1.0	3.3	16	02	43	1.3	4.3	26	00	40	1.4	4.6
W	09	39	1.2	3.9	SA	11	34	0.7	2.3	TU	07	37	0.6	2.0
	17	06	0.5	1.6							13	51	1.2	3.9
	23	45	1.1	3.6							18	48	0.9	3.0
7	04	46	0.9	3.0	17	03	12	1.3	4.3	27	01	08	1.5	4.9
TH	10	35	1.2	3.9	SU	12	44	0.7	2.3	W	08	29	0.6	2.0
	17	40	0.5	1.6							14	50	1.2	3.9
											19	05	1.0	3.3
8	00	02	1.1	3.6	18	04	02	1.2	3.9	28	01	37	1.5	4.9
F	05	35	0.8	2.6	M	13	54	0.7	2.3	TH	09	24	0.6	2.0
	11	24	1.2	3.9							16	10	1.1	3.6
	18	11	0.6	2.0							19	07	1.0	3.3
9	00	20	1.1	3.6	19	06	03	1.2	3.9	29	02	07	1.5	4.9
SA	06	19	0.8	2.6	TU	14	51	0.6	2.0	F	10	23	0.6	2.0
	12	11	1.2	3.9		22	23	1.1	3.6					
	18	40	0.7	2.3										
10	00	43	1.2	3.9	20	01	56	1.1	3.6	30	02	39	1.4	4.6
SU	07	03	0.7	2.3	W	08	06	1.2	3.9	SA	11	30	0.6	2.0
	12	58	1.2	3.9		15	35	0.6	2.0					
	19	05	0.8	2.6		22	37	1.2	3.9					

## DA NANG (TOURANE)

OCTOBER 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0318		1.3	4.3	11	0026		1.4	4.6	21	0407		0.9	3.0
SU	1245		0.6	2.0	W	0756		0.7	2.3	SA	1015		1.3	4.3
						1428		1.2	3.9		1548		0.9	3.0
						1811		1.1	3.6		2225		1.4	4.6
2	0428		1.3	4.3	12	0043		1.4	4.6	22	0457		0.8	2.6
M	1357		0.6	2.0	TH	0830		0.7	2.3	SU	1114		1.3	4.3
	2221		1.2	3.9		1521		1.1	3.6		1624		1.0	3.3
						1806		1.1	3.6		2253		1.5	4.9
3	0150		1.1	3.6	13	0100		1.4	4.6	23	0546		0.7	2.3
TU	0713		1.2	3.9	F	0907		0.7	2.3	M	1209		1.3	4.3
	1457		0.6	2.0							1656		1.0	3.3
	2217		1.2	3.9							2323		1.6	5.2
4	0324		1.0	3.3	14	0122		1.4	4.6	24	0633		0.6	2.0
W	0842		1.2	3.9	SA	0955		0.7	2.3	TU	1303		1.3	4.3
	1544		0.7	2.3							1722		1.0	3.3
	2228		1.2	3.9							2353		1.6	5.2
5	0415		1.0	3.3	15	0148		1.4	4.6	25	0721		0.5	1.6
TH	0946		1.2	3.9	SU	1051		0.7	2.3	W	1400		1.2	3.9
	1623		0.7	2.3							1745		1.1	3.6
	2248		1.2	3.9										
6	0457		0.9	3.0	16	0227		1.3	4.3	26	0025		1.6	5.2
F	1042		1.2	3.9	M	1152		0.7	2.3	TH	0811		0.5	1.6
	1657		0.8	2.6							1508		1.2	3.9
	2307		1.3	4.3							1757		1.1	3.6
7	0537		0.8	2.6	17	0329		1.3	4.3	27	0056		1.6	5.2
SA	1133		1.2	3.9	TU	1249		0.8	2.6	F	0906		0.5	1.6
	1728		0.9	3.0		2107		1.2	3.9					
	2329		1.3	4.3										
8	0615		0.8	2.6	18	0045		1.2	3.9	28	0132		1.5	4.9
SU	1220		1.2	3.9	W	0532		1.2	3.9	SA	1004		0.6	2.0
	1751		0.9	3.0		1339		0.8	2.6					
	2349		1.3	4.3		2115		1.3	4.3					
9	0650		0.7	2.3	19	0209		1.1	3.6	29	0209		1.4	4.6
M	1305		1.2	3.9	TH	0749		1.3	4.3	SU	1106		0.6	2.0
	1806		1.0	3.3		1425		0.8	2.6					
						2134		1.3	4.3					
10	0008		1.4	4.6	20	0312		1.0	3.3	30	0259		1.3	4.3
TU	0724		0.7	2.3	F	0909		1.3	4.3	M	1206		0.7	2.3
	1347		1.2	3.9		1508		0.9	3.0		2044		1.2	3.9
	1812		1.0	3.3		2157		1.4	4.6					
										31	0040		1.2	3.9
										TU	0433		1.2	3.9
											1303		0.7	2.3
											2054		1.3	4.3

DA NANG (TOURANE)				NOVEMBER 1972												
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.			
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.		
1 W	0222		1.1	3.6	11	0019		1.4	4.6	21	0535		0.5	1.6		
	0717		1.2	3.9		SA	0046		0.6		2.0	TU	1216		1.2	3.9
	1356		0.8	2.6								1550		1.1	3.6	
	2111		1.3	4.3								2241		1.6	5.2	
2 TH	0328		1.0	3.3	12	0049		1.4	4.6	22	0621		0.5	1.6		
	0846		1.2	3.9		SU	0931		0.7		2.3	W	1313		1.2	3.9
	1445		0.9	3.0								1618		1.1	3.6	
	2134		1.3	4.3								2316		1.6	5.2	
3 F	0416		0.9	3.0	13	0129		1.4	4.6	23	0709		0.4	1.3		
	0955		1.2	3.9		M	1015		0.7		2.3	TH	1415		1.2	3.9
	1529		0.9	3.0								1645		1.1	3.6	
	2156		1.3	4.3								2354		1.6	5.2	
4 SA	0456		0.8	2.6	14	0214		1.3	4.3	24	0800		0.4	1.3		
	1054		1.2	3.9		TU	1059		0.7		2.3	F	1627		1.2	3.9
	1604		1.0	3.3			1936		1.3		4.3		1706		1.1	3.6
	2219		1.4	4.6			2306		1.2		3.9					
5 SU	0531		0.7	2.3	15	0317		1.3	4.3	25	0036		1.5	4.9		
	1144		1.2	3.9		W	1143		0.8		2.6	SA	0852		0.5	1.6
	1631		1.0	3.3			1948		1.3		4.3					
	2241		1.4	4.6												
6 M	0601		0.7	2.3	16	0043		1.1	3.6	26	0119		1.5	4.9		
	1226		1.2	3.9		TH	0500		1.2		3.9	SU	0943		0.5	1.6
	1643		1.1	3.6			1226		0.9		3.0		1821		1.2	3.9
	2259		1.4	4.6			2007		1.3		4.3		2046		1.2	3.9
7 TU	0632		0.6	2.0	17	0204		1.0	3.3	27	0207		1.4	4.6		
	1309		1.2	3.9		F	0741		1.2		3.9	M	1031		0.6	2.0
	1647		1.1	3.6			1312		0.9		3.0		1845		1.2	3.9
	2317		1.4	4.6			2034		1.4		4.6		2252		1.1	3.6
8 W	0700		0.6	2.0	18	0309		0.9	3.0	28	0303		1.3	4.3		
	1353		1.2	3.9		SA	0914		1.2		3.9	TU	1116		0.7	2.3
	1650		1.1	3.6			1358		1.0		3.3		1912		1.2	3.9
	2336		1.5	4.9			2102		1.5		4.9					
9 TH	0736		0.6	2.0	19	0402		0.8	2.6	29	0027		1.1	3.6		
	1444		1.2	3.9		SU	1023		1.2		3.9	W	0435		1.2	3.9
	1652		1.1	3.6			1440		1.0		3.3		1200		0.8	2.6
	2355		1.5	4.9			2134		1.5		4.9		1942		1.3	4.3
10 F	0806		0.6	2.0	20	0450		0.6	2.0	30	0203		1.0	3.3		
	1623		1.2	3.9		M	1121		1.2		3.9	TH	0710		1.1	3.6
	1634		1.2	3.9			1517		1.0		3.3		1245		0.9	3.0
							2206		1.6		5.2		2011		1.3	4.3

## DA NANG (TOURANE)

DECEMBER 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0316		0.9	3.0	11	0049	1.4	4.6	21	0014	0.4	1.3		
F	0852		1.1	3.6	M	0904	0.6	2.0	TH	1328	1.1	3.6		
	1331		1.0	3.3		1702	1.2	3.9		1529	1.1	3.6		
	2041		1.3	4.3		1937	1.2	3.9		2255	1.5	4.9		
2	0404		0.8	2.6	12	0132	1.3	4.3	22	0702	0.3	1.0		
SA	1005		1.1	3.6	TU	0936	0.7	2.3	F	1421	1.1	3.6		
	1412		1.0	3.3		1722	1.2	3.9		1630	1.1	3.6		
	2106		1.4	4.6		2127	1.1	3.6		2344	1.5	4.9		
3	0441		0.7	2.3	13	0216	1.3	4.3	23	0748	0.4	1.3		
SU	1104		1.1	3.6	W	1008	0.7	2.3	SA	1507	1.1	3.6		
	1444		1.1	3.6		1749	1.2	3.9		1756	1.1	3.6		
	2132		1.4	4.6		2300	1.1	3.6						
4	0512		0.6	2.0	14	0312	1.2	3.9	24	0033	1.4	4.6		
M	1152		1.1	3.6	TH	1042	0.8	2.6	SU	0831	0.4	1.3		
	1502		1.1	3.6		1820	1.3	4.3		1544	1.1	3.6		
	2152		1.4	4.6						1944	1.1	3.6		
5	0543		0.6	2.0	15	0028	1.0	3.3	25	0121	1.3	4.3		
TU	1233		1.1	3.6	F	0451	1.1	3.6	M	0910	0.5	1.6		
	1513		1.1	3.6		1119	0.9	3.0		1620	1.2	3.9		
	2213		1.4	4.6		1853	1.3	4.3		2112	1.0	3.3		
6	0613		0.6	2.0	16	0152	0.9	3.0	26	0208	1.3	4.3		
W	1320		1.1	3.6	SA	0754	1.1	3.6	TU	0948	0.6	2.0		
	1526		1.1	3.6		1158	0.9	3.0		1700	1.2	3.9		
	2237		1.4	4.6		1931	1.4	4.6		2232	1.0	3.3		
7	0646		0.5	1.6	17	0258	0.7	2.3	27	0301	1.1	3.6		
TH	1414		1.1	3.6	SU	0928	1.1	3.6	W	1023	0.7	2.3		
	1543		1.1	3.6		1240	1.0	3.3		1741	1.2	3.9		
	2302		1.4	4.6		2006	1.5	4.9		2353	0.9	3.0		
8	0720		0.5	1.6	18	0351	0.6	2.0	28	0425	1.0	3.3		
F	1514		1.1	3.6	M	1039	1.1	3.6	TH	1056	0.8	2.6		
	1555		1.1	3.6		1320	1.0	3.3		1823	1.2	3.9		
	2335		1.4	4.6		2045	1.5	4.9						
9	0755		0.5	1.6	19	0439	0.5	1.6	29	0120	0.9	3.0		
SA	1618		1.2	3.9	TU	1140	1.1	3.6	F	0705	1.0	3.3		
	1637		1.2	3.9		1359	1.0	3.3		1130	0.9	3.0		
						2126	1.5	4.9		1902	1.2	3.9		
10	0009		1.4	4.6	20	0526	0.4	1.3	30	0238	0.8	2.6		
SU	0831		0.6	2.0	W	1236	1.1	3.6	SA	0857	1.0	3.3		
	1630		1.2	3.9		1441	1.1	3.6		1157	0.9	3.0		
	1747		1.2	3.9		2208	1.5	4.9		1938	1.3	4.3		
									31	0331	0.7	2.3		
									SU	1016	1.0	3.3		
										1220	1.0	3.3		
										2007	1.3	4.3		

DO-SON				JANUARY 1972							
DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.	
1	0509	3.8	12.8	11	0331	2.4	7.9	21	0802	2.7	8.8
SA	1753	-0.0	0.0	TU	1501	1.0	3.3	F	2248	1.2	3.9
2	0558	3.8	12.8	12	0329	2.7	8.8	22	0808	2.2	7.2
SU	1848	0.0	0.0	W	1518	0.8	2.6	SA			
3	0644	3.7	12.5	13	0340	2.9	9.5	23	0029	1.6	5.2
M	1941	0.1	0.3	TH	1546	0.5	1.6	SU	0620	1.9	6.2
									1310	1.6	5.2
									2228	2.1	6.9
4	0726	3.5	11.5	14	0401	3.1	10.2	24	1245	1.1	3.6
TU	2029	0.4	1.3	F	1620	0.3	1.0	M			
5	0804	3.2	10.5	15	0429	3.3	10.8	25	0016	2.5	8.2
W	2109	0.7	2.3	SA	1700	0.2	0.7	TU	1314	0.7	2.3
6	0832	2.9	9.5	16	0501	3.5	11.5	26	0130	2.9	9.5
TH	2140	1.0	3.3	SU	1745	0.2	0.7	W	1359	0.3	1.0
7	0847	2.6	8.5	17	0538	3.5	11.5	27	0230	3.3	10.8
F	2150	1.3	4.3	M	1837	0.2	0.7	TH	1453	0.1	0.3
8	0829	2.3	7.5	18	0616	3.5	11.5	28	0324	3.5	11.5
SA	2039	1.6	5.2	TU	1934	0.3	1.0	F	1550	0.0	0.0
9	0611	2.1	6.9	19	0655	3.3	10.8	29	0416	3.6	11.8
SU	1536	1.5	4.9	W	2034	0.5	1.6	SA	1649	0.0	0.0
10	0434	2.2	7.2	20	0731	3.1	10.2	30	0505	3.6	11.8
M	1503	1.3	4.3	TH	2136	0.8	2.6	SU	1751	0.0	0.0
								31	0550	3.5	11.5
								M	1854	0.2	0.7



DO-SON				FEBRUARY 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0631		3.3	10.8	11	0252	3.0	9.8	21	1055	0.9	3.0		
TU	1954		0.5	1.6	F	1453	0.4	1.3	M	2212	2.6	8.5		
2	0706		3.0	9.8	12	0324	3.2	10.5	22	1140	0.6	2.0		
W	2045		0.7	2.3	SA	1541	0.3	1.0	TU	2344	2.9	9.5		
3	0730		2.7	8.8	13	0359	3.3	10.8	23	1231	0.3	1.0		
TH	2126		1.0	3.3	SU	1636	0.3	1.0	W					
4	0742		2.3	7.5	14	0438	3.3	10.8	24	0104	3.2	10.5		
F	2153		1.4	4.6	M	1740	0.3	1.0	TH	1325	0.1	0.3		
5	0722		2.1	6.9	15	0519	3.2	10.5	25	0210	3.3	10.8		
SA	1401		1.7	5.6	TU	1856	0.5	1.6	F	1425	0.1	0.3		
	1604		1.7	5.6										
	2139		1.7	5.6										
6	0447		1.9	6.2	16	0601	3.0	8.9	26	0308	3.4	11.2		
SU	1315		1.5	4.9	W	2018	0.7	2.3	SA	1530	0.1	0.3		
7	0252		2.0	6.6	17	0641	2.7	8.8	27	0401	3.3	10.8		
M	1305		1.2	3.9	TH	2142	0.9	3.0	SU	1641	0.3	1.0		
8	0156		2.3	7.5	18	0714	2.3	7.5	28	0450	3.2	10.5		
TU	1315		1.0	3.3	F	2317	1.3	4.3	M	1757	0.5	1.6		
9	0204		2.5	8.2	19	0715	1.9	6.2	29	0533	2.9	9.5		
W	1339		0.7	2.3	SA	1147	1.8	5.9	TU	1920	0.7	2.3		
						1800	2.0	6.6						
10	0226		2.8	9.2	20	0123	1.6	5.2						
TH	1412		0.5	1.6	SU	0356	1.6	5.2						
						1030	1.4	4.6						
						2026	2.3	7.5						

DO-SON				MARCH 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	0610		2.6	8.5	11	0151		3.0	9.8	21	1002		0.4	1.3
W	2035		1.0	3.3	SA	1402		0.4	1.3	TU	2158		3.1	10.2
2	0635		2.3	7.5	12	0237		3.1	10.2	22	1058		0.2	0.7
TH	2143		1.2	3.9	SU	1505		0.5	1.6	W	2316		3.2	10.5
3	0543		2.0	6.6	13	0322		3.1	10.2	23	1155		0.2	0.7
F	1147		1.8	5.9	M	1623		0.6	2.0	TH				
	1411		1.9	6.2										
	2300		1.5	4.9										
4	0610		1.8	5.9	14	0410		2.9	9.5	24	0031		3.3	10.8
SA	1106		1.6	5.2	TU	1807		0.8	2.6	F	1253		0.2	0.7
	1803		1.9	6.2										
5	0115		1.7	5.6	15	0500		2.7	8.8	25	0139		3.2	10.5
SU	0148		1.7	5.6	W	2002		1.0	3.3	SA	1355		0.4	1.3
	1052		1.4	4.6										
	2018		2.1	6.9										
6	1100		1.1	3.6	16	0551		2.4	7.9	26	0239		3.1	10.2
M	2211		2.3	7.5	TH	2146		1.2	3.9	SU	1505		0.6	2.0
7	1123		0.9	3.0	17	0645		2.0	6.6	27	0333		2.9	2.5
TU	2322		2.5	8.2	F	1000		1.9	6.2	M	1628		0.8	2.6
						1523		2.1	6.9					
						2347		1.4	4.6					
8	1153		0.7	2.3	18	0629		1.5	4.9	28	0421		2.6	8.5
W					SA	0638		1.5	4.9	TU	1828		1.1	3.6
						1742		2.4	7.9					
9	0018		2.7	8.8	19	0814		1.1	3.6	29	0502		2.3	7.5
TH	1230		0.5	1.6	SU	1910		2.7	8.8	W	2023		1.3	4.3
10	0106		2.9	9.5	20	0908		0.7	2.3	30	0528		2.0	6.6
F	1312		0.5	1.6	M	2034		2.9	9.5	TH	0928		1.9	6.2
											1244		1.9	6.2
											2208		1.5	4.9
										31	0512		1.7	5.6
										F	0746		1.6	5.2
											1606		2.1	6.9

## DO-SON

APRIL 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	08	31	1.4	4.6	11	02	34	2.7	8.8	21	11	23	0.3	1.0
SA	17	47	2.3	7.5	TU	16	16	1.1	3.6	F	23	49	3.2	10.5
2	08	39	1.1	3.6	12	03	29	2.4	7.9	22	12	18	0.5	1.6
SU	18	59	2.5	8.2	W	19	40	1.3	4.3	SA				
3	09	02	0.9	3.0	13	04	41	2.0	6.6	23	00	51	3.0	9.8
M	20	04	2.6	8.5	TH	08	45	1.9	6.2	SU	13	14	0.8	2.6
						14	08	2.0	6.6					
						22	05	1.4	4.6					
4	09	33	0.7	2.3	14	15	50	2.4	7.9	24	01	46	2.7	8.8
TU	21	05	2.8	9.2	F					M	14	14	1.1	3.6
5	10	07	0.6	2.0	15	05	39	1.1	3.6	25	02	31	2.4	7.9
W	22	02	2.9	9.5	SA	17	07	2.8	9.2	TU	15	40	1.5	4.9
6	10	46	0.5	1.6	16	06	44	0.7	2.3	26	02	55	2.0	6.6
TH	22	55	3.0	9.8	SU	18	17	3.1	10.2	W	08	24	1.9	6.2
											09	55	1.9	6.2
											20	26	1.7	5.6
7	11	31	0.5	1.6	17	07	42	0.4	1.3	27	02	05	1.7	5.6
F	23	49	3.1	10.2	M	19	24	3.3	10.8	TH	06	55	1.6	5.2
											15	14	2.1	6.9
8	12	19	0.5	1.6	18	08	38	0.2	0.7	28	06	25	1.4	4.6
SA					TU	20	32	3.4	11.2	F	16	29	2.4	7.9
9	00	44	3.0	9.8	19	09	32	0.1	0.3	29	06	37	1.1	3.6
SU	13	15	0.7	2.3	W	21	40	3.4	11.2	SA	17	25	2.6	8.5
10	01	39	2.9	9.5	20	10	28	0.1	0.3	30	07	04	0.9	3.0
M	14	33	0.9	3.0	TH	22	46	3.4	11.2	SU	18	13	2.8	9.2

DO-SON								MAY 1972			
DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.	
1	0735	0.7	2.3	11	0514	1.7	5.6	21	1140	0.9	3.0
M	1858	3.0	9.8	TH	1426	2.3	7.5	SU	2333	2.6	8.5
2	0806	0.5	1.6	12	0414	1.2	3.9	22	1214	1.2	3.9
TU	1942	3.1	10.2	F	1529	2.7	8.8	M	2347	2.2	7.2
3	0840	0.4	1.3	13	0452	0.8	2.6	23	1216	1.6	5.2
W	2028	3.2	10.5	SA	1630	3.1	10.2	TU	2235	1.9	6.2
4	0917	0.4	1.3	14	0540	0.4	1.3	24	0603	1.7	5.6
TH	2115	3.2	10.5	SU	1731	3.4	11.2	W	1651	2.0	6.6
5	0958	0.4	1.3	15	0634	0.2	0.7	25	0511	1.4	4.6
F	2203	3.2	10.5	M	1829	3.6	11.8	TH	1622	2.3	7.5
6	1045	0.5	1.6	16	0728	0.0	0.0	26	0505	1.1	3.6
SA	2250	3.1	10.2	TU	1926	3.7	12.1	F	1636	2.6	8.5
7	1137	0.7	2.3	17	0821	0.0	0.0	27	0524	0.9	3.0
SU	2337	2.8	9.2	W	2023	3.6	11.8	SA	1702	2.8	9.2
8	1236	1.0	3.3	18	0914	0.1	0.3	28	0553	0.7	2.3
M				TH	2120	3.5	11.5	SU	1734	3.0	9.8
9	0022	2.5	8.2	19	1005	0.3	1.0	29	0624	0.5	1.6
TU	1408	1.4	4.6	F	2212	3.2	10.5	M	1807	3.2	10.5
10	0056	2.1	6.9	20	1055	0.5	1.6	30	0658	0.3	1.0
W	0925	1.8	5.9	SA	2259	2.9	9.5	TU	1843	3.3	10.8
	1301	1.8	5.9								
	1911	1.6	5.2								
	2331	1.7	5.6								
								31	0735	0.3	1.0
								W	1920	3.4	11.2

DO-SON				JUNE 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	08	12	0.3	1.0	11	04	42	0.2	0.7	21	04	22	1.6	5.2
TH	20	00	3.4	11.2	SU	16	45	3.5	11.5	W	16	43	2.1	6.9
2	08	53	0.3	1.0	12	05	33	0.0	0.0	22	03	49	1.3	4.3
F	20	42	3.3	10.8	M	17	39	3.7	12.1	TH	16	01	2.4	7.9
3	09	37	0.5	1.6	13	06	28	-0.1	-0.3	23	03	53	1.0	3.3
SA	21	22	3.1	10.2	TU	18	31	3.8	12.5	F	16	08	2.6	8.5
4	10	26	0.7	2.3	14	07	23	-0.1	-0.3	24	04	16	0.8	2.6
SU	22	00	2.8	9.2	W	19	21	3.7	12.1	SA	16	27	2.9	9.5
5	11	15	1.1	3.6	15	08	17	0.0	0.0	25	04	45	0.5	1.6
M	22	25	2.5	8.2	TH	20	10	3.5	11.5	SU	16	50	3.1	10.2
6	11	55	1.5	4.9	16	09	07	0.3	1.0	26	05	19	0.4	1.3
TU	22	07	2.1	6.9	F	20	55	3.2	10.5	M	17	18	3.3	10.8
7	05	57	1.7	5.6	17	09	53	0.6	2.0	27	05	56	0.3	1.0
W	13	23	1.9	6.2	SA	21	32	2.9	9.5	TU	17	49	3.4	11.2
8	03	25	1.4	4.6	18	10	31	0.9	3.0	28	06	37	0.2	0.7
TH	14	06	2.4	7.9	SU	21	55	2.5	8.2	W	18	23	3.5	11.5
9	03	19	1.0	3.3	19	10	52	1.3	4.3	29	07	22	0.2	0.7
F	14	57	2.9	9.5	M	21	45	2.2	7.2	TH	18	59	3.4	11.2
10	03	55	0.6	2.0	20	09	56	1.6	5.2	30	08	08	0.3	1.0
SA	15	50	3.2	10.5	TU	20	58	2.0	6.6	F	19	36	3.3	10.8

DO-SON				JULY 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	08	57	0.5	1.6	11	05	29	-0.0	-0.0	21	02	19	1.0	3.3
SA	20	13	3.1	10.2	TU	17	37	3.7	12.1	F	15	11	2.7	8.8
2	09	50	0.8	2.6	12	06	30	0.0	0.0	22	02	49	0.8	2.6
SU	20	46	2.8	9.2	W	18	24	3.6	11.8	SA	15	32	2.9	9.5
3	10	49	1.1	3.6	13	07	30	0.1	0.3	23	03	24	0.6	2.0
M	21	01	2.4	7.9	TH	19	09	3.4	11.2	SU	15	54	3.1	10.2
4	12	01	1.6	5.2	14	08	26	0.4	1.3	24	04	04	0.4	1.3
TU	19	53	2.0	6.6	F	19	50	3.1	10.2	M	16	21	3.2	10.5
5	03	13	1.7	5.6	15	09	15	0.7	2.3	25	04	48	0.4	1.3
W	11	39	2.0	6.6	SA	20	22	2.8	9.2	TU	16	51	3.3	10.8
6	01	43	1.3	4.3	16	09	55	1.0	3.3	26	05	37	0.3	1.0
TH	13	07	2.5	8.2	SU	20	39	2.4	7.9	W	17	25	3.4	11.2
7	02	02	0.8	2.6	17	10	17	1.4	4.6	27	06	33	0.4	1.3
F	14	06	2.9	9.5	M	20	16	2.1	6.9	TH	18	01	3.3	10.8
8	02	44	0.5	1.6	18	09	37	1.7	5.6	28	07	34	0.5	1.6
SA	15	00	3.3	10.8	TU	17	25	2.0	6.6	F	18	38	3.2	10.5
9	03	35	0.2	0.7	19	02	16	1.5	4.9	29	08	37	0.7	2.3
SU	15	53	3.6	11.8	W	15	37	2.2	7.2	SA	19	14	2.9	9.5
10	04	30	0.0	0.0	20	02	03	1.3	4.3	30	09	43	0.9	3.0
M	16	46	3.7	12.1	TH	15	02	2.4	7.9	SU	19	46	2.6	8.5
										31	11	02	1.3	4.3
										M	18	55	2.2	7.2

DO-SON				AUGUST 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	12	51	1.6	5.2	11	07	56	0.6	2.0	21	02	25	0.6	2.0
TU	17	57	1.8	5.9	F	18	50	2.9	9.5	M	15	07	3.2	10.5
	23	56	1.6	5.2										
2	09	21	2.2	7.2	12	08	59	0.9	3.0	22	03	18	0.6	2.0
W	23	53	1.2	3.9	SA	19	20	2.6	8.5	TU	15	1	3.2	10.5
3	11	15	2.6	8.5	13	09	54	1.2	3.9	23	04	20	0.6	2.0
TH					SU	19	31	2.3	7.5	W	16	17	3.2	10.5
4	00	29	0.8	2.6	14	10	43	1.5	4.9	24	05	33	0.6	2.0
F	12	43	3.0	9.8	M	18	59	2.0	6.6	TH	16	56	3.2	10.5
5	01	17	0.4	1.3	15	00	10	1.8	5.9	25	06	57	0.8	2.6
SA	13	52	3.3	10.8	TU	05	07	2.0	6.6	F	17	37	3.0	9.8
						11	20	1.9	6.2					
						15	27	1.9	6.2					
						23	50	1.5	4.9					
6	02	13	0.2	0.7	16	12	42	2.2	7.2	26	08	24	0.9	3.0
SU	14	51	3.5	11.5	W					SA	18	17	2.7	8.8
7	03	15	0.1	0.3	17	00	01	1.3	4.3	27	09	46	1.2	3.9
M	15	45	3.6	11.8	TH	13	05	2.4	7.9	SU	18	53	2.3	7.5
8	04	21	0.1	0.3	18	00	27	1.0	3.3	28	00	42	2.1	6.9
TU	16	37	3.6	11.8	F	13	37	2.7	8.8	M	01	37	2.1	6.9
											11	22	1.4	4.6
											18	55	1.9	6.2
											21	44	1.9	6.2
9	05	31	0.2	0.7	19	01	01	0.8	2.6	29	05	33	2.3	7.5
W	17	26	3.5	11.5	SA	14	06	2.9	9.5	TU	14	10	1.7	5.6
											14	40	1.7	5.6
											21	20	1.4	4.6
10	06	46	0.4	1.3	20	01	40	0.7	2.3	30	07	38	2.6	8.5
TH	18	11	3.2	10.5	SU	14	37	3.0	9.8	W	21	59	1.0	3.3
										31	09	22	2.9	9.5
										TH	22	49	0.7	2.3

DO-SON				SEPTEMBER 1972										
DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	10	54	3.1	10.2	11	03	21	2.2	7.2	21	03	57	1.0	3.3
F	23	44	0.4	1.3	M	11	52	1.7	5.6	TH	15	35	2.9	9.5
						14	52	1.8	5.9					
						21	27	1.6	5.2					
2	12	16	3.3	10.8	12	05	51	2.3	7.5	22	06	06	1.2	3.9
SA					TU	21	36	1.4	4.6	F	16	21	2.7	8.8
3	00	41	0.3	1.0	13	07	41	2.5	8.2	23	08	05	1.3	4.3
SU	13	29	3.5	11.5	W	22	03	1.2	3.9	SA	17	10	2.4	7.9
											23	09	2.1	6.9
4	01	42	0.3	1.0	14	09	29	2.6	8.5	24	00	01	2.1	6.9
M	14	31	3.5	11.5	TH	22	36	1.0	3.3	SU	09	48	1.4	4.6
											18	01	2.0	6.6
											20	26	2.0	6.6
5	02	53	0.4	1.3	15	10	53	2.8	9.2	25	03	42	2.4	7.9
TU	15	26	3.4	11.2	F	23	11	0.8	2.6	M	12	08	1.6	5.2
											14	14	1.6	5.2
											18	47	1.6	5.2
6	04	14	0.6	2.0	16	11	52	2.9	9.5	26	05	16	2.7	8.8
W	16	18	3.2	10.5	SA	23	49	0.8	2.6	TU	19	38	1.1	3.6
7	05	48	0.8	2.6	17	12	42	3.1	10.2	27	06	36	3.0	9.8
TH	17	06	3.0	9.8	SU					W	20	28	0.8	2.6
8	07	31	1.0	3.3	18	00	32	0.7	2.3	28	07	54	3.3	10.8
F	17	48	2.7	8.8	M	13	28	3.1	10.2	TH	21	18	0.5	1.6
9	08	51	1.2	3.9	19	01	20	0.8	2.6	29	09	14	3.4	11.2
SA	18	18	2.3	7.5	TU	14	10	3.2	10.5	F	22	12	0.3	1.0
	23	13	2.1	6.9										
10	00	04	2.2	7.2	20	02	24	0.9	3.0	30	10	31	3.5	11.5
SU	10	10	1.5	4.9	W	14	52	3.1	10.2	SA	23	08	0.3	1.0
	18	19	2.0	6.6										
	21	52	1.9	6.2										





DO-SON

NOVEMBER 1972

DAY	TIME		Ht.		DAY	TIME		Ht.		DAY	TIME		Ht.	
	h	m	m.	ft.		h	m	m.	ft.		h	m	m.	ft.
1	00	26	1.0	3.3	11	08	09	3.4	11.2	21	04	12	3.3	10.8
W	13	00	2.9	9.5	SA	20	53	0.5	1.6	TU	17	23	0.5	1.6
2	01	18	1.4	4.6	12	08	53	3.4	11.2	22	05	07	3.7	12.1
TH	13	40	2.5	8.2	SU	21	27	0.6	2.0	W	18	11	0.2	0.7
3	02	18	1.8	5.9	13	09	36	3.3	10.8	23	06	02	3.9	12.8
F	13	43	2.0	6.9	M	22	03	0.7	2.3	TH	19	02	0.0	0.0
	19	10	1.9	6.2										
4	02	34	2.1	6.9	14	10	18	3.2	10.5	24	06	57	3.9	12.8
SA	18	08	1.7	5.6	TU	22	39	0.9	3.0	F	19	53	0.0	0.0
5	03	35	2.5	8.2	15	10	58	3.0	9.8	25	07	52	3.9	12.8
SU	17	56	1.4	4.6	W	23	11	1.3	4.3	SA	20	44	0.1	0.3
6	04	28	2.7	8.8	16	11	30	2.7	8.8	26	08	46	3.7	12.1
M	18	18	1.1	3.6	TH	22	41	1.6	5.2	SU	21	32	0.3	1.0
7	05	17	3.0	9.8	17	11	41	2.3	7.5	27	09	38	3.5	11.5
TU	18	48	0.9	3.0	F	19	51	1.9	6.2	M	22	19	0.6	2.0
8	06	02	3.1	10.2	18	02	15	2.1	6.9	28	10	23	3.1	10.2
W	19	20	0.7	2.3	SA	07	26	1.9	6.2	TU	23	00	1.0	3.3
						09	10	2.0	6.6					
						17	24	1.7	5.6					
9	06	45	3.3	10.8	19	02	35	2.5	8.2	29	10	57	2.7	8.8
TH	19	51	0.6	2.0	SU	16	18	1.3	4.3	W	23	27	1.4	4.6
10	07	26	3.4	11.2	20	03	20	3.0	9.8	30	11	00	2.4	7.9
F	20	22	0.5	1.6	M	16	43	0.9	3.0	TH	22	10	1.8	5.9

DO-SON				DECEMBER 1972							
DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.		DAY	TIME h m	Ht. m. ft.	
1	0742	2.1	6.9	11	0818	3.4	11.2	21	0514	3.9	12.8
F	1722	1.7	5.6	M	2109	0.6	2.0	TH	1803	-0.1	-0.3
2	0415	2.3	7.5	12	0854	3.2	10.5	22	0605	3.9	12.8
SA	1644	1.4	4.6	TU	2144	0.9	3.0	F	1858	-0.1	-0.3
3	0407	2.6	8.5	13	0925	2.9	9.5	23	0654	3.9	12.8
SU	1647	1.1	3.6	W	2211	1.2	3.9	SA	1952	0.0	0.0
4	0428	2.8	9.2	14	0943	2.6	8.5	24	0742	3.7	12.1
M	1712	0.8	2.6	TH	2111	1.6	5.2	SU	2043	0.3	1.0
5	0456	3.1	10.2	15	0859	2.2	7.2	25	0826	3.4	11.2
TU	1743	0.6	2.0	F	1730	1.7	5.6	M	2129	0.6	2.0
6	0528	3.3	10.8	16	0233	2.1	6.9	26	0903	3.0	9.8
W	1816	0.5	1.6	SA	1525	1.5	4.9	TU	2206	1.0	3.3
7	0559	3.4	11.2	17	0207	2.5	8.2	27	0924	2.6	8.5
TH	1849	0.4	1.3	SU	1509	1.0	3.0	W	2223	1.4	4.6
8	0632	3.5	11.5	18	0245	3.0	9.8	28	0903	2.2	7.2
F	1923	0.3	1.0	M	1539	0.6	2.0	TH	2043	1.7	5.6
9	0706	3.5	11.5	19	0332	3.4	11.2	29	0604	2.1	6.9
SA	1957	0.4	1.3	TU	1622	0.2	0.7	F	1541	1.5	4.9
10	0741	3.5	11.5	20	0422	3.7	12.1	30	0403	2.3	7.5
SU	2033	0.4	1.3	W	1711	0.0	0.0	SA	1519	1.2	3.9
								31	0343	2.6	8.5
								SU	1533	0.9	3.0

TIDAL CORRECTIONS FOR SECONDARY STATIONS

These corrections should be used with caution. If possible, make local observations of the tides and compare the actual times against the predicted times obtained by using these corrections. To improve future editions of these tidal predictions, discrepancies should be reported to the U.S. Naval Oceanographic Office, Washington, D.C. 20390.

NOTE: HIGHER HIGH WATER (HH), LOWER HIGH WATER (LH), HIGHER LOW WATER (HL), LOWER LOW WATER (LL).

NO.	STATION SOUTH VIETNAM	LAT. N	LONG. E.	REFERENCE STATION	TIME				HEIGHT IN METERS (FEET)			
					H. h	m	h	m	L. m	H.H.	L.H.	H.L.
1.	BC DE	8	105 16	Cap St. Jacques	+1	00	+1	20	+1.0 (+3.3)	+1.0 (+3.3)	+0.2 (+0.5)	+0.2 (+0.5)
2.	POULO-CONDORE	8	106 36	Cap St. Jacques	+0	10	-0.3 (-1.0)	30	-0.3 (-1.0)	-0.3 (-1.0)	-0.3 (-1.0)	-0.3 (-1.0)
3.	SONG DINH, RACH DUA	10	107 06	Cap St. Jacques	+0	15	+0.0 (+0.1)	15	+0.0 (+0.1)	+0.0 (+0.1)	+0.0 (+0.1)	+0.0 (+0.1)
4.	SOIRAP ENTRANCE	10	106 48	Cap St. Jacques	+1	15	+0.4 (+1.3)	55	+0.4 (+1.3)	+0.4 (+1.3)	+0.3 (+0.9)	+0.3 (+0.9)
5.	CAN GIO	10	106 59	Cap St. Jacques	+0	40	+0.2 (+0.6)	30	+0.2 (+0.6)	+0.2 (+0.6)	+0.2 (+0.5)	+0.2 (+0.5)
6.	QUATRE-BRAS	10	106 55	Cap St. Jacques	+0	30	+0.4 (+1.3)	45	+0.4 (+1.3)	+0.4 (+1.3)	+0.3 (+1.0)	+0.3 (+1.0)
7.	CORAL BANK	10	106 51	Cap St. Jacques	+0	30	+0.5 (+1.8)	10	+0.5 (+1.8)	+0.5 (+1.8)	+0.5 (+1.5)	+0.5 (+1.5)
8.	NHA BE	10	106 46	Cap St. Jacques	+0	17	+0.8 (+2.5)	30	+0.8 (+2.5)	+0.8 (+2.5)	+0.6 (+1.9)	+0.6 (+1.9)

NO.	STATION	LAT. N		LONG. E	REFERENCE STATION	TIME			HEIGHT IN METERS (FEET)								
		°	'			H.	L.	m	h	m	H.H.	L.H.	H.L.	L.L.			
	SOUTH VIETNAM																
x 9.	SAI GON	10	47	106	42	Cap St. Jacques	+2	10	+3	00	-0.2 (-0.7)	+0.2 (+0.7)	-0.1 (-0.3)				
x 10.	THU DAI MCT	10	59	106	39	Cap St. Jacques	+4	10	+5	00	-0.6 (-2.0)						
x 11.	BIEN HOA	10	56	106	49	Cap St. Jacques	+3	40	+4	50	-0.7 (-2.3)						
x 12.	BAN UYEN	11	04	106	48	Cap St. Jacques	+4	55									
x 13.	BOIRAP	10	30	106	44	Cap St. Jacques	+0	40			-0.2 (-0.7)						
x 14.	RACH-LA ENTRANCE	10	26	106	35	Cap St. Jacques	+1	10	+2	00	-0.2 (-0.7)						
x 15.	CUA TIEU ENTRANCE	10	15	106	47	Cap St. Jacques	+0	50	+0	45	+0.3 (+1.1)	+0.3 (+1.1)	+0.2 (+0.8)	+0.2 (+0.8)			
x 16.	MY THC	10	22	106	21	Cap St. Jacques	+1	30	+3	10	-0.5 (-1.6)						
x 17.	CAI BE	10	20	106	02	Cap St. Jacques	+2	40	+4	30	-0.8 (-2.6)						

x French Tide Tables, 1972

NO.	STATION	LAT. N	LONG. E	REFERENCE STATION	TIME		HEIGHT IN METERS (FEET)					
					H.	L.	H.H.	L.H.	H.L.	L.L.		
	SOUTH VIETNAM				h	m	h	m	H.H.	L.H.	H.L.	L.L.
x 18.	CULAO TCHOUM	10 21	105 41	Cap St. Jacques	+4	50	+6	20	**			
x 19.	RACH HONG NGUENTR	10 48	105 21	Cap St. Jacques	+5	40	+8	40	**			
x 20.	BASSAC ENTRANCE	9 30	106 12	Cap St. Jacques	+1	15	+1	45	+1.0 (+3.3)	+0.2 (+0.7)		
x 21.	BAC TRANG	9 43	106 09	Cap St. Jacques	+1	30	+2	50	+0.2 (+0.7)			
22.	CAN THO	10 02	105 47	Cap St. Jacques	+3	00	+4	35	-0.4 (-1.4)	-0.3 (-1.1)	+0.5 (+1.6)	+0.4 (+1.4)
23.	LONG XUYEN	10 24	105 26	Cap St. Jacques	+5	10	+7	00	-0.9 (-3.0)			
24.	CHAU DOC	10 43	105 07	Cap St. Jacques	+7	40	+9	30	**			
25.	CAU LON (CA MAU)	8 39	104 45	Cap St. Jacques								
26.	TAMASSU ISLAND	9 50	104 40	Cap St. Jacques								

\*\* The extent of the tide is 3.3 to 6.6 feet at low tide.  
x French Tide Tables, 1972

NO.	STATION	LAT. N		LONG. E		REFERENCE STATION	TIME			HEIGHT IN METERS (FEET)				
		°	'	°	'		H.	L.	m	H.H.	L.H.	H.L.	L.L.	
SOUTH VIETNAM														
27.	POINT KE GA	10	42	107	59	Cap St. Jacques	-1	24	-1	24	-0.6 (-2.0)	+0.6 (+2.0)	+0.1 (+0.3)	+0.1 (+0.3)
28.	CAPE BAKE	10	30	107	30	Cap St. Jacques	-0	31	-0	31	*0.85 *0.85 +	0.24 (0.8)		
29.	BEN KEO	11	15	106	07	Cap St. Jacques	+7	10	+6	45	+0.3 (+1.3)	+0.3 (+1.3)	+0.3 (+1.3)	+0.3 (+1.3)
30.	BEN IUC	10	38	106	28	Cap St. Jacques	+3	30	+3	10	-0.3 (-1.1)	-0.3 (-1.1)	-0.3 (-1.0)	-0.3 (-1.0)
31.	BEN TRE SON	10	13	106	21	Cap St. Jacques	+2	15	+2	50	+0.6 (+2.1)	+0.6 (+2.1)	+0.5 (+1.7)	+0.5 (+1.7)
32.	CAN GIOC	10	36	106	39	Cap St. Jacques	+2	30	+2	00	+0.6 (+2.1)	+0.6 (+2.1)	+0.4 (+1.2)	+0.4 (+1.2)
33.	CAO LANH	10	27	105	38	Cap St. Jacques	+5	20	+5	10	+0.7 (+2.4)	+0.7 (+2.4)	+1.0 (+3.3)	+1.0 (+3.3)
34.	CHO LACH	10	13	106	06	Cap St. Jacques	+3	00	+4	00	-0.1 (+0.3)	-0.1 (-0.3)	-0.3 (-1.0)	-0.3 (-1.0)
35.	CU LAO GIEN	10	30	105	33	Cap St. Jacques	+5	45	+5	30	+0.7 (+2.3)	+0.7 (+2.3)	+1.1 (+3.6)	+1.1 (+3.6)

\*RATIO: Multiply the height of high and low water at the reference station by the ratio and then apply the correction.

NO.	STATION	LAT. N	LONG. E	REFERENCE STATION	TIME			HEIGHT IN METERS (FEET)					
					H.	L.		H.H.	L.H.	H.L.	L.L.		
					h	m	h	m		H.H.	L.H.	H.L.	L.L.
	SOUTH VIETNAM												
36.	DAI NGAI	9 44	106 04	Cap St. Jacques	+1	17	+2	51	+0.4 (+1.4)	+0.5 (+1.6)	+0.1 (+0.4)	+0.3 (+1.1)	
37.	GO CONG	10 26	106 37	Cap. St. Jacques	+1	45	+1	45	+0.5 (+1.7)	+0.5 (+1.7)	+0.4 (+1.2)	+0.4 (+1.2)	
38.	MO CAY	10 07	106 20	Cap St. Jacques	+2	00	+2	40	+0.6 (+2.0)	+0.6 (+2.0)	+0.4 (+1.2)	+0.4 (+1.2)	
39.	SA DEC	10 18	105 46	Cap St. Jacques									
40.	SOC TRANG	9 37	105 58	Cap St. Jacques	+2	30	+2	30	+0.1 (+0.3)	+0.1 (+0.3)	+0.1 (+0.4)	+0.1 (+0.4)	
41.	TAN AN	10 32	106 25	Cap St. Jacques	+3	40	+3	58	-0.8 (-2.5)	-0.6 (-2.1)	+0.3 (+0.9)	+0.6 (+2.0)	
42.	TAN CHAU	10 48	105 14	Cap St. Jacques	+7	43	+9	34	-0.3 (-1.1)	-0.2 (-0.5)	+0.1 (+0.3)	+1.7 (+5.6)	
43.	TRA ON	10 24	105 25	Cap St. Jacques	+5	50	+7	00	+1.2 (+3.9)	+1.2 (+3.9)	+1.6 (+5.3)	+1.6 (+5.3)	
44.	TRA VINH	9 56	106 20	Cap St. Jacques	+1	30	+2	00	+0.5 (+1.7)	+0.5 (+1.7)	+0.3 (+1.3)	+0.3 (+1.3)	



NO.	STATION	LAT. N °	LONG. E °	REFERENCE STATION	TIME			HEIGHT IN METERS (FEET)				
					H. h	m	L. m	H.H. m	L.H. m	H.I. m	L.L. m	
	SOUTH VIETNAM											
45.	VAM NAO	10 33	105 24	Cap St. Jacques	+6	48	+8	24	-0.7 (-2.3)	-0.6 (-2.0)	-0.3 (-1.3)	+0.5 (+1.8)
46.	CHO MOI	10 33	105 24	Cap St. Jacques	+6	48	+8	24	-0.7 (-2.3)	-0.6 (-2.0)	-0.3 (-1.3)	+0.5 (+1.8)
47.	PHUNG HIEP	9 48	105 50	Cap St. Jacques	+4	22	+5	21	-0.7 (-2.4)	-0.6 (-2.1)	-0.8 (-2.7)	+0.0 (+0.1)
48.	MOC HOA	10 46	105 56	Cap St. Jacques	+8	53	+8	48	+0.2 (+0.5)	+0.3 (+1.0)	+0.8 (+2.7)	+1.8 (+6.0)
49.	GO DAU HA	11 05	106 16	Cap St. Jacques	+7	28	+7	12	-1.2 (-4.0)	-1.0 (-3.4)	-0.5 (-1.7)	+0.5 (+1.6)

NO.	STATION	LAT. N	LONG. E	REFERENCE STATION	TIME			HEIGHT IN METERS (FEET)			
					H.		L.	H.H.	L.H.	H.L.	L.L.
					h	m	h				
x 50.	PHNOM PENH	11 34	104 56	Cap St. Jacques	+09 30	+12 30	**				
x 51.	KOMPONG LUONG	11 50	104 48	Cap St. Jacques	+10 40	+13 40	**				
CENTRAL VIETNAM											
52.	PHAN THLET	10 55	108 06	Cap St. Jacques	-1 35	-1 35	-0.6 (-2.0)	-0.6 (-2.0)			
53.	POINT LAGAN	11 10	108 42	Qui-Nhon	+0 20	+0 20	-0.2 (-0.7)	-0.2 (-0.7)	-0.2 (-0.7)	-0.2 (-0.7)	
54.	POULO CECIR DE MER	10 32	108 56	Qui-Nhon	0 00	0 00	+0.5 (+1.7)	+0.5 (+1.7)	+0.5 (+1.7)	+0.5 (+1.7)	
55.	CAPE PADARAN	11 22	109 01	Qui-Nhon	0 00	0 00	+0.1 (+0.3)	+0.1 (+0.3)	+0.1 (+0.1)	+0.1 (+0.1)	
56.	CAM RANH	11 53	109 11	Qui-Nhon	+0 13	+0 13	+0.2 (+0.7)	+0.2 (+0.7)	+0.2 (+0.7)	+0.1 (+0.3)	
57.	NHA TRANG	12 15	109 12	Qui-Nhon	0 00	0 00	0.0	0.0	0.0	0.0	
58.	PORT DAYOT	12 39	109 23	Qui-Nhon	+0 11	+0 11	0.0	0.0	0.0	0.0	

\*\* The extent of the tide is from 1.0 to 1.6 feet at low tide.

x French Tide Tables, 1972

NO.	STATION	LAT. N	LONG. E	REFERENCE STATION	TIME			HEIGHT IN METERS (FEET)				
					H.	L.	L.	H.H.	L.H.	H.L.	L.L.	
					h	m	h	m	H.H.	L.H.	H.L.	L.L.
59.	VUNG RO	12	52 109 25	Qui-Nhon	+0	18	+0	18	0.0	0.0	0.0	0.0
60.	XUAN DAY	13	23 109 16	Qui-Nhon	-0	05	-0	05	0.0	0.0	0.0	0.0
61.	KIKUIK	15	24 108 46	Da Nang	-0	40	-0	30	+0.3 (+1.0)	+0.3 (+1.0)	+0.1 (+0.3)	+0.1 (+0.3)
62.	CULAO CHAM	15	57 108 30	Da Nang	-0	29	-0	20	+0.2 (+0.7)	+0.2 (+0.7)	( 0.0)	( 0.0)
63.	CHON MAY	16	20 108 00	Da Nang	+0	41	+0	18	-0.2 (-0.7)	-0.2 (-0.7)	( 0.0)	( 0.0)
64.	THUAN AN	16	35 107 37	Da Nang	+1	02	+1	02				
65.	DONG HOI	17	30 106 37	Da Nang	+1	33	+1	33				
66.	CAP BUONG QUIQUA	17	57 106 31	Da Nang	+1	46	+1	46				
NORTH VIETNAM												
67.	CUA NAM TRIER	20	46 106 50	Do-Son	0	00	+0	44	0.0	0.0	0.0	0.0
68.	HAIPHONG	20	52 106 41	Do-Son	+1	00	+1	00	0.0	0.0	0.0	0.0
69.	APOWAN (CAT BA)	20	43 107 03	Do-Son	0	00	0	00	0.0	0.0	0.0	0.0

I.O.	STATION		LAT. N	LONG. E	REFERENCE STATION	TIME			HEIGHT IN METERS (FEET)		
	NORTH VIETNAM					H. h	L. m	H.H.	L.H.	H.L.	L.L.
70.	HONGAY		20 57	107 04	Do-Son	0 00	0 00	+0.1 (+0.3)	+0.1 (+0.3)	( 0.0)	( 0.0)
71.	ILE NORWAY		20 37	107 09	Do-Son	-0 00	0 05	0.0	0.0	0.0	0.0
72.	CAM PHA		21 01	107 22	Do-Son	+0 18	-1 02	+0.2 (+0.7)	+0.2 (+0.7)	+0.2 (+0.7)	+0.2 (+0.7)
73.	KEBAO		21 07	107 28	Do-Son	+0 30	-0 50			+0.2 (+0.7)	+0.2 (+0.7)
74.	TSIENG MUN		21 08	107 38	Do-Son	+0 20	-1 10	+0.6 (+2.0)	+0.6 (+2.0)	+0.4 (+1.3)	+0.4 (+1.3)
75.	SHA PAK WAN		21 00	107 45	Do-Son	+0 10	-1 25	+0.3 (+1.0)	+0.3 (+1.0)	+0.1 (+0.3)	+0.1 (+0.3)
76.	LO CHUC SAN		21 14	107 58	Do-Son	+0 14	-1 58	+0.6 (+2.0)	+0.6 (+2.0)	+0.3 (+1.0)	+0.3 (+1.0)

**DOCUMENT CONTROL DATA - R & D**

*(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)*

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
U.S. NAVAL OCEANOGRAPHIC OFFICE		Unclassified	
3. REPORT TITLE		2b. GROUP	
Tide Tables, High and Low Water Predictions, Republic of Vietnam, 1972			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
Special Publication 1972			
5. AUTHOR(S) (First name, middle initial, last name)			
U.S. Naval Oceanographic Office			
6. REPORT DATE		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
December 1971		67	6
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.		SP-185	
346			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT			
Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
		U.S. Naval Oceanographic Office	
13. ABSTRACT			
At the request of COMNAVFORV, the U.S. Naval Branch Oceanographic Office, Saigon, prepared tidal predictions for Vietnam for 1967 and 1968. Since 1969, the tables were prepared at the Naval Oceanographic Office, Washington, D.C. The 1972 tide tables contain the predicted times and heights of the high and low waters for each day at Cap Saint-Jacques, Qui Nhon, Da Nang (Tourane), and Do Son.			

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Tide Tables Republic of Vietnam Cap Saint-Jacques Qui Nhon Da Nang (Tourane) Do Son						