



Naval Medical Research Institute

Bethesda, MD 20009-5607

NMEI 94-82

DEVELOPMENT OF PERFORMANCE-BASED PHYSICAL SCREENING CRITERIA FOR THE U.S. NAVY FLEET DIVING PROGRAM

E. J. Marcinik D. E. Hyde W. F. Taylor

Naval Medical Research and Development Command Bethesda, Maryland 20889-5606

Department of the Navy Naval Medical Command Washington, DC 20372-5210



94-11709 J7-62

DTIC QUALITY INSPECTICO 3

94 4 18 115

Approved for public release; distribution is unlimited

NOTICES

The opinions and assertions contained herein are the private ones of the writer and are not to be construed as official or reflecting the views of the naval service at large.

When U. S. Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Please do not request copies of this report from the Naval Medical Research Institute. Additional copies may be purchased from:

National Technical Information Service 5285 Port Royal Road Springfield, Virginia 22161

Federal Government agencies and their contractors registered with the Defense Technical Information Center should direct requests for copies of this report to:

Defense Technical Information Center Cameron Station Alexandria, Virginia 22304-6145

TECHNICAL REVIEW AND APPROVAL

NMRI 94-02

The experiments reported herein were conducted according to the principles set forth in the current edition of the "Guide for the Care and Use of Laboratory Animals," Institute of Laboratory Animal Resources, National Research Council.

This technical report has been reviewed by the NMRI scientific and public affairs staff and is approved for publication. It is releasable to the National Technical Information Service where it will be available to the general public, including foreign nations.

ROBERT G. WALTER CAPT, DC, USN Commanding Officer Naval Medical Research Institute

REPORT D	OCUMENTATION P	AGE	Form Approved OMB No. 0704-0188
August reporting Burdern for this collection of in gathering and maintaining the data needed, an collection of information, including suggestion Data mighway, Sunte 1204, Arlington, VA 2220	Normation is estimated to average 1 hour per of completing and revewing the collection of a for reducing this burgen. To washington mer 2-4302, and to the Office of Management and	response, including the time for re- information. Send comments repar- sequarters Services, Directorate for Budget, Paperwork Reduction Proje	viewing instructions, searching existing data sources, ding this burden estimate or any other aspect of this information Operations and Response, 1215 settemon ect (9704–0168), Washington, DC 20503.
1. AGENCY USE ONLY (Leave bia	nk) 2. REPORT DATE March 1994	3. REPORT TYPE AND Technical Re	D DATES COVERED port June 1992 - June 1993
4. TITLE AND SUBTITLE DEVELOPMENT OF PERFOR CRITERIA FOR THE U.S. 6. AUTHOR(5) Marcinik, E.J., D.E.	MANCE-BASED PHYSICAL S NAVY FLEET DIVING PR Byde, and W.F. Taylor	SCREENING OGRAM	S. FUNDING NUMBERS PE - 63713N PR - M0099 TA - .01B WU - 1428
7. PERFORMING ORGANIZATION N Naval Medical Research In Commanding Officer 8901 Wisconsin Avenue Botherde Martiand 20880	AME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER NMRI 94-02
9. SPONSORING/MONITORING AG Naval Medical Research at National Naval Medical C	ENCY NAME(S) AND ADDRESS(ES ad Development Command enter)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER
Building 1, Tower 12 8901 Wisconsin Avenue Bethesda, Maryland 20889	5606		
12a. DISTRIBUTION / AVAILABILITY Approved for public releas	STATEMENT e; distribution is unlimited.		126. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 word The current U.S. Nav representative physically dema requirements may increase the an Experimental Fitness Batter The EFB contained measures included: (1) Tool-bag swim, (1) pull. Subjects were 146 ma training at the Naval Diving an relationship exists between EF improvement in job performant implementing this battery for the performance cannot be account training methods to meet job p	y fleet diver physical screening nding job performance. A misi risk of injury and decrease pro y (EFB) was validated against of body composition, power, mi (2) 5-min fin-kick, (3) Ladder c alle diver candidates (age 25.1 ± nd Salvage Training Center, Pai B scores and representative div ce prediction compared to curre leet diver physical selection put ted for by EFB scores. Greater performance requirements.	test has been found to I match between diver phy ductivity. To improve p representative physically uscular strength. and sw limb, (4) SCUBA-bottle 4.3 yr, $\overline{X} \pm$ SD, range nama City. FL. Results ing task performance. A ent selection criteria, can rposes. Most of the var emphasis should be pla	be a poor predictor of ysical capabilities and job hysical selection procedures, or demanding diving tasks. im endurance. Job tasks carry, and (5) Umbilical 18-37 yr) undergoing indicate a significant Although the EFB offers an ution should be used in iance in diving task aced on aligning physical
14. SUBJECT TERMS occupational standard muscular strength	s, job performance, pr	nysical fitness,	15. NUMBER OF PAGES 22 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFIC OF ABSTRACT Unclassified	CATION 20. LIMITATION OF ABSTRACT Unlimited
NSN 7540-01-280-5500			Standard Form 298 (Rev. 2-89) e-escribed by 4651 510, 239-18 296-102

TABLE OF CONTENTS

	page
ACKNOWLEDGEMENTS	ii
INTRODUCTION	1
METHODS	1 1 3 5 7
RESULTS	8
DISCUSSION	13
CONCLUSIONS	15
REFERENCES	16
LIST OF TABLES	
TABLE 1. Descriptive Statistics of Diver Candidates	8
TABLE 2. Experimental Fitness Battery Scores of Diver Candidates	9
TABLE 3. Job Performance Assessment Battery Scores of Diver Candidates	10
TABLE 4. Comparison of Experimental Fitness Battery Scores for Candidates Passing/Failing Tool-Bag Swim Task	11
TABLE 5. Comparison of Experimental Fitness Battery Scores for Candidates Passing/Failing Fin-Kick Task	12
TABLE 6. Prediction of Shipboard Tasks from Experimental Fitness Battery Scores	13
LIST OF FIGURES	
FIGURE 1. Diver Candidate Attempts Shoulder Press Test	2
i Dist A '	ectanita i dista ectanita i dista pivela car ectanita ectanita

ACKNOWLEDGEMENTS

The authors wish to thank CDR Timothy B. Stark, USN, Commanding Officer, Naval Diving and Salvage Training Center, Panama City, FL and his staff for their assistance in conducting this research investigation.

The contributions of ENC (DV) Mark A. Kirkpatrick, HTC (SW/DV) Ben J. McNair, and CWO3 Donald G. Rogers are especially appreciated. Their superior leadership and high level of professionalism ensured that testing was conducted in a safe and accurate manner.

Special thanks are extended to CDR M.D. Curley of the Naval Submarine Medical Research Laboratory, Groton, CT who was instrumental in the development and planning of this research project, and Dr. Louis Homer and Ms. Shalini Survanshi of the Naval Medical Research Institute, Bethesda, MD for their assistance in the statistical analysis.

This work was supported by NMRDC Work Unit 63713N M0099.01B-1428. The opinions expressed in this paper are those of the authors and do not reflect the official policy or position of the Department of the Navy, Department of Defense, nor the U.S. Government.

INTRODUCTION

In response to Chief of Naval Operations tasking (1), a series of studies were undertaken by the Naval Medical Research Institute to develop performance-based physical selection standards for the U.S. Navy Fleet Diving Program.

Using a task-analytic approach, an initial study identified a number of representative tasks performed by U.S. Navy fleet divers (2). A subsequent validation study found the current entry-level fleet diver physical screening test provides a poor estimate of representative diving task performance (3).

In order to develop a performance-based physical screening test, the purpose of the present investigation was to evaluate an Experimental Fitness Battery (EFB) from which the most predictive measures of diving task performance could be selected for physical screening purposes. The development of performance-based physical selection criteria for the U.S. Navy Fleet Diving Program may lead to substantial cost savings through enhanced screening, safety, and productivity.

METHODS

Subjects

One-hundred and forty-six male diver candidates (age 25.1 ± 4.3 yr, \bar{X} ± SD, range 18-37 yr) participated in the study. Diver candidates were participating in first class, second class, diving medical technician, and basic diving officer training at NDSTC.

Only subjects who met current entry-level physical screening test standards were tested. Since candidates generally perform to minimum standards on the first physical screening test, scores presented here are from the second screening test, which was a maximal effort. Due to schedule conflicts, medical waivers, attrition, etc., a number of individuals did not complete the second physical screening test and all job tasks.

After procedures were explained in detail, subjects gave written informed consent. All participants passed a physical examination to screen for medical conditions that could increase the risk of injury during testing. This study was approved by the Committee for the Protection of Human Subjects at the Naval Medical Research Institute, Bethesda, MD.

Figure 1. Diver candidate attempts shoulder press test as a part of Experimental Fitness Battery testing.



Experimental Fitness Battery

The Experimental Fitness Battery (EFB) included the following test items: lean body weight, percent body fat, standing long jump, leg press, shoulder press, lat pull, arm curl, and 1000-yd fin-swim. The following criteria were used to select these fitness measures:

- (1) Measured a basic component of physical fitness
- (2) Recognized history in performance assessment
- (3) Ease of administration
- (4) Reliability

Test administration procedures for the EFB are as follows:

1. <u>Body composition</u> - Percent body fat was assessed by circumference measurements according to procedures outlined in OPNAVINST 6110.1D (4). Total body weight (lbs) was determined so that lean body weight (lbs) could be calculated.

2. <u>Standing long jump</u> - Subjects were instructed to jump forward to cover as much horizontal distance as possible. Jump distance was measured from the starting line to the body part touching the deck closest to the starting line (to the nearest 0.5 inch). The longest of three trials was used as the final score.

3. <u>Leg Press</u> - One repetition maximum for the leg press was determined on a commercial exercise machine. Subjects were instructed to sit erect with their lower back against the back of the seat, legs flexed with feet against the pedals and hands grasping the hand grips. Subjects performed several warm-up repetitions, then attempted a maximal lift starting at 150% of body weight. Weight was progressively increased until a maximal lift was accomplished. Maximal weight (lbs) lifted was recorded.

4. <u>Shoulder Press</u> - One-repetition maximum strength for the shoulder press was determined on a commercial exercise machine. Subjects were instructed to sit facing the machine, shoulders touching handles, back erect, feet flat on floor. Subjects performed several warmup repetitions, then attempted a maximal lift starting at 50% of body weight. Weight was progressively increased until a maximal lift was accomplished. Maximal weight (lbs) lifted was recorded.

5. <u>Lat Pull</u> - One repetition maximum for the lat pull was determined on a commercial exercise machine. Subjects were instructed to face the machine and sit directly under the bar and then to pull the bar down to the back of their neck. Subjects performed several repetitions, then attempted a maximal lift starting at 50% of body weight. Weight was progressively increased until a maximal lift was accomplished. Maximal weight (lbs) was recorded.

6. <u>Arm curl</u> - One repetition maximum for the arm curl was determined using free weights. Subjects were instructed to grab the bar with palms facing towards the body and curl the weight in an arc towards the shoulders. Subjects performed several warm-up repetitions, then attempted a maximal lift starting at 50% of body weight. Weight was progressively increased until a maximal lift was accomplished. Maximal weight (lbs) was recorded.

7. <u>1000-yd fin-swim</u> - The swim was conducted in open water adjacent to NDSTC. Divers were dressed in wet suit, mask, and fins. Time (min) to complete the 1000 yd course was recorded.

Job Performance Assessment Battery

Job performance assessment battery development was based on survey and interview data provided by U.S. Navy fleet divers, objective work-site measurements collected at NDSTC, and an extensive review of videotape data (1). The final selection process took into consideration potential testing problems that might be encountered in a field setting such as extensive use of operational equipment, time consuming test procedures, the need for a large test administration staff, and safety issues. The representative tasks included in the job performance assessment battery are described below:

In-Water Tasks

<u>Tool-Bag Swim</u> - SCUBA diver (wearing twin 80s, breathing air) swims a distance of
200 ft while carrying a 24-lb tool bag.

This task was conducted in the NDSTC swimming pool. A dive team and safety diver were present during all testing. Subjects wore twin 80 SCUBA and breathed air. Subjects started the task in the water along one side of the pool. They were instructed to swim across the width of the pool (a distance of 50 ft) and then return. This was repeated again so that a total distance of 200 ft was covered. Subjects carried the tool bag on one arm and were allowed to rest, if necessary, along the side of the pool. Performance was scored as pass/fail (i.e., subjects who passed were able to swim the entire distance without contacting the bottom).

2. <u>Fin-Kick</u> - SCUBA diver (wearing twin 80s, breathing air) attempts to remain on surface by fin-kicking.

This task was conducted in the NDSTC pool. A dive team and safety diver were present at all times during testing. This task was designed after the current water survival test conducted at NDSTC. Subjects wore twin 80s, but did not breathe from the regulator. The task was started in the water and subjects were instructed to remain afloat by fin-kicking and to raise their arms and hands out of the water. Performance was scored as pass/fail (i.e., subjects who passed were able to stay on the surface for a period of 5 min).

Shipboard Tasks

3. <u>Ladder Climb</u> - MK-21 diver (fully weighted, single SCUBA, breathing air) descends/ascends a 14-ft vertical ladder.

This task was conducted in the NDSTC open tank. The tank was not filled with water during the testing period. Subjects were dressed in MK-21 gear, breathing air (helmet, 28lbs; boots, 12-lbs; IDV and weights, 38-lbs; single SCUBA, 32-lbs). Subjects were instructed to climb down the ladder until both feet were on the bottom of the tank and then ascend the ladder as quickly as possible. The task started with subjects standing on the tank deck and ended when the subjects returned to this position. Tenders controlled the umbilical line to ensure safety. Performance was scored as the total time (min) required to descend/ascend the ladder.

4. <u>SCUBA-Bottle Carry</u> - Diver lifts/carries twin 80 SCUBA bottles a distance of 450 ft (including up/down ship's ladder).

This task was conducted on the pier and NDSTC training craft. Prior to testing, the task was demonstrated using proper lifting technique. Subjects were instructed to perform the following tasks:

- (a) Lift the twin 80 SCUBA bottles from the pier.
- (b) Carry the SCUBA bottles onto the training craft, down an inclined ladder, and set them down in a dive locker (a distance of 75 ft).
- (c) Lift the SCUBA bottles and carry them back up the ladder to the starting point.
- (d) Repeat this task 3 times.

Subjects were advised to walk as fast as possible throughout the entire course but not to run. Subjects were instructed to carry the twin 80 SCUBA bottles horizontal to the deck in front of their bodies. Subjects were allowed to walk through the course for practice. Monitors were positioned by the ladder to ensure safety. Performance was measured as the total time (min) required to complete the task.

5. <u>Umbilical Pull</u> - Topside diver pulls an umbilical line (weighted to 100 lbs) a distance of 50 ft.

This task was conducted in the ascent tower. Prior to testing, the task was described and demonstrated. Divers were instructed to pull an umbilical line (weighted to 100 lbs) a distance of 50 ft. Subjects were allowed to pull the weight a short distance off the bottom for practice. Performance was scored as total time (min) required to pull the weight to the surface.

Statistical Analysis

Descriptive statistics including means, standard deviations, and ranges were determined to describe diver physical characteristics (i.e., age, height, etc), and provide EFB and job task data.

Comparison of EFB scores for diver candidates who passed/failed the in-water job tasks (i.e., fin-kick and tool-bag swim) was assessed using paired t-tests.

Multiple regression techniques were employed to develop regression equations for predicting shipboard job tasks (i.e., climb ladder, lift/carry SCUBA bottles, and pull umbilical line) from EFB scores. Fitness measures entered the equation in a forward stepwise fashion. Minimum tolerance was set at 0.15 for variables entering the equation.

RESULTS

Descriptive statistics of the diver candidates are found in Table 1. The percentage body fat of diver candidates was found to be substantially lower (12.8, ± 3.7 , $\overline{X} \pm SD$) than values reported for Navy recruits (14.5, ± 4.2 , $\overline{X} \pm SD$), auxiliary ship personnel (16.4, ± 5.3 , \overline{X}

 \pm SD), or submarine personnel (16.1, \pm 5.5, $\overline{X} \pm$ SD) (5).

Table 1 Descriptiv	e Statistics o	Diver Candida	tes:(N=146)*
	MEAN	S.D.	RANGE
Age (yrs)	25.1	± 4.3	18.0-37.0
Height (in)	69.3	± 2.4	63.5-77.0
Weight (Ibs)	170.5	± 17.9	130.0-216.5
Fat Weight (lbs)	22.3	± 8.1	5.9-42.6
% Fat	12.8	± 3.7	4.0-23.0
Lean Body Weight (Ibs)	148.4	± 13.1	108.8-189.2
* N=145 (Fat Weigh	nt, % Fat and I	_BW)	

EFB and job performance scores for diver candidates are presented in Tables 2 and 3, respectively. The muscular strength scores of diver candidates was substantially higher than those observed in other Navy populations (6). For example, the mean shoulder press score for diver candidates was 158.8 lb compared to 101.6 lb (staff) and 115.9 lb (recruits).

Teble 2. Experiment Centidate	tal Filness Bat s (N=146)*	eny Scores o	(Diver
VARIABLE	MEAN	S.D.	RANGE
Long Jump (ft)	7.2	±0.7	5.3-8.7
Leg Press (lbs)	457.3	±73.5	290.0-560.0
Shoulder Press (lbs)	158.8	±23.8	100.0-230.0
Lat-Pull (lbs)	178.1	±23.2	120.0-220.0
Arm Curi (Ibs)	114.2	±16.7	S5.0-170.0
1000yd Swim (min)	20.9	±2.2	14.8-29.3
* N=88 (1000yd Sw	im)	<u> </u>	

	10.11111(0.2).2	seesmen Bail	ery Scores of D	ver Candidates
VARIABLE	N	MEAN	S.D.	RANGE
Swim/Carry Tool Bag (min)	70	2.2	± 0.8	1.3-4.4
Fin-Kick (min)	71	4.7	± 0.6	2.7-5.0
Climb Ladder (min)	88	0.4	± 0.1	0.2-0.7
Lift/Carry SCUBA Bottle (min)	125	4.6	± 1.0	2.7-7.1
Pull Umbilical (min)	118	0.7	± 0.2	0.3-1.6

A comparison of physical screening test scores for candidates who passed/failed the two in-water tasks can be found in Tables 4 and 5. EFB scores of candidates passing were significantly higher than those of task failures in two instances (1000-yd swim for the toolbag swim, P < 0.05, Table 4) and (lat pull for the fin-kick task, P < 0.05, Table 5).

Table 4. Comparison of Experimental Fitness Battery Scores For Candidates Passing\Failing Tool-Bag Swim Task

PASS GROUP (N=57)*			FAIL	FAIL GROUP (N=13)		
	MEAN	S.D.	MEAN	S.D.	т	
Long Jump (ft)	7.2	±.6	7.4	±.7	1.2	
Leg Press (Ibs)	476.7	±67.0	446.5	±71.2	-1.4	
Shoulder Press (Ibs)	157.4	±25.7	163.1	±24.6	.7	
Lat-Pull (Ibs)	184.7	±22.7	173.8	±29.6	-1.5	
Arm Curl (lbs)	113.8	±17.5	113.5	±19.0	6	
1000yd Swim (min)	19.8	±1.8	21.4	±2.2	2.3**	
Lean Body Wt. (Ibs)	148.3	±13.0	145.7	±16.2	6	
% Body Fat	12.9	±3.6	12.9	±3.0	.4	
* N= 28 Pass, 11 Fail f ** Significant Group D T=Pooled Variances T	or 1000yd ifference (Swim P<0.05 L	.evel)			

Table 5. Comparisor Candidates	n of Experi Passing/F	mental Fi alling Fin	tness Battery Kick Task	Scores Fo	
PASS	GROUP (I	N=54)*	FAIL GRO		
	MEAN	S.D.	MEAN	S.D.	т
Long Jump (ft)	7.1	±.6	7.5	±.7	-1.8
Leg Press (Ibs)	470.4	±70.0	464.7	±67.8	.3
Shoulder Press (Ibs)	154.6	±25.9	167.0	±23.6	-1.8
Lat-Pull (Ibs)	186.1	±22.9	172.3	±25.1	2
Arm Curl (Ibs)	113.9	±16.9	112.3	±20.1	.3
1000yd Swim (min)	19.9	±2.1	20.7	±2.0	-1.3
Lean Body Wt. (Ibs)	147.7	±13.6	148.2	±13.8	1
% Body Fat	12.8	±3.4	12.6	±3.2	.2
* N=26 Pass, 15 Fail ** Significant Group T= Pooled Variances	for 1000yc Difference s T	l Swim e (P<0.05 l	Level)		

The regression of shipboard tasks on the EFB is illustrated in Table 6. The EFB

provided a moderate prediction of shipboard task performance.

Shipboard task predictors were:

- Long jump, leg press, and percent body fat scores (Climb ladder, R = .33,

S.E.E. = .15)

- Lat pull (Lift/carry bottle, R = .33, S.E.E. = .67)

- Lean body weight (Pull umbilical, R = .47, S.E.E. = .18)

JOB TASKS	PREDICTORS	MULT R	RSQ CHANGE	B*	S.E.E.**
Climb Ladder		24	06	-0.06	
	Lea Press	29	.08	0.00	
	Percent Fat	.33	.11	0.00	
	(constant)			.80	.15
Lift/Carry	Lat Pull	.33	.11	-0.01	
SCUBA Bottles	(constant)			7.21	.67
Pull Umbilical	Lean Body Wt.	.47	.22	0.00	
Line	(constant)			1.70	.18

DISCUSSION

This investigation found that Experimental Fitness Battery (EFB) scores can be used to predict job tasks reported by divers as representative of their work. Common factors in this relationship appear to be muscular strength and power. Therefore, it is not surprising that correlates of task performance included measures of strength (i.e., lat pull and leg press) and power (long jump).

The significance of lean body weight to job performance lies in the association between lean body weight and muscular strength. Previous studies have reported lean body weight to be significantly related to job task performance (7,8). Results of the present investigation showed lean body weight predicted a strenuous diving-related task (i.e., pulling a weighted umbilical line). Although the EFB offers an improvement in job task prediction compared to current selection criteria, most of the variance in task performance was not accounted for by EFB scores. This finding would lead one to believe that other factors influenced job performance. Motivation and skill are important underlying factors that may have accounted for some of the variance in diving task performance. However, these factors were not measured during the study.

Age may influence physical performance. Previous studies on aging effects have concluded that work performance trends paralleled those followed by strength and endurance, generally peaking in the early thirties (9,10). The present investigation found no significant effect of age on diving task performance for the age range tested (18-37 yrs).

Gender also plays a major role in determining physical capability and work performance (8,11). Due to the small number of female diver candidates available for testing during the data collection phase, their results are not reported here. It is anticipated that additional women will be tested in the future so that gender-neutral standards may be developed.

Environmental factors, such as cold, have also been found to degrade diver performance (12-14). The influence of environmental stressors on task performance was beyond the scope of this investigation.

In summary, most diving tasks are complex and involve a mixture of physical and technical skills. Motivation is also an influential factor that adds to the complexity in predicting job performance. While the EFB offers an improvement in prediction of diving task performance compared to current screening procedures, caution is advised in implementing the EFB for physical selection purposes. The majority of the variance in diving job performance is not accounted for by the EFB alone. The utility of these measures in a field setting is also unknown. Greater emphasis should be placed on aligning physical training methods to meet job performance requirements.

CONCLUSIONS

- 1. Current physical selection procedures may be improved using measures of body composition, power, muscular strength, and swim endurance.
- 2. Maximizing performance on fitness parameters relevant to the job will help to better match the diver-job interface.
- 3. Additional information is needed concerning female diver performance that will allow for the development of gender-neutral physical standards.

REFERENCES

1. U.S. Department of the Navy, Memorandum by the Chief of Naval Operations, OP-23 ltr 1500 Ser 23/2U586954 of 16 APR 1992.

2. Marcinik, E.J., Schibly, B.A., Hyde, D., and Doubt, T.J., <u>An Analysis of Physically</u> <u>Demanding Tasks Performed by U.S. Navy Fleet Divers</u>, NMRI 93-15, Naval Medical Research Institute, Bethesda, MD, 1993.

3. Marcinik, E.J., Hyde, D.E., and Taylor, W.F., <u>Validation of the U.S. Navy Fleet Diver</u> <u>Physical Screening Test</u>, NMRI 93-79, Naval Medical Research Institute, Bethesda, MD, 1993.

4. OPNAVINST 6110.1D, Physical Readiness Program of 18 JAN 1990, Washington, DC.

5. Hodgdon, J.A. and Marcinik, E.J., <u>A Survey of Body Fat Content of U. S. Navy Male</u> <u>Personnel</u>, NHRC 83-4, Naval Health Research Center, San Diego, CA, 1983.

6. Marcinik, E.J., Hodgdon, J.A., Mittleman, K., and O'Brien, J.J., "Aerobic/Calisthenic and Aerobic/Circuit weight Training Programs for Navy Men: A Comparative Study." <u>Medicine</u> and Science in Sports and Exercise, Vol. 17, No.4, pp. 482-487, 1984.

7. Beckett, M. B. and Hodgdon, J.A., <u>Lifting and Carrying Capacities Relative to Physical</u> <u>Fitness Measures</u>, NHRC 87-26, Naval Health Research Center, San Diego, CA, 1983.

8. Robertson, D.W. and Trent, T.T., <u>Documentation of Muscularly Demanding Job Tasks and</u> <u>Validation of an Occupational Strength Test Battery (STB)</u>, NPDC 86-1, Navy Personnel and Development Center, San Diego, CA, 1986.

9. Asmussen, E. and Heeboll-Nielson, K., "Isometric Muscle Strength in Relation to Age in Men and Women," <u>Ergonomics</u>, Vol. 5, p. 167, 1962. 10. Miyashita, M. and Kanehisa, H. "Dynamic Peak Torque Related to Age, Sex, and Performance. Research Quarterly," Vol. 50, no. 2, pp. 249-255, 1979.

11. Snook, S.H. and Ciriello, V.M., "Maximum Weights and Workloads Acceptable to Female Workers." Journal of Occupational Medicine, Vol. 16, no. 8, pp. 527-534, 1974.

12. Curley, M.D., Bachrach, A.J., and Langworthy, H.C., Wet-suited SCUBA Diver

Performance in 5-25 °C Water, NMRI 81-15, Naval Medical Research Institute, Bethesda, MD, 1981.

13. Davis, F.M., Braddeley, A.D., and Hancock, T.R., "Diver Performance. The Effect of Cold," <u>Undersea Biomedical Research</u>, Vol. 2, 195-213,

14. Vaughan, W.S. Jr., Effects of Long Duration Cold Exposure on Performance on Tasks in Naval Inshore Warfare Operations, Oceanautics Technical Report, November, 1973.