

PK/PB

1



It is prohibited to divulge a report for reasons, including the need for reviewing instructions, searching existing data sources, gathering and reviewing the contents of information, and comments regarding the accuracy of any data. Parts of this report are exempt from automatic declassification. For information regarding this report, contact the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE March, 1994	3. REPORT TYPE AND DATES COVERED Final Report, 15 JAN 93-14 JAN 94
4. TITLE AND SUBTITLE  DISTRIBUTED DETECTION THEORY & DATA FUSION (u)  WORD(S)		5. FUNDING NUMBERS  2304/ES 61102F F49620-93-1-0122
6. AUTHORING ORGANIZATION NAME(S) AND ADDRESS(ES)  Dr. Pramod K. Varshney  Syracuse University Syracuse, N.Y. 13244		7. PERFORMING ORGANIZATION REPORT NUMBER  AFOSR-TR- 94 0365 ECETR-1
8. MONITORING AGENCY NAME(S) AND ADDRESS(ES)  Air Force Office of Scientific Research 110 Duncan Avenue, Suite B 115 Bolling AFB, DC 20332		9. SPONSORING/MONITORING AGENCY REPORT NUMBER  F49620-93-1-0122

94-18962

DTIC  
ELECTE  
JUN 21 1994  
S B D

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT  APPROVED FOR PUBLIC RELEASE; Distribution Unlimited	12b. DISTRIBUTION CODE  UL
--	----------------------------------

13. ABSTRACT (Maximum 200 words)

Design of distributed order statistic constant false alarm rate (OS-CFAR) detection systems with data fusion was investigated. Its performance for different fusion rules and for a variety of nonhomogeneous backgrounds such as clutter edges and interfering targets was analyzed. Issues related to sampling and quantization in distributed detection systems were addressed. Sampling schemes for signal detection based on Ali-Silvey distance measures were derived. Performance enhancement over uniform sampling was shown. A number of collaborative research projects with Rome Laboratory engineers were carried out. The most notable one was the development of a prototype of an expert system CFAR (ES-CFAR) processor. This processor intelligently selects the CFAR algorithm based upon the observed characteristics of the environment. Substantial performance improvement over a conventional CFAR processor was demonstrated.

14. SUBJECT TERMS 94 6 20 030		15. NUMBER OF PAGES 4
Distributed Detection, Data Fusion, Detection Theory		16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED
20. LIMITATION OF ABSTRACT SAR		

**AEOSR-TR 94 0365**

**FINAL REPORT**

**Approved for public release;  
distribution unlimited.**

**DISTRIBUTED DETECTION THEORY  
AND DATA FUSION**

**(Grant No. F49620-93-1-0122)**

**Pramod K. Varshney**

**Electrical & Computer Engineering Department  
2-175 Center for Science & Technology  
Syracuse University  
Syracuse, New York 13244-4100**

**DTIC QUALITY INSPECTED 2**

Design and analysis of multisensor signal processing systems has generated widespread interest. Advantages of these systems include higher reliability and survivability, enhanced system performance and shorter processing time. In this area, we continued our work on an important problem in the area of radar signal detection namely that of constant false alarm rate (CFAR) detection. Our earlier results had assumed a homogeneous background and in that case cell averaging (CA) CFAR detectors were used as peripheral detectors. In this work we employed order statistic (OS) CFAR detectors as peripheral detectors. We analyzed the performance of distributed OS-CFAR detection with data fusion both in homogeneous and nonhomogeneous backgrounds. System parameters were optimized assuming a homogeneous background under a fixed global probability of false alarm constraint. Then using these parameter values the performances of the systems were analyzed in nonhomogeneous background conditions where multiple target and clutter edge cases were considered. A number of interesting practical scenarios were investigated and performance results for different fusion rules were obtained. These results are provided in [1,2]. A number of other CFAR detection problems were solved in [2]. These include a generalized version of the OS-CFAR, CFAR detection in K-distributed clutter and performance of CFAR detection algorithms when clutter transitions are not abrupt.

When observations at peripheral detectors are continuous-time, they need to be sampled. One important issue is the design of sampling schemes at the peripheral sensors. An option is to employ uniform sampling but it is not necessarily optimum. Also, sampling schemes designed to ensure signal reconstruction with minimal loss due to sampling may not be the best when used in signal detection systems. We considered the problem of sampling design for Gaussian signal detection problems. Due to the analytical intractability of the probability of error criterion, our approach was based on the class of Ali-Silvey distance measures. Sampling points were determined that maximized the Ali-Silvey distance measure between the class conditional densities. Specifically, the Bhattacharyya distance, the I-divergence, the J-divergence and the Chernoff distance were used. The known signal case and the random signal case under strong signal assumptions were considered. These results are available in [3]. Effort on the design of sampling schemes for weak signal conditions was initiated and the results will be reported in the future. A number of other results obtained under the AFOSR sponsorship appeared in [4-8].

Concepts generated and experience gained while working on CFAR detection problems were extensively used in a joint project with Rome Laboratory and Kaman Sciences Corporation. This project dealt with the development of an expert system CFAR (ES-CFAR) processor. False alarms are a significant problem in wide area surveillance radar such as the U.S. Air Force E-3A Airborne Warning and Control System (AWACS). The conflicting requirements for a high probability of detection and a low probability of false alarm are rarely met due to a dynamically changing environment. Most CFAR detection algorithms assume a homogeneous Gaussian thermal noise like background. This assumption is frequently violated due to clutter variations including edges and multiple targets. Many CFAR algorithms have been developed to address these issues but one at a time. Therefore, any single algorithm is not likely to be adequate in a nonstationary environment. In this project, the approach was to intelligently select the CFAR algorithm or algorithms being executed at any time, based upon the observed characteristics of the environment and then use the results to yield the final decision. We used our results to formulate rules to be used in the ES-CFAR. A prototype system was developed and installed at the Rome Laboratory. The system has been tested with simulated data and recorded measurement data from an airborne radar system. Substantial performance improvement over a conventional baseline CFAR processor has been demonstrated. In addition to the ES-CFAR project, collaboration with a number of Rome Laboratory engineers took place. Some of these are Dr. J. Michels (multichannel detection algorithms), Mr. S. Borek (ambiguity function analysis), Mr. M. Wicks (CFAR algorithms), Mr. D. Ferris (detection and estimation for IR imagery), and Dr. V. Vannicola (sensor fusion).

<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/ _____	
<b>Availability Codes</b>	
<b>Dist</b>	<b>Avail and/or Special</b>
A-1	

## References

1. M.K. Uner and P.K. Varshney, "Decentralized CFAR Detection Based on Order Statistics," Proc. of the 36th Midwest Symposium on Circuits and Systems, Detroit, MI, August 1993.
2. M.K. Uner, "Conventional and Distributed CFAR Detection in Nonhomogeneous Background," Ph.D. Dissertation, Syracuse University, December 1993.
3. C.T. Yu and P.K. Varshney, "Application of Ali-Silvey Distance Measures to Sampling Design for Gaussian Detection Problems," Proceedings of the 1993 Conference on Information Sciences and Systems, Baltimore, MD, March 1993.
4. V.N.S. Samarasooriya and P.K. Varshney, "Some Results on Sequential Detection of Weak Signals," Proceedings of the 1993 IEEE International Symposium on Information Theory, San Antonio, January 1993.
5. J. Han, P.K. Varshney and R. Srinivasan, "Distributed Binary Integration," *IEEE Trans. on Aerospace and Electronic Systems*, vol. 29, pp. 2-8, January 1993.
6. W.A. Hashlamoun and P.K. Varshney, "Further Results on Decentralized Bayesian Signal Detection," *IEEE Trans. on Information Theory*, vol. 39, September 1993.
7. J.H. Michels, P.K. Varshney and D.D. Weiner, "Synthesis of Correlated Random Signals for Performance Evaluation of Multichannel Systems," *IEEE Trans. on Signal Processing*, February 1994.
8. W.A. Hashlamoun, P.K. Varshney and V.N.S. Samarasooriya, "A Tight Upper Bound on the Bayesian Probability of Error," *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 16, pp. 220-224, February 1994.