

REPORT D

AD-A281 378

Form Approved
OMB No. 0704-0188

1

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Service, Project (0704-0188), Washington, DC 20503

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Service, Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

REPORT DATE
June 1994

3. REPORT TYPE AND DATES COVERED
Final 1 Apr 91 - 31 Mar 94

4. TITLE AND SUBTITLE

The Electromagnetic Spectrum

5. FUNDING NUMBERS

DAAL03-91-C-0016

6. AUTHOR(S)

George Flynn

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Columbia University
New York, NY 10027

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, NC 27709-2211

10. SPONSORING / MONITORING AGENCY REPORT NUMBER

ARO 28453.24-EL-JSE

11. SUPPLEMENTARY NOTES

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

12a. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

The research results are reflected in the list of ninety eight publications at the end of the final report.

DTIC QUALITY INSPECTED 5

94-21107



DTIC
ELECTE
JUL 12 1994
S B D

14. SUBJECT TERMS Polymer thin films, Packaging processes, Electromagnetic spectrum, Light generation, Optical materials, Semiconductor surfaces, Collision processes, Quantum electronics, Microelectronics, Heterojunction structures, Surface science

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

UNCLASSIFIED

18. SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

UL

**JOINT SERVICES ELECTRONICS PROGRAM
FINAL REPORT**

**RESEARCH INVESTIGATION DIRECTED TOWARD EXTENDING
THE USEFUL RANGE OF THE ELECTROMAGNETIC SPECTRUM**

Contract DAAL03-91-C-0016

For the Period April 1, 1991 - March 31, 1994

Presented to:

THE JOINT SERVICES TECHNICAL ADVISORY COMMITTEE

**Representing: THE U.S. ARMY RESEARCH OFFICE,
THE OFFICE OF NAVAL RESEARCH,
and THE AIR FORCE OFFICE OF SCIENTIFIC RESEARCH**

Submitted and Prepared by:

**COLUMBIA RADIATION LABORATORY
DEPARTMENTS OF CHEMISTRY, APPLIED PHYSICS,
AND ELECTRICAL ENGINEERING
COLUMBIA UNIVERSITY in the City of New York
NEW YORK, NEW YORK 10027**

April 30, 1994

Approved for Public Release: Distribution Unlimited

COLUMBIA UNIVERSITY
COLUMBIA RADIATION LABORATORY

JSEP FINAL REPORT

Contract DAAL03-91-C-0016
for the period April 1, 1991 - March 31, 1994

Contents

I. LIST OF PRINCIPAL INVESTIGATORS	3
II. SUMMARY OF RESEARCH ACCOMPLISHMENTS	4
III. LIST OF PUBLICATIONS	7
IV. LIST OF JSEP SUPPORTED GRADUATES	14

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

I. PRINCIPAL INVESTIGATORS:

**Dr. Brian E. Bent
Dr. George W. Flynn
Dr. Irving P. Herman
Dr. Richard M. Osgood, Jr.
Dr. Malvin C. Teich
Dr. Robert C. White
Dr. Edward S. Yang**

II. SUMMARY OF RESEARCH ACCOMPLISHMENTS

NONCLASSICAL LIGHT GENERATION AND DETECTION

(M. C. Teich, Principal Investigator)

We have used fractal shot noise as the rate of a doubly stochastic Poisson point process (DSPP); the resulting process exhibits a power spectral density with $1/f$ -type behavior and a non-Gaussian amplitude probability density function. It has many applications including charge transport in amorphous semiconductors. We have also determined the behavior of the fractal renewal point process. We have studied the effects of tensile strain on exciton absorption in compound semiconductor devices and the relative merits of quantum-wire and quantum-well long-wavelength semiconductor lasers. We have determined the conditions under which the channel capacity of an optical receiver can be improved by modifying an initially Poisson photon stream and making it sub-Poisson. We have obtained a closed-form solution for the photon-counting distribution at the output of a cascade of optical (e.g., erbium-doped fiber-optic) amplifiers. We have conducted experiments in which entangled photon pairs generated by parametric downconversion have been interfered with each other in a Mach-Zehnder interferometer.

NEW OPTICAL MATERIALS AND SOURCES (I. P. Herman, Principal Investigator)

Over the last three years, Professor Herman's group investigated the importance of strain and confinement in determining the optical properties of semiconductor heterostructures. The focus of these studies was novel materials that are potentially useful as active regions in light-emitting devices. Biaxial strain has been tuned in semiconductor heterostructures by applying hydrostatic pressure. This has been observed by photoluminescence (ZnSe epilayers on GaAs) and by Raman scattering of phonons (Ge/Si superlattices). Pressure studies also showed that ZnMnSe/ZnSe superlattices have type I band alignment. Raman scattering was used to understand the confinement of phonons, and therefore the structure, of light-emitting porous silicon. GeSi alloys were probed by Raman scattering at high temperatures, which is useful for in situ thermometry, and at high pressures, which is useful for characterizing strain in these materials. Models were also developed to explain how pressure can be used to tune biaxial strain in arbitrary semiconductor heterostructures, and how phonon dispersion in Si and Ge is affected by arbitrary strain. A modified Keating/valence force field model was developed for the latter model.

Professor Herman also began a new collaboration with Professor Osgood which is described below.

ULTRAVIOLET TWO-PHOTON LASER PHOTOELECTRON STUDIES OF EXCITED SEMICONDUCTOR SURFACES (R. M. Osgood, Jr., Principal Investigator)

During this three year period, Professor Osgood's effort has focused on developing new experimental techniques for expanding the measurements of interfacial electronic structure to unoccupied bands--that is those collaborative projects within the Columbia JSEP community. Specifically, with regard to the first project, he has shown that two-photon photoemission can be used to probe very short-lived states on single-crystal transition-metal surfaces. Using this material system the group has selected one particular electronic system, that of image electrons, as a model system for developing this excited-state probing technique and for showing that these simple electronic systems can be used as an effective probe of surface conditions. With regard to collaborative interactions, Professor Osgood has developed a joint project with Professor Herman to use photoluminescence to probe the surface properties of etched nanostructures. This is a research direction which is currently of much importance for the national nanoscale electronics program and yet, surprisingly, nanoscale surface science is a relatively unexplored area at present. In addition, Professor Osgood has begun a collaborative program with Professor Teich to develop integrated forms of his correlated photon-pair optical devices.

INVESTIGATION AND CONTROL OF COLLISION PROCESSES FOR QUANTUM ELECTRONICS AND MICROELECTRONICS (G. W. Flynn, Principal Investigator)

The overall objective of our work evolved significantly during the past three years. Our initial efforts were focused on attempts to understand the fundamental physical and chemical processes which determine the exchange of energy during collisions between molecules, atoms, and electrons, and to use this information to control the rates of gas-surface reactions or the production of specific quantum states of molecules. The control of gas-surface chemical reaction rates is, of course, critical in the development of improved microelectronic devices, while a knowledge of the factors which determine the quantum states resulting from a collision process is crucial in the development of more efficient and novel laser devices. The study of electron-molecule collisions is directly related to the processes which occur in plasma etching reactors and which control the identity and physical characteristics of the chemically reactive species that are responsible for the etching of microchips. In addition these same interactions are of considerable importance in the gas laser field where electron-atom or electron-molecule collisions provide one of the major methods for producing metastable species necessary for laser action.

Our work on electron-molecule collision processes led in an intellectually natural way to the study of electron tunneling processes. We have pursued these via an experimental program in scanning tunneling microscopy (STM), which has been aimed at the study of molecules adsorbed on surfaces. This STM work has already been successful in identifying a number of important structural and dynamical issues for several surface-adsorbate systems. These studies are of importance in the development of the next generation of electronic and opto-electronic devices, which will require molecular films with very specific mechanical and electronic properties. Advances in organic synthetic methods as well as in assembly techniques are making feasible the production of films with specific electronic and chemical properties. Non-destructive probes are also required to investigate such films and to establish the relationship between structure at the atomic or molecular level and the function of these films at the macroscopic level. These structure-function relationships are certain to play a major role in the development of thin polymer films for use in microelectronics packaging applications. The scanning tunneling microscope is nearly an ideal device to use in the elucidation of these relationships since it has proven to be a remarkable tool for studying surface features and surface electronic structure as well as changes in these features due to chemical reactions.

Our objectives have been to use the STM to study the structure and properties of a number of thin polymer films, molecular adsorbates, and self-assembled monolayers. These efforts are focused on investigations of surface adsorbate interactions, the nature of the STM contrast mechanism for molecules adsorbed on surfaces, the effect of the chemical nature of liquid solvents on the geometric packing of adsorbates and their bonding to surfaces, and the role played by the underlying structure of the surface itself (defects, domains, etc.) in determining the arrangement of these molecular adsorbates. Information concerning adsorbate molecule structures at the solid/liquid interface is relevant for a number of macroscopic scale surface phenomena such as lubrication and adhesion. On the atomic scale issues such as the underlying substrate structure and its effect on the orientation of surface adsorbates are critical in developing electronic devices based on liquid crystal molecules and chemically functionalized surfaces which rely on molecular recognition for chemical sensors and chromatography. In addition, studies of molecular monolayers and their two-dimensional structures are of theoretical interest because true crystalline order at finite temperatures is not possible in a two-dimensional system. A considerable amount of data obtained from both classical thermochemistry experiments and more modern surface analytical techniques is available in the literature which provides information complementary to that obtained from STM images.

In the future we plan to pursue UHV STM experiments designed to investigate surface reconstructions brought about by all chemical "digital etching" and chemical reactions of surface adsorbates. All of these experiments are aimed at the elucidation and control of surface and adsorbate structures and their relationship to the electronic and chemical properties of materials.

INTERFACE STUDIES AND DEVICE APPLICATIONS OF MULTI-LAYERED SCHOTTKY BARRIER AND HETEROJUNCTION STRUCTURES (E. S. Yang, Principal Investigator)

In the last three years, we have focused our studies on the chemical and electrical properties of interfaces involving $\text{Si}_{1-x}\text{Ge}_x$ alloys. For $x < 0.5$, Schottky barriers can be formed with Pd and Pt but the barrier height depends on Ge segregation. We have developed a novel method of forming a nonalloyed ohmic contact on n-Si using a strained $\text{Si}_{0.5}\text{Ge}_{0.5}$ buffer layer. Along with a tungsten diffusion barrier, stable ohmic contacts were maintained up to 550°C for 30 minutes.

We have employed an electron cyclotron resonance (ECR) microwave plasma to produce a high-quality silicon-germanium oxide on a $\text{Si}_{1-x}\text{Ge}_x$ epitaxial layer. Both MBE and UHV/CVD epilayers were studied and the UHV/CVD materials were found to be superior with an interface states density a factor of 2 to 5 below that of the MBE samples. So far, the best interface states density is around $10^{11} \text{ cm}^{-2} \cdot \text{eV}^{-1}$ for aluminum-gate MOS capacitors. The oxide was found to be stoichiometric from x-ray photoelectron spectroscopy (XPS) studies. Low field surface hole mobility is found to be $167 \text{ cm}^2/\text{V-s}$ at 300 K and $530 \text{ cm}^2/\text{V-s}$ at 77 K. The corresponding hole mobilities for Si are $140 \text{ cm}^2/\text{V-s}$ at 300 K and $420 \text{ cm}^2/\text{V-s}$ at 77 K.

In addition to the ECR oxidation of SiGe, we have also discovered a process of passivating GaAs surface by ECR hydrogen cleaning and ammonia plasmas forming of a thin surface nitride. Exposed junction leakage current is found to be reduced by a factor of 200 after ECR passivation giving rise to a corresponding increase in the current gain of a heterojunction bipolar transistor.

SURFACE SCIENCE STUDIES OF POLYMER THIN FILMS FOR ADVANCED INTERCONNECT AND PACKAGING TECHNOLOGY

(B. E. Bent and R. C. White, Principal Investigators)

Research over the past three years has focused on new methods for depositing and characterizing polymer thin films to develop molecular-scale control of packaging processes. In the area of polymer film deposition, ultra-thin films (50 - 100 Å) have been prepared by spin-coating aluminum- and gold-coated silicon substrates, and these films have been characterized by scanning tunneling microscopy (STM), x-ray photoelectron spectroscopy (XPS), and Fourier transform infrared spectroscopy (FTIR). The STM results indicate a dramatic variation in the topographic and electronic properties of these films at the molecular level when these films are exposed to water vapor, while the vibrational spectra indicate preferential ordering of the polymer backbone at the substrate/film interface.

The use of molecular self-assembly to prepare single monolayer organic films has also been explored, and a number of techniques for adding or removing atoms from adsorbed molecules to form these monolayers have been demonstrated. Vibrational spectra of these monolayers indicate that the adsorbed molecules are oriented with the hydrocarbon chains pointing away from the surface, and it has been shown that the thermal stability of films on copper surfaces is limited by a facile hydrogen abstraction reaction by the metal substrate. This reaction depends on the presence of unoccupied sites in the monolayer, and by blocking these sites with iodine atoms, a small fraction of the monolayer can be stabilized by orders of magnitude.

In the area of atomic control of surface processing, which is a recently-initiated effort, the mechanisms by which H atoms react with and remove organic monolayers from copper surfaces have been studied. The results show that chemical reactions in these systems occur at temperatures as low as 110 K as a result of a novel mechanism in which the H atoms react directly with the hydrocarbons without first bonding (and thermally-accommodating) to the metal surface. The chemical dry etching of GaAs surfaces was also investigated using halogen-containing molecules, and evidence was obtained for selective removal of Ga from the surface at 600 - 670 K when HCl is the etchant. These results have initiated studies of possible procedures for digital etching of GaAs.

III. LIST OF PUBLICATIONS

R. A. Campos, B. E. A. Saleh, and M. C. Teich, "Fourth-Order Interference of Joint Single-Photon Wave Packets in Lossless Optical Systems," Phys. Rev. A **42**, 4127-4137 (October 1990).

S. B. Lowen and M. C. Teich, "Power-Law Shot Noise," IEEE Trans. Inform. Theory **36**, 1302-1318 (November 1990).

Y. Jiang, M. C. Teich, and W. I. Wang, "Forbidden Auger Process in Strained InGaSb/AlGaSb Quantum Wells," Appl. Phys. Lett. **57**, 2922-2924 (December 31, 1990).

M. C. Teich, T. Tanabe, T. C. Marshall, and J. Galayda, "Statistical Properties of Wiggler and Bending-Magnet Radiation from the Brookhaven Vacuum-Ultraviolet Electron Storage Ring," Phys. Rev. Lett. **65**, 3393-3396 (December 31, 1990).

Y. Jiang, M. C. Teich, and W. I. Wang, "The Auger Recombination Rate is Larger in a GaSb Quantum Well than in Bulk GaSb," J. Appl. Phys. **69**, 836-840 (January 15, 1991).

N. Z. Hakim, B. E. A. Saleh, and M. C. Teich, "Signal-to Noise Ratio for Lightwave Systems Using Avalanche Photodiodes," J. Light. Tech. **9**, 318-320 (March 1991).

S. B. Lowen and M. C. Teich, "Doubly Stochastic Poisson Point Process Driven by Fractal Shot Noise," Phys. Rev. A **43**, 4192-4215 (April 15, 1991).

Y. Jiang, M. C. Teich, and W. I. Wang, "Carrier Lifetimes and Threshold Currents in HgCdTe Double Heterostructure and Multiquantum-Well Lasers," J. Appl. Phys. **69**, 6869-6875 (May 15, 1991).

M. C. Teich, B. E. A. Saleh, and F. Capasso, "Generation of Photon-Number-Squeezed Light by Semiconductor Incoherent Light Sources," in Coherence, Amplification, and Quantum Effects in Semiconductor Lasers, edited by Y. Yamamoto (Wiley, New York, June, 1991), ch. 12, pp. 539-560.

M. C. Teich and B. E. A. Saleh, "Information Transmission with Squeezed Light," in Quantum Aspects of Optical Communications (Lecture Notes in Physics, vol. 378), edited by C. Bendjaballah, O. Hirota, and S. Reynaud (Springer-Verlag, Berlin, July, 1991).

B. E. A. Saleh and M. C. Teich, Fundamentals of Photonics (Wiley, New York, August, 1991) [Main Selection of the Library of Science Book Club, October 1991].

B. E. A. Saleh and M. C. Teich, "Information Transmission with Photon-Number-Squeezed Light," Proc. IEEE **80**, 451 (1992) [Special issue on quantum electronics edited by J. Whinnery].

T. Li and M. C. Teich, "Performance of a Lightwave System Incorporating a Cascade of Erbium-Doped Fiber Amplifiers," Opt. Commun. **91**, 41 (1992).

S. B. Lowen and M. C. Teich, "Fractal Renewal Processes as a Model of Charge Transport in Amorphous Semiconductors," Phys. Rev. B **46**, 1816 (1992).

Y. Jiang, M. C. Teich, and W. I. Wang, "Enhanced Exciton Absorption and Saturation Limit in Strained InGaAs/InP Quantum Wells," J. Appl. Phys. **71**, 769 (1992).

- Y. Jiang, M. C. Teich, W. I. Wang, and J. R. Meyer, "Auger Recombination in HgCdTe Quantum Wires and Quantum Boxes," *J. Appl. Phys.* **71**, 3394 (1992).
- Z. Lu, Y. Jiang, W. I. Wang, M. C. Teich, and R. M. Osgood, Jr., "GaSb-Oxide Removal and Surface Passivation Using an Electron Cyclotron Resonance Hydrogen Source," *J. Vac. Sci. Tech. B* **10**, 1856 (1992).
- S. B. Lowen and M. C. Teich, "Fractal Renewal Processes Generate $1/f$ Noise," *Phys. Rev. E* **47**, 992-1001 (February 1993).
- T. Larchuk, R. A. Campos, J. G. Rarity, P. R. Tapster, E. Jakeman, B. E. A. Saleh, and M. C. Teich, "Interfering Entangled Photons of Different Colors," *Phys. Rev. Lett.* **70**, 1603-1606 (March 15, 1993).
- T. Li and M. C. Teich, "Photon Point Process for Traveling-Wave Laser Amplifiers," *IEEE J. Quantum Electron.* **29**, 2568-2578 (September 1993).
- S. B. Lowen and M. C. Teich, "Fractal Renewal Processes," *IEEE Trans. Inform. Theory* **39**, 1669-1671 (September 1993).
- S. B. Lowen and M. C. Teich, "Estimating the Dimension of a Fractal Point Process," *Proc. SPIE* **2036**, 64-76 (1993).
- Z. Sui, I. P. Herman, and J. Bevk, "Raman Analysis of Si/Ge Strained Layer Superlattices under Hydrostatic Pressure," *Appl. Phys. Lett.* **58**, 2351 (1991).
- Z. Sui, I. P. Herman, and J. Bevk, "Raman Study of Strain and Confinement Effects in Si/Ge Strained Layer Superlattices under Hydrostatic Pressure," *Mat. Res. Soc. Symp. Proc.* **220**, 333 (1991).
- H. H. Burke, Z. Sui and I. P. Herman, "Temperature and Pressure Dependence of Raman Scattering in $\text{Si}_x\text{Ge}_{1-x}$ Bulk Alloys," *Bull. Am. Phys. Soc.* **36**, 524 (1991).
- I. P. Herman, Z. Sui, and J. Bevk, "Raman Analysis of Si/Ge Strained Layer Superlattices Under Hydrostatic Pressure," *Bull. Am. Phys. Soc.* **36**, 524 (1991).
- Z. Sui, P. P. Leong, I. P. Herman, G. S. Higashi, and H. Temkin, "Raman Analysis of Light-Emitting Porous Silicon," *Appl. Phys. Lett.* **60**, 2086 (1992).
- J. A. Tuchman and I. P. Herman, "General Trends in Changing Epilayer Strains through the Application of Hydrostatic Pressure," *Phys. Rev. B* **45**, 11 929 (1992).
- J. A. Tuchman and I. P. Herman, "General Trend in the Effect of Hydrostatic Pressure on Mismatch Strains in Semiconductor Heterostructures," *Bull. Am. Phys. Soc.* **37**, 688 (1992).
- Z. Sui, P. P. Leong, I. P. Herman, G. S. Higashi, and H. Temkin, "Raman Analysis of Light-emitting Porous Silicon," *Bull. Am. Phys. Soc.* **37**, 564 (1992).
- Z. Sui, P. P. Leong, I. P. Herman, G. S. Higashi, and H. Temkin, "Analysis of the Structure of Porous Silicon by Raman Scattering," *Mat. Res. Soc. Symp. Proc.* **256**, 13 (1992).
- J. A. Tuchman, S. Kim, Z. Sui and I. P. Herman, "Exciton Photoluminescence of Bulk ZnSe and ZnSe Epilayers under Hydrostatic Pressure," *Phys. Rev. B* **46**, 13 371 (1992).

- J. A. Tuchman, Z. Sui, S. Kim and I. P. Herman, "Photoluminescence of ZnSe/ZnMnSe Superlattices under Hydrostatic Pressure," J. Appl. Phys. **73**, 7730 (1993).
- Z. Sui, H. H. Burke, and I. P. Herman, "Raman Scattering in Germanium-silicon Alloys under Hydrostatic Pressure," Phys. Rev. B **48**, 2162 (1993).
- H. H. Burke and I. P. Herman, "Temperature Dependence of Raman Scattering in Ge_{1-x}-Si_x Alloys," Phys. Rev. B **48**, 15,016 (1993).
- Z. Sui and I. P. Herman, "Effect of Strain on Phonons in Si, Ge, and Si/Ge Heterostructures," Phys. Rev. B **48**, 17,938 (1993).
- I. P. Herman, "Raman Scattering," contribution to the Encyclopedia of Applied Physics. (1993, submitted) (no explicit sponsorship could be cited).
- J. W. McCamy, D. H. Lowndes, J. D. Budai, G. E. Jellison, Jr., I. P. Herman, and S. Kim, "Epitaxial ZnS, ZnSe and ZnS-ZnSe Superlattices Grown on (001) GaAs By Pulsed-Laser Ablation," Mat. Res. Soc. Symp. Proc. **285**, 471 (1993).
- M. Ruberto, X. Zhang, R. Scarmozzino, A. Willner, D. V. Podlesnik and R. M. Osgood, Jr., "The Laser-Controlled Micrometer-Scale Photoelectrochemical Etching of III-V Semiconductors," J. Electrochem. Soc. **138**, 1174 (April 1991).
- B. Quiniou, W. Schwarz, Z. Wu and R. M. Osgood, Jr., "Photoemission from Thick Overlying Epitaxial Layers of CaF₂ on Si(111)," Appl. Phys. Lett. **60**, 183 (1992).
- Z. Wu, B. Quiniou, J. Wang and R. M. Osgood, Jr., "Temperature and Adsorbate Dependence of the Image-Potential States on Cu(100)," Phys. Rev. B **45**, 9406 (1992).
- Z. Lu, Y. Jiang, W. I. Wang, M. C. Teich, and R. M. Osgood, Jr. "GaSb-oxide Removal and Surface Passivation Using Electron Cyclotron Resonance Hydrogen Plasma," J. Vac. Sci. Technol. B **10**(4), 1856 (1992).
- B. Quiniou and R. M. Osgood, Jr., "Image-Potential States and Surface Plasmons: Temperature Dependence," Phys. Rev. B **47**, 9971 (1993).
- Q. Y. Yang, W. N. Schwarz, and R. M. Osgood, Jr., "Dissociative Electron Attachment of CH₃Br on GaAs(110) by Thermalized Photoexcited Substrate Electrons," J. Chem. Phys. **98**, 10085 (1993).
- B. Quiniou, V. Bulovic and R. M. Osgood, Jr., "Observation of Image-Potential-Induced Resonances on Cu(110) Using the Two-Photon Photoemission Technique," Phys. Rev. B **47**, 15 890-15 895 (1993).
- Q. Y. Yang, W. N. Schwarz, S. C. Hood, N. L. Loo and R. M. Osgood, Jr., "Observation of the Self-Quenching of Thermalized-Electron-Mediated Photochemistry on Semiconductor Surfaces," Surf. Sci. **298**, 195-200 (1993).
- Q. Y. Yang and R. M. Osgood, Jr., "Energy-Resolved Studies of Photochemistry on Semiconductor Surfaces," (invited paper) J. Phys. Chem. **97**, 8855-8863 (1993).
- Q. Y. Yang, W. N. Schwarz, P. J. Lasky, S. C. Hood, N. L. Loo and R. M. Osgood, Jr., "Highly Anisotropic Angular Dependence of CH(3) Fragmentation from Electron-Transfer Reactions on CH(3)Br/GaAs(110)," accepted for publication in Phys. Rev. Lett. (1994).

V. Bulovic, B. Quiniou, and R. M. Osgood, Jr., "Image-Potential-Induced Resonance on Al(111) Observed by Two-Photon Photoemission Spectroscopy," accepted for publication in the J. Va. Sci. Technol. (1994).

L. Zhu, S. A. Hewitt, and G. W. Flynn, "Quantum Interference Effects in the Collisional Excitation of the Fermi Doublet States of CO₂ by Hot Electrons and Hot H(D) Atoms," J. Chem. Phys. **94**, 4088 (1991)

J. Z. Chou, S. A. Hewitt, J. F. Hershberger, and G. W. Flynn, "Diode Laser Probing of the Low Frequency Vibrational Modes of Baths of CO₂ and N₂O Excited by Relaxation of Highly Excited NO₂," J. Chem. Phys. **93**, 8474 (1990).

L. Zheng, J. Chou, and G. Flynn, "Relaxation of Molecules with Chemically Significant Amounts of Energy: Vibrational, Rotational and Translational Energy Recoil of an N₂O Bath Due to Collisions with NO₂(E=63.5 KCAL/MOLE)," J. Phys. Chem. **95**, 6759 (1991).

J. Park, Y. Lee, and G. Flynn, "Tunable Diode Laser Probe of Chlorine Atoms Produced from the Photodissociation of a Number of Molecular Precursors," Chem. Phys. Lett. **186**, 441 (1991).

J. Park, Y. Lee, J. F. Hershberger, J. M. Hossenlopp, and G. W. Flynn, "Chemical Dynamics of the Reaction between Chlorine Atoms and Deuterated Cyclohexane," J. Am. Chem. Soc. **114**, 58 (1992).

J. J. Breen and G. W. Flynn, "STM Studies of the Synthetic Polypeptide: Poly- γ -benzyl-L-glutamate," J. Phys. Chem. **96**, 6825 (1992).

R. E. Weston, Jr. and G. W. Flynn, "Relaxation of Molecules with Chemically Significant Amounts of Energy: The Dawn of the Quantum State Resolved Era," Ann. Rev. Phys. Chem., **43**, 559-589 (1992).

C. K. Ni and G. W. Flynn, "Correlation between Molecular Recoil and Molecular Orientation in Collisions of Symmetric Top Molecules with Hot Hydrogen Atoms," Chem. Phys. Lett. **193**, 69 (1992).

S. A. Hewitt, L. Zhu, and G. W. Flynn, "Diode Laser Probing of CO₂ and CO Vibrational Excitation Produced by Collisions with High Energy Electrons from 193 nm Excimer Laser Photolysis of Iodine," J. Chem. Phys. **97**, 6397 (1992).

L. Zhu and G. W. Flynn, "Quantum State Resolved Studies of Rovibrational Excitation of N₂O and OCS Following Collisions with Low-Energy Electrons," J. Phys. Chem. **97**, 881 (1993).

J. J. Breen, J. S. Tolman, and G. W. Flynn, "STM Studies of Vapor Deposited Films of TTF and Iodine," Appl. Phys. Lett. **62**, 1074 (1993).

F. A. Khan, T. G. Kreutz, G. W. Flynn, and R. E. Weston, Jr., "Translationally and Rotationally Resolved Excitation of CO₂(00⁰2) by Collisions with Hot Hydrogen Atoms," J. Chem. Phys. **98**, 6183 (1993).

C-K Ni and G. W. Flynn, "State and Velocity Distributions of Cl Atoms Produced in the Photodissociation of ICl at 237 nm," Chem. Phys. Letts. **210**, 333 (1993).

A. S. Mullin, J. Park, J. Z. Chou, G. W. Flynn, and R. E. Weston, Jr., "Some Rotations Like It Hot: Selective Energy Partitioning in the State Resolved Dynamics of Collisions between CO₂ and Highly Vibrationally Excited Pyrazine," Chem. Phys. **175**, 53 (1993).

G. W. Flynn and R. E. Weston, Jr., "Diode Laser Studies of Collisional Energy Transfer," J. Phys. Chem. **97**, 8116 (1993) (feature article).

H. K. Liou, P. Mei, U. Gennser, E. S. Yang, "Effect of Ge Concentration on SiGe Oxidation Behavior," Appl. Phys. Lett. **59**, 1200 (1991).

H. K. Liou, X. Wu, U. Gennser, E. S. Yang, V. P. Kesan, S. S. Iyer and K. N. Tu, "Interfacial Reactions and Schottky Barriers of Pt and Pd on Epitaxial Si_{1-x}Ge_x Alloys," Appl. Phys. Lett. **60**, 577 (1992).

P. W. Li, Q. Wang, E. S. Yang, "Chemical and Electrical Characterization of AlGaAs / GaAs Heterojunction Bipolar Transistors Treated by Electron Cyclotron Resonance Plasmas," Appl. Phys. Lett. **60**, 1996 (1992).

P. W. Li, H. K. Liou, E. S. Yang, S. S. Iyer, T. P. Smith, III, and Z. Lu, "Formation of Stoichiometric SiGe Oxide by Electron Cyclotron Resonance Plasma," Appl. Phys. Lett. **60**, 3265 (1992).

Q. Wang, E. S. Yang, P. W. Li, Z. Lu, R. M. Osgood, Jr., and W. I. Wang, "Electron Cyclotron Resonance Hydrogen and Nitrogen Plasma Surface Passivation of AlGaAs/GaAs Heterojunction Bipolar Transistors," IEEE Electron Device Lett. **13**, 83 (1992).

P. W. Li and E. S. Yang, "SiGe Gate Oxide Prepared at Low-Temperatures in an Electron Cyclotron Resonance Plasma," Appl. Phys. Lett. **63**, 2938 (1993).

H. K. Liou, E. S. Yang and K. N. Tu, "Nonalloyed Ohmic Contacts to n-Si Using a Strained Si_{0.5}Ge_{0.5} Buffer Layer," Appl. Phys. Lett. **63**, 911 (1993).

U. Gennser, V. P. Kesan, D. A. Syphers, T. P. Smith III, S. S. Iyer, and E. S. Yang, "Similarities between the Landau Spectra and Dispersion Relations in Si/Si_{1-x}Ge_x Quantum Wells Investigated by Magnetotunneling Spectroscopy," Appl. Phys. Lett. **63**, 545 (1993).

Q. Wang, E. S. Yang, Y. K. Chen, D. Sivco, and A. Y. Cho, "Minimization of the Offset Voltage in Heterojunction Bipolar Transistors by Using a Thick Spacer," Appl. Phys. Lett. **62**, 3129 (1993).

Hyo-Soo Jeong and R. C. White, "Low Energy Ion Beam Modification of High Performance Electronic Polymer," Mater. Res. Soc. Symp. Proc. **236**, pp. 324-330 (1992).

J.-L. Lin and B. E. Bent, "Iodomethane Dissociation on Cu(111): Bonding and Chemistry of Adsorbed Methyl Groups," J. Vac. Sci. Technol. A **10**, 2202 (1992).

C.-M. Chiang, T. H. Wentzlaff, C. J. Jenks, and B. E. Bent, "Carbon-Carbon Bond Forming Reactions on Cu(111) Surfaces," J. Vac. Sci. Technol. A **10**, 2185 (1992).

J.-L. Lin and B. E. Bent, "C-H Vibrational Mode Softening in Alkyl Groups Bound to Cu(111)," Chem. Phys. Lett. **194**, 208 (1992).

M. Xi. and B.E. Bent, "Evidence for an Eley-Rideal Mechanism in the Addition of Hydrogen Atoms to Unsaturated Hydrocarbons on Cu(111)," J. Vac. Sci. Technol. B **10**, 2440 (1992).

- A. Paul, C.J. Jenks, and B.E. Bent, "Site-Blocking Effects in Temperature-Programmed Desorption Studies of Surface Decomposition Reactions," Surf. Sci. **261**, 233-242 (1992).
- C.-M. Chiang, T.H. Wentzlaff, and B.E. Bent, "Iodomethane Decomposition on Cu(110): Surface Reactions of C₁ Fragments," J. Phys. Chem. **96**, 1836-1848 (1992).
- H.-S. Jeong and R. C. White, "Low Energy Ion Beam Interactions with Electronic Polymer Surfaces," J. Vac. Sci. Technol. A **11**, 2308 (1993).
- J. C. Jiang, V. Faynberg, P. K. Allen and R. C. White, "Fabrication of Micromachined Silicon Tip Transducers for Tactile Sensing," J. Vac. Sci. Technol. B **11**(6), 1962-1993 (1993).
- M. Xi and B.E. Bent, "Reaction of Deuterium Atoms with Cyclohexane on Cu(111): Hydrogen Abstraction Reactions by Eley-Rideal Mechanisms," J. Phys. Chem. **97**, 4167 (1993).
- E. N. Schulman and R. C. White, "Observation of Nanometer Ordering in Multilayer Films of PMDA-ODA Using the Scanning Tunneling Microscope and Ultra High Vacuum," J. Vac. Sci. Technol. A **11**, 2348 (1993).
- C. J. Jenks, B. E. Bent, N. Bernstein, and F. Zaera, "Chemistry of 1-Iodopropane on Cu(110): Formation, Bonding, and Reactions of Adsorbed Propyl Groups," J. Am. Chem. Soc. **115**, 308 (1993).
- C.J. Jenks, A. Paul, L.A. Smoliar, and B.E. Bent, "The Effects of Surface Defects and Coadsorbed Iodine on the Chemistry of Alkyl Groups on Copper Surfaces: Evidence for a Cage Effect," J. Phys. Chem. **98**, 572-578 (1994) .
- C. Su, Z.-G. Dai, D.-H. Sun, W. Luo, M. Vernon, and B.E. Bent, "Chemical Dry Etching of GaAs by HCl: Products, Rate, and a Kinetic Model," Surf. Sci. accepted for publication.
- J.-L. Lin, C.-M. Chiang, C.J. Jenks, M.X. Yang, T.H. Wentzlaff, and B.E. Bent, "Alkyl Chain Propagation by Methylene Insertion on Cu(100)," J. Catal. in press.
- C. Su, Z.-G. Dai, H.-Q. Hou, M. Xi, M.F. Vernon, and B.E. Bent, "GaAs Etching by Cl₂ and HCl: Ga- vs. As-Limited Etching," Mat. Res. Soc. Symp. Proc., accepted for publication.
- S. Zolgharnain and R. C. White, "In-vacuum Synthesis and Characterization of Thin Aromatic Polyimide Films Prepared by a Chemical Vapor Deposition Process," submitted to J. Vac. Sci. Technol.
- R. C. White, Electrical Properties of Microelectronics Packaging Materials," invited review chapter, in *Behavior of Materials in Microelectronics and Fiber-Optic Systems*, E. Suhir, Ed., Oxford University Press, in preparation.
- E. N. Schulman and R. C. White, "Giant Conductance Fluctuations in Ultrasmall-Area Tunnel Junctions of a Poor Organic Conductor." submitted, Physical Review Letters.
- E. N. Schulman and R. C. White, "A Simple Method for Increasing the Resolution of the Scanning Tunneling Microscope on High Resistivity Organic Materials," submitted, Applied Physics Letters.

R. C. White and H. -S. Jeong, "The Correlation of Measured Thin Film Fracture Strength to Intrinsic Adhesion at Nanometer Scales," to appear in J. Adhes. Sci. and Technol.

J. C. Jiang and R. C. White, "Field Emission Diodes for Smart Tactile Sensors" submitted to Sensors and Actuators A.

J. C. Jiang and R. C. White, "Characterization of Electron Emission from a Single Tip Cold Cathode in Microdiode Structures," submitted to J. Vac. Sci. Technol. B.

J. C. Jiang and R. C. White, "Field Emission Through a Native Oxide Layer and Resonant tunneling Enhancement Using an Ultra thin Metal Layer," submitted to IEEE Elec. Devices.

J. C. Jiang and R. C. White, "Electron Emission from Si Tips Coated with a Very Thin Layer of Cr," Proc. of the Society for Information Display International Symposium (1993).

IV. LIST OF JSEP SUPPORTED GRADUATES, April 1, 1991 - March 31, 1994

Bulovic, V., M.S.
Campos, R. A., Ph.D.
Chiang, C.-M., Ph.D.
Chou, J., Ph.D.
Jenks, C., Ph.D.
Jeong, H. S., Ph.D.
Jiang, J. C., Ph.D.
Jiang, Y.-J., Ph.D.
Larchuk, T. S., Ph.D.
Leang, P., Ph.D.
Lee, Y. S., Ph.D.
Li, P.-W., Ph.D.
Li, T., Ph.D.
Lin, J.-L., Ph.D.
Liou, H.-K., Ph.D.
Liu, H., B. S.
Lowen, S. B., Ph.D. (JSEP Fellow)
Lu, Z., Ph.D.
Melnikov, K., M.S.
New, J., B. S.
Ni, K., Ph.D.
Paiella, R., M. S.
Paul, A., Ph.D.
Quiniou, B., Ph.D.
Saban, D., B. S.
Singer, F., Ph.D.
Su, C., Ph.D.
Sui, Z., Ph.D.
Tolman, S., B. S.
Tuchman, J., Ph.D.
Wang, Q., Ph.D.
Xi, M., Ph.D.
Zheng, L., Ph.D.
Zhu, L., Ph.D.
Zhu, N., Ph.D.
Zolgharnain, S., M.S.