i in the second se		ITATION DA	GE	Form Approved
		ed to average 1 hour per	ANDE	OMB No 0704-0188
		wewing the collection of in urgen 1, Aushington Head thread Management and B	Hormation Send comments requirements required auters Services, Directorate foundated Paperwork Reduction Pr	parding this burden estimate or an other spect of this or information Operations and Heports, 1215 jeffersul oject (0704-0188), Washington, DC 20503
1. AGENCY USE ONLY (Leave blank	() 2. REP Feb	ORT DATE . 16, 1994	3. REPORT TYPE AN Final report	ND DATES COVERED t, Jan 1 1992-Dec 31, 1993
4. TITLE AND SUBTITLE	f New M	laterials for N	זדף	5. FUNDING NUMBERS
Solid State Tunable I	asers	ateriars for i	IIK	
6 AUTHOR/S)				DAAL 03-91-G-0317
Weivi Jia and Huimin	Liu			
			0	
7. PERFORMING ORGANIZATION NA	ME(S) AND	ADDRESS(ES)	<u> </u>	× a4-21618
University of Puer	to Rico 200	- Mayaguez	• (	
Mayagüez, PR 00	680			
				1
9. SPONSORING / MONITORING AGE		S) AND ADDRESS(ES)		10. SPONSORING / MONITORING
U.S. Army Research ( P. O. Box 12211	Office			ANTINE ULL AL MUMBER
Research Triangle Pa	ark, NC	27709-2211		20 AC 10 PH-SAN
				ARO 29,00.10-11 5117
	T . T			1 2 MENET WRITEDIN CODIE
12a. DISTRIBUTION / AVAILABILITY S Approved for public 1	celease;	distribution	unlimited.	JUL 1 5 1994
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S</li> <li>Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words)</li> </ul>	celease;	distribution	unlimited.	JUL 1 5 1994
12a. DISTRIBUTION / AVAILABILITY S Approved for public r 13. ABSTRACT (Maximum 200 words We report the ex	celease;	distribution	unlimited.	JUL 1 5 1994
12a. DISTRIBUTION / AVAILABILITY S Approved for public r 13. ABSTRACT (Maximum 200 words We report the ex Cr <sup>4+</sup> -YAG Lasers, and	celease; ) xperimen laser s	distribution tal results or	unlimited.	JUL 1 5 1994 F ce of NIR tunable py and photodynamics
12a. DISTRIBUTION / AVAILABILITY S Approved for public 1 13. ABSTRACT (Maximum 200 words We report the ex Cr <sup>4+</sup> -YAG Lasers, and of Cr <sup>4+</sup> -doped Y <sub>3</sub> Al <sub>5</sub> 0	perimen laser s	distribution tal results or pectroscopy, p	unlimited. the performance piezospectroscop crystals. The	JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron -
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words) We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>Al<sub>5</sub>0<sub>1</sub> phonon interaction ir</li> </ul>	release; perimen laser s 2, Mg <sub>2</sub> S h excito	distribution tal results or pectroscopy, p i04 and Y2Si05	unlimited. the performance piezospectroscop ; crystals. The and decay of pe	JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words) We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>Al<sub>5</sub>0<sub>1</sub> phonon interaction in discussed.</li> </ul>	celease; perimen laser s 2, Mg <sub>2</sub> S h excito	distribution tal results or pectroscopy, p i04 and Y2Si0 on migration	unlimited. the performance piezospectroscop crystals. The and decay of pe	JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>Al<sub>5</sub>O<sub>1</sub> phonon interaction in discussed.</li> </ul>	celease; perimen laser s 2, Mg <sub>2</sub> S a excito	distribution tal results on pectroscopy, p i04 and Y2Si09 on migration	unlimited. The performance piezospectroscop crystals. The and decay of pe	JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public r</li> <li>13. ABSTRACT (Maximum 200 words We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>Al<sub>5</sub>0<sub>1</sub> phonon interaction in discussed.</li> </ul>	xperimen laser s 2, Mg <sub>2</sub> S a excito	distribution tal results on pectroscopy, p iO <sub>4</sub> and Y <sub>2</sub> SiO <sub>2</sub> on migration	unlimited. the performance piezospectroscop crystals. The and decay of pe	JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is
12a. DISTRIBUTION / AVAILABILITY S Approved for public 1 13. ABSTRACT (Maximum 200 words We report the ex Cr <sup>4+</sup> -YAG Lasers, and of Cr <sup>4+</sup> -doped Y <sub>3</sub> Al <sub>5</sub> 0 <sub>1</sub> phonon interaction in discussed.	perimen laser s 2, Mg <sub>2</sub> S n excito	distribution tal results or pectroscopy, p i04 and Y2Si04	unlimited. the performance piezospectroscop crystals. The and decay of po	JUL 1 5 1994 JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is
12a. DISTRIBUTION / AVAILABILITY S Approved for public 1 13. ABSTRACT (Maximum 200 words) We report the ex Cr <sup>4+</sup> -YAG Lasers, and of Cr <sup>4+</sup> -doped Y <sub>3</sub> Al <sub>5</sub> 0 <sub>1</sub> phonon interaction in discussed.	release; perimen laser s 2, Mg <sub>2</sub> S h excito	distribution tal results or pectroscopy, p i04 and Y2Si04 on migration	unlimited. the performance piezospectroscop ; crystals. The and decay of po <b>947</b>	JUL 15 1994 JUL 15 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is 12 356
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words) We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>Al<sub>5</sub>O<sub>1</sub> phonon interaction in discussed.</li> </ul>	release; ) perimen laser s 2, Mg <sub>2</sub> S h excito	distribution tal results or pectroscopy, p i04 and Y2Si05 on migration	unlimited. The performance piezospectroscop crystals. The and decay of po <b>94 7</b>	JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is 12 356
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>A1<sub>5</sub>0<sub>1</sub> phonon interaction in discussed.</li> <li>14. SUBJECT TERMS Laser Spectroscopy, C</li> </ul>	release; perimen laser s 2, Mg <sub>2</sub> S a excito Cr <sup>4+</sup> -dop	distribution tal results of pectroscopy, p i04 and Y2Si05 on migration	unlimited. The performance piezospectroscop crystals. The and decay of po <b>94 7</b>	JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is 12 356 15. NUMBER OF PAGES 6
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>Al<sub>5</sub>O<sub>1</sub> phonon interaction in discussed.</li> <li>14. SUBJECT TERMS Laser Spectroscopy, O Piezospectroscopy, NI</li> </ul>	celease; perimen laser s 2, Mg <sub>2</sub> S 2 excito cr <sup>4+</sup> -dop R tunab	distribution tal results on pectroscopy, p 5104 and Y <sub>2</sub> Si0 on migration ed Crystals le Lasers	unlimited. The performance piezospectroscopy crystals. The and decay of po <b>94 7</b>	JUL 1 5 1994 JUL 1 5 1994 JUL 1 5 1994 F ce of NIR tunable py and photodynamics e process of electron - opulation grating is 12 356 15. NUMBER OF PAGES 6 16. PRICE CODE
<ul> <li>12a. DISTRIBUTION / AVAILABILITY S Approved for public 1</li> <li>13. ABSTRACT (Maximum 200 words) We report the ex Cr<sup>4+</sup>-YAG Lasers, and of Cr<sup>4+</sup>-doped Y<sub>3</sub>A1<sub>5</sub>0<sub>1</sub> phonon interaction in discussed.</li> <li>14. SUBJECT TERMS Laser Spectroscopy, C Piezospectroscopy, NI</li> <li>17. SECURITY CLASSIFICATION 11</li> </ul>	celease; perimen laser s 2, Mg2S 1 excito cr4+-dop R tunab	distribution tal results or pectroscopy, p i04 and Y2Si04 on migration ed Crystals le Lasers	unlimited. the performance piezospectroscop crystals. The and decay of po <b>94 7</b> 19. SECURITY CLASSIF	LUL 1 5 1994 JUL 1 5 1994 JUL 1 5 1994 F Ce of NIR tunable py and photodynamics e process of electron – opulation grating is 12 356 15. NUMBER OF PAGES 6 16. PRICE CODE ICATION 20. LIMITATION OF ABSTRAC

.

٦.

# GENERAL INSTRUCTIONS FOR COMPLETING SF 298

^

.

,

.

•

The Report Documentation Page (RDP) is used in arthat this information be consistent with the rest of Instructions for filling in each block of the form follo <b>optical scanning requirements</b> .	nouncing and cataloging reports. It is important the report, particularly the cover and title page. w. It is important to stay within the lines to meet		
Block 1. Agency Use Only (Leave blank). Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1	<b>Block 12a.</b> <u>Distribution/Availability Statement</u> . Denotes public availability or limitations. Cite any availability to the public. Enter additional		
Jan 88). Must cite at least the year. Block 3. <u>Type of Report and Dates Covered</u> . State whether report is interim, final, etc. If	DOD - See DoDD 5230.24, "Distribution Statements on Technical		
applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88). Block 4. <u>Title and Subtitle</u> . A title is taken from	Documents." DOE - See authorities. NASA - See Handbook NHB 2200.2.		
the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and	Block 12b. Distribution Code.		
include subtitle for the specific volume. On classified documents enter the title classification in parentheses.	<ul> <li>DOD - Leave blank.</li> <li>DOE - Enter DOE distribution categories from the Standard Distribution for</li> </ul>		
Block 5. <u>Funding Numbers</u> . To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:	Unclassified Scientific and Technical Reports. NASA - Leave blank. NTIS - Leave blank.		
C- ContractPR- ProjectG- GrantTA- TaskPE- ProgramWU- Work UnitElementAccession No.	<b>Block 13.</b> <u>Abstract</u> . Include a brief ( <i>Maximum</i> 200 words) factual summary of the most significant information contained in the report.		
<b>Block 6.</b> <u>Author(s)</u> . Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow	<b>Block 14.</b> <u>Subject Terms</u> . Keywords or phrases identifying major subjects in the report.		
the name(s). Block 7. <u>Performing Organization Name(s) and</u> Address(es) Self-explanatory	<b>Block 15.</b> <u>Number of Pages</u> . Enter the total number of pages.		
Block 8. Performing Organization Report Number. Enter the unique alphanumeric report	Block 16. <u>Price Code</u> . Enter appropriate price code ( <i>NTIS only</i> ).		
performing the report. Block 9. <u>Sponsoring/Monitoring Agency Name(s)</u> and Address(es) Self-explanatory	Blocks 17 19. <u>Security Classifications</u> . Self- explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified		
Block 10. Sponsoring/Monitoring Agency Report Number. (If known)	information, stamp classification on the top and bottom of the page.		
<b>Block 11.</b> <u>Supplementary Notes</u> . Enter information not included elsewhere such as: Prepared in cooperation with; Trans. of; To be published in When a report is revised, include a statement whether the new report supersedes or supplements the older report.	<b>Block 20.</b> <u>Limitation of Abstract</u> . This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.		
	Standard Form 298 Back (Rev. 2-89)		

## SPECTROSCOPIC STUDY OF NEW MATERIALS FOR NIR SOLID STATE TUNABLE LASERS

•

• 4 .

.

۰.

,

(Final Report)

Weiyi Jia and Huimin Liu

Period: Jan.1, 1992 to Dec.31, 1993

U.S. ARMY RESEARCH OFFICE GRANT No. DAAL03-91-G-0317

### UNIVERSITY OF PUERTO RICO, MAYAGÜEZ CAMPUS Mayagüez, PR 00680

Accesion For					
NTIS	CRA&I	Ŋ			
DTIC	TAB				
Unannouriced 🗖					
Justification					
By Distribution /					
Availability Codes					
Dist	Avail and / or Special				
A-1					

Approved For Public Release Distribution Unlimited

#### I. Foreword

Tunable solid state lasers have been developed rapidly and trend to replace dye lasers. One most successful example is  $Ti^{3+}$ :sapphire lasers, the tunable range of which spans from 680 to 1100nm, to cover seven dye lasers' tuning range. Pico- and femtosecond sapphire lasers have also been commercialized. The current research efforts are to expend the laser wavelength to the infrared, or to the blue-green and UV.

Following this direction, the substantial research work has been devoted to searching for new materials for the near infrared (NIR) solid state tunable lasers. Our two-year research project Spectroscopic Study of New Materials for NIR Solid State Tunable Lasers have been granted by the Army Research office. We feel that we have been very productive during the past two years of ARO support and have made important contribution to the above research field.

We would like to take this opportunity to thank the Army Research Office, Dr. Bob Guenther, Dr. Mikael Ciftan and all other officers for the financial support and advices. This is the first grant we got since we moved to the University of Puerto Rico-Mayaguez Campus in October of 1990 (Dr. Weiyi Jia) and in August of 1991 (Dr. Huimin Liu). Combined with other sources of external funding, we established Optical Materials and Laser Spectroscopy Laboratory, which allows us to be able to do quite competitive research work now. The lab is or will soon be equipped with cw, nano-, pico- and femto- second lasers, and with low temperature condition, and high uniaxial stress/pressure devices. We can be able to prepare optically activated sol-gel The glasses. spectroscopic wavelength can span from UV to the infrared (1.6  $\mu$ m). Eleven papers have been or will soon be published under the auspices of ARO. All this achievement should be credited directly or indirectly to the Army Research Office.

We also would like to thank Dr. William Yen in the University of Georgia and Dr. Richard Powell in Oklahoma State University (now in Optical Center of the University of Arizona) for their hospitality to allow us to work in their laboratory. It is through the close collaboration, We could be able to complete our research project.

In the following, we present a brief introduction of our main results of research, which include three parts: Investigation on the performance of Cr-YAG lasers; Piezospectroscopic studies and photodynamics.

#### II. Performance of Cr-YAG lasers

We have studied the performance of  $Cr^{4+}$ :YAG lasers, tunable over the range from 1.32 to 1.53  $\mu$ m, under different operation regimes. Laser actions have been achieved by pumping with Nd:YAG lasers in Q-switched mode and cw mode and with a Cr,Nd:GsGG laser in the long pulse mode. Slope efficiencies up to 22% in the Qswitched pump mode have been obtained. The lowest threshold of 30 mJ was obtained for the long pulse pump mode. Excited state absorption and saturation absorption seem to limit the tuning range and the output characteristics. Such studies are believed to be important to improve the current  $Cr^{4+}$  laser materials and to search for new host materials and new lasing ions.

In the study of the laser performance, it was found that the laser output depended on the polarization of the pump laser beam relative to the crystallographic orientation of YAG rod. The observation leads to well understanding the relationship between the excitation saturation effect and the microstructure of electric dipoles of  $Cr^{4+}$  in YAG crystal. This eventually provides important information of how to use Cr-YAG crystals as passive Q-switch element.

#### 2. Piezospectroscopic studies of Cr<sup>4+</sup> doped crystals

Most of our effort in the past two years has been devoted to study the electronic energy level structures of Cr4+ in crystalline Three different materials have been studied: Cr-Mg,SiO, hosts. (MSO),  $Cr-Y_3AL_5O_{12}$  (Cr-YAG) and  $Cr-Y_2SiO_5$  (Cr-YSO). Absorption, excitation and fluorescence spectra have been well studied. For example, Cr-YSO is a new material in which Cr ions are believed to be only in tetravalent state and to reside only in tetrahedral sites. The doublet of sharp lines in the near infrared is assigned to the pure electronic transition, and the broad band is the phonon However, it is difficult to tell if the transition sideband. originates from <sup>3</sup>T, state or <sup>1</sup>E state. Some research groups assigned it as <sup>1</sup>E state transition, although this is in conflict with the results of lifetime and other measurements. The same arguments exist more or less to other two crystals.

In order to clarify the energy level structures of  $Cr^{4+}$  in different crystal hosts, stress dependence experiments were performed at 10 K using a novel stress device designed by us. Large stress-induced energy shifts of the zero phonon lines of the fluorescence were found in the order of 10 to 20 cm<sup>-1</sup>/kbar in all of the crystals. It is concluded from the large stress effects that the emission of the sharp lines and the broad phonon sideband originate from one of the orbital components of  ${}^{3}T_{2}$  state of  $Cr^{4+}$  but not from 'E state or a mixture state of 'E and  ${}^{3}T_{2}$ .

The shift rates of the spectra with stress were found to very

much depend on the relative orientation of the crystal to the stress. The information helps us to identify the occupation of  $Cr^{4+}$ . We believe, for example, in the case of Cr-forsterite,  $Cr^{4+}$  replaced Si in tetrahedral sites but not reside in tetrahedral voids.

In addition, pseudo-spectral splitting were observed in all three crystals. These splittings are ascribed to the reduction of the crystal symmetry induced by uniaxial stress when it is applied not parallel to the crystallographic axes. An analysis based on group theory is presented. The result again help us to clarify the site occupation of  $Cr^{4+}$  in the crystal host.

Based on the confirmed energy level structure, we are able to analyze the radiative and nonradiative decay processes of  $Cr^{4+}$  in these crystals. We believe we obtained a profounder understanding of both spectroscopy and dynamics in the laser materials.

#### 3. Dynamics of excited states

Dynamic processes of excited states of Cr doped forsterite samples with different concentration ratios of  $Cr^{4+}/Cr^{3+}$  and a purely  $Cr^{4+}$  doped CGS sample were studied by degenerate four wave mixing technique. A slow ns scattering signal and a fast ps signal were observed. The slow signals observed in all the samples are identified to be from the established transient Cr4+ population grating. The fast ps signals are quite strong in the sample with higher Cr<sup>3+</sup> concentration, faded out in the low Cr<sup>3+</sup> concentration sample, and disappeared in the pure  $Cr^{4+}$ :CGS sample. This may imply existence of a fast nonradiative energy transfer from  $Cr^{3+}$  to  $Cr^{4+}$ within 50 ps. Some combination phonon modes of octahedral  $(Cr^{3+})$ and tetrahedral (Cr4+) vibrations may get involved in the electronphonon coupling process. Our result is in good agreement with the recent experimental observation by Demos et al. In their time resolved Raman scattering experiment, the phonon lifetime between 40-50 ps was found to be involved in the nonradiative decay of tetravalent Cr in forsterite.

Dispersive properties of population grating in Cr doped YAG crystal has been also studied by four wave mixing with a cw dye laser pumped by an Ar laser. It was found that, in the millisecond time scale,  $Cr^{3+}$  coexisted in the sample with  $Cr^{4+}$  plays a dominate role in the creation of the grating at room temperature. The result is ascribed to the much longer life time (1 ms) of  $Cr^{3+}$  than that (3  $\mu$ s) of  $Cr^{4+}$ .

In addition, in order to deeply understand the role of nonequilibrium phonons which are commonly created in sideband pump in the tunable laser materials, we studied photodynamic process in the one-dimensional antiferromagnet  $CsMnCl_3.2D_2O$ . We observed nonequilibrium phonon assisted exciton migration, which lead to different exciton decays when the phonon sideband and pure electronic line were pumped respectively. The finding may shed a new light on understanding the important role of the nonequilibrium phonons produced in sideband pumping in tunable laser materials. This part of research is just initiated and will be continued in the future proposal.

#### III. Publications

- Weiyi Jia, H. Eilers, W. M. Dennis, W. M. Yen, and A. V. Shestakov, "Performance of a Cr<sup>4+</sup>:YAG Laser in the Near Infrared", OSA Proceeding on Advanced Solid State Lasers Vol. 13, 31 (1992).
- Weiyi Jia and W. M. Yen, "Spectroscopy of a New Lasing Ion Cr<sup>4+</sup> for NIR Solid State Tunable Lasers" (in Chinese, not submitted to ARO), in book "Advances in Luminescence" ed. by Fan Xiwu and Ge Shichao, Scientific Press, Beijing, China, 1992, p38.
- 3. U. Hömmerrich, H. Eilers, S. M. Jacobsen, W. M. Yen, W. Jia and Y. Wang, "Spectroscopic Investigation of the NIR Center in Cr-Doped Y<sub>2</sub>SiO<sub>5</sub>", OSA Proceeding on Solid State Lasers, Vol 15 (1993) 441.
- H. Eilers, W. M. Dennis, W. M. Yen, S. Kuck, K. Petermann, G. Huber and Weiyi Jia, "Performance of a Cr:YAG Laser", IEEE. J. Quantum Electronics, 29 (1993) 2508.
- 5. U. Hömmerich, H. Eilers, S. M. Jacobsen, W. M. Yen, and W. Jia, "Near Infrared Luminescence Properties of the Laser Materials Cr: Y<sub>2</sub>SiO<sub>5</sub>", J. Lumin., 55 (1993) 293.
- 6. Xingkun Wu, W. M. Dennis, W. M. Yen, W. Jia and D.L. Huber, "Nonequilibrium Phonon Assisted Exciton Migration in CsMnCl<sub>3</sub>.2D<sub>2</sub>O:Co<sup>2+</sup>", J. Lumin., in press, 1993.
- 7. Huimin Liu, Weiyi Jia, C. L. Porter, R. J. Reeves and R. C. Powell, "Excitation Migration in Cr<sup>4+</sup> Doped Forsterite", J. Lumin., in press, 1993.
- Weiyi Jia, Huimin Liu, Yanyun Wang, U. Hömmerich, H. Eilers and W. M. Yen, "Origin of the NIR Emission in Cr<sup>4+</sup> Doped Forsterite, Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> and Y<sub>2</sub>SiO<sub>5</sub>", J. Lumin., in press, 1993.
- 9. Weiyi Jia, Huimin Liu, Yanyun Wang, U. Hömmerich, H. Eilers, K. Hoffman and W. M. Yen, "Stress Effects on the Fluorescence Spectra of Tetravalent Chromium in Some Crystalline Hosts", J. Lumin., accepted, 1993.

- 10. U. Hömmerich, H. Eilers, W.M. Yen, W. Jia and Y. Wang, "Effects of Uniaxial Stress on the Metastable Level in Cr<sup>4+</sup>:Y<sub>2</sub>SiO<sub>5</sub>", Optics Letter, accepted.
- 11. H. Eilers, U. Hömmerich, S.M. Jacobsen, W.M. Yen, K.R. Hoffman and W. Jia, "Spectroscopy and Dynamics of Cr<sup>4+</sup>:Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>", Phys. Rev. in press, 1993.

#### IV. Participating Scientific Personnel

.

• • • •

Dr. Weiyi Jia, Principle Investigator, Associate professor; Dr. Huimin Liu, co-investigator, Associate professor; Ms. Yanyun Wang, Research Associate;

Mr. Juan Daniel Romero-Chong Master degree student Thesis Title: Dispersive response of Population grating of Cr doped YAG crystal By Four Wave Mixing. To be graduated in June of 1994.