

AD-A282 806

①

ADST/WDL/TR-92-003037



**ADST  
Version Description Document  
for the  
BDS-D  
Ainet MCC 1.0.0**

**Loral Western Development Labs  
Electronic Defense Systems Software Department  
Software Engineering Laboratory  
3200 Zanker Road  
San Jose, California 95161-9041**


**DTIC  
ELECTE  
AUG 03 1994  
S G D**

22 December 1992

**Contract No. N61339-91-D-0001  
CDRL A00A**

Prepared for:

**Simulation Training and Instrumentation Command  
Naval Training Systems Center  
12350 Research Parkway  
Orlando, FL 328266-3275**



**LRAL**

**94-24446**



**94 8 02 085**

ADST/WDL/TR--92-003037

**ADST  
Version Description Document  
for the  
BDS-D  
Airnet MCC 1.0.0**

**Loral Western Development Labs  
Electronic Defense Systems Software Department  
Software Engineering Laboratory  
3200 Zanker Road  
San Jose, California 95161-9041**


**22 December 1992**

**Contract No. N61339-91-D-0001  
CDRL A00A**

**Prepared for:**

**Simulation Training and Instrumentation Command  
Naval Training Systems Center  
12350 Research Parkway  
Orlando, FL 32826-3275**

**LORAL**



REPORT DOCUMENTATION PAGE			Form approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 12/22/92	3. REPORT TYPE AND DATES COVERED Version Description Document	
4. TITLE AND SUBTITLE ADST, Version Description Document for the BDS-D Airmet MCC 1.0.0			5. FUNDING NUMBERS C N61339-91-D-0001 CDRL A00A	
6. AUTHOR(s) Compiled by: Cheney, Pat; Humber, Karen; Bright, Rick; Peterson, Pete				
7. PERFORMING ORGANIZATION NAME(s) AND ADDRESS(es) Loral Western Development Labs Electronic Defense Systems Software Department 3200 Zanker Road San Jose, California 95161-9041			8. PERFORMING ORGANIZATION REPORT NUMBER ADST/WDL/TR-92-003037	
9. SPONSORING/MONITORING AGENCY NAME(s) AND ADDRESS(es) Simulator Training and Instrumentation Command (STRICOM) Naval Training Systems Center 12350 Research Parkway Orlando, FL 32826-3275			10. SPONSORING ORGANIZATION REPORT ADST/WDL/TR-92-003037	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT			12b. DISTRIBUTION CODE  A	
13. ABSTRACT (Maximum 200 words)  This Version Description Document outlines the components included for the initial software release of the BDS-D Airmet MCC 1.0.0				
14. SUBJECT TERMS			15. NUMBER OF PAGES 236	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	17. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	17. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	18. LIMITATION OF ABSTRACT UL	

Table of Contents

1.0 Scope.....3  
 1.1 Identification.....3  
 1.2 System Overview.....3  
 1.3 Document Overview.....3  
 2.0 Referenced Documents.....4  
 2.1 Government Documents.....4  
 2.2 Non-Government Documents.....4  
 3.0 Version Description.....5  
 3.1 Inventory of Materials Released.....5  
 3.2 Inventory of CSCI Contents.....5  
 3.3 Changes Installed.....5  
 3.4 Adaptation Data.....5  
 3.5 Coldstart Procedures.....5  
 3.6 Build and Distribution Instructions.....6  
 3.7 Regression Test Results.....7  
 3.8 Release Notes.....7  
 3.8.1 BDS-D Airmet MCC Software Release Notes.....7  
 3.9 Interface Compatibility.....7  
 3.10 Bibliography.....7  
 3.11 Summary of Changes.....7  
 3.12 Installation Instructions.....8  
 3.13 Possible Problems and Known Errors.....8  
 4.0 Notes.....9  
 Appendix A Source Code Listings.....9

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification .....	
By .....	
Distribution / .....	
Availability Codes	
Dist	Avail and/or Special
A-1	



## **1.0 Scope**

This Version Description Document (VDD) contains a functional description of the Airnet Management, Command and Control (MCC) system, all modules in this release are identified by version number, a set of build instructions, installation procedures, identification of any known problems, release notes and any essential data relationships that are part of this 22 December 1992 release of the BDS-D Airnet MCC 1.0.0.

### **1.1 Identification**

This VDD defines the 22 December 1992 initial release of Airnet MCC, release version BDS-D Airnet MCC 1.0.0.

### **1.2 System Overview**

Soldier in the loop simulators exist at the Aviation Test Bed (AVTB) located at Ft. Rucker, Alabama and the Close Combat Test Bed (CCTB) located at Ft. Knox, Kentucky. The simulators include Rotary Wing Aircraft (RWA, only at Ft. Rucker), M1 tanks, Bradley Fighting Vehicles, Fixed Wing Aircraft (FWA), a Management, Command and Control system (MCC), Non Line of Sight vehicle (NLOS, located at Ft. Knox only), and, finally, a Semi-Automated Forces system (SAFOR). The Airnet MCC provides major enhancements to the next generation of Management, Command and Control system (MCC) simulations and develops reconfigurable simulators with improved visuals, sensor models. This version only exists at the AVTB.

### **1.3 Document Overview**

This document was prepared in accordance with DID DI-MCCR-80013A of DOD-STD-2167A and defines the 22 December 1992 release of the Airnet MCC software, Version BDS-D Airnet MCC 1.0.0.

## **2.0 Referenced Documents**

### **2.1 Government Documents**

DI-MCCR-80013A                      Version Description Document, 29 February 1988

DOD-STD-2167A                      Defense System Software Development,  
29 February 1988

### **2.2 Non-Government Documents**

ADST/WDL/TR--92-00640-YR1      Advanced Distributed Simulation Technology  
28 October 1992                      System Definition Document

ADST/WDL/TR--92-003023          ADST Configuration Management Plan  
15 January 1993

ADST/WDL/TR--92-003038          Airmet MCC Coldstart Procedures  
22 December 1992

### 3.0 Version Description

This release includes the version BDS-D Airmet MCC 1.0.0 of the Management, Command and Control system simulator which replicates the software installed onto the MIPS based Airmet MCC at Ft. Rucker.

#### 3.1 Inventory of Materials Released

Listed below is the physical media and support documentation required to build, load and operate the Management, Command and Control system simulator. The Airmet MCC release version BDS-D Airmet MCC 1.0.0 consists of all the source code needed to build the system, executable and data files required to run the system on a MIPS 3000/33 machine.

Type	ID No.	Title
DC 6150 Tape		BDS-D Airmet MCC 1.0.0 Initial 7.2.3d T/O
Document	ADST/WDL/TR--92-003038	Airmet MCC Coldstart Procedures
Document	ADST/WDL/TR--92-003037	BDS-D Airmet MCC 1.0.0 VDD

#### 3.2 Inventory of CSCI Contents

Appendix A provides a listing of all Airmet MCC CSCI source files which were used to create release BDS-D Airmet MCC 1.0.0. All source files reside on the Configuration Management and Control Sun Sparc workstation and are configuration controlled using the Revision Control System (RCS).

#### 3.3 Changes Installed

This release of the version BDS-D Airmet MCC 1.0.0 captures the MIPS based Airmet MCC SIMNET 7.2.3d software version. No additional SP/CRs are included in this release.

#### 3.4 Adaptation Data

Adaptation data is contained in human editable files, which allow modification to the flight model and weapons system.

#### 3.5 Coldstart Procedures

The separate Airmet MCC Cold Start Procedures, document no. ADST/WDL/TR--92-003038, provides detailed cold start instructions for the BDS-D Airmet MCC 1.0.0 release.

### 3.6 Build and Distribution Instructions

#### Building the MIPS based Airnet MCC 1.0.0

##### 1) Required Hardware and Software

Computer: MIPS Magnum 3000/33  
 Operating System: O.S. Version 4.5.1 (subsequent versions are untested as of 11/92)

Memory: 64 MB memory

Pathnames: /usr/X11/bin: /usr/sbin: /usr/ucb: /usr/bin: /bin:  
 /etc: /usr/new: /usr/local/bin /bsd43/bin

(set these up in your "path" in your .login or .cshrc file)

Shell: Bourne Shell (setenv SHELL /bin/sh)

##### 2) How to Build the Airnet MCC "Phantom" Executable on the MIPS

A) Log into the MIPS as "root" -- see your system admin. for root password

B) Load source files from the cartridge tape:

a) insert the tape "AIRNET MCC" into the tape reader

b) enter the following on the MIPS:

```
> cd /usr3                                -- or any other appropriate user directory
                                           -- in which you want to create a "saf"
                                           -- directory which will hold the AIRNET
                                           -- MCC source and executables

> tar -xvhf /dev/rmt/ctape0              -- extract all files from tape
                                           -- saf directory is created:

> cd /                                     -- go back to root to...
> ln -s /usr3/saf saf                    -- create a symbolic link to saf!!!!!!
                                           -- (necessary to run "phantom" later)
```

c) eject the tape from the tape reader

C) Build the "phantom" executable. Enter:

```

> cd /usr3/saf

> mkdir lib           -- this directory is needed in the build process
> cd common
> mkdir lib           -- and this directory is needed in the build process
> cd ..               -- go back to /usr3/saf

> make clean          -- removes object files
[if you get a "couldn't make config" message, its O.K. !!]

> make headers        -- This moves Non-local header files into common
                        area (only done once).

> make install        -- This first pass builds the libraries
[if you get a "couldn't make config" message, its O.K. !!]
[errors of type "can't find xxx.h" indicate that your paths are not configured
correctly.]

> make install        -- This second pass builds the applications.

> cd src/host
> make phantom        -- "errors" will occur, ignore them
                        -- (unless of course, the phantom doesn't get built!)
                        -- "phantom" is created!

> mv phantom /usr3/saf/MCC4.0.4 -- move executable, to an airnet
                        -- "standard" location for executables

```

### 3.7 Regression Test Results

No formal written regression test procedures are available for this release.

### 3.8 Release Notes

#### 3.8.1 BDS-D Airnet MCC Software Release Notes

No release notes available for the BDS-D Airnet MCC 1.0.0 application software initial release.

### 3.9 Interface Compatibility

The BDS-D Airnet MCC 1.0.0 release remains compatible with the SIMNET interface.

### 3.10 Bibliography

Management, Command and Control System (MCC) Operations Documentation  
Report No. IEITR-74563; 15 March 1990.

### 3.11 Summary of Changes

Initial release. No summary of changes to baseline are available.

### **3.12 Installation Instructions**

Installation instructions are included in paragraph 3.6 as a part of the detailed Airmet MCC build and distribution procedures.

### **3.13 Possible Problems and Known Errors**

There are no open SP/CR's pertaining to this system release.

## 4.0 Notes

The following is a list of acronyms used in this document.

ADST	Advanced Distributed Simulation Technology
AVTB	Aviation Test Bed
BBN	Bolt, Beranek, & Newman
CCTB	Close Combat Test Bed
FWA	Fixed Wing Aircraft
MCC	Management, Command and Control system
NLOS	Non Line of Sight
RWA	Rotary Wing Aircraft
SAFOR	Semi-Automated Forces system
SP/CRS	Software Problem/Change Reports
VDD	Version Description Document

## Appendix A Source Code Listings

```

RCS file: ./saf/src/config/RCS/#README#.v
Working file: #README#
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
-----

RCS file: ./saf/src/config/RCS/Makefile.v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
-----

RCS file: ./saf/src/config/RCS/README.v
Working file: README
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
-----

RCS file: ./saf/src/config/RCS/Saf-resources.v
Working file: Saf-resources
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1

```

date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config/RCS/TbLgr-resource.v  
Working file: TbLgr-resources  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config/RCS/activate.mac,v  
Working file: activate.mac  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config/RCS/blue\_cis.lisp,v  
Working file: blue\_cis.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config/RCS/blue\_cis\_echelons.lisp,v  
Working file: blue\_cis\_echelons.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config/RCS/blue\_echelons.lisp,v  
Working file: blue\_echelons.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config/RCS/blue\_forms.lisp,v  
Working file: blue\_forms.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version



```
=====  
RCS file: ./saf/src/config/RCS/blue_mcc_config.lisp,v  
Working file: blue_mcc_config.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/bombs.lisp,v  
Working file: bombs.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/capacity.lisp,v  
Working file: capacity.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/color.mac,v  
Working file: color.mac  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/config.lisp,v  
Working file: config.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/config.mac,v  
Working file: config.mac  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

RCS file: ./saf/src/config/RCS/culture.lisp.v  
Working file: culture.lisp  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/damage\_map.lisp.v  
Working file: damage\_map.lisp  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/detection.lisp.v  
Working file: detection.lisp  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/df\_damg.lisp.v  
Working file: df\_damg.lisp  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/ech.mac.v  
Working file: ech.mac  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/filters.lisp.v  
Working file: filters.lisp  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/fulcrum.lisp.v  
Working file: fulcrum.lisp  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/src/config/RCS/hitmodels.lisp,v  
Working file: hitmodels.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/src/config/RCS/icons.mac,v  
Working file: icons.mac  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/src/config/RCS/if\_damg.lisp,v  
Working file: if\_damg.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/src/config/RCS/ivis.lisp,v  
Working file: ivis.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/src/config/RCS/machine.lisp,v  
Working file: machine.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/src/config/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/mappings.lisp,v
Working file: mappings.lisp
description:
Initial PVD Turnover
```

```

-----
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/config/RCS/mcc_blue_config.lisp,v
Working file: mcc_blue_config.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/config/RCS/mcc_blue_echelons.lisp,v
Working file: mcc_blue_echelons.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/config/RCS/mcc_blue_forms.lisp,v
Working file: mcc_blue_forms.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/config/RCS/mcc_config.lisp,v
Working file: mcc_config.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/config/RCS/mcc_echelons.lisp,v
Working file: mcc_echelons.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/config/RCS/mcc_passwd.lisp,v
Working file: mcc_passwd.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version

```

```
=====  
RCS file: ./saf/src/config/RCS/mcc_red_config.lisp,v  
Working file: mcc_red_config.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/mcc_red_echelons.lisp,v  
Working file: mcc_red_echelons.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/mcc_red_forms.lisp,v  
Working file: mcc_red_forms.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/minefield.lisp,v  
Working file: minefield.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/monoc.mac,v  
Working file: monoc.mac  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/objtype.lisp,v  
Working file: objtype.lisp  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/src/config/RCS/overlays.lisp,v
```

Working file: overlays.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/pictures.mac,v  
Working file: pictures.mac  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/points.lisp,v  
Working file: points.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/project.lisp,v  
Working file: project.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/red\_cis.lisp,v  
Working file: red\_cis.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/red\_cis\_echelons.lisp,v  
Working file: red\_cis\_echelons.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/red\_echelons.lisp,v  
Working file: red\_echelons.lisp  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/red\_forms.lisp,v  
Working file: red\_forms.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/red\_mcc\_config.lisp,v  
Working file: red\_mcc\_config.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/rwa\_config.lisp,v  
Working file: rwa\_config.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/se\_munition.lisp,v  
Working file: se\_munition.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/se\_vehicles.lisp,v  
Working file: se\_vehicles.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/simactiv.lisp,v  
Working file: simactiv.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version



```
=====
RCS file: ./saf/src/config/RCS/simhosts.lisp,v
Working file: simhosts.lisp
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/simmodels.lisp,v
Working file: simmodels.lisp
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/simnet6-0.mac,v
Working file: simnet6-0.mac
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/sims.lisp,v
Working file: sims.lisp
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/sims_old.lisp,v
Working file: sims_old.lisp
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/sims_rucker.lisp,v
Working file: sims_rucker.lisp
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/config/RCS/utm.lisp,v
```

Working file: utm.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/vehtype.lisp,v  
Working file: vehtype.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/vtypes.mac,v  
Working file: vtypes.mac  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/config/RCS/ws.lisp,v  
Working file: ws.lisp  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:01; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/Components,v  
Working file: Components  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/MCC.bugs,v  
Working file: MCC.bugs  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/Makefile,v  
Working file: Makefile

head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/ab,v  
Working file: ab  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/actions.c,v  
Working file: actions.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/actions.h,v  
Working file: actions.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/attack.c,v  
Working file: attack.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/avoid.c,v  
Working file: avoid.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

```

RCS file: ./saf/src/host/RCS/avoid.h,v
Working file: avoid.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/blaster.c,v
Working file: blaster.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/bugs,v
Working file: bugs
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/cis.c,v
Working file: cis.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/cis.h,v
Working file: cis.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/cm.c,v
Working file: cm.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

=====  
RCS file: ./saf/src/host/RCS/cm.h,v  
Working file: cm.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/commander.c,v  
Working file: commander.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/commander.h,v  
Working file: commander.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/composite.c,v  
Working file: composite.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/connection\_class.v  
Working file: connection\_class  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/create.c,v  
Working file: create.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1

date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/damage.c,v  
Working file: damage.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/debug.h,v  
Working file: debug.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/detection.c,v  
Working file: detection.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/dispatch.c,v  
Working file: dispatch.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/driver.c,v  
Working file: driver.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/driver.h,v  
Working file: driver.h  
head: 1.1  
description:  
Initial PVD Turnover

```
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/entity.c,v
Working file: entity.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/exec.c,v
Working file: exec.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/flags.v
Working file: flags
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/flyingveh.c,v
Working file: flyingveh.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/flyingveh.h,v
Working file: flyingveh.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/globals.h,v
Working file: globals.h
head: 1.1
```

```
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/src/host/RCS/groundveh.c,v
Working file: groundveh.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/src/host/RCS/gunner.c,v
Working file: gunner.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/src/host/RCS/helo.c,v
Working file: helo.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/src/host/RCS/impact.c,v
Working file: impact.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/src/host/RCS/instruction.c,v
Working file: instruction.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/src/host/RCS/intervis.c,v
```



Working file: intervis.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/iterator.c,v  
Working file: iterator.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/iterator.h,v  
Working file: iterator.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/lead\_state.c,v  
Working file: lead\_state.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/loader.c,v  
Working file: loader.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/logistics.c,v  
Working file: logistics.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

RCS file: ./saf/src/host/RCS/logistics.h,v  
Working file: logistics.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/main.c,v  
Working file: main.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;

## Initial Version

RCS file: ./saf/src/host/RCS/make.include,v

Working file: make.include

head: 1.1

description:

Initial PVD Turnover

revision 1.1

date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;

Initial Version

RCS file: ./saf/src/host/RCS/make.librules,v

Working file: make.librules

head: 1.1

description:

Initial PVD Turnover

revision 1.1

date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;

Initial Version

RCS file: ./saf/src/host/RCS/manned\_sim.c,v

Working file: manned\_sim.c

head: 1.1

description:

Initial PVD Turnover

revision 1.1

date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;

Initial Version

RCS file: ./saf/src/host/RCS/manned\_sim.h,v

Working file: manned\_sim.h

head: 1.1

description:

Initial PVD Turnover

revision 1.1

date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;

Initial Version

RCS file: ./saf/src/host/RCS/map.c,v

Working file: map.c

head: 1.1

description:

Initial PVD Turnover

revision 1.1

date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;

Initial Version

RCS file: ./saf/src/host/RCS/misc.c,v

Working file: misc.c

head: 1.1

description:

Initial PVD Turnover

```

revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/missile.c,v
Working file: missile.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/missile.h,v
Working file: missile.h
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/movement.c,v
Working file: movement.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/movement.h,v
Working file: movement.h
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/msim_event.c,v
Working file: msim_event.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/navigator.c,v
Working file: navigator.c
head: 1.1
description:

```

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/out,v  
Working file: out  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/p\_follower.c,v  
Working file: p\_follower.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/parser.c,v  
Working file: parser.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/phantom,v  
Working file: phantom  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/phantom.h,v  
Working file: phantom.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/pilot.c,v  
Working file: pilot.c

```

head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/place.c,v
Working file: place.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/predicates.c,v
Working file: predicates.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/predicates.h,v
Working file: predicates.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/pro_sim.c,v
Working file: pro_sim.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/prototypes.h,v
Working file: prototypes.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

RCS file: ./saf/src/host/RCS/random\_traffic.h,v  
Working file: random\_traffic.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/reactions.c,v  
Working file: reactions.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/remote.c,v  
Working file: remote.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/reporter.c,v  
Working file: reporter.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/reporter.h,v  
Working file: reporter.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/route.c,v  
Working file: route.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

```
=====
RCS file: ./saf/src/host/RCS/route.h,v
Working file: route.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/saf.c,v
Working file: saf.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/saf_vehicle.c,v
Working file: saf_vehicle.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/safobj.c,v
Working file: safobj.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/safobj.h,v
Working file: safobj.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/sbx.c,v
Working file: sbx.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
```



date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/sbx.h,v  
Working file: sbx.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/se\_munition\_utils.c,v  
Working file: se\_munition\_utils.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/se\_munition\_utils.proto.h,v  
Working file: se\_munition\_utils.proto.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/se\_state\_table.c,v  
Working file: se\_state\_table.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/se\_utils.c,v  
Working file: se\_utils.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/se\_vehicle.c,v  
Working file: se\_vehicle.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/se\_vehicle\_utils.c,v  
Working file: se\_vehicle\_utils.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/se\_vehicle\_utils.proto.h,v  
Working file: se\_vehicle\_utils.proto.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/simnet.c,v  
Working file: simnet.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/spotter.c,v  
Working file: spotter.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/spotter.h,v  
Working file: spotter.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/host/RCS/support\_vehicle.h,v  
Working file: support\_vehicle.h  
head: 1.1

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/symbols.c,v  
Working file: symbols.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/symbols.h,v  
Working file: symbols.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/targeting.c,v  
Working file: targeting.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/targeting.h,v  
Working file: targeting.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/terrain.c,v  
Working file: terrain.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/host/RCS/terrain.h,v

```

Working file: terrain.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/tickable.c,v
Working file: tickable.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/triggers.c,v
Working file: triggers.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/triggers.h,v
Working file: triggers.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/turret.c,v
Working file: turret.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/host/RCS/turret.h,v
Working file: turret.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====

```

RCS file: ./saf/src/host/RCS/util.c,v  
Working file: util.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/host/RCS/util.h,v  
Working file: util.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/host/RCS/veh\_storage.h,v  
Working file: veh\_storage.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/host/RCS/vehicle.c,v  
Working file: vehicle.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/host/RCS/version.c,v  
Working file: version.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/host/RCS/weapons.c,v  
Working file: weapons.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;

## Initial Version

```
=====
RCS file: ./saf/src/host/RCS/weapons.h,v
Working file: weapons.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/host/RCS/xplane.c,v
Working file: xplane.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:21:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/fsm/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/fsm/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/fsm/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/fsm/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

revision 1.1  
date: 1993/01/05 20:20:39; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/fsm/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:39; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/fsm/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:20:39; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/rcstools/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:15; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/rcstools/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:15; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/rcstools/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:15; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/rcstools/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:15; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/rcstools/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:15; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/rcstools/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:15; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/user/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:22; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/user/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:22; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/user/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:22; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/user/RCS/make.driver,v  
Working file: make.driver



head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:22:22; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/user/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:22:22; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/user/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:22:22; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/release/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:22:18; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/release/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:22:18; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/release/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:22:18; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/release/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:18; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/release/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:18; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/release/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:18; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/mipstools/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/mipstools/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/mipstools/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:22:10; author: cm-adst; state: Exp;  
Initial Version

```
=====
RCS file: ./saf/src/mipstools/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:22:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/mipstools/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:22:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/mipstools/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:22:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/xtools/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:22:25; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/xtools/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:22:25; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/xtools/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
```

date: 1993/01/05 20:22:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/xtools/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/xtools/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/xtools/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/playback/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/playback/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/playback/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

```

-----
revision 1.1
date: 1993/01/05 20:22:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/playback/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:22:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/playback/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:22:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/playback/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:22:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/configtools/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/configtools/RCS/configtool.h,v
Working file: configtool.h
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/configtools/RCS/extract.c,v
Working file: extract.c
head: 1.1

```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/configtools/RCS/extract\_mcc\_echelons.c,v  
Working file: extract\_mcc\_echelons.c

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/configtools/RCS/extract\_mcc\_forms.c,v  
Working file: extract\_mcc\_forms.c

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/configtools/RCS/key.c,v  
Working file: key.c

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/configtools/RCS/keylist.c,v  
Working file: keylist.c

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/configtools/RCS/list.c,v  
Working file: list.c

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/configtools/RCS/make.apprules,v

Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/configtools/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/configtools/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/configtools/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/configtools/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/configtools/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;  
Initial Version  
=====

```
RCS file: ./saf/src/configtools/RCS/mcc.701,v
Working file: mcc.701
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/configtools/RCS/mcc.701make,v
Working file: mcc.701make
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/configtools/RCS/util.c,v
Working file: util.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:20:34; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/ulf_weather/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/ulf_weather/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/ulf_weather/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:20; author: cm-adst; state: Exp;
```



Initial Version

=====

RCS file: ./saf/src/ulf\_weather/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:22:20; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/ulf\_weather/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:22:20; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/ulf\_weather/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:22:20; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/config\_compressor/RCS/README,v  
Working file: README  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:20:30; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/config\_compressor/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:20:30; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/src/config\_compressor/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:20:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config\_compressor/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config\_compressor/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config\_compressor/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/config\_compressor/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:20:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/magnum\_enpdriver/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:06; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/magnum\_enpdriver/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:

Initial PVD Turnover

```
-----
revision 1.1
date: 1993/01/05 20:22:06; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/magnum_enpdriver/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:06; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/magnum_enpdriver/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:06; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/magnum_enpdriver/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:06; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/magnum_enpdriver/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:06; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/mccinfo/RCS/alc.bugs,v
Working file: alc.bugs
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:22:08; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/src/mccinfo/RCS/phantom.bugs,v
Working file: phantom.bugs
```

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/mccinfo/RCS/phantom.closed,v  
Working file: phantom.closed  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/mccinfo/RCS/scc.bugs,v  
Working file: scc.bugs  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/mccinfo/RCS/scc.closed,v  
Working file: scc.closed  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:22:08; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/actread/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/src/actread/RCS/actread,v  
Working file: actread  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;  
Initial Version

```

RCS file: ./saf/src/actread/RCS/actread.c,v
Working file: actread.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/actread/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/actread/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/actread/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/actread/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/src/actread/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;
Initial Version

```

=====  
RCS file: ./saf/src/actread/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:19:57; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/src/AFPVOLS/RCS/AFPVOLS.mod,v  
Working file: AFPVOLS.mod  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:19:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libapp/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libapp/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libapp/RCS/libapp.h,v  
Working file: libapp.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libapp/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1

date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libapp/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libapp/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libapp/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libapp/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libapp/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libapp/RCS/thresh.c,v  
Working file: thresh.c  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 20:12:28; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcomm/RCS/#queue_fix.c#,v  
Working file: #queue_fix.c#  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcomm/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcomm/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcomm/RCS/btree.c,v  
Working file: btree.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcomm/RCS/btree.h,v  
Working file: btree.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcomm/RCS/bufpool.c,v  
Working file: bufpool.c  
head: 1.1
```



description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/libsrc/libcomm/RCS/event\_debug.c,v  
Working file: event\_debug.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/libsrc/libcomm/RCS/event\_perf.c,v  
Working file: event\_perf.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/libsrc/libcomm/RCS/event\_perf2.c,v  
Working file: event\_perf2.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/libsrc/libcomm/RCS/events.c,v  
Working file: events.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/libsrc/libcomm/RCS/events.h,v  
Working file: events.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/libsrc/libcomm/RCS/libcomm.h,v

Working file: libcomm.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcomm/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcomm/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcomm/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcomm/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcomm/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;  
Initial Version

```

RCS file: ./saf/libsrc/libcomm/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover

```

```

-----
revision 1.1
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libcomm/RCS/queue_fix.c,v
Working file: queue_fix.c
head: 1.1
description:
Initial PVD Turnover

```

```

-----
revision 1.1
date: 1993/01/05 20:12:40; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libcoord/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover

```

```

-----
revision 1.1
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libcoord/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover

```

```

-----
revision 1.1
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libcoord/RCS/convert.c,v
Working file: convert.c
head: 1.1
description:
Initial PVD Turnover

```

```

-----
revision 1.1
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libcoord/RCS/db_def.h,v
Working file: db_def.h
head: 1.1
description:
Initial PVD Turnover

```

```

-----
revision 1.1
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;

```

Initial Version

=====

RCS file: ./saf/libsrc/libcoord/RCS/draw.c,v  
Working file: draw.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcoord/RCS/geo2utm.c,v  
Working file: geo2utm.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcoord/RCS/grid.c,v  
Working file: grid.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcoord/RCS/libcoord.h,v  
Working file: libcoord.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcoord/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcoord/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcoord/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcoord/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcoord/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcoord/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcoord/RCS/milgrid.c,v  
Working file: milgrid.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcoord/RCS/ml\_def.h,v  
Working file: ml\_def.h  
head: 1.1  
description:

## Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcoord/RCS/ml_geo_utm.c,v  
Working file: ml_geo_utm.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcoord/RCS/std_clib_inc.h,v  
Working file: std_clib_inc.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcoord/RCS/std_def.h,v  
Working file: std_def.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcoord/RCS/test.c,v  
Working file: test.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libcoord/RCS/utm2geo.c,v  
Working file: utm2geo.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libdatabase/RCS/Makefile,v  
Working file: Makefile
```

```
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/libsrc/libdatabase/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/libsrc/libdatabase/RCS/database.c,v
Working file: database.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/libsrc/libdatabase/RCS/detection.c,v
Working file: detection.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/libsrc/libdatabase/RCS/df_damage.c,v
Working file: df_damage.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/libsrc/libdatabase/RCS/hitmodel.c,v
Working file: hitmodel.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====
```

RCS file: ./saf/libsrc/libdatabase/RCS/if\_damage.c,v  
Working file: if\_damage.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libdatabase/RCS/interpolate.c,v  
Working file: interpolate.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libdatabase/RCS/libdatabase.h,v  
Working file: libdatabase.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libdatabase/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libdatabase/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libdatabase/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;  
Initial Version



```

=====
RCS file: ./saf/libsrc/libdatabase/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

```

```

=====
RCS file: ./saf/libsrc/libdatabase/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

```

```

=====
RCS file: ./saf/libsrc/libdatabase/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

```

```

=====
RCS file: ./saf/libsrc/libdatabase/RCS/test.c,v
Working file: test.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:12:56; author: cm-adst; state: Exp;
Initial Version
=====

```

```

=====
RCS file: ./saf/libsrc/libfulcrum/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PV Turnover
-----
revision 1.1
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;
Initial Version
=====

```

```

=====
RCS file: ./saf/libsrc/libfulcrum/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1

```

date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libfulcrum/RCS/fileread.c,v  
Working file: fileread.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libfulcrum/RCS/libfulcrum.h,v  
Working file: libfulcrum.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libfulcrum/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libfulcrum/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libfulcrum/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libfulcrum/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

```

-----
revision 1.1
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libfulcrum/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libfulcrum/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:13:16; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libheap/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libheap/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libheap/RCS/alloc.c,v
Working file: alloc.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libheap/RCS/alloc.c~,v
Working file: alloc.c~
head: 1.1

```

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/create.c,v

Working file: create.c

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/libheap.h,v

Working file: libheap.h

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/make.apprules,v

Working file: make.apprules

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/make.config,v

Working file: make.config

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/make.depend,v

Working file: make.depend

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/make.driver,v

Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libheap/RCS/make.librules,  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:19; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/liblock.h,v  
Working file: liblock.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/lock.c,v  
Working file: lock.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/locktest.c,v  
Working file: locktest.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/liblock/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version  
=====

Initial Version

=====

RCS file: ./saf/libsrc/libblock/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libblock/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:13:24; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libpo/po\_file\_util/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial MCC Turnover

-----

revision 1.1  
date: 1993/01/05 20:16:40; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libpo/po\_file\_util/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial MCC Turnover

-----

revision 1.1  
date: 1993/01/05 20:16:40; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libpo/po\_file\_util/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial MCC Turnover

-----

revision 1.1  
date: 1993/01/05 20:16:40; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libpo/po\_file\_util/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial MCC Turnover

-----

revision 1.1  
date: 1993/01/05 20:16:40; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/po\_file\_util/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:16:40; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/po\_file\_util/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:16:40; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/PO\_SPEC,v  
Working file: PO\_SPEC  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/README,v  
Working file: README  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:



## Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/drn_header.txt,v  
Working file: drn_header.txt  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/libpo.h,v  
Working file: libpo.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/libpo_local.h,v  
Working file: libpo_local.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/make.depend,v  
Working file: make.depend
```

```

head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libpo/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libpo/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libpo/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libpo/RCS/po_del_pdu.c,v
Working file: po_del_pdu.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libpo/RCS/po_delete.c,v
Working file: po_delete.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;
Initial Version
=====

```

RCS file: ./saf/libsrc/libpo/RCS/po\_do\_pdu.c,v  
Working file: po\_do\_pdu.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_error.c,v  
Working file: po\_error.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_hash.c,v  
Working file: po\_hash.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_init.c,v  
Working file: po\_init.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_load.c,v  
Working file: po\_load.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_netws.c,v  
Working file: po\_netws.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libpo/RCS/po\_nom\_pdu.c,v  
Working file: po\_nom\_pdu.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_objects.c,v  
Working file: po\_objects.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_op\_pdu.c,v  
Working file: po\_op\_pdu.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_or\_pdu.c,v  
Working file: po\_or\_pdu.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_overlay.c,v  
Working file: po\_overlay.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libpo/RCS/po\_process.c,v  
Working file: po\_process.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1

date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libpo/RCS/po\_query.c,v  
Working file: po\_query.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libpo/RCS/po\_read.c,v  
Working file: po\_read.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libpo/RCS/po\_sims.c,v  
Working file: po\_sims.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libpo/RCS/po\_sp\_pdu.c,v  
Working file: po\_sp\_pdu.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libpo/RCS/po\_stealth.c,v  
Working file: po\_stealth.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libpo/RCS/po\_sws\_pdu.c,v  
Working file: po\_sws\_pdu.c  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/po_thread.c,v  
Working file: po_thread.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/po_tick.c,v  
Working file: po_tick.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/po_write.c,v  
Working file: po_write.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/po_ws.c,v  
Working file: po_ws.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/test.c,v  
Working file: test.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libpo/RCS/xtest.c,v  
Working file: xtest.c  
head: 1.1
```

```

description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:37; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libprotocol/RCS/DataCollectionPDU.c,v
Working file: DataCollectionPDU.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libprotocol/RCS/IvisPDU.c,v
Working file: IvisPDU.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libprotocol/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libprotocol/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libprotocol/RCS/SimulationPDU.c,v
Working file: SimulationPDU.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libprotocol/RCS/StealthPDU.c,v

```

Working file: StealthPDU.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libprotocol/RCS/conform.awk,v  
Working file: conform.awk  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libprotocol/RCS/header2atoms.awk,v  
Working file: header2atoms.awk  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libprotocol/RCS/id\_hash.c,v  
Working file: id\_hash.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libprotocol/RCS/identifyobject.awk,v  
Working file: identifyobject.awk  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libprotocol/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;  
Initial Version  
=====



```
RCS file: ./saf/libsrc/libprotocol/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libprotocol/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libprotocol/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libprotocol/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libprotocol/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
```

Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/bridge\_routes.c,v  
Working file: bridge\_routes.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/bridges.c,v  
Working file: bridges.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/building\_check.c,v  
Working file: building\_check.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/building\_check\_test.c,v  
Working file: building\_check\_test.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/clip.c,v  
Working file: clip.c  
head: 1.1  
description:  
Initial PVD Turnover

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/expand\_route.c,v  
Working file: expand\_route.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/extend\_crossings.c,v  
Working file: extend\_crossings.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/heap.c,v  
Working file: heap.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/intersection.c,v  
Working file: intersection.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/labels.c,v  
Working file: labels.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/libquad.h,v  
Working file: libquad.h  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/list.c,v  
Working file: list.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libquad/RCS/make.include,v  
Working file: make.include

```

head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libquad/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libquad/RCS/minimum_clip.c,v
Working file: minimum_clip.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libquad/RCS/networks.c,v
Working file: networks.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libquad/RCS/print.c,v
Working file: print.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libquad/RCS/quadtree.c,v
Working file: quadtree.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```
RCS file: ./saf/libsrc/libquad/RCS/rivers.c,v
Working file: rivers.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/road_parser.c,v
Working file: road_parser.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/road_routes.c,v
Working file: road_routes.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/roads.c,v
Working file: roads.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/route_finder.c,v
Working file: route_finder.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/route_maker.c,v
Working file: route_maker.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
```

```
=====  
RCS file: ./saf/libsrc/libquad/RCS/routept.c,v  
Working file: routept.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/routept.h,v  
Working file: routept.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/search.c,v  
Working file: search.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/skirt_water.c,v  
Working file: skirt_water.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/terrain.c,v  
Working file: terrain.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libquad/RCS/test.c,v  
Working file: test.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1
```

date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/trees.c,v  
Working file: trees.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/vector\_2d.c,v  
Working file: vector\_2d.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/water\_avoidance.c,v  
Working file: water\_avoidance.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/water\_avoidance\_test.c,v  
Working file: water\_avoidance\_test.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/water\_check.c,v  
Working file: water\_check.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libquad/RCS/water\_check\_test.c,v  
Working file: water\_check\_test.c  
head: 1.1  
description:  
Initial PVD Turnover



```

-----
revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libquad/RCS/water_utilities.c,v
Working file: water_utilities.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:14:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/buf_rudp.c,v
Working file: buf_rudp.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/librudp.h,v
Working file: librudp.h
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/librudpP.h,v
Working file: librudpP.h
head: 1.1

```

```

description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/librudp/RCS/make.librules,v

```

Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/librudp/RCS/rudp.c,v  
Working file: rudp.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/librudp/RCS/udp\_berkeley.c,v  
Working file: udp\_berkeley.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:22; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/fnc1.c,v  
Working file: fnc1.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

```
RCS file: ./saf/libsrc/libsched/RCS/invoke.c,v
Working file: invoke.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libsched/RCS/libsched.h,v
Working file: libsched.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libsched/RCS/maint.c,v
Working file: maint.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libsched/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libsched/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libsched/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;
```

Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/perf.c,v  
Working file: perf.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/sched.c,v  
Working file: sched.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libsched/RCS/test.c,v  
Working file: test.c  
head: 1.1  
description:  
Initial PVD Turnover

revision 1.1  
date: 1993/01/05 20:14:28; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libutil/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libutil/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libutil/RCS/args.c,v  
Working file: args.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libutil/RCS/bitfield.c,v  
Working file: bitfield.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libutil/RCS/checksum.c,v  
Working file: checksum.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libutil/RCS/cstring.c,v  
Working file: cstring.c  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/filename.c,v  
Working file: filename.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/geometry.c,v  
Working file: geometry.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/libutil.h,v  
Working file: libutil.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/make.depend,v  
Working file: make.depend

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/math.c,v  
Working file: math.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libutil/RCS/mil\_name.c,v  
Working file: mil\_name.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;  
Initial Version



```

RCS file: ./saf/libsrc/libutil/RCS/random.c,v
Working file: random.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libutil/RCS/smoke_plume.c,v
Working file: smoke_plume.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libutil/RCS/tdbif.c,v
Working file: tdbif.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libutil/RCS/u_host.c,v
Working file: u_host.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:38; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libformation/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libformation/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;
Initial Version

```

```
=====
RCS file: ./saf/libsrc/libformation/RCS/init.c,v
Working file: init.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libformation/RCS/libformation.h,v
Working file: libformation.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libformation/RCS/local.h,v
Working file: local.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libformation/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libformation/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/libformation/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
```

date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libformation/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libformation/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libformation/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libformation/RCS/query.c,v  
Working file: query.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libformation/RCS/util.c,v  
Working file: util.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:11; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libechelon/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libechelon/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libechelon/RCS/ech_map.c,v  
Working file: ech_map.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libechelon/RCS/gettable.c,v  
Working file: gettable.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libechelon/RCS/init.c,v  
Working file: init.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libechelon/RCS/libechelon.h,v  
Working file: libechelon.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/libsrc/libechelon/RCS/local.h,v  
Working file: local.h  
head: 1.1
```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libechelon/RCS/make.apprules,v  
Working file: make.apprules

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libechelon/RCS/make.config,v  
Working file: make.config

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libechelon/RCS/make.depend,v  
Working file: make.depend

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libechelon/RCS/make.driver,v  
Working file: make.driver

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libechelon/RCS/make.include,v  
Working file: make.include

head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libechelon/RCS/make.librules,v

Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:13:02; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libtime/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libtime/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libtime/RCS/libtime.h,v  
Working file: libtime.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libtime/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libtime/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;  
Initial Version

```

RCS file: ./saf/libsrc/libtime/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libtime/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libtime/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libtime/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libtime/RCS/tdg.c,v
Working file: tdg.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/libtime/RCS/time.c,v
Working file: time.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:14:33; author: cm-adst; state: Exp;

```

Initial Version

=====

RCS file: ./saf/libsrc/libcapcorn/RCS/Components,v  
Working file: Components  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcapconn/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcapconn/RCS/Release,v  
Working file: Release  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcapconn/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcapconn/RCS/cap\_conn.c,v  
Working file: cap\_conn.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/libsrc/libcapconn/RCS/libcapconn.h,v  
Working file: libcapconn.h  
head: 1.1  
description:  
Initial PVD Turnover

-----



revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcapconn/RCS/libcapconnP.h,v  
Working file: libcapconnP.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcapconn/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcapconn/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcapconn/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcapconn/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/libsrc/libcapconn/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libcapconn/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:12:33; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/Release.log,v  
Working file: Release.log  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/make.depend,v  
Working file: make.depend

head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/minefield.c,v  
Working file: minefield.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/libsrc/libminefield/RCS/minefield.h,v  
Working file: minefield.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;  
Initial Version  
=====

```

RCS file: ./saf/libsrc/libminefield/RCS/minefield_util.c,v
Working file: minefield_util.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:13:28; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:10:29; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:10:29; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:10:29; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:10:29; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/libsrc/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:10:29; author: cm-adst; state: Exp;
Initial Version

```

```
=====
RCS file: ./saf/libsrc/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:10:29; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/libsrc/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:10:29; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/include/saf/src/RCS/abs.h,v
Working file: abs.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/include/saf/src/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/include/saf/src/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/include/saf/src/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
```

date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/saf/src/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/saf/src/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/saf/src/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/saf/src/RCS/messages.h,v  
Working file: messages.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/saf/src/RCS/mydefs.h,v  
Working file: mydefs.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/saf/src/RCS/tolerance.h,v  
Working file: tolerance.h  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 20:09:49; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/include/libinc/RCS/btree.h,v  
Working file: btree.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/include/libinc/RCS/events.h,v  
Working file: events.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/include/libinc/RCS/libapp.h,v  
Working file: libapp.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/include/libinc/RCS/libcapconn.h,v  
Working file: libcapconn.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/include/libinc/RCS/libcomm.h,v  
Working file: libcomm.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/include/libinc/RCS/libcoord.h,v  
Working file: libcoord.h  
head: 1.1
```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libdatabase.h,v  
Working file: libdatabase.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libechelon.h,v  
Working file: libechelon.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libformation.h,v  
Working file: libformation.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libfulcrum.h,v  
Working file: libfulcrum.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libheap.h,v  
Working file: libheap.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/liblock.h,v



Working file: liblock.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libpo.h,v  
Working file: libpo.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libquad.h,v  
Working file: libquad.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/librudp.h,v  
Working file: librudp.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libsched.h,v  
Working file: libsched.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/include/libinc/RCS/libtime.h,v  
Working file: libtime.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;  
Initial Version

```

RCS file: ./saf/include/libinc/RCS/libutil.h,v
Working file: libutil.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/include/libinc/RCS/minefield.h,v
Working file: minefield.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:09:17; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/include/global/RCS/#messages.h#,v
Working file: #messages.h#
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:09:12; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/include/global/RCS/abs.h,v
Working file: abs.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:09:12; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/include/global/RCS/messages.h,v
Working file: messages.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:09:12; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/include/global/RCS/mydefs.h,v
Working file: mydefs.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:09:12; author: cm-adst; state: Exp;

```

Initial Version

=====

RCS file: ./saf/include/global/RCS/tolerance.h,v  
Working file: tolerance.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 20:09:12; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/include/protocol/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/include/protocol/RCS/README,v  
Working file: README  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/include/protocol/RCS/address.h,v  
Working file: address.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/include/protocol/RCS/basic.h,v  
Working file: basic.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/include/protocol/RCS/ech\_type.h,v  
Working file: ech\_type.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/failure.h,v  
Working file: failure.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/ivis\_com.h,v  
Working file: ivis\_com.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/ivis\_rpt.h,v  
Working file: ivis\_rpt.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:

Initial PVD Turnover

```

-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/protocol/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/protocol/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/protocol/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/protocol/RCS/make_clean,v
Working file: make_clean
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/protocol/RCS/make_links,v
Working file: make_links
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/protocol/RCS/mos.h,v
Working file: mos.h

```

```
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/include/protocol/RCS/mun_type.h,v
Working file: mun_type.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/include/protocol/RCS/obj_type.h,v
Working file: obj_type.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/include/protocol/RCS/org_unit.h,v
Working file: org_unit.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/include/protocol/RCS/other_type.h,v
Working file: other_type.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/include/protocol/RCS/p_All.h,v
Working file: p_All.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

RCS file: ./saf/common/include/protocol/RCS/p\_assoc.h,v  
 Working file: p\_assoc.h  
 head: 1.1  
 description:  
 Initial PVD Turnover

-----  
 revision 1.1  
 date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
 Initial Version

=====  
 RCS file: ./saf/common/include/protocol/RCS/p\_data.h,v  
 Working file: p\_data.h  
 head: 1.1  
 description:  
 Initial PVD Turnover

-----  
 revision 1.1  
 date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
 Initial Version

=====  
 RCS file: ./saf/common/include/protocol/RCS/p\_faad.h,v  
 Working file: p\_faad.h  
 head: 1.1  
 description:  
 Initial PVD Turnover

-----  
 revision 1.1  
 date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
 Initial Version

=====  
 RCS file: ./saf/common/include/protocol/RCS/p\_gt.h,v  
 Working file: p\_gt.h  
 head: 1.1  
 description:  
 Initial PVD Turnover

-----  
 revision 1.1  
 date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
 Initial Version

=====  
 RCS file: ./saf/common/include/protocol/RCS/p\_ivis.h,v  
 Working file: p\_ivis.h  
 head: 1.1  
 description:  
 Initial PVD Turnover

-----  
 revision 1.1  
 date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
 Initial Version

=====  
 RCS file: ./saf/common/include/protocol/RCS/p\_logger.h,v  
 Working file: p\_logger.h  
 head: 1.1  
 description:  
 Initial PVD Turnover

-----  
 revision 1.1  
 date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
 Initial Version

```
=====
RCS file: ./saf/common/include/protocol/RCS/p_mgmt.h,v
Working file: p_mgmt.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/p_mon.h,v
Working file: p_mon.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/p_num.h,v
Working file: p_num.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/p_p2p.h,v
Working file: p_p2p.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/p_po.h,v
Working file: p_po.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/p_radio.h,v
Working file: p_radio.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
```



date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/protocol/RCS/p\_sensor.h,v  
Working file: p\_sensor.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/protocol/RCS/p\_sim.h,v  
Working file: p\_sim.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/protocol/RCS/p\_size.h,v  
Working file: p\_size.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/protocol/RCS/p\_stlth.h,v  
Working file: p\_stlth.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/protocol/RCS/p\_terra.h,v  
Working file: p\_terra.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/protocol/RCS/p\_timers.h,v  
Working file: p\_timers.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/p\_ulf.h,v  
Working file: p\_ulf.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_assoc.h,v  
Working file: pro\_assoc.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_data.h,v  
Working file: pro\_data.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_faad.h,v  
Working file: pro\_faad.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_logger.h,v  
Working file: pro\_logger.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_mgmt.h,v  
Working file: pro\_mgmt.h  
head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_num.h,v

Working file: pro\_num.h

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_p2p.h,v

Working file: pro\_p2p.h

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_sim.h,v

Working file: pro\_sim.h

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_size.h,v

Working file: pro\_size.h

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_stlth.h,v

Working file: pro\_stlth.h

head: 1.1

## description:

Initial PVD Turnover  
-----

revision 1.1

date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_terra.h,v

Working file: pro\_terra.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/pro\_timers.h,v  
Working file: pro\_timers.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/rep\_leo2.h,v  
Working file: rep\_leo2.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/repair\_m1.h,v  
Working file: repair\_m1.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/repair\_m2.h,v  
Working file: repair\_m2.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/simnet.mac,v  
Working file: simnet.mac  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/st\_faad.h,v  
Working file: st\_faad.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/st\_leo2.h,v  
Working file: st\_leo2.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/st\_rwa.h,v  
Working file: st\_rwa.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/stat\_m1.h,v  
Working file: stat\_m1.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/stat\_m2.h,v  
Working file: stat\_m2.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/protocol/RCS/status.h,v  
Working file: status.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;

## Initial Version

```
=====
RCS file: ./saf/common/include/protocol/RCS/status_m1.h,v
Working file: status_m1.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/status_m2.h,v
Working file: status_m2.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/toc_bridge.h,v
Working file: toc_bridge.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/veh_appear.h,v
Working file: veh_appear.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/protocol/RCS/veh_type.h,v
Working file: veh_type.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:57:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/global/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
```

revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/bfly\_stdh.v  
Working file: bfly\_stdh  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/compat.h.v  
Working file: compat.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/dgi\_stdh.v  
Working file: dgi\_stdh  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/dgi\_stdg.h.v  
Working file: dgi\_stdg.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/gbuffer.h.v  
Working file: gbuffer.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/gcom.h.v  
Working file: gcom.h  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/keys.h,v  
Working file: keys.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/load.h,v  
Working file: load.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/longpt.h,v  
Working file: longpt.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/global/RCS/make.depend,v  
Working file: make.depend



```

head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/global/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/global/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/global/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/global/RCS/mass_stdh.h,v
Working file: mass_stdh.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/include/global/RCS/minmax.h,v
Working file: minmax.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====

```

```
RCS file: ./saf/common/include/global/RCS/powers.h,v
Working file: powers.h
head: 1.1
description:
Initial PVD Turnover
```

```
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/global/RCS/s1000_const.h,v
Working file: s1000_const.h
head: 1.1
description:
Initial PVD Turnover
```

```
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/global/RCS/sim_dfns.h,v
Working file: sim_dfns.h
head: 1.1
description:
Initial PVD Turnover
```

```
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/global/RCS/sim_macros.h,v
Working file: sim_macros.h
head: 1.1
description:
Initial PVD Turnover
```

```
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/global/RCS/sim_style.h,v
Working file: sim_style.h
head: 1.1
description:
Initial PVD Turnover
```

```
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/global/RCS/sim_types.h,v
Working file: sim_types.h
head: 1.1
description:
Initial PVD Turnover
```

```
-----
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
```

```
=====
RCS file: ./saf/common/include/global/RCS/simstdio.h,v
Working file: simstdio.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:36; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/assoc.h,v
Working file: assoc.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/enparg.h,v
Working file: enparg.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/enpioct1.h,v
Working file: enpioct1.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/enpsvr.h,v
Working file: enpsvr.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/libactivate.h,v
Working file: libactivate.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
```

date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/liblist.h,v  
Working file: liblist.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/liblogger.h,v  
Working file: liblogger.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/libmatrix.h,v  
Working file: libmatrix.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/libparser.h,v  
Working file: libparser.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/libreader.h,v  
Working file: libreader.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/libtree.h,v  
Working file: libtree.h  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/libtty.h,v  
Working file: libtty.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/map.h,v  
Working file: map.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/network.h,v  
Working file: network.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/objects.h,v  
Working file: objects.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/p2p.h,v  
Working file: p2p.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/include/libinc/RCS/pktq.h,v  
Working file: pktq.h  
head: 1.1
```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/pvis\_call.h,v  
Working file: pvis\_call.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/tdb.h,v  
Working file: tdb.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/libinc/RCS/terrain.h,v  
Working file: terrain.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/netat/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/netat/RCS/abatp.h,v  
Working file: abatp.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/include/netat/RCS/aberrors.h,v

Working file: aberrors.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/netat/RCS/abnbp.h,v  
Working file: abnbp.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/netat/RCS/abqueue.h,v  
Working file: abqueue.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/netat/RCS/afp.h,v  
Working file: afp.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/netat/RCS/afpc.h,v  
Working file: afpc.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/include/netat/RCS/afpcmd.h,v  
Working file: afpcmd.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;  
Initial Version  
=====

```
RCS file: ./saf/common/include/netat/RCS/appletalk.h,v
Working file: appletalk.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/compat.h,v
Working file: compat.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/macfile.h,v
Working file: macfile.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
```



## Initial Version

```
=====
RCS file: ./saf/common/include/netat/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/include/netat/RCS/sysvcompat.h,v
Working file: sysvcompat.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 18:56:54; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libclparse/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:00; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libclparse/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

revision 1.1  
date: 1993/01/05 19:11:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libclparse/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libclparse/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libclparse/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libclparse/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/libnet.h,v  
Working file: libnet.h  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/make.librules,v  
Working file: make.librules

head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_acce.c,v  
Working file: net\_acce.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_addr.c,v  
Working file: net\_addr.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_clos.c,v  
Working file: net\_clos.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_ctl.c,v  
Working file: net\_ctl.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_data.c,v  
Working file: net\_data.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_flus.c,v  
Working file: net\_flus.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_info.c,v  
Working file: net\_info.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_load.c,v  
Working file: net\_load.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_mca.c,v  
Working file: net\_mca.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_mode.c,v  
Working file: net\_mode.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libnetif/RCS/net\_open.c,v  
Working file: net\_open.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version

```
=====
RCS file: ./saf/common/libsrc/libnetif/RCS/net_orecv.c,v
Working file: net_orecv.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/net_osend.c,v
Working file: net_osend.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/net_recv.c,v
Working file: net_recv.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/net_reg.c,v
Working file: net_reg.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/net_run.c,v
Working file: net_run.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/net_send.c,v
Working file: net_send.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
```

date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libnetif/RCS/net\_stam.c,v  
Working file: net\_stam.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libnetif/RCS/net\_stat.c,v  
Working file: net\_stat.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libnetif/RCS/net\_stuf.c,v  
Working file: net\_stuf.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libnetif/RCS/net\_tas.asm,v  
Working file: net\_tas.asm  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libnetif/RCS/net\_time.c,v  
Working file: net\_time.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libnetif/RCS/net\_type.c,v  
Working file: net\_type.c  
head: 1.1  
description:  
Initial PVD Turnover

```
-----
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/netlock.h,v
Working file: netlock.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/network.h,v
Working file: network.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/pktq.h,v
Working file: pktq.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libnetif/RCS/simle.doc,v
Working file: simle.doc
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtdb/man/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:17:51; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtdb/man/RCS/make.config,v
Working file: make.config
head: 1.1
```



## description:

Initial MCC Turnover  
-----

revision 1.1

date: 1993/01/05 19:17:51; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/man/RCS/make.depend,v

Working file: make.depend

head: 1.1

## description:

Initial MCC Turnover  
-----

revision 1.1

date: 1993/01/05 19:17:51; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/man/RCS/make.driver,v

Working file: make.driver

head: 1.1

## description:

Initial MCC Turnover  
-----

revision 1.1

date: 1993/01/05 19:17:51; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/man/RCS/make.include,v

Working file: make.include

head: 1.1

## description:

Initial MCC Turnover  
-----

revision 1.1

date: 1993/01/05 19:17:51; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/man/RCS/make.librules,v

Working file: make.librules

head: 1.1

## description:

Initial MCC Turnover  
-----

revision 1.1

date: 1993/01/05 19:17:51; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/Makefile,v

Working file: Makefile

head: 1.1

## description:

Initial MCC Turnover  
-----

revision 1.1

date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/Release.log,v

Working file: Release.log  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/cache.h,v  
Working file: cache.h  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/cache\_alloc.c,v  
Working file: cache\_alloc.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/cache\_cntl.c,v  
Working file: cache\_cntl.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/cache\_data.c,v  
Working file: cache\_data.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/cache\_init.c,v  
Working file: cache\_init.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

RCS file: ./saf/common/libsrc/libtdb/src/RCS/cache\_query.c,v  
Working file: cache\_query.c  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/cache\_queue.c,v  
Working file: cache\_queue.c  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/consistent.c,v  
Working file: consistent.c  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/data.c,v  
Working file: data.c  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/dump.c,v  
Working file: dump.c  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/elevation.c,v  
Working file: elevation.c  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;

## Initial Version

```
=====
RCS file: ./saf/common/libsrc/libtdb/src/RCS/error.c,v
Working file: error.c
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtdb/src/RCS/get_patch.c,v
Working file: get_patch.c
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtdb/src/RCS/gr_loc_num.c,v
Working file: gr_loc_num.c
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtdb/src/RCS/h_to_w.c,v
Working file: h_to_w.c
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtdb/src/RCS/header.c,v
Working file: header.c
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtdb/src/RCS/include.c,v
Working file: include.c
head: 1.1
description:
Initial MCC Turnover
-----
```

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/lock.c,v  
Working file: lock.c  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:

Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/map.c,v  
Working file: map.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/map.h,v  
Working file: map.h  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/memory.c,v  
Working file: memory.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/objects.c,v  
Working file: objects.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtdb/src/RCS/objects.h,v  
Working file: objects.h

```
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/start,v
Working file: start
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/tdb.h,v
Working file: tdb.h
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/tdb_init.c,v
Working file: tdb_init.c
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/tdb_local.h,v
Working file: tdb_local.h
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/terrain.h,v
Working file: terrain.h
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;
Initial Version
=====
```

RCS file: ./saf/common/libsrc/libtdb/src/RCS/terrain.old.h,v  
Working file: terrain.old.h  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/things.c,v  
Working file: things.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/treelines.c,v  
Working file: treelines.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/trees.c,v  
Working file: trees.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libtdb/src/RCS/version.c,v  
Working file: version.c  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:20:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libshm/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:11; author: cm-adst; state: Exp;  
Initial Version



```
=====  
RCS file: ./saf/common/libsrc/libshm/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:13:11; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libshm/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:13:11; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libshm/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:13:11; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libshm/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:13:11; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libshm/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:13:11; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmovec/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1
```

date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmovec/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmovec/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmovec/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmovec/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmovec/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmovec/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmovec/RCS/move.c,v  
Working file: move.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:12:14; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/d2f_m_copy.c,v  
Working file: d2f_m_copy.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/d2f_v_copy.c,v  
Working file: d2f_v_copy.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/elr_copy.c,v  
Working file: elr_copy.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/elr_elr_cat.c,v  
Working file: elr_elr_cat.c  
head: 1.1
```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libmatrix/RCS/elr\_form.c,v  
Working file: elr\_form.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libmatrix/RCS/elr\_ident.c,v  
Working file: elr\_ident.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libmatrix/RCS/elr\_to\_mat.c,v  
Working file: elr\_to\_mat.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libmatrix/RCS/elr\_transp.c,v  
Working file: elr\_transp.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libmatrix/RCS/f2d\_m\_copy.c,v  
Working file: f2d\_m\_copy.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libmatrix/RCS/f2d\_v\_copy.c,v

Working file: f2d\_v\_copy.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/fm\_check.c,v  
Working file: fm\_check.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/fm\_copy.c,v  
Working file: fm\_copy.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/fm\_id\_init.c,v  
Working file: fm\_id\_init.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/fm\_m\_mul.c,v  
Working file: fm\_m\_mul.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/fm\_r\_init.c,v  
Working file: fm\_r\_init.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

RCS file: ./saf/common/libsrc/libmatrix/RCS/fmat\_dump.c,v  
Working file: fmat\_dump.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/fmat\_r\_init2.c,v  
Working file: fmat\_r\_init2.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/fmat\_sub.c,v  
Working file: fmat\_sub.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/fmat\_transp.c,v  
Working file: fmat\_transp.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/fv\_check.c,v  
Working file: fv\_check.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/fv\_d\_prod.c,v  
Working file: fv\_d\_prod.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;

## Initial Version

```
=====
RCS file: ./saf/common/libsrc/libmatrix/RCS/fv_m_mul.c,v
Working file: fv_m_mul.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/fv_scale.c,v
Working file: fv_scale.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/fv_x_prod.c,v
Working file: fv_x_prod.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/fvec_add.c,v
Working file: fvec_add.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/fvec_copy.c,v
Working file: fvec_copy.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/fvec_dump.c,v
Working file: fvec_dump.c
head: 1.1
description:
Initial PVD Turnover
-----
```

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/fvec\_norm.c,v  
Working file: fvec\_norm.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/fvec\_sub.c,v  
Working file: fvec\_sub.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/libmatrix.c,v  
Working file: libmatrix.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/libmatrix.h,v  
Working file: libmatrix.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/m\_fix\_m.c,v  
Working file: m\_fix\_m.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/m\_id\_init.c,v  
Working file: m\_id\_init.c  
head: 1.1  
description:



Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/m\_m\_mul.c,v  
Working file: m\_m\_mul.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/m\_r\_init2.c,v  
Working file: m\_r\_init2.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/m\_trig\_init.c,v  
Working file: m\_trig\_init.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/m\_v\_mul.c,v  
Working file: m\_v\_mul.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/make.config,v  
Working file: make.config

```

head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat_add.c,v
Working file: mat_add.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;
Initial Version
=====

```

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_adj.c,v  
Working file: mat\_adj.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_check.c,v  
Working file: mat\_check.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_copy.c,v  
Working file: mat\_copy.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_deter.c,v  
Working file: mat\_deter.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_dump.c,v  
Working file: mat\_dump.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_form.c,v  
Working file: mat\_form.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

```
=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/mat_ident.c,v  
Working file: mat_ident.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/mat_init.c,v  
Working file: mat_init.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/mat_inv.c,v  
Working file: mat_inv.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/mat_lev_init.c,v  
Working file: mat_lev_init.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/mat_r_init.c,v  
Working file: mat_r_init.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/mat_scale.c,v  
Working file: mat_scale.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1
```

date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_sub.c,v  
Working file: mat\_sub.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_to\_elr.c,v  
Working file: mat\_to\_elr.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/mat\_transp.c,v  
Working file: mat\_transp.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/new\_m\_m\_mul.c,v  
Working file: new\_m\_m\_mul.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/test.c,v  
Working file: test.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/v\_cos\_prod.c,v  
Working file: v\_cos\_prod.c  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/v_dot_prod.c,v  
Working file: v_dot_prod.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/v_e_transf.c,v  
Working file: v_e_transf.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/v_m_mul.c,v  
Working file: v_m_mul.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/vec_add.c,v  
Working file: vec_add.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/vec_check.c,v  
Working file: vec_check.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libmatrix/RCS/vec_copy.c,v  
Working file: vec_copy.c  
head: 1.1
```

## description:

Initial PVD Turnover

-----  
revision 1.1

date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/vec\_dump.c,v

Working file: vec\_dump.c

head: 1.1

description:

Initial PVD Turnover

-----  
revision 1.1

date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/vec\_init.c,v

Working file: vec\_init.c

head: 1.1

description:

Initial PVD Turnover

-----  
revision 1.1

date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/vec\_neg.c,v

Working file: vec\_neg.c

head: 1.1

description:

Initial PVD Turnover

-----  
revision 1.1

date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/vec\_norm.c,v

Working file: vec\_norm.c

head: 1.1

description:

Initial PVD Turnover

-----  
revision 1.1

date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/vec\_scale.c,v

Working file: vec\_scale.c

head: 1.1

description:

Initial PVD Turnover

-----  
revision 1.1

date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/libsrc/libmatrix/RCS/vec\_sub.c,v

Working file: vec\_sub.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libmatrix/RCS/vec\_x\_prod.c,v  
Working file: vec\_x\_prod.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:44; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogger/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_avail.c,v  
Working file: lg\_avail.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_command.c,v  
Working file: lg\_command.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_connect.c,v  
Working file: lg\_connect.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version



RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_error.c,v  
Working file: lg\_error.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_info.c,v  
Working file: lg\_info.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_local.h,v  
Working file: lg\_local.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_process.c,v  
Working file: lg\_process.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_state.c,v  
Working file: lg\_state.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblogger/RCS/lg\_status.c,v  
Working file: lg\_status.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;

## Initial Version

```
=====
RCS file: ./saf/common/libsrc/liblogger/RCS/lg_util.c,v
Working file: lg_util.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblogger/RCS/liblogger.h,v
Working file: liblogger.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblogger/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblogger/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblogger/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblogger/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblogger/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblogger/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:25; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/address.c,v  
Working file: address.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/aggregate.c,v  
Working file: aggregate.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/assoc.h,v  
Working file: assoc.h  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/assoc\_lcl.h,v  
Working file: assoc\_lcl.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/block.c,v  
Working file: block.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/bucket.c,v  
Working file: bucket.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/close.c,v  
Working file: close.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/defaults.h,v  
Working file: defaults.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/error.c,v  
Working file: error.c

```
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/family.c,v
Working file: family.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/free_list.c,v
Working file: free_list.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====
```

RCS file: ./saf/common/libsrc/libassoc/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/mask.c,v  
Working file: mask.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/open.c,v  
Working file: open.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libassoc/RCS/origin.c,v  
Working file: origin.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

```
=====
RCS file: ./saf/common/libsrc/libassoc/RCS/params.c,v
Working file: params.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libassoc/RCS/proc_dgram.c,v
Working file: proc_dgram.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libassoc/RCS/proc_req.c,v
Working file: proc_req.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libassoc/RCS/proc_rsp.c,v
Working file: proc_rsp.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libassoc/RCS/raw.c,v
Working file: raw.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libassoc/RCS/receive.c,v
Working file: receive.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
```

date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/respondent.c,v  
Working file: respondent.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/send.c,v  
Working file: send.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/strtok.c,v  
Working file: strtok.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/subscribe.c,v  
Working file: subscribe.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/tick.c,v  
Working file: tick.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libassoc/RCS/time\_list.c,v  
Working file: time\_list.c  
head: 1.1  
description:  
Initial PVD Turnover



```
-----  
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libassoc/RCS/transact.c,v  
Working file: transact.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libassoc/RCS/who.c,v  
Working file: who.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:10:23; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libp2p/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libp2p/RCS/init.c,v  
Working file: init.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libp2p/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libp2p/RCS/make.config,v  
Working file: make.config  
head: 1.1
```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libp2p/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libp2p/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libp2p/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libp2p/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libp2p/RCS/p2p.h,v  
Working file: p2p.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version

-----  
RCS file: ./saf/common/libsrc/libp2p/RCS/p2p\_local.h,v

Working file: p2p\_local.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libp2p/RCS/receive.c,v  
Working file: receive.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libp2p/RCS/send.c,v  
Working file: send.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:34; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblist/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblist/RCS/lappend.c,v  
Working file: lappend.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/liblist/RCS/liblist.h,v  
Working file: liblist.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;  
Initial Version  
=====

```
RCS file: ./saf/common/libsrc/liblist/RCS/limit.c,v
Working file: limit.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/limitlink.c,v
Working file: limitlink.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/lprepend.c,v
Working file: lprepend.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/lunlink.c,v
Working file: lunlink.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
```

## Initial Version

```
=====
RCS file: ./saf/common/libsrc/liblist/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/liblist/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:19; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libpvis/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:17:48; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libpvis/RCS/make.apprules,v
Working file: make.apprules
head: 1
description:
Initial PVD Turnover
-----
```

```

revision 1.1
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libpvis/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libpvis/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libpvis/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libpvis/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libpvis/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libpvis/RCS/pv_checkvis.c,v
Working file: pv_checkvis.c
head: 1.1
description:

```

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libpvis/RCS/pve.h,v  
Working file: pve.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libpvis/RCS/pvis\_call.h,v  
Working file: pvis\_call.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:48; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libidc/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libidc/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libidc/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:13; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libidc/RCS/make.driver,v  
Working file: make.driver

```
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libidc/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libidc/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:13; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/bindings.c,v
Working file: bindings.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/breakset.c,v
Working file: breakset.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```



```
RCS file: ./saf/common/libsrc/libtty/RCS/get.c,v
Working file: get.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/geyer.c,v
Working file: geyer.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/init.c,v
Working file: init.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/interface.c,v
Working file: interface.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/libtty.h,v
Working file: libtty.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtty/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
```

```

=====
RCS file: ./saf/common/libsrc/libtty/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libtty/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libtty/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libtty/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libtty/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libtty/RCS/more.c,v
Working file: more.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1

```

date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtty/RCS/normal.c,v  
Working file: normal.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:33; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libfifo/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:07; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libfifo/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:07; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libfifo/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:07; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libfifo/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:07; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libfifo/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

```
-----
revision 1.1
date: 1993/01/05 19:11:07; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libfifo/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:07; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libparser/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libparser/RCS/kludge.c,v
Working file: kludge.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libparser/RCS/libparser.h,v
Working file: libparser.h
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libparser/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libparser/RCS/make.config,v
Working file: make.config
head: 1.1
```

```

description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/par_base.c,v
Working file: par_base.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/par_const.c,v

```

```

Working file: par_const.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/par_copy.c,v
Working file: par_copy.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/par_edit.c,v
Working file: par_edit.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/par_fields.c,v
Working file: par_fields.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/par_hist.c,v
Working file: par_hist.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libparser/RCS/par_lib.c,v
Working file: par_lib.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====

```

```
RCS file: ./saf/common/libsrc/libparser/RCS/par_unix.c,v
Working file: par_unix.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libparser/RCS/par_util.c,v
Working file: par_util.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libparser/RCS/parser.3,v
Working file: parser.3
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:39; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libactivate/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libactivate/RCS/activate.c,v
Working file: activate.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libactivate/RCS/activate.doc,v
Working file: activate.doc
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
```

Initial Version

=====

RCS file: ./saf/common/libsrc/libactivate/RCS/activate.h,v  
Working file: activate.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libactivate/RCS/activate.mac,v  
Working file: activate.mac  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libactivate/RCS/cmd.c,v  
Working file: cmd.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libactivate/RCS/config.c,v  
Working file: config.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libactivate/RCS/config.lisp,v  
Working file: config.lisp  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libactivate/RCS/errors.c,v  
Working file: errors.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1



date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libactivate/RCS/fields.c,v  
Working file: fields.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libactivate/RCS/init.c,v  
Working file: init.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libactivate/RCS/libactivate.h,v  
Working file: libactivate.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libactivate/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libactivate/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libactivate/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

```

-----
revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/parser.c,v
Working file: parser.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/rwa_config.lisp,v
Working file: rwa_config.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/simactiv.lisp,v
Working file: simactiv.lisp
description:
Initial PVD Turnover

```

```

-----
revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/simmodels.lisp,v
Working file: simmodels.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/simnet.mac,v
Working file: simnet.mac
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/sims.lisp,v
Working file: sims.lisp
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/simulator.c,v
Working file: simulator.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/tart.c,v
Working file: tart.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libactivate/RCS/test.c,v
Working file: test.c
head: 1.1
description:
Initial PVD Turnover

```

-----  
revision 1.1  
date: 1993/01/05 19:10:09; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmem/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:11; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmem/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:11; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmem/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:11; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmem/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:11; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmem/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:12:11; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libmem/RCS/make.librules,v  
Working file: make.librules  
head: 1.1

```

description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:12:11; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfio/fio/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:17:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfio/fio/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:17:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfio/fio/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:17:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfio/fio/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:17:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfio/fio/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 19:17:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfio/fio/RCS/make.librules,v

```

Working file: make.librules  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 19:17:09; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogtime/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogtime/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogtime/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogtime/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:30; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/liblogtime/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:30; author: cm-adst; state: Exp;  
Initial Version

```
RCS file: ./saf/common/libsrc/liblogtime/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:11:30; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libreader/RCS/Makefile,v
Working file: Makefile
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libreader/RCS/README,v
Working file: README
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libreader/RCS/Release.log,v
Working file: Release.log
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libreader/RCS/lexer.c,v
Working file: lexer.c
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libreader/RCS/lexer.1,v
Working file: lexer.1
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
```

Initial Version

```

=====
RCS file: ./saf/common/libsrc/libreader/RCS/lexer.u,v
Working file: lexer.u
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libreader/RCS/libreader.h,v
Working file: libreader.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libreader/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libreader/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libreader/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libreader/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```



revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libreader/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libreader/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libreader/RCS/parser.c,v  
Working file: parser.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libreader/RCS/parser.u,v  
Working file: parser.u  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libreader/RCS/parser.y,v  
Working file: parser.y  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libreader/RCS/symbol.c,v  
Working file: symbol.c  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libreader/RCS/tags.c,v  
Working file: tags.c  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libreader/RCS/y.tab.h,v  
Working file: y.tab.h  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:00; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libregex/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libregex/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libregex/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:05; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libregex/RCS/make.driver,v  
Working file: make.driver

```

head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libregexp/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libregexp/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:05; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libvtab/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:38; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libvtab/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:38; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libvtab/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:38; author: cm-adst; state: Exp;
Initial Version
=====

```

RCS file: ./saf/common/libsrc/libvtab/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libvtab/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libvtab/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:38; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtree/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtree/RCS/cmd.c,v  
Working file: cmd.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libtree/RCS/libtree.h,v  
Working file: libtree.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

```
=====
RCS file: ./saf/common/libsrc/libtree/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtree/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtree/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtree/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtree/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libtree/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
```

date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libtree/RCS/parser.c,v  
Working file: parser.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libtree/RCS/tree.c,v  
Working file: tree.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libtree/RCS/tree.h,v  
Working file: tree.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libtree/RCS/ttree.c,v  
Working file: ttree.c  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:13:15; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/abasp.c,v  
Working file: abasp.c  
head: 1.1  
description:  
Initial PVD Turnover

```

-----
revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcap/RCS/abasp.h,v
Working file: abasp.h
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcap/RCS/abatp.c,v
Working file: abatp.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcap/RCS/abauxddp.c,v
Working file: abauxddp.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcap/RCS/abauxnbp.c,v
Working file: abauxnbp.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcap/RCS/abddp.c,v
Working file: abddp.c
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcap/RCS/abkip.c,v
Working file: abkip.c
head: 1.1

```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/ablap.c,v  
Working file: ablap.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/ablog.c,v  
Working file: ablog.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/abmisc.c,v  
Working file: abmisc.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/abnbp.c,v  
Working file: abnbp.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/abnet.c,v  
Working file: abnet.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/abpap.c,v



Working file: abpap.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libcap/RCS/abpap.h,v  
Working file: abpap.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libcap/RCS/abpapc.c,v  
Working file: abpapc.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libcap/RCS/abpaps.c,v  
Working file: abpaps.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libcap/RCS/abpp.c,v  
Working file: abpp.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libcap/RCS/abqueue.c,v  
Working file: abqueue.c  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version  
=====

```
RCS file: ./saf/common/libsrc/libcap/RCS/absched.c,v
Working file: absched.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcap/RCS/abversion.c,v
Working file: abversion.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcap/RCS/abzip.c,v
Working file: abzip.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcap/RCS/atalkdbm.c,v
Working file: atalkdbm.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcap/RCS/atalkdbm.h,v
Working file: atalkdbm.h
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcap/RCS/authenticate.c,v
Working file: authenticate.c
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;
```

Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/cap\_conf.h,v  
Working file: cap\_conf.h  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====

RCS file: ./saf/common/libsrc/libcap/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----

revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/todist,v  
Working file: todist  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcap/RCS/whatiswhat,v  
Working file: whatiswhat  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libbgr/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:31; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libbgr/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:31; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libbgr/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:31; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libbgr/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:31; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libbgr/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:31; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libbgr/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:10:31; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libwstn/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:40; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libwstn/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:40; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libwstn/RCS/make.depend,v  
Working file: make.depend

```

head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:40; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libwstn/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:40; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libwstn/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:40; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libwstn/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:40; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfqueue/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:10; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfqueue/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:10; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfqueue/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:10; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfqueue/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:10; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfqueue/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:10; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libfqueue/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:11:10; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libsensor/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:09; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libsensor/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 19:13:09; author: cm-adst; state: Exp;
Initial Version

```

```
=====  
RCS file: ./saf/common/libsrc/libsensor/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:13:09; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libsensor/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:13:09; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libsensor/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:13:09; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libsensor/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:13:09; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libsched/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1  
date: 1993/01/05 19:13:07; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libsched/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----  
revision 1.1
```



date: 1993/01/05 19:13:07; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libsched/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:07; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libsched/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:07; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libsched/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:07; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libsched/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:13:07; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libctdb/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 19:11:02; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/libsrc/libctdb/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

```
-----  
revision 1.1  
date: 1993/01/05 19:11:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libctdb/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libctdb/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libctdb/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libctdb/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:02; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libdither/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----
```

```
revision 1.1  
date: 1993/01/05 19:11:05; author: cm-adst; state: Exp;  
Initial Version  
=====
```

```
RCS file: ./saf/common/libsrc/libdither/RCS/make.config,v  
Working file: make.config  
head: 1.1
```

description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libdither/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libdither/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libdither/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libdither/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:11:05; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libxcig/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:42; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libxcig/RCS/make.config,v

Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:42; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libxcig/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:42; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libxcig/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:42; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libxcig/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:42; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libxcig/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:13:42; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libcirouter/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:56; author: cm-adst; state: Exp;  
Initial Version

```
RCS file: ./saf/common/libsrc/libcirouter/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:56; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcirouter/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:56; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcirouter/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:56; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcirouter/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:56; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcirouter/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:56; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libcallback/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:10:34; author: cm-adst; state: Exp;
```

Initial Version

```

=====
RCS file: ./saf/common/libsrc/libcallback/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:34; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcallback/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:34; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcallback/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:34; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcallback/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:34; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libcallback/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 19:10:34; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/libsrc/libclass/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----

```

revision 1.1  
date: 1993/01/05 19:10:58; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libclass/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:58; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libclass/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:58; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libclass/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:58; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libclass/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:58; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libclass/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:58; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libappidc/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libappidc/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libappidc/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libappidc/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libappidc/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libappidc/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:10:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libpbtap/RCS/make.apprules,v  
Working file: make.apprules



head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libpbtap/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libpbtap/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libpbtap/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libpbtap/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:45; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/libsrc/libpbtap/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 19:12:45; author: cm-adst; state: Exp;  
Initial Version

```
RCS file: ./saf/common/libsrc/libqueue/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:53; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libqueue/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:53; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libqueue/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:53; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libqueue/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:53; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libqueue/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:53; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/libsrc/libqueue/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 19:12:53; author: cm-adst; state: Exp;
Initial Version
```

```

=====
RCS file: ./saf/common/src/net/include/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:43; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/include/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:43; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/include/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:43; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/include/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:43; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/include/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:43; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/include/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1

```

date: 1993/01/05 20:01:43; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/net/netstart.mips/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:51; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/net/netstart.mips/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:51; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/net/netstart.mips/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:51; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/net/netstart.mips/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:51; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/net/netstart.mips/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:51; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/net/netstart.mips/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

```

-----
revision 1.1
date: 1993/01/05 20:01:51; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/netcon/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:01:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/netcon/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:01:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/netcon/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:01:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/netcon/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:01:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/netcon/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:01:45; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/net/netcon/RCS/make.librules,v
Working file: make.librules
head: 1.1

```

## description:

Initial PVD Turnover  
-----

## revision 1.1

date: 1993/01/05 20:01:45; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/src/net/netdump/RCS/make.apprules,v

Working file: make.apprules

head: 1.1

## description:

Initial PVD Turnover  
-----

## revision 1.1

date: 1993/01/05 20:01:47; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/src/net/netdump/RCS/make.config,v

Working file: make.config

head: 1.1

## description:

Initial PVD Turnover  
-----

## revision 1.1

date: 1993/01/05 20:01:47; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/src/net/netdump/RCS/make.depend,v

Working file: make.depend

head: 1.1

## description:

Initial PVD Turnover  
-----

## revision 1.1

date: 1993/01/05 20:01:47; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/src/net/netdump/RCS/make.driver,v

Working file: make.driver

head: 1.1

## description:

Initial PVD Turnover  
-----

## revision 1.1

date: 1993/01/05 20:01:47; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/src/net/netdump/RCS/make.include,v

Working file: make.include

head: 1.1

## description:

Initial PVD Turnover  
-----

## revision 1.1

date: 1993/01/05 20:01:47; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/common/src/net/netdump/RCS/make.librules,v

Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:47; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/net/netxr/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:53; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/net/netxr/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:53; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/net/netxr/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:53; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/net/netxr/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:53; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/net/netxr/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:53; author: cm-adst; state: Exp;  
Initial Version  
=====

```
RCS file: ./saf/common/src/net/netxr/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:01:53; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/ringstart/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:01:55; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/ringstart/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:01:55; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/ringstart/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:01:55; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/ringstart/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:01:55; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/ringstart/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:01:55; author: cm-adst; state: Exp;
```



## Initial Version

```
=====
RCS file: ./saf/common/src/net/ringstart/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:55; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/defs/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:40; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/defs/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:40; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/defs/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:40; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/defs/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:40; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/net/defs/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

revision 1.1  
date: 1993/01/05 20:01:40; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/net/defs/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:01:40; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/cmc/dvr/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:01:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/cmc/dvr/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:01:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/cmc/dvr/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:01:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/cmc/dvr/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:01:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/cmc/dvr/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:

Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:10; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/cmc/dvr/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:10; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/cmc/include/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/cmc/include/RCS/enparg.h,v  
Working file: enparg.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/cmc/include/RCS/enpioctl.h,v  
Working file: enpioctl.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/cmc/include/RCS/enpsvr.h,v  
Working file: enpsvr.h  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/cmc/include/RCS/make.apprules,v  
Working file: make.apprules

```
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/src/cmc/include/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/src/cmc/include/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/src/cmc/include/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/src/cmc/include/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/common/src/cmc/include/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:01:12; author: cm-adst; state: Exp;
Initial Version
=====
```

```

RCS file: ./saf/common/src/ded_reader/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:00:14; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/ded_reader/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:00:14; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/ded_reader/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:00:14; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/ded_reader/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:00:14; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/ded_reader/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:00:14; author: cm-adst; state: Exp;
Initial Version
=====

```

```

RCS file: ./saf/common/src/ded_reader/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----

```

```

revision 1.1
date: 1993/01/05 20:00:14; author: cm-adst; state: Exp;
Initial Version

```

```
=====
RCS file: ./saf/common/src/make_maps/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:00:17; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/make_maps/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:00:17; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/make_maps/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:00:17; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/make_maps/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:00:17; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/make_maps/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:00:17; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/make_maps/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
```

date: 1993/01/05 20:00:17; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/senserv/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:00:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/senserv/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:00:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/senserv/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:00:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/senserv/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:00:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/senserv/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:00:23; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/senserv/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:00:23; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/simle/include/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:02:58; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/simle/include/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:02:58; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/simle/include/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:02:58; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/simle/include/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:02:58; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/simle/include/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover  
-----

revision 1.1  
date: 1993/01/05 20:02:58; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/src/simle/include/RCS/make.librules,v  
Working file: make.librules  
head: 1.1



description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:58; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/simle/dvr/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/simle/dvr/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/simle/dvr/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/simle/dvr/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/simle/dvr/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/simle/dvr/RCS/make.librules,v

Working file: make.librules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/s1000/gridpost/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:29; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/s1000/gridpost/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:29; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/s1000/gridpost/RCS/make.depend,v  
Working file: make.depend  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:29; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/s1000/gridpost/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:29; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/common/src/s1000/gridpost/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial PVD Turnover

-----  
revision 1.1  
date: 1993/01/05 20:02:29; author: cm-adst; state: Exp;  
Initial Version

```
RCS file: ./saf/common/src/s1000/gridpost/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:02:29; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/protocol/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:00:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/protocol/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:00:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/protocol/RCS/make.depend,v
Working file: make.depend
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:00:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/protocol/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:00:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/src/protocol/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial PVD Turnover
-----
revision 1.1
date: 1993/01/05 20:00:20; author: cm-adst; state: Exp;
```

## Initial Version

```
=====
RCS file: ./saf/common/src/protocol/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial PVD Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:00:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/ARCHITECTURE,v
Working file: ARCHITECTURE
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/build-common,v
Working file: build-common
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/do_checkout,v
Working file: do_checkout
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/do_config,v
Working file: do_config
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/do_freeze,v
Working file: do_freeze
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/do_make,v
Working file: do_make
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/do_rcsclean,v
Working file: do_rcsclean
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/common/tools/RCS/make.include,v
Working file: make.include
head: 1.1
description:
```

Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/tools/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:04:10; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/RCS/common.doc,v  
Working file: common.doc  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 18:46:45; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/common/RCS/makefile,v  
Working file: makefile  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 18:46:53; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/tools/RCS/ARCHITECTURE,v  
Working file: ARCHITECTURE  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/tools/RCS/build-common,v  
Working file: build-common  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/tools/RCS/do\_checkout,v  
Working file: do\_checkout

```

head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/tools/RCS/do_config,v
Working file: do_config
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/tools/RCS/do_freeze,v
Working file: do_freeze
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/tools/RCS/do_make,v
Working file: do_make
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/tools/RCS/do_rcsclean,v
Working file: do_rcsclean
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====

RCS file: ./saf/tools/RCS/make.apprules,v
Working file: make.apprules
head: 1.1
description:
Initial MCC Turnover
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====

```

```
RCS file: ./saf/tools/RCS/make.config,v
Working file: make.config
head: 1.1
description:
Initial MCC Turnover
```

```
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/tools/RCS/make.driver,v
Working file: make.driver
head: 1.1
description:
Initial MCC Turnover
```

```
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/tools/RCS/make.include,v
Working file: make.include
head: 1.1
description:
Initial MCC Turnover
```

```
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/tools/RCS/make.librules,v
Working file: make.librules
head: 1.1
description:
Initial MCC Turnover
```

```
-----
revision 1.1
date: 1993/01/05 20:24:48; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/release/atalk-dir/RCS/atalk.local,v
Working file: atalk.local
head: 1.1
description:
Initial MCC Turnover
```

```
-----
revision 1.1
date: 1993/01/05 20:18:43; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/release/atalk-dir/RCS/atalkad,v
Working file: atalkad
head: 1.1
description:
Initial MCC Turnover
```

```
-----
revision 1.1
date: 1993/01/05 20:18:43; author: cm-adst; state: Exp;
Initial Version
```



```
=====
RCS file: ./saf/release/atalk-dir/RCS/atalkatab,v
Working file: atalkatab
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:18:43; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/release/user-lib/RCS/atis,v
Working file: atis
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:18:57; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/release/user-lib/RCS/aufs,v
Working file: aufs
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:18:57; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/release/RCS/README,v
Working file: README
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 20:18:20; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/bin/RCS/assoc.def,v
Working file: assoc.def
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
date: 1993/01/05 18:43:37; author: cm-adst; state: Exp;
Initial Version
=====
```

```
RCS file: ./saf/bin/RCS/katosoft.p,v
Working file: katosoft.p
head: 1.1
description:
Initial MCC Turnover
-----
```

```
revision 1.1
```

date: 1993/01/05 18:43:50; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/bin/RCS/ktdev.def,v  
Working file: ktdev.def  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 18:43:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/bin/RCS/netstart,v  
Working file: netstart  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 18:44:16; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/bin/RCS/network.def,v  
Working file: network.def  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 18:43:37; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/bin/RCS/tblgr.lisp,v  
Working file: tblgr.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 18:44:00; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/bin/RCS/ttysetup,v  
Working file: ttysetup  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 18:44:25; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/bin/RCS/xreset,v  
Working file: xreset  
head: 1.1  
description:  
Initial MCC Turnover

revision 1.1  
date: 1993/01/05 18:44:31; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/#README#,v  
Working file: #README#  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/Makefile,v  
Working file: Makefile  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/README,v  
Working file: README  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/Saf-resources,v  
Working file: Saf-resources  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/TbLgr-resources,v  
Working file: TbLgr-resources  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/activate.mac,v  
Working file: activate.mac  
head: 1.1  
description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/blue\_cis.lisp,v

Working file: blue\_cis.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/blue\_cis\_echelons.lisp,v

Working file: blue\_cis\_echelons.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/blue\_echelons.lisp,v

Working file: blue\_echelons.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/blue\_forms.lisp,v

Working file: blue\_forms.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/blue\_mcc\_config.lisp,v

Working file: blue\_mcc\_config.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/bombs.lisp,v

Working file: bombs.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

## Initial Version

=====  
RCS file: ./saf/config/RCS/capacity.lisp,v

Working file: capacity.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/color.mac,v

Working file: color.mac

head: 1.1

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/config.lisp,v

Working file: config.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/config.mac,v

Working file: config.mac

head: 1.1

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/culture.lisp,v

Working file: culture.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/damage\_map.lisp,v

Working file: damage\_map.lisp

description:

Initial MCC Turnover

-----  
revision 1.1

date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version  
=====

RCS file: ./saf/config/RCS/detection.lisp,v  
Working file: detection.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/df\_damg.lisp,v  
Working file: df\_damg.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/ech.mac,v  
Working file: ech.mac  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/filters.lisp,v  
Working file: filters.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/fulcrum.lisp,v  
Working file: fulcrum.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/hitmodels.lisp,v  
Working file: hitmodels.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/icons.mac,v  
Working file: icons.mac

head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/if\_damg.lisp,v  
Working file: if\_damg.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/ivis.lisp,v  
Working file: ivis.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/machine.lisp,v  
Working file: machine.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/make.apprules,v  
Working file: make.apprules  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/make.config,v  
Working file: make.config  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/make.depend,v  
Working file: make.depend  
head: 1.1

description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/make.driver,v  
Working file: make.driver  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/make.include,v  
Working file: make.include  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/make.librules,v  
Working file: make.librules  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/mappings.lisp,v  
Working file: mappings.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/mcc\_blue\_config.lisp,v  
Working file: mcc\_blue\_config.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/mcc\_blue\_echelons.lisp,v  
Working file: mcc\_blue\_echelons.lisp  
description:



Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/mcc\_blue\_forms.lisp,v  
Working file: mcc\_blue\_forms.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/mcc\_config.lisp,v  
Working file: mcc\_config.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/mcc\_echelons.lisp,v  
Working file: mcc\_echelons.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/mcc\_passwd.lisp,v  
Working file: mcc\_passwd.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/mcc\_red\_config.lisp,v  
Working file: mcc\_red\_config.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/mcc\_red\_echelons.lisp,v  
Working file: mcc\_red\_echelons.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version

=====  
RCS file: ./saf/config/RCS/mcc\_red\_forms.lisp,v  
Working file: mcc\_red\_forms.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/minefield.lisp,v  
Working file: minefield.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/monoc.mac,v  
Working file: monoc.mac  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/objtype.lisp,v  
Working file: objtype.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/overlays.lisp,v  
Working file: overlays.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/pictures.mac,v  
Working file: pictures.mac  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/points.lisp,v  
Working file: points.lisp  
description:  
Initial MCC Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/project.lisp,v  
Working file: project.lisp  
description:  
Initial MCC Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/red\_cis.lisp,v  
Working file: red\_cis.lisp  
description:  
Initial MCC Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/red\_cis\_echelons.lisp,v  
Working file: red\_cis\_echelons.lisp  
description:  
Initial MCC Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/red\_echelons.lisp,v  
Working file: red\_echelons.lisp  
description:  
Initial MCC Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/red\_forms.lisp,v  
Working file: red\_forms.lisp  
description:  
Initial MCC Turnover  
-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/red\_mcc\_config.lisp,v  
Working file: red\_mcc\_config.lisp  
description:

Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/rwa\_config.lisp,v  
Working file: rwa\_config.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/se\_munition.lisp,v  
Working file: se\_munition.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/se\_vehicles.lisp,v  
Working file: se\_vehicles.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/simactiv.lisp,v  
Working file: simactiv.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/simhosts.lisp,v  
Working file: simhosts.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/simmodels.lisp,v  
Working file: simmodels.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;

Initial Version

=====  
RCS file: ./saf/config/RCS/simnet.mac,v  
Working file: simnet.mac  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/simnet6-0.mac,v  
Working file: simnet6-0.mac  
head: 1.1  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/sims.lisp,v  
Working file: sims.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/sims\_old.lisp,v  
Working file: sims\_old.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/sims\_rucker.lisp,v  
Working file: sims\_rucker.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

=====  
RCS file: ./saf/config/RCS/utm.lisp,v  
Working file: utm.lisp  
description:  
Initial MCC Turnover

-----  
revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version

RCS file: ./saf/config/RCS/vehtype.lisp,v  
Working file: vehtype.lisp  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/vtypes.mac,v  
Working file: vtypes.mac  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/config/RCS/ws.lisp,v  
Working file: ws.lisp  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:06:56; author: cm-adst; state: Exp;  
Initial Version  
=====

RCS file: ./saf/RCS/makefile,v  
Working file: makefile  
head: 1.1  
description:  
Initial MCC Turnover  
-----

revision 1.1  
date: 1993/01/05 20:25:58; author: cm-adst; state: Exp;  
Initial Version  
=====