U.S. DEPARTMENT OF COMMERCE National Technical Information Service

PB-282 073 チャム

Assessment of Industrial Hazardous Waste Practices, Rubber and Plastics Industry. Appendices

Foster D. Snell, Inc., Florham Park, N.J.

19960229 012

Prepared for

Environmental Protection Agency, Washington, D C

Mar 78

DEPARTMENT OF DEFENSE PLASTICS TECHNICAL EVALUATION CENTER ARRADCOM, DOVER, N. J. 07801

DISTRIBUTION STATEMENT A

ひしょう

Approved for public release; Distribution Unlimited

DTIC QUALITY INSPECTED 1

DISCLAIMER NOTICE

UNCLASSIFIED DEFENSE TECHNICAL INFORMATION ENTER UNCLASSIFIED

THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

PB 282 073

ASSESSMENT OF INDUSTRIAL HAZARDOUS WASTE PRACTICES,

RUBBER AND PLASTICS INDUSTRY

Appendices

This report (SW-163c.4) describes work performed for the Office of Solid Waste under contract no. 68-01-3194 and is reproduced as received from the contractor. The findings should be attributed to the contractor and not to the Office of Solid Waste.

U.S. ENVIRONMENTAL PROTECTION AGENCY

1978

REPRODUCED BY NATIONAL TECHNICAL INFORMATION SERVICE U. S. DEPARTMENT OF COMMERCE SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA (Please read Instructions on the reverse before co	ompleting
EPA-530-5W-163C - 4	3. RECIPIENT'S ACCESSION NO.
A, TITLE AND SUBTITLE	B. REPORT DATE March 1978
Assessment of Industrial Hazardous Waste Practices, Rubber & Plastics Industry	6. PERFORMING ORGANIZATION CODE
Joel M. Kushnir and Stephen F. Nagy	8. PERFORMING ORGANIZATION REPORT NO.
PERFORMING ORBANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT NO.
Foster D. Snell, Inc. Hanover Road	11. CONTRACT/GRANT NO. 68-01-3194
Florham Park, NJ 07932	13 TYPE OF REPORT AND PERIOD COVERED
12 SPONSORING AGENCY NAME AND ADDRESS EPA Office of Solid Waste Management Programs Hazardous Waste Management Division 401 M Street, S.W. Washington, D.C. 20460	Final; 4/75 - 4/76 14. SPONSORING AGENCY CODE
TE SUPPLEMENTARY NOTES	
This industry study is one of a series under the	Office of Solid Waste

This industry study is one of a series under the orrige of the variable of the main management Program of the Hazardous Waste Management Division, U.S. Environmental Protection Agency. The report concentrates on the rubber and plastics industry. It characterizes these industries in terms of number, location, size and age of plants, products, processes, etc.; identifies and quantifies those wastes which are σ_{T} may be generated by these industries; describes current practices for treatment and disposal of potentially hazardous wastes; determines the control technologies which might be applied to reduce hazards presented by these wastes upon disposal; and estimates the cost of control technology implementations.

The information presented in the report was acquired from a review of published information; trade association participation; personal contacts; visits to various plants and corporate offices of germane companies; waste sample analysis; and the application of an econometric model to project waste loads for 1977 and 1983.

17. KEY WORDS AND DOCUMENT ANALYSIS					
DESCRIPT	TORS	b.IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group		
CONCION CODED	Solid Wastes Waste Generation Factors	Chemical Treatment Hazard Potential Incineration Land Filling Lagooning Resin Manufacture Stream Separation Toxicity			
18. DISTRIBUTION STATEMENT		19. SECURITY CLASS (This Report) Unclassified	21.		
		20. SECURITY CLASS (This page)	22. PRICE		
		Unclassified	1A03-1141		

ĩ

This report was prepared by Foster D. Shell, Inc., Florham Park, New Jersey, under Contract No. 68-01-3194.

Publication does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of commercial products constitute endorsement by the U.S. Government.

An environmental protection publication (SW-163c.4) in the solid waste management series.

 \vec{n}

TABLE OF CONTENTS

APPENDICES

Appendix A Progra B Proto Obtain Stream C Hazard Servio D Detain And R

Title

Program Methodology

Protocols Used And Results Obtained In Analysis Of Waste Stream Samples

Hazardous Waste Contractors And Service Organizations

Detailed Definition Of The Plastics And Rubber Industry -- SICs 282 and 30

APPENDIX A -- PROGRAM METHODOLOGY

The approach selected to assess industrial hazardous waste practices in the rubber and plastics industry centered around three major tasks:

- Data collection
- . Data analysis and application of economic modeling techniques
- . Definition of potentially hazardous waste.

Each of these elements are discussed below. Overall study logic is provided in Exhibit A-1, at the end of the appendix, followed by a task definition in Exhibit A-2.

1. DATA COLLECTION

As noted in Volume I -- Executive Summary, the data requirements for this study were obtained essentially from four sources.

- Review of published information
- Data collected during our previous work for government agencies on the rubber and plastics industry
- . Information obtained from trade association participation
- Information obtained from personal contact and visits to the various plants and corporate offices of companies classified in the industry and to waste disposal firms handling hazardous wastes.

Of the above information sources, direct industry contacts proved to be most useful in providing the detailed data requirements. Because almost all facilities visited varied significantly in the manner in which wastes were generated and disposed of, the same questions could not be asked of all the individuals contacted. Instead, questions were tailored for each situation.

However, as a guide to the types of questions and probes used to collect data, a data acquisition form is provided as Exhibit A-3, following Exhibit A-2. As can be seen from Exhibit A-3, industry representatives were generally asked questions regarding:

Plant type, size, locations, etc.

Processing methods

Waste stream generation

Waste properties

Treatment and disposal methods

Costs for treatment and disposal of potentially hazardous wastes.

In addition, the representatives were asked if they would supply the Study Team with waste samples for analysis in our laboratories. The results of the sampling program are described in Appendix B and in the body of the report.

Exhibit A-4, following Exhibit A-3, tabulates significant production processes used in SICs 282 (Plastic Materials and Synthetic Industry) and SIC 30 (Rubber Production Industry). As presented by the exhibit, there are approximately 100 commercially significant processes. During the data collection phase of this study, more than 60 field trips were made. А field trip is defined as a visit to a plant site. However, in many cases, visits were actually made to a plant complex using more than one major process. Therefore, processes observed significantly exceeded field trips completed and provided coverage of most relevant processes in use at the time of the study. Exhibit A-5, following Exhibit A-4, provides a breakdown of contacts by groups visited. In addition, to the field trips, between 200 and 250 telephone calls were made to industry representatives to supplement data.

Exhibit A-6, following Exhibit A-5, provides the distribution of waste samples obtained and analyzed. Note that the purpose of the spot sampling program was to provide evidence of the reliability of assumptions made concerning the general composition of the wastes and the concentrations of related components.

2. DATA ANALYSIS

Data analysis generally involved:

- Definition of processes used to manufacture materials
- . Estimate of waste streams and wastes generated from each unit operation by waste type and quantity
- Classification of wastes into non-hazardous and potentially hazardous categories
- . Determination of waste disposal methods, their adequacy and their costs
- Estimating the quantity of potentially hazardous wastes to be disposed of by state and EPA regions and nationwide for the year 1974, 1977 and 1983.

Estimates of potentially hazardous wastes to be disposed of on a geographic basis were made by:

- Developing hazardous waste factors (as the weight of hazardous waste per weight of product produced) for a typical process type in a representative plant.
- Multiplying these factors by the volume of production in a given geographic area.
- Adding wastes produced by geographic area to arrive at national numbers.

Current production values and plant location were obtained from data, industry-supplied information, other published literature and professional judgments.

To obtain projections of potentially hazardous wastes to be disposed of in the years 1977 and 1983 industry production was estimated through a computer-based economics model, known as INFORUM -- Interindustry Economic Research Project of the University of Maryland.

The INFORUM model uses input-output (I/O) analysis to make long-term forecasts of the American economy. I/O analysis is based on the concept that the outputs on production of one industry can be translated into inputs or consumption in other industries. The model uses 200 industry groupings or sections to cover the entire economy. The modeling process involves an estimation of consumption, investment, employment and export and import functions for each sector, using various alternative scenario assumptions about government expenditures, cost of capital, import/export restrictions and various technological developments. The forecasts proceed year-by-year for a decade into the future.

The value of wastes is estimated from the projected value (deflated to constant dollars) of material consumption and final production in each industry for selected years and from the waste generation factors calculated for typical processes. Based on an anlysis of projected versus actual production and consumption as actual data becomes available, it is known that the INFORUM model provides a reasonably accurate means for estimating economic conditions.

3. DEFINITION OF POTENTIALLY HAZARDOUS WASTES

Under the time and budgetary constraints of the project, it was, of course, impossible to carry out detailed original toxicological, chemical, biological and other investigations to determine the potential hazard from the literally thousands of chemical substances in these industries which may become wastes. Instead, we relied on several published sources which are compendia of much of the required information. These sources are:

- Reference 1 -- <u>Dangerous Properties of</u> <u>Industrial Materials (4th Ed.) N. Irving Sax,</u> Van Nostrand New York: Reinhold Company, 1974.
- Reference 2 -- Clinical Toxicology of Commercial Properties (3rd Ed.) Gleason, Gosselin, Hodge and Smith, Baltimore: The Williams & Wilkins Co., 1969.
- Reference 3 -- <u>A Study of Hazardous Waste</u> <u>Materials, Hazardous Effects and Disposal</u> <u>Methods, Booz, Allen Research, Inc., United</u> <u>States Environmental Protection Agency (Contract</u> #68-03-0032), Cincinnati, Ohio: 1972.

The following paragraphs detail the parameters which were used in determining if a waste as defined in the study may be potentially hazardous.

3.1 <u>Toxic Substances Were Defined On The Basis Of Oral</u> <u>Toxicity</u>

The following toxic effects may occur in an acute form or chronic form or both, and may jeopardize the health and welfare of humans and the safety and propagation of terrestrial or aquatic life forms:

- Oral toxicity
- . Inhalation toxicity
- Dermal penetration toxicity
- Dermal irritation reaction
- Aquatic toxicity
- Phytotoxicity.

For the pupose of this study, oral toxicity was accepted as the basis for defining a toxic substance because much more data is generally available to support published conclusions based on this parameter.

A-5

References 1 and 2 above were chosen as the primary sources determining if the wastes contain toxic materials. Two works were chosen for use because many substances needed to be categorized.

The most serious deficiency of the literature for the purposes of the project is that it is nearly all occupationally or laboratory oriented. The result is that toxic effects documented are responses to higher concentrations than levels which may be expected to accrue from deposition of relatively small quantities of these substances in landfill. Since few epidemiological facts are available, information developed on the basis of occupational or laboratory exposure was substituted.

The two references selected as our primary toxicological data base use different scales for rating a substance's toxicity:

Exhibit A-7, following Exhibit A-6, presents the toxicity rating scale for Reference 1.

Exhibit A-8, following Exhibit A-7, presents the scale for Reference 2.

In the determination of a waste constituents' toxicity, a conservative approach was chosen, since information contained in the reference may be based on more unknown factors than known ones. Therefore, any substance having a toxicity rating 2 (moderate) or above including U (unknown) in Reference 1; and 3 (moderate) and above, in Reference 2, was considered toxic in the context of this study. Wastes containing such substances in either the pure form or combined with other materials were considered potentially hazardous.

3.2 The Potential For Flammability, Explosivity And Reactivity/Corrosivity Of The Wastes Was Ranked

Human health and welfare, as well as animal and vegetation, may be exposed to hazardous situations involving flames and/or explosions caused by some substances. Other adverse effects may occur as a result of rapid or violent chemical reactions of substances. Flame, explosion or reactions produce heat which causes many compounds to emit highly toxic fumes or to react more vigorously with oxidizing materials. Some compounds can react rapidly with ground water, for example, to produce toxic or flammable vapors. Acids may be produced by reactions, and heat generated by flame or reaction may itself be a serious hazard to many ecosystems. Just as there are levels of toxicity, there are degrees of flammability, explosivity and reactivity. To judge the potential hazard of the wastes in terms of these factors, we relied heavily on Reference 3 where many substances have been ranked as to their potential hazard capacity in this area.

In addition, information contained in the other two references was taken into account. Also, any waste substance with a flash point of 38°C (100°F) or higher (as measured by the Tag Open Tester), where known, were deemed potentially hazardous. This is the limit which has been made by the Department of Transportation to designate hazardous flammable solvents which require a red warning level.

The hazards rating criteria for flame explosion and reaction/corrosion in soil from Reference 3 is presented in Exhibit A-9, following Exhibit A-8. Any waste containing substances having a rating above 2 (moderate hazard) including U (unknown) was considered to be potentially hazardous.

If any constituent of a waste stream met the criteria described above as hazardous for any of the categories, the waste was considered potentially hazardous. Spot sampling of the waste (described in Appendix B) was used to confirm assumption on the presence of potentially hazardous components in the wastes.

			· ·	
.'				EXHIBIT A-1 STUDY LOGIC
	T ANALYCES TO BE DEPEORMED	■ II. WASTE DISPOSAL PRACTICE		II. DESIRED OUTPUTS
		RUBBER AND PLASTICS INDUSTRIES	INDUSTRIES	
	• INDUSTRY CHARACTERIZATION: TASK 1	Wastes Destined For Land Disposa ₁ (1) (2) • Wastes whose physical properties are typified by - solid	Disposa ₁ (1) (2) properties are	 INDUSTRY DESCRIPTION Plants and locations Distribution of number of firms and plants Distribution of plant size as a function
	AND SCREENING: TASK 2	liquidsludge phases		of employees - Manufacturing process distribution
• • •	• TREATMENT AND DISPOSAL TECHNOLOGY CHARACTERIZ ATION :	 Wastes directly generated from manu- facturing processes Wastes moduced by air or water pollution 	ated from manu- r or water pollution	 Bocation utstribution Age distribution Product line
	TASK 3	control procedures		 METHODS OF WASTE TREATMENT
				AND DISPOSAL
•	TECHNOLOGI: TASK 4	HAZARDOUS WASTES	POTENTIALLY HAZARDOUS	disposal methodology
) - 2	Especially those containing: asbestos. arsenic. beryllium,	1.e., those which might be	 Process changes necessitated by reduction in hazardous waste
		cadmium, chromium, copper, cvanides, lead, mercury.	suspected to cause a reaction and form a hazardous substance.	- Levels of proficiency for disposal based
		halogenated hydrocarbons,		on survey Level I - techniques presently
		and carcinogens, including those which are radioactive.		4
		WASTE DISPOSAL METHODS INCLUDING:	THODS INCLUDING:	. Level III - technology necessary to provide adequate
		. Burial; deeper surface	. Mine disposal	health and environmental
	Notes: (1) Wastes destined for release to air or water at plant site	. Chemical and biological detoxification	. Open burning . Incineration	 COSTS OF ADEQUATE DISPOSAL Investment costs
	are viewed to be outside the scope of this study. (2) includes industry waste quantifi-	 Lagooning Recovery and reuse Deep well injection 	Combinations of the above Ocean dumping	- Operating costs
	cation on state and national levels. (wet and dry basis) Source: Snell review and analysis of study requirements.			

•

.

•

EXHIBIT A-2

TASK DEFINITION

Description Task Industry Characterization ;

Waste Characterization and Screening 2

Develop material balance around each 4 digit SIC sector and engineering material balances for the individual processes of commercial significance ~100 2.1

Develop hazardous materials priority list by process based on the substances identified in 2.1 and review with Project Officer 2.2

Rank processes for potential for production of wastes destined for land disposal

4 Develop priority decision model to screen out 20 processes (for budget purposes) for detailed studies in Tasks 3 and

- Use the following parameters

Hazard potential related to materials consumed based on Task 2.2

Process potential for producing wastes destined for land disposal, based on Task 2.3 :

. Prevalence, based on Task 1, related to output, number of plants and average size

- Assign scores to these parameters and aggregate with hazard potential given highest weight

The higher the aggregate score, the higher the priority

The 20 processes with the highest scores will be studied in depth after the Project Officer's approval

Develop detailed engineering material balances and definition of practices around the 20 processes to be studied further and characterize wastes using sampling and analysis where required 2.5

Treatment and Disposal Technology Characterization for the 20 Priority Processes from Task 2

ຕໍ

Cost Analysis of Disposal Technology for the 20 Priority Processes from Task 2 4

Snell Inc. Foster D. Source:

2.4

2.3

EXHIBIT A-3(1) CONDENSED INTERVIEWEE FORM

DATA ACQUISITION FORM

For

EPA Contract No. 68-01-3194

Assessment Of Industrial Hazardous Waste Practices In The Rubber And Plastics Industry

Foster D. Snell, Inc. is conducting this survey to provide data base regarding:

What process industrial wastes are generated (industrial waste is defined as <u>any</u> waste other than direct emissions to air or water effluents, where air and water treatment residues and other solids or liquids destined for land disposal are included).

In what quantities and from what specific process steps are these wastes generated.

How they are treated and disposed of.

Points of contacts in responding to the attached data acquisition inquiry are:

Mr. Joel M. Kushnir, Survey Coordinator or Mr. Stephen F. Nagy, Research Director Foster D. Snell, Inc. Hanover Road Florham Park, New Jersey 07932 (201)-377-6700

Name/Title of Contact

Company Address/Phone Number

Snell Interviewer

Phone Interview

Date _____

Visit

A-10

EXHIBIT A-3(2)

- 1. BRIEF PROCESS DESCRIPTION
 - a. Products
 - b. Plant Location and Age
 - c. Plant Capacity/Average Capacity Use
 - d. <u>Major Process Steps</u> (including receiving and shipping)
 - e. <u>Material Balances</u> (emphasizing solid waste generation)

2. WASTE GENERATION RATES BY OPERATION

Source	Type of Waste	Quantity (Per Unit Of Production)
a		
b		

С

3. <u>WASTE CHARACTERIZATION</u> (see list on next page and fill in appropriate data)

Source/Type of Waste	Physical Characteristics	Chemical Characteristics
a b		
С		

Sampling (Ask if they would let us visit. Can we take represen-Comments tative samples? Note possible arrangement).

CHECKLIST FOR PHYSICAL/CHEMICAL ANALYSIS DATA

General Chemical Categories

Specific Chemicals

Plants Rubber

4. ON-SITE TREATMENT AND DISPOSAL PRACTICES

Type of Waste/ Source	Treatment And/Or Disposal Technology Used	Are There Alternate Methods?	Cost Capital* Opera	ating Maintenanc
a				
a D				
Overall (Ask for	r comments on opera	ating proced	ures, personnel	L

Overall (Ask for comments on operating procedures, personne training, etc.)

*Indicate year of investment.

Thank you

Physical

5. OFF-SITE TREATMENT AND DISPOSAL PRACTICES*

Type Sour	of Waste/ ce	Treatment And/Or Disposal Technology Used	Are There Alternate Methods		Cost Operating	Maintenanc
	a b					
	C					
* Pl tr	ease note w eating or d	general comments h hether plant or pr isposing the waste of investment.	ivate contr	actor is r	emoving,	
6.	TREATMENT	AND DISPOSAL SERVI	CE EVALUATI	ON		
7.	. Why w What munic Do yo OPINION ON	s contractor? as he chosen? does he do with yo ipal or sanitary 1 u have criticism o <u>CONTROL LEVELS I,</u> 1 technology; incl	andfill, et f his proce II, AND II	c.) dures? I (Ask by	• • •	ste
	Level I - Level II - Level III Trends expect an	Prevalent Treatme - Best Available D Environmentally Are you looking in increase or decrea cess changes, loca	nt and Disp isposal Pra Adequate D to alternat se in waste	osal Pract ctices isposal Pr e methods? s to be di	actices Do you	
8.	WHO ELSE S	HOULD WE CONTACT?			A·12	•

.			EXHIBIT A TABULATION OF SIGNI IN SICS 282	<pre>[BIT A-4(1) SIGNIFICANT PROCESSES 1 282 AND 30</pre>
SIC	Industry	The Major Categories From Which 20 Processes Will Be Screened For Tasks 3 and 4 Study	Соттепъ	Approx, No, Of Commercially Significant Processes
2821	Plastics Materials and Resins	 Thermosetting Alkyds Polyesters Phenolic and other tar resins Amino resins 	 Candidates listed in this category represent 89% of all thermosetting plastics and resin materials produced in 1972. 	
•		 Thermoplastics Polyethylene and copolymers Polypropylene Styrene resins Vinyl resins Others⁽³⁾ 	• Candidates listed in this category represent 77% of all thermoplastics produced in 1972.	40
2822	Synthetic Rubber (vulcaniz- able elastomers)	 S-type rubber Butyl rubber Stereo polybutadiene elastomers Others(3) 	• These study candidates represent 67% of 1973 domestic synthetic rubber production.	, 15
2823	Cellulosic Man-Made Fibers	. Rayon . Acetate fibers		
2824	Organic Fibers, Non-Cellulosic	 Nylon Acrylic and Modacrylic Polyester 		10
3011	Tires and Inner Tubes	. Tires . Inner Tubes	 Industries classified under SICs 3011, 3021, 3031 and 3069 probably have a lower relative hazard potential in their wastes compared to the others on the list. 	ະ ເວ

A-13

:	Industry	From which zo Frocesses Will Be Screened For Tasks 3 and 4 Study	Comments SI	Of Commercially Significant Processes
	Rubber Footwear	. Canvas footwear . Waterproof footwear	 Wastes produced by Indus- tries classified in SICs 3011, 3021 and 3069 are similar. Compounding ingredients are the likely potential hazards in their waste streams. 	ις ·
•	Reclaimed Rubber	Reclaimed rubber	The digester process is the major process in this SIC, representing 46.6% of production volumn in 1973.	8 8 1
	Fabricated Rubber Products N.E.C. (Including plastic hose and belting, SIC 3041)	Rubber and plastics belts and belting Rubber hose and tubing Sponge and foam rubber goods Rubber floor and wall covering Mechanical rubber goods, n.e.c. ⁽⁴⁾		•
		Rubber heels and soles Druggist and medical sundries Other rubber goods, n.e.c. (4) Fabricated rubber products, n.e.c., n.s.k. (4)		20 103

information as assessed by the telephone interviews.

These will be studied only if they are shown to produce especially hazardous wastes.

(3) These will be studied only if they are shown to produce especially hazardous wastes.
(4) These classifications are "catchalls" for a wide variety of miscellaneous products. By and large, the major process found here is molding.
(5) Of the total telephone interviews to be made 20% will be of industry organizations, 10% will be of waste disposal firms and the remainder

of the industries themselves. Approximately 10 visits will be to industry organizations, 5 to disposal firms and 70 to plants.

Source: Foster D. Snell, Inc.

A-14

EXHIBIT A-5 DISTRIBUTION OF FIELD TRIPS COMPLETED

Group Visited	Field Tr Allocat		Field Tr	ips (2) ned
. Plants ⁽¹⁾				· . ·
SIC 2821	20		19	
SIC 2822	12		13	
SIC 2823	6		2	
SIC 2824	6		7	
SIC 3011	6		8	
SIC 3031	3		1	
SIC 3041	4		4	
SIC 3069	5	<u>70</u>	10	<u>64</u>
. Waste Disposal Facilities	5	-	10) <u>10</u>
. Industry Associations	10	5	Ş)
. Government Agencies	0	<u>10</u>	ŧ	5 <u>9</u> 5
Totals		85		<u>5</u> 88

- (1) A field trip is defined as a visit to a plant site. However, in many cases visits were actually made to a plant complex where more than one major process exists. Therefore, processes observed exceeded field trips completed.
- (2) Associated with the field trips were between 200 and 250 telephone calls to industry representatives for obtaining appointments and data.

Source: Foster D. Snell, Inc.

EXHIBIT A-6 WASTE SAMPLING AND ANALYSIS BY STANDARD INDUSTRIAL CLASSIFICATION (SIC)



The sampling program provides spot evidence of the reliability of assumptions made concerning the general composition of the wastes and the concentrations of selected components. NOTE:

Source: Foster D. Snell, Inc.

EXHIBIT A-7 TOXIC HAZARD RATING SCALE FOR REFERENCE 1

Toxicity Rating	Definition
0	NONE: (a) No harm under any conditions (b) Harmful only under unusual conditions or overwhelming dosage.
1	SLIGHT: Causes readily reversible changes which disappear after end of exposure.
2	MODERATE: May involve both irreversible and reversible changes not severe enough to cause death or permanent injury.
3	HIGH: May cause death or permanent injury after very short exposure to small quantities.
U	UNKNOWN: No information on humans considered valid by authors.

Source: Dangerous Properties of Industrial Materials, 4th Ed. N. Irving Sax, Van Nostrand Reinhold Company, New York, 1974.

A-17

EXHIBIT A-8

TOXIC HAZARD RATING SCALE FOR REFERENCE 2

Toxicity	<i>n_</i>	Probable	Lethal Dose (Human)
Rating	Definition	Mg/Kg	For 70 Kg Man (150 lbs)
1	Practically non-toxic	above 15 gm/Kg	more than 1 quart
2	Slightly toxic	5 - 15	between 1 pint and 1 quart
3	Moderately toxic	500 - 5	between 1 ounce and 1 pint (or 1 lb.)
4	Very toxic	50 - 500	between 1 teaspoonful and one ounce
5	Extremely toxic	5 - 50	between 7 drops and 1 teaspoonful
6	Super toxic	less than 5	a taste (less than 7 drops)

Source: Clinical Toxicology of Commercial Products (3rd Ed), Gleason, Gosselin, Hodge and Smith, The Williams & Wilkins Co., Baltimore, 1969.

A-18

EXHIBIT A-9 FLAME, EXPLOSION AND REACTION/ CORROSION HAZARD RATING SCALE FOR REFERENCE 3 (In Soil)

Definition

MINIMAL: Generally stable substances. Very limited potential for reaction or combustion. No toxic fumes or vapors associated with any reactions or combustions that may occur.

MODERATE: Can readily undergo violent chemical change with rapid release of energy, but will not detonate explosively or react violently except under very special circumstances such as heating under confinement. Can ignite and burn rapidly or react to produce harmful, though not lethal, vapors and fumes if exposed to modest increase of temperature or if moisture is encountered.

SEVERE: Readily capable of detonation and explosive decomposition or reaction at normal ambient temperatures and pressures. Will detonate as result of mechanical shock or local thermal shock. Reacts readily with own oxides or with other oxidizing materials. Can ignite spontaneously and/or react violently if exposed to moisture in soil. Ignition or reaction can produce lethal vapors, fumes, etc.

Unknown

FER/C Rating

1

2

3

U

FER/C = Flame, Explosion and Reaction/Corrosion

Source: A Study of Hazardous Waste Materials, Hazardous Effects and Disposal Methods, Booz, Allen Applied Research, United States Environmental Protection Agency (Contract #68-03-0032), Cincinnati, Ohio, 1972.

APPENDIX B -- PROTOCOLS USED AND RESULTS OBTAINED IN ANALYSIS OF WASTE STREAM SAMPLES

This appendix presents the protocols used and the results obtained in the analysis of waste stream samples generated by the rubber and plastics industry. Spot samples were taken under the supervision of Snell personnel at the points of generation of the wastes.

1. ANALYTICAL PROTOCOLS

The detailed protocols are presented in the following paragraphs with reference to standard tests where warranted.

(1) Total Solids

The test was performed in accordance with the "Standard Methods For the Examination of Water and Waste Water", APHA, 13th Edition, 1971, pp. 288-290.

(2) Water Content

By Toluene Distillation Method -- adopted from "Official Methods of Analysis of the Association of Official Analytical Chemists", 12th Edition, 1975, p. 129.

(3) Ash Residue

The sample is weighed into a porcelain crucible and ashed on a Meeker Burner at 600°C. After ashing, the residual weight is determined and the percent ash calculated. The residue is used for emission spectroscopy semi-quantitative determination.

(4) Emission Spectroscopy

A known amount of the ashed material is intimately mixed with 100 mg. of carbon powder followed by addition of 3 ml. of aqua regia. All of the material is evaporated to dryness and gently ignited. The resulting mixture is transferred to an electrode and D.C. arced te completion. A series of standards in a carbon matrix are run along with the sample and semi-quantitative results are obtained for each element employing a Jarrel-Ash Model 3.4 Meter Ebert Emission Spectrograph. The results are then calculated from known standards and are expressed in semi-quantitative manner.

(5) Atomic Absorption Spectroscopy

The samples are digested with nitric acid, filtered and the filtrate diluted with water. The resulting solution is then aspirated into the flame of an atomic absorption spectrophotometer. Known standards are used for calibration of the instrument and for quantitative determination of the element in question.

(6) Organic Chlorides

The Parr Bomb Oxygen Combustion method followed by microcoulometry is employed for the determination of organic chlorides.

(7) Phenols

The determinations are performed in accordance with Method D. for phenols in "Standard Methods for the Examination of Water and Waste Water", APHA, 13th Edition, 1971, pp. 507-508.

(8) Vinyl Chloride Monomer (VCM)

There is no official method for this determination and recently possible interferences from acetaldehyde, resulting from copolymerization of VCM and vinyl acetate, has been reported. The protocol used by Foster D. Snell is as follows:

<u>Solid Samples</u> -- A representative portion of the sample is ground to a fine powder. Two grams of this powder is digested for 6 hours with 40 ml of tetrahydrofuran (THF). The digestion product is centrifuged and the supernatant subjected to gas chromatographic analysis under the following conditions: The gas chromatograph is a Perkin-Elmer 900. The column is $8' \times 1/8"$ O.D. packed with 20% DC 550. The carrier gas is nitrogen flowing at 30 ml/min. The column is operated at 60° C until emergence of THF. The temperature is then raised to 150° C and held for 10 minutes, and then lowered slowly.

<u>Calculations</u> -- A standard is prepared containing 0.5×10^{-9} micrograms of vinyl chloride monomer in THF. A 5 l injection at an attenuation factor of 1×4 gives a peak height of 120 mm with a retention time of 0.75 minutes.

The peak height of the extracts, corrected for the appropriate attenuation factor, is used to determine the sample concentration.

2. ANALYTICAL RESULTS

The analytical results for the waste samples obtained from the plant visits and tested by Foster D. Snell, Inc. are presented in the attached Tables.

TABLE B-1 -- Tests performed on waste samples obtained from plants in SIC 282, Plastic Materials and Synthetics Industry.

TABLE B-2 -- Tests performed on waste samples obtained from plants in SIC 30, Rubber Products Industry.

	رد ک <u>ا</u>	Other				Pheno is = 8,84%		VCM = 35 ppm	रम	* *
	ANALYTICAL RESULTS OF WASTE SAMPLES OBTAINED IN SIC 282, PLASTIC MATERIALS AND SYNTHETICS INDUSTRY	Organic C1	1750			210				
- 4	OF WAST PLASTIC NDUSTRY	Cd ⁽³⁾	0.9 1.0 0.4 0.2	3.4 0.1	• • •	000	a a	0.4	r•0	
TABLE B-1	RESULTS SIC 282, HETICS I	Pb ⁽²⁾	16 15 15 2 4 0 8 3 0 0	1 185 4 1 . 0	4 1 1 2	5 5.0 1 1.0 2 1.5	. 	· .		
	ALYTICAL RESULTS OF WASTI AINED IN SIC 282, PLASTIC AND SYNTHETICS INDUSTRY	Zn Hg ⁽²⁾	D 0.1 E 0.4 1.2 1.8 0.4	D 2.1	• 0	Т 0,5 0,2	•••	1, 6%	1 ppm.	ocesses.
		> 5	भ मा भ	ы ы ы	ы		•		D ∳ E Blank =<1 ppm.	ntional pr
	· · · · · · · · · · · · · · · · · · ·	NI Pb Sb S	च प्र घ घ	ല വ ല		ក្រ ក្រ	ы Д Д		L A D E 1 basis: 10 ppm ;	ore conve
		Mo	ОыООы ығ	ы ы					н н н ц н ц н ц	of the m
		Cu Mh	ыстыт Пыстыт	В	لتا ت	[24 [24 [24 [24	យ យ	, . , , , , , , , , , , , , , , , , , , , 	D D -100 p	be typical
		บี เ	는 다 다 다 다 다	Ош	μ		U U ш ш		F C C C C E E E E E E E E	may not
		As B Ba	р р	C C C		Er Er			F D E E and are coded a 0 ² -10 ³ ppm : E	rocess and
				· · ·		•			otherwise, D = 10	product/p
		Ash %	57.9 4.8 13.2 13.2	05° 1 05	- Trace	Trace Trace 1,1			64.2 64.2 2.3 2.3 3.10 ⁴ nnm	int of the
		iption	Ash Sweepings bings udge	Ash	ste Sludge	י) Sludge הה Salt r Sludge csidue	0	Reactor Waste (Emulsion) Wastewater Sludge	ester Sludges ester Dust Collector Dust 64.2 cster Floor Sweepings 2.3 The results are semi-quantitative except where noted otherwise, The results are semi-quantitative except where noted otherwise,	Na 200 pp. 1: b - 10-10 pp By atomic absorption in ppm. This corresponds to a highly proprietary variant of the product/process and may not be typical of the more conventional processes. From Butadiene drying columns. Chemical Assay.
		Waste Description	Incinerator Ash Warehouse Sweepings Plant Sweepings Catalyst Sludge	incinerator Ash Floor Washes	Product Waste Eiological Sludge	(Irrigation) Biological Sludge Wasto Nyion Salt Wastewater Sludge Phenolic Residue	Filter (New) Used Filter		Sludges Dust Collector Dust Floor Sweepings semi-quantitative exce	A = 210 pp.n ; b = 10 = 10 by atomic abscrption in ppm. This corresponds to a highly pro From Butadiene drying columns. Chemical Assay.
	٤	H-8	isoprene Nyion 6-6 Sat Sata Sata Sata	Chlorinated Poly- ethylene Chlorinated Poly-	athylcne Polyvinyl Acetate Nylon 6-6	Nylon 6-6 Nylon 5-6 Polyisoptene Phenolic Resins	Citiorinared Poly- ethylene Chlorinared Poly-	erlylene Polyvinyl Chloride Acrylic-Moderwije	Polyester Polyester Polyester (1) The results are	 A = >10 pput; (2) by atomic absorp (3) This corresponds (4) From Butadiene d (5) Chemical Assay.

Source: Foster D. Snell, Inc.

• •

TABLE B-2

ANALYTICAL RESULTS OF WASTE SAMPLES OBTAINED FROM VARIOUS PLANTS IN SIC 30, RUBBER

PRODUCTS INDUSTRY

	3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ច	(organic)						612		580						450					
		$Cd^{(2)}$							2.5		1.0							2.5			1.0	•
		Pb ⁽²⁾		•					72		3.8						1.0	15			3 ° 8	
		Hg ⁽²⁾						•	0.5		0.5						1.0	0.7			0.1	
		Zn		8	ų	υ	υ	U	В				υ	υ	υ	р			В	В	Ω	
		>		ដា	ដា		ш	ш														
		ŝ		щ	ы		ш	យ	щ								Ω	Ω	ш	ш		•
	Ì	ŝ																				
	E	운		Ω	Ω	ш	D	0			U.			ш			D	D	Ω	Ω		
	ntent ⁶	ΞĮ		Ω	Ω		ш		ıIJ		ய				ய				យ	ш		
	Ion Content ⁽¹⁾	м																				
	IoI	ħ		Ω	ы		D	D	ш		υ				ដា		D	D	ш	щ		
	ļ	J		មា	ធ		ш	Ω	ш		D			ш		•	ш	យ	ш	ធ		
		히		ដា	ដា		ய	ь Ш	, ш		υ					· .	പ	ш	ш	ы		
		ව		D		ш	ы ш	പ	ш			,					ш	ធ	ш	ក្រ		
		R		A	D		υ	υ	U U					ш			υ	υ	U U	υ		
		<u>ب</u>		ш	ല			ш			ш				ய				ш	ш		
	1	As										i.										
		Ash %		57.1	96	10.4	57	68	53.2		3.7	. 08	0.37	15.7	3.1	1.9	58.5	34.3	39.4	42.4	0.28	
•	Water	Content	- (n/s)	1	1	NA	NA	VN	٧V		$30a_{10}^{0}$	040	NA.	NA	NA	NA	VN	VN	NA	VN.	0/uU	
	Water	Soluble	(o ^r ₂)	1.21	0.76	0.10	1.27	1.85	4.84		×	×	0.38	0.57	1.03	1.41	0.95	1.57	1.29	0.21	×	
		Waste Description		Dust frem collector	Floor sweepings	Wet dust collector sludge	Warchouse sweepings #1	Warehouse sweepings #2	Compounding room	sweepings	Used NSW reclaim oil	Virgin NSW reclaim oil	Scrap yam	Skivings	Discard fiber	Scrap trini	Warchouse sweepings	Dust collectors	Reject stock	Flashings	Vaste oils	cable X = Not Performed
· .	Main	Plant Product	•	Tire	Tirc	Tire	Footwear	FCOTWCar	Fontwear		Reclaim	Reclaim	llose	licit	Belt	llose	Misc. Rubber	Mise. Rubher	Misc. Rubber	Misc. Rubber	Misc. Rubber	NA = Not Applicable

(1) The results are semi-quantitative except where noted otherwise, and are coded as follows, on an "as is" basis: $A = >10^5$ ppm; $B = 10^4 - 10^5$ ppm; $C = 10^3 - 10^4$ ppm; $D = 10^2 - 10^3$ ppm; E = 10-100 ppm; Blank = <10 ppm

(2) by atomic adsorption in ppm.

Source: Foster D. Snell, Inc.

B.5

APPENDIX C -- HAZARDOUS WASTE CONTRACTORS AND SERVICE ORGANIZATIONS

Table C-1, beginning on the following page, is a list of hazardous waste contractors and service organizations available to the rubber and plastics industry. The table provides the following information:

Name of organization

Address

Type of service provided.

TABLE C-1 (1)

IDENTIFIED HAZARDOUS WASTE CONTRACTORS

C :		뙶	×	<	×	: >	: ×			×	: >	< >	<	>	<	>	<	>	<	>	< >	< >	<	×		;	×	<.>	×	;	×	>	<		
AND SERVICES OFFERED		15			×	!		,		×	: >	< >	<		•	>	< >	< >	< >	< >	< >	<	<	< :<		;	<	< >	< >	×	*	<	;		
NICES		Z			×			•••		×	1	×	: >	: >	<	>	<			>	< >	: >	<			>	.						×	-	
AND SEI		_{ଥି} ।					•			×	1																								
-	(AS					-		•																										
	duer (1)	OR FS FU			×					×										×	;					>	ć								
		FS				×	а 14			×		×								×	ł					>	<	;				×			
	in Servi	ő			×					×		×														7	<								
-		۲ <u>۲</u>					×			×	×	×		×		×				×		×				×	: ×	: ×	:	*	;				
		II								×																×	:	×	.			×			
		R			×	×	×			×		×		×	×	×	×	×	×	×	×	×		>:		×	: ×	×		×	×	×			
	1 1 1	딩	×	×	×	×	×			×	×	×		×	×	×	×	×	×	×	XI	×	×	≻		×	×	×		×	×	×	X	AND	
		Address			86 Tanner St., Lowell, MA	270 Talbot Ave., Dorchester, MA	37 Bubler St., Lynn, MA			1550 Bainer Road, Model City, NY	4219 19th Ave., Astoria, NY	c. 4626 Royal Ave., Niagara Falls, NY	East Seneca Sr. Oswego, NY	112 liartison Place, Syracuse, NY		23 South Front St., Elizabeth, NJ	1056 Route 1, Edison, NJ	125 Factory Lane, Middlesex, NJ	17 East Second St., Scotch Plains, NJ		216 Patterson Plank Rd., Carlstadt, NJ	25 So. Front St., Elizabeth, NJ	253 River Drive, Passaic, NJ	420 Chestnut St., Union, NJ		One Rollins Plaza, Wilmington, DE			Pottstown.	town, PA	P.O. Rox 545, Phoenixville, PA	407 Mall Circle Dr., Monroeville, PA	4828 Chamberlague Ave., Richmond,	Reproduced from best available conv	
		Company REGION 1	Ilie Crago Company, Inc.	Safety Projects and Engineering, Inc.	suresum Chemical Corp.	Mentvale Larcratories, inc.	Eastern Smelling and Refining	RECTON II	Clark Ted Ballitian Samian	Cache Lieu Pouludon Services, Inc.	Chemical Waste Disposal Corp.	Frontier Chemical Waste Process, Inc. 4626 Royal Ave., Niagara Falls,	Fellerion Abatement Services	Recycling Laborateries	Modern Transportation Co.	Chemical Control Corp.	Astro Pak	Maris-1 Inc.	Scientific Inc.	Rollins Environmental Services	Scientific Chemical Processing, Inc.	Chemical Waste Dispesal, Inc.	Gauss Environmental Services, Inc.	National Converters, Inc.	III NOIDEN	Rollins Environmental Services	American Recovery Corp.	American Recovery Corp.	Pottstown Disposal Service	Sittein Metal Industries, Inc.	Č ¹ .cm-Line	U.S. Prilities Com.	liquid waste Disporal of Virginia		

C-2

ଞ	Ĵ	
5)	

Ċ	
TABLE	

· · · ·													
		1				Sei	vice to	Service to Industry ⁽¹⁾	,(1)				1 1 1
Company DECTON IV	Address	ង	N	8	PR	ő	FS	E	AS	ပ္ပု	Z	LA	8
Liquid Waste Disposal, Inc.	P.O. Box 19063, Louisville, KY	×	×		×					4	×		×
Nuclear Engineering Co., Inc.	Box 7246, Louisville, KY	×										×	×
Petrelite Corp.	Calvert City, KY site		x		×						×	×	×
De structo-Clicinway Corp.	P. O. Box 667, Cason St., Belmont, NC	×	×		X						×		×
Wasteplex, Inc.	P.O. Box 396, Jamesboro, TN	X	×	×	X						×	×	×
Browning-Ferris Industries	Georgia, BFI site	×	×								×	×	×
Lanham Waste Control Inc.	Georgia, BFI site	×	×										×
							*			,			
PECTON V												. 1	
 Chem. Mot Services 	18550 Allen Road, Wyandotte, MI	×	×	×	•							×	
Environmental Waste Control, Inc.	26705 Michigan Ave., Inkster, MI	×	×		X			×			×	×	×
Liquid Disposal Company	3901 Hamblin Road, Utica, MI		×		×						×		×
Nelson Chemicals Co.	12345 Schaefer Highway, Detroit, MI	×	×			×	×	×			×		
Prenco Manufacturing Co.	Stephenson Hwy, Madison Heights, MI						•				×		
Pollation Controls Corp.	1321 University Ave., St. Paul, MN	×									×	×	
Erieway Pollution Control	33 Industry Drive, Bedford, OH	×	×			×	×					×	×
Koski Construction Co.	5841 Woodman Avc., Ashtabula, OH	×	×									×	
Systems Technology Corp.	Baxter Road, Franklin, OH		×		×	×	×			,	×	×	
Hyon Waste Management Services	11700 Stony Island Ave., Chicago, IL	×	×	×		×					×		×
Nuclear Engineering Co., Inc.	Ohio Nuclear Site								' .			x	
Waste Management, Inc.	900 Jorie Bivd., Oak Brook, IL	×	×		×							×	
American Recovery Cerp.	Riley Rd., East Chicago, IL	×					•					×	×
Conservation Chemical Company	Box 6066, Gary, IN	×	×									×	×
Seymour	500 North Broadway, Seymour, IN	×									×		×
American Chemical Service	P.O. Box 190, Griffith, IN	×									X		×
Approved Chemical Treatment	3755 Linden Ave., Grand Rapids, MI	×	×		×		×				×	×	×
Ohio Liquid Disposal, Inc.	504 Liberty Street, Fremont, OH	×	×	•	×							×	×
Chern-Line	Box F, Lishon, OH	×	×	×	×							×	×
Browning-Ferris of Ohio	1901 So. Pine St., Warren, OH	×	×	×	×		X				×	×	×
Rodgers Laboratories	413 So. 6th St., Milwaukee, WI	×	×	×	×							×	×
Waste Research and Reclaimation	Route 3, Eau Claire, WI	×	X	×	×		×				×	×	×
Company, Inc.													
Chem Dyne Corp.	230 Northland Blvd., Cincinnati, OH	×	×								×	×	
					•								

C-3

					1 1 1 1	Serv	Service to Industry ⁽¹⁾	dustry ⁽¹	(TABL	TABLE C-1	(3)	8 1 1 1 1 1 1 1 1 1 1 1 1 1	
	Company	CT	N.	B	R ^q	ő	FS	5	<u>AS</u>	ଞ ା	2	١Ľ	۳	
	ReGION VI Rollins Environmental Services	Baton Rouge, LA, Rollins Site X	×	×	×	×					×	×	×	
	U.S. Pollution attol, Inc.	- 1	×					×				×	×	
	Eloecology Systems, Inc.	4100 East Jefferson, Grand Prarie, TX X	×	×		×	×				×	×	×	
	Browning-Ferris Inc.	n,TX	×	×	×	×	×				×	×	×	
	Malone Service Company	P.O. Box 709, Texas City, TX X	×					×				×	×	
	Petrolite Corp.	Sox 2546, Houston, TX	×	×	×						×	×	×	
	Savie International	P.O. Box 47088, Dallas, TX X	×		•							×		
	Texas Ecologists, Inc.	Robston, TX X	×		×		•				×	×	×	
	Texes liquid Disposal Co.	511 West Texas, Midland, TX X	• .					×				×	×	
	Sheridan Disposal Scrvice, Inc.	Bex 42, Hempsted, TX	×		×						×		×	
$\hat{}$,										
•														
	Conservation Chemical Co.		×		×		×	×		×		×	×	
	Montanto Corp.	800 North Lindbergh, St. Louis, MO			•						×			
	Findett Corporation	Elm Point Rd., St. Charles, MO X					×						×	
	Wheeling Disposal Services	1805 So. 8th St., St. Joseph, MO X									•	×		
	FI of Starsas City, Inc.	Kansas City, MO, BFT Site X	×			×						×		
												v		
	Denver Clean-Up Services, Inc.	3001 Welnut Street, Denver, CO X									•	×		
	XI NOLUSI													
	Cashintia Disposal Site	P.O. Bex 5275. Santa Barbara. CA			×							*	×	
•	Chancellor and Ogden, Inc.	3031 East I Street, Wilmington, CA X					1					×		
	Environmental Protection Corp.	1801 Oak St., Bakersfield, CA		×								×		
	Fresho County Dept. of Public Works	4493 E. Kings Canyon Rd., Fresno CA										×		
	Hellister Disposal Site	Hollister, CA										×		
	Industrial Tank Co.	210 Berellesa St., Martiney, CA X	×	×	×						×	×	×	
	County of Los Angeles Site	1955 Workman Hill Rd., Whittier, CA									•	×		
	Pales Verdus Landijill											× ;		
	Calabasa Landril		;		;							× ;		
	Chular Kendering Company	P.O. Fox 1236, Chula Vista, CA X	×		×		Seproduc	ted fro	E	The second		×		
	Sar Diese Courts Site	JZ24 Nevin Ku., Pachiaonu, GA A				コ	best avai	ilable o	opy.	0		< ×		
												<		

3 TABLE C-1

Richmond Samitary vervice Sam Diege Courty The



Source: Foster D. Snell, Inc.

C-5

Appendix D. <u>DETAILED DEFINITION OF THE PLASTICS AND RUBBER</u> INDUSTRY -- SICS 282 AND 30

Exhibits D-1 through D-9 present a detailed definition for each of the industry segments of SIC 282 and SIC 30.

EXHIBIT D-1(1) DEFINITION OF SIC 2821

SIC 2821 PLASTICS MATERIALS, SYNTHETIC RESINS, AND NONVULCANIZABLE ELASTOMERS

Establishments primarily engaged in manufacturing synthetic resins, plastics materials, and nonvulcanizable elastomers. Important products of this industry include: cellulose plastic materials; phenolic and other tar acid resins; urea and melamine resins; vinyl resins; styrene resins; alkyd resins; acrylic resins; polyethylene resins; polypropylene resins; rosin modified resins; coumarone-indene and petroleum polymer resins; and miscellaneous resins including polyamide resins. silicones, polyisobutylenes, polyesters, polycarbonate resins, acetal resins, fluorohydrocarbon resins; and casein plastics. Establishments primarily engaged in manufacturing fabricated plastics products or plastics film, sheet, rod, nontextile monofilaments and regenerated cellulose products, and vulcanized fiber are classified in Industry 3079, whether from purchased resins or from resins produced in the same plant. Establishments primarily engaged in compounding purchased resins are also classified in Industry 3079. Establishments primarily manufacturing adhesives are classified in Industry 2891.

Acetal resins Acetate, cellulose (plastics) Aciylic resins Acrylonitrile-butadiene-styrene resins Alcohol resins, polyvinyl Alkyd resins Allyl resins Butadiene copolymers, containing less than 50% butadiene Carbohydrate plastics Casein plastics Cellulose nitrate resins Cellulose propionate (plastics) Coal tar resins Condensation plastics Coumarone-indene resins Cresol-furfural resins Cresol resins Dicyandiamine resins Diisocyanate resins Elastomers, nonvulcanizable (plastics) Epichlorohydrin bisphenol Epichlorohydrin diphenol Epoxy resins

Ester gum Ethyl cellulose plastics Ethylene-vinyl acetate resins Fluorohydrocarbon resins Ion exchange resins Ionomer resins Isobutylene polymers Lignin plastics Melamine resins Methyl acrylate resins Methyl cellulose plastics Methyl methacrylate resins Molding compounds, plastics Nitrocellulose plastics (pyroxylin) Nylon resins Petroleum polymer resins Phenol-furfural resins Phenolic resins Phenoxy resins Phthalic alkyd resins Phthalic anhydride resins Polyacrylonitrile resins Polyamide resins Polycarbonate resins

EXHIBIT D-1(2)

Source:

Polyesters

Polyethylene resins

Polypropylene resins Polystyrene resins Polyurethane resins Polyvinyl chloride resins Polyvinyl chloride resins Polyvinyl resins Protein plastics Pyroxylin Resins, phenolic

Rosin modified resins

Styrene-acrylonitrile resins

Silicone resins Soybean plastics Styrene resins

Tar acid resins Urea resins Vinyl resins

Polyisobutylenes

Polyhexamethylenediamine adipamide resins

Resins, synthetic: coal tar and non-coal tar

Silicone fluid solution (fluid for sonar transducers)

Polymerization plastics, except fibers

EXHIBIT D-2 DEFINITION OF SIC 2822

1

SIC 2822 SYNTHETIC RUBBER (VULCANIZABLE ELASTOMERS)

Establishments primarily engaged in manufacturing synthetic rubber by polymerization or copolymerization. An elastomer for the purpose of this classification is a rubber-like material capable of vulcanization, such as copolymers of butadiene and styrene, or butadiene and acrylonitrile, polybutadienes, chloroprene rubbers, and isobutylene-isoprene copolymers. Butadiene copolymers containing less than 50% butadiene are classified in Industry 2821. Natural chlorinated rubbers and cyclized rubbers are considered as semifinished products and are classified in Industry 3069.

Acrylate type rubbers Acrylate-butadiene rubbers Acrylic rubbers Adiprene Butadiene-acrylonitrile copolymers (over 50% butadiene) Butadicne rubbers Butadiene-styrene copolymers (over 50% butadiene) Butyl rubber Chlorinated tubbers, synthetic Chloroprene type rubbers Chlorosulfonated polyethylenes Cyclo rubbers, synthetic **EPDM** polymers Elastomors, vulcanizable (synthetic rubber) Epichlorohydrin elastomers Estane Ethylene-propylene rubbers Fluoro rubbers Fluorocarbon derivative rubbers Hypalon Isobutylene-isoprene rubbers Isocyanate type rubber

Isoprene rubbers, synthetic Neoprene Nitrile-butadiene rubbers Nitrile-chloroprene rubbers Nitrile type rubber N-type rubber Polybutadienes Polyethylenes, chlorosulfona ed Polyisobuty lene-isoprene elastomers Polyisobutylene (synthetic rubber) Polymethylene rubbers **Polysulfides** Pyridine-butadiene copolymers. Pyridine-butadiene rubbers Rubber synthetic Silicone rubbers S-type rubber Stereo regular elastomers Styrene-butadiene rubbers (50% or less styrene content) Styrene-chloroprene rubbers Styrene-isoprene rubbers Thiol rubbers Urethane rubbers Vulcanized oils

Source:

EXHIBIT D-3 DEFINITION OF SIC 2823

SIC 2823 CELLULOSIC MAN-MADE FIBERS

Establishments primarily engaged in manufacturing cellulosic fibers (including cellulose acetate and regenerated cellulose such as rayon by the viscose or cuprammonium process) in the form of monofilament, yarn, staple or tow suitable for further manufacturing on spindles, looms, knitting machines or other textile processing equipment. Establishments primarily engaged in manufacturing textile glass fibers are classified in Industry 3229.

Acetate fibers

......

Cellulose acetate monofilament, yarn, staple, or tow Cellulose fibers, man-made Cigarette tow, cellulosic fiber Cuprammonium fibers Fibers, cellulose man-made Fibers, rayon Horsehair, articificial: rayon Nitrocellulose fibers Rayon primary products: fibers, straw, strips, and yarn Rayon yar, made in chemical plants (primary products) Regenerated cellulose fibers Triacetate fibers Viscose fibers, bands, strips, and yarn Yarn, cellulosic: made in chemical plants (primary products)

Source:

EXHIBIT D-4 DEFINITION OF SIC 2824

SIC 2824 SYNTHETIC ORGANIC FIBERS, EXCEPT CELLULOSIC

Establishments primarily engaged in manufacturing synthetic organic fibers, except cellulosic (including those of regenerated proteins, and of polymers or copolymers of such components as vinyl chloride, vinylidene chloride, linear esters, vinyl alcohols, acrylonitrile, ethylenes, amides, and related polymeric materials) in the form of monofilament, yarn, staple or tow suitable for further manufacturing on spindles, looms, knitting machines or other textile processing equipment. Establishments primarily engaged in manufacturing textile glass fibers are classified in Industry 3229.

Acrylic fibers Acrylonitrile fibers Anidex fibers Casein fibers Elastomeric fibers Fibers, man-made: except cellulosic Fluorocarbon fibers Horsehair, artificial: nylon Linear esters fibers Modacrylic fibers Nylon fibers and bristles Olefin fibers Organic fibers, synthetic: except cellulosic Polyester fibers Polyvinyl ester fibers Polyvinylidene chloride fibers Protein fibers Saran fibers Soybean fibers (man-made textile materials) Vinyl fibers Vinylidene chloride fibers Yarn, organic man-made fiber except cellulosic Zein fibers

Source: The 1972 Standard Industrial Classification Manual.

EXHIBIT D-5 DEFINITION OF SIC 3011

SIC 3011 TIRES AND INNER TUBES

Establishments primarily engaged in manufacturing pneumatic casings, inner tubes, and solid and cusion tires for all types of vehicles, airplanes, farm equipment, and children's vehicles; tiring; and camelback, and tire repair and retreading materials. Establishments primarily engaged in retreading tires are classified in Industry 7534.

Camelback for tire retreading Inner tubes; airplane, automobile, bicycle, motorcycle, and tractor Pneumatic casings (rubber tires) Tire sundries and tire repair materials, rubber Tires, cushion or solid rubber Tiring, continuous lengths: rubber, with or without metal core

Source:

EXHIBIT D-6 DEFINITION OF SIC 3021

SIC 3021 RUBBER AND PLASTICS FOOTWEAR

Establishments primarily engaged in manufacturing all rubber and plastics footwear, waterproof fabric upper footwear, and other fabric upper footwear having rubber or plastic soles vulcanized to the uppers. Establishments primarily engaged in manufacturing rubber, composition, and fiber heels, soles, soling strips, and related shoemaking and repairing materials are classified in Industry 3069; plastic soles and soling strips in Industry 3079.

Arctics, rubber or rubber soled fabric Boots, plastics Boots, rubber or rubber soled fabric Canvas shoes, rubber soled Footholds, rubber Footwear, rubber or rubber soled fabric Gaiters, rubber or rubber soled fabric Galoshes, plastics Galoshes, rubber or rubber soled fabric Overshoes, plastics Overshoes, rubber or rubber soled fabric Pacs: rubber or rubber soled fabric Sandals, rubber Shoes, plastics soles moded to fabric uppers Shoes, rubber or rubber soled fabric uppers Shower sandals or slippe s, rubber

Source:

EXHIBIT D-7 DEFINITION OF THE RECLAIMED RUBBER INDUSTRY SIC 3031

SIC 3031 RECLAIMED RUBBER

Establishments primarily engaged in reclaiming rubber from scrap rubber tires, tubes, and miscellaneous waste rubber articles by processes which result in devulcanized, depolymerized or regenerated replasticized products containing added ingredients. These products are sold for use as a raw material in the manufacture of rubber goods with or without admixture with crude rubber or synthetic rubber. Establishments primarily engaged in the assembly and wholesale sale of scrap rubber are classified in trade industries.

Reclaimed nubber (reworked by manufacturing processes)

Source:

EXHIBIT D-8 DEFINITION OF THE RUBBER AND PLASTICS HOSE AND BELTING INDUSTRY, SIC 3041

SIC 3041 RUBBER AND PLASTICS HOSE AND BELTING

Establishments primarily engaged in manufacturing rubber and plastics hose and belting, including garden hose. Establishments primarily engaged in manufacturing rubber tubing are classified in Industry 3069; plastic tubing in Industry 3079; and flexible metallic hose in Industry 3599.

Air brake and air line hose, rubber or
rubberized fabric
Automobile hose, plastics
Automobile hose, rubber
Belting: conveyor, elevator, trans-
mission, etc rubber
Fire hose, rubber
Garden hose, plastics
Garden hose, rubber

Heater hose, plastics Heater hose, rubber Hose: cotton fabric, rubber lined Pneumatic hose: air brake, air line, etc. - rubber or rubberized fabric Vacuum cleaner hose, plastic Vacuum cleaner hose, rubber V-belts, rubber or plastic

Source: 1972 Standard Industrial Classification Manual

D-10

EXHIBIT D-9(1) DEFINITION OF SIC 3069

SIC 3069 FABRICATED RUBBER PRODUCTS, NOT ELSEWHERE CLASSIFIED

Establishments primarily engaged in manufacturing industrial and mechanical rubber goods, rubberized fabrics and vulcanized rubber clothing and miscellaneous rubber specialties and sundries. Establishments primarily engaged in rebuilding and retreading tires are classified in Industry 7534; and gaskets and packing in Industry 3293.

Acid bottles, rubber Air supported rubber structures Aprons, vulcanized rubber and rubberized fabric: mitse Bags, rubber or rubberized fabric Balloons, advertising and toy: rubber Balloons, metal foil laminated with rubber Balls, rubber: except baseballs, basketballs, footballs, golf and tennis Bath sprays, rubber Bathing caps and suits, rubber Battery boxes, jars, and parts: hard rubber Bibs, vulcanized rubber and rubberized fabric: mitse Bottles, rubber Boxes, hard rubber Brake lining, rubber Brushes, rubber Bulbs for medicine droppers, syringes, atomizers, sprays: rubber Bushings, rubber Capes, vulcanized rubber and rubberized fabric: mitse Caps, rubber Castings, rubber Chlorinated rubbers, natural Cloaks, vulcanized rubber and rubberized fabric: mitse Clothing, vulcanized rubber and rubberized fabric: mitse Combs, hard rubber

Culture cups, rubber Cyclo rubbers, natural Dress shields, vulcanized rubber and rubberized fabric: mitse Druggists' sundries, rubber Erasers: rubber or rubber and abrasive combined Fabrics, rubberized Finger cots, rubber Flooring, rubber: tile or sheet Foam rubber Fountain syringes, rubber Friction tape, rubber Fuel tanks, collapsible: rubberized fabric Funnels, rubber Gloves: surgeons', electricians', household, etc. -- rubber Grips and handles, rubber Grommets, rubber Gutta percha compounds Hair curlers, rubber Hairpins, rubber Handles, rubber Hard rubber products Hard surface floor coverings: rubber Heels, boot and shoe: rubber, composition, and fiber Jar rings, rubber Laboratory sundries: cases, covers, funnels, cups, bottles, etc. -- rubber Latex, foamed Life jackets: inflatable, rubberized fabric

EXHIBIT D-9(2)

Life rafts, rubber Liner strips, rubber Mallets, rubber Mats and matting bath, door, etc. rubber Mattress protectors, rubber Mattresses, pneumatic: fabric coated with rubber Medical sundries, rubber, Mittens, rubber Molded rubber products Mouthpieces for pipes, cigarette holders, etc. - rubber Nipples, rubber Orthopedic sundries, molded rubber Pacifiers, rubber Pads, kneeling rubber Pants; baby vulcanized rubber and rubberized fabric - mitse Pillows, sponge rubber Pipestems and bits, tobacco hard rubber Platens, except printers solid or covered rubber Plumbers' rubber goods Pontoons, rubber Pump sleeves, rubber Rods, hard rubber Rolls, except printers' solid or covered rubber Rubber bands Rubber covered motor mounting rings (rubber bonded) Rubber heels, soles, and soling strips

Rug backing compounds, latex Separators, battery: rubber Sheeting, rubber or rubberized fabric Sheets, hard rubber Sleeves, pump--rubber Soles, boot and shoe rubber composition and fiber Soling strips, boot and shoe rubber, composition, and fiber Spatulas, rubber Sponge rubber and sponge rubber products Stair treads, rubber Stationers' sundries, rubbar Stoppers, rubber Teething rings, rubber Thermometer cases, rubber Thread, rubber except fabric covered Tile, rubber - Top'lift sheets, rubber Top roll covering, for textile mill machinery rubber Toys, rubber Trays, rubber Tubing, rubber Type, rubber Urinals, rubber Valves, hard rubber Wainscoting, rubber Washers, rubber Water bottles, rubber Weather strip, sponge rubber Wet suits, rubber



Source: 1972 Standard Industrial Classification Manual

D-12

μσ**1691** SW-163c.4