



AFCTN Test Report 94-067

AFCTB-ID
94-044



TMSS Parsing Test

MIL-L-8031E, Amendment One




List of Applicable Publications

Document Type Definition



MAXIMA Corporation

DISA Contract #DCA100-93-D-0065



Quick Short Test Report

19960822 066

16 May 1994



Prepared for
Electronic Systems Center
Air Force CALS Program Office
HQ ESC/AV-2
4027 Colonel Glenn Hwy Suite 300
Dayton OH 45431-1672

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

DTIC QUALITY INSPECTED 3

**TMSS Parsing Test
MIL-L-8031E, Amendment One
List of Applicable Publications
Document Type Definition
For:
MAXIMA Corporation
DISA Contract #DCA100-93-D-0065**

Quick Short Test Report

16 May 1994

Prepared By

Air Force CALS Test Bed
Wright-Patterson AFB, OH 45433

AFCTB Contact

Gary Lammers
(513) 427-2295

AFCTN Contact

Mel Lammers
(513) 427-2295

DISCLAIMER

This document was prepared as an account of the work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the
National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

Air Force CALS Test Bed

Notification of Test Results

16 May 1994

This notice documents the results of an Air Force CALS Test Bed (AFCTB) Quick Short Test Report (QSTR) evaluation of data submitted by:

MAXIMA Corporation

Identified as follows:

Title:	MIL-L-8031E, Amendment One List of Applicable Publications DTD Parsing Test
Program:	DISA
Program Office:	DISA
Contract No.:	DCA100-93-D-0065
QSTR No.:	AFCTB-ID 94-044

Received on the following media: **3.5" Diskette**

The results of the AFCTB Quick Short Test evaluation are as follows:

MIL-STD-1840A Media Format:	N/A
MIL-D-28000A IGES:	N/A
MIL-M-28001A SGML:	Pass
MIL-R-28002A Raster:	N/A
MIL-D-28003 CGM:	N/A

Formal results with associated disclaimer are documented and available from the AFCTB.

**Air Force CALS Test Bed
HQ ESC/AV-2P
4027 Colonel Glenn Highway, Suite 300
Dayton, OH 45431-1672
Phone: 513-257-3085 FAX: 513-257-5881**

Contents

1.	Introduction.....	1
1.1.	Background.....	1
1.2.	Purpose.....	2
2.	Test Parameters.....	3
3.	1840A Analysis.....	4
3.1.	External Packaging.....	4
4.	SGML Analysis.....	4
4.1.	Exoterica Validator.....	5
4.2.	Exoterica XGML Normalizer.....	6
4.3.	Sema Mark-it.....	6
4.4.	Public Domain sgmls.....	6
4.5.	SoftQuad Author/Editor.....	7
5.	Conclusions and Recommendations.....	8
6.	Appendix A - Detailed SGML Analysis.....	9
6.1.	Exoterica Validator	9
6.2.	Exoterica XGMLNormalizer Parser.....	18
6.3.	Public Domain sgmls Log.....	18
6.4.	Sema Mark-it Log.....	19
6.5.	SoftQuad Author/Editor Log.....	19

1. Introduction

1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-cycle Support (CALs) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALs standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALs initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

1.2 Purpose

The purpose of this informal test is to analyze Air Force Document Type Definitions (DTDs) for Standard Generalized Markup Language (SGML) syntax, using several commercial and public domain SGML parsers, prior to placing them in the Defense Information Systems Agency (DISA) Asset Source for Software Engineering Technology (ASSET) repository.

2. Test Parameters

Test Plan: AFCTB 94-044

Date of Evaluation: 16 May 1994

Evaluator: George Elwood
Air Force CALS Test Bed
DET 2 HQ ESC/AV-2P
4027 Colonel Glenn Hwy
Suite 300
Dayton OH 45431-1672

Data Originator: Kay Hill
MAXIMA Corporation
2372 Lakeview Drive
Beavercreek OH 45431
(513) 427-5888

Data Description: Technical Manual Test
1 DTD

Data Source System:

Text/SGML
SOFTWARE
Unknown

Evaluation Tools Used:

MIL-M-28001 (SGML)
PC 486/50
Exoterica XGMLNormalizer v1.2e3.2
Exoterica Validator v2.2 ex1
SoftQuad Author/Editor v2.1
McAfee & McAdam Sema Mark-it v2.3
Public Domain sgmls v1.1

Standards Tested: MIL-M-28001A

3. 1840A Analysis

3.1 External Packaging

The 3.5" diskette was hand delivered to the Air Force CALS Test Bed (AFCTB), and it was not enclosed in any type of container.

The files received by the AFCTB were not MIL-STD-1840A files. The files were not named per the standard conventions, as the stated purpose of the evaluation was the basic data structure.

4. SGML Analysis

The AFCTB has several parsers available for evaluating submitted DTD and text files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. These products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings unless specified in the report.

The goal was to configure the DTD under analysis as it would normally be used. However, for this analysis it was necessary to modify the DTD adding the "DOCTYPE doc [" statement to the start and the companion "]">" to the end of the DTD under evaluation, as stated in the comments of the DTD. If the parser did not support a formal file pointing to the location of the ISO character sets, this was added.

The DTD under evaluation, MIL-L-8031E, Amendment one, List of Applicable Publications, called for a companion MIL-M-38784C DTD. MIL-M-38784C, Amendment three DTD, delivered on the same diskette as the DTD to be evaluated- was used. This DTD was used without change except to insert the location of the ISO character set files.

```
<!-- MIL-L-8031E DTD -->
```

```
D031EA0.A1 --> D784CB0.A3
```

The following notes apply to the parsing analysis as indicated in the ensuing paragraphs.

Note 1. Entity parameters defined more than once is a valid SGML construct. The warnings in this analysis do not indicate any problems.

Note 2. The occurrences of warnings "references defined, but not used," appeared because portions of the called DTD, i.e., MIL-M38784C, were not used. They were not used because the entity definitions of the DTD under analysis altered the execution path in the called DTD. The warnings in this analysis do not indicate any problems.

4.1 Exoterica Validator

The DTD file was evaluated using the Exoterica *Validator* *exl* parser. The basic DTD was modified by placing the concrete syntax file and "<!DOCTYPE doc [" at the start, and the "]">" at the end. The parser reported 40 errors which related to the missing instance and are not considered errors for this analysis.

The parser reported 36 warnings of two types. The first type was a parameter entity declared more than once. See Note 1 above.

```
<!-- **Warning** in "i:\dtd\784c.dtd" (entity "%m38784c"), line 1,
      used in "\xgml\9444.dtd", line 1:
      A parameter entity name has been declared more than once.
      The entity is "%frnt".
      <!ENTITY % frnt "(idinfo, warnpage?, chginsst?, lep, verstat?,
chgrec?, co
      ^^^^
-->
```

The second type of warnings related to elements defined but not used in any content model. See Note 2 above.

```
<!-- **Warning** in "\xgml\9444.dtd", line 1:
      An element is not allowed in the document instance because it does not
      appear in any accessible content model or it is completely excluded.
      The element is "ADDRESS".
```

4.2 Exoterica XGML Normalizer

The DTD file was parsed using the Exoterica *XGMLNormalizer* parser. The concrete syntax and "<!DOCTYPE doc [" were added to the start, and "]">" to the end of the file. No errors or warnings were issued by this utility.

4.3 Sema Mark-it

The DTD file was evaluated using McAfee & McAdam's *Sema Mark-it* v2.3 parser. The file was modified by adding the concrete syntax and "<!DOCTYPE doc [" to the start, and "]">" to the end of the file. The base line D784CB0.A3 file was used. The only change made to this file was to save it using UNIX format to remove the DOS end of file character. One error was reported and this relates to a missing instance. This is not considered an error for this report.

4.4 Public Domain sgmls

The DTD file was evaluated using the Public Domain *sgmls* parser version 1.1. The file was modified by adding the "<!DOCTYPE doc [" to the start, and "]">" to the end of the file as stated in the comments in the DTD. The basic 38784C.A3 file was used as the point to file. This file was modified by removing the start and end statements. This DTD remained modified to point to the ISO character sets. Two warnings were reported by the parser. Both were duplicate definitions. See Note 1 above.

The following is the command line used to parse the DTD.

```
C:\EN450>sgmls concrete.syn 9444.dtd -f9444.log -c9444.cap  
-s -u -r -l -g -d -p -e
```

4.5 SoftQuad Author/Editor

The DTD file was evaluated using SoftQuad's *Author/Editor* parser. The DTD was modified to point to the previously parsed basic 38784C.A3 DTD. This file had been set to point to the ISO character set. One error was reported during this operation. This product reported an ambiguous content model in the subfig element in the basic 38784C.DTD. The tag is shown below.

Error in Document Type Declaration at offset 2067 of the input stream, on line 1 of the document: Ambiguous content model.
An instance of element GRAPHIC could simultaneously match two or more tokens in the content model.
Error occurred in the content of parameter entity "m38784c".

```
<!ELEMENT subfig - - ((graphic | macrograph) & figtable? &  
    legend?) >  
<!ATTLIST subfig %secur; >
```

SoftQuad has identified this as an error in their product which will be corrected in the next release of their software.

5. Conclusions and Recommendations

The file D031EA0.A1, MIL-L-8031E, Amendment One DTD, conforms to the SGML syntax of ISO Standard 8879, as required by the CALS MIL-M-28001B specification.

The errors, warnings, and comments reported by the parsers used in this evaluation do not indicate any syntactical variances, nor indicate any problem that would invalidate the effective application of this DTD.

6. Appendix A - Detailed SGML Analysis

6.1 Exoterica Validator

```
<!-- **Warning** in "i:\dtd\784c.dtd" (entity "%m38784c"), line 1,
      used in "\xgml\9444.dtd", line 1:
      A parameter entity name has been declared more than once.
      The entity is "%frnt".
      <!ENTITY % frnt "(idinfo, warnpage?, chginsst?, lep, verstat?,
chgrec?, co
      ^^^^^
-->
<!-- **Warning** in "i:\dtd\784c.dtd" (entity "%m38784c"), line 1,
      used in "\xgml\9444.dtd", line 1:
      A parameter entity name has been declared more than once.
      The entity is "%bodyele".
      <!ENTITY % bodyele "(chapter, chapter+, ddchapter?)" >

<!ENTITY % service
      ^^^^^^^
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
      An element is not allowed in the document instance because it does not
      appear in any accessible content model or it is completely excluded.
      The element is "ADDRESS".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
      An element is not allowed in the document instance because it does not
      appear in any accessible content model or it is completely excluded.
      The element is "APPENDIX".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
      An element is not allowed in the document instance because it does not
      appear in any accessible content model or it is completely excluded.
      The element is "BRK".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
      An element is not allowed in the document instance because it does not
      appear in any accessible content model or it is completely excluded.
      The element is "CHAPTER".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
      An element is not allowed in the document instance because it does not
      appear in any accessible content model or it is completely excluded.
      The element is "CHGINSSHT".
-->
```

```
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "CHGLIST".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "CHGREC".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DDCHAPTER".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DDDESC".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DDINDEX".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DDINTRO".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DDLIST".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DDSHEET".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DOC".
-->
```

```
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "DOCPART".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "FOLDOUT".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "FOLDSECT".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "GLOSSARY".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "ILLUSLIST".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "INDEX".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "INSERTPG".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "INTRO".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "PGBRK".
-->
```



```
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "PGNO".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "PRECAUT".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "PREFACE".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "REAR".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "REMOVEPG".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "SAFESUM".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "SECTION".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "SHORTTITLE".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "TABLELIST".
-->
```

```
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "VOLUME".
-->
<!-- **Warning** in "\xgml\9444.dtd", line 1:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "WARNPAGE".
-->
<!-- Capacity points/limits:
  TOTALCAP =107807/200000
  ENTCAP   =12768/200000
  ENTCHCAP =11205/70000
  ELEMCAP  =4960/70000
  GRPCAP   =25824/70000
  EXGRPCAP =704/70000
  EXNMCAP  =1184/70000
  ATTCAP   =33600/200000
  ATTCHCAP =890/70000
  AVGRPCAP =16416/70000
  NOTCAP   =96/70000
  NOTCHCAP =160/70000
  IDCAP    =0/70000
  IDREFCAP =0/70000
  MAPCAP   =0/70000
  LKSETCAP =0/70000
  LKNMCAP  =0/70000
-->

<<<<< ERRORS FROM THIS POINT ON RELATE TO NO DOCUMENT INSTANCE AND ARE NOT CONSIDERED
FOR THIS REPORT >>>>>

<!-- **Error** in "\xgml\9444.dtd", line 1:
  The document instance must consist of at least one tag or data character.
  The following element can start: "DOCLOAPS".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  The start tag of an element that has one or more required attributes must
  not be omitted.
  Attribute "DOCID" of element "DOCLOAPS" is REQUIRED.
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "FRONT".
-->
```

```
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "IDINFO".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "TMIDNO".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "DOCNO".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "DOCTYPE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "PRTITLE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "PRTITLE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An element must not end before its content model is completely satisfied.
  The element with unsatisfied content is "PRTITLE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "DISCL".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  The start tag of an element that has one or more required attributes must
  not be omitted.
  Attribute "TYPE" of element "DISTRIB" is REQUIRED.
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "AUTHNOT".
-->
```

```
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "PUBDATE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "IDINFO".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "LEP".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "ORIGDATE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "LEP".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  The start tag of an element with CDATA, RCDATA or EMPTY content must not be
  omitted.
  The element is "CONTENTS".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "FOREWORD".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "PARA0".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "TITLE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "FOREWORD".
-->
```

```
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "FRONT".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "BODY".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "LOAPCHAP1".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "TITLE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "MAINSERS".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "TITLE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "MAINSERS".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An element must not end before its content model is completely satisfied.
  The element with unsatisfied content is "MAINSERS".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "LOAPCHAP1".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "LOAPCHAP2".
-->
```

```
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "TITLE".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "PARTNO".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "TMIDNO".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "DOCNO".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "LOAPCHAP2".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "BODY".
-->
<!-- **Error** in "\xgml\9444.dtd", line 1:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "DOCLOAPS".
-->
<!-- Capacity points/limits:
  TOTALCAP =107807/200000
  ENTCAP   =12768/200000
  ENTCHCAP =11205/70000
  ELEMCAP  =4960/70000
  GRPCAP   =25824/70000
  EXGRPCAP =704/70000
  EXNMCAP  =1184/70000
  ATTCAP   =33600/200000
  ATTCHCAP =890/70000
  AVGRPCAP =16416/70000
  NOTCAP   =96/70000
  NOTCHCAP =160/70000
  IDCAP    =0/70000
  IDREFCAP =0/70000
  MAPCAP   =0/70000
```

LKSETCAP =0/70000
LKNMCAP =0/70000

-->
<!-- 40 errors and 36 warnings reported. -->

6.2 Exoterica XGMLNormalizer Parser

No reported errors or warnings.

6.3 Public Domain sgmls Log

sgmls: In file included at 9444.dtd, line 37:
Warning at c:\sgmlpub\784.dtd, line 110 in declaration parameter 4:
Duplicate specification occurred for "%frnt"; duplicate ignored
sgmls: In file included at 9444.dtd, line 37:
Warning at c:\sgmlpub\784.dtd, line 166 in declaration parameter 4:
Duplicate specification occurred for "%bodyele"; duplicate ignored

TOTALCAP 107177
ENTCAP 12768
ENTCHCAP 10540
ELEMCAP 4960
GRPCAP 25824
EXGRPCAP 736
EXNMCAP 1184
ATTCAP 33600
ATTCHCAP 890
AVGRPCAP 16416
NOTCAP 96
NOTCHCAP 163
IDCAP 0
IDREFCAP 0
MAPCAP 0
LKSETCAP 0
LKNMCAP 0

6.4 Sema Mark-it Log

```
<!--*** file:C:\XGML\9444.DTD line:148 pos:4630
Document entity ended illegally
(or illegal end of entity in the main document)-->
```

6.5 SoftQuad Author/Editor Log

```
C:\USR\SQPS\BIN>mkrls -a -S cal.s.dec 9444.dtd
DOS/4GW Protected Mode Run-time Version 1.6
Copyright (c) Rational Systems, Inc. 1990-1992
Compiling 9444.dtd into 9444.rls.
```

Error in Document Type Declaration at offset 1105 of the input stream,
on line 1 of the document: Ambiguous content model.
An instance of element FIGTABLE could simultaneously match two or more
tokens in the content model.
Error occurred in the content of parameter entity "m38784c".

Below is the area in the DTD that was addressed.

```
<!ELEMENT subfig      - - ((graphic | macrograph) & figtable? &
                           legend?) >
<!ATTLIST subfig      %secur; >
```