REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of info rathering and maintaining the data needed, and in collection of information, including suggestions fi bark biohaws, Suite 1204, Arlington, VA 222024	rmation is estimated to average 1 hour per r completing and reviewing the collection of in or reducing this burden, to Washington Head 302, and to the Office of Management and B	esponse, including the time for re- formation. Send comments regar- lquarters Services, Directorate for udget, Paperwork Reduction Proje	viewing instructions, searching existing data sources, ding this burden estimate or any other aspect of this information Operations and Reports, 1215 Jefferson ct (0704-0188), Washington, DC 20503.	
I. AGENCY USE ONLY (Leave blank	2. REPORT DATE	3. REPORT TYPE AND Annual Technica	DATES COVERED a1 12/1/95 - 11/30/96	
. TITLE AND SUBTITLE			5. FUNDING NUMBERS	
Atom Interferometry				
6. AUTHOR(S)			N00014-96-1-0432	
Prof. David E. Pritc	hard			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION	
Research Laboratory of Electronics				
Massachusetts Insti	itute of lechnolog	у		
Cambridge, MA 02139	9			
. SPONSORING/MONITORING AGE	NCY NAME(S) AND ADDRESS(ES)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
Office of Naval Resea	arch			
Ballston Tower One 800 North Ouincy Stre	eet		962202195-00	
Arlington, VA 22217-5660			907802195-00	
author(s) and should position, policy, or 2a. DISTRIBUTION/AVAILABILITY S	not be construed as a decision, unless so o	an official Depar designated by ot	ntment of the Army her documentation. 12b. DISTRIBUTION CODE	
author(s) and should position, policy, or 12a. DISTRIBUTION/AVAILABILITY S Approved for public n	not be construed as a <u>decision, unless so o</u> TATEMENT release; distribution	unlimited.	rtment of the Army her documentation. 12b. DISTRIBUTION CODE	
author(s) and should position, policy, or 12a. DISTRIBUTION/AVAILABILITY S Approved for public r 13. ABSTRACT (Maximum 200 word	not be construed as a decision, unless so o STATEMENT release; distribution	unlimited.	rtment of the Army her documentation. 12b. DISTRIBUTION CODE	
author(s) and should position, policy, or 12a. DISTRIBUTION/AVAILABILITY S Approved for public a 13. ABSTRACT (Maximum 200 words Matter wave interferomet recombined to produce in fundamental measureme demonstrated atom interfet that allows the insertion research program is to tak Broglie wave phase in or physics, to devise new the tests of quantum mechan a new laser-grated velo measurements and the u beams. As an integral pa such as smaller period gra nanotechnology and micr	advor findings contain not be construed as a <u>decision</u> , <u>unless</u> so a STATEMENT release; distribution ers, in which atomic or mole neterference fringes, have ope nts with complex particles. erometer that spatially sepa on of a barrier between the ce advantage of this ability to der to make qualitatively new echniques for measuring acc ics. In addition, we are conti- icity selection technique to se of time dependent beam rt of our program, we are al atings for wider separation of omachining.	unlimited. unlimited.	s are coherently split and then possibilities for precision and eter in particular is the only f the matter waves in a way recombined. The aim of our tteractions that displace the de nents in atomic and molecular , and to perform fundamental atom optical methods such as on of future interferometric gitudinal coherences in atom lop new atomic physics tools ision interaction regions using	
author(s) and should position, policy, or 12a. DISTRIBUTION / AVAILABILITY S Approved for public of 13. ABSTRACT (Maximum 200 words Matter wave interferomet recombined to produce in fundamental measureme demonstrated atom interfe that allows the insertion research program is to tak Broglie wave phase in ord physics, to devise new te tests of quantum mechanta a new laser-grated velo measurements and the u beams. As an integral pa such as smaller period gra nanotechnology and micr	adyor findings contain not be construed as a <u>decision, unless so</u> STATEMENT release; distribution ers, in which atomic or mole neterference fringes, have ope nts with complex particles. erometer that spatially sepa on of a barrier between the ce advantage of this ability to der to make qualitatively new echniques for measuring acc ics. In addition, we are conti- city selection technique to se of time dependent beam it of our program, we are al- atings for wider separation of omachining.	unlimited. unlimited.	s are coherently split and then possibilities for precision and eter in particular is the only f the matter waves in a way recombined. The aim of our iteractions that displace the de nents in atomic and molecular , and to perform fundamental atom optical methods such as on of future interferometric gitudinal coherences in atom lop new atomic physics tools ision interaction regions using	
author(s) and should position, policy, or 12a. DISTRIBUTION/AVAILABILITY S Approved for public r 13. ABSTRACT (Maximum 200 words Matter wave interferomet recombined to produce in fundamental measureme demonstrated atom interfe that allows the insertion research program is to tak Broglie wave phase in ord physics, to devise new te tests of quantum mechanta a new laser-grated velo measurements and the u beams. As an integral pa such as smaller period gra nanotechnology and micr	adyor findings contain not be construed as a <u>decision</u> , <u>unless</u> so a STATEMENT release; distribution ers, in which atomic or mole neterference fringes, have open nts with complex particles. erometer that spatially sepa on of a barrier between the cadvantage of this ability to der to make qualitatively new echniques for measuring acc ics. In addition, we are conti- icity selection technique to se of time dependent beam atings for wider separation of comachining.	unlimited. unlimited.	s are coherently split and then possibilities for precision and eter in particular is the only f the matter waves in a way recombined. The aim of our iteractions that displace the de nents in atomic and molecular , and to perform fundamental atom optical methods such as on of future interferometric gitudinal coherences in atom lop new atomic physics tools ision interaction regions using 15. NUMBER OF PAGES 16. PRICE CODE	
author(s) and should position, policy, or 12a. DISTRIBUTION/AVAILABILITY S Approved for public a 13. ABSTRACT (Maximum 200 word Matter wave interferometer recombined to produce in fundamental measureme demonstrated atom interfer that allows the insertion research program is to tak Broglie wave phase in ord physics, to devise new the tests of quantum mechanta a new laser-grated velo measurements and the u beams. As an integral pa such as smaller period gra nanotechnology and micr	not be construed as a decision, unless so of STATEMENT release; distribution ers, in which atomic or mole hterference fringes, have ope nts with complex particles. erometer that spatially sepa on of a barrier between the te advantage of this ability to der to make qualitatively new echniques for measuring acc ics. In addition, we are conti- icity selection technique to se of time dependent beam rt of our program, we are al atings for wider separation of omachining. DTIC (18. SECURITY CLASSIFICATION	unlimited. unlimited.	s are coherently split and then possibilities for precision and eter in particular is the only f the matter waves in a way recombined. The aim of our teractions that displace the de nents in atomic and molecular , and to perform fundamental atom optical methods such as on of future interferometric gitudinal coherences in atom lop new atomic physics tools ision interaction regions using 15. NUMBER OF PAGES 16. PRICE CODE ICATION 20. LIMITATION OF ABSTRA	
author(s) and should position, policy, or 2a. DISTRIBUTION/AVAILABILITY S Approved for public a 3. ABSTRACT (Maximum 200 words Matter wave interferomet recombined to produce in fundamental measureme demonstrated atom interfe that allows the insertion research program is to tak Broglie wave phase in ord physics, to devise new te tests of quantum mechanta a new laser-grated velo measurements and the u beams. As an integral pa such as smaller period gra nanotechnology and micr 14. SUBJECT TERMS	adyor Tindings Contain not be construed as a <u>decision</u> , <u>unless</u> so a STATEMENT release; distribution ers, in which atomic or mole neterference fringes, have open nts with complex particles. erometer that spatially sepa on of a barrier between the cadvantage of this ability to der to make qualitatively new echniques for measuring acc ics. In addition, we are conti- icity selection technique to se of time dependent beam at of our program, we are al atings for wider separation of omachining. DTTC (18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	unlimited. unlimited.	s are coherently split and then possibilities for precision and eter in particular is the only f the matter waves in a way recombined. The aim of our iteractions that displace the de nents in atomic and molecular , and to perform fundamental atom optical methods such as on of future interferometric gitudinal coherences in atom lop new atomic physics tools ision interaction regions using 15. NUMBER OF PAGES 16. PRICE CODE ICATION 20. LIMITATION OF ABSTRA UL	

1

. • · -

.

OFFICE OF NAVAL RESEARCH-N00014-96-1-0432 Atom Interferometery Annual Progress Report 12/1/95-11/30/96 David E. Pritchard-MIT

1. Research Objective

Matter wave interferometers, in which atomic or molecular de Broglie waves are coherently split and then recombined to produce interference fringes, have opened up exciting new possibilities for precision and fundamental measurements with complex particles. The MIT interferometer in particular is the only demonstrated atom interferometer that spatially separates the two parts of the matter waves in a way that allows the insertion of a barrier between them before they are recombined. The aim of our research program is to take advantage of this ability to accurately measure interactions that displace the de Broglie wave phase in order to make qualitatively new and precise measurements in atomic and molecular physics, to devise new techniques for measuring acceleration and rotation, and to perform fundamental tests of quantum mechanics. In addition, we are continuing to develop new atom optical methods such as a new laser-grated velocity selection technique to improve the precision of future interferometric measurements and the use of time dependent beam splitters to probe longitudinal coherences in atom beams. As an integral part of our program, we are also continuing to develop new atomic physics tools such as smaller period gratings for wider separation of atom beams and precision interaction regions using nanotechnology and micromachining.

2. Progress

Atom interferometers are extremely sensitive to rotations. By suspending our interferometer and subjecting it to a slow sinusoidal rotational oscillation, we have observed rotation rates down to 50 milliearthrates in a 20 s measurement (the noise in a one second measurement is 40 milli-earthrates) and have shown the response to have better that 1% agreement with theory. This sensitivity is comparable to the best commercially available laser gyros. A dedicated instrument using Cs atoms instead of Na and designed around projected 1 cm square gratings should have a sensitivity that is four orders of magnitude better, making its performance superior to the best technologies in current use.

Over the past year, we have also taken key steps towards improving the sensitivity of our atom interferometer in preparation for precision measurements. In collaboration with the Nanostructures Laboratory at Cornell University, we have successfully microfabricated 200, 160 and 140 nm period diffraction gratings. Atomic interference has been observed using these gratings, and also with 100 nm gratings fabricated in the Nanostructures Lab of Hank Smith here at MIT. The finer gratings will allow us to explore higher beam velocities during studies of interatomic potential dispersion (see below). Finally, using micromechanical fabrication techniques, we have constructed an atom interaction cell with an exceptionally thin (10 μ m) silicon wall, thus facilitating the cell's placement in one of the interferometer's physically separated beam paths.

3. Future Plans

We are currently rebuilding the interferometer, making it longer and more sensitive. The new design also incorporates an improved inertial isolation system (important because random rotational and vibrational noise reduce the contrast in our current interferometer), modularity to facilitate a variety of experiments, and flexibility to multitask experiments.

Upon completion of the rebuild, we will persue an experiment using the MIT interferometer's unique sesitivity to interaction induced phase shifts to study the velocity dependence of atom-atom potentials. There is significant interest in the theoretical community in such experiments as they probe the long range behavior of atomic potentials, which are important for Bose-Enistein condensation for example. It is anticipated that the index of refraction should exhibit Glory oscillations as the velocity of the impinging gas is increased.

In addition, we propose to investigate the fundamental question as to the extent to which various longitudinal momentum states are correlated in an atom beam. By incorporating Ramsey separated oscillatory fields into our interferometer and by using them to provide momentum kicks, we have figured out a way to overcome any degradation of the momentum correlation due to velocity averaging. Preparations for this experiment are currently underway.

Other experiments being planned include investigation of the Aharanov-Casher effect, measurement of Berry's phase for massive bosons, search for extremely small interactions such as the controversial Anandan force, and tests of the robustness of interference (such as the persistence of atomic interference fringes despite the atom's spontaneous emission of photons in the interferometer).

ATTACHMENT NUMBER 1

REPORTS AND REPORT DISTRIBUTION

REPORT TYPES

(a) Performance (Technical) Report(s) (Include letter report(s)) Frequency: Annual

- (b) Final Technical Report, issued at completion of Grant. NOTE: Technical Reports must have a SF-298 accompanying them.
- (c) Final Financial Status Report (SF 269)

(d) Final Patent Report (DD 882)

REPORTS DISTRIBUTION				
ADDRESSEES	REPORT TYPES	NUMBER OF COPIES		
Office of Naval Research Program Officer Herschel S. Pilloff ONR 331 Ballston Centre Tower One 800 North Quincy Street Arlington, VA 22217-5660	(a) & (b) w/(SF-298's)	3		
Administrative Grants Officer OFFICE OF NAVAL RESEARCH REGIONAL OFFICE BOSTON 495 SUMMER STREET ROOM 103 BOSTON, MA 02210-2109	(c), (d) & SF- 298's only for (a) & (b)	1		
Director, Naval Research Laboratory Attn: Code 2627 4555 Overlook Drive Washington, DC 20375-5326	(a) & (b) w/(SF-298's)	1		
Defense Technical Information Center 8725 John J. Kingman Road STE 0944 Ft. Belvoir, VA 22060-6218	(a) & (b) w/(SF-298's)	2		
Office of Naval Research Attn: ONR 00CC1 Ballston Centre Tower One 800 North Quincy Street Arlington, VA 22217-5660	(d)	1		

If the Program Officer directs, the Grantee shall make additional distribution of technical reports in accordance with a supplemental distribution list provided by the Program Officer. The supplemental distribution list shall not exceed 250 addresses.