gathering and maintaining the data needed, and collection of information, including suggestions f	rmation is estimated to average 1 hour per respon I completing and reviewing the collection of inform for reducing this burden to Washington Headquar 2-4302, and to the Office of Management and Bu	nation. Send comments regarding	g instructions, searching existing data sources,
1. AGENCY USE ONLY (Leave blank)	2-4302, and to the Office of Management and Bu		nation Operations and Reports, 1215 Jefferson
	2. REPORT DATE	3. REPORT TYPE AND	
A TITLE AND SURTITLE	4/18/97		92-12/31/96
	ion in Ocean Surface		s. FUNDING NUMBERS NOOO14-92-J-1440 G
6 AUTHOR(S) Stephen L. Elgar			
	·		,
7. PERFORMING ORGANIZATION NAMI School of Electrica Washington State Ur Pullman, WA 99164-	al Engineering and C niversity	omputer Scienc	8. PERFORMING ORGANIZATION e REPORT NUMBER 11F-3820-2773
9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES) Office of Naval Research Ballston Centre Tower One 800 North Quincy Street Årlington, VA 22217-5660			10. SPONSORING / MONITORING AGENCY REPORT NUMBER
n/a a. DISTRIBUTION/AVAILABILITY STAT Unrestricted	EMENT DECREMINATION SPAT Accurved to public Decidination Unit	c relocatet	12. DISTRIBUTION CODE
effects of nonlinea in intermediate and effects on finite-o changes in shapes o linear wave-wave in Results from this s beach undergo much experiments on mode transfers to higher a Boussinesq model.	arity in naturally o d shallow water dept depth waves were com of waves in the near nteractions were invest study show that wave stronger nonlinear erately sloping beac r frequencies (frequ . Reflection of low re predicted accurat	ccurring ocean hs. Field obs pared to model shore caused b estigated. s propagating evolution than hes. The obse ency doubling) energy swell	as to investigate the surface gravity waves ervations of nonlinear predictions and the y near-resonant non- over a shallow, flat observed in previous rved nonlinear energy are well described by and dissipation owing l based on the non-
14. SUBJECT TERMS nonlinear shoaling, spectral evolution, gravity wave infragravity-frequency			S, 15. NUMBER OF PAGES 6 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFIC OF ABSTRACT UNC I a S S I F I ed	ATION 20. LIMITATION OF ABSTRACT UL Standard Form 298 (Rev. 2-89) Precerbed by ANISE 5ad 239-18

19970425 053

DTIC QUALITY INSPECTED 2

Final Technical Report for the Project: Nonlinear Interactions in Ocean Surface Waves, N00014-92-J-1440

The immediate scientific objective of this project was to investigate the effects of nonlinearity in naturally occurring ocean surface gravity waves in intermediate and shallow water depths. Field observations of nonlinear effects on finite-depth waves were compared to model predictions and the the changes in shapes of waves in the nearshore caused by near-resonant nonlinear wave-wave interactions were investigated.

Results from this study show that waves propagating over a shallow, flat beach undergo much stronger nonlinear evolution than observed in previous experiments on moderately sloping beaches. The observed nonlinear energy transfers to higher frequencies (frequency doubling) are well described by a Boussinesq model. Reflection of low energy swell and dissipation owing to wave breaking are predicted accurately by a model based on the nonlinear shallow water equations.

The evolution of waves, currents, and bathymetry on a natural beach was observed during the Duck94 field experiment. In collaboration with R.T. Guza (Scripps Institution of Oceanography) a cross-shore transect of pressure gages, current meters, and sonar altimeters (to determine the seafloor location) was deployed near Duck, NC extending from the shoreline to about 8 m water depth. On monotonically and moderately sloping beaches, wave breaking limits the spatial extent over which nondissipative, nonlinear wave evolution can occur. However, for about 3 weeks during Duck94 the bathymetry included a nearly horizontal (flat), 2 m deep section extending about 80 m from the toe of the foreshore seaward to a small sand bar, resulting in significantly stronger nonlinear evolution than typically observed. The nonlinear evolution of waves propagating over this bathymetry was investigated in both the time and frequency domains, and the observed wave shapes and frequency spectra were compared to the prediction of 2 models. One model is based on the Boussinesq equations and the other on the shallow water equations. The shapes of the waves are described statistically by third moments (skewness and asymmetry) of the time series of sea-surface elevation. Skewness indicates the degree of peakedness of the waves (eg, the lack of symmetry about a horizontal plane caused by differences between the shapes of wave crests and troughs). Asymmetry indicates the degree of pitched-forwardness of the waves (eg, the lack of symmetry about a vertical plane caused by differences in the shapes of leading and trailing wave faces). A Gaussian sea surface has zero third moments.

The evolution of narrow band swell (significant wave height = 80 cm) undergoing frequency doubling (eg, a doubling of the number of waves) was studied. Near-resonant nonlinear quadratic interactions transfer energy from the swell (frequencies between f =0.08 and f = 0.9 Hz) to its harmonic (0.16 < f < 0.18) as the waves propagate across the nearshore. In 8 m depth the dominant wave period was about 11 s. In 2 m depth, at the seaward edge of the flat section, small crests began to emerge in the troughs of the 11 s swell. These resonantly excited waves continued to grow as the nonbreaking waves propagated over the 80 m wide flat section, resulting in twice as many wave crests on the foreshore. This frequency doubling is also evident in the evolution of the frequency spectrum of the wave field. At the foreshore the energy in the harmonic peak nearly equals that of the swell.

The observed wave evolution was compared to predictions of a model based on the nonlinear Boussinesq equations for unidirectional, nonbreaking waves propagating in shallow water. In this model quadratic, near-resonant interactions between pairs of swell components excite waves with the sum frequency (eg, twice the frequency of the swell). The Boussinesq model predicts accurately the observed third moments, especially the change in shape from pitched-forward waves at the seaward edge of the sand bar, to skewed, but symmetric about the vertical waves at the toe of the foreshore. The transfer of energy from the swell to higher frequencies is also well predicted by the Boussinesq model. The model-data comparisons indicate that the decrease in swell spectral level observed as the waves propagated across the flat beach section is owing primarily to nonlinear transfers.

The evolution of a more complicated wave field consisting of two low energy (the overall significant wave height is about 40 cm) swell peaks (0.057 < f < 0.068 Hz and 0.011 < f < 0.12 Hz) was also investigated. In this case, the lower frequency swell partially reflects from the beach, resulting in large cross-shore modulations of energy from partial standing waves. Simultaneously, the low frequency swell interacts nonlinearly with the higher frequency swell, resulting in a transfer of energy to their sum frequency (0.17 < f < 0.19 Hz). The higher frequency swell dissipates owing to breaking as it propagates over the small sand bar. The nonlinear energy transfer is predicted accurately by the Boussinesq wave model. A model based on the shallow water equations predicts accurately the nodes and antinodes caused by the partial reflection of the low frequency swell and the breaking-induced decrease in energy of the higher-frequency swell.

ONR-Sponsored Publications

P = published IP = in press PS = paper submitted IC = invited conference paper C = contributed conference paper R = technical reportBC = book chapter

PUBLICATIONS FROM THIS ONR SPONSORED WORK FY91-97

Steve Elgar and T.H.C. Herbers

93-P Elgar, S. and M.P. Kennedy, 1993 Bispectral analysis of Chua's circuit, J. Circuits, Systems, and Computing 3, 33-48.

93-P Elgar, S. and V. Chandran, 1993 Higher-order spectral analysis to detect nonlinear interactions in measured time series and an application to Chua's circuit, International Journal of Bifurcation and Chaos, 3, 19-34.

92-C Herbers, T.H.C., S. Elgar, R.T. Guza, and W.C. O'Reilly, Infragravity-frequency (0.005-.05 Hz) motions on the shelf, Proceedings International Conference on Coastal Engineering, ASCE, Venice, 1992, Chapter 63, 846-859.

93-P Elgar, S. and V. Chandran, 1993 Higher-order spectral analysis to detect nonlinear interactions in measured time series and an application to Chua's circuit, International Journal of Bifurcation and Chaos 3, 19-34.

93-P Elgar, S., R.T. Guza, and M.H. Freilich, 1993 Observations of nonlinear interactions in directionally spread shoaling surface gravity waves, J. Geophysical Research 98, 20299-20305.

93-P Herbers, T.H.C., and R.T.Guza, 1993 Comment on 'Velocity observations above a rippled bed using laser Doppler velocimetry' by Y. Agrawal and D. Aubrey," J. Geophys. Res. 98, 20331-20333.

93-P Elgar, S. and M.P. Kennedy, 1993 Bispectral analysis of Chua's circuit," J. Circuits, Systems, and Computers, 3, 33-48. (reprinted in "Chua's Circuit: A paradigm for Chaos," Ed R. Madan, Series on Nonlinear Science, Series B, Vol 1, 892-907, World Scientific, Singapore, 1993)

93-P Chandran, V., and S. Elgar, 1993 Pattern recognition using invariants defined from higher-order spectra: one-dimensional inputs," IEEE Acoustics, Speech, and Signal Processing 41, 205-212.

۰.

93-P Chandran, V., S. Elgar, and C. Pezeshki, 1993 Bispectral and trispectral characterization of transition to chaos in the Duffing oscillator, International J. Bifurcation and Chaos 3, 551-557.

93-P Elgar, Steve and V. Chandran, 1993 Higher-order spectral analysis of Chua's circuit, IEEE Transactions on Circuits and Systems (special issue on Nonlinear Circuits) 40, 689-692.

93-P Elgar, S. and J. Kadtke, 1993 Paleoclimatic attractors, new data, further analysis, International Journal of Bifurcation and Chaos 3, 1587-1590.

94-P Herbers, T.H.C., S. Elgar, and R.T. Guza, 1994 Infragravity- frequency (0.005-0.05 Hz) motions on the shelf, part I: Forced waves, J. Physical Oceanography 24, 917-927.

94-P Elgar, S., T.H.C. Herbers, and R.T. Guza, 1994 Reflection of ocean surface gravity waves from a natural beach, J. Physical Oceanography 24, 1503-1511

94-P Herbers, T.H.C. and R.T. Guza, 1994 Nonlinear wave interactions and highfrequency sea floor pressure, J. Geophysical Research, 99, 10035-10048.

94-P Chandran, V. and S. Elgar, '994 A general procedure for the derivation of principal domains of higher-order spectra, IEEE Signal Processing 42, 229-233.

94-P Herbers, T.H.C., S. Elgar, R.T. Guza, and W.C. O'Reilly, '994 Infragravity-frequency (0.005-0.05 Hz) motions on the shelf, Part II: Free Waves, J. Phys. Ocean. 25, 1063-1079.

94-P Chandran, V., S. Elgar, and B. Vanhoff, 1994 Statistics of tricoherence IEEE Signal Processing 42 3430-3440.

95-P Elgar, S. T.H.C. Herbers, V. Chandran, and R.T. Guza, 1995 Observations of nonlinear ocean surface gravity waves, J. Geophys. Res. 100, 4977-4983.

95-P Raubenheimer, B., R.T. Guza, S. Elgar, and N. Kobayashi, 1995 Swash on a gently sloping beach, J. Geophys. Res. 100, 8751-8760.

95-P Elgar, S. T.H.C. Herbers, V. Chandran, and R.T. Guza, 1995 Higher-order spectral analysis of nonlinear ocean surface gravity waves, J. Geophys. Res. 100, 4977-4983.

95-P Herbers, T.H.C., Steve Elgar, and R.T. Guza, 1995 Generation and propagation of infragravity waves, J. Geophys. Res. 100, 24,863-24,872.

95-P Raubenheimer, B., R.T. Guza, S. Elgar, and N. Kobayashi, 1995 Swash on a gently sloping beach, J. Geophys. Res. 100, 8751-8760.

95-P Gallagher, Edith, B. Boyd, Steve Elgar, R.T. Guza, B.T. Woodward, 1995 Per-

formance of a sonar altimeter in the nearshore, Marine Geology 133, 241-248.

96-P O'Reilly, W. C., T. H. C. Herbers, R. J. Seymour, and R. T. Guza, 1996 A comparison of directional buoy and fixed platform measurements of pacific swell, J. Atmos. Oceanic Technology, 13(1), 231-238.

96-P Raubenheimer, B., R.T. Guza, and Steve Elgar, 1996 Wave transformation in the inner surf zone, J. Geophysical Research 101, 25,589–25,597.

97-P Vanhoff, B., Steve Elgar, and R.T. Guza, 1997 Numerically simulating nonGaussian sea surfaces, ASCE J. Waterway, Port, Coastal, and Ocean Engineering 123, 68-72.

97-IP Elgar, Steve, R.T. Guza, B. Raubenheimer, T.H.C. Herbers, Edith Gallagher, Spectral Evolution of Shoaling and Breaking Waves on a Barred Beach, J. Geophysical Research, in press.

97-IP Chandran, V. B.Carswell, B. Boashash, and S. Elgar, Pattern recognition using invariants defined from higher-order spectra: two-dimensional inputs, IEEE Transactions on Image Processing, in press.

97-PS Chen, Yongze, R.T. Guza, and Steve Elgar, Modeling breaking surface waves in shallow water, J. Geophysical Research, sub judice.

97-PS Herbers, T. H. C., and M. C. Burton, Nonlinear shoaling of directionally spread waves on a beach, J. Geophysical Research, sub judice.

PUBLICATIONS/PATENTS/PRESENTATIONS/HONORS REPORT

R&T Number: 321k003—05 Contract/Grant Number: N00014-92-J-1440 Principal Investigator: Steve Elgar and T.H.C. Herbers Mailing Address: EECS 2752 Washington State University Pullman, WA 99164-2752 Phone Number: 509 335-6602 E-mail: elgar@eecs.wsu.edu

27 Papers published or in press, refereed journals

2 Papers submitted, refereed journals

1 Books or chapters published, refereed publication

0 Books or chapters submitted, refereed publication

1 Invited presentations

many Contributed presentations

0 Technical reports and papers, non-refereed journals

Honors/awards/promotions

-appointed editor for Ocean Science, EOS (Elgar)

- promotion to full professor (Elgar)

0 Undergraduate students supported

1 Graduate students supported

1 Post-docs supported

0 Other professional personnel supported

EEO/Minority Support

0 Female grad students

0 Minority grad students

0 Asian grad students

0 Female post-docs

0 Minority post-docs

0 Asian post-docs