INFLUENCE OF THE PROTON CONCENTRATION ON THE PROPERTIES OF THE LINBO3 and LITaO3 CRYSTALS

Interim report 1 by M.P. DE MICHELI June 1996

United States Army

EUROPEAN RESEARCH OFFICE OF THE U.S. ARMU London England

CONTRACT NUMBER: N68171-96-C-9040

19970506 062

DTIC QUALITY INSPECTED 3

Laboratoire de Physique de la Matière Condensée CNRS

Parc VALROSE, 06108 NICE CEDEX2, FRANCE

Approved for Public Release; distribution unlimited.

REPORT DOCUMENTATION PAGE			
1. AGENCY USE ONLY	2. REPORT DATE 06/12/96	3. REPORT TYPE AND DATES COVERED MAY-JUNE 96	
4. TITLE :			5. FUNDING NUMBERS
Influence of the proton concentration on the properties of the LiNbO ₃ and LiTaO ₃ crystals			
6. AUTHOR : M.P. DE MICHELI			
7. PERFORMING ORGANIATION NAMES AND ADDRESSES			8. PERFORMING
Laboratories de Physique de la Matière Condensée, Parc Valrose, 06108 NICE Cedex 2,			ORGANIZATION REPORT
FRANCE			NUMBER
9. SPONSORING, MONITORING AGENCY NAMES AND ADDRESSES			10. SPONSORING,
			MONITORING AGENCY
	-		REPORT NUMBER
11. SUPPLEMENTARY NOTE	ES		······
12A. DISTRIBUTION / AVAILABILITY STATEMENT			12B. DISTRIBUTION CODE
Approved for Public Release; distribution unlimited.			
13. ABSTRACT/ In the proposal we wrot as exchanged waveguid to determine if the proto conditions, extra proton cases. We planed to do this on today, the phase diagrat crystal, which presents realization of an Integra same.	te one year ago, the worl les and annealed wavegu on concentration in a give is, sometimes called "inte a LiTaO ₃ where we knew m of the LiNbO ₃ is also more interest for the app ted Optical Parametric C	k plan for the first year w ides presenting the same en phase is fixed or depe erstitial protons" being in v the phase diagram of th known, so this study wil lication we are presently oscillator, but the work pl	vas to compare between index profiles in order nds on the fabrication ntroduced in some e exchanged layers. But l be transferred to this considering : the an will be exactly the
14. SUBJECT TERMS			15. NUMBER OF PAGES
			16. PRICE CODE
17. SECURITY	18. SECURITY	19. SECURITY	20. LIMITATION OF
CLASSIFICATION OF THE	CLASSIFICATION OF THIS	CLASSIFICATION OF	ABSTRACT
REPORT	PAGE .	ABSTRACT	

· .

• • •

Work plan for the first year

In the proposal we wrote one year ago, the work plan for the first year was the following : Comparison between as exchanged waveguides and annealed waveguides presenting the same index profiles in order to determine if the proton concentration in a given phase is fixed or depends on the fabrication conditions, extra protons, sometimes called "interstitial protons" being introduced in some cases. This work will first be done on LiTaO₃ where we know the phase diagram of the exchanged layers and covers :

Planar waveguide fabrication following different recipes

Index profile measurements

Rocking curves to determine the crystalline quality and the phase of the exchanged layer SIMS measurements to determine the proton concentration profile.

Today, the phase diagram of the LiNbO₃ is also known, so this study will be transferred to this crystal, which presents more interest for the application we are presently concidering : the realization of an Integrated Optical Parametric Oscillator, but the work plan will be exactly the same.

We have then started to produce waveguides in all the possible phases (7). Some of this phase are obtainable with different recipes, such as direct exchange or exchange followed by annealing. In order to be able to distinguish between these different possibilities we will prepare similar waveguides using both techniques.

Making the waveguides and doing the optical characterization will last about 3 months. Samples will then be sent to the partners for proton concentration measurements and crystallographic examination.