AD

GRANT NO: DAMD17-95-1-5052

TITLE: Heat Tolerance and Exertional Heat Illness in Female Military Recruits

, , 🖪

PRINCIPAL INVESTIGATOR(S):

Bruce C. Wenger, M.D., Ph.D.

CONTRACTING ORGANIZATION: Henry M. Jackson Foundation for the Advancement of Military Medicine Rockville, Maryland 20852

REPORT DATE: October 1996

TYPE OF REPORT: Annual

19970711 117

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

DIIC QUALITY INSPECTED 3

	. REPORT DO	CUMENTATION	PAGE	Form Approved OMB No. 0704-0188
,	Public reporting burden for this collection of inform gathering and maintaining the data needed, and co collection of information, including suggestions fo Davis Highway, Suite 1204, Arlington, VA 22202-4	mation is estimated to average 1 hour ompleting and reviewing the collection r reducing this burden, to Washington 302, and to the Office of Management	per response, including the time for i of information. Send comments reg Headquarters Services, Directorate for and Budget, Paperwork Reduction Pro	
	1. AGENCY USE ORLY (Leave blank)	2. REPORT DATE October 1996	3. REPORT TYPE AN Annual (18 Se	10 DATES COVERED p 95 – 17 Sep 96)
	C. TITLE AND SUCTITLE			5. FUNDING NUMBERS
	Heat Tolerance and Exer Military Recruits	tional Heat Illnes	ss in Female	DAMD17-95-1-5052
	G. AUTHOR'S)			
	Bruce C. Wenger, M.	D., Ph.D.		
the second secon	7. PERFORMENCE ORGANIZATION NAR	AE(S) AND ADDRESS(US)		E. PERFORMING ORGANIZATION REPORT NUMBER
A REAL PROPERTY AND	Henry M Jackson Foundat Advancement of Milita Rockville, Maryland 20	ion for the ry Medicine 852		
	9. SPONSORIUG/MONITORING AGEN U.S. Army Medical Resea Fort Detrick Frederick, Maryland 21	CY NAME(S) AND AEALDESS rch and Materiel C 702-5012	(ES) Command	10. SPONSORING / MONITORING AGENCY REPORT NUMBER
	11. SUPPLEMENTARY NOTES			
	126. DISTRERITION/AVAILABILITY ST	ATEMENT		126. DISTRIBUTION CODE
	Approved for public rel	ease; distribution	unlimited	
	<ul> <li>13. AESTEACT (Maximum 200 words)</li> <li>We studied healthy Marine r dilutional hyponatremia (pat recorded core-temperature (T incidence of EHI, to define r computerized cognitive asses impairment in 14 patients, sh baseline blood samples from a pilot study of inflammatory training records on all identific computerized database which increase the total number of much smaller numbers of car available to verify the training whose menstrual cycle phase</li> <li>14. SUBJECT TERMES</li> </ul>	ecruits (controls), and ients) during basic train $\Gamma_{core}$ ) of 380 male and 3 norms for comparison v ssment battery we estable howing that the battery 30 female and 35 male y responses in EHI. W fied EHI episodes in 19 h is congruent with clir cases in the databases f ses (only since 1993) for a event during which e	recruits with exertionating. With swallowed 50 female recruits during the presenting $T_{core}$ of plished norms for control distinguishes patients e controls, and serial sate collected copies of control data forms in the for epidemiological and provide the published recreated the episode occu	I heat illness (EHI) or telemetry devices, we ing training events with high EHI patients. With a rols, and demonstrated acute from controls. We collected amples from 4 EHI patients for linical records and pertinent and constructed a new patient records. These cases alyses and, particularly, the ruit training schedules are rred; and of female cases
	Defense Women's Health heat stress, core temperature	Research Program , cognitive performanc	Exertional heat illne e, inflammatory respor	ss, 102 nses 16. PRICE CODE
	17. SECURITY CLASSIFICATION 18. OF REPORT	SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFI OF ABSTRACT	CATION 20. LIMITATION OF ABSTRACT
	Unclassified 1	Unclassified	Unclassified	Unlimited Standard Form 298 (Rev. 2.89)
				Prescribed by ANSI Std. Z39-18 298-102

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

Where copyrighted material is quoted, permission has been obtained to use such material.

Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

X Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).

X For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

DITIC QUALITY INSPECTED 5

# TABLE OF CONTENTS

i 4 i ↓

Foreword
Table of Contents
INTRODUCTION
Assessment of Cognitive Function
Blood and Body Core Temperature Measurements
<u>Blood Measurements</u>
<u>Core Temperature Measurements</u>
Differences Between Men and Women
in Responses to Exercise-heat Stress and
<u>Clinical Presentation of EHI</u>
BODY
METHODS
<u>Volunteers</u>
<u>Experimental Design</u>
Assessment of cognitive function
<u>Collection of blood samples</u>
Continuous recording of body core temperature 20
Collection and organization of clinical data 22
Specific measurements and techniques
RESULTS
Assessment of Cognitive Function
Continuous Recording of Body Core Temperature 39
CONCLUSIONS
Assessment of Cognitive Function
Collection of Blood Samples
Continuous Recording of Body Core Temperature 43
Collection and Organization of Clinical Data 43
REFERENCES 45
APPENDIX A. Abbreviations
APPENDIX B. Background Ouestionnaires

# INTRODUCTION

4

An epidemiological study of exertional heat injury (EHI) in recruits undergoing basic training at Parris Island Marine Corps Recruit Depot (MCRD) has shown interesting differences between male and female recruits in the clinical presentation of EHI. Although incidence of EHI is similar in male and female recruits, 11% of male EHI patients, but <1% of female EHI patients are hospitalized. In non-hospitalized EHI patients, presenting rectal temperature is higher in the males, yet serum levels of enzymes indicating tissue injury are higher in the females (Table 1). These differences suggest that there may be differences between men and women in the pathogenesis of, and risk factors for, EHI.

In this recruit population, individual risk of EHI is strongly associated with time to complete the 1½-mile run in the first physical fitness test (PFT) during recruit training, and with body mass index (BMI) (weight/height<sup>2</sup>) which correlates with obesity. In a recently published series (Gardner, Kark, Karnei, Sanborn, Gastaldo, Burr, and Wenger, 1996), recruits in the slowest quartile by run time had a 3-fold increase ( $p<10^{-5}$ ) in risk of EHI compared with recruits in the fastest quartile. Male recruits in the highest quartile for BMI had more than a 3-fold increase (p<10<sup>-5</sup>) in risk of EHI compared with recruits in the lowest quartile for BMI, and male recruits with both high BMI and long run times were at more than 6 times the risk of EHI as those who were thin and fast. Thus in men, at least, PFT run times and BMI are virtually independent predictors of risk of EHI. (Among female recruits, however, individuals in both the highest and the

and the second second

4

۰.

1. 8. 9. 9. 9. 9. 9. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.

4/11/94

۰.,

| #990-1991 Fen    | nale OF | and Male | OP and Hos | p Heat | Cases    |           |          |           | 4/11/94   |
|------------------|---------|----------|------------|--------|----------|-----------|----------|-----------|-----------|
| 1                |         | female   | N = 34     |        | male-op  | N = 235   |          | male-hosp | N = 44    |
|                  | N       | mean     | std error  | N      | mean     | std error | N        | mean      | std error |
| run dist (miles) | 20      | 2.010    | 0.369      | 148    | 2.454    | 0.120     | 28       | 2.982     | 0.247     |
| total days off   | 34      | 1.235    | 0.120      | 233    | 2.116    | 0.348     | 38       | 5.395     | 0.872     |
| amnesia dur      | 9       | 7.778    | 1.690      | 76     | 12.316   | 2.371     | 25       | 39.280    | 11.197    |
| max temp         | 33      | 101.585  | 0.286      | 235    | 102.227  | 0.125     | <u> </u> | 105.005   | 0.475     |
| field temp       | 16      | 102.344  | 0.377      | 179    | 102.660  | 0.114     | 32       | 105.734   | 0.367     |
| worst neuro      | 28      | 7.893    | 0.342      | 202    | 7.500    | 0.124     | 43       | 5.535     | 0.380     |
| max Na           | 27      | 140.481  | 0.763      | 209    | 141.795  | 0.302     | 44       | 144.614   | 0.591     |
| min Na           | 27      | 139.778  | 0.690      | 209    | 140.111  | 0.313     | 44       | 137.318   | 0.598     |
| 1st Na           | 27      | 140.444  | 0.767      | 205    | 140.983  | 0.322     | 41       | 141.780   | 0.810     |
| max K            | 27      | 4.081    | 0.078      | 209    | 4.425    | 0.038     | 44       | 4.632     | 0.082     |
| min K            | 27      | 4,000    | 0.068      | 209    | 4.247    | 0.037     | 44       | 3.734     | 0.057     |
| 1et K            | 27      | 4.015    | 0.068      | 203    | 4.326    | 0.038     | 40       | 4.268     | 0.097     |
| may Cl           | 27      | 104,630  | 0.922      | 208    | 103.659  | 0.348     | 44       | 112.682   | 3.022     |
| min Cl           | 27      | 103,222  | 0.917      | 208    | 101.547  | 0.312     | 44       | 99.114    | 0.581     |
|                  | 27      | 103.778  | 0.986      | 204    | 102.385  | 0.367     | 41       | 100.927   | 0.796     |
|                  | 27      | 22 593   | 0.822      | 207    | 23.715   | 0.427     | 44       | 28.136    | 0.467     |
|                  | 27      | 19.037   | 1.022      | 207    | 20.594   | 0.431     | 44       | 16.659    | 0.987     |
|                  | 27      | 19 481   | 1,114      | 199    | 21.678   | 0.495     | 39       | 16.821    | 1.127     |
| TSI HOUS         | 27      | 105 148  | 7.757      | 208    | 103.438  | 2.496     | 44       | 130.045   | 5.647     |
| min Gluo         | 27      | 03 185   | 5 449      | 208    | 92,159   | 1.979 .   | 44       | 79.023    | 1.932     |
| tet Glue         | 27      | 104 667  | 7 736      | 205    | 100.117  | 2.544     | 40       | 115.275   | 6.791     |
| TSI Gluc         | 27      | 13 904   | 0.813      | 208    | 17.271   | 0.370     | 44       | 18.923    | 0.973     |
|                  | 21      | 13 789   | 0.818      | 200    | 16.829   | 0.388     | 41       | 18.610    | 1.029     |
| TSL BON          | 26      | 1 304    | 0.058      | 209    | 1,182    | 0.018     | 44       | 1.748     | 0.058     |
| max creat        | 20      | 1 281    | 0.059      | 205    | 1.411    | 0.022     | 38       | 1.734     | 0.064     |
| ISt Creat        | 10      | 5 558    | 0.322      | 171    | 7.987    | 0.157     | 40       | 10.680    | 0.559     |
| tet Urie Acid    | 18      | 5.606    | 0.336      | 139    | 8.029    | 0.186     | 24       | 10.775    | 0.543     |
| TSI UNC ACIU     | 22      | 2215 318 | 1043,299   | 184    | 1570.995 | 212.178   | 40       | 6952.325  | 2261.435  |
|                  | 21      | 2224 238 | 1095 530   | 152    | 1558.553 | 244.926   | 32       | 6256.344  | 2802.601  |
|                  | 21      | 70 727   | 25 404     | 184    | 54.679   | 4.111     | 42       | 127.786   | 24.072    |
|                  | 22      | 71 381   | 26.646     | 148    | 54.926   | 4.524     | 29       | 82.897    | 20.588    |
|                  | 21      | 322 000  | 44 221     | 185    | 296.086  | 8.701     | 42       | 473.452   | 56.678    |
|                  | 21      | 224 950  | 46.349     | 152    | 298,454  | 9.842     | 28       | 447.893   | 67.725    |
|                  | 20      | 0.040    | 0.752      | 204    | 9.408    | 0.245     | 43       | 13.923    | 2.176     |
|                  | 21      | 8 700    | 0 704      | 201    | 9.285    | 0.233     | 41       | 13.439    | 2.265     |
|                  | 21      | 12 250   | 0.328      | 204    | 13.849   | 0.081     | 43       | 14.179    | 0.187     |
|                  | 21      | 12.233   | 0.320      | 202    | 13.843   | 0.082     | 42       | 13.967    | 0.205     |
|                  | 21      | 38 602   | 1 028      | 205    | 43,550   | 0.274     | 43       | 43.088    | 0.624     |
|                  | 21      | 30.033   | 1 004      | 203    | 43.433   | 0.359     | 42       | 42.438    | 0.646     |
|                  | 21      | 302 524  | 14 101     | 158    | 286.316  | 5.969     | 43       | 231.209   | 9.330     |
|                  | 21      | 211 714  | 16 393     | 155    | 288.226  | 6.100     | 40       | 284.475   | 12.369    |
|                  | 21      | 1 014    | 0.000      | 124    | 1.015    | 0.001     | 40       | 1.019     | 0.001     |
|                  | 19      | 1.014    | 0.002      | 124    | 1.014    | 0.001     | 40       | 1.012     | 0.001     |
|                  | 19      | 1.014    | 0.002      | 124    | 1.015    | 0.001     | 37       | 1.017     | 0.001     |
|                  |         | 1.015    | 0.002      | 225    | 3 000    | 0.052     | 44       | 4.182     | 0.127     |
| Sev Score        | 34      | 2.024    | 0.101      | 235    | 2 196    | 0.074     | 44       | 3.295     | 0.212     |
| CNS Score        | 34      | 2.029    | 0.100      | 233    | 2 422    | 0.038     | 44       | 2.864     | 0.115     |
| Deh Score        | 34      | 2.353    | 0.093      | 204    | 1 828    | 0.062     | 44       | 2.568     | 0.179     |
| Renal Score      | 26      | 1.500    | 0.170      | 104    | 1 010    | 0.078     | 40       | 2.750     | 0.234     |
| Lysis Score      | 22      | 1.864    | 0.200      | E 104  | 1.310    | 1.0.070   |          | 1         | 1         |

lowest quartiles for BMI were at higher risk of EHI than those in the middle two quartiles.) Because of these relationships, it is a relatively simple matter to define and study subpopulations with substantially different individual risks of EHI.

The ratio of an individual's maximal rate of  $O_2$  uptake (Vo2max) to body weight (this ratio is sometimes called "relative Vomax) is an excellent predictor of his or her effectiveness in limiting increases in body core temperature  $(T_{core})$  during exercise-heat stress (Davies, Brotherhood, and Zeidifard, 1976), and there is a strong inverse correlation between relative  $Vo_2max$ and best run time over a given distance. Therefore one should expect PFT run time to be a good predictor of the risk of EHI. Because of the relation of BMI to obesity, and the relation between obesity and relative  $Vo_2max$  (Buskirk and Taylor, 1957), one should also expect BMI to be a good predictor of relative  $Vo_2max$  and thus of the risk of EHI. However, if BMI were related to individual EHI risk only as a predictor of Vo2max, then BMI and PFT run time should not be independent predictors of EHI The foregoing observations thus raise the possibility that risk. obesity may increase individual risk of EHI through some mechanism other than an effect on the regulation of  $T_{core}$ .

The purposes of the work described in this report are:

(a) to characterize certain normal physiological and immunological responses to exercise-heat stress during basic training of Marine Corps recruits. The characterization will be based on measurements made on recruits who did not experience an episode of EHI associated with the event in which the measurements were obtained.

5

(b) to compare these normal responses in male recruits with those in female recruits, and to compare these normal responses with the corresponding responses in recruits presenting with an episode of EHI.

(c) to compare clinical features of EHI in male and female recruits.

Data collection and measurements performed during this reporting period include assessment of cognitive function with a customized subset of the Automated Neuropsychological Assessment Metrics (ANAM) Battery V3.11a; collection of blood samples to measure several cytokines and indices of leukocyte function; and body core temperature. The background for each of these three classes of measurements will be treated separately in the discussion that follows.

# Assessment of Cognitive Function

14

Rectal temperature on presentation and degree of neurological impairment are probably the most widely recognized indices of severity of heat illness, and acute dramatic neurological changes are a defining characteristic of heatstroke. The prodromata of heatstroke and the manifestations of heat exhaustion and socalled "exertional heat injury" frequently include evidence of milder neurological dysfunction, such as agitation, impaired judgment, confusion, incoherent speech, ataxia, and unsteady gait. Anecdotal reports from drill instructors and clinical experience with EHI patients at Parris Island (J. A. Kark, personal communication) indicate that mild degrees of intellectual impairment (difficulty concentrating, slowed thinking) may persist for several days after apparent clinical recovery from

exertional heat illness. However, such intellectual impairment and its resolution following exertional heat illness have not previously been systematically studied to our knowledge.

## Blood and Body Core Temperature Measurements

11 . 6

Historically, heat exhaustion and heatstroke have often been thought of as two entirely distinct clinical entities, of which heat exhaustion has been considered to be purely a disturbance of cardiovascular homeostasis, caused by impairment of venous return secondary to dehydration and peripheral pooling of venous blood, while heatstroke has been thought to be the result of a direct injurious effect of high temperatures on tissue. Many cases of heat exhaustion probably do represent relatively pure disturbance of cardiovascular homeostasis; however, other cases include evidence of cellular injury, such as elevated serum levels of various enzymes (Hubbard and Armstrong, 1988; cf. Table 1, based on recent experience at Parris Island). Moreover, there is no clear demarcation between heat exhaustion and heatstroke in practice, and many cases of heat illness could equally plausibly be classified either as severe heat exhaustion or as mild or early heatstroke. (Exertional heat injury, which appears in more recent literature on heat illness, may be a preferable diagnosis in many such cases.) It is likely, as Costrini et al. (Costrini, Pitt, Gustafson, and Uddin, 1979) and Hubbard (1979) have hypothesized, that heatstroke, exertional heat injury, and heat exhaustion (or at least those cases of heat exhaustion that involve more than a simple disturbance of cardiovascular homeostasis) represent parts of a continuum, sharing many of the same injurious processes.

Evidence has existed for some time that tissue temperature is not the only factor involved in the pathogenesis of heat illness. Hubbard (1979) analyzed exertional and non-exertional (classical) heatstroke, both in human patients and in an experimental rat model, and found that heatstroke may be produced by a less intense or shorter elevation of body core temperature in combination with heavy exercise, than in the absence of exercise. He therefore concluded that some non-thermal factor or factors related to exercise increase susceptibility to heatstroke. In addition, analysis of data on exertional heat illness at Parris Island during the years 1982-1991 showed a strong association between daily incidence of heat casualties and maximum wet-bulb globe temperature the day before occurrence, suggesting the operation of some sort of cumulative effect of heat stress-perhaps accumulation of some harmful substance or depletion of some beneficial substance.

11 . ...

Blood Measurements. It has not been demonstrated what the non-thermal factors involved in heat illness are, but published data point to certain promising candidates, in particular LPS (Bouchama, Parhar, El-Yazigi, Sheth, and Al-Sedairy,1991; Butkow, Mitchell, Laburn, and Kenedi, 1984; Bynum, Brown, DuBose, Marsill, Leav, Pistole, Hamlet, LeMaire, and Caleb, 1978; Fine, 1975; Gathiram, Wells, Brock-Utne, and S. L. Gaffin, 1987; Graber, Reinhold, Breman, Harley, and Hennigar, 1971) and several cytokines (Bouchama et al, 1991; Bouchama, Al-Sedairy, Siddiqui, Shail, and Rezeig, 1993). Evidence for the involvement of these substances consists in demonstrations of their presence in blood and tissues of heatstroke patients and animals with experimentally-induced heatstroke; successful protection of

experimental animals against heatstroke by pretreatment with broad-spectrum antibiotics to reduce the intestinal flora, or with Anti-LPS immune serum; and the consistency of the effects of these substances with many of the clinical manifestations of heat The source of the LPS is the gram-negative bacteria in illness. the normal intestinal flora; and although this LPS is normally confined quite effectively within the intestines, certain stresses-including exercise (Bosenberg, Brock-Utne, Gaffin, Wells, and Blake, 1988), heat (Gathiram, Gaffin, Brock-Utne, and Wells, 1987; Gathiram, Wells, Raidoo, Brock-Utne, and Gaffin, 1988), and hypoxia (Gaffin, Brock-Utne, Zanotti, and Wells, 1986)-cause appearance of LPS in the systemic circulation. Since endotoxemia follows temporary intestinal ischemia produced by clamping the superior mesenteric artery (Gathiram, Gaffin, Wells, and Brock-Utne, 1986), it is likely that endotoxemia during exercise, heat stress, or hypoxia is a consequence of splanchnic vasoconstriction, which occurs as a cardiovascular homeostatic reflex (Rowell, 1974, 1983). It is likely that dehydration, by causing hypovolemia and compensatory splanchnic vasoconstriction, aggravates the endotoxemia associated with exercise and heat exposure, although we know of no study in which this hypothesis has been tested. In addition dehydration (Morimoto, Murakami, Ono, and Watanabe, 1986), muscle injury due to overexertion (Cannon, Medyani, Fielding, Fiatarone, Medyani, Farhangmehr, Orencole, Blumberg, and Evans, 1991), and perhaps other factors related to exercise and heat stress magnify the cytokine response to LPS.

11

We are aware of only three published studies that report levels of LPS or cytokines in the blood of human heat-illness

patients, and all three compare levels in patients to those in normal controls who have not recently undergone substantial exercise-heat stress. One of these (Graber et al., 1971) is a report of a single case of exertional heatstroke, and the other two studies (Bouchama et al., 1991, 1993) are of patients who, during the 1989 and 1990 pilgrimages to Mecca, contracted a mixed form of heatstroke (i.e., heatstroke which combined features of the classical and exertional forms, and which was associated with levels of exertion milder than those ordinarily associated with exertional heatstroke). The patients in the latter two studies had admission levels of LPS, TNF- $\alpha$ , IL-1 $\alpha$ , IL-1 $\beta$ , IL-6, and interferon- $\gamma$  that were significantly elevated compared to those of normal controls (Bouchama et al., 1991, 1993). The interpretation of these results in terms of the pathogenesis of heatstroke is not straightforward, since as noted above exercise, heat stress, and dehydration cause appearance of LPS in the systemic circulation, and since LPS, and perhaps intense exercise itself, elicit cytokine secretion, so that elevated amounts of these substances in patients' blood (compared to normal controls), may simply indicate recent exercise, heat stress, and dehydration, rather than a role for these substances in the pathogenesis of the patients' illness. Likewise, overexertion may cause skeletal muscle injury which is reflected in various serum enzyme levels and other chemistry measurements. However, the acute effect of basic training events on these measurements is not known, so that in attempting to account for the characteristic changes in hematological and clinical chemistry values that are associated with EHI, it is not possible to say to what extent these changes simply reflect recent intense exercise-

11

heat stress, and to what extent they represent part of the pathogenesis of EHI. Healthy recruits training under similar conditions—especially members of an EHI patient's training platoon who are training with the patient when the EHI episode begins—probably experience a very similar type and degree of exercise-heat stress to that experienced by the patient. Therefore measurements gotten on such recruits, under conditions as close as possible to those associated with the onset of the patient's heat illness, should be the best possible control measurements for interpreting corresponding measurements made on the patient, and for drawing inferences about the significance of these measurements for the pathogenesis of EHI.

1.4

. . . .

If LPS and cytokines do have a role in the pathogenesis of EHI, one should expect Anti-LPS and naturally-occurring antagonists of cytokine action to protect against EHI, and perhaps to contribute to improved heat tolerance following heat acclimatization and physical training. High levels of Anti-LPS do appear to improve heat tolerance (Brock-Utne, Gaffin, Wells, Gathiram, Sohar, James, Morrell, and Norman, 1988), and may be increased by aerobic training (Bosenberg et al,1988). In addition, Anti-LPS (Gaffin,1988; Gaffin, Gathiram, Wells, and Brock-Utne,1986; Pudifin, Lhoste, and Gaffin,1985; Wells, Gaffin, Gregory, and Coovadia, 1987) and a naturally-occurring antagonist of IL-1 (Ohlsson, Björk, Bergenfeldt, Hageman, and Thompson, 1990) are therapeutically beneficial in gram-negative shock.

<u>Core Temperature Measurements</u>. The quantitative relation between core temperature and risk of occurrence of heat illness is not well understood. Part of the reason is that under

conditions in which heat illness is likely to occur, core temperature ordinarily is not measured in those who do not become sick. Moreover, as noted above, elevated core temperature is not the only factor involved in the pathogenesis of heat illness, so that core temperature by itself may be of limited value in predicting the likelihood of occurrence of heat illness. At any rate, there presently is no reliable basis for predicting the risk of heat illness based on level of core temperature, nor are there sufficient data to determine how valid a predictor core temperature, by itself, is. Dr. Richard Gonzalez, Chief of the Biophysics and Biomedical Modeling Division of USARIEM, has confirmed that the estimates of heat casualty rates in the USARIEM Heat Strain Model, which are computed from predicted core temperature, are based on anecdotal information and informed quesses.

Some authors have noted that high core temperatures during exercise are better tolerated by some individuals than by others, and under some conditions than under others. [Sawka, Young, Latzka, Neufer, Quigley, and Pandolf (1992) include a brief general discussion of the problem, and Montain, Sawka, Cadarete, Quigley, and McKay (1994) address the effect of clothing during exercise-heat stress in conditions where the rate of heat production exceeds the maximum possible rate of heat dissipation.] However, the effects of factors that alter tolerance to high core temperatures have not been well defined; and because of the scarcity of core temperature measurements in healthy persons under conditions in which heat illness is likely to occur, it is not known to what extent those who actually become heat casualties do so because they have higher core

temperatures than those who stay well, and to what extent they become heat casualties because they tolerate high core temperatures less well. As a corollary, therefore, the potential for improving tolerance to heat stress by means other than improving thermoregulation is not well understood.

# Differences Between Men and Women in Responses to Exerciseheat Stress and Clinical Presentation of EHI

Little is known about women's susceptibility to EHI. The literature on EHI in women is extremely sparse, and exertional heatstroke in women is considered to be rare (Knochel, 1989). Ιt is not known whether the apparent rarity of exertional heatstroke in women owes to their being less frequently exposed to situations in which exertional heatstroke is likely, to behavioral factors (e.g., a lesser willingness to push themselves beyond safe limits), or to biological differences in tolerance to The best available information about heat tolerance heat stress. of women is based on laboratory studies on small numbers of subjects [See Kolka (1992) for a recent review.] Women have been reported to be less tolerant than men to passive heating and to exercise-heat stress. However, when male and female subjects are matched for individual factors that are known to affect heat tolerance, such as anthropometric characteristics and maximal  $O_2$ uptake, there is little difference in thermoregulatory responses during short-term (< 45 min) exercise-heat stress, at least when the women are in the follicular phase of the menstrual cycles (Stephenson and Kolka, 1988). During the luteal phase of the menstrual cycle, the thermoregulatory setpoint is shifted upward about 0.5°C, but otherwise the phase of the menstrual cycle seems

to have little effect on thermoregulatory responses and heat tolerance. However, during exercise of longer duration (> 60 min), heart rate and core temperature are higher than those prevailing at apparent steady state at the end of shorter periods of exercise at the same intensity. (The higher heart rate is part of a phenomenon known as "cardiovascular drift".) It is probably in association with such prolonged exercise-heat stress that EHI is most likely to develop, but little is known of the responses of women to such prolonged exercise-heat stress.

11 , 1

We are unaware of any published comparisons of men and women with respect to susceptibility to EHI or clinical presentation of EHI. However if, as recent work suggests, inflammatory/ immunological processes are important in the pathogenesis of EHI, there may be important differences between men and women in heat tolerance and susceptibility to EHI, since reproductive hormones and the menstrual cycle are known to affect these processes. Data from our ongoing epidemiological study of EHI at Parris Island MCRD suggest that this may in fact be the case, since these data show differences between male and female recruits in the clinical presentation of EHI.

At Parris Island, our data show that male recruits and female recruits are almost equally likely to experience EHI (10% of recruits and 11% of EHI patients are female). However, 11% of male EHI patients are hospitalized, while female EHI patients are almost never hospitalized (Table 2): the only female EHI patient hospitalized during the years 1980-1995 had a co-existing sicklecell crisis. The difference between male and female recruits in rates of hospitalization appears not to represent simply a difference in severity, but to be part of a more complex

Table 2. Number of Reported Cases of Heat Illness in U. S. Marine Recruits at PI MCRD, 1982-1991. Number of Recruit Accessions and Estimated Number of Recruits in Training (in person-months), 1982-1991. ÷;++

|              |           |           |          |         | YEAR   |              |        |        |                 |        |         |
|--------------|-----------|-----------|----------|---------|--------|--------------|--------|--------|-----------------|--------|---------|
|              | 1982      | 1983      | 1984     | 1985    | 1986   | <b>1</b> 987 | 1988   | 1989   | 1990            | 1991   | TOTAL   |
| All Cases    |           |           | }        | 1       |        |              | )      |        |                 |        |         |
| Male ·       | 174       | 180       | 80       | 133     | 130    | 123          | 84     | 146    | 123             | 120    | 1293    |
| Female       | 17        | 22        | თ        |         | 29     | 14           | 7      | 42     | 12              | 12     | 161     |
| Total        | 191       | 202       | 85       | 134     | 159    | 137          | 91     | 188    | 135             | 132    | 1454    |
| Hospitalized | Cases     |           |          |         |        |              |        |        |                 |        |         |
| Male         | 23        | 14        | 6        | 21      | 15     | 12           | 10     | 6      | 21              | 10     | 141     |
| Female       | 0         | 0         | 0        | 0       | 0      | 0            | 0      | 0      | Ģ               | 0      | 0       |
| total        | 23        | 14        | 6        | 21      | 15     | 12           | 10     | 9      | 21              | 10     | 141     |
| Number of R  | ecruit Ac | cessions  |          |         |        |              |        |        | ,<br> <br> <br> |        |         |
| Male         | 22,283    | 21,333    | 22,256   | 19,346  | 19,851 | 19,287       | 18,118 | 17,909 | 18,228          | 15,877 | 194,488 |
| Female       | 2,373     | 2,226     | 2,556    | 2,443   | 2,245  | 1,928        | 2,324  | 2,275  | 2,087           | 1,670  | 22,127  |
| Estimated Re | cruit Pop | ulation ( | person-i | months) |        |              |        |        |                 |        |         |
| Male         | 65,820    | 63,423    | 67,746   | 58,478  | 59,363 | 57,939       | 54,726 | 53,379 | 54,881          | 47,217 | 582,972 |
| Female       | 7,310     | 6,726     | 7,567    | 7,357   | 6,782  | 5,845        | 6,953  | 6,870  | 6,178           | 5,100  | 66,688  |

٩,

5' , a'

ı

4

٠.

difference in the clinical presentation of EHI. In cases occurring in 1990-1991, mean peak rectal temperature was 101.6°F in female patients (all non-hospitalized) and 102.7°F in nonhospitalized male patients; but mean peak serum levels of enzyme indicating cellular damage were all higher in females: CPK of 2215 vs 1571, AST of 71 vs 55, and LDH of 322 vs 297, suggesting that in women with EHI, a given level of rectal temperature may be associated with a more serious degree of tissue injury than in men, and that there may be quantitative differences in the pathogenesis between men and women. If so, it is likely that some features of EHI in female recruits vary with phase of the menstrual cycle. The recruit clinic (formally called the Branch Medical Clinic) at Parris Island began in 1993 to record date of last menstrual period for all female heat casualties, but the number of EHI cases in female recruits since then is not yet sufficient to show any pattern in those data.

## BODY

#### METHODS

# <u>Volunteers</u>

We recruited volunteers of both sexes from Marine recruits undergoing basic training at Parris Island MCRD. We administered swallowed temperature-sensing telemetry devices to approximately 1300 volunteers; collected blood samples from 30 female and 35 male controls and 4 EHI patients to measure several cytokines and indices of leukocyte function; and assessed cognitive function of 277 control recruits and 14 recruits who experienced a clinically significant episode of dilutional hyponatremia.

## Experimental Design

45

, P

Assessment of cognitive function. The Automated Neuropsychological Assessment Metrics (ANAM) battery (Reeves, Kane, Winter, Raynsford, and Pancella, 1993; Levinson and Reeves, 1994) is a computerized test designed for repeated measures testing. Tests of this sort are useful for neuropsychological evaluations because of such characteristics as standardization of administration, precision of measurement, immediate feedback on performance, and the ability to record subject response latencies too rapid to be measured otherwise (e.g., by a stopwatch). ANAM is the standard clinical subset of the Office of Military Performance Assessment Technology's (OMPAT) Tester's Workbench (TWB), and contains subsets of TWB tests specifically configured for use in neuropsychological assessment. The test battery used in the present study is a customized subset of ANAM 3.11a. Although there are published norms for performance of college graduates on ANAM 3.11a (Levinson and Reeves 1996), there are none for populations similar in education to USMC recruits, most of whom have completed high school or the equivalent. Therefore it was necessary to establish performance norms for healthy USMC recruits, against which to compare performance of patients.

Participants in the initial phase of the study consisted of 125 healthy volunteer USMC recruits (83 females, 42 males) who were undergoing basic training at the Parris Island MCRD near Beaufort, SC, and 14 of their classmates (patients) who were medically evaluated for dilutional hyponatremia. Mean age was 18.70 years (range: 17-26 years). All recruits are forbidden to use alcohol and tobacco during Basic Training. The patient group was similar to the normative group in age, gender, ethnicity,

previous education, and military experience. An additional group of 72 healthy male recruits was tested approximately one month later to increase the sample size and establish subsets of norms based on gender. Thus the total number of individuals on which the normative data presented in this report are based is 197 (83 females and 114 males).

1 př.

14

All members of the normative group were tested in groups of five to ten on weekends following eight or more hours of Testing was administered by an unobtrusive examiner rest/sleep. in a quiet and thermoneutral classroom setting at the Naval Hospital at Beaufort, SC. Test sessions were held during the morning and the afternoon, and afternoon sessions were scheduled so as to allow subjects to eat lunch in the chow hall before testing. Several of the hyponatremia patients were tested in a quiet hospital room, and all were given the initial baseline test within five days of experiencing an episode of hyponatremia. The USMC subset of ANAM 3.11a was administered on IBM-compatible computers with VGA color graphics monitors. The response devices consisted of a Microsoft-computer mouse and the computer keyboard. The battery was administered once to each of the 125 "healthy" and 14 "patient" classmates during the first test session. All participants in the initial phase also completed a background questionnaire (Appendix B1 for males, or Appendix B2 for females), which asked questions about medical history and history of injuries and physical activity, to identify factors that might affect cognitive performance or susceptibility to EHI. Approximately one month later, 50 randomly selected females from the healthy group and 9 individuals from the patient group were re-tested. (Female controls were selected to be retested for

comparison with the patients who had experienced more serious clinical courses, all of which were female.) Both sessions included a brief orientation followed by administration of the full subtest. The additional group of 72 healthy male recruits was tested approximately one month later, in the same environment and under conditions similar to those of the initial groups. (More recently an additional 80 males were tested twice each, at intervals of 2 hours, 1 week, or 7 weeks, to establish norms for test-retest performance. Results of their testing have not yet been analyzed and therefore are not presented in this report.)

位 ,是

The USMC subset of ANAM 3.11a tasks included the Stanford Sleepiness Scale (S.P.; measured both at commencement and at end of a session), Mood Scale-2 (MOO), Code Substitution (visual search, immediate recall, and delayed recall: CDS, CDI, CDD), Sternberg Memory Search (6 letter memory sets: ST6), Running Memory Continuous Performance Tasks (CPT-80 and CPT-160), Digit Symbol (DGS), Logical Reasoning (LRS), Matching to Sample (MSP), Mathematical Processing (MTH), Spatial Processing (SPD), and Simple Reaction Time Tasks (SRT1,2,3). These subtests of ANAM have been described previously (Reeves and Winter, 1992; Levinson and Reeves, 1994). Each session required approximately 60 minutes, and all volunteers were thanked for their participation at conclusion of the sessions.

The ANAM data files were first consolidated in a computerized spreadsheet and then inspected for completeness and invalid data. Invalid data were defined as "premature responses" which occurred in less than 100 ms, and/or data characterized by an inordinate number of lapses, which indicated that the participant did not understand the instructions for a test prior

to administration. This initial screening resulted in unequal numbers of participants associated with each test, but it ensured that the preliminary data presented here were derived from complete and valid test administrations. The significance of differences between means of performance scores of the patient group and those of the normative group was assessed via onesample t-tests.

Collection of blood samples. We collected blood samples to assess immune responses in 30 female and 35 male controls and 4 patients. Control blood samples were collected from rested recruits during in-processing, early in their first week at Parris Island MCRD, before the beginning of training. Blood samples from EHI patients were collected on the patient's arrival at the clinic and 4 hours and 24 hours later. Each blood sample consisted of two 10-ml heparinized Vacutainer<sup>®</sup> tubes of blood, and in addition a 10-ml purple-topped Vacutainer<sup>®</sup> tube of blood was collected for hematocrit, hemoglobin, white cell count, and differential. The heparinized tubes were put into melting crushed ice for no more than 30 min, and centrifuged. Plasma and the buffy coat from each sample were separated, frozen, and stored at -70°C for later analysis at USARIEM (see below).

Continuous recording of body core temperature. With some training platoons, we measured volunteers' core temperatures on only one occasion, whereas with others we obtained measurements on several occasions, at different stages of training. On enrollment in this phase of the study, each volunteer completed a background questionnaire (first part of Appendix B3 for males, or of Appendix B4 for females). These questionnaires ask about factors that may account for individual

differences in core-temperature responses to exercise, including previous occupation, physical activity level, medical history, and current medications.

in the

We measured body core temperature with ingested CorTemp® (HTI Technologies, Inc., St. Petersburg, FL) telemetric temperature sensors. The temperature signal is transmitted via an antenna worn on the volunteer's trunk to a small data recorder worn on the belt. While the sensor is in the stomach, it is affected by the temperature of anything that the volunteer ingests (e.g., a drink of cold water). Therefore sensors were administered at approximately 8:00 p.m. the evening before we intended to collect data, so that they would be in the small intestine when data collection began.

We chose the training days on which to record core temperature so as to include preferentially those training events associated with high rates of EHI (chiefly distance runs, but including also some load-carrying marches), and also so as to allow comparison of similar events that are repeated at different stages of training. On the training days when we recorded core temperature, each volunteer completed a short questionnaire (second part of Appendix B3 or B4) to give information about recent fluid consumption, amount of sleep the night before, medical history during the previous two weeks and, for each female recruit, the date of her last menstrual period. In addition, skin-fold thicknesses was measured at three sites, to estimate body fat content. We recorded temperature continuously for the duration of the day's chief physical training session, approximately 3 hours except when a road march was included, on which occasions data collection lasted longer.

Collection and organization of clinical data on EHI patients. For all identified EHI episodes during 1995 and 1996 (approximately 126 cases), we made photocopies of all pages in the patient charts (including follow-up clinic visits) that pertain to these cases, all clinical laboratory reports, and all pertinent Recruit Incident Reports (RIRs), which are filed by the Drill Instructors. The Branch Medical Clinic uses standard clinical data forms, and obtains a standard panel of laboratory evaluation, for suspected EHI patients. These forms and the standard panel were originally designed for an epidemiological study of EHI, and continue in use, with some modifications, for the present study. These forms are structured so as to record circumstances of the onset of the episode of EHI and clinical information including treatment and serial vital signs and neurological evaluation, in a standard format. Weather data are obtained from hourly measurements of WBGT made at Parris Island MCRD during the hot season, and from meteorological data recorded at the nearby Marine Corps Air Station at Beaufort, SC. The training activity at the onset of EHI episode is obtained from the clinical data forms and the RIRs, and confirmed using the applicable published recruit training schedules.

de la de

We constructed a new linked multi-relational database, which is based on EpiInfo software, and is congruent with the clinical data forms currently used for suspected EHI patients at the Branch Medical Clinic. (This database replaces a previous database that was constructed in 1991-1992 for the project "Heat injury among Marine recruits" under the direction of J. W. Gardner, COL, MC, in the Department of Preventive Medicine and Biometry, USUHS. The previous database is not congruent with the

clinical data forms in use since 1993.) Approximately 50 of the 1995-1996 EHI cases had been reviewed and entered into the new database when this report was prepared.

Specific measurements and techniques. Analyses of the blood samples obtained from EHI patients and healthy controls will be carried out by J. S. Kennedy, MAJ, MC or his technician in MAJ Kennedy's laboratory at USARIEM. Plasma in these samples will be assayed for inflammatory cytokines interleukin  $(IL) - 1\beta$ , tumor necrosis factor (TNF), and IL-6. The anti-inflammatory cytokines IL-1 receptor antagonist (IL-1Ra) and soluble cytokine and cell adhesion receptors will be assayed from plasma to assess the balance between pro-inflammatory and anti-inflammatory host response during heat illness. All analyses on plasma will be performed using commercial kits. To elucidate mechanisms by which host inflammatory response to heat illness is modulated, we will harvest messenger RNA from peripheral leukocytes (contained in the buffy coat) and analyze for gene products that regulate the inflammatory response. By use of reverse transcriptionpolymerase chain reaction we will determine mRNA levels for IL-1, IL-2, y-interferon, and markers of gene regulation such as c-fos, c-jun, and AP-1.

#### RESULTS

an an

# Assessment of Cognitive Function

Mean scores on the Stanford Sleepiness Scale were 3-4 and 3-5 for the first and second sessions, indicating an average level of wakefulness at the start of each session and a slightly lower

level at the end of the session. Analysis of the summary data on the Moodscale is incomplete and will not be presented here.

Means, standard deviations, and related summary data for the 197 healthy USMC recruits obtained during the initial test session are presented in Table 3. Tables 4 and 5 present similar data for the 83 females and 114 males, respectively. No gender differences were apparent for either accuracy or efficiency of performance on any of the tasks. Data for the retest session are presented in Table 6. Accuracy scores were high on all tasks during both sessions, and efficiency scores were comparable to those obtained using ANAM 1.0 by Levinson and Reeves (1994).

Means and standard deviations for accuracy and efficiency of performance during both the initial test session and the retest for the patient group of 14 USMC trainees who experienced hyponatremia are presented in Table 7. (Although the headings for Tables 7 and 8 refer to "Heat Stress Results", the data are, in fact, those for the hyponatremia patients.) The initial session occurred within 24 hours of the onset of hyponatremia, while the retest was conducted during the following 14 weeks. During the initial session, mean accuracy scores were significantly below normal on only 3 tasks, while mean efficiency scores were significantly below normal on 8 tasks.

The initial and retest scores on all tasks for one of the trainees experiencing hyponatremia, together with a neuropsychological evaluation summary note, are presented in Table 8. Her scores are fairly typical of the group as a whole. The clinical significance of her performance was determined by comparing her scores to those of the healthy, normative group. This was accomplished by converting the raw scores to Z-scores

| ANAM-USMC Norms (n = 186)     STANFORD SLEEPSCALE       STANFORD SLEEPSCALE     Session 1-2       Session 1-2     Session 1-2       Mean     A 13233       Min.     1 13233       SD     1 13233       Min.     1 13233       Min.     1 13233       SD     1 13233       Max.     6 57670       Max.     6 5770       Max.     7 1 000       Time (Session 1 - 3)     10615       CNorms (n = 179)     3 247       Time (Session 1 - 3)     3 247       Control 1 - 3)     3 232       Time (Session 1 - 3)     3 323       Time (Session 1 - 3)     3 323       Time (Session 1 - 3)     3 247       Time (Session 1 - 3)     3 32       Time (Session 1 - 3)     3 47       Time (Session 1 - 3)     3 43       Too 220 <th>IC Norms (n = 196)<br/>D SLEEPSCALE<br/>ssion 1-1<br/>score Time (ms<br/>3 3292<br/>6 13395<br/>6 13395<br/>6 13395<br/>6 13395<br/>6 13395<br/>2 2963<br/>2 200<br/>2 200<br/>2 200<br/>2 275<br/>2 2</th> <th>ANAM-USM<br/>STANFOR<br/>STANFOR<br/>See<br/>See<br/>See<br/>See<br/>See<br/>See<br/>See<br/>See<br/>See<br/>Se</th> <th>wernative Data<br/>vormative Data<br/>vitics (n = 197)<br/>me (Session 1-1)<br/>me (Session 1-1)</th> <th>Tabl<br/>Tabl<br/>A-USMC N<br/>MM-USMC N<br/>teaction Tin<br/>Statistics fo<br/>SD MRT<br/>SD MRT<br/>84<br/>417<br/>60<br/>259<br/>80)<br/>259<br/>259<br/>259<br/>259<br/>259<br/>259<br/>259<br/>259<br/>259<br/>259</th> <th>ANAM<br/>Summary Simple R<br/>Summary ANA<br/>Summary 276<br/>202<br/>205<br/>205<br/>205<br/>205<br/>205<br/>205<br/>205<br/>205<br/>205</th> <th>Lapses<br/>Lapses<br/>186)<br/>1 Measures<br/>186)<br/>1 Measures<br/>210<br/>210<br/>210<br/>210<br/>210<br/>210<br/>210<br/>210<br/>210<br/>210</th> <th>nics 197)<br/>itcs 197)<br/>itcs 197)<br/>itcs 197)<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12<br/>12</th> <th>AC Norms (<br/>Demograph<br/>ssion 1 - 1<br/>19<br/>28<br/>19<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28<br/>28</th> <th>ANAM-USA<br/>Subject<br/>Sumbject<br/>ANA<br/>ANA<br/>Simple Rd<br/>ANA<br/>ANA<br/>Simple Rd<br/>294<br/>293<br/>294<br/>295<br/>294<br/>295<br/>200<br/>200<br/>200<br/>200<br/>200<br/>200<br/>200<br/>200<br/>200<br/>20</th> <th></th> <th>MEAN<br/>STD DEV<br/>MIN<br/>MAX<br/>MEAN<br/>STD DEV<br/>MEAN<br/>STD DEV</th> | IC Norms (n = 196)<br>D SLEEPSCALE<br>ssion 1-1<br>score Time (ms<br>3 3292<br>6 13395<br>6 13395<br>6 13395<br>6 13395<br>6 13395<br>2 2963<br>2 200<br>2 200<br>2 200<br>2 275<br>2 2 | ANAM-USM<br>STANFOR<br>STANFOR<br>See<br>See<br>See<br>See<br>See<br>See<br>See<br>See<br>See<br>Se | wernative Data<br>vormative Data<br>vitics (n = 197)<br>me (Session 1-1)<br>me (Session 1-1) | Tabl<br>Tabl<br>A-USMC N<br>MM-USMC N<br>teaction Tin<br>Statistics fo<br>SD MRT<br>SD MRT<br>84<br>417<br>60<br>259<br>80)<br>259<br>259<br>259<br>259<br>259<br>259<br>259<br>259<br>259<br>259 | ANAM<br>Summary Simple R<br>Summary ANA<br>Summary 276<br>202<br>205<br>205<br>205<br>205<br>205<br>205<br>205<br>205<br>205 | Lapses<br>Lapses<br>186)<br>1 Measures<br>186)<br>1 Measures<br>210<br>210<br>210<br>210<br>210<br>210<br>210<br>210<br>210<br>210 | nics 197)<br>itcs 197)<br>itcs 197)<br>itcs 197)<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12 | AC Norms (<br>Demograph<br>ssion 1 - 1<br>19<br>28<br>19<br>28<br>28<br>28<br>28<br>28<br>28<br>28<br>28<br>28<br>28<br>28<br>28<br>28 | ANAM-USA<br>Subject<br>Sumbject<br>ANA<br>ANA<br>Simple Rd<br>ANA<br>ANA<br>Simple Rd<br>294<br>293<br>294<br>295<br>294<br>295<br>200<br>200<br>200<br>200<br>200<br>200<br>200<br>200<br>200<br>20 |          | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEAN<br>STD DEV<br>MEAN<br>STD DEV |
|---|--|---|--|---|--|--|--|--|--|----------|---|
| 95 82 59 429 429 421<br>302 100 126 907 907<br>197 06 97 554 554  | 457<br>915 3<br>570 4  | 0 8 0   | MIN  | 9 395<br>879  | 80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>8  |  | 8 <u>1</u><br>10   | 87<br>274  | 429<br>858   | 10 80    | MIN   |
| 90 02 03 742 742 747 907  | 45/  | 50  | 2 MIN  | 365   | 6<br>88<br>6   | ۍ<br>۲   | 8  | 87   | 429  | 0        | NIM   |
| OF R7 59 429 421  | La La  |   |  | ה<br>גער<br>גער   | א<br>ליל   |  |  | 34   | 84   | 2        | STD DEV   |
| 5n 4 16 98 99   | ţ  |   |  |   | 50   |  | 'n   | 101  | 079  | -        | MEAN  |
| 11/c £/c 96 96 66   | 603  | L   | l IMFAI  | 200   |  | Ċ  | ì  |  |  | ronaci.  |   |
|   |  | rabaca  |  | r MUNA  | If MDN Cor   | c Thrupu   | % Acc  | SD MRT   | Mean RT  | l aoses  |   |
| RT % Acc Thrubut MDN Corr MDN All   | Maan RT SD M   | l ane d   | .—<br>   |   |  | ī  | 1  |  | 1  |          |   |
|   | · · · · · · · · · · · · · · · · · · ·  |   |  |   | sasures  | Secilieu: IVIE   | lics for of  | nary staus   | SUTT   |          |   |
| atistics for Specified Measures   | Summary St   |   |  | 80)   | emory (CP1)  | Running Me   | ice Task - F   | Performan  | Continuous   |          |   |
| nance Task - Running Memory (CPT160)  | Continuous Perform   |   |  |   | TQ.)   | (n = 8u)   |  | ANAM-US  | :  |          |   |
| USMC Norms (n = 84)   | 1-MANA   |   |  |   |  | / RUI  | and Morme  | OLI MAINA  |  |          |   |
|   | ,  |   |  |   |  |  |  |  |  |          |   |
|   | ~ 12   | ,<br>,<br>,   |  | 202   | 207  | 210  | 3  | 2  | 285  | 0        | MEDIAN  |
| 64 100 220 237 237  | 626  | N N   | MEDI   |   |  | DRZ  |  | 44)  | 664  | 0        | MAX   |
| 58 100 299 386 386  | 403 21   | ÷   | MAX  | 367   | 796  | 200  |  |  | 3  | 5        | NIIM  |
|   | Z NO   | D   | MIN  | 205   | 205  | 120  | 100  | 19   | 203  | 0        | NIN   |
| 16 05 149 186 186   | 2 20   |   |  |   | R  | •••  | 0  | 103  | 53   | 0        | STD DEV   |
| 39 0 32 34 34   | 4  | EV 0  |  | ę,  | ő  |  |  | Ş  |  |          |   |
|   | C/N  | -   |  | 283   | 263  | 210  | 100  | 101  | 294  | C        | ACAN  |
| 747 747 747 747   |  | rahaca  |  | MUN AI  | MUN COT  | Induruh  | % Acc  | SD MRT   | Mean RT  | Lapses   |   |
| 3T % Acc Thruput MDN Corr MDN All   | Mean RT SD MF  | l ancae   |  | NUM AU  |  | Ŧ  | -  |  |  |          |   |
|   | •  |   |  |   |  | inceshi u  | nalioade i   | NERIISUICE IO  | summary s  | .,       |   |
| for Specified Measures  | Summary Statistics   |   |  |   |  | Maactites  | r Sherifinad   | sacron in<br>tatiatica fo  | S manutic  | -        |   |
| Time (Session 1 - 3)  | Simple Reaction  |   |  |   |  | 1.2  | to (Second   | notion Tim   |  |          |   |
| C Norms $(n = 1/9)$   | ANAM-USMC  |   |  |   |  | 186)   | orms (n =  | <b>M-USMC N</b>  | ANA  |          |   |
|   |  |   |  |   |  |  |  |  |  |          |   |
|   |  | 202 127   | 001  | 8   | 717  |  | MEUIAN   |  |  |          |   |
|   | 283  | 221 283   | 5  | U.S.  |  |  |  |  |  |          |   |
|   | 454  | 297 454   | 100  | 417   | 403  | C  | MAX  |  |  |          |   |
|   | 192  | 149 192   | 100  | 16  | 202  | 0  | NIN  | <u></u>  |  |          |   |
|   | 44   | 31 44   | 0  | 71  | 40   | 0  | STD DEV  |  |  |          |   |
|   | 107  | 107 777   | 100  | 84  | 2/6  | 0  | MEAN   |  |  |          |   |
|   | MDN AII  | Iput MDN Corr   | % Acc Thu  | SD MRT  | Mean RT  | Lapses   |  |  |  |          |   |
|   |  |   |  |   |  |  |  |  |  |          |   |
|   |  | Ires  | r Specified Meas   | Statistics fo   | Summary  |  |  |  |  |          |   |
|   |  |   | ne (Session 1 - 1)   | teaction Tin  | Simple R   |  |  |  |  |          |   |
|   |  |   | torms (n = 100)  |   |  |  |  |  |  |          |   |
|   | Γ  |   | lorme (n = 186)  | A LICARD N  | VIV  |  |  | L  |  |          |   |
|   |  |   |  |   |  |  |  |  |  |          |   |
|   |  |   |  |   |  |  |  |  |  | ]        |   |
|   | 2052 2   | Médian  |  |   |  |  | 12   | 18   | AEDIAN   | 2        |   |
| Median 3 10615  | 2000 0   | Max.  |  |   |  |  | 17   | 28   | ¥  | 2_       |   |
| 11 Max. 6 67670   | 6 13382  | May   |  |   |  |  | 11   | - 6  |  | 2        |   |
| 12 I I I I I I I I I I I I I I I I I I I  | 1 359  | Min.  |  |   |  |  | 121  | 17   | NIN  | 2        |   |
| 1547  |  | 20  |  |   |  |  | -  | 2  | TD DEV   | <u>0</u> |   |
| 2 SD 1 9884   | 1495   |   |  |   |  |  | Z  | 61   |  | 2        |   |
| 9 Mean A 13233  | 3 3292   | Mean  |  |   |  | ē  |  | ) (<br>)<br>)  |  | _        |   |
|   | score lime (ms,  | ~~~   |  |   |  |  | Education  | Ade  |  |          |   |
| Score Time (ms)   | core Time (me)   | u<br>   |  |   |  |  | •  | •  |  |          |   |
|   |  |   |  |   |  |  |  |  | 10<br>0  |          |   |
| Session 1-2   | ssion 1-1  | Sec   |  |   |  |  |  | reion 1 - 1  | i u  |          |   |
| SIANFUKU SLEEPSUALE   | D SLEEPSCALE   | STANFOR   |  |   |  |  | nics   | Demograph  | Subject  |          |   |
|   | 1C Norms (n = 1.90)  | ANAM-USM  |  |   |  |  | n = 197)   | AC Norms (   | ANAM-USN   |          |   |
| ANAM-USMC Norms (n = 186)   | 10 Norme (n = 196)   | ANAM LICH   |  |   |  |  |  |  |  | L        |   |
|   |  |   | since $(n = 13/)$  | mary Statt  | Cumo<br>N  |  |  |  |  |          |   |
|   |  |   | OFINALIVE JUNA   |   | NIVNIV   |  |  |  |  |          |   |
|   |  |   |  | ldaT<br>Tabl  | 1  |  |  |  |  |          |   |
| ,<br>, ,<br>, ,   |  |   | -  |   |  |  |  |  |  |          |   |
|   |  |   |  |   |  |  |  |  |  |          |   |

*i*.,

• •

-

25

.

|  | 40N All<br>544<br>1255<br>4613<br>2121  |   |   |  | MDN All<br>1392<br>340<br>615<br>2404   |
|--|---|---|---|--|---|
|  | DN Corr M<br>2164<br>548<br>1240<br>4592<br>2083  |   | DN Corr 1<br>951<br>225<br>615<br>1942<br>887   |  | 10N Corr<br>1380<br>325<br>629<br>2321  |
| ) .<br>Ieasyres  | Thruput MC<br>24<br>6<br>10<br>23<br>23   | 5)<br>6)<br>Measures  | Thruput M<br>51<br>13<br>17<br>81<br>52   | 32)<br>Measures  | Thruput N<br>37<br>12<br>13<br>84   |
| ns (n = 155<br>(Symbols)<br>Specified N  | % Acc<br>87<br>7<br>100<br>88   | rms (n = 18<br>Sternberg - (<br>Specified <i>N</i>  | % Acc<br>91<br>67<br>93<br>93   | orms (n = 16<br>Sample<br>Specified  | % Acc<br>91<br>67<br>100  |
| ISMC Norri<br>Relations (<br>atistics for a  | SD MRT<br>859<br>474<br>198<br>2580<br>731  | I-USMC No<br>y Search (f  | SD MRT<br>544<br>309<br>135<br>1695<br>457  | A-USMC No<br>Matching to   | SD MRT<br>655<br>392<br>175<br>2284   |
| ANAM-U<br>Logical<br>ummary Ste  | Mean RT 2342<br>2342<br>603<br>1271<br>4707<br>2217<br>2217   | ANAM<br>Memor<br>Summary St   | Mean RT<br>1114<br>293<br>721<br>2371<br>1014   | ANAA<br>A<br>Summary S   | Mean RT<br>1563<br>436<br>662<br>562  |
| ι ώ  | Lapses<br>0<br>0<br>0<br>0  | Ű   | Lapses<br>0<br>0<br>0<br>0  |  | Lapses<br>0<br>0  |
|  | IEAN<br>TD DEV<br>IIN<br>AX<br>ABDIAN   |   | IEAN<br>TD DEV<br>NAX<br>NEDIAN   |  | MEAN<br>STD DEV<br>MIN  |
|  | <u></u>   |   | 20222   |  |   |
| r  | <u>20225</u>  | Г   |   |  |   |
|  | MDN All<br>1424<br>317<br>773<br>2233<br>M  |   | MEN AII<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A  |  | IIVA<br>NIA<br>NIA<br>NIN<br>ANN  |
| . i <del>s</del> -   | ADN Corr MDN All<br>1393 1424 N<br>304 317<br>718 773 N<br>2233 2233 N<br>1386 1417 N   |   | MDN Corr M: MAIN 2674 M: MAIN 2674 M: MAIN 2674 N: MAIN 1260 N: MAIN 1260 N: MAIN 2608 N: MAIN MAIN 2608 N: MAIN MAIN 2608 N: MAIN MAIN MAIN MAIN 26008 N: MAIN MAIN MAIN MAIN MAIN MAIN MAIN MAIN  |  | MDN Cort MDN All<br>2331 N/A<br>676 N/A<br>1177 N/A   |
| 11) Karalina (11) Karalina (11 | Thruput MDN Corr MDN All<br>36 1393 1424<br>9 304 317<br>18 718 773<br>72 2233 2233<br>M<br>M   | 37)<br>Measures   | Thruput MDN Corr MCIN All<br>21 2674 N/All<br>6 714 N/A<br>8 1260 N/A<br>20 2608 N/A  | 170)<br>eous)<br>Measures  | <ul> <li>Thruput MDN Corr MDN All</li> <li>24 2331 N/A</li> <li>7 676 N/A</li> <li>9 1177 N/A</li> </ul>  |
| orms (n = 191) %<br>mparison<br>Specified Measures   | % Acc         Thruput         MDN Corr         MDN All           92         36         1393         1424           7         9         304         317           67         18         718         773           100         72         2233         22333           92         36         1386         1417  | orms (n = 187)<br>Processing<br>r Specified Measures  | % Acc         Thruput MDN Corr         MCIN All           93         21         2674         N/A           93         21         2674         N/A           8         6         714         N/A           67         8         1260         N/A           100         41         5159         N/A           93         20         2608         N/A  | Norms (n = 170)<br>g (Simultaneous)<br>r Scaerlind Measures  | % Acc         Thruput MDN Corr         MDN All           90         24         2331         N/A           9         7         676         N/A           60         9         1177         N/A |
| I-LEMC Norms (n = 191)<br>git Set Comparison<br>tatistics for Specified Measures   | SD MRT % Acc Thruput MDN Corr MDN All<br>686 92 36 1393 1424<br>271 7 9 304 317<br>258 67 18 718 773<br>1690 100 72 2233 2233 MN<br>634 92 36 1386 1417   | A-USMC Norms (n = 187)<br>thematical Processing<br>statistics for Specified Measures              | SD MRT % Acc Thruput MDN Corr MCIN All<br>1119 93 21 2674 N/A<br>532 8 6 714 N/A S<br>267 67 8 1260 N/A S<br>3030 100 41 5159 N/A M   | (M-USMC Norms (n = 170)<br>Processing (Simultaneous)<br>statetice for Steerlified Measures                   | SD MRT % Acc Thruput MDN Corr MDN All<br>877 90 24 2331 N/A<br>592 9 7 676 N/A<br>243 60 9 1177 N/A   |
| ANAM-UBMC Norms (n = 191)<br>Digit Set Comparison<br>Summary Statistics for Specified Measures   | Mean RT         SD MRT         % Acc         Thruput         MDN Corr         MDN All           1564         686         92         36         1393         1424           330         271         7         9         304         317           781         258         67         18         773         N           781         258         67         18         773         N           781         256         67         18         773         N           7305         1690         100         72         2233         2233         1417           1542         634         92         36         1386         1417         N | ANAM-USMC Norms (n = 187)<br>Mathematical Processing<br>Summary Statistics for Specified Measures | Mean RT         SD MRT         % Acc         Thruput MDN Corr         MCIN All         NA           2920         1119         93         21         2674         N/A         N           793         532         8         6         714         N/A         N         N         N         N         N         N         S         5         5         2         1         1         5         5         2         1         1         N         N         N         N         S         5         5         7         4         N         N         S         5  | ANAM-USMC Norms (n = 170)<br>Spatial Processing (Simultaneous)<br>Summary Statistics for Snectified Measures | Mean RT SD MRT % Acc Thruput MDN Corr MDN All<br>2484 877 90 24 2331 N/A<br>746 592 9 7 676 N/A<br>1217 243 60 9 1177 N/A   |
| ANAM-UBMC Norms (n = 191)<br>Digit Set Comparison<br>Summary Statistics for Specified Measures   | Lapses         Mean RT         SD MRT         % Acc         Thruput         MDN Corr         MDN All           0         1564         686         92         36         1393         1424           0         330         271         7         9         304         317           0         781         258         67         18         773         8           2         2305         1690         100         72         2233         2233         0           0         1542         634         92         36         1386         1417         N   | ANAM-USMC Norms (n = 187)<br>Mathematical Processing<br>Summary Statistics for Specified Measures | Lapses         Mean RT         SD MRT         % Acc         Thruput MDN Corr         MCIN All         N <td>ANAM-USMC Norms (n = 170)<br/>Spatial Processing (Simultaneous)<br/>Summary Statiatics for Snecified Measures</td> <td>Lapses Mean RT SD MRT % Acc Thruput MDN Corr MDN All<br/>0 2484 877 90 24 2331 N/A<br/>0 746 592 9 7 676 N/A<br/>0 1217 243 60 9 1177 N/A</td> | ANAM-USMC Norms (n = 170)<br>Spatial Processing (Simultaneous)<br>Summary Statiatics for Snecified Measures  | Lapses Mean RT SD MRT % Acc Thruput MDN Corr MDN All<br>0 2484 877 90 24 2331 N/A<br>0 746 592 9 7 676 N/A<br>0 1217 243 60 9 1177 N/A  |

ł 

1.

|                                 |   |  |  | MDN All<br>1077<br>265<br>387<br>2658<br>2658<br>1015      |
|---------------------------------|---|--|--|--|
| ·                               |   |  |  | IDN Cor<br>1070<br>252<br>421<br>2658<br>1017              |
|                                 |   |  | )<br>)<br>easures                          | Thruput M<br>47<br>14<br>15<br>81<br>47                    |
|                                 |   |  | ms (n = 196<br>ayed Recal<br>Specified M   | % Ac<br>100 1 30<br>94                                     |
|                                 |   |  | JSMC Norr<br>Itution (Del<br>Mistics for 5 | 5D MRT<br>551<br>459<br>84<br>2930<br>408                  |
|                                 |   | MDN All<br>1097<br>254<br>360<br>2259<br>1049  | ANAM-I<br>Code Subst<br>ummary Sta         | Mean RT 1<br>1237<br>368<br>597<br>3033<br>3033            |
|                                 |   | DN Cort N<br>1098<br>255<br>366<br>2233<br>255 | ō  | Lapses<br>0<br>0<br>2<br>2<br>0<br>0<br>0<br>0             |
| hata<br>7)                      | 3)<br>Ing)<br>Aeasures                    | Thruput M<br>51<br>12<br>20<br>118<br>50<br>50 |  | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN                    |
| S<br>rmative D<br>ics (n = 19   | ms (n = 190<br>sual Scann<br>Specified IN | % Acc<br>96<br>100<br>97                       | L  |  |
| Table<br>USMC No<br>ary Statist | USMC Nor<br>stitution (VI<br>tistics for  | SD MRT<br>452<br>212<br>155<br>1791<br>405     |  | MDN All<br>1132<br>240<br>324<br>1917<br>1081              |
| ANAM-<br>Summa                  | ANAM-<br>Code Sub<br>Immary Sta           | Aean RT<br>1205<br>299<br>496<br>2936<br>1158  |  | MDN Corr<br>1127<br>234<br>346<br>1800<br>1082             |
|                                 | ดั  | Lapses A<br>0<br>1<br>0<br>1                   | 96)<br>Icall)<br>Measures                  | Thruput 1<br>46<br>13<br>85<br>85                          |
|                                 |   | EAN<br>TD DEV<br>IN<br>IAX<br>IEDIAN           | urms (n = 19<br>umediate Re<br>coootified  | % Acc<br>93<br>100<br>94                                   |
|                                 |   | <u> </u>                                       | LUSMC No<br>stitution (In                  | SD MRT<br>528<br>528<br>348<br>136<br>1841<br>425          |
|                                 |   |  | ANAM<br>Code Sub                           | Summary S<br>Mean RT<br>1282<br>338<br>413<br>2393<br>1218 |
|                                 |   |  |  | Ϋ́<br>Γabses<br>Γabses                                     |
|                                 |   |  |  | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN                    |

dej.

27

-

|                                      | ANAM-USMC Females (n = 78)<br>STANFORD SLEEPSCALE<br>Session 1-2 | Score         Time (ms)           Mean         4         13447           SD         1         10615           Min.         1         1547           Max.         6         67670           Median         4         10516 |   |   | native Data (n = 78)<br>(Session 1 - 3)<br>specified Measures                             | 6 Acc Thruput MDN Cor MDN All<br>100 218 232 232<br>0 28 21 21 | 100 149 205 280 386 386 100 216 231 231   | mative Data (n = 28)<br>tunning Memory (CPT160)<br>Specified Measures                     | % Acc         Thruput         MDN Corr         MDN All         569         95         97         98         571         569         98         571         569         98         93         94         93         94         94         93         94         93         94         93         94         94         93         94         94         93         94         94         93         54         100         54         54         10         94 <t< th=""></t<> |
|--------------------------------------|--|---|---|---|---|--|---|---|--|
|                                      | M-USMC Females (n = 81)<br>ANFORD SLEEPSCALE<br>Session 1-1      | n 3 22929<br>1 3 32929<br>1 14952<br>1 3592<br>6 133821<br>ian 2 29638  |   | N Corr MDN All<br>312 312<br>39 39<br>277 277<br>454 454<br>299 299   | ANAM-USMC Female Norm<br>Simple Reaction Time (<br>Summary Statistics for S               | Lapses Mean RT SD MRT %<br>0 280 69<br>0 38 36                 | 0 215 16<br>0 403 217<br>0 278 65   | ANAM-USMC Female Norr<br>Continuous Performance Task - R<br>Summary Statistics for        | Lapses Mean RT SD MRT 1<br>1 597 184<br>2 97 49<br>0 459 105<br>8 863 281<br>0 571 173   |
| le↓<br>Normative Data<br>ta (n = 83) | ANA<br>ST  | Mea<br>SD<br>Min<br>Max   | Normative Data (n = 78)<br>Time (Session 1 - 1)<br>for Specified Measures | % Acc         Thruput MD           100         219           0         33           100         149           100         285           100         285           100         231 |   | MEAN<br>STD DEV  | MIN<br>MAX<br>MEDIAN  |   | MEDIAN<br>STD DEV<br>MIN<br>MAX  |
| Tab<br>ANAM-USMC  <br>Female Da      |  |   | ANAM-USMC Female<br>Simple Reaction T<br>Summary Statistics               | Lapses Mean RT SU MRT<br>0 280 93<br>0 46 86<br>0 211 16<br>0 403 416<br>0 272 60   | ta (n = 79)<br>1 - 2)<br>Measures   | Thruput MDN Corr MDN Al<br>210 260 260<br>• 35 9 5             | 120 245 245<br>279 276 276<br>214 259 256   | ita (n = 28)<br>Memory (CPT80)<br>Measures  | Thruput MDN Corr MDN A<br>91 599 58<br>11 73 73<br>75 470 47<br>113 727 72<br>89 604 58  |
|                                      | JSMC Females (n = 83)<br>lect Demographics<br>Session 1 - 1      | Age Education<br>19 Education<br>13 EV 2 1<br>17 12<br>26 17<br>N 18 12   |   | MEAN<br>STD DEV<br>MIN<br>MEDIAN  | USMC Female Normative Da<br>ple Reaction Time (Session<br>nary Statistics for Specified N | RT SD MRT % Acc<br>295 86 100<br>60 94 0                       | 215 19 100<br>499 656 100<br>280 54 100   | -USMC Female Normative Da<br>Performance Task - Running<br>imary Statistics for Specified | <ul> <li>RT SD MRT % Acc</li> <li>614 187 93</li> <li>68 29 4</li> <li>490 115 85</li> <li>732 239 100</li> <li>614 190 94</li> </ul>  |
| ·                                    | ANAM-<br>Subj  | MEAN<br>STD DE<br>MIN<br>MAX<br>MEDIAI  |   |   | ANAM<br>Simi<br>Sumn  | MEAN Lapses Mean   | MIN CONTRACTION OF THE | ANAM<br>Continuous<br>Surr  | MEAN Lapses Mean<br>STD DEV 2<br>MIN 8<br>MAX 8<br>MEDIAN 1  |

40 g (1)

Table ↓ ANAM-USMC Normative Data Female Data (n = 83)

.

.

n an Reisel

,

į.

| ale Norma<br>elations (S<br>i for Spec      | RT %<br>89      | 42           | 26   | 191  | 3 <b>4</b> 5 |   |
|---|-----------------|--------------|------|------|--------------|---|
| MC Femi<br>ogical Re<br>Statistics          | SD MF           | 4            | 2    | 53   | 9            |   |
| ANAM-USI<br>Lo<br>Summary {                 | Mean RT<br>2249 | 602          | 1271 | 4032 | 2131         |   |
|   | Lapses<br>0     | 0            | 0    | 2    | 0            |   |
| •   | MEAN            | STD DEV      | MIN  | MAX  | MEDIAN       |   |
|   | 50              | 0.00         | . 6  | 8    | ন            | I |
|   | MDN A           | 28           | 80   | 212  | 144          |   |
|   | N Corr<br>1414  | 278          | 808  | 2113 | 1431         |   |
| ata (n = 80)<br>Measures                    | Thruput MI      | ς <b>ε</b> ο | 20   | 61   | 34           |   |
| lormative D<br>Comparison<br>Specified 1    | % Acc           | , <b>0</b>   | 75   | 100  | 92           |   |
| IC Fernale N<br>Digit Set<br>itatistics for | SD MRT          | 274          | 258  | 1461 | 679          |   |
| ANAM-USN<br>Summary S                       | Mean RT         | 298<br>298   | 619  | 2271 | 1581         |   |
|   | Lapses          |              | 0    | 0    | 0            |   |
|   |                 |              | MIN  | MAX  | MEDIAN       |   |

|         | -      | ANAM-USN  | AC Female N    | lormative 1 | Jala (n = d | 2        |         |
|---------|--------|-----------|----------------|-------------|-------------|----------|---------|
|         |        | -         | Aathematical   | Processir   | ĝ           |          |         |
|         |        | Summary § | statistics for | Specified   | Measures    |          |         |
|         | Lapses | Mean RT   | SD MRT         | % Acc       | Thruput     | MDN Corr | MDN All |
| MEAN    |        | 2858      | 1068           | 94          | 21          | 2611     | NIA     |
| STD DFV | 0      | 794       | 577            | 80          | 9           | 685      | NIA     |
| MIN     | 0      | 1718      | 69E            | 67          | <b>О</b>    | 1656     | N/A     |
| MAX     |        | 5003      | 3030           | 100         | 35          | 4761     | A/N     |
| MEDIAN  | D      | 2685      | 911            | 100         | 21          | 2451     | N/N     |

| ·       |        | ANAM-USN<br>Spatik<br>Summary S | AC FEMBIE N<br>al Processiny<br>Statistics for | g (Simultar<br>Specified | ada (n = 0<br>heous)<br>Measures | 2        |         |
|---------|--------|---------------------------------|--|--------------------------|----------------------------------|----------|---------|
|         | Lapses | Mean RT                         | SD MRT   | % Acc                    | Thruput                          | MDN Corr | MDN AII |
| MEAN    | 0      | 2482                            | 846  | 06                       | • 23                             | 2354     | NIA     |
| STD DEV | 0      | 639                             | 481  | 10                       | 7                                | 617      | NIA     |
| NIN     | 0      | 1457                            | 243  | 67                       | 6                                | 1431     | ΝΝ      |
| MAX     | 0      | 4352                            | 2899   | 100                      | 36                               | 3762     | NA      |
| MEDIAN  | 0      | 2357                            | 741  | 63                       | 22                               | 2284     | NN      |

|     |       | ANAM-USN   | AC Female N    | ormative [ | Jata (n = 6 | (6)      |        |
|-----|-------|------------|----------------|------------|-------------|----------|--------|
| •   |       | Lo(        | gical Relatio  | ns (Symbo  | ols)        |          |        |
|     |       | Summary S  | statistics for | Specified  | Measures    |          |        |
|     | ances | Mean RT    | SD MRT         | % Acc      | Thruput     | MDN Corr | MDN AI |
| N   |       | DVCC       | 789            | 88         | 25          | 2105     | 2121   |
|     |       | 503<br>503 | CVV            | 9          | 9           | 535      | 514    |
| UEV |       | 1271       | 226            | 69         | 12          | 1240     | 1255   |
|     | 2 0   | 4032       | 2391           | 100        | 38          | 3438     | 3438   |
|     | 4 0   | 2131       | 645            | 88         | 24          | 2002     | 2041   |

|   |   | ANAM-USN<br>Mer<br>Summary S                 | AC Female N<br>nory Search<br>statistics for | lormative D<br>(Sternberg<br>Specified | ata (n = 7<br>- 6)<br>Measures        | 8)   |  |
|---|---|--|--|--|---------------------------------------|--|--|
| MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN | Lapses<br>0<br>0<br>0<br>0<br>0<br>0<br>0 | Mean RT<br>1055<br>270<br>722<br>2332<br>989 | SD MRT<br>495<br>291<br>135<br>1541<br>441   | % Acc<br>93<br>7<br>67<br>97<br>97     | Thruput<br>55<br>13<br>17<br>81<br>57 | MDN Corr<br>900<br>201<br>615<br>1917<br>850 | MDN All<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A |

|                               | Summary S                             | Matching to tatistics for           | Sample<br>Specified                 | Measures                        |  |   |
|-------------------------------|---------------------------------------|-------------------------------------|-------------------------------------|---------------------------------|--|---|
| MEAN<br>STD PEV<br>MIN<br>MAX | Mean RT<br>1575<br>378<br>752<br>2422 | SD MRT<br>670<br>364<br>191<br>1954 | % Acc<br>90<br>8<br>67<br>100<br>33 | Thruput<br>36<br>11<br>75<br>75 | MDN Cor<br>1389<br>283<br>583<br>594<br>2125<br>1383 | MDN All<br>1402<br>303<br>678<br>2159<br>2159 |

\*

.

| •<br>• •                               |  |  |  | MDN All<br>1062<br>279<br>387<br>2658<br>1013  |
|--|--|--|--|--|
|  |  |  |  | DN Corr<br>1058<br>277<br>421<br>2658<br>1012  |
|  |  |  | ata (n = 82)<br>(ecall)<br>Measures            | Thruput MI<br>49<br>12<br>20<br>74<br>49       |
|  |  |  | ormative D<br>(Delayed F<br>Specified          | % Acc<br>91<br>50<br>94<br>94                  |
|  |  |  | IC Female No<br>Substitution<br>Statistics for | SD MRT<br>467<br>345<br>84<br>1880<br>364      |
|  |  | MDN All<br>1061<br>262<br>360<br>2259<br>1038  | NAM-USN<br>Code<br>Summary \$                  | Mean RT<br>1186<br>326<br>597<br>2720<br>1119  |
|  |  | 4DN Corr<br>1062<br>262<br>366<br>2233<br>1035 |  | Lapses<br>0<br>0<br>0<br>0                     |
| Data                                   | Jata (n = 83<br>anning)<br>Measures          | Thruput A<br>53<br>13<br>20<br>118<br>53       |  | AEAN<br>STD DEV<br>AIN<br>AEDIAN               |
| : <del>/</del><br>ormative<br>(n = 83) | ormative<br>(Visual Sc<br>Specified          | % Acc<br>96<br>31<br>100<br>97                 | L  | 20/222   |
| Table<br>USMC N.<br>male Data          | C Female N<br>Substitution<br>statistics for | SD MRT<br>441<br>251<br>174<br>1791<br>384     |  | MDN All<br>1112<br>260<br>324<br>1893<br>1065  |
| ANAM<br>Fe                             | NAM-USM<br>Code 1<br>Summary S               | Mean RT<br>1162<br>322<br>496<br>2936<br>1108  |  | ADN Corr<br>1112<br>252<br>346<br>1787<br>1080 |
|  | A S  | Lapses<br>0<br>0<br>1<br>0<br>0<br>0           | ata (n = 83<br>Recall)<br>Measures             | Thruput N<br>47<br>12<br>85<br>48              |
|  |  | AEAN<br>STD DEV<br>AAX<br>AEDIAN               | lormative D<br>(Immediate<br>Specified         | % Acc<br>93<br>50<br>94<br>94                  |
|  |  | 20222  | C Female N<br>Substitution<br>tatistics for    | SD MRT<br>518<br>319<br>136<br>1542<br>434     |
|  |  |  | NAM-USM<br>Code 5<br>Summary S                 | Mean RT<br>1257<br>337<br>413<br>2238<br>1169  |
|  |  |  | < <i>"</i>                                     | Lapses<br>0<br>1<br>0<br>0                     |
|  |  |  |  | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN        |

i.

 $c_{\chi^{\prime}}$ 

• •

30

۰.

| , ' ·                               | ANAM-USMC Males (n = 108)<br>STANFORD SLEEPSCALE<br>Session 1-2 | Score         Time (ms)           Mean         3         13001           SD         2         7969           Min.         1         2612           Max.         7         46812           Median         3         10815 |  |  | ive Data (n ≕101)<br>(Session 1 - 3)<br>Specified Measures                    | <ul> <li>Acc Thruput MDN Cor MDN All<br/>100 227 259 259</li> <li>0 33 38 38</li> <li>95 166 186 186</li> <li>100 299 347 347</li> <li>100 225 255 255</li> </ul> | ative Data (n = 56)<br>Running Memory (CPT160)<br>Specified Measures              | % Acc         Thruput MDN Cor         MDN All           95         96         574         572           4         16         100         100           82         59         440         437           100         126         907         907           96         555         555         555 |
|-------------------------------------|---|--|--|--|---|---|---|---|
|                                     | 4AM-USMC Males (n = 114)<br>STANFORD SLEEPSCALE<br>Session 1-1  | Score Time (ms)<br>Ban 2 30631<br>D 1 16420<br>n. 1 8558<br>ax. 7 110538<br>acian 2 26708  |  | DN Corr MDN All<br>258 258<br>32 32<br>192 192<br>336 336<br>256 256         | ANAM-USMC Male Normat<br>Simple Reaction Time (<br>Summary Statistics for S   | Lapses Mean RT SD MRT %<br>0 271 70<br>0 40 37<br>0 200 22<br>1 362 251<br>0 267 61   | ANAM-USMC Male Norma<br>Continuous Performance Task - I<br>Summary Statistics for | Lapses Mean RT SD MRT 9<br>1 607 197<br>1 104 50<br>0 457 95<br>5 915 302<br>0 585 193  |
| le S<br>Normative Data<br>(n = 114) | NA N                        | <u><u><u>×</u></u><u>×</u><u>×</u><u>×</u><u>×</u></u>   | ormative Data (n = 108)<br>ime (Session 1 - 1)<br>for Specified Measures | % Acc Thruput M<br>100 224<br>0 30<br>100 162<br>100 297<br>100 221          |   | MEAN<br>STD DEV<br>MIN<br>MEDIAN  |   | REAN<br>STD DEV<br>MIN<br>MEDIAN  |
| Tab<br>ANAM-USMC  <br>Male Data     |   |  | ANAM-USMC Male N<br>Simple Reaction T<br>Summary Statistics              | s Mean RT SD MRT<br>0 272 78<br>0 36 58<br>0 202 20<br>0 371 417<br>0 272 59 | (07)<br>Ires  | ut MDN Corr MDN All<br>10 266 266<br>33 37 37<br>36<br>43 205 205<br>96 367 367<br>09 260 260   | 52)<br>ry (CPT80)<br>sures  | out MDN Corr MDN Al<br>91 610 600<br>59 389 90<br>26 882 875<br>92 602 601  |
|                                     | lles (n = 114)<br>graphics<br>  - 1                             | Education<br>13<br>12<br>12<br>12  |  | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN                                      | le Normative Data (n = 1<br>on Time (Session 1-2)<br>tics for Specified Measu | ART % Acc Thrup<br>112 108 0 224<br>24 100 22<br>84 100 22<br>84 100 22   | ale Normative Data (n≕<br>ce Task - Running Memo<br>istics for Specified Mea      | MRT % Acc Thru<br>178 94<br>36 4<br>87 81<br>274 99 1<br>180 95 1   |
|                                     | ANAM-USMC Ma<br>Subject Demo<br>Session 1                       | Age<br>MEAN 19<br>STD DEV 2<br>MIN 17<br>MAX 26<br>MEDIAN 18   |  |  | , ANAM-USMC Ma<br>Simple Reactic<br>Summary Statist                           | apses Mean RT SD M<br>0 293<br>0 47<br>0 203<br>0 419<br>0 419<br>0 287   | ANAM-USMC M<br>Continuous Performand<br>Summary Stati                             | Lapses Mean RT SD1<br>1 623<br>2 92<br>0 429<br>8 858<br>1 612  |
|                                     |   |  |  |  |   | L<br>MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN  |   | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN   |

ŗ,,

·

**.** .

|   | E & S   | 473  | <u> </u>  | 986<br>986<br>552<br>352<br>342<br>918  |   | 4 All<br>385<br>367<br>618<br>618<br>2404  |
|---|---|--|---|---|---|--|
|   | MDN<br>22<br>5 5  | 246  |   | MDN   |   | af ur  |
|   | 1 Corr<br>2211<br>557                                     | 1336<br>4592<br>2106   |   | A Cor<br>48 13<br>88 22 13<br>88 22 13  |   | N Cor<br>1373<br>354<br>629<br>2321<br>1348  |
| <b>()</b>   | WDW f   | 00-  | 07)<br>s:   | 10W 10 8 0 0 0  | (04)<br>es  | at MD<br>33 MD<br>39 MD<br>39 MD<br>39 MD  |
| (n = 86<br>)<br>easure:   | Thrupu<br>2   | -40  | (n = 1<br>- 6)<br>Measure   | Thrup:<br>7<br>10   | a (n = 1<br>Measur  | Thrup  |
| ative Data<br>s (Symbols<br>specified M   | % Acc<br>87<br>7  | 69<br>88<br>88   | native Data<br>(Sternberg -<br>Specified N                        | % Acc<br>572<br>311<br>186<br>1695<br>483   | mative Data<br>Sample<br>Specified 1  | % Acc<br>92<br>67<br>100   |
| Male Norm<br>cal Relation<br>tistics for S  | SD MRT<br>915<br>493                                      | 198<br>2580<br>780   | C Male Norn<br>pry Search<br>atistics for                         | SD MRT<br>1152<br>301<br>721<br>2371<br>1071  | IC Male Norr<br>Matching to<br>tatistics for  | SD MRT<br>644<br>413<br>175<br>2284  |
| AM-USMC<br>Logic<br>nmary Sta   | ean RT<br>2416<br>596                                     | 1311<br>4707<br>2377   | AM-USM<br>Mem<br>mmary St   | lean RT<br>0<br>0<br>0<br>0   | MAM-USM   | Aean RT<br>1554<br>475<br>662<br>2983  |
| AN  | Lapses M<br>0<br>0  | 0-0  | AN  | Lapses M<br>0<br>0<br>1<br>0  | ξ ŭ   | Lapses 1<br>0<br>0<br>1<br>1   |
|   | MEAN<br>STD DEV   | MIN<br>MAX<br>MEDIAN   |   | MEAN<br>STD DEV<br>MIN<br>MEDIAN  |   | MEAN<br>STD DEV<br>MIN<br>MAX  |
|   | MDN AII<br>1410<br>337                                    | 2233<br>2233   |   | MDN AN<br>NA<br>NA<br>NA<br>NA<br>NA  |   | MDN AII<br>NIA<br>NIA<br>NIA<br>NIA  |
|   | DN Corr<br>1378<br>322                                    | 718<br>2233<br>1373  |   | DN Corr<br>2723<br>735<br>1260<br>5159<br>2672  |   | DN Corr<br>2315<br>714<br>1177<br>4922   |
| (11)<br>es  |   |  |   |   | 1   | <b></b>  |
| (n = 1<br>leasur  | Thruput MI<br>37  | 35 25 38   | 1 (n =105)<br>1   | Thruput MI<br>20<br>6<br>41<br>19   | a (n ≂ 103)<br>neous)<br>Measures   | Thruput M<br>• 24<br>7<br>10<br>46   |
| mative Data (n = 1<br>comparison<br>Specified Measur  | % Acc Thruput M<br>92 37<br>10                            | 67 16<br>67 16<br>92 36  | mative Data (n ≃105)<br>I Processing<br>Conorided Messures        | Mice         Thruput         MI           % Acc         Thruput         MI           93         20         20           7         6         6           100         41         93           93         19         19  | rmative Data (n = 103)<br>ng (Simultaneous)<br>· Specified Measures   | % Acc Thruput M<br>90 ° 24<br>8 7<br>60 10<br>100 46   |
| C Male Normative Data (n = 1<br>Digit Set Comparison<br>atistics for Specified Measur                   | SD MRT % Acc Thruput M<br>658 92 37<br>267 8 10           | 258 67 16<br>258 67 16<br>1690 100 72<br>610 92 36   | iC Male Normative Data (n ≃105)<br>fathematical Processing        | SD MRT % Acc Thruput MI<br>1159 93 20<br>494 7 6<br>267 67 8<br>2979 100 41<br>1017 93 19   | AC Maie Normative Data (n = 103)<br>al Processing (Simultaneous)<br>statistics for Specified Measures                     | SD MRT % Acc Thruput M<br>897 90 ° 24<br>656 8 7<br>265 60 10<br>3567 100 46   |
| NAM-USMC Male Normative Data (n = 1<br>Digit Set Comparison<br>ummary Statistics for Specified Measur   | Mean RT SD MRT % Acc Thruput M<br>1541 658 92 37          | Join         Zoi         Voi         Voi <td>ANAM-USMC Male Normative Data (n ≃105)<br/>Mathematical Processing</td> <td>Mean RT SD MRT % Acc Thruput MI<br/>2968 1159 93 20<br/>793 494 7 6<br/>1353 267 67 8<br/>6554 2979 100 41<br/>2875 1017 93 19</td> <td>ANAM-USMC Maie Normative Data (n = 103)<br/>Spatial Processing (Simultaneous)<br/>Summary Statistics for Specified Measures</td> <td>Mean RT SD MRT % Acc Thruput M<br/>2485 897 90 ° 24<br/>811 656 8 7<br/>1217 265 60 10<br/>6737 3567 100 46</td> | ANAM-USMC Male Normative Data (n ≃105)<br>Mathematical Processing | Mean RT SD MRT % Acc Thruput MI<br>2968 1159 93 20<br>793 494 7 6<br>1353 267 67 8<br>6554 2979 100 41<br>2875 1017 93 19   | ANAM-USMC Maie Normative Data (n = 103)<br>Spatial Processing (Simultaneous)<br>Summary Statistics for Specified Measures | Mean RT SD MRT % Acc Thruput M<br>2485 897 90 ° 24<br>811 656 8 7<br>1217 265 60 10<br>6737 3567 100 46              |
| ANAM-USMC Male Normative Data (n = 1<br>Digit Set Comparison<br>Summary Statistics for Specified Measur | Lapses Mean RT SD MRT % Acc Thruput M<br>0 1541 658 92 37 | 0 781 258 67 16<br>0 781 258 67 16<br>2 2305 1690 100 72<br>0 1576 610 92 36   | ANAM-USMC Male Normative Data (n ≃105)<br>Mathematical Processing | Chapters         Mean RT         SD MRT         % Acc         Thruput MI           0         2968         1159         93         20           0         793         494         7         6           0         1353         267         61         8           1         6554         2979         100         41           0         2875         1017         93         19 | ANAM-USMC Male Normative Data (n = 103)<br>Spatial Processing (Simultaneous)<br>Summary Statistics for Specified Measures | Lapses Mean RT SD MRT % Acc Thruput M<br>0 2485 897 90 24<br>0 811 656 8 7<br>0 1217 265 60 10<br>0 5737 3567 100 46 |

Table J ANAM-USMC Normalive Data Male Daty (n = 114)

.

32

---

ŗ,

Table 5 ANAM-USMC Normative Data Male Data (n= 114)

ι

• • • •

١,

|  | MDN All<br>1123<br>246<br>618<br>2027<br>2027<br>1067 |
|--|---|
|  | MDN Corr<br>1125<br>248<br>616<br>2027<br>1070        |
| a (n = 110)<br>anning)<br>Measures           | Thruput 1<br>49<br>10<br>25<br>76<br>48               |
| mative Data<br>(Visual Sca<br>Specified      | % Acc<br>96<br>3<br>100<br>97                         |
| C Male Nori<br>Substitution<br>Matistics for | SD MRT<br>460<br>179<br>155<br>1213<br>449            |
| NAM-USM<br>Code 5<br>Summary S               | Mean RT<br>1235<br>278<br>759<br>2331<br>1208         |
|  | Lapses<br>0<br>0<br>0<br>0                            |
|  | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN               |

| -   | MEAN<br>STD DI<br>MIN<br>MAX<br>MEDIA   |
|---|---|
|   | MDN All<br>1146<br>224<br>809<br>1917<br>1122   |
|   | MDN Corr<br>1138<br>220<br>783<br>1800<br>1129  |
| a (n = 113)<br>e Recall)<br>Measures          | Thruput<br>45<br>13<br>13<br>71<br>43   |
| mative Dat<br>(Immediate<br>Specified         | % Acc<br>92<br>100<br>94  |
| IC Male Nor<br>Substitution<br>Statistics for | SD MRT<br>535<br>369<br>138<br>1841<br>421  |
| ANAM-USM<br>Code<br>Summary                   | Mean RT<br>1300<br>338<br>823<br>2393<br>1257   |
|   | C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C<br>C |
|   | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN   |

.

, ,

. •

.

.

|   | MDN All<br>1088<br>255<br>689<br>2255<br>1038 |
|---|---|
|   | MDN Cor<br>1078<br>233<br>689<br>1911<br>1025 |
| a (n ≖ 114)<br>Recall)<br>Measures            | Thruput<br>45<br>15<br>81<br>81<br>81         |
| native Data<br>(Delayed I<br>Specified        | % Acc<br>89<br>10<br>10<br>94                 |
| C Male Norr<br>Substitution<br>itatistics for | SD MRT<br>611<br>705<br>2030<br>2030          |
| NAM-USM<br>Code 5<br>Summary S                | Mean RT<br>1273<br>393<br>743<br>3033<br>1203 |
|   | Lapses<br>0<br>0<br>2<br>2<br>0<br>0          |
|   | D DEV<br>N<br>EDIAN                           |

|   | USMC Retest Data (n = 49)<br>STANFORD SLEEPSCALE<br>Session 2 - 2 | Score         Time (ms)           Mean         5         10218           SD         2         8597           Median         5         7418           Min.         1         1554           Max.         7         49365 |   |   | Data (n = 49)<br>Session 2 - 3)<br>pecified Measures                          | % Acc         Thruput MDN Corr         MDN All           100         213         268         268           0         56         71         71           100         61         163         163           100         340         612         612           100         214         255         255 | DUTLIERS REMOVED (n =25)<br>Ining Memory (CPT16D)<br>pecified Measures             | % Acc         Thruput MDN Corr         MDN All           89         94         543         537           10         17         100         103           61         60         301         276           100         120         749         748           92         93         525         524 |
|---|---|---|---|---|---|--|--|--|
|   | Retest Data (n = 49)<br>ND SLEEPSCALE<br>session 2 - 1            | Score Time (ms)<br>3 22348<br>2 5331<br>3 21913<br>1 7055<br>7 35398  |   | T MDN All<br>5 75<br>1 191<br>2 687<br>2 242  | USMC Normative Retest<br>Simple Reaction Time (S<br>Summary Statistics for Sp | s Mean RT SD MRT 9<br>0 309 154<br>0 127 212<br>0 176 30<br>0 986 964<br>0 281 77  | Normative Data INVALID C<br>us Performance Task - Run<br>Summary Statistics for SI | s Mean RT SD MRT -<br>3 571 216<br>3 106 76<br>0 350 107<br>0 791 343<br>2 548 211   |
| 6<br>etest Data<br>ay Retest)               | STANFO  | Mean<br>SD<br>Median<br>Min.  | it Data (n =49)<br>(Session 2 - 1)<br>Specified Measures            | % Acc         Thruput MDN Cor           100         227         251           0         49         71           100         84         19           100         309         68           100         236         24 |   | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN  | USMC Retest<br>Continuo  | Lapse<br>MEAN<br>STD DEV<br>MIN<br>MEDIAN<br>1   |
| Table (<br>ANAM-(JSMC R<br>Sessio:: 2 (30-D |   |   | MC Normalive Reles<br>imple Reaction Time<br>mmary Statistics for 1 | ean RT SD MRT<br>284 123<br>102 273<br>194 21<br>711 1450<br>254 61   |   | N Corr MDN All<br>275 275<br>76 76<br>159 159<br>652 652<br>252 252  | ED (n = 28,<br>80)   | DN Corr MDN All<br>573 563<br>82 83<br>365 351<br>683 683<br>584 571   |
|   |   |   | SU S  | EAN Lapses M<br>DDEV 0<br>N AX 0<br>EDIAN 0<br>EDIAN 0  | t Data (n = 49)<br>(Session 2 - 2)<br>Specified Measures                      | % Acc         Thruput Mi           100         209           0         -55           100         -55           100         -55           100         259           100         259           100         259           100         259           100         259                                   | OUTLIERS REMOVI<br>Running Memory (CPT<br>Specified Measures                       | % Acc Thruput <sup>M</sup><br>90 93<br>7 15<br>66 70<br>100 123<br>91 89   |
|   | (n = 49)<br>tics<br>1   | e Educat<br>9 12<br>7 12<br>6 16<br>2 12<br>2 12  | L   | <u><u><u>v</u></u><u>v</u><u>v</u><u>v</u></u>  | USMC Normative Retes<br>Simple Reaction Time<br>Summary Statistics for        | Mean RT         SD MRT           0         316         142           0         127         163           0         163         24           0         945         758           0         274         88   | it Normative Data INVAUI<br>Jous Performance Task - F<br>Summary Statistics for    | s Mean RT SD MRT<br>2 585 181<br>2 79 39<br>0 374 115<br>7 693 244<br>1 596 178  |
|   | USMC Retest Data<br>Subject Statis<br>Session 2 -                 | Ag<br>Mean 1<br>SD 1<br>Median 1<br>Min. 2<br>Max. 1.   |   |   |   | Lapse<br>MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN   | USMC Retes<br>Continu  | Lapsi<br>MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN   |

1 1 

. • •
Table G ANAM-USMC Retest Data Session 2 (30-Day Retest)

. .

|   | 1   |   | = 1 1 1 1 1                                     |   |
|---|---|---|---|---|
|   | MDN All<br>1794<br>477<br>595<br>2712<br>2712<br>1792 |   |   |   |
|   | DN Corr<br>1812<br>513<br>604<br>3042<br>1762         |   | 10N Corr<br>865<br>598<br>598<br>1538<br>811    |   |
| = 36)<br>leasures                           | Thruput M<br>29<br>10<br>8<br>68<br>27<br>27          | = 49)<br>5)<br>Aeasures                     | Thruput A<br>55<br>15<br>28<br>87<br>55         | = 49)<br>Measures                       |
| est Data (n<br>(symbols)<br>Specified N     | % Acc<br>84<br>50<br>88<br>88                         | est Data (n<br>Sternberg - (<br>Specified N | % Acc<br>90<br>100<br>93<br>93                  | est Data (n<br>Sample<br>Specified      |
| rmative Reto<br>Relations<br>atistics for   | SD MRT<br>682<br>400<br>129<br>1942<br>617            | rmative Rete<br>y Search (5<br>atistics for | SD MRT<br>555<br>308<br>123<br>1722<br>474      | mative Ret<br>shing to<br>tatistics for |
| USMC Noi<br>Logical<br>ummary Sta           | Mean RT<br>1923<br>566<br>612<br>3356<br>1861         | USMC Noi<br>Memor<br>tummary St             | Mean RT<br>1037<br>256<br>629<br>1636<br>1017   | USMC Non<br>Matc                        |
| S   | Lapses<br>0<br>0<br>0<br>0                            | S S   | Lapses<br>0<br>0<br>0<br>0                      |   |
|   | MEAN<br>STD DEV<br>MIN<br>MEDIAN                      |   | MEAN<br>STD DEV<br>MIN<br>MEDIAN                |   |
| L   | -   | <u></u>                                     |   |   |
|   | MDN All<br>1377<br>340<br>563<br>2206<br>1346         |   | MDN AII<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A      |   |
| (6)   | MDN Corr<br>1322<br>318<br>595<br>2306<br>1293        |   | MDN Corr<br>2515<br>736<br>1316<br>4178<br>2317 |   |
| Data (n = 4<br>asures                       | Thruput 1<br>33<br>9<br>15<br>60<br>82<br>32          | = 44)<br>Measures                           | Thruput<br>20<br>3<br>39<br>20                  | n = 41 )<br>Us)<br>Moorinoo             |
| st Retest<br>omparison<br>specified Me      | % Acc<br>82<br>54<br>96<br>83<br>83                   | est Data (n<br>trocessing<br>Specified      | % Acc<br>87<br>15<br>100<br>90                  | est Data (<br>(Simultaneo               |
| native Rete<br>igit Set C<br>atistics for S | SD MRT<br>734<br>370<br>192<br>2066<br>656            | rmative Ret<br>ematical F<br>itatistics for | SD MRT<br>1199<br>609<br>382<br>2978<br>1071    | rmative Ret<br>rocessing                |
| JSMC Norr<br>D<br>Summary St                | Mean RT<br>1509<br>365<br>761<br>2309<br>1493         | USMC No<br>Math<br>Summary S                | Mean RT<br>2762<br>824<br>1542<br>4738<br>2515  | USMC No<br>Spatial F                    |
| s<br>S                                      | Lapses<br>4<br>0<br>0                                 |   | Lapses<br>0<br>0<br>1<br>1                      | •                                       |
|   | 1   |   | 1   |   |

|    |     | Summary S | statistics for | Specified | Measures |          |        |
|----|-----|-----------|----------------|-----------|----------|----------|--------|
| 80 | ses | Mean RT   | SD MRT         | % Acc     | Thruput  | MDN Corr | IN NOW |
|    | 0   | 2279      | 875            | 85        | 24       | 2114     | NA     |
|    | C   | 688       | 596            | 1         | 2        | 648      | NN     |
|    |     | 1170      | 270            | 09        | 10       | 1055     | NN     |
|    | ) C | 1774      | 2595           | 100       | 45       | 4775     | NN     |
|    | 0   | 2129      | 660            | 87        | 23       | 1955     | NA     |

Thruput MDN Corr MDN All 35 1337 NNA 14 468 NNA 8 761 NNA 76 3773 NNA 32 1256 NNA

% Acc 85 14 100 87

> MEAN STD DEV MIN MAX MEDIAN

|   |  |                                  |   | ANA   | Table<br>M-USMC I                            | 6<br>Retest Dat<br>Day Petect        |   |  |   |  |                                      |   |  | 1<br>1<br>1<br>1                            |
|---|--|----------------------------------|---|---|--|--------------------------------------|---|--|---|--|--------------------------------------|---|--|---|
|   |  |                                  | 0 ดี                                    | USMC<br>Dode Subs<br>ummary Sta               | Retest Dat<br>titution (Vis<br>alistics for  | a (n =49)<br>sual Scann<br>Specified | r<br>ing)<br>Measures                   |  |   |  |                                      |   |  |   |
|   | MEAN<br>STD D<br>MIN<br>MAX<br>MEDU                      | AN DEV                           | Lapses A<br>0<br>0<br>0<br>0            | Aean RT<br>1129<br>332<br>691<br>2040<br>1049 | SD MRT<br>643<br>452<br>210<br>2394<br>457   | % Acc<br>94<br>81<br>100<br>95       | Thruput N<br>54<br>14<br>27<br>85<br>54 | IDN Corr<br>941<br>208<br>587<br>1571<br>904 | MDN All<br>939<br>215<br>581<br>1571<br>890   |  |                                      |   |  |   |
| USMC<br>Code Subi<br>Summary St                               | Retest Data ( n<br>stitution (Immdei<br>atistics for Spe | r = 49 )<br>late Rec<br>cified M | all)<br>leasures                        |   |  | L                                    |   | ο - σ  | USMC I<br>Code Subs<br>ummary St              | Retest Data (<br>stitution (Del<br>alistics for \$ | n = 46 )<br>ayed Reca<br>Specified N | all)<br>Measures                        |  |   |
| apses Mean RT<br>0 1132<br>0 281<br>0 745<br>1 2085<br>0 1070 | SD MRT %<br>475<br>320<br>125<br>379<br>379              | Acc<br>89<br>11<br>63<br>91      | Thruput N<br>49<br>14<br>23<br>75<br>49 | 1DN Corr<br>1010<br>216<br>712<br>1675<br>937 | MDN All<br>1010<br>221<br>707<br>1634<br>937 |                                      | MEAN<br>STD DEV<br>MIN<br>MAX<br>MEDIAN | Lapses<br>0<br>1<br>1                        | Mean RT<br>1174<br>401<br>700<br>2739<br>1046 | SD MRT<br>589<br>525<br>147<br>2219<br>333         | % Acc<br>86<br>11<br>100<br>88<br>88 | Thruput M<br>48<br>15<br>17<br>82<br>49 | 1DN Cort<br>984<br>239<br>630<br>1817<br>925 | MDN All<br>989<br>252<br>593<br>1905<br>932 |

36

.

۰.

•

|            | INITIAL BAS  | SELINE TEST          | <u> </u>         | RETEST     |             |   |
|------------|--------------|----------------------|------------------|------------|-------------|---|
|            | Accuracy     | Efficiency           | N                | Accuracy   | Efficiency  | N |
| CDS        | 94<br>(12)   | 39**<br>(11)         | 13               | 95<br>(3)  | 49<br>(13)  | 9 |
| CDI        | 86<br>(16)   | 32***<br>(11)        | 14               | 92<br>(8)  | 45<br>(12)  | 9 |
| CDD        | 84*<br>(12)  | 39*<br>(15)          | 14               | 90<br>(6)  | 51<br>(7)   | 9 |
| ST6        | 83**<br>(9)  | 37***<br>(12)        | 14               | 94<br>(4)  | 49<br>(16)  | 8 |
| CPT<br>80  | 88*<br>(6)   | 82<br>(13)           | 10               | 94<br>(4)  | 49<br>(16)  | 8 |
| CPT<br>160 | 93<br>(6)    | 95<br>(16)           | 8                | 93<br>(4)  | 100<br>(19) | 8 |
| DGS        | 91<br>(8)    | 31*<br>(7)           | 13               | 96<br>(6)  | 37<br>(7)   | 9 |
| LRS        | 88<br>(6)    | 19<br>(6)            | 11               | 91<br>(3)  | 26<br>(5)   | 9 |
| MSP        | 88<br>(9)    | 26***<br>(8)         | 14               | 96<br>(6)  | 24<br>(5)   | 9 |
| MTH        | 95<br>(5)    | 17*<br>(5)           | 11               | 96<br>(6)  | 24<br>• (5) | 9 |
| SPD        | 88<br>(7)    | 16***<br>(5)         | 12               | 93<br>(5)  | 23<br>(6)   | 9 |
| SRT1       | 100          | 206<br>(41)          | 14               | 100        | 247<br>(24) | 9 |
| SRT2       | 100          | 187 <b>*</b><br>(34) | 12               | 100        | 247<br>(24) | 9 |
| SRT3       | 100          | 211<br>(24)          | 12               | 100        | 233<br>(36) | 9 |
| SLP        | 3⊶4          | N/A                  | 14               | 3⊶4        | N/A         | 9 |
|            | Significantl | y below normal       | levels: $*p < .$ | 05, **p<.0 | l, *p<.0001 |   |

# Table 7. USMC HEAT-STRESS RESULTS (Group Summary Data) Means, (Standard Deviations), & Sample Size-N

. .

|          |                | abjeer m. 21   |               |                     |  |        |  |    |  |
|----------|----------------|--|---------------|---------------------|--|--------|--|----|--|
|          | INITIAL E      | BASELINE   | RET           | EST                 |  |        |  |    |  |
|          | Accuracy       | Efficiency   | Accuracy      | Efficiency          |  |        |  |    |  |
| CDS      | 97             | 25**   | 98            | 46                  |  |        |  |    |  |
| CDI      | 88             | 29*  | 100           | 54                  |  |        |  |    |  |
| CDD      | 88             | 33*  | 94            | 51                  |  |        |  |    |  |
| ST6      | 90             | 26**   | 97            | 36*                 |  |        |  |    |  |
| CPT-80   | 89             | 63*  | 96            | 96                  |  |        |  |    |  |
| CPT-160  | 92             | 66*  | 96            | 102                 |  |        |  |    |  |
| DGS      | 71**           | 17**   | 83            | 23*                 |  |        |  |    |  |
| LRS      | 81             | 8**  | 94            | 17*                 |  |        |  |    |  |
| MSP      | 93             | 19*  | 100           | 39                  |  |        |  |    |  |
| MTH      | 100            | 11**         93           14*         93           151**         100 |               | . 16                |  |        |  |    |  |
| SPD      | 100            |  |               | 14* 93<br>151** 100 |  | 14* 93 |  | 22 |  |
| SRT1     | 100            |  |               |                     |  | 196    |  |    |  |
| SRT2     | 100            | 159**  | 100           | 192                 |  |        |  |    |  |
| SRT3     | 190            | 176*   | 100           | 208                 |  |        |  |    |  |
| SLP      | 4*⊶4           | N/A  | 2→2           | N/A                 |  |        |  |    |  |
| * Betwee | n 5th & 15th F | ercentile *  | *5th Percenti | le or Below         |  |        |  |    |  |

#### Table 8. USMC HEAT-STRESS RESULTS (Individual Data) Subject ID: 2729

Neuropsychological Evaluation Summary Note: Subject S2729 is an 18 year old Caucasian female, E1\AD\USMC (PVT\URT) with 12 years of education. Results from an initial administration of the USMC-ANAM (18 AUG 95) which followed a "heat-stress" episode suggest that this individual was moderately impaired regarding the ability to sustain high levels of attention and concentration (e.g., Digit Set Comparison Accuracy=71%). While she retained the mental power to perform most tasks within normal limits for accuracy measures of neurocognitive function, her efficiency scores were moderately and globally impaired. These results support the clinical observation of symptoms of heat exhaustion, which included mental dullness and a significant reduction of speed of information processing.

Results from follow-up evaluations conducted on 20 AUG 95 and 16 SEP 95 revealed significant improvement in her mental power and attention abilities (e.g., Digit Set Comparison Accuracy=88% & 83% respectively). There was also notable improvement regarding mental processing efficiency on the majority of tests. However, her performance remained in the mildly impaired range on three tests, suggesting that full recovery had not as yet taken place (e.g., Efficiency scores = 36, 23, & 17 for Sternberg-6 Memory Search, Digit Set Comparison, & Matching to Sample respectively). and determining whether they were between -1.64 and -1.00, placing them within the 5th-15th percentiles. Any raw score corresponding to a Z-score of -1.64 or negatively greater was equivalent to the 5th percentile or below (statistically significantly below normal). This procedure is similar to that described by Kay (1995).

#### Continuous recording of body core temperature.

Although we administered over 1300 CorTemp sensors to our volunteers, we have only approximately 380 usable temperature records from male recruits, and 350 from female recruits. (About 25 of these records include data obtained during road marches with loads, and the rest include data obtained during distance runs.) For male recruits the distance runs are mostly of 3 miles, while for female recruits they are of several different distances, most less than 3 miles. Inspection of plots of  $T_{core}$ against time shows that in the hot season, the recruits never reach thermal steady state during distance runs, and  $\mathrm{T}_{\mathrm{core}}$ continues to rise until the end of the run. These data have not yet been analyzed statistically, but we will attempt to generate equations that will predict an individual's  $T_{core}$  during a run as a function of time, WBGT, the individual's BMI and PFT run time, week of basic training, sex and, for female recruits, phase of the menstrual cycle.

<u>Problems.</u> As noted in the previous paragraph, a high proportion of records of core temperature were not usable. Problems with the records were of two sorts. In many cases, especially near the beginning of the study, the ingestible CorTemp sensors appeared to be defective. Evidence that we

interpreted as indicating defective sensors consisted of temperatures or changes in temperature during the course of a record that were physiologically unrealistic. Each sensor comes with a calibration supplied by the manufacturer, and the sensors are advertised to be accurate to 0.1°C. Because of suspicions about the accuracy and stability of the calibration, we began checking the calibration of each sensor using a temperaturecontrolled water bath and certified mercury-in-glass thermometer, and returned to the manufacturer sensors whose accuracy did not meet the specifications. After we began this practice, the frequency of apparently defective sensors was reduced dramatically. (This project purchases a substantial portion of manufacturer's total output of CorTemp sensors, and we suspect that the manufacturer had difficulty maintaining quality control during production of large lots.) The other problems that we have identified relate to movement of the antennas and/or the recorders, resulting either in loss of the signal or electrical "feedback" between antenna and recorder. These problems usually did not interfere with obtaining temperature signals when subjects are at rest or walking, but frequently caused loss of the signal during running. We began the study using the inexpensive loop antennas, which wrap about the subject's torso. During running, however, the antennas sometimes worked their way up the subject's chest and "lost" the signal from the sensor. To prevent movement of the loop antennas, we sewed each one into a mesh vest. However we still often lost the temperature signal during running, and noticed that signal loss occurred more frequently with female subjects. After consulting with the manufacturer we began to suspect that this problem was due to

"feedback" between the antenna and recorder, which occurs if the antenna and recorder come too close to each other. Bouncing of the recorder and antenna during running could bring them too close together; and since women are several inches shorter than men, the distance between antenna and recorder would be less even without any movement. We therefore tried replacing the loop antennas with more expensive antennas which each have two ferrite elements strapped to the chest. If the recorder is worn at the belt, as it is in our experiments, this antenna is easier to keep at a safe distance from the recorder. Most of our temperature recordings during the 1996 hot season were made with ferrite antennas, and a preliminary count indicates that close to 75% of the temperature records are usable, compared to fewer than 40% of the records during the 1995 hot season.

#### CONCLUSIONS

in a di

#### Assessment of Cognitive Function.

ANAM 3.11a has been used previously in other enlisted populations, but not in recruit populations. Because of the nature and degree of stress to which Marine recruits are subjected, it was first necessary to test healthy members of this population group in order to establish valid norms with which to compare performance of EHI patients, and to demonstrate that our test battery is capable of distinguishing patients from normal recruits.

The pattern of cognitive performance by our hyponatremia patients during their initial test is similar to that exhibited by traumatic brain injury (TBI) patients (Levinson and Reeves, in

press). In contrast to performance of the TBI patients, however, performance of the hyponatremia patients, as a group, nad returned to within normal limits by the time of their retest. Our experience thus far with the USMC subset of ANAM 3.11a shows its utility for assessing acute cognitive impairments in this population. With the normative data that we have obtained for this Marine recruit population, we are well positioned for a more extensive study of the effects of exercise-heat stress and EHI on cognitive performance.

#### Collection of blood samples.

The requirements for collecting and handling blood samples for our intended immunological assays are rather demanding, and the quality of the samples collected this past summer will provide a test of how well we have the necessary procedures in hand. If, as we expect, these samples prove to be of good quality, they will show that we have the necessary procedures well in hand. If not, we will need to review our procedures, make whatever changes are indicated, and collect and analyze another test batch of samples before carrying out the much larger-scale collections planned for next year. The results of the analyses on EHI patients will give some indication of the analyses that are most likely to provide useful information about the pathogenesis and course of EHI, and about the time-course of changes in these responses and thus about the sampling schedule that is most likely to be useful. In addition analysis of the 65 control samples should provide some useful data about paseline responses and their distribution, and aid in planning further collection of samples from controls.

#### Continuous recording of body core temperature.

The equations that we expect to generate predicting an individual's  $T_{core}$  during a run as a function of time, WBGT, the individual's BMI and PFT run time, week of basic training, sex and, for female recruits, phase of the menstrual cycle, will furnish norms against which to compare presenting rectal temperatures of EHI patients. We will thus have a basis for drawing conclusions regarding the extent to which development of EHI is associated with patients' reaching a higher level of  $T_{core}$  than levels reached by healthy recruits performing the same activities under the same conditions, and the extent to high  $T_{core}$ . Furthermore, we will have a basis for inferences about whether individual risk factors (e.g., high BMI) for developing EHI act because of an association with high levels of  $T_{core}$  during exercise or in some other way.

### <u>Collection and organization of clinical data on EHI</u> <u>patients</u>.

The new database is congruent with the data forms, and minimizes the number of <u>ad hoc</u> judgments associated with entry of case data compared to what was involved with the previous database that was inherited from the project "Heat injury among Marine recruits". In addition, its structure simplifies extraction of the data fields necessary for many specific analyses. Collection of the 1995 and 1996 clinical EHI data increases not only the total number of cases in the databases for epidemiological analyses but, more significantly increases the much smaller numbers of cases for which we have been able to



. .

verify the training event at onset of the episode of EHI from published recruit training schedules, which are available beginning only in 1993; and of female cases for which we have data about the phase of the patient's menstrual cycle, which were recorded only beginning in 1993.

#### REFERENCES

. .

Bosenberg, A. T., J. G. Brock-Utne, S. L. Gaffin, M. T. B. Wells, and G. T. W. Blake. Strenuous exercise causes systemic endotoxemia. <u>J. Appl. Physiol.</u> 65: 106-108, 1988.

Bouchama, A., S. Al-Sedairy, S. Siddiqui, E. Shail, and M. Rezeig. Elevated pyrogenic cytokines in heatstroke. <u>Chest</u> 104: 1498-1502, 1993.

Bouchama, A., R. S. Parhar, A. El-Yazigi, K. Sheth, and S. Al-Sedairy. Endotoxemia and release of tumor necrosis factor and interleukin 1α in acute heatstroke. <u>J. Appl. Physiol.</u> 70: 2640-2644, 1991.

Brock-Utne, J. G., S. L. Gaffin, M. T. Wells, P. Gathiram, E. Sohar, M. F. James, D. F. Morrell, and R. J. Norman. Endotoxaemia in exhausted runners after a long-distance race. <u>S.</u> <u>Afr. Med. J.</u> 73: 533-536, 1988.

Buskirk, E., and H. L. Taylor. Maximal oxygen intake and its relation to body composition, with special reference to chronic physical activity and obesity. <u>J. Appl. Physiol.</u> 11: 72-78, 1957.

Butkow, N., D. Mitchell, H. Laburn, and E. Kenedi. Heat stroke and endotoxemia in rabbits. <u>Thermal Physiology</u>, edited by J. R. S. Hales. New York: Raven, 1984, pp. 511-514.

> Bynum, G., J. Brown, D. DuBose, M. Marsill, I. Leav, T. G. Pistole, M. Hamlet, M. LeMaire, and B. Caleb. Increased survival in experimental dog heatstroke after reduction of gut flora. <u>Aviat. Space Environ. Med.</u> 50: 816-819, 1978.

> Cannon, J. G., S. N. Medyani, R. A. Fielding, M. A. Fiatarone, M. Medyani, M. Farhangmehr, S. F. Orencole, J. B. Blumberg, and W. J. Evans. Acute phase response in exercise. II. Associations between vitamin E, cytokines, and muscle proteolysis. <u>Am. J. Physiol.</u> 260: R1235-R1240, 1991.

Costrini, A. M., H. A. Pitt, A. B. Gustafson, and D. E. Uddin. Cardiovascular and metabolic manifestations of heat stroke and severe heat exhaustion. <u>Am. J. Med.</u> 66: 296-302, 1979.

Davies, C. T. M., J. R. Brotherhood, and E. Zeidifard. Temperature regulation during severe exercise with some observations on effects of skin wetting. <u>J. Appl. Physiol.</u> 41: 772-776, 1976.

Fine, J. Disseminated intravascular coagulation in heat stroke. (Letter). <u>J. Am. Med. Assoc.</u> 233: 1164, 1975.

Gaffin, S. L. Antibody therapy for shock. <u>Shock: The Reversible</u> <u>Step Toward Death</u>, edited by R. M. Hardaway III. Littleton, MA: PSG Publ., 1988, pp. 511-516.

Gaffin, S. L., J. G. Brock-Utne, A. Zanotti, and M. T. Wells. Hypoxia-induced endotoxemia in primates: role of

reticuloendothelial system function and anti-lipopolysaccharide plasma. <u>Aviat. Space Environ. Med.</u> 57: 1044-1049, 1986.

Gaffin, S. L., P. Gathiram, M. Wells, and J. G. Brock-Utne. Effect of corticosteroid prophylaxis on lipopolysaccharide levels associated with intestinal ischemia in cats. <u>Crit. Care Med.</u> 14: 889-891, 1986.

Gardner, J. W., J. A. Kark, K. Karnei, J. S. Sanborn, E. Gastaldo, P. Burr, and C. B. Wenger. Risk factors predicting exertional heat illness in male Marine Corps recruits. <u>Med. Sci.</u> <u>Sports Exerc.</u> 28: 939-944, 1996.

Gathiram, P., S. L. Gaffin, J. G. Brock-Utne, and M. T. Wells. Time course of endotoxemia and cardiovascular changes in heatstressed primates. <u>Aviat. Space Environ. Med.</u> 58: 1071-1074, 1987.

Gathiram, P., S. L. Gaffin, M. T. Wells, and J. G. Brock-Utne. Superior mesenteric artery occlusion shock in cats: modification of the endotoxemia by antilipopolysaccharide antibodies (Anti-LPS). <u>Circulatory Shock</u> 19: 231-237, 1986.

Gathiram, P., M. T. Wells, J. G. Brock-Utne, and S. L. Gaffin. Antilipopolysaccharide improves survival in primates subjected to heat stroke. <u>Circ. Shock</u> 23: 157-164, 1987.

Gathiram, P., M. T. Wells, D. Raidoo, J. G. Brock-Utne, and S. L. Gaffin. Portal and systemic plasma lipopolysaccharide

concentrations in heat-stressed primates. <u>Circ. Shock</u> 25: 223-230, 1988.

- i - i

Graber, C. D., R. B. Reinhold, J. G. Breman, R. A. Harley, and G. R. Hennigar. Fatal heat stroke: Circulating endotoxin and Gramnegative sepsis as complications. <u>J. Am. Med. Assoc.</u> 216: 1195-1196, 1971.

Hubbard, R. W. Effects of exercise in the heat on predisposition to heat stroke. <u>Med. Sci. Sports</u> 11: 66-71, 1979.

Hubbard, R. W., and L. E. Armstrong. The heat illnesses: biochemical, ultrastructural, and fluid-electrolyte considerations. In: <u>Human Performance Physiology and</u> <u>Environmental Medicine at Terrestrial Extremes</u>, edited by K. B. Pandolf, M. N. Sawka, and R. R. Gonzalez. Indianapolis: Benchmark, 1988, Chapt. 8, pp. 305-359.

Kay, G. <u>Cogscreen: Aeromedical edition; professional manual.</u>Odessa, FL: Psychological Assessment Resources, Inc. 1995.

Knochel, J. P. Heat stroke and related heat stress disorders. <u>Dis. Mon.</u> 35: 301-377, 1989.

Kolka, M. A. Temperature regulation in women. <u>Med. Exerc. Nutr.</u> <u>Health</u> 1: 201-207, 1992.

Levinson, D. M., and D. L. Reeves. Automated Neuropsychological Assessment Metrics (ANAM): ANAM V1.0 Normative Data. (Report

No. NCRF-TR-94-01). San, Diego, CA: National Cognitive Recovery Foundation, 1994.

Levinson, D. M., and D. Reeves. Monitoring recovery from traumatic brain injury using Automated Neuropsychological Assessment Metrics (ANAM V1.0). <u>Archives of Clinical</u> <u>Neuropsychology</u>. In press.

Levinson, D. M., and D. L. Reeves. ANAM V3.11 normative performance of college graduates. (Report No. NCRF-TR-96-02). San Diego, CA: National Cognitive Recovery Foundation, 1996.

Montain, S. J., M. N. Sawka, B. S. Cadarete, M. D. Quigley, and J. M. McKay. Physiological tolerance to uncompensable heat stress: effects of exercise intensity, protective clothing, and climate. <u>J. Appl. Physiol.</u> 77: 216-222, 1994.

Morimoto, A., N. Murakami, T. Ono, and T. Watanabe. Dehydration enhances endotoxin fever by increased production of endogenous pyrogen. <u>Am. J. Physiol.</u> 251: R41-R47, 1986.

Ohlsson, K., P. Björk, M. Bergenfeldt, R. Hageman, and R. C. Thompson. Interleukin-1 receptor antagonist reduces mortality from endotoxin shock. <u>Nature</u> 348: 550-552, 1990.

Pudifin, D., I. Lhoste, and S. L. Gaffin. Opsonization of gram negative bacteria by anti-LPS antibodies. <u>Lancet</u> 1: 1009-1010, 1985.

Reeves, D., R. Kane, K. Winter, K. Raynsford, and T. Pancella. <u>Automated Neuropsychological Assessment Metrics (ANAM): Test</u> <u>administrator's guide Version 1.0.</u> St. Louis: Missouri Institute of Mental Health, 1993.

т т

Reeves, D. L., and K. P. Winter. <u>ANAM documentation volume I:</u> <u>Test administrator's guide</u>. Washington, DC: Office of Military Performance Technology, Scienceboard, 1992.

Rowell, L. B. Human cardiovascular adjustments to exercise and thermal stress. Physiol. Rev. 54: 75-159, 1974.

Rowell, L. B. Cardiovascular adjustments to thermal stress. In: Handbook of Physiology. The Cardiovascular System, Peripheral <u>Circulation and Organ Blood Flow</u>, edited by J. T. Shepherd and F. M. Abboud. Bethesda, MD.: Am. Physiol. Soc., 1983, sect. 2, vol. 3, chapt. 27.

Sawka, M. N., A. J. Young, W. A. Latzka, P. D. Neufer, M. D. Quigley, and K. B. Pandolf. Human tolerance to heat strain during exercise: influence of hydration. <u>J. Appl. Physiol.</u> 73: 368-375, 1992.

Stephenson, L. A., and M. A. Kolka. Effect of gender, circadian period and sleep loss on thermal responses during exercise. In: <u>Human Performance Physiology and Environmental Medicine at</u> <u>Terrestrial Extremes</u>, edited by K. B. Pandolf, M. N. Sawka, and R. R. Gonzalez. Indianapolis: Benchmark, 1988, pp. 267-304.

Wells, M. T., S. L. Gaffin, M. Gregory, and Y. Coovadia.
Properties of equine anti-lipopolysaccharide hyperimmune plasma.
Binding to LPS and gram negative bactericidal activity. <u>J. Med.</u>
<u>Micro.</u> 24: 187-196, 1987.

#### APPENDIX A

#### ABBREVIATIONS

ALT(SGPT) - alanine aminotransferase

- ANAM Automated Neuropsychological Assessment Metrics Battery
- Anti-LPS antibody against LPS
- AST(SGOT) aspartate aminotransferase
- BMI body mass index (weight/height<sup>2</sup>)
- CPK creatine phosphokinase
- EDTA ethylene diamine tetra-acetic acid, used as an anticoagulant
- EHI exertional heat injury
- ELISA Enzyme-linked immunosorbent assay
- IgG immunoglobulin G
- IL-1, IL-1 $\alpha$ , IL-1 $\beta$ , IL-6 interleukin 1, interleukin 1 $\alpha$ , interleukin 1 $\beta$ , interleukin 6
- LDH lactic dehydrogenase
- LPS lipopolysaccharide endotoxin
- MCRD Marine Corps Recruit Depot
- PFT Physical fitness test
- $T_{core}$  body core temperature
- TNF tumor necrosis factor
- USARIEM US Army Research Institute of Environmental Medicine
- $Vo_2max maximal rate of O_2$  uptake

APPENDIX B. Background Questionnaires

- Appendix B1 Background questionnaire for male EHI patients (enrollment section only) and male control volunteers who give blood samples.
- Appendix B2 Background questionnaire for female EHI patients (enrollment section only) and female control volunteers who give blood samples.
- Appendix B3 Background questionnaire for male volunteers who swallow the telemetric temperature sensors.
- Appendix B4 Background questionnaire for female volunteers who swallow the telemetric temperature sensors.

Note: Each of these questionnaires consists of two parts. The first (and longer) part is a background questionnaire administered to a volunteer upon enrollment in the corresponding phase of the study. The second part consists of a few questions about the recent activity and health of the volunteer, and is administered whenever that volunteer's core temperature is measured, or he/she gives a blood sample or undergoes psychological testing. All parts of a particular questionnaire administered to a given volunteer will be kept as a single package.

# **APPENDIX B1**

•

QUESTIONNAIRE FOR MALE LAB COHORT (8/15/96)

| Privacy Act Statement  |
|--|
| Authority: 5 U.S.C. 301; 10 U.S.C. 1071-1090; 44 U.S.C. 3101; E.O. 9397; DA PAM 25-51, Paragraph 14-4  |
| Purpose and routine use: To help researchers analyze demographic and physiological data in connection with heat injuries among Marine recruits. Your name/social security number is needed during the study to assure accuracy in matching your answers on this form to physiological measurements made on you. When data analysis is completed, your name/social security number will be removed from the questionnaires. The rest of the information that you provide on this form will remain part of the research file until it is eligible for destruction. Investigators responsible for the conduct of this study are at the US Army Research Institute of Environmental Medicine, Natick, Massachusetts, 01760, and the Naval Hospital, Beaufort, South Caroline, 29902. Only these investigators and those working under their supervision will have access to the information that you provide. Information collected in this study will be treated as confidential to the extent permitted by applicable law. Reports regarding this study will not include individual names or other personal identifiers. |
| Disclosure: Personal information on this form is given on a voluntary basis. Failure to give an answer to any question on this questionnaire will not affect your right to participate in the remainder of this study.   |
| READ ALL QUESTIONS CAREFULLY; ANSWER ALL QUESTIONS TO THE BEST OF YOUR<br>RECOLLECTION BY CIRCLING THE APPROPRIATE ANSWER AND/OR FILLING IN THE<br>BLANK.  |
| Today's date ////<br>Month Day Year<br>Last Name:  |
| First Name: Middle initial   |
| Social Security Number:  |
| Platoon number:  |
| 1. In the six months before reporting to PARRIS ISLAND, on average, how many cigarettes did you smoke per day?   |
| 0 - None, I did not smoke.   |
| cigarettes smoked per day. (There are 20 in a pack.)   |
| 2. How many years have you regularly smoked cigarettes?  |
| 0 - I have not regularly smoked cigarettes.  |
| years  |
| 3. How many years have you regularly consumed one or more alcoholic drinks per week?   |
| 0 - None, I do not regularly drink alcohol.  |
| years  |
| 4. What is the maximum number of alcoholic drinks you have consumed per<br>week on a regular basis? (One shot of whiskey, one glass of wine, and one<br>12-ounce beer each counts as one drink.)   |
| 0 - None, I do not regularly drink alcohol.  |
| alcoholic drinks consumed per week on a regular basis  |
| ·  |
|  |

5. In the 2 MONTHS BEFORE coming to PARRIS ISLAND how many times per week, on average, did you run or jog? (Circle one)

0 - Never (If you did not run/jog even once, skip to question 9.)

- 1 1 time or less per week
- 2 2 times per week
- 3 3 times per week
- 4 4 times per week
- 5 5 times per week
- 6 6 times per week
- 7 7 or more times per week

6. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, how much time did it usually take you to complete a single running or jogging workout?

\_\_\_\_ minutes

7. In the 2 MONTHS BEFORE coming to PARRIS ISLAND how hard, on average, did you exercise running or jogging?

1 - Very leisurely, breathing easy, as during a slow walk

2 - Leisurely, breathing and effort slightly greater than slow walk

- 3 Average, breathing increased but not uncomfortable
- 4 Intense, breathing hard, have to "push" to keep going
- 5 Very intense, breathing labored, difficult to keep going

8. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, what was the most number of miles you ran at any one time?

\_\_\_\_\_ miles

9. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, how often did you exercise or play sports other than running or jogging?

0 - Never (If you did not do sports even once, skip to question 13.)

- 1 1 time or less per week
- 2 2 times per week
- 3 3 times per week
- 4 4 times per week
- 5 5 times per week
- 6 6 times per week
- 7 7 or more times per week

. 10. On days that you exercised or participated in sports other than running/jogging, how many minutes, on average, did you exercise or participate in sports?

\_\_\_\_\_ minutes (average) of exercise/sports other than running/jogging each time I exercised.

11. In the 2 MONTHS BEFORE coming to PARRIS ISLAND how hard, on average, did you exercise or participate in sports other than running/jogging?

1 - Very leisurely, breathing easy, as during a slow walk

2 - Leisurely, breathing and effort slightly greater than slow walk

3 - Average, breathing increased but not uncomfortable

4 - Intense, breathing hard, have to "push" to keep going

5 - Very intense, breathing labored, difficult to keep going

12. What were the three sports you participated in most often, other than running/jogging? Please write in "1" for the most frequent, "2" for the second most frequent, and "3" for the third most frequent. Do not number more than three. Read all before answering.

Aerobics

\_\_\_\_\_ Walking

\_\_\_\_\_ Basketball

\_\_\_\_\_ Football

\_\_\_\_\_ Soccer

\_\_\_\_\_ Rugby

Baseball

\_\_\_\_\_ Softball

\_\_\_\_\_ Bicycling

\_\_\_\_\_ Swimming

Tennis

Rowing

\_\_\_\_\_ Shot put and/or discus throwing

Roller Blading

\_\_\_\_\_ Hockey

\_\_\_\_\_ Weight lifting

Other sports \_\_\_\_\_

, 13. Compared to others your same age and sex, how would you describe your overall physical activity before reporting to PARRIS ISLAND?

A. Inactive

B. Not very active

C. Average

D. Very active

14. How would you rate your physical fitness prior to coming to PARRIS ISLAND compared to others your same age and sex? (Circle one answer.)

12345PoorFairGoodVery goodExcellent15. Do you take any medications on a regular basis, including birth<br/>control pills? (Circle one answer.)Solution

0 - No 1 - Yes, please list: \_\_\_\_\_

16. Have you ever been sick from the heat, for example, heat exhaustion, heat stroke?

0 - No

1 - Yes: If yes, please specify what year, 19\_\_\_\_.

What was the diagnosis? (Circle one.)

1 - heat exhaustion

2 - heat stroke

3 - other \_\_\_\_\_

| 17. | Have you ever been in MRP?  | 0 - No | 1 - Yes |
|-----|---|--------|---------|
| 18. | Have you ever been in PCP?  | 0 - No | 1 - Yes |
| 19. | During your lifetime, have you<br>ever been unconscious (blacked-<br>out for more than 5 minutes)?<br>(If no, skip to question 22.) | 0 - No | l – Yes |

20. What was the cause of unconsciousness?

| 1 |              |               |   |      |      |       |               |     |
|---|--------------|---------------|---|------|------|-------|---------------|-----|
| • | 21           | How           | long were you unconscious?  |      |      |       |               |     |
|   |              | A.            | 5 to 14 minutes   |      |      |       |               |     |
|   |              | в.            | 15 to 29 minutes  |      |      |       |               |     |
|   |              | c.            | 30 to 59 minutes  |      |      |       |               |     |
|   |              | D.            | 1 hour to 3 hours 59 minutes                                      |      |      |       |               |     |
|   |              | E.            | 4 hours to 10 hours   |      |      |       |               |     |
|   |              | F.            | More than 10 hours  |      |      |       |               |     |
|   | 22.          | Have          | e you ever experienced any of the                                 | foll | owi  | .ng?  |               |     |
|   |              | Head          | l Injury with skull fracture                                      | 0    | -    | No    | 1 - Yes       |     |
|   |              | Head          | l Injury without skull fracture                                   | 0    | -    | No    | 1 - Yes       |     |
|   |              | Drug          | overdose  | 0    | _    | No    | 1 - Yes       |     |
|   |              | Seiz          | ures  | 0    | -    | No    | 1 - Yes       |     |
|   |              | Fain          | ting  | 0    | _    | No    | 1 - Yes       |     |
|   | 23.          | Have          | you ever had any of the following                                 | g br | ain  | infe  | ections?      |     |
|   |              | Meni<br>(inf  | ngitis (spinal)<br>ection of brain coverings)                     | 0    | -    | No    | 1 - Yes       |     |
|   |              | Ence<br>(inf  | phalitis<br>ection in brain)                                      | 0    | - :  | No    | 1 - Yes       |     |
| · | 24.          | Have          | you ever been treated for any of                                  | the  | fo   | llowi | ng:           |     |
|   |              | Majo          | r Depression  | 0    | - ]  | No    | 1 - Yes       |     |
|   |              | Schi          | zophrenia   | 0    | - 1  | No    | 1 - Yes       |     |
|   |              | Brai          | n tumor   | 0    | - ]  | No    | 1 - Yes       |     |
|   |              | Epile         | epsy (recurring seizure illness)                                  | 0    | - 1  | No    | 1 - Yes       |     |
|   | 25.<br>not c | Have          | you had any other brain disorder<br>ed by the previous questions? | (il] | lnes | ss or | injury) which | was |
|   |              | 0 - 1         | No, I have not had any other brain                                | dis  | soro | ler   |               |     |
|   |              | 1 - 1         | Yes, I had the following disorder:                                |      |      |       |               |     |
|   |              |               |   |      |      |       |               |     |
|   | 26.          | Have<br>foi   | you ever been in treatment<br>c drug or alcohol abuse?            | 0    | - 1  | 10    | 1 - Yes       |     |
|   | 27.          | Have<br>a psy | you ever been a patient at<br>chiatric hospital?                  | 0    | - 1  | 10    | 1 - Yes       |     |
|   | 28.          | Did y<br>dif  | you have speech or language<br>ficulties as a child?              | 0    | - N  | Io    | 1 - Yes       |     |

<u>ر</u>

| •       | 29. | Did<br>tu                               | you need special classes or<br>toring while in school?   | 0 - No  | 1 - Yes                                    |
|---------|-----|---|--|---|--|
|         | 30. | Did<br>as                               | you have behavior problems<br>a child?   | 0 - No  | 1 - Yes                                    |
|         | 31. | Have<br>ha                              | you ever been told you<br>ve a learning disability?  | 0 - No  | 1 - Yes                                    |
|         | 32. | Have<br>infe<br>or k<br>incl<br>tric    | you ever had a urinary tract<br>ction (UTI) (infection of bladder<br>idneys)? For women this does not<br>ude vaginal infections like yeast,<br>homonas, etc. | 0 - No  | 1 - Yes                                    |
|         | 33. | Have<br>(inf                            | you ever had a wound infection<br>ection in a cut or surgical wound)?  | 0 - No  | 1 - Yes                                    |
|         | 34. | Has<br>( <u>If</u>                      | your appendix been removed?<br>no, skip to question 37.)   | 0 - No  | 1 - Yes                                    |
|         | 35. | Why                                     | was your appendix removed?   |   |  |
|         |     | A.                                      | They thought I had appendicitis, but<br>found my appendix was normal ( <u>Skip</u>   | t after it was<br>to question 37.                   | removed they                               |
|         |     | в.                                      | My appendix was removed because I has and they simply decided to take my a surgeon had opened my stomach (Skip   | ad surgery for<br>appendix out be<br>to question 37 | another reason<br>cause the<br><u>()</u> ) |
|         |     | c.                                      | I definitely had appendicitis  |   |  |
|         |     | D.                                      | I think I had appendicitis   |   |  |
| · · · · |     | Е.                                      | I don't know why my appendix was rem   | noved   |  |
|         | 36. | Did y                                   | you have a ruptured appendix?  |   |  |
|         |     | Α.                                      | No, I had appendicitis but my append<br>ruptured.  | lix was definit                                     | ely not                                    |
|         |     | в.                                      | Unlikely, I had appendicitis and I truptured.  | chink my append                                     | ix was not                                 |
|         |     | c.                                      | Possibly, I had appendicitis and I truptured.  | chink my append                                     | ix was                                     |
|         |     | D.                                      | Yes, I had appendicitis and my append  | ndix was defini                                     | tely ruptured.                             |
|         | 37. | Have<br>anima<br>chick<br>( <u>If</u> r | you ever cared for farm 0 - No<br>als like horses, cows,<br>tens, pigs, etc.?<br>ho, skip to question 39.)   | D 1 - Y   | es   |
|         | 38. | How l                                   | ong did you care for farm animals?   |   |  |
|         |     |   | Number of years I cared for farm an  | imals.  |  |
|         |     |   |  |   |  |

•

.

, M39. In the month prior to reporting to PARRIS ISLAND, did you work at a ' job'that required hard labor?

0 - No (<u>If No, STOP</u>)

1 - Yes (If Yes, GO ON TO QUESTIONS 41-43.)

M40. For your hard labor job in the two months before reporting to PARRIS ISLAND, how many hours per week was the work "very intense" hard labor? Very intense hard labor is where your breathing is hard and you have to "push" to keep going.

hours per week of very intense hard labor.

M41. For your hard labor job in the two months before reporting to PARRIS ISLAND, how many hours per week was the work "intense" hard labor? Intense hard labor is where your breathing is increased but not uncomfortable

hours per week of intense hard labor.

M42. What hard labor job did you work at?

- 1. Farming
- 2. Furniture moving
- 3. Construction
- 4. Other \_\_\_\_\_

· ..

### END OF ENROLLMENT QUESTIONNAIRE

### TEST ONE QUESTIONNAIRE

- Did you have any watch last night? (Circle all that apply.)
   0 No, I did not have watch last night. <u>If no, skip to question #3</u>
   1 Yes, I had fire watch last night.
   2 Yes, I had guard mount watch last night.
- 2. What time did you have watch last night?

Hour to Hour

3. How many hours of sleep did you have last night?

hours of sleep

4. How many canteens of water did you drink yesterday up until the time you went to bed?

\_\_\_\_\_ canteens of water

5. How many canteens of water did you drink last night after lights out and before wake-up call this morning?

canteens of water

- 6. How many canteens of water did you drink since wake-up this morning?
  \_\_\_\_\_ canteens of water
- 7. In the last 24 hours, did you drink any water not from a canteen?0 No

1 - Yes If yes, estimate the number of glasses

8. How many glasses of juice, punch, or other drink (not water or milk) did you drink yesterday?

\_\_\_\_\_ number of glasses

9. How many glasses of juice, punch, or other drink (not water or milk) did you have with breakfast this morning?

number of glasses

10. Did you go to sick call in the last two weeks? (Circle one answer.)

0 - No

1 - Yes. If yes, write the diagnosis.

' 11: '

Have you felt well in the last three days? (Circle one answer.)

0 - No If no, describe your symptoms and/or illness:\_\_\_\_\_

1 - Yes

12. In the past 3 days have you had a ...?

| Cold:  | 0 | - | No | 1 | - | Yes |
|--|---|---|----|---|---|-----|
| Sore throat:   | 0 | - | No | 1 | - | Yes |
| Fever/Chills:  | 0 | - | No | 1 | - | Yes |
| Fainting:  | 0 | - | No | 1 | - | Yes |
| Nausea   | 0 | - | No | 1 | - | Yes |
| Vomiting   | 0 | - | No | 1 | - | Yes |
| Diarrhea   | 0 | - | No | 1 | - | Yes |
| Constipation   | 0 | - | No | 1 | - | Yes |
| Painful urination                                    | 0 | - | No | 1 | - | Yes |
| Blood in urine                                       | 0 | - | No | 1 | - | Yes |
| Strain/Sprain  | 0 | - | No | 1 | - | Yes |
| broken bone)   | 0 | - | No | 1 | - | Yes |
| Fast or irregular<br>heart beat                      | 0 | - | No | 1 | - | Yes |
| Cellulitis<br>(skin infection)                       | 0 | - | No | 1 | - | Yes |
| Sunburn, over more<br>than one third of body         | 0 | - | No | 1 | - | Yes |
| Cut in skin longer<br>than 2" and deeper<br>than 1/8 | 0 | - | No | 1 | - | Yes |

### END OF TEST ONE QUESTIONNAIRE

## **APPENDIX B2**

QUESTIONNAIRE FOR FEMALE LAB COHORT (8/15/96)

. .

**^** ...

|                | Privacy Act Statement   |
|----------------|---|
|                | Authority: 5 U.S.C. 301; 10 U.S.C. 1071-1090; 44 U.S.C. 3101; E.O. 9397; DA PAM 25-51, Paragraph 14-4   |
|                | Purpose and routine use: To help researchers analyze demographic and physiological data in connection with heat injuries among Marine recruits. Your name/social security number is needed during the study to assure accuracy in matching your answers on this form to physiological measurements made on you. When data analysis is completed, your name/social security number will be removed from the questionnaires. The rest of the information that you provide on this form will remain part of the research file until Environmental Medicine, Natick, Massachusetts, 01760, and the Naval Hospital, Beaufort, South Caroline, 29902. Only these in this study will be treated as confidential to the extent permitted by applicable law. Reports regarding this study will not include individual names or other personal identifiers. |
| R              | Disclosure: Personal information on this form is given on a voluntary basis. Failure to give an answer to any question on this questionnaire will not affect your right to participate in the remainder of this study.  |
| R<br>B         | ECOLLECTION BY CIRCLING THE APPROPRIATE ANSWER AND/OR FILLING IN THE LANK.  |
| Т              | oday's date//   |
| $\mathbf{L}$   | ast Name:   |
| F              | irst Name: Middle initial   |
| S              | ocial Security Number:  |
| P              | latoon number:  |
| 1 .<br>ma      | . In the six months before reporting to PARRIS ISLAND, on average, how any cigarettes did you smoke per day?  |
| •              | 0 - None, I did not smoke.  |
|                | cigarettes smoked per day. (There are 20 in a pack.)  |
| 2.             | How many years have you regularly smoked cigarettes?  |
|                | 0 - I have not regularly smoked cigarettes.   |
|                | years   |
| 3.<br>dr       | How many years have you regularly consumed one or more alcoholic inks per week?   |
|                | 0 - None, I do not regularly drink alcohol.   |
|                | years   |
| 4.<br>we<br>12 | What is the maximum number of alcoholic drinks you have consumed per<br>ek on a regular basis? (One shot of whiskey, one glass of wine, and one<br>-ounce beer each counts as one drink.)   |
|                | 0 - None, I do not regularly drink alcohol.   |
|                | alcoholic drinks consumed per week on a regular basis   |
|                |   |

on average, did you run or jog? (Circle one)

0 - Never (If you did not run/jog even once, skip to question 9.)

- 1 1 time or less per week
- 2 2 times per week
- 3 3 times per week
- 4 4 times per week
- 5 5 times per week
- 6 6 times per week
- 7 7 or more times per week

6. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, how much time did it usually take you to complete a single running or jogging workout?

\_\_\_\_ minutes

7. In the 2 MONTHS BEFORE coming to PARRIS ISLAND how hard, on average, did you exercise running or jogging?

1 - Very leisurely, breathing easy, as during a slow walk

2 - Leisurely, breathing and effort slightly greater than slow walk

3 - Average, breathing increased but not uncomfortable

4 - Intense, breathing hard, have to "push" to keep going

5 - Very intense, breathing labored, difficult to keep going

8. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, what was the most number of miles you ran at any one time?

\_\_\_\_ miles

9. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, how often did you exercise or play sports other than running or jogging?

0 - Never (If you did not do sports even once, skip to question 13.)

- 1 1 time or less per week
- 2 2 times per week
- 3 3 times per week
- 4 4 times per week

5 - 5 times per week

6 - 6 times per week

7 - 7 or more times per week

i. 10. On days that you exercised or participated in sports other than running/jogging, how many minutes, on average, did you exercise or participate in sports?

\_\_\_\_\_ minutes (average) of exercise/sports other than running/jogging each time I exercised.

11. In the 2 MONTHS BEFORE coming to PARRIS ISLAND how hard, on average, did you exercise or participate in sports other than running/jogging?

1 - Very leisurely, breathing easy, as during a slow walk

2 - Leisurely, breathing and effort slightly greater than slow walk

3 - Average, breathing increased but not uncomfortable

4 - Intense, breathing hard, have to "push" to keep going

5 - Very intense, breathing labored, difficult to keep going

12. What were the three sports you participated in most often, other than running/jogging? Please write in "1" for the most frequent, "2" for the second most frequent, and "3" for the third most frequent. Do not number more than three. Read all before answering.

Aerobics

\_\_\_\_\_ Walking

\_\_\_\_\_ Basketball

\_\_\_\_\_ Football

\_\_\_\_\_ Soccer

\_\_\_\_\_ Rugby

\_\_\_\_\_ Baseball

\_\_\_\_\_ Softball

Bicycling

Swimming

Tennis

\_\_\_\_\_ Rowing

Shot put and/or discus throwing

\_\_\_\_\_ Roller Blading

\_\_\_\_\_ Hockey

\_\_\_\_\_ Weight lifting

\_\_\_\_ Other sports \_\_\_\_\_

ve 13. Compared to others your same age and sex, how would you describe your overall physical activity before reporting to PARRIS ISLAND?

A. Inactive

B. Not very active

C. Average

D. Very active

14. How would you rate your physical fitness prior to coming to PARRIS ISLAND compared to others your same age and sex? (Circle one answer.)

12345PoorFairGoodVery goodExcellent15. Do you take any medications on a regular basis, including birth<br/>control pills? (Circle one answer.)Including birth

0 - No 1 - Yes, please list: \_\_\_\_\_

16. Have you ever been sick from the heat, for example, heat exhaustion, heat stroke?

0 - No

ſ.,

1 - Yes: If yes, please specify what year, 19 .

What was the diagnosis? (Circle one.)

1 - heat exhaustion

2 - heat stroke

3 - other \_\_\_\_\_

| 17. | Have you ever been in MRP?  | 0 - No | 1 - Yes |
|-----|---|--------|---------|
| 18. | Have you ever been in PCP?  | 0 - No | 1 - Yes |
| 19. | During your lifetime, have you<br>ever been unconscious (blacked-<br>out for more than 5 minutes)?<br>(If no, skip to question 22.) | 0 - No | 1 – Yes |

20. What was the cause of unconsciousness?

| •          | ,  |              |                   |
|------------|--|--------------|-------------------|
| . 21.      | How long were you unconscious?   |              |                   |
|            | A. 5 to 14 minutes   |              |                   |
|            | B. 15 to 29 minutes  |              |                   |
|            | C. 30 to 59 minutes  |              |                   |
|            | D. 1 hour to 3 hours 59 minutes  |              |                   |
|            | E. 4 hours to 10 hours   |              |                   |
|            | F. More than 10 hours  |              |                   |
| 22.        | Have you ever experienced any of the                                     | following?   |                   |
|            | Head Injury with skull fracture  | 0 - No       | 1 - Yes           |
|            | Head Injury without skull fracture                                       | 0 - No       | 1 - Yes           |
|            | Drug overdose  | 0 - No       | 1 - Yes           |
|            | Seizures   | 0 - No       | 1 - Yes           |
|            | Fainting   | 0 - No       | 1 - Yes           |
| 23.        | Have you ever had any of the followin                                    | g brain infe | ctions?           |
|            | Meningitis (spinal)<br>(infection of brain coverings)                    | 0 - No       | 1 - Yes           |
|            | Encephalitis<br>(infection in brain)                                     | 0 - No       | 1 - Yes           |
| 24.        | Have you ever been treated for any of                                    | the followi  | ng:               |
|            | Major Depression   | 0 - No       | 1 - Yes           |
|            | Schizophrenia  | 0 - No       | 1 - Yes           |
|            | Brain tumor  | 0 - No       | 1 - Yes           |
|            | Epilepsy (recurring seizure illness)                                     | 0 - No       | 1 - Yes           |
| 25.<br>not | Have you had any other brain disorder covered by the previous questions? | (illness or  | injury) which was |
|            | 0 - No, I have not had any other brain                                   | n disorder   |                   |
|            | 1 - Yes, I had the following disorder                                    | :            |                   |
|            |  |              |                   |
| 26.        | Have you ever been in treatment<br>for drug or alcohol abuse?            | 0 - No       | 1 - Yes           |
| 27.        | Have you ever been a patient at<br>a psychiatric hospital?               | 0 - No       | 1 - Yes           |
| 28.        | Did you have speech or language<br>difficulties as a child?              | 0 - No       | 1 - Yes           |

| י די<br>י | 29  | Did you need special classes or tutoring while in school?   | 0 - No                             | l – Yes        |  |  |
|-----------|-----|---|------------------------------------|----------------|--|--|
|           | 30. | Did you have behavior problems<br>as a child?   | 0 - No                             | 1 - Yes        |  |  |
|           | 31. | Have you ever been told you<br>have a learning disability?  | 0 - No                             | 1 - Yes        |  |  |
|           | 32. | Have you ever had a urinary tract<br>infection (UTI) (infection of bladder<br>or kidneys)? For women this does not<br>include vaginal infections like yeast,<br>trichomonas, etc.                   | 0 - No                             | 1 - Yes        |  |  |
|           | 33. | Have you ever had a wound infection<br>(infection in a cut or surgical wound)?  | 0 - No                             | 1 - Yes        |  |  |
|           | 34. | Has your appendix been removed?<br>( <u>If no, skip to question 37.</u> )   | 0 - No                             | 1 - Yes        |  |  |
|           | 35. | Why was your appendix removed?  |                                    |                |  |  |
|           |     | A. They thought I had appendicitis, bu found my appendix was normal (Skip   | it after it was<br>to question 37. | removed they   |  |  |
|           |     | B. My appendix was removed because I had surgery for another reason<br>and they simply decided to take my appendix out because the<br>surgeon had opened my stomach ( <u>Skip to question 37.</u> ) |                                    |                |  |  |
|           |     | C. I definitely had appendicitis  |                                    |                |  |  |
|           |     | D. I think I had appendicitis   |                                    |                |  |  |
|           |     | E. I don't know why my appendix was re  | emoved                             |                |  |  |
|           | 36. | Did you have a ruptured appendix?   |                                    |                |  |  |
|           |     | A. No, I had appendicitis but my appen<br>ruptured.   | dix was definit                    | ely not        |  |  |
|           |     | B. Unlikely, I had appendicitis and I ruptured.   | think my append                    | lix was not    |  |  |
|           |     | C. Possibly, I had appendicitis and I ruptured.   | think my append                    | lix was        |  |  |
|           |     | D. Yes, I had appendicitis and my appe  | ndix was defini                    | tely ruptured. |  |  |
|           | 37. | Have you ever cared for farm 0 - N<br>animals like horses, cows,<br>chickens, pigs, etc.?<br>( <u>If no, skip to question 39.</u> )   | о 1-Y                              | es             |  |  |
|           | 38. | How long did you care for farm animals?   |                                    |                |  |  |
|           |     | Number of years I cared for farm a  | nimals.                            |                |  |  |

e -

\_\_\_\_

F39. Have you ever had an infection of your uterus or uterine tubes (sometimes called PID or pelvic inflammatory disease)? This does not include vaginal infections like yeast, trichomonas, etc.

0 - No 1 - Yes

4

· •

F40. How old were you when your first period began?

\_\_\_\_\_Years

F41. In the past year, have your menstrual periods been at irregular times?

0 - No 1 - Yes

F42. In the past year, have you gone more than six months between any menstrual periods?

0 - No 1 - Yes

### END OF ENROLLMENT QUESTIONNAIRE

### 🔆 TEST ONE QUESTIONNAIRE

- 1. Did you have any watch last night? (Circle all that apply.)
  - 0 No, I did not have watch last night. If no, skip to question #3
  - 1 Yes, I had fire watch last night.
  - 2 Yes, I had guard mount watch last night.
- 2. What time did you have watch last night?

to \_\_\_\_\_\_ Hour Hour

3. How many hours of sleep did you have last night?

hours of sleep

4. How many canteens of water did you drink yesterday up until the time you went to bed?

\_\_\_\_\_ canteens of water

5. How many canteens of water did you drink last night after lights out and before wake-up call this morning?

\_\_\_\_\_ canteens of water

- 6. How many canteens of water did you drink since wake-up this morning? canteens of water
- 7. In the last 24 hours, did you drink any water not from a canteen?

0 - No

- 1 Yes If yes, estimate the number of glasses
- 8. How many glasses of juice, punch, or other drink (not water or milk) did you drink yesterday?

number of glasses

9. How many glasses of juice, punch, or other drink (not water or milk) did you have with breakfast this morning?

\_\_\_\_ number of glasses

10. Did you go to sick call in the last two weeks? (Circle one answer.)

0 - No

1 - Yes. If yes, write the diagnosis.
" 11. Have you felt well in the last three days? (Circle one answer.)

\_\_\_\_\_

0 - No If no, describe your symptoms and/or illness:\_\_\_\_

1 - Yes

In the past 3 days have you had a ...? 12.

| Cold:  | 0 - No | 1 - Yes |
|--|--------|---------|
| Sore throat:   | 0 - No | 1 - Yes |
| Fever/Chills:  | 0 - No | 1 - Yes |
| Fainting:  | 0 - No | 1 - Yes |
| Nausea   | 0 - No | 1 - Yes |
| Vomiting   | 0 - No | 1 - Yes |
| Diarrhea   | 0 - No | 1 - Yes |
| Constipation   | 0 - No | 1 - Yes |
| Painful urination                                    | 0 - No | 1 - Yes |
| Blood in urine                                       | 0 - No | 1 - Yes |
| Strain/Sprain  | 0 - No | 1 - Yes |
| broken bone)   | 0 - No | 1 - Yes |
| Fast or irregular<br>heart beat                      | 0 - No | 1 - Yes |
| Cellulitis<br>(skin infection)                       | 0 - No | 1 - Yes |
| Sunburn, over more<br>than one third of body         | 0 - No | 1 - Yes |
| Cut in skin longer<br>than 2" and deeper<br>than 1/8 | 0 - No | 1 - Yes |

F13 On the calendar below, circle the date of the start of bleeding for your last menstrual period.

TODAY'S DATE IS [provided by research team]

If your last menstrual period started before January 1, 1996, check the box above the month of January.

Started before January 1, 1996

8 9 10 11 12 13 14 6 7 8 9 10 11 12

13 14 15 16 17 18 19

20 21 22 23 24 25 26

27 28 29 30 31

15 16 17 18 19 20 21

22 23 24 25 26 27 28

29 30

|    |          |     |     |     |    |    |    |    |    |     |     |    | <u> </u> |     | •  |    |     |    |    |    |    |    |    |     |     |    |                |
|----|----------|-----|-----|-----|----|----|----|----|----|-----|-----|----|----------|-----|----|----|-----|----|----|----|----|----|----|-----|-----|----|----------------|
|    | U.       | JAN | IUA | RY  |    |    | ľ  | F  | EB | RU. | AFi | Y  |          |     |    | M  | AR( | СН |    |    | 1  |    | Α  | PR  | IL  |    |                |
| S  | M        | Т   | W   | Т   | F  | S  | S  | Μ  | Т  | W   | Т   | F  | S        | S   | М  | Т  | W   | Т  | F  | S  | s  | М  | Т  | W   | Т   | F  | S              |
|    | 1        | 2   | 3   | 4   | 5  | 6  |    |    |    |     | 1   | 2  | 3        |     |    |    |     |    | 1  | 2  |    | 1  | 2  | 3   | 4   | 5  | 6 <sup>,</sup> |
| 7  | 8        | 9   | 10  | 11  | 12 | 13 | 4  | 5  | 6  | 7   | 8   | 9  | 10       | 3   | 4  | 5  | 6   | 7  | 8  | 9  | 7  | 8  | 9  | 10  | 11  | 12 | 13             |
| 14 | 15       | 16  | 17  | 18  | 19 | 20 | 11 | 12 | 13 | 14  | 15  | 16 | 17       | 10  | 11 | 12 | 13  | 14 | 15 | 16 | 14 | 15 | 16 | 17  | 18  | 19 | 20             |
| 21 | 22       | 23  | 24  | 25  | 26 | 27 | 18 | 19 | 20 | 21  | 22  | 23 | 24       | 17  | 18 | 19 | 20  | 21 | 22 | 23 | 21 | 22 | 23 | 24  | 25  | 26 | 27             |
| 28 | 29       | 30  | 31  |     |    |    | 25 | 26 | 27 | 28  | 29  |    |          | 24  | 25 | 26 | 27  | 28 | 29 | 30 | 28 | 29 | 30 |     |     |    |                |
|    |          |     |     |     |    |    |    |    |    |     |     |    |          | 31  |    |    |     |    |    | ĺ  |    |    |    |     |     |    |                |
|    |          |     | MA  | Y   |    |    | Τ  |    | J  | UN  | E   |    |          |     |    |    | IUL | Y  |    |    | Τ  |    | AL | IGI | IST | •  |                |
| S  | Μ        | Т   | W   | τ   | F  | S  | s  | Μ  | Т  | W   | Т   | F  | S        | S   | М  | Т  | W   | Т  | F  | S  | s  | М  | Т  | w   | T   | F  | S              |
|    |          |     | 1   | 2   | 3  | 4  |    |    |    |     |     |    | 1        |     | 1  | 2  | 3   | 4  | 5  | 6  |    |    | •  |     | 1   | 2  | 3              |
| 5  | 6        | 7   | 8   | 9   | 10 | 11 | 2  | 3  | 4  | 5   | 6   | 7  | 8        | . 7 | 8  | 9  | 10  | 11 | 12 | 13 | 4  | 5  | 6  | 7   | 8   | 9  | 10             |
| 12 | 13       | 14  | 15  | 16  | 17 | 18 | 9  | 10 | 11 | 12  | 13  | 14 | 15       | 14  | 15 | 16 | 17  | 18 | 19 | 20 | 11 | 12 | 13 | 14  | 15  | 16 | 17             |
| 19 | 20       | 21  | 22  | 23  | 24 | 25 | 16 | 17 | 18 | 19  | 20  | 21 | 22       | 21  | 22 | 23 | 24  | 25 | 26 | 27 | 18 | 19 | 20 | 21  | 22  | 23 | 24             |
| 26 | 27       | 28  | 29  | 30  | 31 |    | 23 | 24 | 25 | 26  | 27  | 28 | 29       | 28  | 29 | 30 | 31  |    |    |    | 25 | 26 | 27 | 28  | 29  | 30 | 31             |
|    |          |     |     |     |    |    | 30 |    |    |     |     |    |          |     |    |    |     |    |    |    |    |    |    |     | •   |    |                |
|    |          |     |     |     |    |    |    |    |    |     |     |    | -        |     |    |    |     |    |    |    |    |    |    |     |     |    |                |
|    | SE       | PT  | ΈM  | 1BE | R  |    |    | C  |    | OE  | BEF | }  |          |     | N  | ٥V | EM  | BE | R  |    |    | D  | EC | EM  | BE  | R  |                |
| S  | <u>M</u> | Т   | W   | Т   | F  | S  | S  | Μ  | т  | W   | Т   | F  | S        | S   | Μ  | Т  | W   | Т  | F  | s  | S  | Μ  | Т  | W   | Т   | F  | S              |
| 1  | 2        | 3   | 4   | 5   | 6  | 7  |    |    | 1  | 2   | 3   | 4  | 5        |     |    |    |     |    | 1  | 2  | 1  | 2  | 3  | 4   | 5   | 6  | 7              |

# 1996

END OF TEST ONE QUESTIONNAIRE

3 4 5 6 7 8 9

10 11 12 13 14 15 16

17 18 19 20 21 22 23

24 25 26 27 28 29 30

8 9 10.11 12 13 14

15 16 17 18 19 20 21

22 23 24 25 26 27 28

29 30 31

Questionnaire for Female Lab cohort, p. 10

HEIGHT

(kg) 96M (8/05/96)

Privacy Act Statement

#### Authority: 5 U.S.C. 301; 10 U.S.C. 1071-1090; 44 C.S.C. 3101; E.O. 9397; DA PAM 25-51, Paragraph 14-4

(cm)

Purpose and routine use: To help researchers analyze demographic and physiological data in connection with heat injuries in Marine recruits. Your name/ social security number is needed during the study to assure accuracy in matching your answers on this form to physiological measurements made on you. When data analysis is completed, your name/social security number will be removed from the questionnaires and the rest of the information that you provide on this form will remain part of the research file until it is eligible for destruction. Investigators responsible for the conduct of this study are at the U.S. Army Research Institue of Environmental Medicine, Natick, Massachusetts, 01760, and the Naval Hospital, Beaufort, South Carolina, 29902. Only these investigators and those working under their supervision will have access to the information that you provide. Information collected in this study will be treated as confidential to the extent permitted by applicable law. Reports regarding this study will not include individual names or other personal identifiers.

Disclosure: Personal information on this form is given on a voluntary basis. Failure to give an answer to any question on this questionnaire will not affect your right to participate in the remainder of this study.

READ ALL QUESTIONS CAREFULLY; ANSWER ALL QUESTIONS TO THE BEST OF YOUR RECOLLECTION BY CIRCLING THE APPROPRIATE ANSWER AND/OR FILLING IN THE BLANK

Last name:

First name:

Middle initial:

Platoon number: \_\_\_\_\_

1. In the six months before reporting to PARRIS ISLAND, on average, how many cigarettes did you smoke per day?

0 - None, I did not smoke.

\_\_\_\_\_ cigarettes smoked per day. (There are 20 in a pack.)

2. How many years have you regularly smoked cigarettes?

0 - I have not regularly smoked cigarettes.

\_\_\_\_\_ years.

3. How many years have you regularly consumed one or more alcoholic drinks per week?

0 - None, I do not regularly drink alcohol.

\_\_\_\_\_ yeąrs

4. What is the maximum number of alcoholic drinks you have consumed per week on a regular basis? (one shot of whiskey, one glass of wine, and one 12 ounce beer each counts as one drink)

0 - None, I do not regularly drink alcohol.

\_\_\_\_\_ alcoholic drinks consumed per week on a regular basis

5. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, on average, how many times per week did you run or jog? (circle one)

0 - Never (If you did not run/jog even once, skip to question 9)

1 - 1 time or less per week

2 - 2 times per week

3 - 3 times per week

4 - 4 times per week

5 - 5 times per week

6 - 6 times per week

7 - 7 or more times per week

6. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, how much time did it usually take you to complete a single running or jogging workout?

\_\_\_\_ minutes

7. In the 2 MONTHS BEFORE coming to PARRIS ISLAND, on average, how hard did you exercise running or jogging?

1 - Very leisurely, breathing easy, as during a slow walk

2 - Leisurely, breathing and effort slightly greater than slow walk

3 - Average, breathing increased but not uncomfortable

4 - Intense, breathing hard, have to 'push' to keep going

5 - Very intensely, breathing labored, difficult to keep going

8. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, what was the most number of miles you ran at any one time?

\_\_\_\_ miles.

٢.,

9. During the LAST 2 MONTHS before coming to PARRIS ISLAND, how often did you exercise or play sports other than running or jogging? (circle one)

0 - Never (If you did not do sports even once, skip to question 13)

- 1 1 time or less per week
- 2 2 times per week
- 3 3 times per week
- 4 4 times per week
- 5 5 times per week
- 6 6 times per week
- 7 7 or more times per week

10. On days you exercised or participated in sports other than running/jogging, on average, how many minutes did you exercise or participate in sports?

\_\_\_\_ minutes (average) of exercise/sports other than running/jogging each time I exercised.

11. In the 2 MONTHS before coming to PARRIS ISLAND, on average, how hard did you exercise or participate in sports other than running/jogging?

- 1 Very leisurely, breathing easy, as during a slow walk
- 2 Leisurely, breathing and effort slightly greater than slow walk
- 3 Average, breathing increased but not uncomfortable
- 4 Intense breathing hard, have to 'push' to keep going
- 5 Very intensely, breathing labored, difficult to keep going

<u>PAGE 2</u>

12. What were the three most common sports you participated in, other than running/jogging? Please write in "1" for the most frequent, "2" for the second most frequent and "3" for the third most frequent. Do not number more than three. Read all before answering.

Aerobics

\_\_\_\_ Walking

\_\_\_\_ Basketball

\_\_\_\_ Football

\_\_\_\_ Soccer

\_\_\_\_\_ Rugby

\_\_\_\_ Baseball

\_\_\_\_\_ Softball

\_\_\_\_ Bicycling

Swimming

\_\_\_\_ Tennis

\_\_\_\_ Rowing

\_\_\_\_\_ Shot put and/or discus throwing

\_\_\_\_\_ Roller blading

\_\_\_\_ Hockey

\_\_\_\_\_ Weight lifting

\_\_\_\_ Other sports\_\_\_\_

13. Compared to others your same age and sex, how would you describe your overall physical activity before reporting to PARRIS ISLAND? (circle one)

1 - Inactive

2 - Not very active

3 - Average

4 - Very active

14. How would you rate your physical fitness prior to coming to PARRIS ISLAND compared to others your same age and sex? (circle one answer)

12345PoorFairGoodVery goodExcellent

15. Do you take any medications on a regular basis, including birth control pills? (circle one answer)

0 - No

1 - Yes, please list: \_\_\_\_\_

PAGE 3

16. Have you ever been sick from the heat, for example, heat exhaustion, or heat stroke?

0 - No

1 - Yes: If yes, please specify what year, 19\_\_\_.

What was the diagnosis? (circle one)

1 - heat exhaustion

2 - heat stroke

3 - other

M17. In the two months prior to reporting to Parris Island, did you work at a job that required hard labor?

0 - No (if no, stop)

1 - Yes

M18. For your hard labor job in the two months prior to reporting to Parris Island, how many hours per week was the work "very intense" hard labor. Very intense hard labor is where your breathing is hard and you have to 'push' to keep going.

hours per week of very intense hard labor

M19. For your hard labor job in the two months prior to reporting to Parris Island, how many hours per week was the work "intense" hard labor. Intense hard labor is where your breathing is increased but not uncomfortable.

hours per week of intense hard labor

M20. What hard labor job did you work at?

1. Farming

2. Furniture moving

3. Construction

4. Other

#### END OF ENROLLMENT

# TEST ONE

۲.

| MAL       | E SKIN FOLDS                         | FIRST SECOND TH                                   | HIRD                                    |
|-----------|--------------------------------------|---|---|
|           | Chest                                |   |   |
|           | Abdomen                              |   |   |
|           | Thigh                                |   |   |
| 1.        | Did you have any                     | watch last night (cir                             | cle all that apply)?                    |
|           | 0 - No, I did no                     | ot have any watch last                            | night. If no, skip to question #3       |
|           | 1 - Yes, I had t                     | ire watch last night.                             |   |
|           | 2 - Yes, I had g                     | uard mount watch last                             | night.                                  |
| 2.        | What time did yo                     | u have watch last nigh                            | t?                                      |
|           | Hour to                              | Hour  |   |
| 3.        | How many hours o                     | f sleep did you have l                            | ast night?                              |
|           | hours of                             | sleep   |   |
| 4.<br>you | How many canteer went to bed?        | s of water did you dri                            | nk yesterday up until the time          |
|           | canteens                             |   |   |
| 5.<br>and | How many canteer<br>before wake-up c | s of water did you dri<br>all this morning?       | nk last night, after lights out         |
|           | canteens                             |   |   |
| 6.        | How many canteen                     | s of water did you dri                            | nk since wake-up this morning?          |
|           | number of                            | canteens  |   |
| 7.        | In the last 24 h<br>0 - No           | ours, did you drink an                            | y water not from a canteen?             |
|           | 1 - Yes If yes                       | , estimate the number                             | of glasses                              |
| 8.<br>did | How many glasses<br>you drink yester | of juice, punch, or o<br>day?                     | ther drink (not water or milk)          |
|           | number                               | of glasses  |   |
| 9.        | How many glasse<br>did you have wi   | s of juice, punch, or o<br>th breakfast this morn | other drink (not water or milk)<br>ing? |
|           | number                               | of glasses  |   |
| 10.       | Did you go to s<br>0 - No            | ick call in the last to                           | wo weeks? (circle one answer)           |
|           | 1 - Yes, If yes                      | write diagnosis _                                 |   |
|           |                                      |   |   |

11. Have you felt well in the last three days? (circle one answer) 0 - No If no, describe your symptoms and/or illness:

1 - ¥es 12. In the past 3 days, have you had a ...? Cold 0-No 1-Yes Sore Throat 0-No 1-Yes Fever/Chills 0-No 1-Yes Fainting 0-No 1-Yes Nausea 0-No 1-Yes Vomiting 0-No 1-Yes Diarrhea 0-No 1-Yes Constipation 0-No 1-Yes Painful urination 0-No 1-Yes Blood in urine 0-No 1-Yes Strain/Sprain 0-No 1-Yes Broken bone 0-No 1-Yes Fast or irregular 0 - NO1-Yes heart beat Cellulitis 0-No 1-Yes (skin infection) Sunburn, over more one third of body 0-No 1-Yes Cut in skin longer 0 - No1-Yes than 2" and deeper than 1/8th inch

#### END TEST ONE

# TEST TWO

· .

| MAL       | E SKIN FOLDS                         | FIRST                  | - SECOND                  | THIRD                 | WEIGHT                    |
|-----------|--------------------------------------|------------------------|---------------------------|-----------------------|---------------------------|
|           | Chest                                |                        |                           |                       | (kg)                      |
|           | Abdomen                              |                        | <u> </u>                  |                       |                           |
|           | Thigh                                |                        |                           |                       |                           |
| 1.        | Did you have any                     | y watch l              | ast night                 | (circle al            | l that apply)?            |
|           | 0 - No, I did no                     | ot have a              | ny watch l                | ast night.            | If no,skip to question #3 |
|           | 1 - Yes, I had i                     | fire watc              | h last nig                | ht.                   |                           |
|           | 2 - Yes, I had g                     | guard mou              | nt watch l                | ast night.            |                           |
| 2.        | What time did yo                     | ou have w              | atch last :               | night?                |                           |
|           | Hour to                              | Hour                   |                           |                       |                           |
| з.        | How many hours o                     | of sleep               | did vou ha                | ve last nic           | tht 2                     |
|           | hours of                             | sleep                  |                           |                       |                           |
| 4.<br>you | How many canteer<br>went to bed?     | ns of wat              | er did you                | drink yest            | erday up until the time   |
|           | canteens                             |                        |                           |                       |                           |
| 5.<br>and | How many canteer<br>before wake-up c | ns of wate<br>all this | er did you<br>morning?    | drink last            | night, after lights out   |
|           | canteens                             |                        |                           |                       |                           |
| 6.        | How many canteen                     | ns of wate             | er did you                | drink sinc            | e wake-up this morning?   |
|           | number of                            | canteen                | 5                         |                       |                           |
| 7.        | In the last 24 h                     | ours, die              | d you drink               | any water             | not from a canteen?       |
|           | V = NO                               |                        |                           |                       |                           |
| o         | L - res li yes                       | , estimat              | the numb                  | er of glas            | ses                       |
| did       | you drink yester                     | day?                   | e, punch, c               | or other dr           | ink (not water or milk)   |
|           | number                               | of glass               | ses                       |                       |                           |
| 9.        | How many glasse<br>did you have wi   | s of juic<br>th breakf | ce, punch,<br>East this m | or other d<br>orning? | rink (not water or milk)  |
|           | number                               | of glass               | ses                       |                       |                           |
| 10.       | Did you go to s                      | ick call               | in the las                | t two week            | s? (circle one answer)    |
|           | 0 - No                               |                        |                           |                       |                           |
|           | 1 - Yes, If yes                      | , write d              | liagnosis _               |                       |                           |

11. Have you felt well in the last three days? (circle one answer) 0 - No If no, describe your symptoms and/or illness: \_\_\_\_\_

1 - Yes In the past 3 days, have you had a ...? 12. Cold 0-No 1-Yes Sore Throat 0-No 1-Yes Fever/Chills 0-No 1-Yes Fainting 0-No 1-Yes Nausea 0-No 1-Yes Vomiting 0-No 1-Yes Diarrhea 0-No 1-Yes Constipation 0-No 1-Yes Painful urination 0-No 1-Yes Blood in urine 0-No 1-Yes Strain/Sprain 0-No 1-Yes Broken bone 0-No 1-Yes Fast or irregular 0-No 1-Yes heart beat Cellulitis 0-No 1-Yes (skin infection) Sunburn, over more one third of body 0-No 1-Yes Cut in skin longer 0-No 1-Yes than 2" and deeper than 1/8th inch

· . .

#### END TEST TWO

## TEST THREE

• •

٠.

| MAL       | E SKIN FOLDS                          | FIRST                    | SECOND                  | THIRD                  | WEIGHT                     |
|-----------|---------------------------------------|--------------------------|-------------------------|------------------------|----------------------------|
|           | Chest                                 |                          |                         |                        | (kg)                       |
|           | Abdomen                               |                          |                         |                        |                            |
|           | Thigh                                 |                          |                         |                        |                            |
| 1.        | Did you have any                      | v watch la               | st night                | (circle all            | that apply)?               |
|           | 0 - No, I did no                      | ot have an               | y watch l               | ast night.             | If no, skip to question #3 |
|           | 1 - Yes, I had f                      | ire watch                | last nig                | ht.                    |                            |
|           | 2 - Yes, I had g                      | juard moun               | t watch l               | ast night.             |                            |
| 2.        | What time did yo                      | ou have wa               | tch last :              | night?                 |                            |
|           | to                                    |                          | _                       |                        |                            |
|           | Hour                                  | Hour                     |                         |                        |                            |
| 3.        | How many hours o                      | f sleep d                | id you ha               | ve last nigh           | it?                        |
|           | hours of                              | sleep                    |                         |                        | ۰<br>۲                     |
| 4.<br>you | How many canteen went to bed?         | s of wate:               | r did you               | drink yeste            | erday up until the time    |
|           | canteens                              |                          |                         |                        |                            |
| 5.<br>and | How many canteen<br>before wake-up c  | s of water<br>all this r | r did you<br>morning?   | drink last             | night, after lights out    |
|           | canteens                              |                          |                         |                        |                            |
| 6.        | How many canteen                      | s of water               | c did you               | drink since            | wake-up this morning?      |
|           | number of                             | canteens                 |                         |                        | <b>_</b>                   |
| 7.        | In the last 24 h                      | ours, did                | you drink               | any water              | not from a canteen?        |
|           | 0 - No                                |                          |                         |                        |                            |
|           | 1 - Yes If yes                        | , estimate               | e the numb              | er of glass            | es                         |
| 8.<br>did | How many glasses<br>you drink yestere | of juice,<br>day?        | punch, c                | or other dri           | nk (not water or milk)     |
|           | number                                | of glasse                | s                       |                        |                            |
| 9.        | How many glasses<br>did you have wit  | s of juice<br>th breakfa | e, punch,<br>ast this m | or other dr<br>orning? | ink (not water or milk)    |
|           | number                                | of glasse                | S                       |                        |                            |
| 10.       | Did you go to si                      | ick call i               | n the las               | t two weeks            | ? (circle one answer)      |
|           | 0 - No                                |                          |                         |                        |                            |
|           | 1 - Yes, If yes,                      | , write di               | agnosis _               |                        |                            |



1 - Yes

In the past 3 days, have you had a ...? 12. Cold 0-No 1-Yes Sore Throat 0-No 1-Yes Fever/Chills 0-No 1-Yes Fainting 0-No 1-Yes Nausea 0-No 1-Yes Vomiting 0-No 1-Yes Diarrhea 0 - NO1-Yes Constipation 0-No 1-Yes Painful urination 0-No 1-Yes Blood in urine 0-No 1-Yes Strain/Sprain 0 - NO1-Yes Broken bone 0-No 1-Yes Fast or irregular 0-No 1-Yes heart beat Cellulitis 0-No 1-Yes (skin infection) Sunburn, over more 0-No 1-Yes one third of body Cut in skin longer 0-No 1-Yes than 2" and deeper than 1/8th inch

#### END TEST THREE

# TEST FOUR

• •

1 ..

|               | DIGIN FOUDS                          | FIRST                  | - SECOND                | THIRD                  | WEIGHT                     |
|---------------|--------------------------------------|------------------------|-------------------------|------------------------|----------------------------|
|               | Chest                                |                        |                         |                        | (kg)                       |
|               | Abdomen                              |                        |                         |                        | (=5)                       |
|               | Thigh                                |                        |                         |                        |                            |
| 1.            | Did you have any                     | v watch la             | ast night               | (circle all            | that apply)?               |
|               | 0 - No, I did no                     | ot have ar             | ny watch la             | ast night.             | If no, skip to question #3 |
|               | 1 - Yes, I had f                     | ire watch              | n last nig              | ht.                    | , and a second was         |
|               | 2 - Yes, I had g                     | juard mour             | nt watch la             | ast night.             |                            |
| 2.            | What time did yo                     | ou have wa             | atch last n             | night?                 |                            |
|               | to                                   |                        |                         | 5                      |                            |
|               | Hour                                 | Hour                   |                         |                        |                            |
| 3. 3          | How many hours c                     | of sleep d             | lid you hav             | ve last nigh           | nt?                        |
|               | hours of                             | sleep                  |                         | -                      | ,<br>                      |
| 4. 1          | How many canteen                     | s of wate              | er did you              | drink yeste            | erday up until the time    |
| you r         | went to bed?                         |                        |                         | -                      |                            |
|               | canteens                             |                        |                         |                        |                            |
| 5. I<br>and ] | How many canteen<br>before wake-up c | s of wate<br>all this  | er did you<br>morning?  | drink last             | night, after lights out    |
|               | canteens                             |                        |                         |                        |                            |
| 6. H          | How many canteen                     | s of wate              | r did you               | drink since            | wake-up this morning?      |
|               | number of                            | canteens               | ł                       |                        | -                          |
| 7. 3          | In the last 24 h                     | ours, did              | you drink               | any water              | not from a canteen?        |
| (             | 0 - No                               |                        |                         |                        |                            |
| 1             | 1 – Yes If yes                       | , estimat              | e the numb              | er of glass            | ses                        |
| 8. H<br>did y | How many glasses<br>you drink yester | of juice<br>day?       | , punch, c              | or other dri           | nk (not water or milk)     |
|               | number                               | of glass               | es                      |                        |                            |
| 9.            | How many glasse<br>did you have wi   | s of juic<br>th breakf | e, punch,<br>ast this m | or other dr<br>orning? | ink (not water or milk)    |
|               | number                               | of glass               | es                      |                        |                            |
| 10.           | Did you go to s<br>0 - No            | ick call               | in the las              | t two weeks            | ? (circle one answer)      |
|               | 1 - Yes, If yes                      | , write d              | iagnosis _              |                        |                            |

- 11. Have you felt well in the last three days? (circle one answer) 0 - No If no, describe your symptoms and/or illness:
  - 1 Yes

· . .

ć . . .

| 12. | In the past 3 days,   | have you | had a? |
|-----|---|----------|--------|
|     | Cold  | 0-No     | 1-Yes  |
|     | Sore Throat   | 0-No     | 1-Yes  |
|     | Fever/Chills  | 0-N0     | 1-Yes  |
|     | Fainting  | 0-No     | 1-Yes  |
|     | Nausea  | 0-No     | 1-Yes  |
|     | Vomiting  | 0-No     | 1-Yes  |
|     | Diarrhea  | 0-No     | 1-Yes  |
|     | Constipation  | 0-No     | 1-Yes  |
|     | Painful urination   | 0-No     | 1-Yes  |
|     | Blood in urine  | 0-No     | 1-Yes  |
|     | Strain/Sprain   | 0-No     | l-Yes  |
|     | Broken bone   | 0-No     | 1-Yes  |
|     | Fast or irregular<br>heart beat                             | 0-No     | 1-Yes  |
|     | Cellulitis<br>(skin infection)                              | 0-No     | 1-Yes  |
|     | Sunburn, over more one third of body                        | 0-No     | 1-Yes  |
|     | Cut in skin longer<br>than 2" and deeper<br>than 1/8th inch | 0-No     | 1-Yes  |

#### END TEST FOUR

HEIGHT

• `

(kg) 96F (8/05/96)

**Privacy Act Statement** 

**APPENDIX B4** 

#### Authority: 5 U.S.C. 301; 10 U.S.C. 1071-1090; 44 C.S.C. 3101; E.O. 9397; DA PAM 25-51, Paragraph 14-4

(cm)

Purpose and routine use: To help researchers analyze demographic and physiological data in connection with heat injuries in Marine recruits. Your name/ social security number is needed during the study to assure accuracy in matching your answers on this form to physiological measurements made on you. When data analysis is completed, your name/social security number will be removed from the questionnaires and the rest of the information that you provide on this form will remain part of the research file until it is eligible for destruction. Investigators responsible for the conduct of this study are at the U.S. Army Research Institue of Environmental Medicine, Natick, Massachusetts, 01760, and the Naval Hospital, Beaufort, South Carolina, 29902. Only these investigators and those working under their supervision will have access to the information that you provide. Information collected in this study will be treated as confidential to the extent permitted by applicable law. Reports regarding this study will not include individual names or other personal identifiers.

Disclosure: Personal information on this form is given on a voluntary basis. Failure to give an answer to any question on this questionnaire will not affect your right to participate in the remainder of this study.

READ ALL QUESTIONS CAREFULLY; ANSWER ALL QUESTIONS TO THE BEST OF YOUR RECOLLECTION BY CIRCLING THE APPROPRIATE ANSWER AND/OR FILLING IN THE BLANK

Last name:

First name: \_\_\_\_\_ Middle initial:

Social Security Number \_\_\_\_ - \_\_\_ - \_\_\_ - \_\_\_ \_ \_\_ \_\_

Platoon number: \_\_\_\_

1. In the six months before reporting to PARRIS ISLAND, on average, how many cigarettes did you smoke per day?

0 - None, I did not smoke.

\_\_\_\_\_ cigarettes smoked per day. (There are 20 in a pack.)

2. How many years have you regularly smoked cigarettes?

0 - I have not regularly smoked cigarettes.

\_\_\_\_\_years.

3. How many years have you regularly consumed one or more alcoholic drinks per week?

0 - None, I do not regularly drink alcohol.

\_\_\_\_\_ yeąrs

4. What is the maximum number of alcoholic drinks you have consumed per week on a regular basis? (one shot of whiskey, one glass of wine, and one 12 ounce beer each counts as one drink)

0 - None, I do not regularly drink alcohol.

\_\_\_\_\_ alcoholic drinks consumed per week on a regular basis

5. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, on average, how many times per week did you run or jog? (circle one)

0 - Never (If you did not run/jog even once, skip to question 9)

1 - 1 time or less per week

2 - 2 times per week

3 - 3 times per week

4 - 4 times per week

5 - 5 times per week

6 - 6 times per week

7 - 7 or more times per week

6. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, how much time did it usually take you to complete a single running or jogging workout?
\_\_\_\_\_ minutes

7. In the 2 MONTHS BEFORE coming to PARRIS ISLAND, on average, how hard did you exercise running or jogging?

1 - Very leisurely, breathing easy, as during a slow walk

2 - Leisurely, breathing and effort slightly greater than slow walk

3 - Average, breathing increased but not uncomfortable

4 - Intense, breathing hard, have to 'push' to keep going

5 - Very intensely, breathing labored, difficult to keep going

8. During the 2 MONTHS BEFORE coming to PARRIS ISLAND, what was the most number of miles you ran at any one time?

\_\_\_\_ miles.

9. During the LAST 2 MONTHS before coming to PARRIS ISLAND, how often did you exercise or play sports other than running or jogging? (circle one)

0 - Never (If you did not do sports even once, skip to question 13)

1 - 1 time or less per week

2 - 2 times per week

3 - 3 times per week

4 - 4 times per week

5 - 5 times per week

6 - 6 times per week

7 - 7 or more times per week

10. On days you exercised or participated in sports other than running/jogging, on average, how many minutes did you exercise or participate in sports?

\_\_\_\_\_ minutes (average) of exercise/sports other than running/jogging each time I exercised.

11. In the 2 MONTHS before coming to PARRIS ISLAND, on average, how hard did you exercise or participate in sports other than running/jogging?

1 - Very leisurely, breathing easy, as during a slow walk

2 - Leisurely, breathing and effort slightly greater than slow walk

3 - Average, breathing increased but not uncomfortable

4 - Intense - breathing hard, have to 'push' to keep going

5 - Very intensely, breathing labored, difficult to keep going

<u>PAGE 2</u>

12. What were the three most common sports you participated in, other than running/jogging? Please write in "1" for the most frequent, "2" for the second most frequent and "3" for the third most frequent. Do not number more than three. Read all before answering.

\_\_\_\_ Aerobics

\_\_\_\_ Walking

\_\_\_\_\_ Basketball

- \_\_\_\_ Football
- \_\_\_\_ Soccer
- \_\_\_\_\_ Rugby
- \_\_\_\_ Baseball
- \_\_\_\_\_ Softball
- \_\_\_\_\_ Bicycling
- \_\_\_\_\_ Swimming
- \_\_\_\_ Tennis
- \_\_\_\_\_ Rowing

\_\_\_\_\_ Shot put and/or discus throwing

\_\_\_\_\_ Roller blading

- \_\_\_\_ Hockey
- \_\_\_\_\_ Weight lifting
- \_\_\_\_ Other sports

13. Compared to others your same age and sex, how would you describe your overall physical activity before reporting to PARRIS ISLAND? (circle one)

- 1 Inactive
- 2 Not very active
- 3 Average
- 4 Very active

14. How would you rate your physical fitness prior to coming to PARRIS ISLAND compared to others your same age and sex? (circle one answer)

| 1    | 2    | 3    | 4         | 5         |
|------|------|------|-----------|-----------|
| Poor | Fair | Good | Very good | Excellent |

15. Do you take any medications on a regular basis, including birth control pills? (circle one answer)

0 - No

1 - Yes, please list: \_\_\_\_\_

PAGE 3

16. Have you ever been sick from the heat, for example, heat exhaustion, or heat stroke?

- 0 No
- 1 Yes: If yes, please specify what year, 19\_\_.
  - What was the diagnosis? (circle one)
    - 1 heat exhaustion
    - 2 heat stroke
    - 3 other

F17. At what age did you start to menstruate (have periods)?

0 - No - circle no, if you have not started menstruation.

\_\_\_\_ years old

F18. How many periods did you have during the last 12 months? (circle one)

- $1 \{10 \text{ to } 12 \text{ periods}\}$
- $2 \{7 \text{ to } 9 \text{ periods}\}$
- $3 \{5 \text{ to } 6 \text{ periods}\}$
- $4 \{1 \text{ to } 4 \text{ periods}\}$
- 5 {No periods}

F19. In the last 12 months, how long was your usual menstrual cycle (from the start of one period until the start of the next period)? (For most women, a cycle is 25-35 days).

\_\_\_ days

F20. When you had a period during the last 12 months, how many days did the flow usually last? (For most women, the flow usually lasts 2-5 days.)

- \_\_\_ days
- F21. In the last 12 months, have your menstrual periods been irregular?
  - 0 No
  - 1 Yes

F22. In the last 12 months, have you gone more than six months between any menstrual periods (other than for pregnancy)?

- 0 No
- 1 Yes

F23. During the last 12 months, did you ever use any hormonal therapy to regulate your menstrual cycle or did you ever use birth control pills?

- 0 No
- 1 Yes

F24. Have you been pregnant during the last 12 months?

- 0 No
- 1 Yes END OF ENROLLMENT

<u>PAGE 4</u>

# TEST ONE

| FEM       | ALE SKIN FOLDS FIRST SECOND THIRD   |
|-----------|---|
|           | Suprailiac  |
|           | Thigh   |
| 1.        | Did you have any watch last night (circle all that apply)?  |
|           | 0 - No, I did not have any watch last night. If no, skip to question #3   |
|           | 1 - Yes, I had fire watch last night.   |
|           | 2 - Yes, I had guard mount watch last night.  |
| 2.        | What time did you have watch last night?  |
|           | to  |
|           | Hour Hour   |
| 3.        | How many hours of sleep did you have last night?  |
|           | hours of sleep  |
| 4.<br>you | How many canteens of water did you drink yesterday up until the time went to bed?                                 |
|           | canteens  |
| 5.<br>and | How many canteens of water did you drink last night, after lights out<br>before wake-up call this morning?        |
|           | canteens  |
| 6.        | How many canteens of water did you drink since wake-up this morning?  |
|           | number of canteens  |
| 7.        | In the last 24 hours, did you drink any water not from a canteen?<br>0 - No                                       |
|           | 1 - Yes If yes, estimate the number of glasses  |
| 8.<br>did | How many glasses of juice, punch, or other drink (not water or milk) you drink yesterday?                         |
|           | number of glasses   |
| 9.        | How many glasses of juice, punch, or other drink (not water or milk)<br>did you have with breakfast this morning? |
|           | number of glasses   |
| 10.       | Did you go to sick call in the last two weeks? (circle one answer)  |
|           | 0 - No  |
|           | 1 - Yes, If yes, write diagnosis  |

- 11. Have you felt well in the last three days? (circle one answer) 0 - No If no, describe your symptoms and/or illness:
  - . 1 - ¥es

· . . .

· .

12. In the past 3 days, have you had a ...? Cold 0-No 1-Yes Sore Throat 0-No 1-Yes Fever/Chills 0-No 1-Yes Fainting 0-No 1-Yes

| Fainting                                | 0-No | 1-Yes |
|---|------|-------|
| Nausea                                  | 0-No | 1-Yes |
| Vomiting                                | 0-No | 1-Yes |
| Diarrhea                                | 0-No | 1-Yes |
| Constipation                            | 0-No | 1-Yes |
| Painful urination                       | 0-No | 1-Yes |
| Blood in urine                          | 0-No | 1-Yes |
| Strain/Sprain                           | 0-No | 1-Yes |
| Broken bone                             | 0-No | 1-Yes |
| Fast or irregular<br>heart beat         | 0-No | 1-Yes |
| Cellulitis<br>(skin infection)          | 0-No | 1-Yes |
| Sunburn, over more<br>one third of body | 0-No | 1-Yes |
|   |      |       |

Cut in skin longer 0-No 1-Yes than 2" and deeper than 1/8th inch ، ج

13,.' On the 1996 calendar below, circle the date of the start of bleeding for your last menstrual period. · . •

TODAY'S DATE IS \_\_\_\_

[provided by research team] If your last menstrual period started before January 1, 1996, check the box above the month of January.

۶

Started before January 1, 1996

# 1996

| JANUARY              | FEBRUARY             | MARCH                |                      |
|----------------------|----------------------|----------------------|----------------------|
| SMTWTFS              | SMTWTFS              | SMTWTER              |                      |
| 1 2 3 4 5 6          |                      |                      | SMIWTFS              |
| 7 8 9 10 11 12 13    |                      |                      | 1 2 3 4 5 6          |
| 14 15 16 17 18 19 20 |                      | 3456789              | 7 8 9 10 11 12 13    |
|                      | 11 12 13 14 15 16 17 | 10 11 12 13 14 15 16 | 14 15 16 17 18 19 20 |
| 21 22 23 24 23 26 27 | 18 19 20 21 22 23 24 | 17 18 19 20 21 22 23 | 21 22 23 24 25 26 27 |
| 28 29 30 31          | 25 26 27 28 29       | 24 25 26 27 28 29 30 | 28 29 30             |
|                      |                      | 31                   |                      |
|                      |                      |                      |                      |
| MAY                  | JUNE                 | JULY                 | AUGUST               |
| SMTWTFS              | SMTWTFS              | SMTWTFS              | SMTWTES              |
| 1 2 3 4              |                      | 123456               |                      |
| 5 6 7 8 9 10 11      | 234567B              | 7 8 9 10 11 12 12    |                      |
| 12 13 14 15 16 17 18 | 9 10 11 12 13 14 15  | 14 15 16 17 19 10 00 | 4 3 6 7 8 9 10       |
| 19 20 21 22 23 24 25 | 16 17 18 19 20 21 22 | 21 22 23 04 05 00 00 | 11 12 13 14 15 15 17 |
| 26 27 28 29 30 31    | 23 24 25 25 27 28 28 |                      | 18 19 20 21 22 23 24 |
|                      |                      | 25 29 30 31          | 25 26 27 28 29 30 31 |
|                      | 1 30                 |                      | •                    |
|                      |                      |                      |                      |
| SEPTEMBER            | OCTOBER              | NOVEMBER             | DECEMBER             |
| SMTWTFS              | SMTWTFS              | SMTWTFS              | SMTWTES              |
| 1 2 3 4 5 6 7        | 1 2 3 4 5            | 1 2                  | 1 7 1 4 5 8 7        |
| 8 9 10 11 12 13 14   | 6 7 8 9 10 11 12     | 3458789              |                      |
| 15 16 17 18 19 20 21 | 13 14 15 16 17 18 19 | 10 11 12 12 14 15 15 |                      |
| 22 23 24 25 26 27 28 | 20 21 22 23 24 25 25 |                      |                      |
| 29 30                |                      |                      | 22 23 24 25 26 27 28 |
| 25 55                | 27 26 29 30 31       | 24 25 26 27 28 29 30 | 29 30 31             |
| ļ                    |                      |                      |                      |
|                      |                      |                      |                      |
|                      |                      |                      |                      |
|                      | END TE               | ST ONE               |                      |

PAGE 7

# TEST TWO

۰۰۰ ۲۰

| FEM       | ALE SKIN FOLDS   | FIRST   | SECOND  | THIRD  | WEIGHT   |
|-----------|--|---|---|--|--|
|           | Triceps  |   | ۰-<br>  |  | (KG)   |
|           | Suprailiac   |   |   |  |  |
|           | Thigh  |   |   |  |  |
| 1.        | Did you have an  | y watch l   | ast night                                     | (circle al   | l that apply)?   |
|           | 0 - No, I did n  | ot have a   | ny watch l                                    | ast night.   | If no,skip to question #3  |
|           | 1 - Yes, I had   | fire watc   | h last nig                                    | ht.  |  |
|           | 2 - Yes, I had g   | guard mou   | nt watch l                                    | ast night.   |  |
| 2.        | What time did y  | ou have w   | atch last                                     | night?   |  |
|           | Hour to  | Hour  |   |  |  |
| з.        | How many hours of  | of sleep (  | did you ha                                    | ve last ni   | aht?   |
|           | hours of   | sleep   | -   |  |  |
| 4.<br>you | How many canteer<br>went to bed?                             | ns of wate  | er did you                                    | drink yes  | terday up until the time   |
|           | canteens   |   |   |  |  |
| 5.<br>and | How many canteer<br>before wake-up o                         | ns of wate<br>call this   | er did you<br>morning?                        | drink las  | t night, after lights out  |
|           | canteens   |   |   |  |  |
| 6.        | How many canteer   | ns of wate  | er did you                                    | drink sin  | ce wake-up this morning?   |
| 7         | In the last 24 h   | oura di   | 5<br>d wow draini                             |  |  |
|           | 0 - No   | iours, uit  | i you urim                                    | c any wate   | I not from a canteen?  |
|           | 1 - Yes If yes   | s, estimat  | te the numl                                   | per of gla   | sses   |
| 8.<br>did | How many glasses<br>you drink yester                         | s of juice<br>day?  | e, punch, d                                   | or other d   | rink (not water or milk)   |
|           | number   | c of glass  | ses   |  |  |
| 9.        | How many glasse<br>did you have wi                           | es of juic<br>th breakf   | ce, punch,<br>East this r                     | or other on orning?  | drink (not water or milk)  |
|           | number   | of glass  | ses   |  |  |
| 10.       | Did you go to s  | sick call   | in the las                                    | st two weel  | ks? (circle one answer)  |
|           | 0 - No   |   |   |  |  |
|           | 1 - Yes, If yes  | s, write d  | liagnosis _                                   |  |  |
|           | <pre>FEM 1. 1. 2. 3. 4. you 5. and 6. 7. 8. did 9. 10.</pre> | <pre>FEMALE SKIN FOLDS<br/>Triceps<br/>Suprailiac<br/>Thigh<br/>1. Did you have and<br/>0 - No, I did nd<br/>1 - Yes, I had<br/>2 - Yes, I had<br/>2. What time did you<br/>Hour<br/>3. How many hours of<br/>4. How many canteen<br/>you went to bed?<br/> canteens<br/>5. How many canteen<br/>and before wake-up of<br/> canteens<br/>6. How many canteen<br/> number of<br/>7. In the last 24 H<br/>0 - No<br/>1 - Yes If yes<br/>8. How many glasses<br/>did you drink yester<br/> number<br/>9. How many glasses<br/>did you have wi<br/> number<br/>10. Did you go to s<br/>0 - No<br/>1 - Yes, If yes</pre> | FEMALE SKIN FOLDS       FIRST         Triceps | <pre>FEMALE SKIN FOLDS FIRST SECOND<br/>Triceps<br/>Suprailiac<br/>Thigh<br/>1. Did you have any watch last night<br/>0 - No, I did not have any watch l<br/>1 - Yes, I had fire watch last nig<br/>2 - Yes, I had guard mount watch l<br/>2. What time did you have watch last<br/>Hour to<br/>Hour to<br/>Hour to<br/>bours of sleep<br/>4. How many hours of sleep did you have<br/> hours of sleep<br/>4. How many canteens of water did you<br/>you went to bed?<br/> canteens<br/>5. How many canteens of water did you<br/>and before wake-up call this morning?<br/> canteens<br/>6. How many canteens of water did you<br/>and before wake-up call this morning?<br/> canteens<br/>7. In the last 24 hours, did you drinl<br/>0 - No<br/>1 - Yes If yes, estimate the numl<br/>8. How many glasses of juice, punch, of<br/>did you drink yesterday?<br/> number of glasses<br/>9. How many glasses of juice, punch,<br/>did you have with breakfast this m<br/> number of glasses<br/>10. Did you go to sick call in the last<br/>0 - No<br/>1 - Yes, If yes, write diagnosis</pre> | <pre>FEMALE SKIN FOLDS FIRST SECOND THIRD<br/>Triceps<br/>Suprailiac<br/>Thigh<br/>1. Did you have any watch last night (circle al<br/>0 - No, I did not have any watch last night.<br/>1 - Yes, I had fire watch last night.<br/>2 - Yes, I had guard mount watch last night?<br/>What time did you have watch last night?<br/>Hour to Hour<br/>3. How many hours of sleep did you have last ni<br/> hours of sleep<br/>4. How many canteens of water did you drink yes<br/>you went to bed?<br/> canteens<br/>5. How many canteens of water did you drink last<br/>and before wake-up call this morning?<br/> canteens<br/>6. How many canteens of water did you drink sin<br/> number of canteens<br/>7. In the last 24 hours, did you drink any wate<br/>0 - No<br/>1 - Yes If yes, estimate the number of gla<br/>8. How many glasses of juice, punch, or other d<br/>did you drink yesterday?<br/> number of glasses<br/>9. How many glasses of juice, punch, or other<br/>did you have with breakfast this morning?<br/> number of glasses<br/>10. Did you go to sick call in the last two weet<br/>0 - No<br/>1 - Yes, If yes, write diagnosis</pre> |

PAGE 8

- Have you felt well in the last three days? (circle one answer) 11. 0 - No If no, describe your symptoms and/or illness:
  - 1 Yes

1

εξις **γ** 

In the past 3 days, have you had a ...? 12. Cold 0-No 1-Yes Sore Throat 0-No 1-Yes Fever/Chills 0-No 1-Yes Fainting 0-No 1-Yes Nausea 0-No 1-Yes Vomiting 0-No 1-Yes Diarrhea 0-No 1-Yes Constipation 0-No 1-Yes Painful urination 0-No 1-Yes Blood in urine 0 - NO1-Yes Strain/Sprain 1-Yes 0-No Broken bone 0-No 1-Yes Fast or irregular 0-No 1-Yes heart beat Cellulitis 0-No 1-Yes (skin infection) Sunburn, over more one third of body 0-No 1-Yes Cut in skin longer 0-No 1-Yes than 2" and deeper than 1/8th inch

13. On the 1996 calendar below, circle the date of the start of bleeding for your last menstrual period.

6 K ( ) 🕺

1.

TODAY'S DATE IS \_\_\_\_\_. (provided by research team)

If your last menstrual period started before January 1, 1996, check the box above the month of January.

Started before January 1, 1996

| JANUARY<br>S M T W F F S<br>1 2 3 4 5 6<br>7 8 9 10 11 12 13<br>14 15 16 17 18 19 20<br>21 22 23 24 25 26 27<br>28 29 30 31 | FEBRUARY<br>S M T W T F S<br>1 2 3<br>4 5 6 7 8 9 10<br>11 12 13 14 15 16 17<br>18 19 20 21 22 23 24<br>25 26 27 28 29   | MARCH<br>S M T W T F S<br>1 2<br>3 4 5 6 7 8 9<br>10 11 12 13 14 15 16<br>17 18 19 20 21 22 23<br>24 25 26 27 28 29 30<br>31 | APRIL<br>S M T W T F S<br>1 2 3 4 5 6<br>7 8 9 10 11 12 13<br>14 15 16 17 18 19 20<br>21 22 23 24 25 26 27<br>28 29 30     |
|---|--|--|--|
| MAY<br>S M T W T F S<br>1 2 3 4<br>5 6 7 8 9 10 11<br>12 13 14 15 16 17 18<br>19 20 21 22 23 24 25<br>26 27 28 29 30 31     | JUNE<br>S M T W T F S<br>1<br>2 3 4 5 6 7 8<br>9 10 11 12 13 14 15<br>16 17 18 19 20 21 22<br>23 24 25 26 27 28 29<br>30 | JULY<br>S M T W T F S<br>1 2 3 4 5 6<br>7 8 9 10 11 12 13<br>14 15 16 17 18 19 20<br>21 22 23 24 25 26 27<br>28 29 30 31     | AUGUST<br>S M T W T F S<br>1 2 3<br>4 5 6 7 8 9 10<br>11 12 13 14 15 16 17<br>18 19 20 21 22 23 24<br>25 26 27 28 29 30 31 |
| SEPTEMBER   | OCTOBER  | NOVEMBER   | DECEMBER   |

# 1996

| SEPTEMBER            | OCTOBER              | NOVEMBER             | DECEMBER             |  |  |  |  |  |  |
|----------------------|----------------------|----------------------|----------------------|--|--|--|--|--|--|
| SMTWTFS              | SMTWTFS              | SMTWTES              | SMTWTEO              |  |  |  |  |  |  |
| 1234567              | 12345                |                      |                      |  |  |  |  |  |  |
|                      |                      | 1 2                  | 1234567              |  |  |  |  |  |  |
| 8 9 10 11 12 13 14   | 6 7 8 9 10 11 12     | 3 4 5 6 7 8 9        | 8 9 10 11 12 13 14   |  |  |  |  |  |  |
| 15 16 17 18 19 20 21 | 13 14 15 16 17 18 19 | 10 11 12 13 14 15 16 | 15 16 17 18 19 20 21 |  |  |  |  |  |  |
| 22 23 24 25 26 27 28 | 20 21 22 23 24 25 26 | 17 18 19 20 21 22 23 | 22 23 24 25 06 27 20 |  |  |  |  |  |  |
| 29 30                | 27 28 20 20 21       |                      | 22 23 24 25 20 21 28 |  |  |  |  |  |  |
|                      | 21 20 29 30 31       | 24 25 26 27 28 29 30 | 29 30 31             |  |  |  |  |  |  |
|                      |                      |                      |                      |  |  |  |  |  |  |
|                      |                      |                      |                      |  |  |  |  |  |  |

END TEST TWO

PAGE 10

## TEST THREE

• • •

| FEM       | MALE SKIN FOLDS FIRST                            | SECOND                        | THIRD                  | WEIGHT                    |
|-----------|--|-------------------------------|------------------------|---------------------------|
|           | Tricèps  | -                             |                        | (KG)                      |
|           | Suprailiac                                       |                               |                        |                           |
|           | Thigh  |                               |                        |                           |
| 1.        | Did you have any watch                           | last night                    | (circle al             | l that apply)?            |
|           | 0 - No, I did not have                           | any watch ]                   | ast night.             | If no,skip to question #3 |
|           | 1 - Yes, I had fire wa                           | tch last nig                  | pht.                   |                           |
|           | 2 - Yes, I had guard m                           | ount watch ]                  | ast night.             |                           |
| 2.        | What time did you have                           | watch last                    | night?                 |                           |
|           | Hour Hour  |                               |                        |                           |
| 3.        | How many hours of slee                           | n did you ha                  | we lagt ni             | ~h+ 0                     |
|           | hours of sleep                                   | p ulu you na                  | we tast mi             | J11C ?                    |
| 4.<br>you | How many canteens of w<br>went to bed?           | ater did you                  | drink yest             | terday up until the time  |
|           | canteens   |                               |                        |                           |
| 5.<br>and | How many canteens of w<br>before wake-up call th | ater did you<br>is morning?   | drink last             | night, after lights out   |
|           | canteens   |                               |                        |                           |
| 6.        | How many canteens of w                           | ater did you                  | drink sind             | ce wake-up this morning?  |
| _         | number of cante                                  | ens                           |                        |                           |
| 7.        | In the last 24 hours,<br>0 - No                  | did you drin                  | k any water            | not from a canteen?       |
|           | 1 - Yes If yes, esti                             | mate the num                  | ber of glas            | ses                       |
| 8.<br>did | How many glasses of ju<br>you drink yesterday?   | ice, punch,                   | or other dr            | rink (not water or milk)  |
|           | number of gl                                     | asses                         |                        |                           |
| 9.        | How many glasses of j<br>did you have with brea  | uice, punch,<br>akfast this i | or other d<br>morning? | lrink (not water or milk) |
|           | number of gla                                    | asses                         |                        |                           |
| 10.       | Did you go to sick ca                            | ll in the la                  | st two week            | s? (circle one answer)    |
|           | 0 - No   |                               |                        |                           |
|           | 1 - Yes, If yes, write                           | e diagnosis _                 |                        |                           |

-

- 11. Have you felt well in the last three days? (circle one answer) 0 - No If no, describe your symptoms and/or illness: \_\_\_\_\_
  - 1 ¥es

· · · ·

£,

· · ·

| 12.         | In the past 3 days,                                      | have you | had a? |   |
|-------------|--|----------|--------|---|
|             | Cold   | 0-No     | 1-Yes  |   |
|             | Sore Throat  | 0-No     | 1-Yes  |   |
|             | Fever/Chills   | 0-No     | 1-Yes  |   |
|             | Fainting   | 0-No     | 1-Yes  |   |
|             | Nausea   | 0-No     | 1-Yes  |   |
|             | Vomiting   | 0-No     | 1-Yes  |   |
|             | Diarrhea   | 0-No     | 1-Yes  |   |
|             | Constipation   | 0-No     | 1-Yes  |   |
| I           | Painful urination  | 0-No     | 1-Yes  |   |
| I           | Blood in urine   | 0-No     | 1-Yes  |   |
| S           | Strain/Sprain  | 0-No     | 1-Yes  |   |
| E           | Broken bone  | 0-No     | 1-Yes  |   |
| F<br>h      | ast or irregular<br>Meart beat                           | 0-No     | 1-Yes  |   |
| C<br>(      | ellulitis<br>skin infection)                             | 0-No     | 1-Yes  | • |
| S           | unburn, over more<br>ne third of body                    | 0-No     | 1-Yes  |   |
| C<br>t<br>t | ut in skin longer<br>han 2" and deeper<br>han 1/8th inch | 0-No     | l-Yes  |   |

-

13. On the 1996 calendar below, circle the date of the start of bleeding for your last menstrual period.

TODAY'S DATE IS \_\_\_\_\_\_, (provided by research team) If your kast menstrual period started before January 1, 1996, check the box above the month of January.

Started before January 1, 1996

i 2, 1 📲

|                          | J                        | AN                            | UA                             | RY                            | ,                              |                          |                         | F                        | EB                            | RU.                       | AR                            | Y                        |                               |                          |                          | M/                            | AR(                                  | СН                       |                                       |                          | !                        |                          | Α                              | PR                              | IL                                   |                               |                                |
|--------------------------|--------------------------|-------------------------------|--------------------------------|-------------------------------|--------------------------------|--------------------------|-------------------------|--------------------------|-------------------------------|---------------------------|-------------------------------|--------------------------|-------------------------------|--------------------------|--------------------------|-------------------------------|--------------------------------------|--------------------------|---------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------------|---------------------------------|--------------------------------------|-------------------------------|--------------------------------|
| S                        | M                        | Т                             | W.                             | Т                             | F                              | S                        | S                       | Μ                        | Т                             | W                         | Т                             | F                        | S                             | s                        | Μ                        | Т                             | W                                    | Т                        | F                                     | S                        | s                        | М                        | т                              | W                               | Т                                    | F                             | S                              |
| _                        |                          | 2                             | 3                              | 4                             | 5                              | 6                        |                         |                          |                               |                           | 1                             | 2                        | 3                             |                          |                          |                               |                                      |                          | 1                                     | 2                        |                          | 1                        | 2                              | 3                               | 4                                    | 5                             | 6.                             |
| 7                        | 8                        | 9                             | 10                             | 11                            | 12                             | 13                       | 4                       | 5                        | 6                             | 7                         | 8                             | 9                        | 10                            | 3                        | 4                        | 5                             | 6                                    | 7                        | 8                                     | 9                        | 7                        | 8                        | 9                              | 10                              | 11                                   | 12                            | 13                             |
| 14                       | 15 1                     | 6                             | 17                             | 18                            | 19                             | 20                       | 11                      | 12                       | 13                            | 14                        | 15                            | 16                       | 17                            | 10                       | 11                       | 12                            | 13                                   | 14                       | 15                                    | 16                       | 14                       | 15                       | 16                             | 17                              | 18                                   | 19                            | 20                             |
| 21                       | 22 2                     | 23 2                          | 24                             | 25                            | 26                             | 27                       | 18                      | 19                       | 20                            | 21                        | 22                            | 23                       | 24                            | 17                       | 18                       | 19                            | 20                                   | 21                       | 22                                    | 23                       | 21                       | 22                       | 23                             | 24                              | 25                                   | 26                            | 27                             |
| 28                       | 29 3                     | 30 (                          | 31                             |                               |                                |                          | 25                      | 26                       | 27                            | 28                        | 29                            |                          |                               | 24                       | 25                       | 26                            | 27                                   | 28                       | 29                                    | 30                       | 28                       | 29                       | 30                             |                                 |                                      |                               |                                |
|                          |                          |                               |                                |                               |                                |                          |                         |                          |                               |                           |                               |                          |                               | 31                       |                          |                               |                                      |                          |                                       |                          |                          |                          |                                |                                 |                                      |                               |                                |
| -                        |                          | _                             |                                | -                             |                                |                          |                         |                          |                               |                           |                               |                          |                               |                          |                          |                               |                                      |                          |                                       |                          |                          |                          |                                |                                 |                                      |                               |                                |
|                          |                          | A                             | 101                            | /                             |                                |                          |                         |                          | 1                             | ы                         |                               |                          |                               |                          |                          |                               |                                      | ×                        |                                       |                          | 1                        | ~                        |                                |                                 |                                      | _                             |                                |
| 6                        | 3.4                      | _N                            | /A)                            | (<br>_                        | -                              | 0                        |                         |                          | Ĵ                             | UN                        | E                             | -                        | •                             |                          |                          | J                             | UL                                   | Y                        | а.                                    |                          |                          | *                        | AL                             | IGL                             | JST                                  |                               |                                |
| s                        | М                        | N<br>T                        | ۸A۱<br>w                       | (<br>Т                        | F                              | S                        | s                       | м                        | J<br>T                        | UN<br>W                   | E<br>T                        | F                        | S                             | S                        | м                        | ل<br>T                        | UL<br>W                              | Y.<br>                   | Ϋ́Ε                                   | s                        | s                        | м                        | AL<br>T                        | IGL<br>W                        | JST<br>T                             | F                             | s                              |
| S                        | м                        | T<br>T                        | /IA)<br>W<br>1                 | Г<br>Т<br>2                   | F<br>3                         | S<br>4                   | s                       | М                        | J<br>T                        | UN<br>W                   | E<br>T                        | F                        | S<br>1                        | S                        | M<br>1                   | T<br>2                        | UL<br>W<br>3                         | Y<br>T<br>4              | <sup>7</sup> F<br>5                   | S<br>6                   | s                        | М                        | AL<br>T                        | IGL<br>W                        | JST<br>T<br>1                        | F<br>2                        | S<br>3                         |
| S<br>5                   | M<br>6                   | Л<br>Т<br>7                   | //A)<br>W<br>1<br>8            | Г<br>Т<br>2<br>9              | F<br>3<br>10                   | S<br>4<br>11             | S<br>2                  | М<br>З                   | J<br>T<br>4                   | UN<br>W<br>5              | Е<br>Т<br>6                   | F<br>7                   | S<br>1<br>8                   | S<br>7                   | M<br>1<br>8              | T<br>2<br>9                   | UL<br>W<br>3<br>10                   | Y<br>T<br>4<br>11        | <sup>*</sup> F<br>5<br>12             | S<br>6<br>13             | S<br>4                   | м<br>5                   | AL<br>T                        | JGL<br>W<br>7                   | JST<br>T<br>1<br>8                   | F<br>2<br>9                   | S<br>3<br>10                   |
| S<br>5<br>12             | M<br>6<br>13             | N<br>T<br>7<br>14             | /IA)<br>W<br>1<br>8<br>15      | Г<br>Т<br>2<br>9<br>16        | F<br>3<br>10<br>17             | S<br>4<br>11<br>18       | S<br>2<br>9             | M<br>3<br>10             | J<br>T<br>4<br>11             | UN<br>W<br>5<br>12        | E<br>T<br>6<br>13             | F<br>7<br>14             | S<br>1<br>8<br>15             | S<br>7<br>14             | M<br>1<br>8<br>15        | T<br>2<br>9<br>16             | UL<br>W<br>3<br>10<br>17             | Y<br>T<br>4<br>11<br>18  | <sup>4</sup> F<br>5<br>12<br>19       | S<br>6<br>13<br>20       | S<br>4<br>11             | M<br>5<br>12             | AL<br>T<br>6<br>13             | JGL<br>W<br>7<br>14             | JST<br>T<br>1<br>8<br>15             | F<br>2<br>9<br>16             | S<br>3<br>10<br>17             |
| S<br>5<br>12<br>19       | M<br>6<br>13<br>20       | N<br>T<br>7<br>14<br>21       | /A<br>W<br>1<br>8<br>15<br>22  | T<br>2<br>9<br>16<br>23       | F<br>3<br>10<br>17<br>24       | S<br>4<br>11<br>18<br>25 | S<br>2<br>9<br>16       | M<br>3<br>10<br>17       | J<br>T<br>4<br>11<br>18       | UN<br>5<br>12<br>19       | E<br>T<br>6<br>13<br>20       | F<br>7<br>14<br>21       | S<br>1<br>8<br>15<br>22       | S<br>7<br>14<br>21       | M<br>1<br>8<br>15<br>22  | T<br>2<br>9<br>16<br>23       | UL<br>3<br>10<br>17<br>24            | Y<br>4<br>11<br>18<br>25 | <sup>7</sup> F<br>5<br>12<br>19<br>26 | S<br>6<br>13<br>20<br>27 | S<br>4<br>11<br>18       | M<br>5<br>12<br>19       | AL<br>T<br>6<br>13<br>20       | JGL<br>W<br>7<br>14<br>21       | JST<br>T<br>1<br>8<br>15<br>22       | F<br>2<br>9<br>16<br>23       | S<br>3<br>10<br>17<br>24       |
| S<br>5<br>12<br>19<br>26 | M<br>6<br>13<br>20<br>27 | N<br>T<br>7<br>14<br>21<br>28 | AA<br>W<br>1<br>15<br>22<br>29 | T<br>2<br>9<br>16<br>23<br>30 | F<br>3<br>10<br>17<br>24<br>31 | S<br>4<br>11<br>18<br>25 | S<br>2<br>9<br>16<br>23 | M<br>3<br>10<br>17<br>24 | J<br>T<br>4<br>11<br>18<br>25 | UN<br>5<br>12<br>19<br>26 | E<br>T<br>6<br>13<br>20<br>27 | F<br>7<br>14<br>21<br>28 | S<br>1<br>8<br>15<br>22<br>29 | S<br>7<br>14<br>21<br>28 | M<br>1<br>15<br>22<br>29 | T<br>2<br>9<br>16<br>23<br>30 | UL<br>W<br>3<br>10<br>17<br>24<br>31 | Y<br>4<br>11<br>18<br>25 | <sup>4</sup> F<br>5<br>12<br>19<br>26 | S<br>6<br>13<br>20<br>27 | S<br>4<br>11<br>18<br>25 | M<br>5<br>12<br>19<br>26 | AL<br>T<br>6<br>13<br>20<br>27 | JGL<br>W<br>7<br>14<br>21<br>28 | JST<br>T<br>1<br>8<br>15<br>22<br>29 | F<br>2<br>9<br>16<br>23<br>30 | S<br>3<br>10<br>17<br>24<br>31 |

# 1996

SEPTEMBER OCTOBER NOVEMBER DECEMBER SMTWTFS SMTWTFS SMTWTFS SMTWTFS 1 2 3 4 5 6 7 1 2 3 4 5 1 2 1 2 3 4 5 6 7 8 9 10 11 12 13 14 6 7 8 9 10 11 12 3 4 5 6 7 8 9 8 9 10.11 12 13 14 15 16 17 18 19 20 21 13 14 15 16 17 18 19 10 11 12 13 14 15 16 15 16 17 18 19 20 21 22 23 24 25 26 27 28 20 21 22 23 24 25 26 17 18 19 20 21 22 23 22 23 24 25 26 27 28 24 25 26 27 28 29 30 29 30 27 28 29 30 31 29 30 31

END TEST THREE

PAGE 13

# 

# TEST FOUR

J

|   | FEM       | TALE SKIN FOLDS FIRST SECOND THIRD WEIGHT   |
|---|-----------|---|
|   |           | Tricèps (KG)  |
|   |           | Suprailiac  |
|   |           | Thigh   |
|   | 1.        | Did you have any watch last night (circle all that apply)?  |
|   |           | 0 - No, I did not have any watch last night. If no, skip to question #3   |
|   |           | 1 - Yes, I had fire watch last night.   |
|   |           | 2 - Yes, I had guard mount watch last night.  |
|   | 2.        | What time did you have watch last night?  |
| - |           | Hour Hour   |
|   | з.        | How many hours of sleep did you have last night?  |
|   |           | hours of sleep  |
|   | 4.<br>you | How many canteens of water did you drink yesterday up until the time went to bed?                                 |
|   |           | canteens  |
|   | 5.<br>and | How many canteens of water did you drink last night, after lights out before wake-up call this morning?           |
|   |           | canteens  |
|   | 6.        | How many canteens of water did you drink since wake-up this morning?  |
|   |           | number of canteens  |
|   | 7.        | In the last 24 hours, did you drink any water not from a canteen?<br>0 - No                                       |
|   |           | 1 - Yes If yes, estimate the number of glasses  |
|   | 8.<br>did | How many glasses of juice, punch, or other drink (not water or milk) you drink yesterday?                         |
|   |           | number of glasses   |
|   | 9.        | How many glasses of juice, punch, or other drink (not water or milk)<br>did you have with breakfast this morning? |
|   |           | number of glasses   |
|   | 10.       | Did you go to sick call in the last two weeks? (circle one answer)  |
|   |           | 0 - No  |
|   |           | 1 - Yes, If yes, write diagnosis  |
|   |           |   |

PAGE 14

------

- 11. Have you felt well in the last three days? (circle one answer) 0 - No If no, describe your symptoms and/or illness: \_\_\_\_\_\_
  - 1 ¥es

· . . . . .

| 12. | In the past 3 days,   | have you | had a? |        |
|-----|---|----------|--------|--------|
|     | Cold  | 0-No     | 1-Yes  |        |
|     | Sore Throat   | 0-No     | 1-Yes  |        |
|     | Fever/Chills  | 0-No     | 1-Yes  |        |
|     | Fainting  | 0-No     | 1-Yes  |        |
|     | Nausea  | 0-No     | 1-Yes  |        |
|     | Vomiting  | 0-No     | 1-Yes  |        |
|     | Diarrhea  | 0-No     | 1-Yes  |        |
|     | Constipation  | 0-No     | 1-Yes  |        |
|     | Painful urination   | 0-No     | 1-Yes  |        |
|     | Blood in urine  | 0-No     | 1-Yes  |        |
|     | Strain/Sprain   | 0-No     | 1-Yes  |        |
|     | Broken bone   | 0-No     | 1-Yes  | 94 t., |
|     | Fast or irregular<br>heart beat                             | 0-No     | 1-Yes  |        |
|     | Cellulitis<br>(skin infection)                              | 0-No     | 1-Yes  | ٠      |
|     | Sunburn, over more one third of body                        | 0-No     | 1-Yes  |        |
|     | Cut in skin longer<br>than 2" and deeper<br>than 1/8th inch | 0-No     | 1-Yes  |        |

PAGE 15

. . 13. On the 1996 calendar below, circle the date of the start of bleeding for your last menstrual period.

TODAY'S DATE IS \_\_\_\_\_. (provided by research team)

If your last menstrual period started before January 1, 1996, check the box above the month of January.

Started before January 1, 1996

8 **6** 8 6.

# 1996

NOVEMBER DECEMBER OCTOBER SEPTEMBER SMTWTFS S M T W T F S S M T W T F S SMTWTFS 2 1 2 3 4 5 6 7 1 2 3 4 5 1 1 2 3 4 5 6 7 8 9 10.11 12 13 14 6 7 8 9 10 11 12 3 4 5 6 7 8 9 8 9 10 11 12 13 14 15 16 17 18 19 20 21 10 11 12 13 14 15 16 13 14 15 16 17 18 19 15 16 17 18 19 20 21 22 23 24 25 26 27 28 17 18<sup>.</sup> 19 20 21 22 23 22 23 24 25 26 27 28 20 21 22 23 24 25 26 24 25 26 27 28 29 30 29 30 31 27 28 29 30 31 29 30

END TEST FOUR

PAGE 16