AD	· ·	•	

MIPR NO: 94MM4530

TITLE: Human Mammary Cell Resource

PRINCIPAL INVESTIGATOR(S): Martha R. Stampfer, Ph.D.

CONTRACTING ORGANIZATION: Department of Energy

Berkeley, California 94720

REPORT DATE: April 1997

DTIC QUALITY INSPECIED &

TYPE OF REPORT: Annual

PREPARED FOR:

U.S. Army Medical Research and Materiel Command Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Davis Highway, Suite 1204, Arlington, VA 22202-4302. 1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE			ewing instructions, searching existing data s ng this burden estimate or any other aspect formation Operations and Reports, 1215 Jei (0704-0188), Washington, DC 20503. DATES COVERED
4. TITLE AND SUBTITLE	April 1997	Annual	(1 Apr	96 - 31 Mar 97)
			5	FUNDING NUMBERS
Human Mammary Cell Resource				94MM4530
6. AUTHOR(S)				
Stampfer, Martha R., Ph.I) .			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			8.	PERFORMING ORGANIZATION
Department of Energy Berkeley, California 94720				REPORT NUMBER
SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS	(FS)	10	CDONCORNIC (CO.
U.S. Army Medical Research			10	SPONSORING/MONITORING AGENCY REPORT NUMBER
Fort Detrick Frederick, Maryland 21702-5012				,
1. SUPPLEMENTARY NOTES				
Approved for public release; distribution unlimited				DISTRIBUTION CODE
			1 '2"	
approved for public releas	e; distribution	unlimited	120	
approved for public releas 	e; distribution	unlimited	120	
approved for public releas ABSTRACT (Maximum 200 words)	e; distribution	unlimited	120	
ABSTRACT (Maximum 200 words) My laboratory has generated a hand aberrant growth control med	uman mammary ep	ithelial cell (HN	ŒC) syste	em for studies on normal
My laboratory has generated a hand aberrant growth control mechave provided cells and cell cultiformation on the HMEC, and rourpose of this grant is to (1) upgomputer and written records car distories of complicated cell line.	uman mammary ep hanisms. As part of ure expertise to over we developed a content of the part of the pa	ithelial cell (HN of the goal to face or 150 laboratori omplex database munication amone features of the andable to other	MEC) systemilitate wides worldward for storage and those uses database as besides	em for studies on normal lespread use of HMEC, wide. The and retrieval of using these HMEC. The e, (2) ensure that all the PI, (3) create written
My laboratory has generated a hand aberrant growth control mediave provided cells and cell cultifo optimize use of this resource, information on the HMEC, and rourpose of this grant is to (1) upgomputer and written records car istories of complicated cell line to oard to foster rapid, cooperative Most work on the database upgratecessary. For years 2 and 3, old ompiling cell histories and making the control of the stories and the stories are stories are stories are stories and the stories are stories and stories are stories and stories are stori	uman mammary ep hanisms. As part of the pa	ithelial cell (HM of the goal to face or 150 laboratori omplex database munication amone andable to other into the database mong laboratoric in Year 1. Only red into the data more accessible	MEC) systemilitate wides worldword for storage of those it is databased so besides se, (4) development of the minor additional the second of t	em for studies on normal lespread use of HMEC, wide. The and retrieval of using these HMEC. The e, (2) ensure that all the PI, (3) create written welop an Email bulletin MEC. The ditional changes have been work was begun on
My laboratory has generated a hand aberrant growth control mediave provided cells and cell cultifo optimize use of this resource, information on the HMEC, and rourpose of this grant is to (1) upgonputer and written records car istories of complicated cell line to oard to foster rapid, cooperative fost work on the database upgratecessary. For years 2 and 3, old ompiling cell histories and making unched and continues to be upgistory compilation will require resource.	uman mammary ephanisms. As part of the par	ithelial cell (HM of the goal to face or 150 laboratori omplex database munication amone he features of the andable to other of into the database in Year 1. Only red into the data more accessible s proceeding as granting period	IEC) syste ilitate wid es worldw for storag ing those us is database is besides se, (4) dev es using H minor add base and v . A web s planned, a	em for studies on normal lespread use of HMEC, wide. The eand retrieval of using these HMEC. The eand in the PI, (3) create written welop an Email bulletin MEC. Inditional changes have been work was begun on ite on HMEC was although it is clear that the
My laboratory has generated a hand aberrant growth control mediave provided cells and cell cultifo optimize use of this resource, information on the HMEC, and rourpose of this grant is to (1) upgomputer and written records car istories of complicated cell line oard to foster rapid, cooperative Most work on the database upgraecessary. For years 2 and 3, old ompiling cell histories and making unched and continues to be upgistory compilation will require residue.	uman mammary ephanisms. As part of the par	ithelial cell (HM of the goal to face or 150 laboratori omplex database munication amone he features of the andable to other of into the database in Year 1. Only red into the data more accessible s proceeding as granting period	IEC) syste ilitate wid es worldw for storag ing those us is database is besides se, (4) dev es using H minor add base and v . A web s planned, a	em for studies on normal lespread use of HMEC, wide. The and retrieval of using these HMEC. The e, (2) ensure that all the PI, (3) create written welop an Email bulletin MEC. The ditional changes have been work was begun on
My laboratory has generated a hand aberrant growth control mediave provided cells and cell cultification on the HMEC, and rourpose of this grant is to (1) upgomputer and written records carristories of complicated cell line to are to foster rapid, cooperative dost work on the database upgratecessary. For years 2 and 3, old ompiling cell histories and making the database cell in the complication will require a subject terms	uman mammary ephanisms. As part of the par	ithelial cell (HM of the goal to face or 150 laboratori omplex database munication amone he features of the andable to other of into the database in Year 1. Only red into the data more accessible s proceeding as granting period	MEC) systemilitate wides worldwas database as besides see, (4) development of the system of the syst	em for studies on normal lespread use of HMEC, wide. The eand retrieval of using these HMEC. The earth all the PI, (3) create written welop an Email bulletin MEC. The ditional changes have been work was begun on the earth all the on HMEC was although it is clear that the less than the less tha

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the US Army.

Where copyrighted material is quoted, permission has been obtained to use such material.

Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).

√ For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

PI - Signature

nate

Table of Contents

Section	<u>Page</u>
T . 1 .	1
Introduction	1
Body	1
Conclusions	3
References	none
Appendix A	
Appendix B	
Appendix C	

INTRODUCTION

My laboratory's research program has centered on the development and utilization of human mammary epithelial cell (HMEC) cultures. The overall goal of this work has been to generate human epithelial cell systems for studies on the normal mechanisms controlling proliferation and differentiation in human cells, and on how these normal processes may become altered as a result of immortal and malignant transformation. Included in this goal has been the desire to facilitate widespread use of human epithelial cells for molecular and biochemical studies. Therefore, we have endeavored to develop a system that is relatively easy to use, and can provide large quantities of well-characterized, uniform cell populations. We have already provided cells and cell culture expertise to over 150 laboratories worldwide, and new requests continue to be received.

During the past 19 years, we developed an HMEC bank which contains the following types of material: (1) primary cells (frozen as epithelial organoids or cell clumps) from reduction mammoplasties, tumors, non-tumor mastectomy tissue, benign tumors, and gynecomastias from nearly 200 individuals; (2) higher passage pools of single cells from the above tissue types; (3) cells from reduction mammoplasty specimens that have been exposed to benzo(a)pyrene and have acquired extended life in culture; (4) the immortally transformed 184A1 and 184B5 cell lines, including clonal isolates, and spontaneous and carcinogen induced variants of these lines; (5) malignantly transformed derivatives of 184A1 and 184B5. We have also generated three new immortally transformed cell lines (184AA2, 184AA3, 184AA4), and oncogene exposed (HPV16 E6, HPV16 E7, SV40T) derivatives of 184A1. Although these are not yet published, they have already been distributed.

The widespread usage of these many HMEC types necessitated development of an appropriate database for information storage and retrieval. A 4th Dimension Database was developed in 1987. One purpose of this grant is to upgrade and expand the features of this database, and to ensure that all computer and written records can be readily understandable to others besides the PI. The second major purpose of this grant is to set up an E-mail network among laboratories using HMEC. Originally, we distributed HMEC newsletters in order to foster rapid, cooperative communication among the groups using HMEC. The new technology of the Internet provides a better avenue for this function.

BODY

With reference to the specific aims of the proposal:

Update computer database

In Year One, as scheduled, we completed most of the work on the 4th Dimension Database upgrade. These changes have thus far have worked as intended, so that no further major changes appear necessary. Minor corrections and changes have been made on an ongoing basis. Further small changes will still need to be made before the end of this grant, and we anticipate that only minor changes will be required thereafter on an ongoing basis. Further work on documentation of use of the Database is still necessary.

Update information in the database

As scheduled for Years One and Two, the old records have been added to the database, and this work is completed.

We have continued checking the actual inventory in the freezers with what exists in computer records. Because this is difficult tedious work, it has moved slowly on an ongoing basis and is not yet completed.

<u>Update written records on cell cultures</u>

This has been a major effort for Year Three. The goal here has been to review old records to (1) rewrite when necessary to make intelligible; (2) distill histories which can be entered into the computer. In reviewing the amount of material that would benefit from update and clarification, it became obvious that this is going to be a long-term ongoing project, extending well beyond the time frame of this grant. I therefore chose to focus on the most important and worst written records - the three experiments in which

normal HMEC were exposed to a chemical carcinogen, from which extended life cultures and immortally transformed cell lines were obtained. Last year I completed the worst records [the 184 C (cross) series] and began the 184 B series records. This year I have completed the records of the derivations and early histories of the 184 B and the 184 A series. This again was very difficult and time consuming, and a small amount of information could not be deciphered. It was also quite rewarding, since new discoveries in our laboratory on the nature of immortal transformation in HMEC made it essential that I be able to know in greater detail the history of the origins of these immortal cell lines. I rewrote the records in a way that others in the lab attested to being comprehensible. These distilled histories were added to the database (see appendix A and B). We have also been more careful to keep generally intelligible records and write up distilled histories on an ongoing basis. We are in the process of completing the distilled histories for our three new immortal cell lines, 184AA2, 184AA3, and 184AA4.

With reference to records that still need to be entered into the database, these include:

- (a) Histories of derivatives of 184A1 and 184B5, such as nutritional variants and oncogene exposed cells. The ongoing records for clonal derivatives of these lines also need to be distilled for entry into the database.
- (b) Primary tissues. There are around 150 specimens for which data on specimen history and original growth capacity needs to be entered.
- (c) Finite lifespan epithelial cultures from reduction mammoplasties, mastectomies, and benign tumors. There are around 25 specimens which have been grown in long-term culture. Relevant data on the growth capacity of each cell batch, and experimental studies performed on these specimens needs to be entered.

(d) Fibroblast cultures from the same specimens as the HMEC. Growth capacity for these cells needs to be entered.

For most of these cultures, the original records do not need to be rewritten; what is required is distillation of the essential information into the database so that others can readily access the relevant information.

Another aspect of this work is to go through our 18 notebook files of written records to ensure that records are filed in the appropriate places (many were not). This work is nearly completed and should be complete by the end of this grant. No major problems have been encountered.

Set up an Email network and communications network

This has been the secondary focus of our work in Year Three. My initial goal was to post on the Internet most of the information that I now routinely need to send to or talk about with other investigators. Last year we launched our web site (http://www.lbl.gov/~mrgs). This year I have continued to work with a student assistant to refine our Email network. We have:

- (a) corrected and updated some of the information posted last year
- (b) added new Procedure sections
- (c) refined and completed our Investigator List section
- (d) refined and completed our legal forms section

With these additions, the web site now contains all the information I need to provide to other investigators who are interested in obtaining HMEC from me, or who want information on HMEC derivation and culture. It has been a very major benefit for me to be able to refer all queries to my web site. I no longer need to send information on an ongoing basis, and other investigators now have a better idea of the HMEC available before discussing their scientific needs with me.

In addition, the student assistant worked with the LBNL computer specialists to make the web site at least partly interactive. A group mailing list was developed such that anyone on the mailing list can send and respond to queries from anyone else on the mailing list. An announcement of this feature of the network was sent out to the mailing list in February (see Appendix C). With reference to the list of participants in the Email network, Appendix C also indicates the approximately 90 people to whom this original announcement was sent. This list needed some corrections and currently needs updating.

For the future, there is still much more information I would like to post on the web site about HMEC procedures, and unpublished data from my lab and others that would be generally useful to those working with HMEC. I also want to keep current the information presented in the review of the HMEC system on the web site.

General provision of HMEC and information about HMEC

Although this is not a stated task of this grant, I realize that a significant percentage of my time is engaged in assisting other investigators with their usage of HMEC. I believe this is a very cost effective situation for general research in human breast cell biology, and a role I am comfortable doing. I receive around 1-4 requests/queries per week about HMEC via Email, fax, or telephone. In the past year, we sent 26 shipments of cells to 21 different investigators. I am aware of around 20 additional laboratories using these cells on an ongoing basis, plus there are many groups using these cells with which I am not in ongoing contact. I also respond to many queries on HMEC use, biology, and problems with cell culture, from a variety of investigators, some of whom have obtained HMEC from Clonetics or cell repositories (Coriell, ATCC), or are interested in beginning studies with HMEC. This ongoing interest reminds me of the need to ensure that our cells, and information about them, can be readily accessible. It is difficult to predict what will be needed in the future, however, the present suggests that getting my HMEC records and database in user-friendly shape is a task I should continue.

CONCLUSIONS

The work has been proceeding mainly as planned, with the exception of the realization that reviewing and redoing the cell histories is a much more formidable task than originally anticipated. The Database has been updated, old records have been entered, the reordering of filed records has proceeded well, and the Email bulletin board has been successfully launched and now functions as a major resource for myself and others. The two slow aspects of the project are the checking of the freezer inventory, and the compilation of the histories. Since I realized that the work on histories will continue well beyond Year Three, I have focused on those histories for which there is the most urgent need for review and compilation - the experiments that led to our Extended Life cultures and immortally transformed cell lines. I have also learned the importance of keeping good ongoing histories.

APPENDIX A

The following information is entered under the history for 184, exposed to benzo(a)pyrene

184 Aleph (ℵ)

This was the first in the series of three experiments in which primary cultures of specimen 184 growing in MM were exposed to the chemical carcinogen benzo(a)pyrene (BaP) in the hope of obtaining immortally transformed cell lines. This series was called "aleph" (x) after the first letter of the Hebrew alphabet (alephbet). Being the first such experiment, it did not follow a fixed protocol. In retropsect, I would say that the goal to obtain immortally transformed cells superceded the usual scientific method of fixed protocols for testing variables and approaches. On the positive side, this experiment did lead to the immortally transformed line 184A1. On the down side, approach and record keeping left a lot to be desired.

Record keeping for this experiment preceded our standardized record sheets and protocols. There was no attempt to separate cells based on lineages, media, or treatment. Notes were written by Kristy Venstrum, myself, and Annie Pang. Kristy did most of the culture in 202. Kristy and my notes are generally good - but we often didn't indicate medium (where not critical for ID), or exactly how many dishes cells were seeded into, or what dishes (#, size) were trypsinized. Annie, in addition to almost never indicating medium (even when dishes were otherwise identical), also frequently omited such useful ID information as experimental condition (A, B, C, D), passage number, and lists passage date sometimes as the date of the last PT. Since the lineages were not too complex, I could usually, though not always, figure out what was done. I went over all these records and re-wrote them to be more legible and to separate out cells grown in different media, and different lineages. These are filed along with the original notes in the beginning of the 184A1 notebook.

The experiment was begun on 2/10/82 by seeding 1 ampoule of 184 organoids into 9 T-25s and 4-35s with MM, and 4 T-25 with MCDB 202. Flasks/dishes C,C',D,D' in MM received 1µg/ml BaP two times for 24 hr each, on:

day 7 (2/16) 24 prior to PT2

day 16 (2/25) 1 day after PT6 and 1 day prior to PT7

Flasks A,A',B,B' (controls) received DMSO at the same times.. Flask E was given to Linda Hayashi.

The B and C flasks were fed with MM plus 200µM Fatty Acids (FA) which at the time I thought might promote transformtion.

On a personal historical note, while 184Aa was transforming into 184A1, I was dealing with my best friend dying of Hodgkins disease (lymphoma) in my home (on 5/13/82), apparantly being away for several weeks after that (no MS notes from 5/19-6/10 when some crucial dishes of earliest 184A1 were apparantly discarded) and moving our whole cell culture operation from the Peralta Cancer Research Institute to Bldg 934 under less than optimal physical and emotional conditions (first freezedown at Bldg 934 recorded 7/3/82 - AA000 - a very early 184A1).

In summary:

<u>in MM</u>

There were minor differences between control and BaP treated cells, or ±FA, other than one Extended Life culture, 184Aa, which ultimately gave rise to the immortal line, 184A1. See also Figure 3 from EMail review for more information. We subsequently found out that both 184Aa and 184A1 have mutations in both alleles of the p16 gene. 184Aa first appeared at p5 of PT of flask D as a single morphologically distinct patch growing in what I refered to as the "pimple" pattern - swirling around a pointy center. Based on this and the p16 mutations, 184Aa is presumably clonal. 184A1 first appeared in the 184Aa culture at p9, readily distinguishable by its more rapid growth, growth in singlets vs. patches at low density, and more refractile appearance. Something I can not quantitate told me on first sight that these were immortal cells. Based on its few specific karyotypic abnormalities, 184A1 also is clonal in origin.

BaP Treated (flasks C,C',D,D')

PT1: day 7 (2/16), seed cells from D (1st BaP 4 hr later)

freezedown from C flasks (671AC)

```
PT2: day 8 (2/17), good regrowth, seed cells from C and D (35mm dishes) (day after 1st BaP treatment of
' 0.67µg/ml)
 freezedowns from C flasks (681AC), from D flasks (680AC)
 PT3: day 10 (2/19), good regrowth, seed cells from C and D
 freezedowns from C flasks (703AC), from D flasks (684AC)
 PT4: day 12 (2/21), good regrowth; cells discarded
 PT5: day 14 (2/23), good regrowth; cells discarded
 PT6: day 15 (2/24), still look good, a little ridging; cells discarded (2nd BaP next day)
 PT7: day 17 (2/26) good, a bit heavy, some beginning signs of slowing down. Seed cells, some into MCDB
 PT8: day 19 (2/28) cells very confluent; discard
 PT9: day 21 (3/2) cft areas, not so good in hemacytometer, seed cells from C and D
 PT10-C: day 26 (3/7); discard
 PT11-C: day 30 (3/11), heavy cft with growth at edges, seed cells from C
 PT12-C: day 31 (3/12); ?discard
 PT13-C: day 35 (3/16), heavy cft areas with growth at edges; ?discard
 PT14-C: day 41 (3/22), all aged, not much growth; ?discard
 PT15-C: day 50 (3/31); ?discard
 PT16-C: day 57 (4/7), rseveral decent but not great growing areas; ?discard;
 PT10-D: day 30 (3/11), growing and fading, seed cells from D
 PT11-D: day 35 (3/16), growing and aged; ?discard
 PT12-D: day 41 (3/22), all aged, not much growth; ?discard
 PT13-D: day 50 (3/31); ?discard
 PT14-D: day 57 (4/7), rare areas of growth, 1 patch heavy, rare mitises in center; ?discard; ?D listed as yeast
 nd discarded
 on day 86 (5/6) flask C was recorded as so-so aging and discarded
 PT2 (2/17):
 p2 grown ±CT; good growth
 p3 mostly good
 p4 OK-good, growing areas and older
 p5 swirly aged-growing
 p6 swirly aged and some growing
 p7 mostly aged, yukky, ? any growth
 END
 PT9 (3/2) C and D
 p2 OK-good
 p3 good growing
 p4 good growing- aged-growing
 p5 aged, some aged swirly growing, ?growing (1 dish gives rise to 184Aa - see separate listing)
 END
 PT10 (3/11) C and D
 p2 so-so swirly -active growing
 p3 mostly good growing, growing among aging
 p4 swirling, heavy yukky
 END
 PT16 (4/7) C (on UV FB)
 p2 aging and growing, yukky
 p3 large patch starting to age (BPC) > still growing after multiple DTs > almost cft
 p4 continuation of BPC above, becomes subcft-cft so-so, decent growing areas
 p5 BPC continues, so-so aging to cft
 this lineage seems to have been eventually discarded due to "left on bench" and not growing
 END
 Controls (flasks A,A',B,B')
 PT1: day 7 (2/16), seed cells from B (1st DMSO 4 hr later)
```

freezedown from A flasks (670AC)

PT2: day 8 (2/17), good regrowth, seed cells from A and B(35mm dishes) (day after 1st DMSO treatment) * freezedowns from A flasks (678AC), from B flasks (702AC) **PT3:** day 10 (2/19); good regrowth freezedowns from A flasks (683AC), from B flasks (679AC); (good regrowth) PT4: day 12 (2/21), good regrowth, a little slowing down; cells discarded PT5: day 14 (2/23), good regrowth; cells discarded PT6: day 15 (2/24), still look good, a little ridging; cells discarded; 2nd DMSO next day PT7: day 17 (2/26) good, a bit heavy, some beginning signs of slowing down. Seed cells from A and B PT8: day 19 (2/28) cells very confluent; discard PT9: day 21 (3/2), overly cft but good cells, seed cells from A and B flask B lost on day 22 to yeast (no record of 'flasks after day 14) PT10: day 30 (3/11), growing and fading, seed cells from A PT11: day 35 (3/16), growing and aged; discard PT12: day 41 (3/22), all aged, not much growth; discard **PT13:** day 50 (3/31); discard PT14: day 57 (4/7), rare areas of possibly growing cells; ?discard on day 86 (5/6) flask A was recorded as so-so aging and discarded **PT2** (2/17): p2 grown ±CT; good p3 to confluence p4 unrecorded, including split p5 flat bigger cells not perky or growing p6 old large and pockets of reasonably good growing p7 mostly aged, yukky, ? any growth **END PT7** (2/26) A+CT p2 good; comtaminated: **END** PT9 (3/2) A p2 OK-good

PT9 (3/2) A p2 OK-good p3 good p4 so-so aged-growing p5 nothing vaguely growing END

PT10 (3/11) A p2 so-so, some growing p3 aged END

The following information is entered under the history for 184Aa (184 ELAa)

```
184Aa: (in the original records, this is called BPD)
This was derived from PT9 on day 21 (3/2), from flask D of the 184x experiment (see listing for 184x).
3/7 p2 3/2 subcft growing > 2-60
3/12 p3 3/7 subcft good growing > 2-60:
3/19 \text{ p4} 3/12 \text{ subcft so-so aged growing} > 3-60
p5 3/19:
4/7 I note 1-60 has one heavy patch; other 2-60 have "nothing vaguely growing" and are discarded
4/19 good growing patch with swirls, PT1 >1-60, 2-35
4/27 patch regrowing well PT2 >2-60, 3-35+
5/4 swirly aged cells near cft (presumptive PT3)
5/7 cft PT4 > ?
5/10 heavy cft PT5 > discard
5/13 1-60 PTed 5x yeast > discard. End
p6 lineages:
p6 4/19:
4/27 subcft-cft tightly packed ridged, still mitoses PT1 1-60 > 2-60 and colonies on UV FB
4/28 cft heavy with blank areas 2-35 > freezedown (829AC)
5/4 1-60 PT2 and discard (arggh)
5/7 \text{ cft PT3} > ?
5/7 colony dish good growing > 2-35+
5/10 heavy cft PT4 > discard
5/13 heavy cft PT5 > discard
6/6 KV notes good very cft with many ridges
6/23 very cft, yeast > discard. End
p6 4/27:
5/7 subcft-cft swirly aged and growing > 60s
5/7 \ 2-60 > freezedown (848AC)
5/11 1-60 yeast > discard. End
p7 lineages:
p7 4/27:
5/7 mostly cft aged-growing swirls > 2 T75, 2-60, 2-35+ and some into MCDB 202
5/7 > freezedown (849AC)
5/14 colonies nearly cft, growing and aged ridging > 1-60, 2-35, colonies, freezedown (856AC)
p7 5/7
5/10 ?dishes not fed > discard
5/17 mostly cft aging-ridged and a little growing > 1-60, 1-35, colonies
5/28 very cft patches, OK > 2 T75
6/3 cells (no amount or description) indicated as discarded by AP.
6/6 KV notes good cft
p8 lineages:
p8 5/7
5/17 growing and aging-ridged > 2-60, colonies
5/21 from colonies, so-so growing in patched > 1-60, 1-35
5/27 2T75 subcft-cft growing in patches, swirling > 2 T75, 2-60, freezedown (872AC)
6/3 2-60, 2-35 so-so cft cells > discarded (arghh, no reason given - I was away)
p8 5/14
6/6 KV notes OK large growing patches
6/14 KV notes possible appearance of 184A1; see 184A1 for further records of this lineage
p8 5/17
6/6 KV notes OK-good med growing patches
6/6 KV notes OK small slowly growing patches
```

p9 lineages:

p9 5/17
6/6 KV notes subcft med-good growing patches
6/14 MS notes appearance of 184A1; see 184A1 for further records of this lineage

p9 5/27

6/6 KV notes subcft -cft small slowly growing patches 6/14 MS notes appearance of 184A1; see 184A1 for further records of this lineage

Since 184A1 grew much faster than 184Aa, and took over the cultures, this ends records for 184Aa

The following information is entered under the history for 184A1

184A1

This was the first in the series of three experiments in which primary cultures of specimen 184 growing in MM were exposed to the chemical carcinogen benzo(a)pyrene (BaP) in the hope of obtaining immortally transformed cell lines. This series was called "aleph" (*) after the first letter of the Hebrew alphabet (alephbet). Being the first such experiment, it did not follow a fixed protocol. In retropsect, I would say that the goal to obtain immortally transformed cells superceded the usual scientific method of fixed protocols for testing variables and approaches. On the positive side, this experiment did lead to the immortally transformed line 184A1. On the down side, approach and record keeping left a lot to be desired.

Record keeping for this experiment preceded our standardized record sheets and protocols. There was no attempt to separate cells based on lineages, media, or treatment. Notes were written by Kristy Venstrum, myself, and Annie Pang. Kristy did most of the culture in 202. Kristy and my notes are generally good, Annie's were sometimes inadequate or inaccurate. I went over all these records and re-wrote them to be more legible and to separate out cells grrown in different media, and different lineages. These are filed along with the original notes in the beginning of the 184A1 notebook.

184A1 was obtained from 184Aa (ELAa) which came from PT9 on day 21 of primary flask D from the experiment 184x, which had received 1µg/ml BaP two times for 24 hr each.. See 184 ELAa for the history of the extended life culture prior to the appearance of 184A1, see 184x for details of the experimental protocol.. Fortunatley, the emergence of both 184Aa and 184A1 was fairly straightforward. Although there were some PTs invovled, in general, passage numbers can be considered linear from emergence.

My first recollection of 184A1 is noting aggressively growing small singlet cells in flasks of slowly growing flat patchy p9 184Aa. I assumed immediately that these cells were immortal, for reasons I can't specifically quantitate - although in this case (unlike 184B5) the cells were showing good growth..

The ELAa direct lineage leading to 184A1 was: **p5 3/19 PT1 > p6 4/19 PT1 > p7 4/27 PT1** (**849AC** 5/7 184Aa)(**856AC** 5/14 184Aa but could contain 184A1)) > **p8 5/7** and **p8** 5/14 (**872AC** this could contain 184A1) > **p9 5/17** and **p9 5/27** (**902AC**, **903AC**).

Earliest notes:

p8 5/14

6/6 KV notes OK large growing patches

6/14 KV notes "good cft ep patches with FBs, some less densely packed areas growing out"

This could be signs of 184A1 at p8.

6/20 MS notes "most areas aged but one large good growing area"; this was subcultured and then lost to yeast

p9 5/17

6/6 KV notes subcft med-good growing patches

6/14 MS notes "cells have different morphology. Squarer growing more as singlets rather than patches of atteched cells"; KV notes "good less densely packed cft and dividing ep (not patchy anymore - its a monolayer!)"

1-60 > T25, 4-35+, colonies, methocel

1-60 > 2T25 each MM and MCDB 202

6/24 2-60 subcft so-so PT2 > T75, 3-35+ and T25, 3-25+ in MCDB 202

p9 5/21

6/14 KV notes "good cft patches with many mitoses (small octagonal cells)"

This culture was unfortunately discarded (had FB too)

p9 5/27

6/6 KV notes subcft -cft small slowly growing patches

6/14 MS notes "same densely packed slowly dividing ep patches but areas of less dense but vigourously mitotic cells coming off the patches. Many cells lifting off near these growing areas"

6/23 2 T75 good-OK patchy cft > freezedowns (902AC, 903AC)

6/24 MS "subcft-cft some heavy starting to ridge, other growing areas"

1-60 > T75, 3-35+ and T25, 3-35+ in MCDB 202

?1-60 > 2 T75

7/2 MS "look good, med-subcft with single cell growth and ridging where more cft" >3T75, T25 '7/3 2 T75 > freezedowns per each flask (AA000, AA001) (first Bldg 934 freezedowns!)

P11 7/2 (from above)

7/12 good cft monolayer, small refractile cells 1 T75 > freezedown (AA005) 2 T75 > freezedown (AA004), 2 T75, 4 T25, 4-35+

Further original lineages in MM looks pretty straightforward from here. Freezedowns follow from this, e.g., AA012, AA013, AA014, AA017, AA018, AA022, AA064, AA073, AA087, AA108, AA114, AA124, AA148, AA166, AA205, AA220

APPENDIX B

The following information is entered under the history for 184, exposed to benzo(a)pyrene

184 Birdie (v) in MM

This was the third in the series of three experiments in which primary cultures of specimen 184 growing in MM were exposed to the chemical carcinogen benzo(a)pyrene (BaP) in the hope of obtaining immortally transformed cell lines. It followed the same general protocol as the first two experiments ("aleph" and "cross"). This series was called "birdie" to balance the previous two names (ethnic/religious symbols) with a nature symbol (of which I am very fond).

Our record keeping for this experiment generally followed the previously established protocol in terms of using the standardized sheets and separation by different medium. However, separate lineages were not separated (e.g., the different EL cultures; treated vs. controls). I went over all these records and re-wrote them to be more legible and to separate out the different lineages. These are filed along with the original notes in the beginning of the 184B5 notebook.

The experiment was begun on 5/4/83 by seeding 1 ampoule of 184 organoids into 4 T-25 with MM, and 4 T-25 with MCDB 170. Flasks C,D in MM received 1µg/ml BaP three times for 24 hr each, on: day 7 (5/10) 24 prior to PT1

day 10 (5/13) immediately after PT2 and 24 hr prior to PT3, which generated the BP1 subculture

day 23 (5/26) 24 hr prior to PT7, which generated the BP3 subculture

Flasks A,B (controls) received DMSO at the same times

The 4 flasks in MCDB 170 (also called A,B,C,D) were not part of this experimental protocol and records for them are found in the 184 records book under 184 birdie (v).

In summary:

184v in MM

BaP treated cells produced two morphologically distinct Extended Life cultures: Be, and Bf, Bg, Bh. 184Be ultimately gave rise to the immortal line 184B5. Based on its specific karyotypic abnormalities, 184B5 is clonal in origin.

See also histories under individual EL listings (184 ELBe, 184 ELBf, 184 ELBg, 184 ELBh) for specific information on each EL culture for which there are EL freezedowns. See below for others. See also Figure 3 from EMail review for more information.

BaP Treated (flasks C,D)

PT1: day 8 (5/11) (1st BaP 24 hr prior)

cell frozen (AA302)

PT2: day 9 (5/12) followed by 2nd BaP treatment

cells frozen (AA308)

PT3: day 10 (5/13) somewhat sickly, growing, subcft. > BP1

PT4: day 14 (5/17) so-so mitoses and sickly

cells frozen (AA314)

PT5: day 17 (5/20) some good regr. and sickly; aged > **BP2**

PT6: day 20 (5/23) almost cft heavy areas

cells frozen (AA326)

PT7: day 24 (5/27) (3rd BaP 24 hr prior) mostly cft aging and some growing > BP3

PT8: day 27 (5/30) mostly cft, heavy in areas, aging and growing; discard

PT9: day 31 (6/3) heavy cft and growing areas; flask C only hereafter > BP4

PT10: day 34 (6/6) cft OK rare mitotic areas; discard

PT11: day 37 (6/9) good mitotic medium size 2 patches > BP5

PT12: day 43 (6/15) 2 large patches OK > **BP6**

PT13: day 49 (6/21) growing area, ridging and OK > **BP7**

PT14: day 56 (6/28) large aging/growing/ridging patch >BP8

PT15: day 63 (7/5) heavy aging recovering from acid (?), mitoses at edges; discard

• PT16: day 65 (7/7) reasonable regrowth > BP9

Flask C and BP9 were contaminated with yeast on day 66 (7/8) and discarded

BP1:

This was PT3 on day 10

p2: cft - over cft

p3: OK cft

p4: few growing cft foci, mostly so-so cft; 1 large patch senescing/ridging PTed x3

p5: mixed; no growth to patchy good growing and cft aging

p6: contaminated or no growth

END

BP2:

This was PT5 on day 17

p2: good growing and aging

p3: good growing areas, rest so-so

p4: subcft aging and ridging, good regrowth after PT; swirling aging with areas of good growing cells between

p5: mixed; elongated swirling with nests of cuboidal growing cells, patchy growing with aging; dish with good growing area and yeast

p6: looks like most got contaminated so can't fully say if anything would have maintained growth longer END

BP3:

This was PT7 on day 24

p2: mostly cft good growing and some aging, so-so

p3: good growing areas

p4: looks like got contaminated or no records (maybe discarded for no growth) so can't fully say END

BP4:

This was PT9 on day 31

p2: good so-so cft

p3: looks like got contaminated or discarded (? for no growth) so can't fully say

END

See under EL records (184 ELBe, 184 ELBf, 184 ELBg 184 ELBh) for BP5, BP6, BP7, BP8

Controls (flasks A,B)

PT1: day 8 (5/11) (1st DMSO 24 hr prior)

cells frozen (AA303)

PT2: day 9 (5/12) followed by 2nd DMSO treatment

cells frozen (AA307)

PT3: day 10 (5/13) good gr. > **C1**

PT4: day 13 (5/16) heavy cft

cells frozen (AA312)

PT5: day 15 (5/18) good cft- OK

cells frozen (AA318)

PT6: day 17 (5/20) good regr. and some aged; discard

PT7: day 20 (5/23) subcft-cft OK

cells frozen (AA325)

PT8: day 24 (5/27) (3rd DMSO 24 hr prior) mostly cft aging and some growing > C3

PT9: day 27 (5/30) mostly cft aging and some growing; discard

PT10: day 31 (6/3) heavy cft and growing areas; flask B only hereafter > C4

PT11: day 34 (6/6) very cft areas; discard

PT12: day 37 (6/9) so-so cft- very cft > **C5**

PT13: day 41 (6/13) so-so cft. 1 large area; discard

PT14: day 44 (6/16) OK-so-so large patch; discard

• **PT15:** day 49 (6/21) growing, crowded, ridged > **C7** PT16: day 56 (6/28) old, aging, ridging; discard No further records of fate of flask B (flask A listed as discarded on 6/28)

<u>C1</u>: This was from PT3 on day 10

p2: good-OK

p3: good cft

p4: so-so cft, few gr. areas are cft

p5: no growth

ÉND

<u>C3</u>: This was from PT8 on day 24 p2: mostly cft good growing, some aging so-so p3: no growth END

<u>C4</u>: This was from PT10 on day 31 p2: good so-so cft p3: no growth END

This was from PT12 on day 37 p2: no growth **END**

This was from PT15 on day 49 p2: no growth END

The following information is entered under the histories for 184 EIBe, ELBf, ELBg, and **ELBh**

ELBe:

This was derived from BP5 which was from PT11 on day 37, from flask C, recorded as good mitotic medium size 2 patches

p2: 3-35s were seeded, in one there were 2 good growing patches, heavily mitotic, with <u>little</u> aging, ridging (A); in one good nearly cft patch (B); in the third there was no growth

p3A: good growth

cells frozen (AA357, OK-cft)(AA362, cft-heavy-cft good growing and cft aging, swirling, from p2 after 1

p3B: good-OK growth

cells frozen (AA361, almost cft good growing areas and older aging, swirling)(AA370, mostly good cftsubcft few swirls, from p2 after 1 PT)

p4A: good growing with some aging swirling

cells frozen (AA366, med-cft as above)(AA369, cft-subcft, from AA362 lineage)

p4B: good-OK growing and some aging swirls

cells frozen (AA371, subcft-cft as above from AA361 lineage)

p5A: good growing and swirling aging. A variety of lineages generated. For detail see 184B5 history (MM and MCDB 170)

p5B: discarded - no record why. End of B lineage

p6: many good areas of growth, some so-so, some no growth. 184B5 shows it face for the first time in 1-35 dish p6 7/18. It's convoluted history from this point is under 184B5. The rest of this is ELBe that is only EL. One dish is reported to have a "hyperplasia" growing patch, but it got contaminated after a PT. p7: some so-so growth

Hard to say after this point as the records seem to be following the emergent 184B5. Looks like a lot of discarded dishes at p6 and p7, so I suspect ELBe doesn't go too much further here (in MM)

ELBf:

This was derived from **BP6** which was from PT12 on day 43, from flask C, recorded as 2 large patches OK

p2: patches mostly cft, growing, swirling, aging

p3: good growth

cells frozen (AA368, OK-cft)

p4: good growing and also aging ridging cft flat

p5: largely aging with pockets of growth; some small good gr patches. Various PTs. From variety of dishes would say this is a mixed passage - aging of what was growing well to this point plus new pockets of growth.

cells frozen (AA439, after 5 PTs, widespread good regrowth)

p6: the pockets of growth continue, good growth and I first note the appearance of the "hyperplasia" morphology (see Email review and original 1985 paper) with good growth.

cells frozen (AA440, after 2 PTs, good regrowth of hyperplasia areas)(AA442 good subcft-cft growing hyperplasia)(AA444, heavy cft in areas and sparser growing areas)

p7: mostly good growth and some aging where heavier, some vacuolated

cells frozen (AA448, AA453 cft OK)

p8: growing and aging, vacuolated; a mixed passage

cells frozen (AA484, after 1 PT, good regrowing areas, heavy patches)

p9: most discarded (?no growth) or contaminated; still some dishes with mixed growing and aging, vacuolated.

cells frozen (AA489, mixed growing and aging)

p10: mostly no growth, discarded. There was a CO2 problem around the end here which may have sent cells to an earlier demise

END (for MM)

ELBf switched to MCDB 170

A variety of dishes were switched from MM to 170 at p8 and p9; then switched dishes were also subcultured. Since not all switches were recorded there is some mystery here as to exact origins of some dishes.

p8: good growing and aging

p9: mixed, good growing and aging

cells frozen (AA498, OK cft - switched at p8)

p10: still some good growth of patches

cells frozen (AA494, cft patches good -switched at p9)

p11: still some good growth of patches

p12: whatever left discarded. Most of previous passages discarded too.

ELBg:

This was derived from **BP7** which was from PT13 on day 49, from flask C, recorded as growing area, ridging and OK

p2:subcft-cft, growing, swirling, aging p3: good growing and some swirling aging

cells frozen (AA367, good growing cft)

p4: aging with pockets of growing; good regrowth after PTs

cells frozen (AA375, OK-so-so cft-subcft)

p5: largely swirling aging with pockets of good growth; good regrowth after PTs.

p6: largely aging with pockets of good growth and I first note the appearance of the "hyperplasia" morphology (see Email review and original 1985 paper) with good growth, so dishes eventually have this

good growth cells frozen (AA432, after 2 PTs, OK heavy cft areas)(AA441, after 3 PTs good regrowth from patches

left)

p7: mixed growing and aging

cells frozen (AA438, med-cft aging and growing)(AA443, subcft mixed good growing and aging)(AA451, subcft-cft heavy patches good)

p8: no good growth END (for MM)

ELBg switched to MCDB 170

A variety of dishes were switched from MM to 170 at p7 and p8; nothing much grew and there were no freezedowns

ELBh:

This was derived from BP8 which was from PT14 on day 56, from flask C, recorded as large

aging/growing/ridging patch

p2: subcft-cft, good growing, ridging, aging

cells frozen (AA356, OK cft)

p3: good growing and some swirling aging

cells frozen (AA364, good growing and aging swirling subcft)

p4: mostly aging with pockets of OK growing

cells frozen (AA372, so-so mostly aging OK growing areas subcft-cft)

p5: largely swirling aging with pockets of good growth; many PTs

p6: largely aging with pockets of good growth; many PTs, and I first note the appearance of the "hyperplasia" morphology (see Email review and original 1985 paper) with good growth, so dishes eventually have this good growth

p7: mostly good growth

cells frozen (AA449, subcft-cft growing and older)(AA467, med-subcft growing-OK)

p8: growing and aging

cells frozen (AA452, subcft good)(AA455, cft aging and growing)

p9: aging and growing areas

p10: no growth recorded. There was a CO2 problem around the end here which may have sent cells to an earlier demise

END (for MM)

ELBh switched to MCDB 170

A variety of dishes were switched from MM to 170 at p7-10; then switched dishes were also subcultured. Since not all switches were recorded there is some mystery here as to exact origins of some dishes. There were no freezedowns.

The following information is entered under the history for 184B5

184B5

This was derived from the third in the series of three experiments in which primary cultures of specimen 184 growing in MM were exposed to the chemical carcinogen benzo(a)pyrene (BaP) in the hope of obtaining immortally transformed cell lines. It followed the same general protocol as the first two experiments ("aleph" and "cross"). This series was called "birdie" to balance the previous two names (ethnic/religious symbols) with a nature symbol (of which I am very fond).

Our record keeping for this experiment generally followed the previously established protocol in terms of using the standardized sheets and separation by medium used. However, separate lineages were not separated (e.g., the different EL cultures; treated vs. controls). I went over all these records and re-wrote them to be more legible and to separate out the different lineages. These are filed along with the original notes in the beginning of the 184B5 notebook.

184B5 was obtained from ELBe which came from BP5 which was from PT11 on day 37 of primary dish C, which had received 1µg/ml BaP three times for 24 hr each. It was recorded to have two good mitotic medium size patches on day 37. The control flask B on that date was recorded as so-so cft-very cft and had PT12 which gave C5, which had no growth in p2. The 2 patches on flask C were again noted on day 43 for PT12 and BP6. See ELBe for the history of the extended life culture prior to the appearance of 184B5. The earliest history of 184B5 is rather convoluted due to (1) multiple PTs of multiple dishes, leading to complicated lineages and an inability to assign exact passage numbers and growth records to the earliest 184B5; (2) a yeast contamination of early 184B5, which I recall treating very aggressively, further complicating lineages and passage numbers.

My first recollection of 184B5 is spotting a small sickly patch of tightly packed cells in one corner of 1-35 mm dish. Although the cells looked less than wonderful or lively (i.e., not particularly mitotic) I was struck immediately by some aspect of this patch which told me that these cells were immortal. I wish I could say precisely what I was registering, but I can't. However, as a consequence, I went to great lengths to maintain these cells in face of the above mentioned yeast infection and their slow growth, whereas I did not do the same for the other many EL patches that showed up in the course of these three experiments.

ELBe at p5 had mixed growth, from good growing areas to so-so and aging. p6 also had mixed growth and one note of the "hyperplasia" growth. On 7/18 2-60s of a **p5 7/13** culture (good swirling cft-subcft) were subcultured to **p6 7/18** 3-60 and 3-35. This is the same lineage from which the ELBe freezedowns **AA369** (p5 from p4 7/8 frozen on 7/13) and **AA362** (p4 from p3 7/1 frozen on 7/8) were obtained.

It was noted that 2 60s and 1 35 of p6 7/18 were discarded due to contamination. I don't know the fate of the remaining 1-60 and 1-35 beyond the 1-35 described below.

On 8/29 I first noted the 184B5 patch in 1-35 of **p6 7/18**. Dish got PT1 On 9/4 I noted an OK growing patch. PT2 generated 1-35 of p7 9/4

p7 9/4 1-35 lineages: this dish was subjected to multiple PTs on 9/23 (PT1) > p8 9/23 2-35 (subcft so-so with some areas of growth) 10/5 (PT2) > p8 10/5 1-35 (patch regrowing with very mitotic areas, close, tight touching, non-uniform size, some large squamous) 10/11 (PT3) > p8 10/11 2-35 (OK so-so some good growing areas, some heavy patchy growth)

 $10/21 \text{ (PT4)} > p8 \ 10/21 \ 2-35 \text{ (heavy condensed patch, so-so)}$

It was noted that 1-35 of p8 9/23, 1-35 p8 10/5 (PTed1) and 1-35 p8 10/21(PTed1) were discarded due to contamination. No record of fate of p8 10/11

p8 lineages: p9 10/13 [p8 9/23 1-35 (PT1)] > 5-35 (good cft mitotic patches)

p9 10/18 [p8 9/23 1-35 (PT2) and 10/5 1-35 (PT1) (pool)] > 2-35 (good regrowth; good patchy growth) p9 11/1 [p8 10/21 2-25 (PT1)] > 3-60, 1 T25 (some of these into MCDB 170)(almost cft good)

```
59 \ 12/2 \ [p8 \ 9/23 \ 1-35 \ (PT3)] > 1-35 \ (2 \ med \ and \ small \ cft \ OK \ patches \ on \ side \ of \ dish, \ so-so \ cells \ )
p9\ 12/7\ [p8\ 9/23\ 1-35\ (PT4)] > 1-35\ (med\ size\ cft-overcft\ patch)
p_{9} = 12/14 [p_{8} = 9/23 = 1-35] = 1-35. Dish had yeast on 12/9. Washed, fed with 100% dosage fungizone.
     On 12/12 reduced to 1/4 fung. On 12/13 to 1/10. 12/14 there is yeast back. Wash extensively, PT
    refeeding with 1/10 fung. Record "also true for p9 12/5" (?12/7 dish with yeast and treated the same?)
p9 12/16 [p8 9/23 1-35 (PT6+)] > 3-35 A,B,C. Dish was good growing and yeast yesterday. Fed with
     100% fung. Today questionable if yeast but cells not so happy. PT 3 separate times > A,B,C dishes
     (was trying to get rid of yeast which might be stuck to outsides of cells)
p9 12/22 [p8 9/23 1-35 (PT7+)] > 2-35. Yeast still present, extensively wash. PT 2 separate times
p9 \frac{1}{3}84 p8 \frac{9}{23} \frac{1-35}{1} (T8) fully trypsinize mother dish] > 2 T-25 and freezedown (AA535)
It was noted that 5-35 of p9 10/13 (i.e., all of PT1), 1-35 p9 12/2 (i.e., all of PT3) and 1-35(C) p9 12/16
(PT6; after 1 PT), 1-35 p9 10/18 (PT2; after 4 PT), 1-35 p9 12/9 (PT4; after 2 PT) were discarded due to
contamination. No record of fate of progeny of p9 9/23 PT7 and PT8
p9 lineages:
from p8 9/23 PT2
p10\overline{11/2} [p9 10/18 2-35 (PT1)] > 2-60, 2-35+(subcft good patchy growth)
p10 11/4 [p9 10/18 2-35 (PT2)] > 1 T25, 1-35, 3-60 (some end up in 170)(great looking heavy areas)
p10\ 11/14\ [p9\ 10/18\ 2-35\ (PT3)] > 1-60, 1-35\ (few heavy cft tightly packed areas )
p10 11/18 [p9 10/18 2-35 (PT4)] > 2 T25 (med size tightly packed colonies getting heavy in center,
     growing at edges)
from p8 10/21 PT1
     11/15 [p9 11/1 1-60] > freezedown (AA506) (OK subcft)
p10 \ 11/16 \ [p9 \ 11/1 \ 1-60] > 4-35 \ (OK \ subcft)
            [p9 \ 11/1 \ 1T25] > 4-60, 1-35 (OK subcft)
from p8 9/23 PT4
\overline{p10} \, \overline{12/19} \, [p9 \, 12/9 \, (?12/7) \, 1-35 \, (PT1)] > 35s \, [notes unclear; I think various levels of fung. A,B,C ?-35]
     each and 3-35 into 170](good heavy packed patches ~65% of surface. Low level yeast still present,
p10 12/22 [p9 12/9 (?12/7) (PT2x2)] > 1-35 each A,B 1/4 fung (patches regrowing still yeast present wash
     again 3X)
from p8 9/23 PT5 and PT6
p10\overline{12/28} [p9 12/14 1-35 (PT1); p9 12/16 1-35(B) yeast free, pool] > 2T25, 1-60, 4-35 (~40% cft patches)
    1/2/84 [p9 12/16 1-35(C) pooled with p10 12/22 1-35(B)] > freezedown (AA528) (tight patch growth)
p10 1/3 [p9 12/14 1-35 (PT2), p9 12/16 1-35(B) (PT2), p9 12/16 1-35(A) pool] > 1-35 and freezedown
     (AA534) (tight patch ~40-50% cft)
The following were noted as discarded due to no growth: p10 11/2 1-60, 1-35; p10 11/16 1 T-25, 3-35;
p10 11/18 1 T-25. The following were discarded due to contamination or not listed why: ; p10 11/14 2-60;
p10 11/16 2-35, 2-60 (from 170); p10 12/19C) 3-35 (after 1 PT); p10 12/22 1-T25 (after 1 PT); p10 1/2 1-
60, 1-35
p10 lineages:
\bar{p}11 12/21 \bar{p}10 11/2 1-35+ had coverglass but no yeast] > 3-35 (2 good heavy growing areas. Remove
     floating cells and seed directly 1-35; PT1 and seed 2-35, called "O")
      12/22 [p10 12/19 refed yesterday without fung. today all clear] >
p11 12/28 [\hat{p}10 12/19(B) 2-35 ~50% cft patches PT1] > 1-T25, 3-60, 1-35+
            [p10\ 12/19(C)\ 3-35 yeast free, dense patchy growth 50% cft PT1] > 1-T25, 2-60, 3-35+
 p11 12/30 [p10 11/2+ 2 main gr. patches and lots floating PT2] > 35s
     [p10\ 12/19(C) + 3-35\ good\ regrow. \sim 50\%\ cft\ PT2] > freezedown\ (AA526)
      [p10 12/22(A) good dense patchy growth >60% cft 1-35, 1-T25 PT] > freezedown (AA525)
      1/3/84 [p10 12/19(A) 1-35 and 12/19(B)+ 2-35 tight patch ~50% cft, pool] > freezedown (AA533)
 p11 \frac{1}{4} [p10 \frac{12}{19}(A+B++) 2-35 OK cft patches PT] > \frac{1}{25}, 4-60, 3-25+, ?170 too
 p11 1/19 [p10 1/3 heavy cft OK] > 3-60
 p11 \frac{1}{19} [p10 \frac{12}{28} \frac{2-35}{35} \text{ good very cft}] > 3-60
```

 $p11 \ 1/19 \ [p10 \ 1/3 \ 2-35 \ heavy cft \ OK] > 3-60$

```
7 p11 lineages:
  p12 1/2/84 [p11 12/21(O) 2-35 good patchy growth but doesn't seem as dense tight patches and maybe
       some cells escaping from patches] > T25, 4-60, 2-35 [T25 contam 1/10]
  p12 1/5 [p11 12/28 2-60 good cft] > 2-T75, 3-60, 6-35+ and freezedown (AA538)[T75s, 1-35 contam 1/6]
       1/6 [p11 12/28 T25 good cft] > freezedown (AA539)
  p12 1/12 [p11 1/4 T25 subcft very tight patches OK ] > 2-T75, 1-35+
  p12 1/19 [p11 1/3 2-35 heavy cft OK] > 3-60
  p_{12} 2/2 [p_{11} 1/19 3-60 3-60 cft good patchy f] > freezedown (AA569Z)
  p12 lineages:
  p13 1/11 [p12 1/5 (-CT) 1-60 cft good] > 2T25, 3-60, 3-35+
           [p12 1/5 (+CT) 1-60 cft good] > 3-60
       (I appear to have split this culture to ±CT though no record when)
  p13 1/13 [p12 1/5 T25 subcft tight patch] > 2-T75, 3-60
  p13 1/19 [p12 1/12 2-T75 good cft prob. with bacteria] > 4-35 and freezedown (AA556)
  p13 1/25 [p12 1/18 from 170 into MM-CT, 1-60 good cft] > 2-T75, 3-60
  p13 1/27 [p12 1/18 from 170 into MM+CT, 2-35 good-OK, almost cft tight] > T75, 3-60
  p13 lineages:
  p14 1/13 [p13 1/2(O) 1-60 OK-good cft, low level bacteria] > 1-35+ and freezedown (AA545)
  p14 1/19 [p13 1/13 3-60, 2-T75 good cft,] > 3-35 and freezedown (AA554)
       1/26 [p13 1/11 2-60 good cft,] > 3-35 and freezedown (AA563Z)
  p14 \frac{2}{1} [p13 \frac{1}{25} 1-60 good cft patches] > 4-60, 1-35
       2/2 [p13 1/25 2-60 2-T75 good cft patchy] > freezedown (AA567Z)
  p14 2/2 [p13 1/27 (-CT) 1-60 good cft-subcft patchy] > 4-60, 1-35+
       2/3 [p13 1/27 (-CT) 2-60, 1-T75 OK cft] > freezedown (AA575Z)
  p14 lineages:
  p15 2/8 [p14 2/1 (+CT) 1-60 good cft patches] >3-60, 5-35+
  p15 2/9 [p14 2/2 (-CT) 2-60 cft patches] >3-60
       2/9 [p14 2/1 (+CT) 3-60 cft patches] > freezedown (AA585Z)
       2/10 [p14 2/2 (-CT) 2-60 cft patches good] > freezedown (AA586Z)
  Further original lineages in MM-CT derive directly from these (freezedowns AA601(Z), AA608, AA621,
```

AA641(Z), AA653, AA659 which is p28)

Original lineages in MCDB 170 see p10 12/19 in MM (from p9 12/9 which was from p8 9/23 PT4) which was seeded into MCDB 170 $p11 1/15 \pm IP$ $p12 \frac{1}{18} \pm IP$ freezedown +IP 2/1 (AA566); -IP 2/3 (AA574(Z)) p13 1/30 ±IP freezedown +IP 2/13 (AA590)

Further original lineages in 170+IP derive directly from these (freezedowns AA603(Z), AA611(Z), AA651, AA657, AA664(Z), AA675(Z) etc up to last freezedown AB164 at p50)

Martha Stampfer,2/22/97 2:25 AM,HMEC web site/interactive n

Date: 21 Feb 1997 19:25:14 -0700

From: "Martha Stampfer" < Martha_Stampfer@macmail2.lbl.gov>

Subject: HMEC web site/interactive n

To: "Stuart Aaronson" < Aaronson@smtplink.mssm.edu>,

"Marcelo Aldaz" <maldaz@odin.mdacc.tmc.edu >,

"Carlos Arteaga" <carlos.arteaga@mcmail.vanderbilt.edu>,

"Bonnie Asch" <basch@sc3101.med.buffalo.edu>,

"Mary-Ann Bakos" <mbakos@beach.utmb.edu>,

"Vilma Band" <vband@opal.tufts.edu>,

"Carl Barrett" <Barrett@niehs.nih.gov>,

"David Beach" <hannon@cshl.org>, "Jeane Beck" <jbeck@umdnj.edu>,

"Powel Brown" < Powel_brown@oncology.uthsc.sa.edu>,

"Suzanne Conzen" <suzanne.conzen.@dartmouth.edu>,

"Pamela Crowell" crowel@indyvax.iupui.edu>,

"Shanaz Dairkee" <shanaz@cooper.cpmc.edu>,

"Robert Dell'Orco" <dellorcob@cpu2.omrf.uokhsc.edu>,

"Steve Esworthy" <fchu@coh.org>,

"Stephen Ethier" <Steve_Ethier.CAN#u#BIOLOGY@mailgw.surg.med.umich.edu>,

"Jorge Filmus" <filmus@srcl.sunnybrook.utoronto.ca>,

"Ray Frackelton" < A_frackelton_jr@brown.edu>,

"Don Fujita" <dfujita@acs.ucalgary.ca>,

"Yeun Kai Fung" <yfung%smtpgate@chlais.usc.edu>,

"Ed Gelmann" <gelmanne@gunet.georgetown.edu>,

"Ermanno Gherardi" <e_gherardi@hgmp.mrc.ac.uk>,

"Michael Gould" <mgould@macc.wisc.edu>,

"Lorraine Gudas" <cconti@mail.med.cornell.edu>,

"Ed Han" <ekh2@columbia.edu>, "Greg, Gretchen Hannon" <hannon@cshl.org>,

"Calvin Harley" < Charley@geron.com>,

"Randy Henniger" <rhennig@emory.edu>,

"Tony Howell" <clrea@uk.ac.man.cr.picr>,

"Lily Huschtscha" <rogerr@extro.ucc.su.oz.au>,

"Nancy Hynes" <hynes@fmi.ch>, "Naoka Iida" <npiida@aol.com>,

"Uwe Karsten" <ukarste@orion.rz.mdc-berlin.de>,

"Michael Klagsbrun" <klagsbrun@al.tch.harvard.edu>,

"Joshua La Baer" < labaer@helix.mgh.harvard.edu>,

"Ed Liu" <Ed_Liu@macmail2.lbl.gov>,

"Kirk Lund" <lund@msscc.med.utah.edu>, "Ruth Lupu" <rlupu@lbl.gov>,

"Robert Lustig" <Lustig@macc.wisc.edu>,

"Nita Maihle" <Maihle@mayo.edu>,

"Frauke Melchior" <Melchior@scripps.edu>,

"Paivi Miettinen" <miettine@cgl.ucf.edu>

To: "Rafeal Mira-y-Lopez" <Mira@msvax.mssm.edu>,

"Kathleen Mulder" < kmm15@psu.edu>,

"Jackie Papkoff" <jackie@sugen.sf.ca.us>,

"Gail Lewis Philips" <gdl@gene.com>,

"Maricarmen Planas-Silva" < Planas@wi.mit.edu>,

"George Plopper" <gplopper@gcrc.scripps.edu>,

"Vito Quaranta " <quaranta@scripps.edu>,

"Marie Ranson" <M.ranson@uow.edu.au>,

"Gregory Reed" <greed@kumc.wpo.ukans.edu>,

"Michael Reiss" <michael_reiss@quickmail.yale.edu>.

"Robert Richmond" <robert.c.richmond@dartmouth.edu>,

"Dan Satterwhite" <dsatter@msscc.med.utah.edu>.

"Mary Jean Sawey" <sawey@med.upenn.edu>,

"Sandra Schmid" <slschmid@riscsm.scripps.edu>,

Martha Stampfer,2/22/97 2:25 AM,HMEC web site/interactive n

- "David Schott" <schott@cooper.cpmc.edu>,
- "Farhad Sedarati" <sedartf@rnisdo.dnet.roche.com>,
- "Adrian Senderowicz" < senderoa@dc37a.nci.nih.gov>,
- "Jerry Sewack" <ffs%mg%dfci@netban2-gw.dfci.harvard.edu>,
- "Jerry Shay" <shay@utsw.swmed.edu>,
- "Michael Sinensky" <sinensky@druid.hsc.colorado.edu>,
- "Joyce Slingerland" <joyce.slingerland@utoronto.ca>,
- "Helene Smith" <helene@cooper.cpmc.org>,
- "Kenneth Somers" < somers@picard.evms.edu>,
- "Martha Stampfer" <mrgs@mh1.lbl.gov>,
- "Marion Steiner" <mrstei01@pop.uky.edu>,
- "Emanuel Strehler" <strehler@ralph.mayo.edu>,
- "Saraswati Sukumar" <saras@welchlink.welch.jhi.edu>,
- "Betsy Sutherland" <betsy@image.bio.bnl.gov>,
- "Karen Swisshelm" <kswiss@u.washington.edu>,
- "Zoltan Szallasi" <szallasi@usuhsb.usuhs.mil>,
- "Joyce Taylor" <jt_papadimit@alpha.lif.icnet.uk>,
- "Rick Thompson" <ethomp03@gwmedlib.dml.georgetown.edu>,
- "Peter Thraves" < thraves@gdrge.odr.georgetown.edu>,
- "Thea Tlsty" <t_tlsty@quickmail.ucsf.edu>, "Minh To" <to@mshri.on.ca>,
- "Chris Turk" <turck@itsa.ucsf.edu>,
- "Axel Ullrich" <ullrich@libelle.biochem.mpg.de>,
- "Geoff Wahl" <geoff_wahl@qm.salk.edu>, "Altaf Wani" <wani.2@osu.edu>,
- "Colin Watts" < C.watts@garvan.unsw.edu.au>
- To: "Robert Weinberg" <planas@wi.mit.edu>,
 - "Bernie Weinstein" <ekh2@columbia.edu>,
 - "judith weisz" <judith_weisz@macmail2.lbl.gov>,
 - "Sigmund Weitzman" <saweitz@casbah.acns.nwu.edu>,
 - "Michael West" <mwest@geron.com>,
 - "Ray White" <ray@ms.genetics.utah.edu>,
 - "Steve Wiley" <wiley@hlthsci.med.utah.edu>,
 - "Tracy Yang" <tyang@plato.jsc.nasa.gov>,
 - "Paul Yaswen" <p_yaswen@lbl.gov>,
 - "Shyamala Harris" <Shyamala_Harris@macmail2.lbl.gov>,
 - "Shymala Harris" <Shymala_Harris@macmail2.lbl.gov>,
 - "Yoshinori Kohwi" <Yoshinori_Kohwi@macmail2.lbl.gov>

Dear Colleagues,

This is to let you know that I have set up my HMEC newsletter list so that anyone on this list can send out an Email message/query to everyone else on the list. If you do not wish to be on this Email mailing list, you can take your name off by sending a message to hmec-request@lbl.gov with the subject word "unsubscribe", or you can Email me directly (this may take longer). If there is anyone else at your institution that would like to be placed on the list, they can Email the same address with the subject word "subscribe" or Email me with their Email address.

I frequently receive requests from investigators about whether anyone has or is studying a certain problem, or where particular reagents may be obtained, or best methods to perform studies, etc. This network will allow these queries to be sent to a much wider audience (my knowledge is limited!).

To send or reply to a message to the mailing list, use the address hmec@lbl.gov.

I would also like to remind everyone of my HMEC web site at

Martha Stampfer,2/22/97 2:25 AM,HMEC web site/interactive n

http://www.lbl.gov/~mrgs. This contains everything (and more) that you want to know about the derivation and use of the HMEC culture system developed by myself and collaborators.

I encourage all of you using these HMEC systems to send information for this web site, or to update date me on the course of your experiments. Send this information directly to my Email address, mrgs@lbl.gov. I would especially appreciate receiving information about any studies done in the past few years utilizing cultures I have sent (my grant renewal is due this year, and this would be most helpful to me). Information can be sent as:

- (1) Abstracts from papers or meetings. Please let me know the complete reference to published/in press/submitted papers using cells I have sent.
- (2) Short summaries of completed studies or work in progress
- (3) Reagents from your lab that you would be willing to make available to other investigators
- (4) Procedures from your lab that may be helpful to other investigators

If you would like to have this information posted on the web site, please indicate. We will format it here for posting. I will set up topic categories (e.g., cell cycle and senescence; growth factors and hormones; transformation and carcinogenesis; mutagenesis and carcinogen metabolism) so you can indicate a topic area.

I welcome any suggestions or feedback.

Martha