

# **USER'S GUIDE**

---

## **ENGINEERING DATA COMPENDIUM**

**Human Perception and  
Performance**

**19990604 011**

# USER'S GUIDE

---

# ENGINEERING DATA COMPENDIUM

## Human Perception and Performance

*Edited by*

**Kenneth R. Boff**

*Human Engineering Division  
Armstrong Aerospace Medical Research Laboratory*

**Janet E. Lincoln**

*University of Dayton Research Institute*

**Harry G. Armstrong Aerospace Medical Research Laboratory  
Wright-Patterson Air Force Base, Ohio, 1988**

*Integrated Perceptual Information for Designers Program*



**NASA**



**AGARD**

Further information on the Compendium may be obtained from:

Human Engineering Division  
Harry G. Armstrong Aerospace Medical Research Laboratory  
Wright-Patterson Air Force Base, OH 45433  
USA

Companion volume to the *Engineering Data Compendium*:

*Handbook of Perception and Human Performance*, edited by  
K.R. Boff, L. Kaufman, and J.P. Thomas (New York: John  
Wiley and Sons, 1986). Volumes I and II.

**Library of Congress Cataloging in Publication Data:**

Engineering data compendium.

Includes bibliographies and indexes.

1. Human engineering—Tables. 2. Perception—  
Testing—Tables. 3. Performance—Testing—Tables.  
I. Boff, Kenneth R. II. Lincoln, Janet E.

TA166.E54 1988 620.8'2 87-19560

---

*“Engineers have been aware of the desirability of designing equipment to meet the requirements of the human operator, but in most cases have lacked the scientific data necessary for accomplishing this aim.”*

In honored memory of

PAUL M. FITTS

We dedicate this work to the past and future achievements  
of the organization he founded

The Human Engineering Division  
Armstrong Aerospace Medical Research Laboratory

---

---

## Technical Staff

---

### Editorial

**Anita Cochran**  
*Senior Copy Editor*  
*Director, Quality Control*  
**Stevie Hardyal**  
*Copy Editor*  
University of Dayton  
Research Institute

**Barbara Palmer**  
*Senior Technical Editor*  
**Martha Gordon**  
*Technical Editor*  
MacAulay-Brown, Inc.  
Dayton, OH

**Herschel Self**  
*Visual Sciences Editor*  
*User's Guide Development*  
Armstrong Aerospace Medical  
Research Laboratory

**Patrick Hess**  
**Bill Harper**  
**Kirsten Means**  
*Assistant Copy Editors*  
University of Dayton  
Research Institute

---

### Special Projects

**Edward A. Martin**  
*Engineering Technical Advisor*  
Air Force Deputy for  
Engineering

**Jeffrey A. Landis**  
*Senior Technical Auditor,*  
*Glossary Development*  
*User's Guide Development*  
**Michele Gilkison**  
*Permissions*  
University of Dayton  
Research Institute

**Mark Jones**  
*Document Auditor*  
*General Support*  
**Maggie Hewitt**  
*Peer Review Coordinator*  
*Figure Drafting Auditor*  
MacAulay-Brown, Inc.  
Dayton, OH

**John Spravka**  
*Technical Auditor*  
MacAulay-Brown, Inc.  
Dayton, OH

**Sarah Osgood**  
*User's Guide Development*  
Systems Research Laboratories  
Dayton, Ohio

---

### Management

**Karen Pettus**  
**Anita Cochran**  
*Project/Staff*  
University of Dayton  
Research Institute

**Gian Cacioppo**  
*Project/Staff*  
MacAulay-Brown, Inc.  
Dayton, OH

**Judy Williams**  
**Kathy Martin**  
**Patricia Browne**  
*Compendium Development*  
MacAulay-Brown, Inc.  
Dayton, OH

**Chuck Semple**  
*Project/Staff*  
Essex Corp.  
Los Angeles, CA

---

### Design

**Dale Fox**  
*Director of Design*  
Systems Research Laboratories  
Dayton, OH

**Bethann Thompson**  
*Project Designer*  
Systems Research Laboratories  
Dayton, OH

**Ken Miracle**  
*Cover Art*  
Systems Research Laboratories  
Dayton, OH

**Dana Breidenbach**  
*Entry Design*  
Graphic Design Works  
Yellow Springs, OH

---

### Drafting, Composition and Production

**Systems Research Laboratories**  
**Dayton, OH**  
*Composition Management & Typesetting*  
Bethann Thompson  
*Graphic Artist*  
Cynthia Poto  
*Photography*  
Clarence Randall, Jr.  
**O'Neil & Associates**  
**Dayton, OH**  
*Figures & Illustrations*  
Chuck Good  
Steve Mikel  
Henry Bowman

**University of Dayton Research Institute**  
*Figures & Illustrations*  
Fred Davis  
Reinhold Strnat  
Kanith Stone  
Margaret Plattenburg  
David Levitan  
Joseph Deady  
**Essex Corp.**  
**San Diego, CA**  
*Figure Drafting*  
Dave Pigeon  
**McBee Binders**  
**Cincinnati, OH**  
*Binder Production Management*  
Robert Kellough

**Harlan Typographic**  
**Dayton, OH**  
*Entry Composition & Typesetting*  
Ed Bratka  
Harry Blacker  
Suanne Lang  
Scott Bratka  
Jeff Murray  
Lou Sena Aldridge  
Larry Campbell  
Dottie Moore  
Bruce Brown  
Ron Easterday  
Paul Fugate  
Jim Redick

**Kramer Graphics, Inc.**  
**Dayton, OH**  
*Table Composition & Typesetting*  
Anthony Ashland  
Monica Gorman  
Sara Mitchell  
Kim Perry  
Andrea Snell  
Ed Szymczak  
Kelly Kramer  
**Specialised Printing Services, Limited**  
**London, England**  
*Printing*  
Derek Smith  
Mike Richards

---

### Administrative Support

**MacAulay-Brown, Inc.**  
**Dayton, OH**  
*Word Processing*  
Pamela Coleman  
Terry Hieber  
Bernice Stewart  
Sandra Suttles  
Michelle Warren

**Armstrong Aerospace Medical Research Laboratory**  
*Secretarial Assistance*  
Tanya Ellifritt  
*Logistics Control*  
Kristen Morton  
Dale Schimmel  
Al Chapin

**University of Dayton Research Institute**  
*Administrative Assistance*  
Jean Scheer

**Pendragon Press**  
**Stuyvesant, NY**  
*Secretarial Assistance*  
Nanette Maxim  
Susan Baum

---

## **Contents**

---

<b>Acknowledgments for the <i>User's Guide</i></b>	<i>xi</i>
<b>About the <i>Engineering Data Compendium</i></b>	<i>1</i>
<b>How to Use the <i>Engineering Data Compendium</i></b>	<i>5</i>
<b>Contents for Volume I</b>	<i>11</i>
<b>Contents for Volume II</b>	<i>17</i>
<b>Contents for Volume III</b>	<i>23</i>
<b>Glossary</b>	<i>29</i>
<b>Design Checklist</b>	<i>45</i>
<b>Index</b>	<i>77</i>

---

## Acknowledgments for the *User's Guide*

---

The *Engineering Data Compendium* was developed through the joint efforts of an extraordinary group of individuals whose contributions toward achieving the project's ambitious objectives are detailed in the Acknowledgments at the front of the data volumes of the Compendium. We wish, in addition, to acknowledge the select group who contributed in a special way to the preparation of this *User's Guide*.

In particular, we are indebted to Herschel Self (Armstrong Aerospace Medical Research Laboratory) for his tireless efforts in aiding the development of the design checklist. His assignment was to assess and document the relationship of Compendium data to design-related issues by identifying specific human performance questions for which answers might be derived from individual Compendium entries. Over a period of several years, Hersch authored many thousands of questions based on an in-depth review of entry content. These questions were then edited and sorted into meaningful categories linked to an equipment-related taxonomy. Accomplishing this task required detailed scrutiny and extensive technical support by Herschel Self, by Ed Martin, Engineering Technical Advisor for the project, by Barbara Palmer and Sarah Osgood of Systems Research Laboratories, and by Anita Cochran, Jeffrey Landis, and Patrick Hess of the University of Dayton Research Institute.

Compilation of the master index was an excruciating task requiring the identification, sorting, and structuring of over 10,000 index entries. This work was invaluable aided by the effort of Barbara Palmer, Systems Research Laboratories, and by the early contributions of Patricia Browne, MacAulay-Brown, Inc.

The final style and appearance of the *User's Guide* was the work of the Systems Research Laboratories' Corporate

Graphics/Photo Lab under the guidance of Dale Fox, director of Design for the IPID project. Major contributions to this effort were made by Bethann Thompson and Clarence Randall, Jr.

Support for preparation of the *User's Guide* followed a somewhat different track than that for the Compendium data volumes. Indispensable to the successful development of the *User's Guide* has been the active, uncompromising support of Charles Bates, Jr., Director of the Fitts Human Engineering Division of the Armstrong Aerospace Medical Research Laboratory. We also wish to express our gratitude to NATO's Advisory Group for Aerospace Research and Development (AGARD) and its Technical Director, Irving C. Statler, for supporting the production of this *User's Guide*. For expediting NATO participation, we are indebted to George Hart, Technical Information Panel Executive, and Major John Winship, Canadian Forces, Aerospace Medical Panel Executive.

Once again, we are compelled to acknowledge the tolerance and understanding support of our spouses, Judy Boff and Bob Kessler, which played a critical role in the successful completion of this project. Finally, it is our profound hope and expectation that the task we have begun in developing the first volumes of this Compendium will continue and flourish with future revisions and expansions in scope of coverage.

KENNETH R. BOFF  
*Armstrong Aerospace Medical Research Laboratory  
Wright-Patterson Air Force Base, Ohio*

JANET E. LINCOLN  
*University of Dayton Research Institute  
Dayton, Ohio, and Stuyvesant, New York*

---

# About the *Engineering Data Compendium*

---

## Claims and Disclaimers

The concept underlying the *Engineering Data Compendium* was the product of a research and development program (Integrated Perceptual Information for Designers project) aimed at facilitating the application of basic research findings in human performance to the design of military crew systems. The principal objective of this effort was to develop a workable strategy for (a) identifying and distilling information of potential value to system design from the existing research literature, and (b) presenting this technical information in a way that would aid its accessibility, interpretability, and applicability by system designers. The present volumes of the *Engineering Data Compendium* represent the first implementation of this strategy.

Ultimately, the success of this effort depends critically on the reception given to these initial volumes by both the R&D and design communities. To ensure the technical credibility of the present work and the feasibility of extending the treatment to other topical domains, it is essential that the R&D community be comfortable with this selection and representation of research findings. Of equal or greater importance, the functional utility of the Compendium must be fully demonstrated in design practice. Feedback from these user communities regarding working experience with the Compendium will shape future refinements to the project's basic strategy as well as revisions of the present Compendium. As one means of facilitating the interaction that is so vital to the continued success of the project, reader service cards have been provided at the back of the *User's Guide* on which users are encouraged to comment regarding the value of the Compendium in their work and improvements that would increase its utility and applicability.

Though the existing volumes provide system designers with a wealth of relevant human performance and perceptual data, coverage does not extend to all topics of potential value, nor is the depth of treatment uniform across subject areas. The Compendium was originally conceived as a demonstration project, and its scope paralleled that of the *Handbook of Perception and Human Performance* (edited by K. Boff, L. Kaufman, and J. Thomas, 1986). Because of concerns over limitations of the Handbook, we selectively and somewhat arbitrarily extended the treatment to include selected topics (vibration and large-amplitude motion, target acquisition, warnings and attentional directors, person-

computer dialogue, etc.) that rounded out the coverage we felt was essential for the Compendium. In addition, during the development of the Compendium, we continually modified the scope and depth of treatment of different subject areas based on the many suggestions of outside peer reviewers.

In general, the depth of treatment for any given topic area was determined by the availability of useful data and by the editorial necessity to limit coverage within reasonable bounds. Data were chosen through a multi-step process of evaluation and review by subject-matter experts, human factors specialists, and design engineers (see Preface and Acknowledgments in Volumes I-III for a detailed description of this development stage). No doubt some data were overlooked or misunderstood in this process. In a few instances, the paucity of entries in a given topic area occurs partly as an artifact of the organizational scheme of the Compendium. For example, relatively few entries are included in Section 4.0, "Information Storage and Retrieval," in part because entries dealing with memory and learning in the context of specific human perception and performance functions are distributed throughout the Compendium. It was not appropriate to repeat these entries in Section 4.0. However, neither was it appropriate to exclude the topics of memory and learning entirely from this section. We recognize that our treatment of these topics is by no means complete. Indeed, entire volumes may eventually be set aside for the subjects of memory and learning. Therefore, in these and other areas of the Compendium, we decided to include a few key entries as place holders, with the intention of fleshing out these areas in future editions.

Though we spared no effort in our attempts to ensure accuracy, in any project of this scale, errors and omissions are bound to slip through. The reader service cards at the back of this Guide may be used to communicate suggestions and concerns regarding entry content. We would be equally interested in hearing about specific circumstances in which the Compendium proved particularly valuable to you.

We urge you, as a Compendium user, to register your copy of the Compendium using the card provided; this will help us keep you informed about updates, revisions, and related products that may be of interest.

---

## Entry Format

One of the major innovations of the Compendium is the development of a specialized format for presenting complex technical information on human perception and performance to designers with little or no knowledge in the given subject area. The format evolved over several years through the study of past efforts in the area, critical thinking on the problem, discussions with sponsors and consultants, and feedback from members of the user population. We attempted, in addition, to devise a typographic style and layout that would complement the organizational format and enhance the usability of the material.

### General Specifications

Information in the *Engineering Data Compendium* is organized as a series of brief entries dealing with narrow, well-

defined topics. There are eight different classes of entry, based on the general type of information each contains. Most entries present basic research data regarding human perceptual and performance characteristics.

The general specifications for individual Compendium entries are given below:

**Length:** two printed pages

**Layout:** single spread of two facing pages

**Writing style:** clear, concise style to minimize length; technical terminology is avoided when possible

**Format:** series of modular text elements (subsections) containing specific classes of information



**Mode of communication:** information presented in the form of figures or tables when possible

**Type of information:** Eight classes of information are included in the *Engineering Data Compendium*:

1. *Basic and parametric data* (e.g., dynamic range of the visual system, spatial and temporal contrast sensitivity functions, physical response constants of the vestibular system, receiver operating characteristic curves).

2. *Models and quantitative laws* (e.g., CIE spaces, probability summation, operator control models). A model or law had to meet two criteria to be included: (a) it had to provide a way of interpolating or extrapolating existing data and relating them to a specific application, either to answer a design question directly or to specify the research needed to answer the question; and (b) it had to have a well defined and well documented domain of reliable application.

3. *Principles and nonquantitative or nonprecise formulations* that express important characteristics of or trends in perception and performance (e.g., Gestalt grouping principles, interrelationship between size and distance judgments, depth and distance cues).

4. *Phenomena* that are inherently qualitative or that are general and pervasive, although quantitatively described in specific instances (e.g., simultaneous brightness contrast, visual illusions, motion aftereffects).

5. *Summary tables* consolidating data derived from a body of studies related to a certain aspect of sensation, perception, or performance (e.g., table showing different acuity limits as measured with Landolt rings, grating patterns, etc.; table summarizing the effects of various factors known to affect stereoacuity).

6. *Background information* necessary for understanding and interpreting data entries and models (such as rudimentary anatomy and physiology of sensory systems, specialized units of measurement or measurement techniques; specific examples are anatomy of the ear, geometry of retinal image disparity, colorimetry techniques).

7. *Section introductions* to topical areas that describe the topic and set out its scope, explain general methods used in the given area of study, note general constraints regarding the application of data in the area, and provide references for further general information.

8. *Tutorials* containing expository material on general topics such as psychophysical methods, signal detection theory, etc., included both to help the user fully understand and evaluate the material in the Compendium, and to support research and evaluation studies in engineering development.

To make pertinent information more accessible to the user, graphic modes of presentation are used wherever possible. The Compendium contains over 2000 figures and tables, including data graphs, models, schematics, demonstrations of perceptual phenomena, and descriptions of methods and techniques. Other features of the Compendium include indicators of data reliability, caveats to data application, and the use of standardized units of measurement (Système International).

Each Compendium entry is subdivided into a series of standard elements that convey specific types of information about the entry topic, such as areas of application, constraints in applying the data under different circumstances, etc. The particular subsections included in a given entry vary depending upon entry category. However, the type

of information contained in each subsection is consistent across entries, so that users can readily locate the particular item of information they need.

Individual entry subsections vary in style as well. Some are discursive paragraphs, others are series of bulleted items, etc., depending on the specific content.

### Graphic Design

The typographical design of entries for the *Engineering Data Compendium* had four goals:

1. To conserve space while preserving readability.
2. To signal the important elements in the entry so that they can be located and perceived rapidly.
3. To differentiate entry subsections visually to make it easy for readers to pick out information of interest and skip information irrelevant to their particular needs.
4. To present a pleasing overall appearance that is balanced, consistent, and cohesive.

Based on empirically validated design principles for promoting the readability of textual material, a graphic design was developed that fulfills these aims and enhances the usability of the Compendium.

In the current design, page arrangement signals at a glance what is important and what is less so. Figures generally appear at the top of the first page immediately following the title. The bold rule under figures and tables emphasizes the importance of this graphic and tabular information. The grid system which provides for either two or four columns within subsections also aids in differentiating material of greater and less import. Major discussion of the entry topic and information of general interest appear in the larger-type, two-column format. Text printed in the smaller type and four-column format is more technical information provided for the interested user. Two features of the design make it easy to scan an entry and locate the desired subsection: (1) subsections are clearly separated from one another by rules that cross the entire page; and (2) subsections are signalled by large headings in bold type.

A key element in promoting efficient communication of complicated information is to reduce the complexity of its presentation. Design guidelines incorporated into the entry design to simplify the presentation and enhance readability include:

1. Use of a limited number of type sizes and a limited number of weights and styles within a typeface family. This avoids the visual chaos that ensues when too many text elements compete for the user's eye.
2. Manipulation of weights and sizes of type to selectively emphasize or de-emphasize entry text elements. Optimum boldness enhances visibility and readability (Ref. 1).
3. Use of lower-case letters with initial capitals for titles and headings. Text set in this fashion is read more quickly than similar material set in all capitals (Ref. 2).
4. Establishing typeset line length at approximately one and one-half to two alphabet widths. Readability is reduced when lines are significantly shorter or longer (Refs. 3, 4, 5).
5. Use of ragged (unjustified) rather than even (justified) right-hand margins. Irregularities of word spacing that occur with justified text, particularly in narrow columns of type, can result in poorer reading comprehension than with unjustified text (Ref. 6).
6. Control of white space to create optimal visual scanning patterns.

---

## References

1. Luckiesh, M., & Moss, F. K. (1940). Boldness as a factor in type-design and typography. *Journal of Applied Psychology*, 24, 170-183.
2. Patterson, D. G., & Tinker, M. A. (1941). Capitals versus lower case in headlines. *Editor and Publisher*, 75, 51.
3. Wissins, R. H. (1967). Effects of three typographical variables on speed of reading. *Journal of Typographic Research*, 1, 5-18.
4. Luckiesh, M., & Moss, F. K. (1941). The effect of line length on readability. *Journal of Applied Psychology*, 25, 67-75.
5. Foster, J. J. (1970). A study of the legibility of one- and two-column layout for BPS publications. *Bulletin of the British Psychological Society*, 23, 113-114.
6. Gregory, M., & Poulton, E. C. (1970). Even versus uneven right-margins and the rate of comprehension in reading. *Ergonomics*, 18, 427-434.

# How to Use the *Engineering Data Compendium*

Any data compendium is only as useful as the strategies for accessing the information it contains. This "how-to" guide describes the features incorporated into the *Engineering Data Compendium* to enable you, the user, to locate relevant information quickly and easily.

The perceptual and performance information contained in the Compendium is organized into a series of short entries dealing with narrow, well-defined topics. Within each

individual entry, information is further subdivided into a set of standardized text modules or subsections.

The first part of this guide describes how the Compendium is structured and how you can locate the specific Compendium entry containing the information you need. The second part of the guide explains where within an individual entry you will find a specific item of information.

## How to Locate Information in the Compendium

The Compendium consists of 12 main sections subdivided into more than 75 different topic areas. Each topic area contains a number of individual Compendium entries treating narrow subjects within that broader topic.

A numbering scheme has been developed that reflects this organization and makes apparent the relative position of any given entry within the Compendium. This scheme uses a decimal number of up to 4 digits to identify a particular section, topic area, or entry. The digit to the left of the decimal point identifies the Compendium section; the first digit to the right of the decimal represents the topic area number within that section; and the last two digits identify the individual entry within that topic area. For example:

- 5.0 Spatial Awareness
- 5.9 Depth Perception
- 5.918 Factors Affecting Stereoacuity

Here, "5.0 Spatial Awareness" is the fifth of the 12 major subject area divisions of the Compendium; "5.9 Depth Perception" is the ninth topic area within this section; and "5.918 Factors Affecting Stereoacuity" is entry no. 18 in topic area 5.9.

Each data volume of the Compendium contains 3 to 5 major subject area sections. These sections can be located easily in the Compendium by means of labeled tabbed dividers. The section title and topic area are also repeated at the top of each individual entry.

You can locate a specific entry several different ways. These are described below, along with an example of how you might employ each if you were interested in locating information on the legibility of displays under vibration conditions.

### Volume Table of Contents

At the front of each data volume of the Compendium is a Table of Contents listing each main section in that volume as well as individual topic areas under that section. The Table of Contents thus provides a quick overview of the information contained in the volume and can be used to identify the broad subject area in which a particular item of information is likely to be found. For example, if you are interested in display legibility during vibration, you would scan the contents to locate section "10.0 Effects of Environmental Stressors," under which is found the subsection "10.4 Vibration." You can then browse through section 10.4 to see which entries may be of interest, or you can consult the detailed Table of Contents at the beginning of section 10.0.

### Sectional Table of Contents

At the beginning of each Compendium section is a detailed Table of Contents listing each entry in that section by topic area. This sectional Table of Contents is printed on a tabbed

card immediately following the tabbed divider for that section. If you desire information on display legibility during vibration, you would scan the Table of Contents for section "10.0 Effects of Environmental Stressors," to locate topic area "10.4 Vibration." Under this topic area, the Table of Contents lists several entries on the subject of interest, such as "10.414 Display Legibility: Effect of Character Spacing."

### Complete Table of Contents

A cumulative, detailed Table of Contents listing every entry in the Compendium by section and topic area can be found at the front of the *User's Guide*.

### Tabbed Divider Cards

The section of the Compendium containing the information of interest can be located quickly by means of the tabbed dividers imprinted with section titles (for sections 1.0, 5.0, and 7.0, tabbed dividers are also provided for topic area divisions). For quick access to the group of entries dealing with display legibility under vibration, you would locate the tab labeled, "10.0 Effects of Environmental Stressors."

### Logic Diagrams

Printed on the tabbed divider card for each Compendium section is a schematic diagram showing the relationship among the entries in that section and referencing specific entries by number. To locate information on a given topic, such as display reading during vibration, you would find the box in the diagram that relates most closely to the topic of interest and consult the entries cited in the box. In the logic diagram for section "10.0 Effects of Environmental Stressors," the box marked "Effect of Vibration on Performance" lists a number of individual entries where information on display legibility during vibration might be found.

### Design Checklist

The *User's Guide* contains a design checklist to aid in identifying and accessing human factors data relevant to specific equipment needs. The checklist takes the form of questions focusing on specific aspects of human performance that should be considered in the design of control and display system components. The questions are grouped according to a hierarchy of equipment-related issues and are indexed to the specific Compendium entries that provide information on the given topic. The checklist questions pertinent to a given design issue can be located from the contents listing at the beginning of the checklist. For example, the contents subsection "1.f Vibration" under the heading "I.A. Visual displays" cites the pages containing design questions relevant to display legibility during vibration.

## Key Term Indices

The Key Terms section of each Compendium entry lists terms relating to the topic discussed in the entry. At the beginning of each major Compendium section is an alphabetical index of these key terms referenced to the appropriate entries. The index is printed on a tabbed card following the tabbed divider for that section. Information on specific topics within the given section can be located by looking up the relevant terms. For example, the entries listed under *display vibration* or *legibility* in the Key Terms index for section 10.0 will direct you to entries discussing the effects of vibration on display legibility.

## General Index

The *User's Guide* contains a high-resolution index in which you can look up selected terms to locate information on a particular topic. Following each index listing is the number of the Compendium entry or entries containing information on the given topic. On looking up the terms *vibration* and *display legibility*, for example, you will be directed to entries 10.411 to 10.416, which deal with display legibility under vibration conditions.

---

## How to Locate Information in Individual Compendium Entries

Each entry in the *Engineering Data Compendium* is a self-contained treatment of a specific narrow topic. In almost all cases, the complete entry is contained on two facing pages of the Compendium.

There are eight categories of entry, classified according to content. The majority of entries present basic/parametric data. Other entry classes include tables summarizing a body of data in a given topic area, models and quantitative laws, principles and nonquantitative laws, perceptual phenomena and demonstrations, background information, tutorials on technical topics, and introductions to topical areas.

Compendium entries generally feature a figure or table, with supporting text presented as a set of modular elements or subsections. This modular format has been adopted to promote uniformity of presentation and usability of the data. There are ten standard entry subsections. Not every subsection will appear in each entry—some are pertinent only for particular categories of entry and will not be used in other entry classes. When specific subsections are present, however, they are consistent in content from entry to entry to allow confident access to the type of information desired.

The content and function of each of the standard subsections are described below. The figure on pages 8 and 9 illustrates these sections for an entry presenting basic perceptual data.

### Title

The title provides a concise description of the entry content.

### Key Terms

This section lists terms that relate to the topic discussed in the entry. Along with key words in the entry title, these key terms can be used to verify entry content and serve as access terms in an index search for related information.

### General Description

In entries presenting basic data, this section summarizes the general findings, conclusions, and trends in the data. For entries presenting perceptual/performance models, laws, or principles, it provides a precise description or definition and indicates the general purpose for which the model, law, or principles was developed.

## Key Terms

Scanning the Key Terms section of individual entries will help you judge the relevance of an entry to a specific purpose. For example, one of the key terms for entry 10.414, "Display Legibility During Vibration: Effect of Character Spacing," is *panel-mounted displays*. If you are seeking information about the legibility of panel-mounted displays during vibration, this entry should be of value. The key terms can also serve as entry points for an index search to locate additional information related to the topic treated in the entry.

## Cross References

Cross references in each entry guide you to other entries in the Compendium that contain information on related subjects or provide pertinent background information to aid the understanding of the topic. For example, in reading entry 10.414, "Display Legibility During Vibration: Effect of Character Spacing," you will be directed by the Cross Reference section to entry 10.411, "Display Legibility: Effects of Vibration Frequency," as well as to several other entries treating the topic of display legibility during vibration.

## Applications

This section describes general areas of application for the information in the entry; specific types of displays, control systems, task environments, etc., for which the information might be useful; and, where pertinent, general procedures for application.

## Methods

Entries presenting basic data contain a Methods section that describes how the data were collected. The section is divided into the following two subsections.

*Test Conditions.* This subsection specifies the physical and psychophysical characteristics of the stimulus and the conditions under which the testing was carried out.

All measurements are given in units of the Système International (SI). When units in the original data source did not conform to the SI, measurements have been converted to SI units. Values in the original units are given in parentheses after the first such conversion. For example, specification of target diameter as "15.24 cm (6 in.);" indicates that size was given in inches in the original data source and has been converted to SI units for the Compendium.

*Experimental Procedure.* This subsection lists, in order: (1) the experimental method, paradigm, and design (such as method of constant stimuli, two-alternative forced-choice paradigm, randomized design); (2) the stimulus dimensions that were varied (independent variable); (3) the response or effect measured (dependent variable); (4) the subject's task; and (5) the number and characteristics of subjects. Other pertinent procedural details may also be included.

Unless otherwise specified, subjects are assumed to have normal vision, normal hearing, etc., and no prior practice on the experimental task. Results represent data averaged across all subjects and all trials within a given condition unless indicated otherwise.

## Experimental Results

When an entry reports findings of a research study, it contains an Experimental Results section that provides a more detailed discussion of the data than the General Description. The Experimental Results includes graphic or tabular presentation of the data, an enumeration of the major findings

and trends in the data, and an indication of their meaning or significance.

When statistical tests have been used to assess the effects of an experimental manipulation or treatment, the significance level ( $p$  value) may be reported in the Experimental Results section. The significance level indicates the probability that differences between experimental groups occurred by chance alone (rather than because of experimental manipulation); for example, a level of  $p < 0.01$  indicates that the difference in the measured variable observed between groups would occur by chance less than 1% of the time if in fact the groups did not differ.

**Variability.** This subsection indicates how performance or sensitivity differed from subject to subject (between-subject variability) or from session to session for the same subject (within-subject variability). Generally, variability is expressed in terms of the standard deviation from the mean or the standard error of the mean. The Variability subsection also cites any statistical test performed to evaluate the significance of the experimental findings.

**Repeatability/Comparison with Other Studies.** This subsection describes the findings of other studies that conducted similar research and suggests reasons for any discrepant results.

### Empirical Validation

This section is found in entries that treat a model, law, or principle. It includes a description of the methods used in empirical tests of the model, law, or principles and reports the results and scope of the validation studies.

### Constraints

This section describes features or limitations of the information in the entry that may affect its application; stimulus or subject characteristics, environmental conditions, etc., that may influence the results or effect reported; criteria that must be met for proper application; and limits on the class of response, stimulus, task environment, etc., to which the information can be applied.

### Key References

This section provides full bibliographical data for several reference sources that contain more detailed information on the entry topic. The original source of the data, model, etc., presented in the entry is marked with an asterisk. References are listed alphabetically and numbered consecutively.

### Cross References

This section cites Compendium entries that treat related topics or provide pertinent background information useful in understanding or interpreting the information in the entry. Also listed are sections of the *Handbook of Perception and Human Performance*, companion volume to the Compendium, where fuller technical treatment of the topic may be found. (See K. Boff, L. Kaufman, and J. Thomas, eds., *Handbook of Perception and Human Performance*. Vol. I: *Sensory Processes and Perception* and Vol. II: *Cognitive Processes and Performance*. New York: John Wiley and Sons, 1986).

### Other Text Reference Aids

Four other reference aids can also help you derive maximum benefit from the material and locate additional information on the topic of interest.

**1. Page headings.** Headings located at the top of entry pages help to pinpoint the relative position of the entry in the Compendium. At the top of the left page is the number and title of the topic area of which the entry is a part. At the top of the right page is the number and title of the section—the broad subject area under which the entry falls.

**2. Glossary terms.** Each major Compendium section contains its own Glossary, located on the third tabbed card following the section divider. An expanded, cumulative Glossary is also found in the *User's Guide*. All terms printed in bold type in the entry text are defined in the sectional glossaries. Some additional technical terms *not* boldfaced in the entries (for example, specialized measurement units, experimental methods, statistical terms) as well as common abbreviations are also defined in the sectional glossaries or in the cumulative Glossary.

**3. Text cross references.** Other Compendium entries dealing with a specific topic mentioned in the entry text may be referenced by number in the text body using the following type of notation:

(CRef. 3.216)

A full citation for the given cross-reference (number and title of the entry to which reference is made) can be found in the Cross References section at the end of the entry.

**4. Text reference citations.** Sources supporting a particular point or providing additional information may be cited by number in the body of the text, e.g.,

(Ref. 1)

Full bibliographic information for the reference source can be found in the citation of the same number in the Key References section at the end of the entry.

### Selective Search

The modular construction of the entry allows you to focus on the information of interest at a depth commensurate with your needs by selectively reviewing specific entry subsections. For example, the General Description section provides a concise summary of the information contained in the entry. In some cases, this summary alone may satisfy your need regarding the given topic. In other cases, you will wish to continue to other entry sections, such as the Experimental Results, that expand and deepen the discussion.

The Methods sections describing data-collection procedures is included for the benefit of those who require a more detailed examination of the experimental data for replication or analysis, or a close comparison of original testing conditions with the application environment. If you do not require this level of technical detail, you may skip this entry section. Similarly, the Key References and Cross References sections are provided for those who wish to pursue further the topic of the entry.

Topic area to which entry belongs

5.11 Adaptation of Space Perception

Entry number

5.1116 Adaptation to Visual Tilt: Acquisition and Decay

Entry title




Figure 1. Mean level of adaptation to 30 and to 20 deg of optical tilt in the exposed (right) and unexposed (left) eye as a function of exposure time while prisms are worn, and decay time in the dark after prism removal. Adaptation is measured as the amount by which observers' postexposure verticality judgments depart from apparent vertical as measured before prism exposure. (From Ref. 2)

Terms related to entry topic

**Key Terms**

Altered visual orientation; interocular transfer; prismatic rotation; tilt adaptation; visual field rotation

Concise summary of entry topic

**General Description**

Observers who wear prisms that tilt the visual field adapt rapidly to the distortion. Tilt adaptation reaches a peak after 12-15 min of prism exposure and is higher for 30-deg than for 20-deg tilt rotation. When prisms are removed,

adaptation declines to a low level after 15 min in the dark. If only one eye is exposed to the rotating prisms, postexposure judgments of target verticality show adaptation effects regardless of which eye is tested—exposed or unexposed.

General and specific areas of application of entry content

**Applications**

Environments subject to optical distortion.

Methods used in collecting data presented

**Methods**

**Test Conditions**

• Observer's right eye covered by Dove prisms mounted in tandem and affixed by headset; left eye occluded  
• Prisms tilted visual field by 20 or 30 deg; visual field 10 deg in diameter

• During exposure period observer walked in hallway; observer wore black cloak that covered body and was instructed not to touch walls; after prism removal, observer sat in dark  
• Test stimulus: luminous vertical line 30-cm long by 0.4-cm wide; viewing distance 121.92 cm; tests made without prisms in dark room

**Experimental Procedure**

• Independent variables: magnitude of tilt, duration of exposure, time since prism removal, test eye (exposed versus covered)  
• Dependent variable: level of adaptation, defined as difference between mean pre-exposure and post-exposure verticality settings.

determined separately for exposed and unexposed eyes  
• Observer's task: set a luminous vertical line to upright position prior to, and at various times during and after adaptation  
• 16 observers, undergraduates, males and females, 8 tested at each tilt magnitude

Physical and psychophysical characteristics of stimulus, conditions for data collection

**Experimental Results**

• Adaptation to visual field rotation is significantly greater for 30-deg tilt (mean = 5.83 deg) than for 20-deg tilt (mean = 2.71 deg). (Mean scores are for both eyes combined.)

• Adaptation is greater in the exposed eye than in the unexposed eye, but the difference is significant only when the exposed eye is tested first.  
• Magnitude of adaptation to tilt levels off after ~ 12-15 min of prism exposure.

Major experimental findings and trends in the data, and their significance

1212

Boff, K. R., & Lincoln, J. E. *Engineering Data Compendium: Human Perception and Performance*. AAMRL, Wright-Patterson AFB, OH, 1988

Experimental method and design, stimulus and response variables, subject's task, subject characteristics

Boldface type indicating term defined in Glossary

Major section of which entry is a part

**Spatial Awareness 5.0**

decay per unit of time  $t$ , and  $c$  is the asymptote of decay. Curves were fit by method of least squares as in Fig. 1a. Standard error of estimate was 0.28 (for 10 parameters and 32 data points).

**Variability**

Two subjects (one in each tilt magnitude group) failed to show at least 1 deg of adaptation after 48 min of exposure and were replaced. One observer showed unusually large negative values (anti-adaptive shift) in left eye during tests of decay.

**Repeatability/Comparison with Other Studies**

Difference in adaptation level for the two eyes found in this study is probably an experimental artifact due to the order in which the eyes were tested. Other studies have shown complete **interocular transfer** of tilt adaptation (Ref. 1).

**Constraints**

- Adaptation will decay completely (performance will return to preadaptation levels) if the observer is re-exposed to normal conditions.
- Even when prisms are not worn, viewing a physically tilted edge for a few minutes will lead to a small but reliable reduction in its perceived tilt.

**Key References**

\*1. Hajos, A., & Ritter, M. (1965). Experiments to the problem of interocular transfer. *Acta Psychologica*, 24, 81-90.

\*2. Ridding, G. (1975). Decay of visual adaptation to tilt and displacement. *Perception & Psychophysics*, 17, 203-208.

**Cross References**

5.1115 Factors affecting adaptation to visual tilt.

5.1117 Adaptation to visual tilt: effect of rotation magnitude.

*Handbook of perception and human performance*, Ch. 24, Sect 3.2

1213

Performance differences within and between subjects

Findings of other studies conducting similar research

Citation of source in Key References

Cross-reference to pertinent Compendium entry

Features or limitations of the data that affect their application

Sources of more detailed information on entry topic

Relevant sections of the Handbook of perception and human performance, edited by K. Boff, L. Kaufman & J. Thomas (NY: Wiley, 1986)

Compendium entries on related topics

Primary source of the data in this entry

---

# Contents for Volume I

## Sections 1.0–3.0

---

### 1.0 Visual Acquisition of Information

#### 1.1 Measurement of Light 1

- 1.101 Range of Visible Energy in the Electromagnetic Radiation Spectrum
- 1.102 Spectral Distribution of Radiant Energy
- 1.103 Range of Light Intensities Confronting the Eye
- 1.104 Measurement of Radiant and Luminous Energy
- 1.105 Image Luminance with Optical Viewers
- 1.106 Conversion of Scene Luminance to Retinal Illuminance
- 1.107 Color Temperature
- 1.108 Spectral Transmittance and Reflectance
- 1.109 Photometric Techniques for Measuring Spectral Sensitivity
- 1.110 Luminous Efficiency (Spectral Sensitivity)
- 1.111 Luminous Efficiency: Effect of Pupil Entry Angle

#### 1.2 Optics of the Eye 33

- 1.201 Anatomy of the Human Eye
- 1.202 Transmissivity of the Ocular Media
- 1.203 The Eye as an Optical Instrument
- 1.204 Spherical Refractive Errors
- 1.205 Astigmatism
- 1.206 Effect of Lenses on the Visual Image
- 1.207 Eye Center of Rotation and Rotation Limits
- 1.208 Interpupillary Distance
- 1.209 Visual Optics
- 1.210 Optical Constants of the Eye
- 1.211 Spherical Aberration
- 1.212 Axial Chromatic Aberration
- 1.213 Diffraction of Light in Optical Systems
- 1.214 The Point-Spread Function of the Eye
- 1.215 The Line-Spread Function of the Eye
- 1.216 Width of the Line-Spread Function: Effect of Visual Field Location and Eye Focus
- 1.217 Retinal Light Distribution for an Extended Source
- 1.218 Fourier Description of the Eye's Imaging Property
- 1.219 Modulation Transfer Function of Optical Systems
- 1.220 Modulation Transfer Function of the Eye for Defocused Imagery
- 1.221 Image Quality and Depth of Focus
- 1.222 Visual Accommodation
- 1.223 Resting Position of Accommodation
- 1.224 Normal Variation in Accommodation
- 1.225 Normal Variation in Accommodation: Similarity in the Two Eyes
- 1.226 Visual Accommodation: Effect of Luminance Level and Target Structure
- 1.227 Eye Focus in Dim Illumination (Night Myopia)
- 1.228 Accommodation: Effect of Dark Focus, Luminance Level, and Target Distance

- 1.229 Accommodation: Effect of Oscillatory Changes in Target Distance
- 1.230 Accommodation: Effect of Abrupt Changes in Target Distance
- 1.231 Relation Between Accommodation and Convergence
- 1.232 Monocular Versus Binocular Pupil Size
- 1.233 Pupil Size: Effect of Luminance Level
- 1.234 Pupil Size: Effect of Target Distance
- 1.235 The Normal Achromatic Visual Field
- 1.236 The Lateral Achromatic Visual Field: Age and Sex Differences
- 1.237 Normal Visual Fields for Color
- 1.238 Visual Field Coordinate Systems
- 1.239 Visual Effects of Empty-Field (Ganzfeld) Viewing
- 1.240 Visual Angle and Retinal Size

#### 1.3 Sensitivity to Light 117

- 1.301 Scotopic and Photopic (Rod and Cone) Vision
- 1.302 Spectral Sensitivity
- 1.303 Equal-Brightness and Equal-Lightness Contours for Targets of Different Colors (Spectral Content)
- 1.304 Equal-Brightness Contours for Lights of Different Colors (Wavelengths) at Different Levels of Adapting Luminance
- 1.305 Factors Affecting Sensitivity to Light
- 1.306 Absolute Sensitivity to Light: Effect of Visual Field Location
- 1.307 Absolute Sensitivity to Light: Effect of Target Area and Visual Field Location
- 1.308 Spatial Summation of Light Energy
- 1.309 Afterimages

#### 1.4 Adaptation: Changes in Sensitivity 137

- 1.401 Brightness Difference Threshold: Effect of Background Luminance
- 1.402 Brightness Difference Threshold: Effect of Background Luminance and Duration of Luminance Increment
- 1.403 Brightness Difference Threshold: Effect of Background Luminance and Target Size
- 1.404 Intensity Difference Threshold: Effect of Luminance Increment Versus Decrement
- 1.405 Time Course of Light Adaptation
- 1.406 Factors Affecting Dark Adaptation
- 1.407 Dark Adaptation: Effect of Wavelength
- 1.408 Dark Adaptation: Effect of Target Size
- 1.409 Dark Adaptation: Effect of Spatial and Temporal Summation
- 1.410 Visual Resolution During Dark Adaptation



- 1.411 Dark Adaptation Following Exposure to Light of Varying Intensity
- 1.412 Dark Adaptation Following Exposure to Light Fields of Varying Size
- 1.413 Dark Adaptation Following Exposure to Light of Varying Duration
- 1.5 Sensitivity to Temporal Variations 165**
- 1.501 Factors Affecting Sensitivity to Flicker
- 1.502 Flicker Sensitivity: Effect of Background Luminance
- 1.503 Flicker Sensitivity: Effect of Flicker Frequency and Luminance Level
- 1.504 Flicker Sensitivity: Effect of Dark Adaptation for Targets at Different Visual Field Locations
- 1.505 Flicker Sensitivity: Effect of Type of Target and Luminance Level
- 1.506 Flicker Sensitivity: Effect of Target Size and Surround
- 1.507 Flicker Sensitivity: Effect of Target Size
- 1.508 Flicker Sensitivity: Effect of Target Spatial Frequency
- 1.509 Flicker Perception Versus Pattern Perception in Temporally Modulated Targets
- 1.510 Detection and Discrimination of Flicker Rate
- 1.511 Factors Affecting Sensitivity to Brief (Pulsed) Targets
- 1.512 Time-Intensity Trade-Offs in Detection of Brief Targets: Effect of Duration, Target Intensity, and Background Luminance
- 1.513 Model of Temporal Sensitivity
- 1.6 Spatial Sensitivity 193**
- 1.601 Luminance Description of Visual Patterns
- 1.602 Measurement of Visual Acuity
- 1.603 Factors Affecting Visual Acuity
- 1.604 Visual Acuity: Effect of Luminance Level
- 1.605 Visual Acuity: Effect of Target and Background Luminance and Contrast
- 1.606 Visual Acuity: Effect of Illuminant Wavelength
- 1.607 Vernier Acuity and Orientation Sensitivity: Effect of Adjacent Contours
- 1.608 Two-Dot Vernier Acuity: Effect of Dot Separation
- 1.609 Visual Acuity: Difference Thresholds for Spatial Separation
- 1.610 Vernier Acuity: Offset Discrimination Between Sequentially Presented Target Segments
- 1.611 Visual Acuity: Effect of Target Location in the Visual Field at Photopic Illumination Levels
- 1.612 Visual Acuity: Effect of Target Location in the Visual Field at Scotopic Illumination Levels
- 1.613 Visual Acuity: Effect of Exposure Time
- 1.614 Visual Acuity: Effect of Pupil Size
- 1.615 Visual Acuity: Effect of Viewing Distance
- 1.616 Visual Acuity: Effect of Viewing Distance and Luminance Level
- 1.617 Visual Acuity with Target Motion: Effect of Target Velocity and Target Versus Observer Movement
- 1.618 Visual Acuity with Target Motion: Effect of Target Velocity and Orientation
- 1.619 Visual Acuity with Target Motion: Effect of Direction of Movement and Luminance Level
- 1.620 Visual Acuity with Target Motion: Effect of Direction of Movement and Target Orientation
- 1.621 Visual Acuity with Target Motion: Effect of Anticipation Time and Exposure Time
- 1.622 Visual Acuity with Target Motion: Effect of Practice
- 1.623 Visual Acuity and Contrast Sensitivity: Effect of Age
- 1.624 Factors Affecting Detection of Spatial Targets
- 1.625 Target Detection: Effect of Target Spatial Dimensions
- 1.626 Target Detection: Effect of Prior Exposure (Adaptation) to a Target of the Same or Different Size
- 1.627 Target Detection: Effect of Spatial Uncertainty
- 1.628 Factors Affecting Contrast Sensitivity for Spatial Patterns
- 1.629 Contrast Sensitivity: Effect of Field Size
- 1.630 Contrast Sensitivity: Effect of Spatial Frequency Composition
- 1.631 Contrast Sensitivity: Effect of Number of Luminance Modulation Cycles and Luminance Level
- 1.632 Contrast Sensitivity: Effect of Luminance Level (Foveal Vision)
- 1.633 Contrast Sensitivity: Effect of Luminance Level (Peripheral Vision)
- 1.634 Contrast Sensitivity: Effect of Target Orientation
- 1.635 Contrast Sensitivity: Effect of Target Visual Field Location for Bar Patterns of Varying Size
- 1.636 Contrast Sensitivity: Effect of Visual Field Location for Circular Targets of Varying Size
- 1.637 Contrast Sensitivity: Effect of Target Motion
- 1.638 Contrast Sensitivity: Effect of Pupil Size
- 1.639 Contrast Sensitivity: Effect of Focus Errors
- 1.640 Contrast Sensitivity: Effect of Viewing Distance and Noise Masking
- 1.641 Contrast Sensitivity: Effect of Edge Sharpness
- 1.642 Contrast Sensitivity: Effect of Border Gradient
- 1.643 Contrast Sensitivity: Effect of Target Shape and Illumination Level
- 1.644 Contrast Sensitivity for Snellen Letters
- 1.645 Contrast Sensitivity for a Large Population Sample
- 1.646 Contrast Discrimination
- 1.647 Contrast Matching
- 1.648 Spatial Frequency (Size) Discrimination
- 1.649 Spatial Frequency (Size) Discrimination: Effect of Contrast
- 1.650 Spatial Frequency (Size) Masking
- 1.651 Spatial Frequency (Size) Adaptation
- 1.652 Orientation-Selective Effects on Contrast Sensitivity
- 1.653 Threshold Models of Visual Target Detection
- 1.654 Continuous-Function Models of Visual Target Detection
- 1.655 Vector Models of Visual Identification
- 1.656 Psychophysical Methods
- 1.657 Psychometric Functions

## 1.7 Color Vision 323

- 1.701 Targets and Procedures Used to Study Color Perception
- 1.702 Color Mixture and Color Matching
- 1.703 Colorimetric Purity and Excitation Purity
- 1.704 Chromaticity Discrimination
- 1.705 Factors Affecting Color Discrimination and Color Matching
- 1.706 Descriptive Attributes of Color Appearance
- 1.707 Factors Influencing Color Appearance
- 1.708 Hue: Effect of Saturation Changes (Abney Effect)
- 1.709 Hue: Effect of Luminance Level (Bezold-Brücke Effect)
- 1.710 Hue and Chroma: Shifts Under Daylight and Incandescent Light
- 1.711 Fluorescence or Color Glow
- 1.712 Brightness Constancy
- 1.713 Brightness Induction
- 1.714 Simultaneous Lightness Contrast: Effect of Perceptual Organization
- 1.715 Model of Brightness Contrast
- 1.716 Mach Bands
- 1.717 Simultaneous Color Contrast
- 1.718 Color Assimilation
- 1.719 Phantom Colors
- 1.720 Brightness Scales
- 1.721 Lightness Scales
- 1.722 Color Specification and the CIE System of Colorimetry
- 1.723 Color-Order Systems
- 1.724 Color-Order Systems: Munsell System
- 1.725 Color-Order Systems: Optical Society of America System
- 1.726 Congenital Color Defects

## 1.8 Binocular Vision 391

- 1.801 Advantage of Binocular over Monocular Vision
- 1.802 Monocular Versus Binocular Contrast Sensitivity
- 1.803 Binocular Combination of Brightness and Contrast
- 1.804 Binocular Suppression and Rivalry
- 1.805 Spatial Extent of Binocular Suppression
- 1.806 Time Course of Binocular Suppression and Rivalry
- 1.807 Visual Sensitivity and Performance During Binocular Suppression
- 1.808 Convergence Angle
- 1.809 Phoria
- 1.810 Incidence of Lateral and Vertical Phorias
- 1.811 Eye Signature: Discrimination of Which Eye Is Stimulated
- 1.812 Binocular Displays
- 1.813 Alignment and Adjustment Tolerances for Binocular Instruments
- 1.814 Probability Summation

## 1.9 Eye Movements 421

- 1.901 Anatomy and Mechanics of Eye Movements
- 1.902 Muscular Control of the Eyes
- 1.903 Coordinate Systems for Describing Eye Movements
- 1.904 Methods of Measuring Eye Movements

- 1.905 Summary of Eye Movements According to Direction and Axis of Rotation
- 1.906 Classification of Eye Movements
- 1.907 Adaptability of Eye Movements
- 1.908 Effect of Fatigue on Eye Movements
- 1.909 Maladaptive Eye Movements: Eliciting Conditions
- 1.910 Control-Systems-Analysis Model of Visual and Oculomotor Functions in Retinal Image Stabilization
- 1.911 Visual Fixation Stability in the Dark
- 1.912 Fixation Stability: Magnitude of Horizontal Drift
- 1.913 Visual Fixation: Relationship Between Head and Eye Movements
- 1.914 Monocular Fixation on Stationary Targets
- 1.915 Effects of Target Characteristics on Eye Movements and Fixation
- 1.916 Visual Fixation on Dimly Illuminated Targets
- 1.917 Factors Affecting the Vestibulo-Ocular Reflex
- 1.918 Factors Influencing Visual Suppression of Vestibular Nystagmus
- 1.919 Visual Suppression of Vestibular Nystagmus: Effect of Direction of Head Inclination
- 1.920 Visual Suppression of Vestibular Nystagmus: Effect of Fixation
- 1.921 Vestibulo-Ocular Nystagmus During and After Aircraft Spin
- 1.922 Vestibulo-Ocular Nystagmus: Interaction of Quick Phase Nystagmus and Saccades with Eye/Head Tracking
- 1.923 Factors Influencing Duration of Postrotary Nystagmus
- 1.924 Optokinetic Nystagmus and Circularvection (Illusory Self-Motion)
- 1.925 Optokinetic Nystagmus: Effect of Instructions
- 1.926 Factors Affecting Gain of Vestibulo-Ocular Reflex
- 1.927 Vestibulo-Ocular Reflex in the Presence of Visual Distortion
- 1.928 Gain of Vestibular Nystagmus: Effect of Object Distance
- 1.929 Vestibular Nystagmus: Effect of Attention
- 1.930 Vestibular Nystagmus: Effect of Angular Acceleration and Deceleration
- 1.931 Duration and Amplitude of Saccades in the Absence of Targets
- 1.932 Factors Influencing the Latency of Saccades
- 1.933 Saccadic Velocity: Effect of Saccade Distance
- 1.934 Elicitation of Saccades: Effects of Target Size and Proximity to Fovea
- 1.935 Patterns and Errors in Saccadic Eye Movements: Effect of Visual Task
- 1.936 Timing and Accuracy of Saccades to Briefly Lit Targets
- 1.937 Voluntary Control of Saccadic Eye Movements
- 1.938 Model of Pursuit Eye Movements
- 1.939 Factors Affecting Smooth Pursuit Eye Movements
- 1.940 Gain and Phase of Smooth Pursuit Eye Movements: Effect of Target Motion
- 1.941 Gain of Tracking Eye Movements: Effects of Target Luminance and Visual Field Location
- 1.942 Latency and Velocity of Smooth Pursuit Eye Movements: Effect of Target Velocity

- 1.943 Visual Tracking of Random One-Dimensional Motion
- 1.944 Visual Tracking of Complex Sinusoidal Motion
- 1.945 Accuracy of Tracking Eye Movements: Effect of Target Velocity
- 1.946 Accuracy of Tracking Eye Movements: Effects of Target Motion
- 1.947 Visual Tracking: Effects of Perceived Versus Real Target Motion
- 1.948 Involuntary Anticipatory Eye Movements
- 1.949 Tracking of Targets Oscillating in Depth
- 1.950 Factors Affecting Vergence Eye Movements
- 1.951 Prolonged Convergence of the Eyes
- 1.952 Vergence Eye Movements: Eliciting Target Characteristics
- 1.953 Disjunctive Eye Movements in Response to Accommodative Stimuli
- 1.954 Disjunctive Eye Movements in Response to Peripheral Image Disparity
- 1.955 Fusional Eye Movements in Response to Vertical Disparity
- 1.956 Eye Torsion: Effects of Angular Disparity in Binocular Display Patterns
- 1.957 Factors Affecting Countertorsion of the Eyes
- 1.958 Eye Movements Induced by Head and Body Movements
- 1.959 Eye Torsion in Response to Lateral Head Tilt
- 1.960 Factors Affecting Coordination of Head Rotation and Eye Movements

---

## **Section 2.0 Auditory Acquisition of Information**

### **2.1 Measurement of Sound 554**

- 2.101 Sound Propagation
- 2.102 Physical Parameters and Spectral Analysis of Sound
- 2.103 Measurement of Sound Amplitude
- 2.104 Calibration Procedures and Instruments for Measuring Sound
- 2.105 Noise and Distortion

### **2.2 Physiology of the Ear 568**

- 2.201 Anatomy and Physiology of the Ear
- 2.202 Acoustic Reflex

### **2.3 Detection 572**

- 2.301 Factors Affecting Auditory Sensitivity in Quiet
- 2.302 Auditory Sensitivity in Quiet: Effect of Frequency
- 2.303 Auditory Sensitivity in Quiet: Effect of Age
- 2.304 Auditory Sensitivity in Quiet: Underwater Listening
- 2.305 Auditory Sensitivity in Quiet and in Noise: Effect of Binaural Versus Monaural Listening
- 2.306 Factors Affecting Auditory Sensitivity in the Presence of Masking Noise
- 2.307 Auditory Sensitivity in Noise: Broad-Band Noise Masking
- 2.308 Auditory Sensitivity in Noise: Narrow-Band Noise Masking
- 2.309 Auditory Sensitivity in Noise: Pure-Tone Masking
- 2.310 Auditory Sensitivity in Noise: Effect of Bandwidth of Multitone Signals
- 2.311 Auditory Sensitivity in Noise: Effect of Signal Duration
- 2.312 Auditory Sensitivity in Noise: Nonsimultaneous Masking
- 2.313 Auditory Sensitivity in Noise: Interaural Masking
- 2.314 Binaural Reduction of Masking: Effect of Signal Frequency and Listening Conditions
- 2.315 Binaural Reduction of Masking: Effect of Interaural Phase Differences

### **2.4 Discrimination 612**

- 2.401 Intensity Discrimination of Random Noise and "Square-Wave" Noise

### **2.5 Temporal Resolution 614**

- 2.501 Sensitivity to Amplitude Modulation of Broad-Band Noise
- 2.502 Detection of Gaps in Continuous Noise
- 2.503 Discrimination of Event Duration
- 2.504 Perceived Event Duration: Effect of Complexity and Familiarity

### **2.6 Loudness 622**

- 2.601 Factors Influencing Loudness
- 2.602 Effect of Sound Pressure Level on Loudness
- 2.603 Effect of Frequency on the Loudness of Pure Tones
- 2.604 Effect of Bandwidth on the Loudness of Two-Tone Complexes
- 2.605 Effect of Bandwidth on the Loudness of Broad-Band and Moderate-Band Noise
- 2.606 Effect of Bandwidth and Intensity Level on the Loudness of Continuous Noise
- 2.607 Effect of Duration on the Loudness of Narrow-Band Noise
- 2.608 Monaural Versus Binaural Loudness
- 2.609 Effect of Interaural Phase on the Loudness of Masked Tones
- 2.610 Loudness of Intermittent Stimuli
- 2.611 Loudness Reduction Under Masking by Broad-Band Noise and Narrow-Band Noise
- 2.612 Loudness Adaptation
- 2.613 Loudness Discomfort Level

### **2.7 Pitch 650**

- 2.701 Factors Affecting Pitch
- 2.702 Effect of Frequency on Pitch
- 2.703 Effect of an Interfering Stimulus on the Pitch of Pure Tones
- 2.704 Pitch Recognition with Interpolated Tones
- 2.705 Effect of Amplitude Envelope on the Pitch of Pure Tones
- 2.706 Binaural Pitch Disparity (Diplacusis)
- 2.707 Pitch Shift Following Adaptation to a Tone
- 2.708 Pitch Discrimination Under Simultaneous Masking
- 2.709 Pitch Discrimination Under Nonsimultaneous Masking
- 2.710 Nontonal Pitch

2.711 Pitch of Amplitude-Modulated (Square-Wave Gated) Noise

## **2.8 Localization 672**

- 2.801 Sound Localization
- 2.802 Effects of the Body on a Sound Field
- 2.803 Interaural Intensity Differences
- 2.804 Discrimination of Interaural Intensity Differences for Pure Tones
- 2.805 Interaural Time Differences
- 2.806 Discrimination of Interaural Phase Differences for Pure Tones
- 2.807 Lateralization of Clicks with Interaural Time Delay
- 2.808 Lateralization of Amplitude-Modulated Tones with Interaural Time Delay

2.809 Trading Between Interaural Intensity Differences and Interaural Time Differences in Auditory Lateralization

- 2.810 Localization in the Median Plane
- 2.811 Effect of Stimulus Duration on Lateralization of Pure Tones and Noise
- 2.812 Precision of Localization (Minimum Audible Angle)
- 2.813 Effect of Frequency on the Localization of Pure Tones
- 2.814 Effect of Static Head Position on Localization
- 2.815 Effect of Visual and Proprioceptive Cues on Localization
- 2.816 Localization in Noise
- 2.817 Echo Suppression in Localization

---

## **Section 3.0 Acquisition of Information by Other Senses**

### **3.1 Cutaneous Sensitivity 712**

- 3.101 Cutaneous Sensitivity
- 3.102 Patterns of Tactile Sensory Innervation Over the Body
- 3.103 Tactile Sensory Innervation of the Skin
- 3.104 Types of Cutaneous Mechanoreceptors
- 3.105 Apparatus for Static and Vibratory (Mechanical) Stimulation of the Skin
- 3.106 Pressure and Vibration Sensitivity
- 3.107 Vibrotactile Stimulation: Detectability of Tactile Pulses of Varying Duration
- 3.108 Vibrotactile Stimulation: Effect of Frequency and Type of Spatial Surround
- 3.109 Vibrotactile Stimulation: Detectability of Intensity Differences
- 3.110 Vibrotactile Stimulation: Detectability of Intensity Differences in the Presence of Spatial Masking
- 3.111 Vibrotactile Stimulation: Perceived Magnitude
- 3.112 Vibrotactile Stimulation: Perceived Magnitude as a Function of Number of Active Vibrators
- 3.113 Vibrotactile Stimulation: Summation of Perceived Magnitude
- 3.114 Vibrotactile Stimulation: Enhancement of Perceived Magnitude
- 3.115 Tactile Localization and Two-Point Discrimination
- 3.116 Vibrotactile Stimulation: Effect of Adaptation on Detectability and Perceived Magnitude
- 3.117 Vibrotactile Stimulation: Detectability in the Presence of Masking
- 3.118 Tactile and Auditory Localization: Effect of Interstimulus-Onset Interval
- 3.119 Tactile, Auditory, and Visual Shifts in Perceived Target Location Due to Stimulus Interactions
- 3.120 Apparent Movement of Vibrotactile and Electrocutaneous Stimuli
- 3.121 Sensitivity to Warmth: Effect of Stimulation Area and Body Site
- 3.122 Detectability of Warmth and Cold: Effect of Rate of Change in Temperature
- 3.123 Sensitivity to Warmth and Cold: Effect of Adaptation Temperature
- 3.124 Perceived Coolness and Warmth: Effect of Intensity and Duration of Stimulation

- 3.125 Electrocutaneous Stimulation: Effect of Exposure Duration on Sensitivity
- 3.126 Electrocutaneous Stimulation: Perceived Magnitude

### **3.2 Vestibular Sensitivity 766**

- 3.201 The Vestibular System
- 3.202 Dynamics of the Otolith Organs
- 3.203 Dynamics of the Semicircular Canals
- 3.204 Synergism of Body Rotation and Head Tilt
- 3.205 Methods for Investigating the Effects of Rotation
- 3.206 Methods for Investigating Linear Acceleration
- 3.207 Threshold for Linear Acceleration
- 3.208 Threshold for Angular Acceleration
- 3.209 Long-Term Adaptability of the Vestibular System
- 3.210 Vestibular Illusions

### **3.3 Kinesthesia 788**

- 3.301 Kinesthesia
- 3.302 Measurement of Position Sense
- 3.303 Factors Affecting Sense of Position and Movement of Body Parts
- 3.304 Passive Movement Detectability for Different Joints
- 3.305 Detectability of Passive Movements of Finger, Elbow, and Shoulder Joints
- 3.306 Detectability of Passive Rotation of the Hip
- 3.307 Detectability of Finger Movement
- 3.308 Perception of Head Position
- 3.309 Accuracy of Horizontal Arm Positioning: Effect of Direction and Angular Placement
- 3.310 Perception of Arm Position: Effect of Duration and Location of a Previously Held Arm Position
- 3.311 Perception of Arm Position: Effect of Active Versus Passive Movement
- 3.312 Perception of Arm Position: Effect of Active Versus Passive Movement and Practice
- 3.313 Position Matching of Elbow Angle and Arm Orientation
- 3.314 Perception of Elbow Angle
- 3.315 Illusory Motion of the Elbow with Muscle Vibration

- 3.316 Perception of Shoulder (Arm) Position
- 3.317 Memory for Shoulder (Arm) Position
- 3.318 Perception of Finger Displacement
- 3.319 Perception of Knee Position
- 3.320 Perception of Ankle (Foot) Position
- 3.321 Kinesthetic Aftereffects
- 3.322 Models for the Encoding of Joint Angle
- 3.323 Heaviness: Effect of Arm Fatigue
- 3.324 Heaviness: Effects of Anesthesia or Electrocutaneous Stimulation of the Fingers
- 3.325 Perception of Effort and Force: Effect of Muscle Vibration and Anesthesia
- 3.326 Tonic Neck Reflex: Influence on Weight Lifting

---

## Contents for Volume II

### Sections 4.0–7.0

---

#### Section 4.0 Information Storage and Retrieval

##### 4.1 Memory 844

- 4.101 Factors Affecting Acoustic Memory
- 4.102 Acoustic Memory: Effect of Serial Position, Suffix, and Response Prefix on Probed Recall
- 4.103 Memory Search Rates
- 4.104 Skilled Memory Effect
- 4.105 Memory Search Time: Effect of Memory Probe Characteristics
- 4.106 Memory for Visual Patterns: Effect of Perceptual Organization

- 4.107 Cognitive Mapping of the Environment
- 4.108 Tactile Short-Term Memory

##### 4.2 Learning 860

- 4.201 Power Law of Practice

##### 4.3 Information Theory 864

- 4.301 Information Theory
- 4.302 Channel Capacity for Human Information Processing

---

#### Section 5.0 Spatial Awareness

##### 5.1 Size, Shape, and Distance 871

- 5.101 Binocular Versus Monocular Aircraft Landing Performance
- 5.102 Perception of Impact Point for Simulated Aircraft Carrier Landings
- 5.103 Pilot Judgments of Distance, Height, and Glideslope Angle from Computer-Generated Landing Scenes
- 5.104 Visual Angle as a Determiner of Perceived Size and Distance
- 5.105 Visual Perspective and the Specification of Shape and Distance
- 5.106 Classic Geometric Illusions of Size and Direction
- 5.107 Geometric Illusions: Contribution of Low-Spatial-Frequency Information
- 5.108 Illusions of Perceived Size and Distance
- 5.109 Judgment of Length Using Finger Span
- 5.110 Haptic Perception of Length: Effect of Orientation
- 5.111 Haptic Perception of Proportion
- 5.112 Relation Between Perceived and Physical Distance
- 5.113 Perception of the Objective Shape of Slanted Surfaces
- 5.114 Optical and Geographical Slant
- 5.115 Representation of Slant by Linear Perspective
- 5.116 Texture Gradients and Perceived Slant

- 5.208 Displacement Thresholds for Visual Motion: Effect of Target Duration
- 5.209 Visual Motion Detection Thresholds: Effects of Stationary Referents
- 5.210 Visually Perceived Relative Velocity: Effects of Context and Extent of Motion
- 5.211 Frequency Characteristics of Real and Induced Visual Motion
- 5.212 Motion Aftereffects
- 5.213 Judgment of Impending Collision Between Targets in the Display Field
- 5.214 Judgment of Impending Collision with Approaching Targets
- 5.215 Motion Illusions with Tracking Eye Movements
- 5.216 Autokinetic Illusion
- 5.217 Perceived Motion with Tracking Eye Movements
- 5.218 Motion Illusions
- 5.219 Illusions of Motion Resulting from Incorrect Perception of Depth
- 5.220 Vernier Offset in Real and Apparent Motion
- 5.221 Decomposition of Composite Motion
- 5.222 Perception of Rigid Versus Nonrigid Motion

##### 5.3 Induced Target Motion 959

- 5.301 Induced Motion: Determinants of Object-Relative Motion
- 5.302 Factors Affecting Induced Motion

##### 5.4 Apparent Object Motion (Stroboscopic Motion) 965

- 5.401 Types of Visual Apparent Motion
- 5.402 Time, Distance, and Feature Tradeoffs in Visual Apparent Motion
- 5.403 Temporal and Spatial Relationships in Visual Apparent Motion
- 5.404 Stroboscopic Apparent Motion
- 5.405 Visual Persistence and Apparent Motion

- 5.406 Visual Apparent Motion: Effect of Perceptual Organization
- 5.407 Visual Motion Simulation by Displacement of Random-Dot Patterns
- 5.5 Self-Motion 981**
- 5.501 Displays Providing Self-Movement Information
- 5.502 Optical Flow Patterns and Motion Perspective
- 5.503 Factors Affecting Illusory Self-Motion
- 5.504 Elevator Illusion
- 5.505 Oculogravic Illusion
- 5.6 Visual Localization and Direction 955**
- 5.601 Visual Localization and Perceived Visual Direction
- 5.602 Target Detection During Saccadic Eye Movements: Effects of Saccade Size and Timing
- 5.603 Detection of Motion During Saccades: Effect of Axis of Movement
- 5.604 Target Localization During Pursuit Eye Movements
- 5.605 Target Localization During Pursuit Eye Movements: Effect of Intensity of a Brief Target
- 5.606 Target Localization Accuracy: Effect of Gaze Eccentricity
- 5.607 Factors Affecting Target Localization
- 5.7 Postural Stability and Localization 1013**
- 5.701 Terminology Used to Describe Head and Body Orientation
- 5.702 Regulation of Static Postural Stability
- 5.703 Functional Stretch Reflex
- 5.704 Postural Stability: Effect of Vestibular Ataxia
- 5.705 Visual Factors Influencing Postural Stability
- 5.706 Postural Stability: Effects of Retinal Image Motion
- 5.707 Postural Stability: Effects of Illusory Self-Motion
- 5.708 Illusory Self-Inclination
- 5.709 Inversion Illusion
- 5.8 Orientation 1033**
- 5.801 Factors Affecting Judgment of the Visual Vertical
- 5.802 Illusory Spatial Displacements
- 5.803 Perceived Displacement of the Horizon with Head Tilt and Visual Display Rotation
- 5.804 Body Tilt: Effects on Perceived Target Orientation (the Aubert and Müller Effects)
- 5.805 Illusions of Perceived Tilt
- 5.806 Non-Visual Discrimination of Surface Orientation: Haptic Aftereffects
- 5.807 Kinesthetic Perception of Parallelism: Effect of Target Separation and Distance From the Body
- 5.808 Haptic and Visual Perception of Target Orientation
- 5.9 Depth Perception 1053**
- 5.901 Monocular Distance Cues
- 5.902 Motion Parallax
- 5.903 Kinetic Occlusion and Kinetic Shear
- 5.904 Functional Limits of Various Depth Cues in Dynamic Visual Environments
- 5.905 Lateral Retinal Image Disparity
- 5.906 Vertical Retinal Image Disparity
- 5.907 Retinal Image Disparity Due to Image Magnification in One Eye
- 5.908 Retinal Image Disparity Due to Image Rotation in One Eye
- 5.909 Binocular Differences in Image Size and Shape (Aniseikonia)
- 5.910 The Horopter: Locus of Points with No Retinal Image Disparity
- 5.911 Limits of Single Vision
- 5.912 Tolerance for Vertical Disparity
- 5.913 Tolerance for Image Rotation
- 5.914 Filter Separation and Free Stereoscopic Display Methods
- 5.915 Random-Dot Stereoscopic Displays
- 5.916 Perceived Depth as a Function of Lateral Retinal Image Disparity
- 5.917 Stereoacuity Tests
- 5.918 Factors Affecting Stereoacuity
- 5.919 Stereoacuity: Effect of Luminance
- 5.920 Stereoacuity: Effect of Target Location in the Visual Field
- 5.921 Stereoacuity: Effect of Relative Disparity
- 5.922 Stereoacuity: Effect of Adjacent Contours
- 5.923 Stereoacuity: Effect of Field of View
- 5.924 Stereoacuity: Effect of Target Orientation
- 5.925 Stereoacuity: Effect of Lateral Target Motion
- 5.926 Stereoacuity: Effect of Exposure Duration
- 5.927 Stereoacuity: Effect of Vertical Disparity
- 5.928 Response Time and Accuracy of Depth Judgments: Effect of Vertical Disparity
- 5.929 Relations Among Real Depth Acuity, Stereoacuity, and Vernier Acuity
- 5.930 Limits of Stereoscopic Depth Perception
- 5.931 Stereoscopic Depth Perception: Limiting Differences in Left and Right Half-Images
- 5.932 Depth Perception with Unequal Numbers of Contours in the Two Eyes
- 5.933 Illusory Depth with Interocular Differences in Luminance or Onset Delay (Pulfrich and Mach-Dvorak Effects)
- 5.934 Color Stereopsis
- 5.935 Duration Thresholds for Stereoscopic Targets at Different Visual Field Locations
- 5.936 Binocular Displacement
- 5.937 Hysteresis Effects in Stereoscopic Vision
- 5.10 Comparisons and Interactions among the Senses 1129**
- 5.1001 Characteristics of the Senses
- 5.1002 Comparison of Perceptual Capabilities Across Sensory Modalities
- 5.1003 Visual Detection in the Presence of Auditory Stimulation
- 5.1004 Auditory Detection in the Presence of Visual Stimulation
- 5.1005 Tactual Detection and Discrimination in the Presence of Accessory Stimulation
- 5.1006 Tactile Versus Auditory Localization of Sound
- 5.1007 Spatial Localization in the Presence of Intersensory Conflict
- 5.1008 Spatial Localization in the Presence of Visual-Proprioceptive Conflict: Effect of Amount of Intersensory Discrepancy

- 5.1009 Spatial Localization in the Presence of Intersensory Conflict: Effect of Cognitive and Response Factors
- 5.1010 Cross-Modal Versus Intra-Modal Perception of Distance and Location
- 5.1011 Orientation Perception in the Presence of Visual-Proprioceptive Conflict
- 5.1012 Speeding of Reaction Time by Bisensory Stimulation
- 5.1013 Visual Prepotency in a Choice Reaction Time Task
- 5.1014 Speeding of Choice Reaction Time by Intersensory Accessory Stimulation
- 5.1015 Speeding of Reaction Time by Intersensory Warning Signals
- 5.1016 Intermodal and Cross-Modal Spatial Pattern Recognition
- 5.1017 Discrimination and Reproduction of Temporal Patterns: Comparison of Audition, Vision, and Touch
- 5.1018 Temporal Pattern Recognition with Unimodal Versus Multimodal Presentation
- 5.1019 Duration Perception with Auditory, Visual, and Bisensory Stimuli
- 5.1020 Perception of Temporal Rate: Auditory-Visual Interactions
- 5.1021 Detection of Auditory-Visual Asynchrony
- 5.1022 Order Perception with Heteromodal Stimulus Sequences
- 5.11 Adaptation of Space Perception 1175**
- 5.1101 Adaptation of Space Perception
- 5.1102 Visual Effects of Various Optical Devices
- 5.1103 Methods for Inducing and Measuring Adaptation to Prismatic Displacement of the Visual Field
- 5.1104 Adaptation to Prismatic Displacement of the Visual Field: Effect of Exposure Conditions
- 5.1105 Adaptation to Prismatic Displacement of the Visual Field: Effect of Training
- 5.1106 Recovery from Adaptation to Prismatic Displacement of the Visual Field: Effect of Practice
- 5.1107 Adaptation to Prismatic Displacement of the Visual Field: Effect of Feedback Delay
- 5.1108 Adaptation to Prismatic Displacement of the Visual Field: Effect of Feedback Conditions
- 5.1109 Adaptation to Prismatic Displacement of the Visual Field: Effect of Response Conditions
- 5.1110 Adaptation to Prismatic Displacement of the Visual Field: Cognitive/Learning Effects
- 5.1111 Recovery from Adaptation to Prismatic Displacement of the Visual Field: Effects of Prior Prism Exposure
- 5.1112 Effects of Adaptation to Prismatic Displacement of the Visual Field
- 5.1113 Prismatic Displacement of the Visual Field: Visual and Auditory Judgments of Straight Ahead
- 5.1114 Perceptual Effects of Inversion and Left-Right Reversal of the Visual Field
- 5.1115 Factors Affecting Adaptation to Visual Tilt
- 5.1116 Adaptation to Visual Tilt: Acquisition and Decay
- 5.1117 Adaptation to Visual Tilt: Effect of Rotation Magnitude
- 5.1118 Adaptation to Visual Tilt: Effect of Constant Versus Incremental Tilt
- 5.1119 Adaptation to Tilt and Displacement: Acquisition Rate, Magnitude, and Decay Time
- 5.1120 Factors Affecting Adaptation to Loss of Visual Position Constancy
- 5.1121 Adaptation to Distortions of Depth and Distance
- 5.1122 Adaptation to Distortions of Size
- 5.1123 Factors Affecting Adaptation to Visual Distortions of Form
- 5.1124 Effect of Underwater Environments on Perception
- 5.1125 Underwater Visual Adaptation: Effect of Experience
- 5.1126 Adaptation After Prolonged Exposure to an Underwater Environment
- 5.1127 Adaptation to Rearrangement of Auditory Space

---

## Section 6.0 Perceptual Organization

- 6.001 Perceptual Organization
- 6.1 Perceptual Dimensions 1240**
- 6.101 Classification of Major Perceptual Dimensions
- 6.2 Categorization 1242**
- 6.201 Levels of Semantic Categories
- 6.202 Categorization: Effect of Exemplar Typicality
- 6.203 Representation and Retention of Visual Prototypes
- 6.3 Visual Perceptual Organization 1248**
- 6.301 Principles of Gestalt Grouping and Figure-Ground Organization
- 6.302 Gestalt Grouping Information: Effect of Low-Pass Spatial Filtering
- 6.303 Simplicity and Likelihood Principles
- 6.304 Role of Reference Frames in Perception
- 6.305 Anorthoscopic Perception
- 6.306 Reversible or Multistable Figures
- 6.307 Pattern Processing: Effect of Pattern Complexity
- 6.308 Pattern Processing: Context Effects
- 6.309 Perceived Shape: Effect of Target Orientation
- 6.310 Perceived Shape of Partially Hidden Objects
- 6.311 Perception of Shape Distortion
- 6.312 Form Perception: Contribution of Different Spatial-Frequency Bandwidths
- 6.313 Perception of Chromatic and Achromatic Borders
- 6.314 Subjective or Illusory Contours
- 6.315 Mental Rotation of Objects
- 6.316 Ambiguous Movement in Figures Without Texture or Fine Detail
- 6.317 Figural Aftereffects
- 6.318 Feature-Selective Adaptation and Masking
- 6.319 Spatial Frequency Aftereffect (Perceived Spatial Frequency Shift)
- 6.320 Contingent Aftereffects



- 6.321 Theories of Pattern Recognition
- 6.322 Mathematical Coding Theory
- 6.4 Auditory Perceptual Organization 1294**
- 6.401 Auditory Grouping
- 6.402 Grouping of Tone Sequences by Frequency
- 6.403 Grouping of Tone Sequences: Effect of Frequency Separation and Presentation Rate
- 6.404 Grouping of Tone Sequences by Ear of Input
- 6.405 Perceptual Segregation of Phase-Shifted Tones
- 6.406 Detection of Temporal Displacement in Tone Sequences
- 6.407 Auditory Perception of Sequence
- 6.408 Auditory Perception of Sequence: Effect of Interstimulus-Onset Interval
- 6.5 Tactile Perception of Form and Texture 1312**
- 6.501 Modes of Display for Two-Dimensional Multi-element Tactile Patterns
- 6.502 Factors Affecting Identification of Tactile Patterns
- 6.503 Identification of Vibrotactile Patterns: Effect of Display Mode and Body Location
- 6.504 Identification of Vibrotactile Patterns: Effect of Exposure Duration and Intensity
- 6.505 Identification of Vibrotactile Patterns: Temporal Resolution
- 6.506 Identification of Tactile Patterns: Effect of Character Height
- 6.507 Identification of Vibrotactile Patterns: Effect of Display Width
- 6.508 Tactile Versus Visual Recognition of Characters
- 6.509 Tactile Pattern Discrimination: Effect of Pattern Element Commonality and Body Locus
- 6.510 Vibrotactile Code Learning
- 6.511 Factors Affecting Vibrotactile Pattern Masking
- 6.512 Vibrotactile Pattern Masking: Effect of Distance Between Target and Mask
- 6.513 Vibrotactile Pattern Masking: Effect of Type and Duration of Mask
- 6.514 Vibrotactile Pattern Masking: Effect of Presentation Mode and Sequence of Target and Mask
- 6.515 Vibrotactile Pattern Masking: Effect of Delay Between Target and Mask for Spatially Non-Overlapping Masks
- 6.6 Haptic Perception of Form and Texture 1342**
- 6.601 Modes of Tactual Perception
- 6.602 Tactile-Kinesthetic Scanning Motions
- 6.603 Perceived Roughness: Effect of Groove Width, Land Width, and Contact Force
- 6.604 Perceived Roughness: Effect of Skin Temperature and Groove Width
- 6.605 Perceived Roughness: Effect of Shear Force
- 6.606 Perceived Roughness: Effect of Adaptation to Vibration
- 6.607 Tactual Discrimination of Two-Dimensional Shape: Effect of Tactual Mode
- 6.608 Haptic Discrimination of Letter Forms: Effect of Orientation
- 6.609 Haptic Perception of Curvature: Effect of Curve Orientation and Type of Arm Movement
- 6.610 Haptic Perception of Curvature: Effect of Manual Scanning Method
- 6.611 Perception of Viscosity of Liquids

---

## **Section 7.0 Attention and Allocation of Resources**

### **7.1 Human Performance Reliability 1365**

- 7.101 Error Classification and Analysis
- 7.102 Human Reliability Analysis
- 7.103 Technique for Human Error Rate Prediction (THERP)
- 7.104 Human Performance Data and Sources
- 7.105 Time and Accuracy in Monitoring Radar-Type Display Scopes
- 7.106 Time and Accuracy in Responding to Discrete Indicator Lights
- 7.107 Probability of Correctly Responding to Annunciators and Discrete Status Lights
- 7.108 Probability of Correctly Reading Meters
- 7.109 Probability of Correctly Reading CRT or Large-Screen Projected Displays
- 7.110 Probability of Correctly Monitoring Multi-Channel Displays
- 7.111 Probability of Correctly Activating a Discrete Control While Reading a Discrete Display
- 7.112 Probability of Correctly Activating Discrete Controls While Reading a Meter or Other Dynamic Display
- 7.113 Probability of Correctly Operating Continuous Controls While Monitoring Dynamic Displays
- 7.114 Probability of Correctly Operating Continuous Controls While Monitoring and Tracking Dynamic Displays
- 7.115 Error Probability in Responding to Annunciator Displays
- 7.116 Error Probability in Reading and Recording Information
- 7.117 Probability of Failure to Detect in Periodic Scanning of Displays
- 7.2 Attention and Mental Resources 1401**
- 7.201 Contrasting Models of Attention: Undifferentiated Versus Differentiated Capacity
- 7.202 Multiple-Resources Model
- 7.203 Method of Analyzing Multiple Resource Allocation
- 7.204 Evidence for Undifferentiated and Differentiated Attentional Resources
- 7.205 Performance Operating Characteristic
- 7.206 Divided Versus Selective Attention: Effect on Auditory Recognition Accuracy
- 7.207 Auditory Shadowing and Secondary Task Performance: Evidence for the Multiple-Channel Model of Attention

- 7.208 Auditory Shadowing: Effect of Message Semantic and Syntactic Structure
- 7.209 Factors Influencing Performance in Selective Listening Tasks
- 7.210 Selective Listening: Effect of the Location of Sound Sources
- 7.211 Selective Listening: Effect of Message Frequency Spectrum
- 7.212 Selective Listening: Effect of Age
- 7.213 Divided Attention: Factors Influencing Performance on Auditory Tasks
- 7.214 Auditory Divided Attention: Signal Detection Across Two Channels
- 7.215 Divided Attention: Effect of Mixed Modalities
- 7.216 Auditory Divided Attention: Effect of Practice
- 7.217 Divided Attention: Effect of Age
- 7.218 Visual Attention Switching Without Eye Movements
- 7.219 Division of Attention Among Spatial Locations
- 7.220 Concurrent Visual Search
- 7.221 Attentional and Decision-Making Factors in Component and Compound Tasks
- 7.3 Monitoring Behavior and Supervisory Control 1447**
- 7.301 Monitoring and Supervisory Control
- 7.302 Sampling Behavior During Process-Control Monitoring
- 7.303 Hierarchically Structured Control Models
- 7.304 Fault Detection and Response with Different Levels of Automation
- 7.305 Time Required to Detect, Diagnose, and Repair Faults
- 7.306 Training of Operators for Supervisory Control
- 7.307 Allocation of Decisions Between Human and Computer
- 7.308 Sharing of Knowledge and Control Between Supervisor and Computer
- 7.309 General Model of Supervisory Control
- 7.310 Optimal Estimation Model
- 7.311 Application of Optimal Control Theory to Monitoring Performance
- 7.312 Comparison of Different Research Settings for Study of Supervisory Control
- 7.313 Eye Fixations and Eye Movements During Display Monitoring
- 7.314 Factors Affecting Monitoring Performance
- 7.315 Effect of Display Size on Visual Fixation
- 7.316 Models of Observer Monitoring Performance
- 7.317 Senders' Periodic Sampling Model of Display Monitoring
- 7.318 Markov Model for Eye Transitions During Display Monitoring
- 7.319 Queuing Model of Display Monitoring
- 7.4 Vigilance 1499**
- 7.401 Vigilance
- 7.402 Methods of Measuring Vigilance, Monitoring, and Search
- 7.403 Decline in Rate of Correct Detection of Signals Over Time (Vigilance Decrement)
- 7.404 Reaction Time Patterns in Vigilance Performance
- 7.405 Application of Signal Detection Theory to Vigilance
- 7.406 Characteristics of the Signal that Affect Vigilance, Monitoring, and Search
- 7.407 Effect of Signal Target Location on Visual Search
- 7.408 Effect of Signal Discriminability on Vigilance Performance
- 7.409 Simultaneous Versus Independent Visual and Auditory Monitoring
- 7.410 Maintenance of Vigilance Level by Adaptive Changes in Signal Detectability
- 7.411 Characteristics of the Task that Affect Vigilance, Monitoring, and Search
- 7.412 Vigilance for Sequential Events
- 7.413 Characteristics of the Observer that Affect Vigilance, Monitoring, and Search
- 7.414 Effect of Practice on Vigilance
- 7.415 Effect of Instruction on Vigilance
- 7.416 Effects of Different Training Methods on Vigilance
- 7.417 Effect of Boredom on Detection Efficiency
- 7.418 Sex Differences in Vigilance Performance
- 7.419 Intertask Correlations in Vigilance Performance
- 7.420 Signal Detection Theory
- 7.5 Visual Search 1549**
- 7.501 Factors Affecting Visual Search with Monochrome Displays
- 7.502 Visual Search Rates with Eye Movements
- 7.503 Effect of Head and Eye Movement on Target Acquisition
- 7.504 Role of Saccadic Eye Movements in Search
- 7.505 Eye Movements During Visual Search and Pattern Perception
- 7.506 Search Time: Effects of Target Conspicuity and Fixation Eye Movements
- 7.507 Search Time and Detection Rate: Effect of Accommodative Aids
- 7.508 Visual Search Rates Without Eye Movements
- 7.509 Search Time for Single Disks: Effect of Target Contrast
- 7.510 Search Time: Effect of Target Luminance, Size, and Contrast
- 7.511 Search Time and Eye Fixations: Effects of Symbol Color, Size, and Shape
- 7.512 Search Time: Effect of Number of Targets and Target Complexity
- 7.513 Search Time: Effect of Number of Colors and Information Density
- 7.514 Effect of Irrelevant Stimuli on Search Performance
- 7.515 Processing of Nontarget Items in Visual Search
- 7.516 Target Acquisition in Distractor Target Arrays
- 7.517 Search Time: Effect of Number of Background Characters and Display Density
- 7.518 Search Time: Effect of Target Surround Density
- 7.519 Search Time: Effect of Color Coding
- 7.520 Controlled and Automatic Visual Search
- 7.521 Effect of Target Lag and Sequential Expectancy on Search Time
- 7.522 Visual Search for Moving and Static Targets
- 7.523 Target Counting: Effects of Grouping
- 7.524 Visual Search for Multiple Targets

- 7.525 Target Acquisition in Real-World Scenes  
 7.526 Detection of Objects and Events in Real-World Scenes
- 7.6 Target Acquisition 1603**
- 7.601 Atmospheric Conditions and Visual Effects  
 7.602 Nomographic Charts for Daylight and Overcast Sky Conditions  
 7.603 Sighting Range for Targets Detected Against Horizon  
 7.604 Effect of Number of Displayed Gray Levels on Target Acquisition  
 7.605 Heap's Visual Carpet  
 7.606 Foveal and Peripheral Threshold Contrasts Predicted by Five Different Models  
 7.607 Mathematical Modeling of Air-to-Ground Target Acquisition  
 7.608 Multiple Regression Model of Target Acquisition  
 7.609 Koopman's Empirical Frequency-of-Seeing Curve  
 7.610 Threshold "Detection Lobe" Curve  
 7.611 Prediction of Aircraft Detectability  
 7.612 Correlation Between Performance on Visual Tests and Flying Performance  
 7.613 Effect of Alerted and Unalerted Search on Target Acquisition  
 7.614 Factors Affecting Target Acquisition on Television
- 7.7 Workload Characteristics 1635**
- 7.701 Criteria for Selection of Workload Assessment Techniques  
 7.702 Sensitivity Requirements and Choice of a Workload Assessment Technique  
 7.703 Diagnosticity in the Choice of a Workload Assessment Technique  
 7.704 Measurements Used in Workload Assessment  
 7.705 Cooper-Harper Aircraft Handling Characteristics Scale as a Subjective Measure of Workload  
 7.706 Cooper-Harper Aircraft Handling Ratings as a Function of Secondary Task Instability  
 7.707 Cooper-Harper Scale Modified for System Workload Assessment  
 7.708 Stockholm 9-Point Scale for Subjective Workload Assessment  
 7.709 Stockholm 11-Point Scale for Subjective Workload Assessment  
 7.710 Workload Assessment Using Magnitude Estimation Techniques
- 7.711 Mission Operability Assessment Technique (MOAT)  
 7.712 Subjective Workload Assessment Technique (SWAT)  
 7.713 Subjective Workload Assessment Technique (SWAT) Ratings as a Function of Task Difficulty  
 7.714 Comparison of Normalized Subjective Workload Assessment Technique (SWAT) Ratings and Normalized Mean Error Scores in a Memory Task  
 7.715 Subjective Workload Evaluation Techniques: Limitations and Guidelines  
 7.716 Primary Task Measures for Workload Assessment  
 7.717 Use of the Loading-Task Paradigm in Workload Assessment  
 7.718 Use of the Subsidiary Task Paradigm in Workload Assessment  
 7.719 Major Classes of Secondary Task  
 7.720 Choice of Secondary Task: Application of a Multiple-Resources Model  
 7.721 Guidelines for the Use of Secondary Task Measures in Workload Assessment  
 7.722 Use of Adaptive-Task Techniques to Counter Primary Task Intrusion in Workload Assessment  
 7.723 Use of Embedded Secondary Tasks in Workload Assessment  
 7.724 Transient Cortical Evoked Responses as a Physiological Measure in Workload Assessment  
 7.725 Use of the P300 Spike with a Secondary Task  
 7.726 Use of Transient Cortical Evoked Response in the Primary Task Situation  
 7.727 Resource Reciprocity Between Primary and Secondary Tasks Reflected in P300 Spike Amplitude  
 7.728 Pupil Diameter as an Indicator of Workload  
 7.729 Surface Electromyography as an Index of Physical Workload
- 7.8 Motivation and Personality 1699**
- 7.801 Effect of Incentives on Performance  
 7.802 Situational Stress: Effects of Personality Type and Threat  
 7.803 Effect of Anxiety on Performance  
 7.804 Effect of Stress on Performance for Introverts and Extroverts
- 7.9 Decision-Making Skill 1709**
- 7.901 Characteristics of Humans as Decision Makers

---

# Contents for Volume III

## Sections 8.0–12.0

---

### Section 8.0 Human Language Processing

#### 8.1 Interpretation of Visual Language 1714

- 8.101 Perceiving Visual Language
- 8.102 Factors Affecting Performance on Same-Different Matching Tasks with Letter and Word Targets
- 8.103 Same-Different Judgment of Letter Pairs: Effect of Type of Letter Match
- 8.104 Letter Recognition: Effect of Context
- 8.105 Word Recognition: Effect of Context
- 8.106 Visual Language Processing of Words and Pictures
- 8.107 Naming and Classification Speed for Words and Pictures
- 8.108 Visual Language Processing of Words and Nonwords: Effect of Meaningfulness and Pronounceability
- 8.109 Visual Language Processing of Words and Letters: Effect of Priming
- 8.110 Model of the Word Recognition Process
- 8.111 Eye Movements During Reading: Effect of Viewing Distance
- 8.112 Eye Movements During Reading and Reading Speed: Effect of School Grade Level
- 8.113 Eye Movements During Reading: Effect of "Local" Text Characteristics
- 8.114 Eye Movements During Reading: Effect of Word Length
- 8.115 Guidelines for Determining Which Words Are Processed on a Given Fixation
- 8.116 Influence of Parafoveal (Non-Fixated) Information During Reading
- 8.117 Factors Affecting Reading Time for Sentences
- 8.118 Reading Speed: Effect of Semantic Structure
- 8.119 Reading Speed: Effect of Reading Task (Comprehension or Recall)
- 8.120 Reading Speed and Accuracy: Effect of Performing a Concurrent Task
- 8.121 Text Reading Speed and Accuracy with Rapid Sequential Presentation of Text
- 8.122 Reading Speed and Accuracy with Sequential Versus Simultaneous Presentation of Text
- 8.123 Reading Speed and Text Memory: Effect of Information Ordering
- 8.124 Sentence Comprehension: Effect of Syntactic Structure
- 8.125 Memory for Inferences Made During Text Reading
- 8.126 Aids to Text Comprehension and Recall: Review Questions
- 8.127 Aids to Text Comprehension and Recall: Summaries and Advance Organizers
- 8.128 Schema Theory of Memory for Text
- 8.129 Measurement of Text Readability

#### 8.2 Speech Processing 1774

- 8.201 Acoustic Properties of Speech
- 8.202 Methods of Analyzing the Speech Signal
- 8.203 Sound Pressure of Normal Adult Speech
- 8.204 Sound Pressure of Speech for Males and Females
- 8.205 Articulatory Features of Speech
- 8.206 Phones and Phonemes
- 8.207 Cues and Cue Trading for English Consonants
- 8.208 Pronunciation Latency and Pronunciation Time for Memorized Word Lists
- 8.209 Pronunciation Latencies for Words and Pseudowords with Typical or Atypical Pronunciation
- 8.210 Pronunciation Time for Sentences: Effect of Practice and Semantic Content

#### 8.3 Intelligibility of Speech 1794

- 8.301 Effect of Type of Test Material on Speech Intelligibility
- 8.302 Effect of Filtering on Speech Intelligibility
- 8.303 Effect of Visual Cues on Speech Intelligibility
- 8.304 Factors Affecting the Intelligibility of Speech in Noise
- 8.305 Noise Masking of Speech: Effect of Signal-to-Noise Ratio
- 8.306 Noise Masking of Speech: Effect of Noise Frequency and Number of Masking Voices
- 8.307 Noise Masking of Speech: Effect of Filtering, Listening Conditions, Relative Signal Intensity, and Type of Mask
- 8.308 Noise Masking of Speech: Effect of Word Usage Frequency and Word Length
- 8.309 Noise Masking of Speech: Effect of Message Set Size
- 8.310 Noise Masking of Speech: Effect of Vocal Force
- 8.311 Noise Masking of Speech: Effect on Speech Recall
- 8.312 Methods of Reducing the Masking of Speech
- 8.313 Noise Masking of Speech: Effect of Peak Clipping
- 8.314 Noise Masking of Speech: Effect of Interaural Phase Relations
- 8.315 Noise Masking of Speech: Effect of Interaural Phase Relations for Listeners of Different Ages
- 8.316 Effect of Earplugs on Speech Intelligibility as a Function of Received Speech Level
- 8.317 Methods of Predicting Speech Intelligibility
- 8.318 Speech Interference Level Index

#### 8.4 Intelligibility of Altered Speech 1832

- 8.401 Effect of Age on Perception of Altered and Unaltered Speech
- 8.402 Regularly Repeated Interruption of Speech
- 8.403 Frequency-Shift Distortion of Speech
- 8.404 Compression or Expansion of the Time Scale of Speech

## Section 9.0 Operator Motor Control

### 9.1 Reaction Time 1842

- 9.101 Reaction Time Tasks and Variability
- 9.102 Simple Reaction Time to Visual Targets of Different Luminances
- 9.103 Simple Reaction Time: Effect of Target Spatial Frequency (Size) and Contrast
- 9.104 Attentional Limitations in Reaction Time Tasks
- 9.105 Speed-Accuracy Tradeoffs
- 9.106 Reaction Time: Effect of Uncertainty
- 9.107 Serial Reaction Time: Effect of Signal Spacing
- 9.108 Factors Affecting Simple Reaction Time
- 9.109 Simple Reaction Time to Visual Targets
- 9.110 Factors Affecting Choice Reaction Time
- 9.111 Choice Reaction Time: Effect of Number of Alternatives
- 9.112 Choice Reaction Time: Effect of Probability of Alternatives
- 9.113 Choice Reaction Time: Effect of Stimulus Probability and Response-Stimulus Interval
- 9.114 Choice Reaction Time: Effect of Warning Interval on Error
- 9.115 Choice Reaction Time: Effect of Stimulus-Response Compatibility on Error
- 9.116 Choice Reaction Time: Effect of Stimulus-Response Compatibility
- 9.117 Choice Reaction Time: Detection of Targets Amid Irrelevant Stimuli
- 9.118 Choice Reaction Time in the Presence of Conflicting Information
- 9.119 Choice Reaction Time: Effects of Practice
- 9.120 Reaction Time for Coupled Manual and Vocal Response: Effect of Stimulus Probability
- 9.121 Interaction Among Multiple Stimuli and Responses
- 9.122 Interference Between Concurrent Tasks: Effect of Response Mode Similarity

### 9.2 Target-Directed Movement 1888

- 9.201 Fitts' Law: Movement Time as a Function of Distance and Accuracy
- 9.202 One- Versus Two-Handed Reaching: Effect of Target Distance and Width
- 9.203 Fitts' Law: Movement and Reaction Time as a Function of Target Distance and Size
- 9.204 Blind Positioning: Effect of Prior Target Exposure
- 9.205 Control Movements: Effect of Direction
- 9.206 Reaching Hand Movements: Effect of Varying Visual Feedback
- 9.207 Control Movement Times Underwater and on Land
- 9.208 Blind Positioning Accuracy: Effect of Target Location
- 9.209 Restricted Blind-Positioning: Effect of Distance and Direction
- 9.210 Time and Accuracy of Fast Control Movements

### 9.3 Movement Sequences 1910

- 9.301 Maximum Tapping Speed: Effect of Age and Sex
- 9.302 Tapping Rate, Typing Speed, and Handwriting Speed
- 9.303 Typing Speed and Accuracy

- 9.304 Effect of Auditory and Visual Feedback on Performance of Coordinated Movements
- 9.305 Coordination of Hand Movements on Timed Tasks
- 9.306 Step Cycle Times for Walking and Running
- 9.307 Hand and Voice Coordination

### 9.4 Motor Learning 1924

- 9.401 Model of the Effects of Practice on Task Performance
- 9.402 Motor Skill Development with Massed Versus Distributed Practice
- 9.403 Response Chunking in the Training of Complex Motor Skills
- 9.404 Effect of Knowledge of Results on Motor Learning

### 9.5 Manual Control and Tracking 1932

- 9.501 Tactile and Visual Tracking: Effects of Error Feedback
- 9.502 Response of a Gain Element with Pure Time Delay
- 9.503 Response of a Pure Integrator Element
- 9.504 Bode Plot Representation of a Gain Element with Pure Time Delay
- 9.505 Response of a Pure Differentiator Element
- 9.506 System Feedback: Open- and Closed-Loop Transfer Functions
- 9.507 Phase Margin: A Measure of Stability
- 9.508 Components of the Manual Control Loop Considering the Human Operator as an Element in the Control System
- 9.509 The Kappa-Tau Space
- 9.510 Error, System Control Criteria, and Human Limitations in Error Control
- 9.511 Modeling of the Human Operator: The Crossover Model
- 9.512 Modeling of the Human Operator: The Optimal Control Model
- 9.513 Display Gain
- 9.514 Optimal Gain Levels in Target Acquisition
- 9.515 Optimal Gain Levels in Continuous Control Tasks
- 9.516 Effect of Transmission Lag (Pure Time Delay) in Continuous Tracking with Zero-Order Dynamics
- 9.517 Temporal Mismatch of Motion and Visual Displays: Effect on Continuous Tracking with Simulated Aircraft Dynamics
- 9.518 Joint Effects of First-Order Exponential Lag and Gain on Target Tracking Performance
- 9.519 Control Order
- 9.520 Effects of System Order and Aiding on Tracking Performance
- 9.521 Effects of Control Aiding, Input Frequency, and Display Type on Tracking of a Random Input
- 9.522 Effect of System Lag on Perceived Task Difficulty
- 9.523 Varying Parameters of the Crossover Model
- 9.524 "Bang-Bang" Time-Optimal Tracking with Higher-Order Systems
- 9.525 Display Augmentation
- 9.526 Augmentation of Control Dynamics
- 9.527 Inherently Unstable Dynamics: The Critical Tracking Task

- 9.528 Pursuit Versus Compensatory Displays
- 9.529 Inside-Out Versus Outside-In Displays
- 9.530 Characteristics of Display Formatting That Influence Tracking
- 9.531 Multiaxis and Multiloop Control: Manual Control with Multivariate Systems
- 9.532 Displays of Derivative Information
- 9.533 Multiaxis Separated Displays
- 9.534 Multiaxis Separated Displays: Parafoveal Tracking
- 9.535 Multiaxis Separated Displays: Scan Patterns
- 9.536 Multiaxis Effects of Control Order
- 9.537 Multiaxis Effects: Extensions to More Than Two Axes
- 9.538 Non-Visual Displays
- 9.539 Effect of Practice on Tracking

---

## **Section 10.0 Effects of Environmental Stressors**

### **10.1 Stress 2014**

- 10.101 Theories of Arousal and Stress
- 10.102 Environmental Stress, Fatigue, and Circadian Rhythms
- 10.103 Classification of Factors Influencing the Stress State
- 10.104 Arousal Level: Effect on Performance

### **10.2 Measurement of Stress and Fatigue 2022**

- 10.201 Types of Tasks Used in Measuring the Effects of Stress, Fatigue, and Environmental Factors on Performance
- 10.202 Effects of Different Stressors on Performance

### **10.3 Noise 2028**

- 10.301 Noise Bursts: Effect on Task Performance
- 10.302 Continuous Broadband Noise: Effect on Task Performance
- 10.303 Continuous Broadband Noise: Effect on Vigilance Performance as a Function of Number of Monitored Sources
- 10.304 Continuous Noise: Effect on a Dual Vigilance Task
- 10.305 Continuous Open-Field White Noise: Effect on Speed/Accuracy Tradeoffs in Serial Response Tasks
- 10.306 Continuous Noise: Effect on Performance for Different Age Groups
- 10.307 Continuous Noise: Effect on Sampling of Signal Sources
- 10.308 Continuous Noise: Effect on Incidental Learning
- 10.309 Continuous Noise: Effect on Performance of a Letter-Transformation Task with Varying Memory Load
- 10.310 Continuous Broadband Noise: Performance-Related Aftereffects of Exposure
- 10.311 Factors Affecting the Temporary Threshold Shift
- 10.312 Temporary Threshold Shift and Recovery Time: Effect of Noise Intensity
- 10.313 Temporary Threshold Shift: Effect of Noise Spectrum
- 10.314 Noise-Induced Hearing Loss
- 10.315 Factors Affecting Noise-Induced Permanent Threshold Shift
- 10.316 Prediction and Prevention of Hearing Loss

### **10.4 Vibration 2064**

- 10.401 Vibration and Display Perception
- 10.402 Vibration Measurement and Representation
- 10.403 Vibration Characteristics of Fixed-Wing Aircraft
- 10.404 Vibration Characteristics of Rotary-Wing Aircraft
- 10.405 Vibration Characteristics of On- and Off-Road Vehicles

- 10.406 Factors Affecting Vibration Transmission Through the Body
- 10.407 Transmission of Vertical Seat Vibration to the Head
- 10.408 Transmission of Horizontal Seat Vibration to the Head
- 10.409 Factors Affecting Human Performance During Vibration
- 10.410 Minimum Amplitudes of Vibration Affecting Vision
- 10.411 Display Legibility: Effects of Vibration Frequency
- 10.412 Visual Performance: Effect of Random Multiple-Frequency and Multiple-Axis Vibration
- 10.413 Display Legibility During Vibration: Effect of Character Subtense
- 10.414 Display Legibility During Vibration: Effect of Character Spacing
- 10.415 Display Legibility During Vibration: Effect of Character Font During Whole-Body Vibration
- 10.416 Display Legibility During Vibration: Effect of Luminance Contrast
- 10.417 Visual Performance During Whole-Body Vibration: Effects of Viewing Distance and Display Collimation
- 10.418 Transmission of Vibration to the Eyes
- 10.419 Transmission of Vibration to Helmets
- 10.420 Perception of Information on Helmet-Mounted Displays During Vibration
- 10.421 Model for Predicting the Effects of Vibration on Manual Control Performance
- 10.422 Manual Control Performance: Effects of System Dynamics and Vibration Frequency
- 10.423 Continuous Manual Control Performance: Interactive Effects of Control Gain, Control Type, and Vibration
- 10.424 Data Entry Performance During Vibration
- 10.425 Manual Control Performance: Effects of Vertical Z-Axis Oscillatory Motion at Frequencies Below 1 Hz
- 10.426 Factors Affecting Incidence of Motion Sickness Caused by Low-Frequency Vibration
- 10.427 Vibration Perception Thresholds
- 10.428 Effect of Vibration Magnitude on Discomfort
- 10.429 Model for Predicting the Discomfort of Seated Occupants of Vehicles
- 10.430 Effects of Severe Vibration
- 10.431 Transmission of Vibration Through Seats
- 10.432 Comparison of the Vibration Isolation Effectiveness of Seats

- 10.433 Vibration Exposure Duration: Effect on Visual Performance
- 10.434 Vibration Exposure Duration: Effect on Manual Control Performance
- 10.435 Spatial Filtering Descriptions of Vibration-Induced Visual Disruption
- 10.5 Lighting 2138**
- 10.501 Glare: Effect on Visibility
- 10.6 Temperature and Humidity 2140**
- 10.601 Heat: Effect of Exposure Duration on Task Performance
- 10.602 Cold: Effect on Performance
- 10.7 Cyclical Variations 2144**
- 10.701 Characteristics of Biological Rhythms
- 10.702 Circadian Variation in Body Temperature
- 10.703 Cyclical Patterns of Sleep
- 10.704 Time of Day: Effect on Memory
- 10.705 Time of Day: Effect on Short-Term Memory and Speeded Decision Making
- 10.706 Time of Day: Effect on Speeded Decision Making
- 10.707 Circadian Variation in Work Efficiency
- 10.708 Incentive and Introverted/Extroverted Personality: Effect on the Diurnal Rhythm of Performance
- 10.709 Ultradian Rhythms
- 10.710 Adaptation of Circadian Rhythms to Altered Schedules
- 10.711 Circadian Variation in Vigilance Performance and Body Temperature for Individuals with Different Work Shift Preferences
- 10.712 Schedule Shift: Effect on Performance
- 10.713 Rapid Time-Zone Shifts: Effect on Performance and Body Temperature
- 10.714 Sleep/Wake and Body Temperature Cycles During Isolation from External Time References
- 10.8 Fatigue 2176**
- 10.801 Fatigue: Effect on Performance
- 10.802 Sleep Deprivation: Effect on Performance and Memory
- 10.803 Sleep Deprivation: Effect on Reaction Time in a Two-Choice Task
- 10.804 Sleep Deprivation: Effect on Serial Responding
- 10.805 Five-Choice Serial Response Task: Effect of Different Stressors on Performance
- 10.806 Sleep Deprivation: Effect on Performance of a Dual Task
- 10.807 Sleep Deprivation: Use of Physiological Indicators to Predict Performance Decrement
- 10.808 Sleep Deprivation: Effect on Circadian Rhythm
- 10.809 Partial Deprivation of Sleep: Effect on Performance
- 10.810 Selective Sleep Deprivation: Effect on Memory
- 10.811 Partial Sleep Deprivation: Effect on Vigilance and Cognitive Performance
- 10.9 Acceleration 2200**
- 10.901 Sustained Acceleration ( $+G_z$ ): Effect on Visual Performance
- 10.902 Acceleration of Body Rotation: Effect on Visual Acuity
- 10.903 Sustained Acceleration ( $+G_z$ ): Effect on Contrast Discrimination
- 10.904 Sustained Acceleration ( $+G_z$ ): Effect on Target Detection
- 10.905 Sustained Acceleration ( $+G_z$ ): Effect on Dial Reading Errors
- 10.906 Sustained Acceleration: ( $+G_z$ ): Effect on Vision and Consciousness
- 10.10 Gravity 2212**
- 10.1001 Techniques for Body Self-Rotation Without Surface Contact in Micro-Gravitational Environments

---

## Section 11.0 Display Interfaces

### 11.1 Visual Display Image Quality 2216

- 11.101 Judged Image Quality on CRT Displays: Effect of Bandwidth and Image Motion
- 11.102 Electro-Luminescent Displays: Minimum and Preferred Symbol Luminances
- 11.103 Display Surround Luminance and Subjective Visual Comfort
- 11.104 Recognition of Vehicular Targets on CRT Displays
- 11.105 CRT-Image Motion: Effect on Target Identification
- 11.106 CRT-Image Motion: Effect on Target Detection Performance
- 11.107 Visual Simulation of Aircraft Silhouettes: Contrast and Resolution Requirements
- 11.108 Television Display Resolution: Effect on Time and Accuracy for Symbol Identification
- 11.109 CRT Symbol Size, Viewing Angle, and Vertical Resolution: Effect on Identification Accuracy
- 11.110 CRT Scan Line Orientation: Effect on Symbol Legibility
- 11.111 CRT Symbol Size and Resolution: Effect on Legibility
- 11.112 CRT Symbol Size and Stroke Width: Effect on Legibility
- 11.113 CRT Symbol Spacing: Effect on Identification Accuracy
- 11.114 Display Element Size: Effect on Reading and Search Times
- 11.115 Dot Matrix Displays: Effect of Inter-Pixel Spacing on Character Identification
- 11.116 Dot Matrix Displays: Effect of Pixel Size-Spacing Ratio on Symbol Reading Time
- 11.117 Dot Matrix Displays: Effect of Matrix Size on Speed and Accuracy of Symbol Identification
- 11.118 Dot Matrix Displays: Effect of Symbol Size and Viewing Distance on Recognition
- 11.119 Estimation of the Number of Perceptible Gray Levels
- 11.120 Perceived Flicker for CRT Phosphors of Varying Persistence

- 11.121 CRT-Image Unsteadiness: Effect on Judged Picture Quality
- 11.122 Flicker Thresholds for Various Cathode Ray Tube Phosphors
- 11.123 Colored Light-Emitting Diodes: Use of Red or Green in High Ambient Illumination
- 11.124 Dial Scale Reading Times: Effects of Brightness Contrast and Color Contrast
- 11.125 Effects on Instrument Reading Performance: Pointer, Background, and Panel Lighting Colors
- 11.126 Color Misregistration: Effect on Symbol Identification
- 11.2 Visual Information Portrayal 2268**
- 11.201 Color-Coded Versus Monochrome Displays
- 11.202 Redundant Coding: Use of Color in Conjunction with Other Codes
- 11.203 Use of Color Coding: Effect of Display Density
- 11.204 Use of Color Coding: Effect of Visual Field Location
- 11.205 Use of Color Coding: Effect of Symbol Luminance, Illumination Level, and Hue
- 11.206 Color Coding: Compatible and Non-Compatible Control/Display Arrangements
- 11.207 Display Element Shape: Effect on Reading and Search Times
- 11.208 Dot-Matrix Versus Stroke-Written Symbols: Effect on Recognition
- 11.209 Alphanumeric Font and Display Legibility
- 11.210 Time and Accuracy in Reading Linear Scales
- 11.211 Scale Divisions: Reading to the Nearest Scale Mark
- 11.212 Scale Divisions: Straight Scale Interpolation
- 11.213 Dial Reading Errors for Various Scale Intervals
- 11.214 Time and Accuracy in Reading Circular Scales
- 11.215 Scale Divisions: Reading Circular Dials
- 11.216 Time and Accuracy in Reading Semi-Circular Scales
- 11.217 Time and Accuracy in Reading Counters
- 11.218 Differences Between the Natural Optic Array and Display Media
- 11.219 Canonical and Non-Canonical Views: From Layout to Eye
- 11.220 Canonical View: Homogeneous and Inhomogeneous Translation of Objects in the Field of View
- 11.221 Differentiation of Targets in TV and Cinematic Displays
- 11.222 Map Learning
- 11.223 Design of "You-Are-Here" Maps
- 11.3 Human-Computer Interfaces 2314**
- 11.301 Steps in Dialogue Design
- 11.302 Basic Properties of Person-Computer Dialogue
- 11.303 Comparison of Approaches to Person-Computer Dialogue
- 11.304 Major Data Models in Database Systems
- 11.305 Techniques for Modeling Interactive Systems
- 11.306 Keystroke Model for Predicting Task Execution Time
- 11.307 Protocol Analysis for Documenting User Problems with Interactive Systems
- 11.308 Formal Language as a Design Tool for Person-Computer Dialogue
- 11.309 Playback Methodology for Evaluating Person-Computer Dialogue
- 11.310 Interface Design Principles Derived from Human Error Analyses
- 11.311 Taxonomy of Computer-User Characteristics
- 11.312 Designing for the Casual or Infrequent Computer User
- 11.313 System Response Time and the Effect on User Performance and Satisfaction
- 11.314 Information Bandwidth in Person-Computer Dialogue
- 11.315 Design Recommendations for Query Languages
- 11.316 Comparison of Query Languages: Query-by-Example, SEQUEL, and Algebraic Languages
- 11.317 Data Entry Displays
- 11.318 Comparison of Input Time and Errors for Point-In and Type-In Data Entry
- 11.319 Sequence Control in Person-Computer Dialogue
- 11.320 Error Recovery
- 11.321 Design and Control of Cursors
- 11.322 On-Line Documentation
- 11.323 Aids to Person-Computer Problem Solving
- 11.324 Voice Versus Written Communications Between Users for Problem Solving
- 11.325 Presentation of Numeric Data in Person-Computer Dialogue
- 11.326 Presentation of Text Data in Person-Computer Dialogue
- 11.327 Presentation of Tabular Data in Person-Computer Display
- 11.328 Graphics in Person-Computer Display
- 11.329 Information Portrayal in Person-Computer Dialogue
- 11.330 Abbreviations and Acronyms in Person-Computer Dialogue
- 11.331 Prompting in Person-Computer Dialogue
- 11.332 Screen Layout and Structuring in Person-Computer Displays
- 11.333 Guidelines for Multiple-Frame Person-Computer Display Design
- 11.334 Design Guidelines for Multiple-Level Person-Computer Display
- 11.335 Windowing Versus Scrolling on Visual Display Terminals
- 11.336 Guidelines for the Use of Noncritical Auditory Signals
- 11.4 Attentional Directors 2388**
- 11.401 Guidelines for Designing Alerting Signals
- 11.402 Alarm Classification and Development
- 11.403 Target Coding: Effect on Search Time
- 11.404 Visual Versus Auditory Warning Signals
- 11.405 Visual Warning Signals: Effect of Visual Field Position and Color
- 11.406 Visual Warning Signals: Effects of Background Color and Luminance
- 11.407 Visual Warning Signals: Effect of Shape
- 11.408 Master Warning Signals: Effect on Detection of Signals in the Visual Periphery



- 11.409 Visual Warning Signals: Effect of Size and Location
- 11.410 Alerting Signals in the Peripheral Visual Field: Use of Apparent Motion
- 11.411 Visual Warning Signals: Effect of Flashing
- 11.412 Deceleration Warning Lights for Motor Vehicles
- 11.413 Coupling of Visual and Auditory Warning Signals: Effects on Detection and Recognition
- 11.414 Coupling of Master Indicators with Peripherally Located Warning Displays
- 11.415 Coupling of Visual and Verbal Warning Signals: Effect on Response Time
- 11.416 Comparison of Voice and Tone Warning Signals
- 11.417 Voice Auditory Warning Signals: Effect of Alerting Tones
- 11.418 Voice Warning Systems: Effect of Message Structure and Content
- 11.419 Coupling of Visual and Aural Warning Signals: Effect on Eye Fixation and Response Time
- 11.420 Response Time with Redundant Information
- 11.421 Integration of Visual and Auditory Alerts in Warning Systems

## **Section 12.0 Control Interfaces (Real/Virtual)**

### **12.1 Characteristics and Functional Uses of Common Controls 2432**

- 12.101 Recommended Uses of Controls
- 12.102 Comparison of Common Controls

### **12.2 Control/Display Ratios 2436**

- 12.201 Control/Display Ratios

### **12.3 Grouping and Arrangement of Controls 2438**

- 12.301 Principles of Grouping and Arranging Controls
- 12.302 Guidelines for Control/Display Position and Movement Relationships
- 12.303 Recommended Minimum Distances Between Controls
- 12.304 Military Aviator Reach Envelopes for Placement of Controls

### **12.4 Hand-Activated Controls 2446**

- 12.401 Pushbuttons: Effects of Spacing, Diameter, and Orientation on Error Rate
- 12.402 Transilluminated Pushbutton Indicators: Effects of Display Color and Ambient Illumination on Reaction Time
- 12.403 Legend Switches
- 12.404 Toggle Switches: Effects of Spacing, Orientation, and Direction of Throw on Error Rate
- 12.405 Toggle Switches: Factors Affecting Activation Time
- 12.406 Numeric Keypad Arrangements: Effects on Speed and Accuracy of Data Entry
- 12.407 Conventional Versus Membrane Keyboards
- 12.408 Alphabetic Versus QWERTY Keyboard Arrangements
- 12.409 Keyboard Slope: Effect on Keying Performance
- 12.410 Keyboards and Keysets: Effects of Key Size, Force, Displacement, and Feedback on Keying Performance
- 12.411 Multifunction Keyboards: Design Considerations
- 12.412 Control Type, Location, and Turbulence: Effect on Data Entry Performance
- 12.413 Rotary Selector Switches
- 12.414 Selection of Data Entry Devices: Rotary Selectors, Thumbwheels, and Pushbuttons
- 12.415 Selection of Data Entry Devices: Ten-Button Keypad, Matrix Keyboard, Vertical Levers, and Rotary Selectors
- 12.416 Rotary Controls: Spacing, Diameter, and Orientation
- 12.417 Continuous Rotary Controls: Size Coding
- 12.418 Rotary Selector Controls: Shape Coding
- 12.419 Rotary Controls: Effect of Knob Shape on Blind-Positioning Accuracy
- 12.420 Ganged Continuous Rotary Controls: Minimum Control Dimensions
- 12.421 Joystick Type: Effect on Tracking Performance
- 12.422 Comparison of Cursor Control Devices
- 12.423 CRT Touch Screen Devices
- 12.424 Control Coding
- 12.425 Push-Button Controls: Shape Coding
- 12.426 Use of Gloves: Effect on Control Operation
- 12.427 Use of Gloves: Effect on Control Operating Time
- 12.428 Use of Gloves: Effect on Maximum Torque Applied to Rotary Switches
- 12.429 Use of Gloves: Effect on Keyboard Data Entry
- 12.430 Use of Gloves: Effect on Discrimination of Knob Rim Surface Texture

## Glossary

- Abduction.** The outward rotation of an eye away from the midline.
- Absolute threshold.** The amount of stimulus energy necessary to just detect the stimulus. Usually taken as the value associated with some specified probability of stimulus detection (typically 0.50 or 0.75).
- Acceleration magnitude.** Time rate of change of velocity, reflecting a change in either the speed or direction component of velocity.
- Accommodation.** A change in the thickness of the lens of the eye (which changes the eye's focal length) to bring the image of an object into proper focus on the retina. (CRef. 1.222)
- Achromatic.** (1) Characterized by an absence of chroma or color. (2) In optics, corrected to have the same focal length for two selected wavelengths.
- Acoustic reflex.** Contraction of two small muscles attached to the conducting bones of the middle ear in response to a high-intensity sound; the contraction dampens sound pressure by increasing acoustic impedance and serves to protect the ear from damage by very loud sound. (CRef. 2.202)
- Active movement.** Movement of a limb or body part by the individual under his or her own volition.
- Adaptation.** (1) A change in the sensitivity of a sensory organ to adjust to the intensity or quality of stimulation prevailing at a given time (also called **sensory adaptation**); adaptation may occur as an increase in sensitivity (as in dark adaptation of the retina) or as a decrease in sensitivity with continued exposure to a constant stimulus. (2) A semipermanent change in perception or perceptual-motor coordination that serves to reduce or eliminate a registered discrepancy between or within sensory modalities or the errors induced by this discrepancy (also called **perceptual adaptation**). (CRef. 5.1101)
- Adaptometer.** An instrument for determining the amount of retinal adaptation or the time course of adaptation by measuring changes in the observer's threshold for light. Adaptometers are most frequently designed to measure dark adaptation.
- Afferent.** Conveying neural impulses toward the central nervous system, as a sensory neuron; sensory, rather than motor.
- Alpha wave.** Oscillations in the electrical potential of the cortex of the brain that have a frequency of 6-14 Hz and characteristically occur when the individual is awake and relaxed. The waves are generally measured between one electrode taped to the scalp on the back of the head and another, more distant electrode attached, e.g., to the mastoid.
- Alveolar.** Articulated with the tip of the tongue placed against part or all of the ridge behind the upper teeth (as in [t], [s], [n]).
- Amblyopia.** Low or reduced visual acuity not correctable by refractive means and not attributable to detectable structural or pathological defects. Clinically judged present if Snellen acuity is 20/30 or worse after refractive correction, or if acuity is significantly less in one eye than in the other.
- Amplitude modulation.** Modulation of the amplitude of a (usually) constant-frequency carrier in accordance with the strength of a second signal, generally of much lower frequency than the carrier; AM radio utilizes amplitude modulation.
- Analysis of variance.** A statistical test in which the variance (average squared deviation from the mean) among scores within experimental groups is compared with the variance among means across groups to assess whether the means of the experimental groups are significantly different from one another.
- Anechoic room.** A room in which all surfaces are covered by large wedges of sound-absorbing material to minimize reflections and provide an essentially echo-free or free-field environment.
- Aqueous humor.** The clear, watery fluid that fills the front chamber of the eye (the space between the cornea and the crystalline lens) and supplies oxygen and nutrients to the cornea and lens. (CRef. 1.201)
- Arousal.** Increased attention to and awareness of the environment, rendering the organism better prepared for mental or physical action.
- Articulator.** A moveable organ such as the tongue, lips, or uvula, that is used in the production of speech.
- Artificial pupil.** An aperture (smaller than the eye pupil in diameter) in a disc or diaphragm mounted in front of the eye and used to control the amount of light entering the eye. A small artificial pupil (2 mm) provides the eye with a virtually infinite depth of field.
- Astigmatism.** In the eye, refractive error due to unequal refraction of light in different meridians, caused by nonuniform curvature of the optical surfaces of the eye, especially the cornea. (CRef. 1.201)
- Asymmetric convergence.** Fixation on a target to one side rather than directly ahead of the observer. (CRef. 1.808)
- Atlanto-occipital joint.** A joint in the vertebral column at the juncture of the first cervical vertebra and the posterior part of the skull; permits flexion, extension, and lateral flexion of the head.
- Attention operating characteristic.** A curve showing how performance on one task varies as a function of performance on a second task when the two are carried out concurrently and the allocation of attention between the two tasks is varied; that is, a performance trade-off function describing the improvement in the performance on one task due to any added resources released by lowering the level of performance on (by decreasing the level of attention to) another task with which it is time-shared.
- Backward masking.** Masking in which the masking stimulus occurs after the test stimulus. (See **masking**.)
- Bang-bang control.** System control in which the operator moves the control stick rapidly from maximum deflection in one direction to maximum deflection in the opposite direction in a series of motions timed to bring the error to zero in a minimum time; used only when time constants are long or in acceleration (second-order) control systems (i.e., when the system is sluggish in responding to a control input). (CRef. 9.524)

- Basicentric axes.** Axes with an origin in the contacting surface through which vibration is transmitted to the body.
- Beats.** Periodic fluctuations in amplitude produced by the superposition of sound waves of slightly different frequencies.
- Békésy tracking procedure.** A procedure for measuring auditory thresholds in which the listener presses a switch to reduce the signal level as long as the signal is heard and releases it to increase the signal level when the signal becomes inaudible. When the procedure is continued over several minutes, a zigzag pattern of increasing and decreasing signal levels is produced on a chart recorder designed for the purpose. Threshold is usually calculated as the average of the median points between successive peaks and valleys in this pattern.
- $\beta$ . In signal detection analysis, the index of response bias representing the ratio of the height (ordinate) of the signal-plus-noise distribution to the height of the noise distribution. In practice,  $\beta$  may be derived from the hit and false alarm rates. (CRef. 7.420)
- Between-subjects design.** An experimental design in which each subject or group of subjects is tested under only one level of an independent variable. The performance of the difference groups is then compared to assess the effect of the experimental manipulation.
- Bimodal.** Pertaining to, affecting, or impinging simultaneously upon two sensory modalities (such as vision and touch).
- Binaural.** Pertaining to, affecting, or impinging upon both ears; sometimes used to imply identity of the signals to the two ears. (See also **diotic**; **dichotic**.)
- Binocular.** (1) Pertaining to, affecting, or impinging upon both eyes; sometimes used to imply the identity of both eyes' views (see also **dichoptic**). (2) Employing both eyes at once, with each eye's view contributing to the final percept.
- Binocular disparity.** See **lateral retinal image disparity**.
- Binocular suppression.** Decrease or loss of visibility of a portion or all of one eye's view due to stimulation of the same portion of the other eye. Binocular suppression is most clearly demonstrated when the two eyes are presented with conflicting information (such as different colors or different orientation of contours) in corresponding parts of the retinas. (CRef. 1.804)
- Blackbody radiator.** An ideal surface that completely absorbs all radiant energy of any wavelength incident upon it (and therefore appears black) and emits radiant energy of a spectral distribution that varies with absolute temperature according to Planck's radiation formula; also known as a **Planckian radiator** or an **ideal radiator**. (CRef. 1.107)
- Blackbody source.** See **blackbody radiator**.
- Blind spot.** The region of the retina where the optic nerve exits the eye; this region contains no visual receptors and is therefore insensitive to light; also known as the optic disc.
- Bloch's law.** A law stating that, for brief targets (less than  $\sim 100$  msec), the threshold intensity for detecting a target varies inversely with exposure duration; i.e.,  $I = k/T$ , where  $I$  is the light intensity of the target,  $T$  is exposure duration, and  $k$  is a constant. In other words, target lights with equal energy (or equal numbers of quanta) are equally detectable ( $I \times T = k$ ).
- Blocked design.** An experimental design in which only one value (or set of values) of the experimental variable(s) is tested in each group or block of trials to reduce uncertainty and maximize the subject's performance.
- Bode plot.** A plot in rectangular coordinates showing the magnitude of the input-output ratio of a system (in decibels) and the magnitude of the phase lag as a function of the logarithm of frequency.
- Brain potential.** Electrical voltage generated by the activity of nerve cells in the brain, usually measured from electrodes placed on the scalp or in contact with brain cells.
- Brightness.** The subjective attribute of light sensation by which a stimulus appears to be more or less intense or to emit more or less light. Brightness can range from very bright (brilliant) to very dim (dark). In popular usage, brightness implies higher light intensities, dimness the lower intensities.
- Brightness induction.** See **induction**.
- C.** Celsius (formerly **Centigrade**).
- Candela (cd).** A unit of luminous intensity equal to the luminous intensity in a direction perpendicular to the surface of  $1/60$  of 1 square centimeter of a blackbody radiator at the solidification temperature of platinum. Sometimes also called **candle** or **new candle**.
- cd.** Candela.
- cd/m<sup>2</sup>.** Candelas per square meter, a unit for measuring luminance;  $1 \text{ cd/m}^2 = 0.292 \text{ fL} = 0.314 \text{ mL}$ . (See also **candela**.)
- Choice reaction time.** The time from the onset of a stimulus to the beginning of the subject's response to the stimulus in conditions where there is more than one stimulus alternative and more than one response alternative. (CRef. 9.101)
- Chroma.** (1) The attribute of color perception representing the degree to which a chromatic color differs from an achromatic (gray) color of the same lightness. (2) The dimension of the Munsell color system corresponding most closely to saturation.
- Chromatic.** Having hue; colored; i.e., appearing different in quality from a neutral gray of the same lightness value.
- Chromatic aberration.** Image degradation in an optical system resulting from unequal refraction of light of different wavelengths; commonly manifested in simple optical systems as colored fringes on the border of an image. (CRef. 1.212)
- Chromatic induction.** See **induction**.
- Chromaticity.** The quality of a color characterized by dominant or complementary wavelength (hue) and purity (saturation) but not brightness or lightness.
- Chromaticity coordinates.** The proportions of each of the three standard primaries required to match a given color, expressed as the ratio of the amount of one primary to the total amount of all three. The chromaticity coordinates are designated as  $x$ ,  $y$ , and  $z$  in the colorimetric system of the CIE (Commission Internationale de l'Eclairage).
- Chromaticity diagram.** The two-dimensional diagram produced by plotting two of the three chromaticity coordinates ( $x$ ,  $y$ ,  $z$ ) against one another. The most widely used is the ( $x$ ,  $y$ ) diagram of the CIE (Commission Internationale de l'Eclairage), plotted in rectangular coordinates. (CRef. 1.722)
- CIE.** Commission Internationale de l'Eclairage (International Commission on Illumination), an international organization devoted to the study and advancement of the science of illumination; the commission has developed a number of international standards in photometry and colorimetry.

**CIE observer.** A hypothetical observer with standard color vision defined by the color-matching behavior embodied in the RGB and XYZ systems of the CIE (Commission Internationale de l'Éclairage).

**Circularvection.** Illusory self-rotation induced by rotating scenes.

**Closed loop.** A system in which the output (or some function of the output) is fed back and used to manipulate an input quantity so as to stabilize the system or achieve the desired control. Closed-loop systems are frequently called feedback control systems. (CRef. 9.506)

**Closure.** Perception of a series of pattern elements as a single large unit rather than a number of apparently unrelated parts. (CRef. 6.301)

**cm.** Centimeter, a unit for measuring length; 1 cm = 10 mm.

**Color assimilation.** A form of chromatic induction in which the difference between adjacent colors diminishes and it appears as though the color of one field spreads into and combines with the color of another field. Also known as Bezold spreading effect. (CRef. 1.718)

**Color temperature.** The temperature of a blackbody radiator (in degrees Kelvin) that has the same chromaticity as a given color sample or source. (CRef. 1.107)

**Color wheel.** A colored disk consisting of two or more disks of different colors cut along a single radius, then interleaved and overlapped to provide any desired ratio of exposure; the composite disk is rotated rapidly to produce a perceptual mixture of the colors.

**Colorimetric purity.** The ratio of the luminance of the spectrally pure component of a mixture to the luminance of the mixture itself. (CRef. 1.703)

**Combination tone.** A secondary tone not present in the stimulus that is heard when two primary tones of widely differing frequencies are presented simultaneously and that is thought to be due to nonlinearity in the response of the human auditory system to sound waves. Combination tones are heard at frequencies that represent the sum and differences of the frequencies of the two primary tones, or the harmonics of the primary tones. They may also occur at frequencies that bear a more complex relation to the primary-tone frequencies.

**Command input.** The motivating input signal to the system. An ideal tracking system will perfectly follow the command input.

**Comparison stimulus.** A variable stimulus presented along with a fixed or standard stimulus in an experiment designed to determine the difference threshold or just noticeable difference between the two. The value of the comparison stimulus is varied along a given dimension, while the value of the standard remains fixed, and the subject must indicate the relation between the two (e.g., the comparison is "greater than," "less than," or "equal to" the standard).

**Compensatory display.** A display that shows the direction and magnitude of tracking error, but not the position of the input or system response independently of each other. (CRef. 9.528)

**Compensatory tracking.** Tracking in which the operator's display shows only the direction and magnitude of tracking error and does not independently present the command input and system position. The task is to compensate (correct) error.

**Complementary wavelength.** The wavelength designated by the point on the spectrum locus of a chromaticity diagram that lies on the opposite side of the achromatic point, in a straight line with the wavelength in question;

i.e., the wavelength that, when mixed with the wavelength in question, yields white.

**Complex conjugate.** A quantity that has the same real part as a secondary quantity but an imaginary part with the opposite sign; e.g.,  $a - ib$  is the complex conjugate of  $a + ib$ , where  $i = \sqrt{-1}$ .

**Complex sound.** A sound comprising more than one frequency, i.e., a sound that is not a pure sine wave.

**Compound task.** The combining of two or more component tasks in such a way that each trial consists of a single stimulus drawn randomly from one of the component tasks and a response drawn from one of the component tasks.

**Conditioning (classical).** Learning in which a neutral stimulus comes to elicit a given response after being paired repeatedly with a second stimulus that previously elicited the response.

**Cone.** A cone-shaped photoreceptor in the retina of the eye; cones are the only receptors in the fovea and their density falls off rapidly with distance from the fovea. Cones function only at photopic (daylight) levels of illumination; they are responsible for color vision and fine visual resolution. (CRefs. 1.201, 1.301)

**Conjoint scaling.** A technique that enables several variables to be combined such that the order of their joint effects is preserved by a composition rule (e.g., an additive rule) resulting from various axiom tests (e.g., transitivity, cancellation) specified by conjoint measurement theory. Conjoint scaling procedures are applied subsequent to the axiom testing, and specify actual numerical scale values for the joint effects that fit the combination rule derived from the conjoint measurement technique. When an additive combination rule is specified by the axiom tests, a number of scaling procedures can be applied to seek interval-scaled values for level of the variables based on the ordinal constraints imposed by the data.

**Contactor.** In studies of cutaneous sensitivity, a device that generates vibrotactile stimulation by moving alternately against and away from the skin by force transmitted to it from an electromechanical vibrator. (CRef. 3.105)

**Contralateral.** Pertaining to, occurring on, or acting in conjunction with a similar part on the opposite side of the body.

**Contrast.** The difference in luminance between two areas. In the research literature, contrast is expressed mathematically in several nonequivalent ways (CRef. 1.601). (See also **contrast ratio**; **Michelson contrast**.)

**Contrast attenuation.** A reduction in contrast. Divided attention. A task environment in which the observer or operator must attend to two or more stimuli, input channels, or mental operations that are active simultaneously, and must respond appropriately to each.

**Contrast ratio.** A mathematical expression for contrast (luminance difference between two areas); defined in this way, the contrast of one area with respect to a second is given as  $L_1/L_2$ , or as  $(L_2 - L_1)/L_2$ , where  $L_1$  is the luminance of the first area and  $L_2$  is the luminance of the second area. (CRef. 1.601)

**Contrast sensitivity.** The ability to perceive a lightness or brightness difference between two areas; generally measured as the reciprocal of the contrast threshold. Contrast sensitivity is frequently measured for a range of target patterns differing in value along some dimension such as pattern element size and portrayed graphically in a contrast sensitivity function in which the reciprocal

- of contrast threshold is plotted against pattern spatial frequency or against visual angle subtended at the eye by pattern elements (such as bars).
- Contrast threshold.** The contrast associated with the minimum perceptible difference in luminance between two areas, often measured in terms of the luminance difference detectable on some specified proportion of trials (generally 0.50).
- Control condition.** In experimental design, the no-treatment condition; subjects are not exposed to any experimental manipulation.
- Control/display ratio.** For continuous control, the ratio of the movement distance of the control device to the movement distance of the display indicator (i.e., pointer or cursor).
- Convergence.** An inward rotation of the eyes to fixate on a point nearer the observer. (CRef. 1.808)
- Convergence angle.** The angle formed between the lines of sight of the two eyes when the eyes are fixated on a point in space. (CRef. 1.808)
- Convergent disparity.** Lateral retinal image disparity associated with a point in the visual field that is closer than the fixation point; also known as crossed disparity. By convention, convergent disparity is given a negative value when expressed in terms of visual angle.
- Convergent lateral retinal disparity.** *See* convergent disparity.
- Cooper-Harper Aircraft-Handling Characteristics Scale.** A widely used rating procedure designed for use by test pilots in evaluating aircraft ease of control. Although the scale deals primarily with aircraft handling, several empirical studies have demonstrated a relation between scale ratings and subjective workload.
- Cornea.** The transparent structure forming the front part of the fibrous coat of the eyeball and covering the iris and pupil. (CRef. 1.201)
- Corollary discharge.** That component of an internally generated command (outflow) signal (such as a signal to move the eyes) that is theoretically used for comparison with the inflowing sensory signal in determining perception.
- Course frequency.** *See* input frequency.
- Crest factor.** The ratio of the frequency-weighted peak of vibration acceleration to the frequency-weighted root mean square acceleration; indicates the importance of the peak values in a motion.
- Critical band.** That frequency bandwidth at which the subjective response to a sound changes abruptly; as measured by loudness, it is the frequency band within which the loudness of a sound of constant total sound pressure remains unaffected by the bandwidth of the sound; as measured by masking, it is the frequency band within which varying the bandwidth of narrow-band masking noise of constant power density does not affect the threshold for a pure tone located at the center frequency of the noise band.
- Critical flicker frequency.** The modulation frequency of an intermittently illuminated target at which the target ceases to appear flickering and appears steady.
- Cross-modality matching.** A procedure in which the subject adjusts the magnitude of a stimulus in one sensory modality to match the apparent magnitude of a stimulus in a different modality. For example, the loudness of a tone might be adjusted until it seems equal in magnitude to the brightness of a light.
- Cutaneous.** Pertaining to the skin or receptors in the skin, or to sensation mediated by receptors in the skin.
- Cyclofusional eye movements.** Disjunctive rotational eye movements around a horizontal axis through the pupil; such movements are generally made to bring differentially rotated left and right images into alignment on the two retinas.
- $d'$ .** In signal detection analysis, a statistical measure of the subject's sensitivity (or signal strength) that estimates the psychological distance between the mean of the noise distribution and the mean of the signal-plus-noise distribution. In practice,  $d'$  can be calculated from the hit and false alarm rates. (CRef. 7.420)
- Dark adaptation.** Adjustment of the eye to low levels of illumination which results in increased sensitivity to light.
- Dark focus.** The distance to which the eye is focused in the dark.
- dB.** Decibel, a unit for expressing the ratio of two powers used mainly in acoustics and telecommunication. (*See* decibel.)
- dB(A).** The relative sound pressure level of a sound in decibels measured using the A weighting network of a sound level meter. (CRef. 2.104)
- Decibel (dB).** (1) In audition, the standard unit used to express the ratio of the power levels or pressure levels of two acoustic signals. For power, one decibel =  $10 \log P_1/P_2$  (where  $P_1$  and  $P_2$  are the powers of the first and second signals, respectively). For pressure, one decibel =  $20 \log p_1/p_2$  (where  $p_1$  and  $p_2$  are the sound pressure levels of the two signals). In most applications, the power or pressure of a signal is expressed relative to a reference value of  $P_2 = 10^{-12} \text{ W/m}^2$  for power and  $p_2 = 20 \text{ } \mu\text{Pa}$  (or  $0.0002 \text{ dynes/cm}^2$ ) for pressure. (2) In vision, the decibel is sometimes used to express the ratio between two stimulus magnitudes, such as the threshold luminance contrast for a given target under two different experimental conditions. One decibel is taken to be  $10 \log I_1/I_2$  (where  $I_1$  and  $I_2$  are the magnitudes of the two stimuli). (3) In cutaneous studies, the decibel is sometimes used to denote the ratio between two stimulus intensities and is taken to be  $20 \log I_1/I_2$  (where  $I_1$  and  $I_2$  are the intensities of the two stimuli in the dimensions of force, amplitude of displacement, or pressure).
- Dependent variable.** The response to a stimulus presentation measured by the investigator to assess the effect of an experimental treatment or independent variable in an experiment; for example, the investigator might measure the auditory threshold (dependent variable) for several tones that differ in sound frequency (independent variable). (*Compare* independent variable.)
- Describing function.** An engineering-mathematical description of a nonlinear system element as an equivalent element in which the relationships between some, but not necessarily all, pertinent measures of the input and output signals have "linear-like" features despite the presence of nonlinearities. This approach leads to a quasi-linear characterization of nonlinear elements that can be approximated by an equivalent linear element (the describing function) plus an additional quantity called the remnant.
- Detection threshold.** *See* absolute threshold; threshold.
- Dichoptic.** Referring to viewing conditions in which the visual displays to the right and left eyes are not identical but differ with respect to some property (such as luminance or placement of contours).
- Dichotic.** Pertaining to listening conditions in which the sound stimulus to the left and right ears is not identical but differs with respect to some property (such as frequency or phase).

**Difference threshold.** The least amount by which two stimuli must differ along some dimension (such as sound pressure level or luminance) to be judged as nonidentical. Usually taken as the difference value associated with some specified probability of detecting a difference (typically 0.50 or 0.75).

**Diopter.** (1) A measurement unit expressing the refractive power of a lens and equal to the reciprocal of the focal length in meters. (2) A measurement unit expressing the vergence of a bundle of light rays equal to the reciprocal of the distance to the point of intersection of the rays in meters (taking a positive value for diverging rays and a negative value for the converging rays); the unit is often used to express the distance to an object being viewed, since it indicates the amount of eye accommodation necessary to bring the object into proper focus on the retina. (3) A measurement unit expressing the strength of a prism and equal to 100 times the tangent of the angle through which light rays are bent (generally called prism diopter).

**Diotic.** Pertaining to listening conditions in which the sound stimulus to both ears is identical.

**Diphthong.** A gliding, monosyllabic vowel sound that undergoes a shift in vowel quality from start to finish, such as the vowel combination at the end of the word "boy".

**Diplacusis binauralis.** A condition in which a tone of given frequency is perceived as having a different pitch in the left and right ears; most normal listeners show at least some degree of diplacusis.

**Diplopia.** See **double vision**.

**Distal.** Away from the point of attachment or origin; e.g., the finger is distal to the wrist. (*Compare proximal.*)

**Disturbance input.** An undesired input signal that affects the value of the controlled output. In manual control, a signal arising from sources other than the operator's input or the command input track to be followed that affects the controlled output (e.g., turbulence or wind shear acting on an aircraft).

**Divergence.** An outward rotation of the eyes to focus on a point further from the observer.

**Divergent disparity.** Lateral retinal image disparity associated with a point in the visual field that is further than the fixation point; also known as uncrossed disparity. By convention, divergent disparity is given a positive value when expressed in terms of visual angle.

**Divergent lateral retinal disparity.** See **divergent disparity**.

**Dominant wavelength.** The spectral wavelength that will match a given sample of color when mixed with a suitable proportion of white and adjusted appropriately in intensity.

**Dorsal.** Pertaining to the back or denoting a position toward the back surface; also, on the limbs, the side opposite the palm or sole.

**Double vision.** A condition in which a single object appears as double because the images of the object in the left and right eyes do not fall on corresponding portions of the retinas; also called **diplopia**.

**Dove prism.** A prism such as that invented by J. W. Dove with two slanted faces and a mirrored base. A ray entering parallel to the base is refracted, then internally reflected, and then refracted again, emerging parallel to its incident direction. When the prism is rotated about its longitudinal axis, the image formed rotates through twice the angle of the prism rotation. (CRef. 5.1102)

**Dwell time.** The length of time the eye is fixated on a given point.

**Dynamometer.** An instrument for measuring the force exerted by muscular contraction.

**Dyne.** The force that will accelerate 1 gram by 1 cm/sec<sup>2</sup>.

**Effective pilot time delay.** Time delay due to processing of sensory information by the pilot.

**Efferent.** Conveying neural impulses away from the central nervous system, as a motor neuron serving a muscle or gland; motor, rather than sensory.

**Electrocutaneous.** Pertaining to electrical stimulation of the skin.

**Electroencephalogram.** A graphic recording of changing electrical potentials due to the activity of the cerebral cortex, measured from electrodes located on the scalp.

**Electromyography.** The recording and study of the electrical properties of the skeletal muscles.

**Electro-oculography.** The recording and study of the changes in electrical potential across the front and back of the eyeball that occur during eye movements; generally measured using two electrodes placed on the skin at either side of the eye. The electrical potential is a function of eye position, and changes in the potential are caused by changes in the alignment of the resting potential of the eye with references to the electrodes.

**Emmetropia.** Optically normal vision; i.e., the refractive condition of the normal eye in which an object at infinity is brought accurately to a focus on the retina when accommodation is relaxed. (*Compare farsightedness; nearsightedness.*)

**Entrance pupil.** The image of the aperture stop formed by the portion of an optical system on the object side of the stop. The dark aperture seen when looking into a person's eye is the entrance pupil of the eye, which is larger and closer to the cornea than the real pupil.

**Equalization.** In control system design, the introduction of compensatory lead (prediction) and/or lag (smoothing) elements to achieve desired system response and stability.

**Ergograph.** An instrument for recording the amount of work done by muscular exertion.

**Esophoria.** A tendency for one or both eyes to turn inward in the absence of adequate fusion contours. (CRef. 1.809)

**Exophoria.** A tendency for one or both eyes to turn outward in the absence of adequate fusion contours. (CRef. 1.809)

**Extended source.** A light source that, unlike a point source, subtends a non-zero angle at the observer's eye. In practice, considered to be any source whose size is larger than one-tenth the distance from the observer to the source.

**Extorsion.** Cyclorotational eye movements away from the midline; from the observer's viewpoint, the right eye rotates clockwise and the left eye counterclockwise. Extorsion usually occurs in response to orientation disparity between the right and left eyes' views.

**F. Fahrenheit.**

**Factorial design.** An experimental design in which every level or state of each independent variable is presented in combination with every level or state of every other independent variable.

**False alarm.** In a detection task, a response of "signal present" when no signal occurred.

**Farsightedness.** An error of refraction in which parallel rays of light from an object at infinity are brought to a focus behind the retina when accommodation is relaxed. In some individuals with this condition, accommodative power may be sufficient to achieve good focus of objects at all distances; others may require corrective lenses to achieve proper focus of very near objects. Also known as hyperopia or hypermetropia. (CRef. 1.204)

- Fatigue-decreased proficiency boundary.** One of a series of boundaries defined in International Standard 2631 (1978). Exceeding this boundary for one minute is said to carry a significant risk of impaired working efficiency in many kinds of tasks, particularly those in which time-dependent effects are known to worsen performance as, for example, in vehicle driving.
- fc.** Footcandle, a unit for measuring illuminance; 1 fc = 10.76 lx. (See **footcandle**.)
- Feedback.** In a closed-loop system, the return of a part of the output of the system or mechanism to the input, so that dynamic response is made to the difference between input and output (i.e., the discrepancy between intended and actual operation) rather than to the input itself.
- Feedback loop.** See **feedback**.
- First-order control.** A system in which the response is proportional to the first time integral of the control input; also known as velocity control.
- First-order dynamics.** See **first-order control**.
- First-order system.** See **first-order control**.
- Fixation disparity.** Convergence of the eyes to a plane in front of or behind the intended plane of fixation.
- Fixation distance.** The distance to which the eyes are converged.
- Fixation point.** The point in space toward which one or both eyes are aimed. In normal vision, the image of the fixation point falls on the fovea.
- fL.** Foot lambert, a unit for measuring luminance; 1 fL = 3.426 cd/m<sup>2</sup> = 1.076 mL. (See **foot lambert**.)
- Foot candle (fc).** The illuminance of a surface 1 foot from a point source of light of one international candle and equal to 1 lumen/ft<sup>2</sup>; 1 foot candle = 10.764 lux.
- Foot lambert (fL).** A unit of luminous intensity equal to the luminance of a surface that emits or reflects 1 lumen/ft<sup>2</sup>; 1 fL = 3.426 cd/m<sup>2</sup> = 1.076 mL.
- Formant.** One of several bands of frequencies apparent in the spectrum of a vowel sound that are associated with resonance of the vocal tract and determine the phonetic quality of the vowel.
- Fourier analysis.** The representation of a complex periodic waveform as the superposition of a series of single sinusoidal components according to Fourier's theory.
- Fovea.** A pit in the center of the retina (approximately 1-2 deg of visual angle in diameter) where the density of cones is highest and visual acuity is greatest.
- Frame.** (1) In CRT displays, one complete scan of the image area by the electron beam. (2) In motion-picture film, a single image of the connected multiple images.
- F-ratio.** A ratio between the variances (average squared deviations from the means) of two samples calculated to determine if two different distributions have been sampled.
- Free field.** A sound field in free space produced by a source that is far enough away from all objects so that they cause no reflections or other disturbances to it.
- Frequency domain specifications.** For dynamic systems, expression of important system properties (i.e., speed of response, relative stability, and system accuracy or allowable error) as functions of frequency.
- Fricative.** A consonant produced by frictional passage of air moving through a narrowing at some point in the vocal tract; it may be either voiced (as in [v] and [z]) or voiceless (as in [f] and [s]).
- Frontal plane.** The plane passing vertically through the body from side to side, perpendicular to the medial plane and dividing the body into front and back, or any plane parallel to this plane.
- Functional stretch reflex.** A reflexive contraction of the leg muscles in response to passive longitudinal stretching that aids in maintaining postural stability.
- Fundamental frequency.** For a complex periodic waveform, the repetition rate of the waveform; i.e., the harmonic component that has the lowest frequency (and usually the greatest amplitude). Also called **first harmonic**.
- Gain.** The ratio of output to input in a system; typically employed to specify, for example, the relation between control movement and display movement or system response. In the human describing function, it may also describe the relation between perceived error and controlled response.
- Ganzfeld (uniform field).** A uniformly lit, homogeneous, structureless visual field; no surface is seen, just a fog that appears to fill the space. (CRef. 1.239)
- Gaussian distribution.** A probability density function that approximates the frequency distribution of many random variables in biological or other data (such as the proportion of outcomes taking a particular value in a large number of independent repetitions of an experiment where the probabilities remain constant from trial to trial). The distribution is symmetrical, with the greatest probability densities for values near the mean and decreasing densities at both larger and smaller values, and has the form
- $$f(x) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2}$$
- where  $f(x)$  is the probability density for the value  $x$  in the distribution,  $\mu$  is the mean value, and  $\sigma$  is the standard deviation. Also called normal distribution or normal probability distribution.
- Gaussian noise.** Noise that is the result of random processes and whose spectral level (power density) is uniform over the frequency band where it occurs; also called white noise.
- Glide.** A speech sound generally classified as between a vowel and a consonant, which is produced by movement or gliding to or from an articulatory position to an adjacent sound (generally a vowel); in English, the glides include /w/ and /y/ and, in some classification systems, /l/ and /r/.
- gm.** Gram, a unit of mass; 1 gm = 10<sup>-3</sup> kg = 0.0352 oz.
- Go/no-go reaction.** A reaction time task in which the subject must respond ("go") when a given stimulus is presented but must not respond ("no go") on trials on which any other (or no) stimulus occurs.
- Half-field.** The view of one eye only; most commonly used to refer to one of the two parts of a stereogram.
- Haploscope.** A stereoscope in which the arms holding the displays for the left and right eyes can be rotated to produce a wide range of symmetric and asymmetric convergence angles.
- Haptic.** Pertaining to or arising from tactual perception based on both cutaneous and kinesthetic information.
- Haversine pulse.** A single cycle of a sine wave, the zero axis of which is shifted to the minimum value to yield the appearance of a unidirectional displacement.
- Head-down display.** A display located on the control panel of a cockpit or some other location that requires downward movement of the head to locate information. In contrast, a head-up display puts the most important display information where it can be seen with the head up, as on the windshield or helmet visor.

- Head-up display.** A display in which information is viewed superimposed on the outside world (as by displaying on a windscreens or visor) so that the information can be read with the head erect and with the outside world always in the field of view.
- Hearing threshold level.** The amount (in decibels) by which the level of a sound exceeds the average threshold of audibility of normal listeners as established in national and international standards.
- Hertz (Hz).** A unit of frequency equal to 1 cycle/sec.
- Heterochromatic brightness matching.** A procedure in which a fixed-radiance reference light of known luminance is presented adjacent to a comparison field with a different wavelength composition. The observer adjusts the radiance of the comparison field until both appear of equivalent brightness. The procedure is used to measure relative sensitivity to light of different wavelengths. (CRef. 1.109)
- Heterochromatic flicker photometry.** A procedure in which a reference light of fixed luminance is alternated in time with a coextensive comparison light with a different wavelength composition. The observer adjusts the radiance of the comparison light to eliminate or minimize the sensation of flicker. The procedure is used to measure relative sensitivity to light of different wavelengths. (CRef. 1.109)
- Heteromodal.** Pertaining to or affecting more than one sensory modality.
- Homatropine.** An alkaloid (oxytoluyl-tropeine) applied topically to the eye to dilate the pupil and paralyze eye accommodation.
- Homograph.** A word identical in spelling with another, but different in origin, pronunciation, or meaning.
- Horizontal axis of Helmholtz.** In representing eye position, the horizontal axis connecting the centers of rotation of the two eyes; eye elevation is specified in terms of rotation about this axis.
- Horizontal disparity.** See lateral retinal image disparity.
- Huddleston font.** A display font developed by H. F. Huddleston; based on the ASCII font, with certain arms of letters widened to make the letters more distinguishable.
- Hz.** Hertz, a unit of frequency equal to 1 cycle/sec.
- Ideal radiator.** See blackbody radiator.
- Illuminance.** The luminous flux incident per unit area of a surface at any given point on the surface. The most commonly used units of measurement are lux (lumens per m<sup>2</sup>) and foot candles (fc, or lumens/ft<sup>2</sup>). (CRef. 1.104)
- Increment threshold.** See difference threshold.
- Independent variable.** The aspect of a stimulus or experimental environment that is varied systematically by the investigator to determine its effect on some other variable (i.e., the subject's response). For example, the investigator might systematically alter the frequency of a tone (independent variable) to assess the effect of these changes on the observer's auditory threshold (dependent variable). (Compare dependent variable.)
- Induced effect.** In stereoscopic vision, apparent tilting of the visual field about the vertical axis caused by vertical magnification differences between the left and right eyes' views. The magnitude and direction of perceived tilt depend on which eye's image has greater magnification, as well as on the amount of magnification difference between right and left eyes, viewing distance, and interpupillary separation. (CRef. 5.909)
- Inducing field.** The portion of the visual field acting on and modifying the perception of another portion of the visual field (the induced field or test field).
- Induction.** Alteration of perception by indirect stimulation. Lightness or brightness induction is the alteration of the perceived lightness or brightness of a given area due to the presence of a nearby area of different lightness or brightness. Chromatic or color induction is the alteration of the perceived hue of a colored area due to the presence of a nearby area with differing chromaticity.
- Inferior oblique muscle.** One of the six voluntary muscles that move the eyeball. (CRef. 1.901)
- Infradian.** Pertaining to a rhythm with a period considerably longer than 24 hours.
- Innervation.** The distribution or supply of nerves to a body part.
- Input frequency.** The frequency of the changes a system is supposed to follow; the frequency of the forcing function or desired path when only one frequency (a pure sine wave) is present.
- Inside-out display.** A display (as of aircraft attitude) that uses the vehicle as a frame of reference, so that the display reflects the way the environment appears to the operator inside the vehicle looking out. For example, when the aircraft banks, the horizon in the attitude display tilts. (Compare outside-in display.) (CRef. 9.529)
- Integrated error.** Tracking error that is summed over the tracking task.
- Interaural phase.** The relative phase of a tone in the left and right ears, generally taken to imply a time in the mechanical activity of the middle ear.
- Intermanual transfer.** Transfer of the change in performance due to practice or exposure from one hand or limb to the other.
- Interocular transfer.** Transfer of the change in performance due to practice or exposure from one eye to the other.
- Interphalangeal.** Situated between two contiguous joints of the fingers or toes.
- Interpupillary distance.** The distance between the centers of the pupils of the eyes when the eyes are parallel (converged to optical infinity); also known as interocular distance. (CRef. 1.208)
- Interstimulus-onset interval.** The time between the onset of one stimulus and the onset of a second stimulus. Also called stimulus-onset interval.
- Intervocalic.** Occurring between vowels. Labial. Articulated using one or both lips (as in [b], [w]); sounds articulated using both lips are frequently termed bilabial.
- Intorsion.** Cyclorotational eye movements toward the midline; from the point of view of the observer, the right eye rotates counterclockwise and the left, clockwise. It usually occurs in response to orientation disparity between the right and left eyes' views.
- Intra-modal matching.** A procedure in which the subject matches the magnitude of a stimulus along some dimension with the magnitude of another stimulus in the same sensory modality that is presented as a standard. (Compare cross-modal matching.)
- Inverse power function.** An exponential function with a negative exponent, e.g.,  $x^{-2}$  or  $1/x^2$ .
- Inverse square law.** (1) A law stating that the illuminance or irradiance from a point source varies as the inverse square of the distance from the source to the observer. (2) A law stating that the intensity (power) of a sound source is inversely proportional to the square of the distance of the listener from the sound source. (Because intensity is proportional to the square of the sound pressure level, sound pressure is inversely proportional to the distance of the sound source.)



- Iris.** The circular, pigmented membrane that surrounds the pupil of the eye, located between the cornea and the crystalline lens. (CRef. 1.201)
- Isometric.** Referring to contraction of a muscle against resistance in which there is little shortening of the muscle but muscle tone increases.
- Just-noticeable difference.** The least amount by which two stimuli must differ along a given dimension to be perceived as nonidentical.
- K.** Kelvin.
- kHz.** Kilohertz, a unit of frequency equal to 1000 ( $10^3$ ) Hz.
- Kinesthesia.** The sense of movement and position of the limbs or other body parts, arising from stimulation of receptors in joints, muscles, and tendons.
- km.** Kilometer, a unit for measuring length; 1 km = 1000 m.
- Labiodental.** Articulated with the lower lip touching the upper central incisors (as in [f], [v]).
- Lag time constant.** For first-order (exponential) lag, the time required for the output to reach 63% of its final value in response to a step input. It generally describes the "responsiveness" of the system, with sluggish systems having long time constants.
- Landolt C.** An incomplete ring, similar to the letter C in appearance, used as a test object for visual acuity. The thickness of the ring and the break in its continuity are each one-fifth of its overall diameter. The ring is rotated so that the gap appears in different positions and the observer is required to identify the location of the gap. Also called a **Landolt ring** or **Landolt C-ring**. (CRef. 1.602)
- Landolt ring.** *See* Landolt C.
- Laplace domain.** *See* Laplace transform.
- Laplace operator.** *See* Laplace transform.
- Laplace transform.** A transformation technique relating time functions to frequency-dependent functions of a complex variable.
- Latency.** The time between the onset of a stimulus and the beginning of the individual's response to the stimulus; also called reaction time or response time.
- Lateral disparity.** *See* lateral retinal image disparity.
- Lateral inhibition.** Inhibitory interactions between neural units serving spatially separated regions; evidenced as a reduction in the sensation or response to stimulation of one area due to stimulation of a nearby area, usually on the skin or on the retina.
- Lateral rectus muscle.** One of the six voluntary muscles that move the eyeball. (CRef. 1.901)
- Lateral retinal image disparity.** The difference in the relative horizontal position of the visual images of an object on the left and right retinas due to the lateral separation of the eyes. (CRef. 5.905)
- Lateralization.** Localization of a sound presented (usually dichotically) via earphones in terms of its apparent spatial position along an imaginary line extending from the right to the left ear.
- Lead time constant.** The time constant of a lead element placed in a dynamic control loop to increase high-frequency stability. It determines the frequency above which the system responds with lower order.
- Least-squares method.** A mathematical method of fitting a curve to a set of quantitative data points in which the sum of the squares of the distances from the points to the curve is minimized.
- Lens.** A transparent, biconvex, lens-shaped body located immediately behind the iris of the eye; through the action of the ciliary muscle, the shape of the semi-elastic lens can be changed to alter its refractive power and bring the images of objects at different distances to a sharp focus on the retina. (CRefs. 1.201, 1.222)
- Lexical decision task.** A task in which the subject must judge whether a given letter string is a word.
- Light adaptation.** The adjustment of the visual system to an increase in illumination in which sensitivity to light is reduced (threshold for light is increased) as illumination is increased.
- Lightness.** The attribute of visual perception according to which a visual stimulus appears to emit more or less light in proportion to a stimulus perceived as "white." Lightness can range from very light (white) to very dark (black). The physical correlate of lightness is reflectance.
- Lightness induction.** *See* induction.
- Liminal contrast threshold.** The contrast associated with the minimum perceptible difference in luminance between two areas, often measured in terms of the luminance difference detectable on some specified proportion of trials (generally 0.50).
- Linear regression.** A statistical technique for predicting the value of one variable from the value of another variable when the two variables bear a linear relation to one another.
- Line-spread function.** A mathematical description of the relative intensity of light in the optical image of an infinitesimally narrow bright line as a function of distance from the center of the image in a direction perpendicular to the line's length. (CRef. 1.215)
- Linguadental.** Articulated with the tip of the tongue placed on the upper front teeth (as in the [th] sound of thin).
- Loudness level.** The loudness level of a sound (in phons) is the sound pressure (in decibels re 20  $\mu$ Pa) of a 1000-Hz tone judged equal in loudness to the sound being measured.
- Lumen (lm).** A unit of luminous flux equal to the light emitted within a solid angle of unit size by a point source of light with a luminous intensity of 1 candela; i.e., 1 candela per steradian.
- Luminance.** Luminous flux reflected or transmitted by a surface per unit solid angle per unit of projected area in a given direction. The most commonly used units of measurement are candelas per meter<sup>2</sup> (cd/m<sup>2</sup>), footlamberts (fL), and millilamberts (mL). (CRef. 1.104)
- Luminosity.** The luminous efficiency (brightness-producing capacity) of radiant energy.
- Luminous efficiency.** The ratio of the total luminous flux radiated by a source (i.e., radiant flux weighted by the standard spectral luminous efficiency function of the eye) to the radiant flux from the source; usually expressed in terms of lumens/watt. (CRefs. 1.104, 1.110)
- Luminous efficiency function.** The function describing the relative sensitivity of the eye to light of different wavelengths. (CRef. 1.110)
- Luminous flux.** The radiant flux from a source weighted by the luminous efficiency function of the eye (i.e., the response of the eye to each wavelength present); usually expressed in terms of lumens. (CRefs. 1.104, 1.110)
- Luminous intensity.** The light-giving power of a source, measured as the luminous flux per unit solid angle in a given direction and usually expressed in terms of candelas (cd, or lumens/steradian). (CRef. 1.104)
- Lux (lx).** A unit of illuminance equal to the illumination on a surface 1 meter from a point source of light with a

luminous intensity of 1 candela, or 1 lumen per square meter (1 candela per steradian per square meter); 1 lux = 0.0929 foot candle.

**lx.** Lux.

**m.** Meter, a unit for measuring length; 1 m = 100 cm = 1000 mm.

**mA.** Milliampere, a unit for measuring electric current; 1 mA =  $10^{-3}$  A.

**Macula lutea.** The central region of the retina, approximately 6-10 deg of visual angle (2-3 mm) in diameter. Marked by yellow pigmentation, it is the region of greatest visual acuity; the fovea is at its center.

**Macular.** Of or pertaining to the macula lutea.

**Mann-Whitney U test.** A powerful, non-parametric statistical test used with rank-order data to determine the significance of the difference between two experimental groups.

**Mask.** See **masking**.

**Masking.** A decrease in the detectability of one stimulus due to the presence of a second stimulus (the mask) which occurs simultaneously with or close in time to the first stimulus.

**Massed practice.** Extended practice without interspersed rest or recuperation periods.

**Maxwellian view.** A uniformly luminous field obtained when a light source is focused on the pupil of the eye. Very high luminances are achievable and the amount of light entering the eye is not affected by pupil size.

**Mean.** The average value of a set of numbers or data points; the sum of the values divided by the number of values.

**Mechanoreceptor.** A neural structure that responds to mechanical stimuli such as a change in pressure, shape, or tension; the mechanical stimulation may be internal (such as the mechanical events associated with limb movement) or external.

**Medial plane.** The vertical plane passing through the middle of the body from front to back and dividing the body into left and right. Sometimes called **sagittal plane**.

**Medial rectus muscle.** One of the six voluntary muscles that move the eyeball. (CRef. 1.901)

**Median.** The middle value in a series of values arranged in order of magnitude. For an even number of values, the median is the arithmetic mean of the two middle values.

**Mel.** A subjective unit of pitch such that a pure tone of 1000 Hz has a pitch of 1000 mels.

**Mesopic.** Pertaining to a luminance range intermediate between photopic and scotopic levels at which both the rods and cones function.

**Metameric pair.** Two lights or targets of different spectral composition that nevertheless appear identical in color.

**Method of adjustment.** A psychophysical method for determining a threshold in which the subject (or the experimenter) adjusts the value of the stimulus until it just meets some preset criterion (e.g., just appears visible or just appears flickering) or until it is apparently equal to a standard stimulus.

**Method of constant stimuli.** A psychophysical method of determining a threshold in which the subject is presented with several fixed, discrete values of the stimulus and makes a judgment about the presence or absence of the stimulus or indicates its relation to a standard stimulus (e.g., more or less intense).

**Method of limits.** A psychophysical method of determining a threshold in which the experimenter varies a stimulus in an ascending or descending series of small steps and the observer reports whether the stimulus is detectable or not or indicates its relation to a standard stimulus.

**Michelson contrast.** A mathematical expression for specifying contrast of periodic patterns; defined as  $(L_{\max} - L_{\min}) / (L_{\max} + L_{\min})$ , where  $L_{\max}$  and  $L_{\min}$  are the maximum and minimum luminances in the pattern. Michelson contrast ranges between 0 and 1. (CRef. 1.601)

**μm.** Micrometer, a unit for measuring length; 1 μm =  $10^{-6}$  m.

**μPa.** Micropascal, a unit for measuring pressure or stress; 1 μPa =  $10^{-6}$  Pa.

**Microsaccade.** Very small movements or tremors of the eye (2-28 min arc of visual angle) occurring at a variable rate and most typically seen when observers attempt to fixate very accurately.

**Millilambert (mL).** A unit of luminance equal to 0.001 times the luminance of a surface of 1 lumen/cm<sup>2</sup>; 1 mL = 3.183 cd/m<sup>2</sup> = 0.929 fL.

**Minimum angle of resolution.** The minimum distance (measured in minutes of arc of visual angle) by which two targets (such as lines or points) must be separated to be distinguished as two targets rather than one. (CRef. 1.602)

**Minimum visibility.** The smallest perceivable target size, typically measured as the width of the narrowest dark line that can be detected at a given distance and luminance level. (CRef. 1.602)

**Mirror stereoscope.** A device using a system of mirrors to present separate images of an object or scene to the left and right eyes; for appropriately constructed stereograms, the result is a single, fused image appearing to have depth or three-dimensionality. Sometimes called a **Wheatstone stereoscope**.

**mL.** Millilambert, a unit for measuring luminance; 1 mL = 0.929 fL = 3.183 cd/m<sup>2</sup>. (See **millilambert**.)

**mm.** Millimeter, a unit for measuring length; 1 mm =  $10^{-1}$  cm.

**Modulation transfer function.** The function (usually graphic) describing the ratio of the modulation of the input to the modulation of the output over a range of frequencies; for an image-forming system, the ratio of the modulation in the image to that in the object. Also called **sine-wave response function** and **contrast transfer function**.

**Modulus.** The numerical value assigned to a standard stimulus (e.g., 1.00); other stimuli are judged by the subject in comparison to this modulus and assigned a value in relation to it.

**Monaural.** Pertaining to, affecting, or impinging upon only one ear.

**Monocular.** Pertaining to, affecting, or impinging upon only one eye.

**Monte Carlo method.** A technique for obtaining a probabilistic approximation to the solution of problems in mathematics, science, and operations research by the use of random sampling.

**Motion parallax.** Changes in the projective relations among objects in the visual field due to the relative motion of the observer. (CRef. 5.902)

**Motor.** Pertaining to structures or functions connected with the activation of muscles or glands.

**msec.** Millisecond, one-thousandth of a second ( $10^{-3}$  sec).

**Multidimensional scaling.** A family of statistical techniques designed to uncover the underlying structure in data that consist of measures of relatedness among a set of objects (e.g., stimuli). Multidimensional scaling uses a matrix of proximities among the objects as input and produces an  $N$ -dimensional configuration or map of the

- objects as output. The configuration is so derived that the distances between the objects in the configuration match the original proximities as closely as possible. The locations of particular clusters of objects are said to reflect whatever dimensions might underlie the proximity measures.
- Munsell color system.** A method of ordering and specifying object color in terms of hue, lightness, and saturation. The system is embodied in a set of color samples arranged to represent perceptually equal steps in Munsell hue, Munsell value, and Munsell chroma. (CRef. 1.724)
- Munsell value.** The dimension of the Munsell color system corresponding to lightness; it ranges from 1 (black) to 10 (white) and is approximately equal to the square root of the reflectance expressed in percent. (CRef. 1.724)
- mW.** Milliwatt, a unit for measuring power;  $1 \text{ mW} = 10^{-3} \text{ W}$ .
- Myopia.** *See nearsightedness.*
- Myotatic stretch reflex.** A reflexive contraction of a muscle in response to passive longitudinal stretching.
- N.** Newton, a unit for measuring force; it is the force required to accelerate  $1 \text{ kg}$  by  $1 \text{ m/sec}^2$ .
- n, N.** Number, as in number of subjects or number of observations.
- Nearsightedness.** An error of refraction in which parallel rays of light from an object at infinity are brought to a focus in front of the retina when accommodation is relaxed. An individual with this condition will see close objects clearly, but distant objects will not be in sharp focus unless corrective lenses are worn. Also known as **myopia**. (CRef. 1.204)
- Negative aftereffect.** The occurrence of a perceptual effect in response to a stimulus that is opposite to the original effect elicited by a stimulus that preceded it. For example, after a heavy weight is lifted, a second weight appears lighter than if the first had not been lifted.
- Negative feedback loop.** A feedback loop in which a signal from a part of the system following the control is fed back to the system input with a polarity opposite to that of the control output, thus tending to decrease output and helping to stabilize the system by avoiding progressively increasing error. Also called **negative feedback servoloop**.
- Neutral density.** *See neutral density filter.*
- Neutral density filter.** A light filter that decreases the intensity of the light without altering the relative spectral distribution of the energy; also known as a gray filter.
- Newton (N).** A unit of force equal to the force required to accelerate  $1 \text{ kg}$  by  $1 \text{ m/s}^2$ ;  $1 \text{ N} = 10^5 \text{ dynes}$ .
- nm.** Nanometer, a unit for measuring length;  $1 \text{ nm} = 10^{-9} \text{ m}$ .
- Nodal points.** The points in a lens system, such as the eye, toward which and from which are directed corresponding incident and transmitted rays that make equal angles with the optical axis.
- Noise spectral level.** The average noise power in a 1-Hz band of noise (in decibels re  $10^{-12} \text{ W/m}^2$ ); also called **noise-power density**.
- Nonius markers.** A pair of lines or other contours presented, one to each eye, which are in vernier alignment in the combined (binocular) view when left and right stereoscopic half-fields are in proper registration on the retinas. Nonius markers are used in stereoscopic displays to facilitate proper fixation as well as to assess convergence (fixation distance), vertical eye rotation, and image size differences between the eyes.
- Normal distribution.** *See Gaussian distribution.*
- Nystagmus.** Involuntary rhythmic movements of the eyes, which generally take the form of a slow drift alternating with a quick movement in the opposite direction.
- Octave.** A band of frequencies whose upper and lower limits have a 2:1 ratio.
- Open loop.** A system in which there is no feedback of information about an output to an earlier stage of the system. (CRef. 9.506)
- Optacon.** From OPTical-to-TACTile CONverter; a reading aid for the blind that converts printed or optical patterns (such as letters) into a corresponding tactile pattern presented to the skin of the index finger pad by means of an array of 144 small vibrators covering an area of approximately  $2.7 \times 1.2 \text{ cm}$ .
- Optic node.** The optical center of the compound lens system of the eye (center of curvature of the cornea in the simple lens equivalent).
- Optokinetic nystagmus.** Nystagmus induced by viewing a moving object.
- Optometer.** An instrument for measuring the refractive power and range of vision.
- Order.** *See system order.*
- Orientation disparity.** Rotation of the image in one eye with respect to the image in the other eye. This causes corresponding image points to fall on noncorresponding (disparate) retinal locations for all points in the binocular field except a point at the center, provided optical axes are parallel. (CRef. 5.908)
- Orthogonal.** Completely independent or separable.
- Otolith organs.** Two small sack-shaped organs (the utricle and the saccule) that are embedded in the temporal bones on each side of the head near the inner ear and are sensitive to gravity and linear acceleration of the head.
- Outside-in display.** A display (as of aircraft attitude) that uses the outside world as the frame of reference, so that the display reflects the way the aircraft would appear to someone facing the windscreen from the outside. For example, when the aircraft banks, the aircraft in the attitude display tilts while the horizon of the display remains horizontal. (*Compare inside-out display.*) (CRef. 9.529)
- Overitone.** A constituent of a complex tone whose frequency is an integral multiple of the fundamental frequency; also called harmonic or upper partial.
- p.** In statistical analysis, the probability that the observed difference between experimental groups is due to sampling effects (i.e., occurred by chance) rather than to the experimental manipulation. In most experimental psychology research, the significance level is set at  $p = 0.05$  or  $p = 0.01$ . If the value of the analytical statistic calculated for the data (such as Student's  $t$  or Mann-Whitney  $U$ ) is greater than the value associated with  $p = 0.05$  (or  $p = 0.01$ ), then the observed difference between experimental groups is assumed to be real (i.e., the data samples are assumed to be drawn from different populations rather than from the same population).
- Pa.** Pascal, a unit of pressure or stress equal to a force of  $1 \text{ N/m}^2$ .
- Palatal.** Articulated with the tongue on or near the hard palate (as in [r], [ž]).
- Panum's fusional area.** A small area surrounding the fixation point (or any point on the horopter [CRef. 5.910]) in which objects are seen as single, even though corresponding image points may not fall on precisely corresponding locations of the two retinas. (CRef. 5.911)
- Parafovea.** A region of the retina covering approximately  $4 \text{ deg}$  of visual angle ( $0.5 \text{ mm}$ ), immediately surrounding the fovea.

**Pascal (Pa).** A unit of pressure or stress equal to a force of 1 newton/m<sup>2</sup>.

**Passive movement.** Movement of a subject's limb or body by a device or by the experimenter while the subject keeps the moved part as relaxed as possible.

**Perceptual adaptation.** See **adaptation** (2).

**Performance operating characteristic.** A curve showing how performance on one task varies as a function of performance on a second task when the two are carried out concurrently and the relative emphasis on one task or the other is varied; that is, a performance trade-off function describing the improvement in the performance on one task due to any added resources released by lowering the level of performance on another task with which it is time-shared. (CRef. 7.205)

**Peripheral nervous system.** The nervous system excluding the brain and spinal cord.

**Peripheral vision.** Vision in the peripheral (non-foveal) region of the visual field.

**Phase droop.** The increased phase lag at very low frequencies that is sometimes observed in the human operator manual control response.

**Phon.** A unit of loudness equal to the number of decibels (re 20  $\mu$ Pa) of a 1000-Hz tone that is equal in loudness to the sound being measured. Loudness in phons is termed the loudness level of a sound.

**Phone.** The smallest discriminable unit of sound in speech. (CRef. 8.206)

**Phoneme.** The smallest meaningful unit of speech; i.e., the shortest segment of speech that, if altered, alters the meaning of a word. (CRef. 8.206)

**Photometric unit.** A unit for measuring radiant energy in terms of its effect on vision, as contrasted with radiometric units, which measure energy and power without regard to biological effect.

**Photometry.** The measurement of light in terms of its effects on vision.

**Photopic.** Pertaining to relatively high (daytime) levels of illumination at which the eye is light-adapted and vision is mediated by the cone receptors. (CRef. 1.103)

**Photoreceptor.** A receptor such as a rod or cone cell of the eye that is sensitive to light.

**Plane of fixation.** The plane parallel to the front of the observer's body that contains the point of convergence (or fixation) of the eyes.

**Point source.** A light source (such as a star) that subtends an extremely small angle at the observer's eye. In practice, considered to be any source whose diameter is less than one-tenth the distance of the observer from the source.

**Position control.** A control system in which the output position is directly proportional to the input position. (See also **zero-order control**.)

**Postrotary nystagmus.** Nystagmus caused by decelerative stimulation of the vestibular system after the cessation of head rotation; the eye movements are opposite in direction to the nystagmus induced by the head rotation itself.

**Power spectral density.** The average power of a time-varying quantity within a band 1-Hz wide, as a function of frequency.

**Power spectrum.** A plot of the distribution of intensity as a function of frequency (with frequency usually given in logarithms). Also called power density spectrum and frequency spectrum.

**Primary line of sight.** The line connecting the point of fixation in the visual field with the center of the entrance pupil (and center of the fovea) of the fixating eye.

**Primary task.** The principal task of the operator, whose performance is critical or most important. (Compare **secondary task**.)

**Proactive inhibition.** Interference of responses learned earlier with the performance of responses learned at a later time.

**Probability summation.** The increase in the probability of detecting a stimulus due to an increase in the number of independent opportunities for detection on a given trial (as by viewing with two eyes or processing by multiple independent sensory mechanisms). (CRef. 1.814)

**Probit analysis.** A regression-like maximum-likelihood procedure for finding the best-fitting ogive function for a set of binomially distributed data. Originally developed in connection with pharmacological and toxicological assays to compute the lethal or effective dose (dosage affecting 50% of treated organisms); the procedure has also been applied in psychophysical studies in analyzing all-or-nothing (yes/no) responses to compute the 50% threshold (stimulus level eliciting a given response on 50% of trials) and its confidence limits.

**Proprioception.** The sensing of movement and position of the body or its parts.

**Proximal.** Near the point of attachment of a limb or body part; near the body; e.g., the wrist is proximal to the fingers. (Compare **distal**.)

**Psychometric function.** A mathematical or graphical function expressing the relation between a series of stimuli that vary quantitatively along a given dimension, and the relative frequency with which a subject answers with a certain category of response in judging a particular property of the stimulus (e.g., "yes" and "no" in judging whether a given stimulus is detected, or "less than," "equal to," and "greater than" in comparing the stimulus with a standard stimulus). (CRef. 1.657)

**Pulfrich effect.** Apparent motion in depth of a laterally moving target when the retinal illumination of one eye is lower than that of the other eye. A pendulum target appears to move in an elliptical path in a plane perpendicular to the frontal plane and parallel to the floor. (CRef. 5.933)

**Pure tone.** A tone of a single frequency produced by sinusoidal vibrations and without overtones.

**Pursuit tracking task.** Tracking in which the operator's task is to keep a marker or cursor on a moving target symbol or command input; the operator chases or pursues the target with the target position always displayed and the size and direction of tracking error available from the positions of the target and marker or cursor.

**Quickening.** A display technique in which the higher derivatives of the error (or system state) are added directly onto the error position with some relative weighting; that is, the rate at which error is changing, and higher derivatives as well, are represented as additions to the deviation of a cursor from a reference position in the display. Quickening is used to reduce the difficulty of controlling higher-order systems. (CRef. 9.525)

**r.** Pearson product-moment correlation coefficient, a statistic that indicates the degree of linear relationship between two variables.

**rad.** Radian.

**Radian.** A unit of angular measure equal to the angle subtended at the center of a circle by an arc the length of which is equal to the radius; 1 radian = 57.3 deg.

**Random-dot pattern.** Matrix pattern of light and dark cells, usually computer-generated, in which the probabil-

- ity that any given cell will be light or dark is determined by a random function. Such patterns are used in the study of stereoscopic vision because they allow the construction of stereograms containing no depth cues except lateral retinal image disparity. Thus only those with intact stereopsis mediated by retinal disparity can perceive the patterns.
- Random walk model.** A model of the perception and decision response components in reaction time tasks. According to the model, an ideal detector accumulates information about the identity of the stimulus from the start of a trial; when the information exceeds some preset threshold (response boundary), the appropriate response is made. Each new increment of information takes a constant time and is assumed to be somewhat unreliable so that the cumulative balance of all the information waivers (i.e., executes a random walk) between the alternatives.
- Randomized design.** An experimental design in which the various levels of the independent variable are presented in random order within a given block of trials or experimental session.
- Rate-aided system.** A position control system to which a rate control system has been added.
- Rate control.** See **first-order control**.
- Rate order.** See **second-order control**.
- Re.** Relative to the reference value given.
- Reaction time.** The time from the onset of a stimulus to the beginning of the subject's response to the stimulus by a simple motor act (such as a button press).
- Receptive field.** For cutaneous neural units, the area of the skin within which stimulation (as by pressure, vibration, etc.) influences the activity of a given sensory neuron. (CRef. 3.103)
- Reflectance.** The ratio of reflected radiant flux to incident flux; the portion of incident light reflected.
- Regression line.** A line on a graph or an equation of a line for predicting the value of one variable from the value of another; the line is derived by statistical methods as representing the relationship between the two variables that best describe a given set of data.
- Remnant.** In a quasi-linear characterization of a nonlinear system, the component that represents the difference between the response of the actual nonlinear system and the equivalent linear element (the describing function); called "remnant" because it is left over from the portion of the system response represented by the linear element.
- Resolution threshold.** A measure of the ability to resolve fine detail; determined in a variety of ways, e.g., as the minimum separation between two lines required for them to be seen as double rather than single, or as the smallest width of bars in a bar pattern that allows the patterns to be distinguished from a uniform field.
- Retina.** The membranous structure lining the inside of the eyeball which contains the photoreceptors (rods and cones) that mediate vision.
- Retinal disparity.** See **lateral retinal image disparity; vertical retinal image disparity**.
- Retinal eccentricity.** Distance from the center of the fovea to an image on or to an area of the retina generally expressed in angular terms; corresponds to the distance in the visual field from the fixation point to a given object or point in the field.
- Retinal illuminance.** The luminous flux incident on the retina per unit area; typically specified in trolands, where retinal illuminance in trolands is equal to the luminance of the source (in  $\text{cd}/\text{m}^2$ ) times pupil area (in  $\text{mm}^2$ ).
- Retinal image disparity.** See **lateral retinal image disparity; vertical retinal image disparity**.
- Ricco's law.** A law stating that, for small targets, the threshold intensity for detecting a target varies inversely with the size of the target; i.e.,  $I = k/A$ , where  $I$  is the light intensity of the target,  $A$  is the target area, and  $k$  is a constant. In other words, target lights with equal energy (or equal numbers of quanta) are equally detectable ( $I \times A = k$ ). (CRef. 1.308)
- Risley prism.** A prism assembly comprised of two thin wedge prisms (generally identical) arranged in series. Rotating the two prisms in opposite directions alters the magnitude of off-axis beam deviation but not azimuth, while rotating them in the same direction changes deviation azimuth but not deviation angle.
- ROC analysis.** Signal detection theory maintains that performance in a detection task is a function of both the sensitivity or resolution of the operator's detection mechanism and the criterion or response bias adopted in responding to signals. A receiver operating characteristic (ROC) graphically depicts the joint effects of sensitivity and response bias on operator performance. It is defined by the locus of points on a graph obtained by plotting the probability of correct target detection (or "hits") versus the probability of false detections (or "false alarms") in a detection task. By requiring observers to vary their response criteria under identical stimulus conditions, points along a curve that represent equivalent sensitivity but different degrees of response bias can be generated. Given hit and false alarm rates from a detection experiment, ROCs can be plotted to compare the detection performance of observers under different conditions, and analyses conducted to specify the signal detection theory indices of sensitivity to the signal ( $d'$ ) and criterion or response bias ( $\beta$ ).
- Rod.** A rod-shaped photoreceptor in the retina of the eye; rods are distributed only outside the fovea and are responsive at low levels of illumination. (CRefs. 1.201, 1.301)
- Roll angle.** The angle of rotation about the longitudinal (nose-to-tail) axis of an aircraft.
- Saccade.** A short, abrupt movement ("jump") of the eyes, as in shifting fixation from one point to another (such as occurs in reading).
- SAE pad.** Device of the Society of Automotive Engineers for measuring translational vibration on a seat beneath the human body.
- Sagittal plane.** The vertical plane passing through the body from back to front, and dividing it into left and right (i.e., the medial plane), or any plane parallel to it.
- Saturation.** The attribute of color perception representing the degree to which a chromatic color differs from an achromatic color regardless of their lightnesses. For example, a red with low saturation is pink.
- Schema.** A nonconscious adjustment of the brain to the afferent impulses indicative of body posture that is a prerequisite of appropriate bodily movement and of spatial perception.
- Scotopic.** Pertaining to relatively low (nighttime) levels of illumination at which the eye is dark adapted and vision is mediated by the rod receptors. (CRef. 1.103)
- SD.** Standard deviation from the mean. (See **standard deviation**.)
- SE.** Standard error.
- Second-order control.** A system in which the response is proportional to the second time integral of the control input; also called **acceleration control**.
- Second-order system.** See **second order control**.
- Secondary task.** A task the operator is asked to perform in addition to the primary task; performance on the

secondary task provides an estimate of primary task workload. Secondary tasks may be "non-loading" (the operator attends to the secondary task when there is time) and "loading" (the operator must always attend to the secondary task).

**Selective attention.** A task environment in which the observer or operator must attend selectively to some stimuli or input channels while ignoring others that are active simultaneously.

**Semi-circular canals.** Three fluid-filled tubes oriented roughly at right angles to one another that are embedded in the temporal bones on each side of the head near the inner ear and that aid in maintaining body equilibrium. (CRef. 3.201)

**Sensation level.** The amount (in decibels) by which the level of a sound exceeds the threshold of audibility of the sound for a given listener.

**Sensitivity.** In a general sense, the ability to detect stimulation; in psychophysical studies, refers in particular to the ability to be affected by and respond to low-intensity stimuli or to slight stimulus differences; commonly expressed as the reciprocal of measured threshold.

**Sensory adaptation.** See adaptation.

**Signal detection theory.** A theory which holds that performance on a detection task is a function of both the detectability of the signal (or the sensitivity of the observer) and the observer's criterion or response bias in reporting the signal. (CRef. 7.420)

**Signal-to-noise ratio.** The ratio of the intensity of a signal to the intensity of noise in the absence of the signal. In most auditory studies, the signal-to-noise (S/N) ratio is measured as the relative sound pressure level of the signal and noise in decibels re 20  $\mu\text{Pa}$ , so that an S/N ratio of zero indicates that signal and noise are of equal amplitude, while positive and negative values indicate that the signal is of greater or lesser amplitude than the noise, respectively.

**Simultaneous contrast.** Alteration in the appearance of one stimulus due to the simultaneous presence of another nearby stimulus that differs from it along some dimension (such as lightness or color), in such a way that the difference between the two stimuli is accentuated. **Simultaneous lightness contrast:** alteration in the lightness of one stimulus due to the presence of a nearby stimulus of different lightness (CRef. 1.714). **Simultaneous color contrast:** alteration in the perceived hue of one stimulus due to the presence of an adjacent stimulus of different hue. (CRef. 1.717)

**Sine wave.** A periodic waveform in which the amplitude at each point across time or space varies according to a sine function.

**Sine-wave grating.** A bar pattern in which some property (generally luminance) varies with spatial position according to a sine function in a direction perpendicular to the bars. (CRef. 1.601)

**Single vision.** The perception of a single object from the separate images of the object in each eye. (CRef. 5.911)

**Sinusoidal.** Varying according to a sine function.

**SIT-bar.** Seat interface transducer bar; device for measuring the translational or rotational vibration on a seat beneath the human body.

**Sloan letter chart.** (1) A chart for measuring visual acuity that contains ten capital letters graded in size in equal logarithmic steps and chosen to be equal in difficulty to each other and to the Landolt ring. There is one chart for testing vision at 20 feet and another for testing at 16 inches. (2) A set of nine cards containing samples of

discursive text that is used to test individuals with subnormal vision to determine the magnification required to read newsprint.

**Snellen acuity.** Visual acuity measured using a standard chart containing rows of letters of graduated sizes and expressed as the distance at which a given row of letters is correctly read by a specific individual compared to the distance at which the letters can be read by a person with clinically normal eyesight. For example, an acuity score of 20/50 indicates that the tested individual can read only at a nearer distance of 20 ft the letters read by a normally sighted person at 50 ft. (CRef. 1.602)

**Snellen letter chart.** A chart for measuring visual acuity consisting of a standard set of letters in rows of graduated size. (CRef. 1.602)

**Sone.** A subjective unit of loudness equal to the loudness of a 1000 Hz tone presented binaurally at an intensity of 40 dB above the listener's threshold (or 40 dB SPL for the "average" listener).

**Sound pressure level.** The amount (in decibels) by which the level of a sound exceeds the reference level of 20  $\mu\text{Pa}$  (or 0.0002 dynes/cm<sup>2</sup>).

**Spaced practice.** Practice in which practice periods are interspersed with rest intervals.

**Spatial frequency.** For a periodic target, such as a pattern of equally spaced bars, the reciprocal of the spacing between bars (i.e., the width of one cycle, or one light bar plus one dark bar), generally expressed in cycles per millimeter or cycles per degree of visual angle.

**Spatial summation.** The combining of the visual response to light impinging simultaneously on different regions of the retina. (See also **Ricco's law**.)

**Spectral radiant power distribution.** The radiant power at each wavelength along a given portion of the electromagnetic radiation spectrum.

**Spectral sensitivity.** The relative sensitivity of the eye to light of different wavelengths.

**Spectrogram.** A graphic record of speech in which the intensity of acoustic energy at a given frequency is plotted as a function of time. (CRef. 8.202)

**Spectrum locus.** The line on a chromaticity diagram on which fall the chromaticities of all wavelengths of the visible spectrum.

**Spherical aberration.** Image degradation in an optical system that occurs when light rays passing through the central and outer zones of a lens are brought to a focus at different distances from the lens. (CRef. 1.211)

**Split-half reliability method.** A method of measuring test-retest reliability in which, for speed and convenience, the coefficient of correlation is calculated between performance on the first half of a test and performance on the second half of the test for a group of subjects, rather than between performance on two separate repetitions of the test. (See **test-retest reliability**.)

**Square wave.** A rectangular waveform whose amplitude periodically shifts instantaneously between two discrete values.

**Stabilized vision.** Vision in which, through optical or other means, the image of a target is made to move exactly with the eye so that the same portion of the retina is always stimulated, that is, the image does not move on the retina when the eye moves.

**Staircase procedure.** A variant of the method of limits for determining a psychophysical threshold in which the value of the stimulus on a given trial is increased or decreased, depending on the observer's response on the previous trial or group of trials.

- Standard deviation (SD).** Square root of the average squared deviation from the mean of the observations in a given sample. It is a measure of the dispersion of scores or observations in the sample.
- Standard error of estimate.** The standard deviation of the sampling distribution of a population statistic (such as the mean, median, or variance); it is a measure of the variability of the statistic over repeated sampling.
- Standard error of the mean.** The standard deviation of the sampling distribution of the mean; mathematically, the standard deviation of the given data sample divided by the square root of one less than the number of observations. It describes the variability of the mean over repeated sampling.
- Standard luminous efficiency.** Luminous efficiency as defined by the CIE (Commission Internationale de l'Eclairage).
- Standard normal deviate.** A test score or experimental measurement or datum point expressed in terms of the number and direction of standard deviation units from the mean of the sample distribution. Also called **standard score** or **z-score**.
- Standard stimulus.** A fixed stimulus presented along with a variable or comparison stimulus in an experiment designed to determine the difference threshold or just noticeable difference between the two. The value of the standard stimulus along a given dimension remains fixed, while the value of the variable stimulus is altered, and the subject must indicate the relation between the two (e.g., the comparison is "greater than," "less than," "or equal to" the standard).
- Stereoacuity.** The ability to discriminate depth or distance solely on the basis of lateral retinal image disparity; usually expressed as the smallest detectable difference in depth of two targets (in seconds of arc of visual angle).
- Stereogram.** A pair of two-dimensional drawings, photographs, etc., presented separately to the right and left eyes by a stereoscope or other means; generally, each half of the stereogram represents the same scene from a slightly different viewpoint, so that their fusion by the visual system gives rise to a single impression characterized by relief, depth, or three-dimensionality.
- Stereopsis.** Visual perception of depth or three dimensionality; commonly used to refer specifically to depth arising from lateral retinal image disparity.
- Stereoscope.** An instrument used to present a separate visual display to each eye. Typically utilizes a system of mirrors, prisms, or lenses to present two specially constructed flat pictures (one to each eye) that, when combined by the visual system, give the impression of solidity or three-dimensionality.
- Stereoscopic.** Of or pertaining to stereopsis.
- Stiles-Crawford effect.** The decrease in the apparent brightness (luminous efficiency) of a narrow beam of light entering the eye near the edge of the pupil relative to the brightness of an identical beam entering in the center of the pupil. (CRef. 1.111)
- Stop.** A consonant sound (such as [b] or [t]) whose articulation requires complete closure of the vocal tract at some point.
- Subjective vertical.** The orientation the observer perceives (indicates) as being vertical, which may or may not be true (gravitational) vertical.
- Superior oblique muscle.** One of the six voluntary muscles that move the eyeball. (CRef. 1.901)
- Suppression.** See **binocular suppression**.
- System dynamics.** The patterns of interactions occurring in an interdependent group of components that serve a common function or form a functional unit.
- System order.** For a control system, the highest power of the Laplace operator,  $S$ , that appears in the denominator of the transfer function. Equivalently, the order of the highest-order derivative of the differential equation describing the system element. (CRef. 9.519)
- Tachistoscope.** An apparatus for presenting visual material for a very brief exposure time; the simplest type uses a falling screen or shutter, with an aperture that momentarily reveals the visual stimulus.
- Tactile.** Of or relating to tactual perception (touch) mediated by the cutaneous (skin) sense.
- Tactual.** Of or relating to the sense of touch, as mediated by the cutaneous (skin) sense and/or kinesthesia.
- Td.** Troland, the retinal illuminance produced by a surface having a luminance of  $1 \text{ cd/m}^2$  when the area of the pupil of the eye is  $1 \text{ mm}^2$ .
- Telestereoscope.** A device for producing an appearance of exaggerated depth in scenes by increasing effective interpupillary distance (and thus lateral retinal image disparity). It permits depth judgments for objects otherwise too distant to judge. (CRef. 5.1102)
- Temporal summation.** The integration over time of the tactile response to a stimulus falling on a given region of the skin or the combining of the response to two or more stimuli impinging consecutively on the same region of the skin.
- Test-retest reliability.** Consistency in yielding the same or similar scores on repeated administrations of a given test, measured by computing the coefficient of correlation between performance on two successive presentations of the same test for a group of subjects.
- Third-order control.** A system in which the response is proportional to the third time integral of the control input.
- Third-order system.** See **third-order control**.
- Threshold.** A statistically determined boundary value along a given stimulus dimension which separates the stimuli eliciting one response from the stimuli eliciting a different response or no response (e.g., the point associated with a transition from "not detectable" to "detectable" or from "greater than" to "equal to" or "less than"). (CRef. 1.657) (See also **difference threshold**.)
- Time constant.** See **lag time constant**; **lead time constant**.
- Transfer function.** A complex function describing a dynamic system as a function of frequency that specifies the ratio of output to input amplitude and the phase difference between input and output.
- Transmission lag.** Pure time delay, i.e., a delay (expressed in time units) in transmitting input to output that leaves all other aspects of the signal unchanged.
- Trasonic speed.** Speed approximating the speed of sound in air (738 mph at sea level); often refers to speed in the range a little below to a little above the speed of sound in air, i.e., 600-900 mph.
- Tristimulus colorimeter.** An instrument for measuring color which allows a given test color to be specified in terms of the relative proportions of three primary colors (e.g., red, green, and blue) which, when additively mixed, give the same hue sensation as the test color.
- Troland (Td).** A unit expressing light intensity at the retina equal to the illumination produced per square millimeter of pupil area by viewing a surface with a luminance of 1 candela per square meter. Originally called photon. (CRef. 1.106)
- T-test.** A statistical test used to compare the mean of a given sample with the mean of the population from which the sample is drawn or with the mean of a second sample in order to determine the significance of an experimental

- effect (i.e., the probability that the results observed were due to the experimental treatment rather than to chance). Also known as **Student's t-test**.
- Two-alternative forced-choice paradigm.** An experimental procedure in which the subject is presented on each trial with one of two alternative stimuli and must indicate which stimulus occurred; a response must be made on each trial even if the subject must guess. Commonly referred to as a "criterion free" method of determining sensitivity.
- Two-interval forced-choice procedure.** An experimental procedure in which a subject is presented a stimulus during one of two time intervals and must indicate during which of the two intervals the stimulus was presented even if the subject must guess.
- Two-point threshold.** The smallest separation between two punctate stimuli applied to the skin that can be discriminated as two stimuli rather than one.
- Ultradian.** Pertaining to cyclical variations with a period of less than 12 hr. (CRef. 10.709)
- Uniform chromaticity scale.** A chromaticity diagram on which all pairs of just-noticeable different colors of equal luminance are represented by pairs of points separated by approximately equal distances.
- Vehicle dynamics.** The relationship between the output of a vehicle control device and the resulting motion of the vehicle.
- Velar.** Articulated with the tongue on or near the soft palate (velum) (as in [g], [k]).
- Velocity control.** See **first-order control**.
- Vernier acuity.** The ability to discern the alignment (colinearity) or lack of alignment of two parallel lines placed one above the other, as in reading a vernier scale; frequently expressed in terms of the smallest detectable misalignment in seconds of arc of visual angle. (CRef. 1.602)
- Vernier adjustment.** Adjustment of the lateral position of one of two vertical lines placed one above the other until the two appear vertically aligned. The procedure is used to measure vernier acuity.
- Vertical retinal image disparity.** The difference in the relative vertical position of the visual images of an object on the left and right retinas.
- Vestibular nystagmus.** Nystagmus produced by stimulation of the vestibular system (as by head rotation) or by disease of or damage to the vestibular apparatus.
- Vestibular sense.** The sense mediated by the otolith organs and semi-circular canals that is concerned with the perception of head position and motion and is stimulated by acceleration associated with head movements and changes in the pull of gravity relative to the head. (CRef. 3.201)
- Vestibular system.** The system comprised of the otolith organs and the semi-circular canals that mediates the perception of head position and motion. (CRef. 3.210)
- Vestibulo-ocular reflex.** Reflexive eye movements initiated by stimulation of the vestibular system during head movements whose purpose is to stabilize the eyes with respect to the object being viewed so that the image of the object on the retina will be stationary and will not be blurred by motion.
- Vibrotactile stimulation.** A mechanical vibration applied to the skin by an electromechanical transducer such as a modified loudspeaker or electrodynamic mechanical shaker, resulting in a periodic displacement of the skin.
- Visual acuity.** The ability of an observer to resolve fine pattern detail. Acuity is usually specified in terms of decimal acuity, defined as the reciprocal of the smallest resolvable pattern detail in minutes of arc of visual angle. "Normal" or average acuity is considered to be 1.0 (a resolution of 1 min arc), although many young adults have a decimal acuity slightly better than this. (CRef. 1.602)
- Visual angle.** The angle subtended at the eye by the linear extent of an object in the visual field. It determines linear retinal image size. (CRef. 1.240)
- Visual axis.** A line from the point being fixated to the center of the fovea; in the eye, the optical axis and visual axis do not coincide.
- Visual capture.** The tendency for visual information to dominate in determining perception when visual information and information from some other sensory modality (such as touch) are discrepant.
- Visual direction.** (1) The physical direction of the line of sight of the eye. (2) The relative direction in subjective visual space associated with a given point on the retina.
- Visual field.** The portion of the external environment that is visible to the eye in a given position; usually measured in degrees of visual angle.
- Visual noise.** A random array of images or pattern elements; frequently used as a camouflage in visual masking paradigms.
- Visual position constancy.** The tendency for the visual field to appear stable and motionless when the observer moves his or her eyes or head, despite the image motion on the retina caused by such movements.
- Vitreous humor.** The transparent, jelly-like substance that fills the back chamber of the eye (the space between the crystalline lens and the retina). (CRef. 1.201)
- Voicing.** Vibration of the vocal cords during the production of a phoneme. Phonemes accompanied by vibrations of the vocal cords (such as /b/) are voiced, and phonemes not accompanied by vibrations (such as /p/) are unvoiced.
- Von Frey hair (filament).** Hairs of various thicknesses and lengths calibrated to exert a constant force when pressed on the skin.
- Weber ratio.** See **Weber's law**.
- Weber's law.** A law which holds that the smallest detectable change in the magnitude of a stimulus along some dimension is always a constant proportion of the stimulus magnitude from which the difference is noted. The law is expressed mathematically as  $\Delta I/I = k$ , where  $I$  is the magnitude of the stimulus,  $\Delta I$  is the smallest detectable change in magnitude, and  $k$  is a constant which is often called the **Weber fraction** or **Weber ratio**.
- Wheatstone mirror stereoscope.** A stereoscope of the type invented by physicist Charles Wheatstone which utilizes a system of mirrors to present a different visual display to each eye; when the displays for the two eyes are appropriately constructed to represent the same object or visual scene from slightly different viewpoints (or positions in space), the result is the perception of a single image apparently having depth or three-dimensionality.
- White noise.** Random noise whose noise spectral level (noise-power density) is uniform over a wide frequency range; termed "white noise" by analogy with white light.
- Within-subjects design.** An experimental design in which a single group of subjects is tested under all levels of the independent variable. Each subject serves as his or her own control, and the performance of the subjects under one condition is compared with their performance under the other conditions to determine the effect of the experimental manipulation.
- Zero-order control.** A system in which the position (or zero time derivative) of the response is proportional to the control input position; also called **position control**.



# Design Checklist

This Design Checklist is provided to help you identify and locate human factors data in the Compendium. It is made up of human performance questions selected for their potential relevance to the design of control and display system components. The questions are sorted into categories keyed to a hierarchy of equipment-related factors. Each question is indexed, in turn, to specific entries within the Compendium that provide information pertinent to the question raised. To use the checklist, locate the topic of interest in the outline contents below, then turn to the indicated page for questions relating to that topic.

## I. Displays 46

### A. Visual displays 46

1. Image quality 46
  - a. Resolution 46
    - 1) Imaging properties of the eye 46
    - 2) Pupillary aperture 47
    - 3) Visual accommodation 48
    - 4) Visual acuity 49
    - 5) Dynamic visual acuity 49
    - 6) Spatial frequency resolution 49
    - 7) Central vs. peripheral field of view 49
  - b. Luminance 49
    - 1) Sensitivity to light and contrast 49
    - 2) Color 50
    - 3) Dark adaptation 51
    - 4) Afterimages 51
  - c. Flicker and temporal changes 51
  - d. Distortion 52
    - 1) Prismatic displacement 52
    - 2) Underwater effects 52
    - 3) Magnification/minification 52
    - 4) Visual aftereffects 52
    - 5) Subjective contours 52
  - e. Eye/head movement dynamics 53
    - 1) Visual fixation 53
    - 2) Vergence 53
    - 3) Tracking eye movements 53
    - 4) Saccadic eye movements 54
    - 5) Microtremors 55
    - 6) Rotational eye movements 55
    - 7) Eye/head movement coordination 55
    - 8) Optokinetic response 55
    - 9) Vestibulo-ocular response 55
  - f. Vibration 56
    - 1) Transmission of vibration 56
    - 2) Effects on visual performance 57
    - 3) Effects on visual display legibility 57

2. Visual information representation and coding 57
  - a. Size 57
  - b. Shape and slant 57
  - c. Orientation 58
  - d. Grouping 58
  - e. Color 58
  - f. Depth 58
    - 1) Cues to depth 58
    - 2) Stereoacuity 58
  - g. Motion 59
    - 1) Motion detection 59
    - 2) Apparent motion 59
    - 3) Relative motion 59
    - 4) Collision prediction 59
  - h. Text 59
    - 1) Dialogue design 59
    - 2) Character font size and spacing 59
    - 3) Reading 60
    - 4) Pictures vs. words 60
  - i. Numeric representation 60
3. Binocular displays 60
  - a. Binocular vs. monocular vision 60
  - b. Geometrical considerations 60
  - c. Image alignment 60

### B. Auditory displays 61

1. Speech intelligibility 61
  - a. Message context 61
  - b. Speech interruption 61
  - c. Age 61
  - d. Speech level and playback speed 61
  - e. Signal-noise relationships 61
  - f. Earplug use 61
  - g. Techniques for improving speech intelligibility 62
2. Speech processing 62
  - a. Characteristics of speech signals 62
  - b. Speech production 62
3. Non-speech signals 62
  - a. Signal detectability 62
  - b. Masking and interference 63
  - c. Environmentally induced shifts in listener sensitivity 63
  - d. Localization of signals 63
  - e. Pitch (signal frequency) 64
  - f. Loudness (signal intensity) 64

### C. Vestibular displays 64

1. Vestibular sensitivity 64
2. Vibration 64
3. Acceleration 65
4. Body rotation 65

- D. Cutaneous (tactile) displays 65**
  - 1. Cutaneous sensitivity 65
  - 2. Pattern discrimination 65
  - 3. Thermal sensitivity 66
- II. Controls 66**
  - A. Feel 66**
    - 1. Use of gloves 66
    - 2. Coding of controls 66
  - B. Control placement and grouping 66**
  - C. Hand-activated controls 66**
    - 1. Pushbuttons/legend switches 66
    - 2. Keyboards/keysets 66
    - 3. Toggle switches 67
    - 4. Dials and rotary selectors 67
    - 5. Cursor controls/joysticks 67
    - 6. Comparisons among controls 67
- III. Warnings and alarms 67**
  - A. Visual alarms 67**
    - 1. Coding 67
    - 2. Brightness 68
    - 3. Size specifications 68
    - 4. Position in the field of view 68
  - B. Auditory alarms 68**
    - 1. Tone 68
    - 2. Voice 68
  - C. Tactile alarms 68**
  - D. Combined warning displays 68**
    - 1. Multiple-modality vs. single-modality displays 68
    - 2. Auditory vs. visual precedence 68
    - 3. Interaction effects in audio-visual displays 68
    - 4. Comparison of auditory and visual warnings 69
- IV. Integrated human factors 69**
  - A. Memory 69**
- B. Learning 69**
- C. Attention and allocation of resources 69**
  - 1. Selective attention 69
  - 2. Divided attention 69
  - 3. Visual search 69
  - 4. Monitoring and supervisory control 70
  - 5. Vigilance 70
    - a. Measures of vigilance 70
    - b. Vigilance decrement 70
    - c. Techniques for improving vigilance 71
  - 6. Workload 71
    - a. Channel sensitivity and capacity 71
    - b. Workload theory 71
    - c. Workload measurement 71
- D. Reaction time 72**
  - 1. Speed-accuracy tradeoffs 72
  - 2. Effects of number of alternatives 72
  - 3. Effects of warning signals 72
  - 4. Effects of feedback, motivation, and training 72
- E. Tracking control performance 73**
  - 1. Tracking performance with time delay 73
  - 2. Tracking performance with time-sampled visual displays 73
  - 3. Manual control with vibration 73
  - 4. Control order and noise in tracking 74
  - 5. System gain and tracking performance 74
  - 6. Techniques for aiding tracking performance 74
- F. Cyclical variations in human performance 75**
  - 1. Characteristics of cyclical variations 75
  - 2. Effects of fatigue on performance 75
- G. Human reliability and error prediction 75**

---

## Visual Displays

### Resolution

#### Imaging Properties of the Eye

How large is the human eye? (1.201)

What is the fovea and how large is it in angular terms? (1.201)

How does the density of rods (which mediate night vision) vary with distance from the fovea? (1.201)

How can retinal image size be calculated from target linear size and distance for distant objects? (1.240)

What is the blind spot? (1.201)

Where, in the eye, is the yellowish macular pigment, and how large an angle does it subtend? (1.202)

What is the distance from the cornea to the nodal point of the eye? (1.240)

Where is the eye's center of rotation with respect to the front of the cornea and with respect to the eye's entrance pupil? (1.207)

#### *Visual optics*

What are the eye's four major refracting surfaces? (1.210)

What is the approximate refraction index of the optical elements of the eye? (1.203)

What two processes in the eye, other than focusing, change the amount and spectral distribution of light reaching the retina? (1.202)

Where is two-thirds of the eye's focusing power located? (1.201)

What are the approximate focal lengths of the eye for very near and very far distance? (1.201; 1.203; 1.240)

#### *Astigmatism*

With astigmatism, what will be the appearance of a radial pattern of lines? (1.205)

How is astigmatism specified? (1.205)

In astigmatism, what is declination error? (1.205)

What type of lens is required to correct astigmatism? (1.205)

#### *Retinal image distribution*

What is the Fourier transform of the aperture function? (1.219)

How can the optical transfer function be obtained from the pupil aperture function? (1.218)

How is retinal image modulation obtained from the modulation transfer function of the eye's optics and the light distribution of the object? (1.219)

What is done to a modulation transfer function to obtain an intensity point-spread function? (1.218)

In general, what happens to the modulation transfer function as spatial frequency increases? (1.219)

For extended light sources to be treated, with small error, as point sources, how much greater than their diameter must their distance be from illuminated surfaces? (1.104)

On the retina, what shape is the image of a point of light? (1.214)

What is the major factor contributing to the point-spread function of the eye? (1.214)

How does point spread vary with errors of focus? (1.214)

Which spatial frequencies are most affected by eye focus error? (1.639)

What characteristic of an optical system sets an upper limit to the spatial frequency that can be imaged by the system, no matter how well its aberrations are corrected? (1.218)

As the point-spread function increases, what happens to visual acuity? (1.214)

Under what luminance conditions is it likely that spherical aberration of the eye has little influence on visual acuity? (1.211)

How can the light distribution on the retina be calculated for the image of complex objects? (1.215)

What is the shape of the cross-section of a line-spread function? (1.215)

Over how wide a central region of the retina does the line-spread function remain relatively constant, and what happens to it at greater off-axis angles? (1.216)

For calculating the spread of light in an optical image, what is simpler than using diffraction equations? (1.218)

What is the major reason the eye does not image an edge as sharply as it appears in the object? (1.217)

For the image of an extended source of white light, where are colored fringes seen? (1.217)

#### *Pupillary Aperture*

What is the numerical aperture of an optical viewing device? (1.105)

What is the effectivity ratio of the eye pupil? (1.106)

Over what range of diameters may pupil size vary with illumination changes? (1.203)

What is the relationship between the real pupil and the entrance pupil of the eye? (1.209)

Why must an artificial pupil be carefully centered on an observer's natural pupil? (1.111)

What does the rotation of the eye about a point well behind the pupil do to image illuminance on the retina for devices whose exit pupil is not larger than the eye's pupil? (1.207)

#### *Effects on retinal light distribution*

To minimize spherical aberration, what should pupil size be? (1.211)

How does the size of the blur patch on the retina for a point light source vary with pupil size? (1.211)

What happens to the line-spread function as pupil diameter increases? as focus error increases? (1.215)

How does pupil diameter affect the size of the blur patch on the retina and the depth of focus of the eye? (1.221)

With large pupils, what is the cause of resolution loss at longer wavelengths? (1.606)

At what eye pupil diameter does visual acuity reach its maximum? (1.614)

#### *Effects of luminance level*

What happens to pupil diameter as scene illumination increases, and what happens at very low and very high luminance levels? (1.232)

How does the time taken for the pupil to stabilize in size compare to the time taken for the eye to light or dark adapt? (1.233)

How does pupil diameter when only one eye is illuminated compare to that when both eyes are illuminated? (1.232)

When visual acuity test patterns are viewed through small pupils, what wavelength yields the best acuity? (1.606)

When one eye is closed, how does its pupil diameter compare with the pupil diameter of the open eye? (1.106)

#### *Effects of target distance*

At distances less than one meter from an object, what happens to pupil size? (1.234)

When fixation is changed from a distant scene to an equally bright display nearby (<1 meter), by how much might the pupil contract? (1.106; 1.234)

### Visual Accommodation

How many diopters of accommodation are present when the eye is in a resting state? (1.223; 1.238)

Are differences between individuals in resting accommodation large or small? (1.223)

What happens to eye accommodation with steady fixation on a stationary target? (1.224)

For what distance is the eye accommodated when an unstructured target is all that is visible? (1.226)

What happens to accommodative accuracy with decreasing luminance? (1.228)

In dim light, what happens to the farthest and nearest distances to which an object can be focused? (1.226; 1.227)

How low must luminance levels be before night myopia occurs? (1.227)

What is the relationship between the diameter of Airy's disc and accommodation accuracy? (1.213)

For what spatial frequencies is accommodation most accurate? (1.226)

For which end of the spectrum, red or blue, does the eye have the shortest focal length? (1.212)

#### *Effects of distance*

Under conditions of low luminance, what changes in accommodation occur with change in distance? (1.226; 1.227; 1.228)

What happens to eye focus as an observer attempts to hold focus as constant as possible on a near object? (1.225)

Is fluctuation in eye focus greater for a fixated target or in the absence of a target? with a near or a far target? with monocular or binocular viewing? with large or small pupils? (1.224)

How do near-to-far and far-to-near accommodation times compare? (1.228; 1.230)

About how long does the eye take to accommodate to a slow change in object distance? (1.229; 1.230)

When a target distance changes, what is the ratio of accommodation change to distance change? (1.230)

As oscillation in distance of a far target increases in amplitude, what happens to the accommodative response relative to target position? (1.229)

If the observer must focus an object as close to the eye as possible, what color should be used? (1.212)

In an otherwise uniformly empty visual field, upon what does the apparent distance of an object depend? (1.239)

#### *Effects of monocular vs. binocular viewing*

When the eyes are fixated on a near object, how do the focus fluctuations of the two eyes compare? (1.225)

How does accuracy in accommodation compare for monocular and binocular viewing? (1.230)

#### *Effects of age*

What is the maximum range of accommodation in the young and in the very old? (1.222)

Why does the range of accommodation decrease in older people? (1.204)

#### *Relation between accommodation and convergence*

What is the ratio of accommodative convergence to accommodation (AC/A ratio)? How much larger, on average, is the observed AC/A ratio than the AC/A ratio called for by stimulus conditions? (1.231)

In the general population, how much does the AC/A ratio vary per diopter of accommodation? (1.231)

What effects on an observer may occur when accommodation and convergence are decoupled? (1.808)

### Visual Acuity

What is the assumed or nominal angular resolution in minutes of arc for normal vision? (1.602; 1.608)

Where, on the retina, is visual acuity highest, and what is the angular extent of this area? (1.201)

Excluding the blind spot, where in the eye is visual sensitivity lowest? (1.305)

For what range of pupil sizes is visual acuity highest? (1.603)

What is the common measure of visual acuity that increases in numerical value with better acuity? (1.602)

What vertical separation of lines, in arc minutes, yields best vernier acuity with natural pupils and binocular vision? (1.608)

What are some of the factors, other than observer acuity, that influence minimum separable visual acuity with resolution test patterns? (1.602)

How does visual acuity vary with viewing distance? (1.603)

At what line orientations is vernier acuity most precise? (5.801)

What is the effect of practice on visual acuity tasks? (1.603)

At what age does visual acuity peak, and at what age does acuity for intermediate and high spatial frequencies begin to decline? (1.603)

Up to what exposure time, in msec, can static visual acuity increase? (1.603; 1.613)

How does visual acuity vary with luminance for light targets on a dark background? For dark targets on a light background? (1.603)

At high levels of luminance with narrow-band illumination, how does wavelength influence visual acuity? (1.603)

Does monochromatic light or narrow-band light yield appreciably better visual acuity than white light? (1.603; 1.606)

Is visual acuity improved by using lenses that correct the chromatic aberration of the eye? (1.203; 1.212)

At what retinal location is visual acuity the greatest at low illumination levels? (1.603)

### Dynamic Visual Acuity

Is there an appreciable correlation between static and dynamic visual acuity? (1.621)

Is the fovea or the retinal periphery more sensitive to target motion? (5.203; 5.204)

How does dynamic visual acuity vary as the angular velocity of a target increases? (1.617)

How does dynamic visual acuity change with angular target velocity for horizontal and vertical target movement? (1.619)

Up to what target illumination does dynamic visual acuity improve, and how does this compare with the illumination required for good static visual acuity? (1.619)

For what angular velocities does increased illumination provide the greatest benefit? (1.619)

When an observer can anticipate the direction of motion of a resolution test pattern, what happens to visual acuity: (a) as target velocity increases, (b) as exposure time lengthens, and (c) as anticipatory tracking time increases? (1.621)

In testing dynamic acuity with a television display, how important are direction of motion and image velocity? (11.105; 11.106)

With practice, does dynamic acuity improve more for low or for high angular velocity? (1.622)

In detecting moving vehicles, how does identification vary with number of resolved scan lines per vehicle and with image velocity? (11.105)

### Spatial Frequency Resolution

What is meant by channel bandwidth in human vision, and what are three pattern characteristics for which information channels are selective? (1.652)

What range of spatial frequencies, in cycles/deg, is easiest to detect? (1.628)

As spatial frequencies become more closely spaced, what happens to ability to identify spatial frequency? (1.649)

What are three major techniques for estimating channel bandwidths for pattern orientation and spatial frequency? (1.652)

### Central vs. Peripheral Field of View

Which part of the retina provides maximum visual acuity? (1.202)

What is the fovea and how large is it in angular terms? (1.201)

Which part of the retina most effectively detects motion? (1.637; 5.203; 5.204)

When visual fixation is required, what happens to detection probability for peripheral signals? (7.406)

Is peripheral vision good for detecting small or stationary targets? (11.204)

In the retinal periphery, are slowly moving or rapidly moving stimuli more easily detected? (5.205)

In the visual periphery, is reduced visual acuity due to retinal structure or to optical image quality on the retina? (1.214)

How does contrast required for detection in the visual periphery compare with that required for foveal viewing? (7.609)

In what part of the visual field is performance best for a visual message? (11.409)

How important in display reading is semantic information from the visual periphery? (8.116)

### Size of visual field

What part of the total field of view can be seen by both eyes? (1.235)

What is the size and shape of a normal observer's field of view? (1.235)

Over what range of visual angle, measured from the center of the visual field, does field of view for color fall off? (1.237)

In addition to reducing the angular field of view, what are some of the undesirable effects of viewing through tubes attached to the head? (5.1102)

How does the apparent size of the visual field change as a function of background color? (1.237)

## **Luminance**

### Sensitivity to light and contrast

If a surface is inclined to incident light by an angle  $A$ , by what factor will illuminance be reduced, relative to illuminance of a perpendicular surface? (1.104)

What is the luminance profile of a visual pattern? (1.601)

What is the approximate absolute threshold of the eye in candelas per square meter? (1.013; 1.109)

What is the approximate sensitivity range of the human eye for electromagnetic radiation, in nanometers? (1.101)

What is the approximate dynamic range of rods and of cones, in candelas per square meter? (5.1001)

What limits target visibility for very dim backgrounds? (1.502)

If the luminance of a small, dim target cannot be increased, how can it be made more detectable? (1.308)

To maximize detectability of luminance increments and decrements, what should be the target size, target duration, and background illuminance? (1.403; 1.404)

In designing a system for finding and attacking ground targets from the air, what are the factors that must be considered when estimating the probability that targets will be detected? (7.607; 7.608)

In general, as viewing angle decreases, what happens to contextual information, and what does this do to the ability to separate luminance from reflectance? (11.221)

Given the display background luminance for an instrument, what amount of instrument luminance plus reflected illumination is required to obtain a working preference level for contrast and legibility? (11.102)

For medium and large surrounds, what is the preferred (most visually comfortable) surround luminance for viewing broadcast television? (11.103)

In a television display, does a small surround require more or less luminance for visual comfort than a medium or large surround? (11.103)

For small surrounds and a mean display luminance of 86 cd/m<sup>2</sup>, what is the preferred average surround luminance? (11.103)

Does loss of visibility due to glare increase or decrease with increase in ambient illumination? with decrease in glare source luminance? (10.501)

#### *Lightness and brightness*

What is the luminance factor of a surface? (1.705)

What is the difference between brightness and lightness? (1.720)

What are some of the factors that complicate brightness predictions? (1.720)

For two identical gray surfaces combined with black surfaces, which appears lighter, a gray figure with a dark background or the gray background with a dark figure? (1.714)

In general, do illusory contours or figure appear to have the same brightness as their backgrounds? (6.314)

Is the distinctness of the border between a chromatic field and an achromatic field of unequal luminance affected by the direction of the luminance contrast (i.e., by which field appears brighter)? (6.313)

When the exit pupil of an optical viewing device is larger than the entrance pupil of the eye, how does scene brightness compare with and without using the viewer? What is the case when the exit pupil of the eye is larger than the instrument's exit pupil? (1.105)

#### *Mach bands*

For a very steep luminance gradient, how short an exposure will produce Mach bands? (1.716)

For what values of the luminance gradient from dark to light do Mach bands not appear? (1.716)

#### *Contrast sensitivity*

In what part of the visible spectrum is the lowest luminance contrast required to obtain a minimally distinct border between two adjacent chromatic areas? (6.313)

What happens to contrast sensitivity with increase in ambient illumination, and at what illumination does sensitivity become relatively constant? (1.403; 6.313)

What is amplitude resolution (minimum discriminable luminance difference) for vision? (5.1001)

About what contrast is required between two adjacent areas to perceive a minimally distinct border? (6.313)

What is the formula for modulation or Michelson contrast? (6.313)

For what two types of periodic luminance pattern is Michelson contrast inappropriate? (1.601)

For a fixed target luminance, how does contrast sensitivity vary with increases in background luminance? (1.502)

When inherent (or zero range) target contrast and meteorological range are known, how can detection probability be estimated? (7.508)

What are some constraints on using nomograms derived from laboratory contrast detection data to estimate target detection range in real-life situations? (7.508)

In television display systems, what are the effects on target requisition performance of image quality measures, such as display resolution, resolved lines/target height, signal/noise ratio, etc.? (7.614)

How does target contrast affect reaction time? (9.108)

#### *Contrast sensitivity with flickering targets*

Regardless of average luminance, how does contrast sensitivity vary with flicker rate? (1.503; 1.509)

For what frequency range does temporal contrast sensitivity peak for a large uniform field? (1.505)

What happens to the peak of the temporal contrast sensitivity function for large uniform fields as luminance level decreases? (1.505)

What happens to contrast sensitivity when temporal frequency is decreased while spatial frequency is high? (1.508)

### Color

#### *Specification*

What two systems are used to define the CIE standard observer? (1.110)

How many standard deviation units on the CIE diagram correspond to a just noticeable difference in color? (1.704)

Usually, what conditions are required for good correlation between purity and saturation? (1.703)

How is color characterized when the dominant wavelength does not fall on the spectrum locus? (1.703)

#### *Sensitivity*

What is the approximate wavelength region to which the human eye is sensitive? (1.101; 1.102; 5.1001)

Over the range of visible wavelengths at high luminance, how many hues can be discriminated? (5.1001)

What can be said about the color of objects viewed under low (scotopic) light levels? (1.103; 1.301)

What limits visual sensitivity at the short wavelength end of the visible spectrum? What limits it at the long wavelength end? (1.101)

Over what range of visual angles measured from the center of the visual field does field of view for color fall off? (1.237)

In what region of the CIE chromaticity diagram are observers least sensitive to color differences? (1.704)

What percentage of males and what percentage of females have color deficiencies? (1.707)

#### *Color discrimination*

About what is the critical luminance level above which color discrimination is relatively stable? (1.705)

At very high retinal illuminance levels, at which end of the spectrum is color discrimination poor? (1.705)

As luminance decreases, for which color does color discrimination become poor first? (1.304; 1.705)

For practical work, how short can exposure be before significant loss in color discrimination occurs? (1.705)

Up to what age does color discrimination improve? (1.707)

For normal observers, a mixture of no more than how many primary colors is needed to match any hue? (1.702)

Over what range, in trolands, do color matches between metameric fields hold? (1.705)

To obtain maximum sensitivity in color matching small visual fields, what should be the chromaticity of the field surrounding the test lights? (1.705)

How do judgments of the color of textured papers compare in consistency (repeatability) with those for colored lights? (1.710)

What may happen to the distinctiveness of a border in the presence of a chromatic difference? (1.237; 1.701)

To appear equally bright, must an achromatic (gray) sample have a higher or a lower luminous reflectance than a chromatic sample? (1.303)

When adjacent to a white standard, how do yellow (560 nm) and deep red (620 nm) compare in equivalent achromatic contrast? (6.313)

In chromatic induction configurations with red/green and yellow/blue fields, as redness (yellowness) of the surrounding (inducing) field increases, what happens to the perceived redness (yellowness) of the central test area? (1.701)

What is the approximate shape of the visual field for different colors? (1.237)

How do green, blue, and yellow compare for field of view and response times? (11.204)

How much misregistration of colors in a CRT is permissible before identification performance becomes significantly poorer? Which symbol colors are best and which are worst with color misregistration? (11.126)

#### Dark Adaptation

After a period of exposure to very high levels of light, how much time is required in total darkness for complete dark adaptation to occur? (1.409; 1.411)

With increasing time in the dark, how does improvement in target detectability compare for large and small targets? (1.406)

With square-wave gratings, how long after the start of dark adaptation does resolution of coarse details continue to improve? (1.410)

#### Afterimages

After a single primary stimulus exposure, can various types of afterimages occur in sequence? (1.309)

How long, typically, do negative and complementary afterimages last? (1.309)

#### **Flicker and Temporal Changes**

How is sensitivity to rapid flicker measured? (1.501)

With a flickering sinusoidal grating, how does flicker sensitivity vary with duration? (1.501)

At what luminance level can the highest flicker rate be detected? (1.501)

In barely detectable targets, how well can flicker rate be discriminated? (1.510)

If the observer's task is to detect the fine details of a pattern, what flicker rate is least detrimental to performance? (1.509)

If the contrast of a flickering target is increased from zero, which is detected first, target pattern or target flicker? (1.509)

In what two ways can flicker sensitivity be improved when the observer views a large uniform field flickering at a slow rate? (1.506)

What happens to critical flicker frequency with time in the dark for nonfoveal targets of relatively high luminance? (1.504)

With sine-wave modulation and a flash rate  $> 15$  Hz, is flicker more or less easily seen at high luminances than at low? For rates  $< 15$  Hz, how does flicker visibility vary with luminance? (11.120)

For CRT displays, below what refresh rate is it generally agreed that flicker is usually quite annoying? (11.122)

What undesirable effects may occur with observers when refresh rates are between 7 and 15 Hz? (11.122)

How high must luminance be on a CRT for a user to notice flicker with a 60-Hz refresh rate? (11.122)

To eliminate flicker perception in the fovea in most electronic displays, how high should the refresh rate be? (11.122)

To eliminate flicker in the visual periphery, how high a refresh rate is required? (11.122)

How does target flicker affect fixation stability? (1.909)

## **Distortion**

### Prismatic Displacement

What are "negative aftereffects" following adaptation to a distorted presentation of the environment? (5.1101)

After adaptation to prismatic displacement has occurred, how do negative aftereffects decay? (5.1101; 5.1104)

Is adaptation to prismatic displacement both rapid and complete when error-corrective feedback is provided? (5.1101)

How quickly do observers adapt to prisms that laterally displace the visual field? (5.1103)

Is adaptation to prism displacement of the visual field ever complete? (5.1104)

Must an observer be consciously aware of prismatic displacement for adaptation to occur? (5.1104)

With prism-induced retinal image disparity, what may happen to apparent target size as the target appears to recede? (1.950)

What are typical tolerances for prism-induced image disparity? (1.950)

How rapidly does adaptation to loss of visual position constancy decay after removal of the source of distortion? (5.1120)

### Underwater Effects

What color is poorest for color coding under water? (5.1124)

What colors are most visible in turbid (muddy) water? cloudy water? clear water? (5.1124)

What happens to stereoacuity under water? (5.1124)

Is motion across the line of sight under water underestimated or overestimated? (5.1124)

At and beyond what underwater distance are distances overestimated? (5.1124)

What happens to apparent size of both far and near objects under water? (5.1124)

What type of image displacement occurs when objects are viewed through a face mask at an angle other than 90 deg? What different displacement occurs because the index of refraction of water is about a third higher than that of air? (5.1124)

Upon entering the water wearing a facemask, do experienced divers initially judge object size, curvature, and distance more accurately than do novices? Is initial judgment due to adaptation? (5.1125)

Why is visual position constancy lost under water? (5.1124)

With head and eye movement under water, does the environment appear stationary, as it does in air? (5.1124)

### Adaptation to underwater distortion

Under what condition does adaptation occur to underwater viewing with a face mask? (5.1101)

With underwater viewing through a face mask, how quickly does an observer adapt to distortion of perceived size, distance, and curvature caused by the mask? (5.1125)

Is adaptation to underwater distortion as rapid with massed practice as with spaced practice? (5.1126)

Is adaptation to underwater distortion as rapid with free swimming as with underwater games? (5.1126)

How does amount of adaptation to underwater distortion compare for terminal exposure and concurrent exposure? (5.1126)

Do novices show as much adaptation as experienced divers? (5.1126)

### Magnification/Minification

In designing an optical system to be used in tasks where little distortion can be permitted, will a horizontal or vertical distortion of 1% or less be noticed by an observer? (6.311)

What does overall (or uniform) magnification in one eye do to relative image orientation? (5.907)

Under what conditions may spectacles cause aniseikonia? (5.909)

What problems can be caused by magnification differences in the two eyes? (5.909)

Along what directions does vertical magnification in one eye produce spurious horizontal disparities? (5.907)

Is there adaptation to the optical minification of objects viewed in a convex mirror? (5.1122)

With either a rotation or a magnification difference between the eyes, what happens to angular misalignment as off-axis angle increases? (1.813)

### Visual Aftereffects

What are the potential aftereffects of exposure to visual displays? (6.320)

Typically, do contingent aftereffects require short or long adaptation periods, and are they difficult to produce? (6.320)

With long exposure to periodic targets, such as gratings, does the spatial frequency of a test target that is lower in frequency than the inducing target appear to be raised or lowered? (6.319)

### Subjective Contours

Are subjective contours more or less apparent with low-pass spatial frequency filtering? (6.314)

Can subjective contours mask real contours? (6.314)



## Eye/Head Movement Dynamics

### Visual Fixation

#### *Spatial factors*

How far, in degrees of visual angle, does the foveal area of the retina extend around the visual fixation point? (8.116)

Can an observer maintain eye position with ease in the absence of a visual signal? (1.915)

About how many microsaccades occur per minute during fixation? (7.505)

What is the optimum angular subtense of a display for most efficient eye fixations? (7.315)

For displays with less than what angular subtense does the percentage of eye fixations falling outside of the display markedly increase? (7.315)

#### *Temporal factors*

Does drift (excursion) of eye position from a fixation point increase with time? (1.912)

What is the approximate length of the shortest eye dwell time in real-life situations? (7.313)

What happens to the duration of the average eye fixation as the size of a visual display increases? (7.315)

In fixating a remembered target location in the dark, does fixation error increase with time in the dark, and does variability increase? (1.911)

What is average eye fixation duration for all signal bandwidths? (7.317)

How does target flicker affect stability of eye fixation? (1.909; 1.915)

#### *Effects of luminance and wavelength*

How does the eye behave if a fixated target is too dim to be perceived in the fovea but not in the periphery? (1.909)

How should an observer fixate on a light that is too dim to be seen clearly? (1.916)

When an observer attempts to fixate a static point, what three types of unintentional eye movement may occur? (1.914)

When illumination is below the photopic (daylight vision) level, what happens to voluntary control of eye movements? (1.915)

What is the maximum effect (in arc min) of color on eye fixation? (1.915)

Maladaptive (fovea-centering) eye movements generally occur with light too dim to be seen clearly; for what color of light does this not happen? (1.916)

For both dim and very dim target discs, do the majority of intersaccadic drifts move away from or toward the fovea? (1.916)

#### *Effects of target information content*

What three factors affect fixation region? (7.505)

Are eye fixations more frequent on display areas containing higher information density? (7.505)

In reading, what is the average duration of eye fixations? (8.116)

### Vergence

What is the formula for convergence angle? (5.905)

What, in degrees, is resting convergence for most people? (1.808)

How is convergence in diopters obtained from convergence in radians? (1.808)

Beyond what distance does convergence change very little with object distance? (1.808)

With normal viewing conditions, do the eyes sometimes diverge past parallel? (1.808)

Does the parallelism or convergence of the eyes change during vergence/conjugate eye movements? (1.905)

Do both eyes always move in the same direction (conjugate motion) for abrupt eye motions? (1.906)

Up to what frequency do slow vergence movements increase with changing (oscillating) retinal disparity? (1.949)

With identical targets in each eye, up to how large a lateral target disparity elicits vergence eye movements? (1.950)

In the disparity range of 0.5-1 deg, how rapidly are vertical compared to lateral disparities corrected by vergence eye movements? (1.950)

In the peripheral retina, do vertical and lateral disparities cause symmetrical or asymmetrical vergence responses of the two eyes? (1.954)

Can target lines of disparate length elicit vergence movements? (1.952)

Can target lines of unequal luminance elicit vergence movements? (1.952)

How small a vertical target disparity will be corrected by vergence eye movements? (1.950)

Can a vertical disparity too small to induce diplopia (0.5 min arc) initiate vergence eye movements? (1.955)

### Tracking Eye Movements

Is pursuit motion of the eyes dependent upon perception of motion? (1.947)

In general, are eye movements in tracking highly efficient? (1.946; 1.959)

Under what conditions is motion seen during pursuit eye movements? (5.202)

Can an observer easily engage in smooth pursuit when no target is present? (1.915)

Are involuntary anticipatory pursuit eye movement responses suppressible? Can they be produced under conditions of no target motion? Do they improve with practice? (1.948)

### *Latency*

With unpredictable target movement, what is the approximate lag between major changes in target velocity and changes in tracking velocity? (1.906)

How soon before target motion do anticipatory eye movements begin? (1.939)

Can anticipatory eye movements during eye tracking be voluntarily suppressed, and does their occurrence vary with experience on the task? (1.939)

When an observer expects a target to move, is there a small lag after target movement before the eyes begin to move? (1.948)

When a previously stationary target begins to move horizontally at a constant velocity, by how many milliseconds will pursuit eye movement lag behind the target? (1.942)

### *Accuracy*

When tracking a target, for what target speed (in deg/sec) can observers not accurately match or exceed a required fraction of actual target velocity? (1.945)

When observers are asked to match eye to target velocity, what percentage of target velocity will eye velocity actually be? (1.945)

Does quality of smooth pursuit tracking differ when observers actively control target movement and when they do not? (1.946)

What type of eye movements occur with unpredictable target movement? (1.906)

With increased target predictability, does phase lag increase or decrease? (1.959)

Do synchronization of the two eyes and fixation stability change as excursion and movement frequency increase? (7.505)

How does eye tracking proceed with a constant target velocity within a range of 25-30 deg/sec, and what may be required for velocities >30 deg/sec? (1.906)

How does overall gain in smooth-pursuit tracking compare for between foveal targets and targets 5-7 deg below the line of sight? (1.941)

### *Effects of luminance*

Does a change in the contrast of predictable moving targets cause a change in smooth-pursuit velocity? (1.915)

What effect does target luminance have on the gain of tracking eye movements, and what happens to phase lag as target luminance decreases? (1.941)

For clearly visible targets, does the relationship of eye movement to target displacement vary much with target luminance? (1.959)

When target luminance is too low for foveal detection, what happens to visual tracking? (1.959)

### *Effects of practice*

Is tracking of targets below the line of sight difficult without practice, and do subjects perform well? (1.941)

Does training readily improve performance on a task in which observers must move their eyes in a direction opposite to target movement? (1.937)

How do errors compare for tasks in which eye movements must be in the same direction and in the opposite direction as target motion? (1.937)

## *Saccadic Eye Movements*

### *Latency*

What are some factors that affect differences among observers in latency of saccadic eye movements? (1.906; 1.932; 1.935)

About how many milliseconds are there between the termination of a saccade and the "point of no return" for the next saccade? (8.115)

How long before initiation of a saccade must it be programmed, and how long thereafter can it be modified? (8.116)

Does wavelength (color) affect saccadic latency? (1.915)

What happens to saccadic latency as contrast increases? (1.915)

Do righthanded people respond more quickly with rightward or leftward saccades? (1.932)

What is the minimum interval between light onset and the initiation of abrupt saccadic movement? How long do eye movements persist after cessation of target motion or the disappearance of a light? (1.906)

### *Accuracy*

During active search, what purpose is served by saccadic eye movement? (7.505)

Is there a systematic relationship between saccade speed and accuracy? (1.935)

At the end of each saccade, with what velocity, in arc minutes/sec, do the eyes drift toward the primary position? (1.931)

Do normal voluntary saccades generally overshoot or undershoot their mark? (1.933; 1.935)

If a target disappears late in the course of the first saccade, does the eye next move to the intended (or predicted) target position? (1.932)

Can successive saccades be executed with reasonable accuracy based on remembered target locations? (1.931)

When a target appears during free search of a visual field, is one or more than one saccade usually required to center the target on the fovea? (1.935)

In reading, what is the average length of a saccade? (8.116)

Generally, does the number of different targets have an effect on saccade initiation? (1.932)

When visual fields have no fixation positions, are saccades between remembered target points similar for dark versus illuminated fields? (1.931)

In making saccades between remembered target positions, how do movement durations and velocities with eyes closed compare with those in the dark? (1.931)

### *Effects of fatigue*

Are large saccades more fatiguing than small ones? (1.908)

After how many very large (50-deg) or large (30-deg) saccades will an observer be incapable of making normal saccades? (1.908)

Do changes from smaller to larger saccades temporarily restore saccade accuracy when the observer is visually fatigued? (1.908)

With visual fatigue, do more or fewer saccades have a dynamic overshoot, and are more saccades present with abnormally large dynamic overshoot? (1.908)

### *Effects of practice*

Does initial eye movement latency improve with practice in fixating an object on a retinal area other than the fovea? (1.909)

Does practice reduce overall saccadic latency or errors? (1.935)

### *Predictability*

For a given observer, are the angular size and duration of saccades predictable? (1.935)

What happens to secondary saccades when a spot to be fixated disappears before the primary saccade ends? (1.935)

If observers are cued in advance to locations where targets may appear, do speed and accuracy of initial saccades increase relative to no cueing? What happens to speed and accuracy if cues are not accurate? (1.935)

For both normal saccades and the small corrective saccades which generally follow them, how does peak velocity of a saccadic eye movement vary as a function of saccade length? (1.933)

With step motion of a target, is the response always saccadic eye movement? (1.906)

Is proximity a more powerful factor than contour and movement in determining the first saccade? (1.934)

### *Microtremors*

During search of a display, what is the amplitude in arc sec and velocity in deg/sec of microtremors? (7.505)

### *Rotational Eye Movements*

When the eye moves, where is its center of rotation? (1.206)

How many of its three degrees of rotational freedom does the eye use, i.e., how many parameters fully describe eye position? (1.903)

With optically unaided (naked eye) viewing, about how many degrees from straight ahead may the eye rotate with comfort? (1.207)

With head tilt, how does average amplitude of ocular torsion compare with average horizon displacement? (5.803)

What two distinct types of rotational eye movement occur when an observer tilts the head laterally in a steady, uniform manner? (1.959)

Do cyclofusional eye movements completely compensate for a difference in tilt of left- and right-eye images? (1.956)

### *Eye-Head Movement Coordination*

At all vibration frequencies, how do mean eye-in-space displacements compare with head-in-space displacements? (10.418)

Why may head translation induce eye rotation? (10.418)

Up to what vibration frequency is translational eye vibration nearly the same along all three axes as head vibration? (10.418)

What must occur with head rotation for the retinal image to be stabilized? (1.928)

When observers rotate their heads while fixating a distant target with both eyes, up to how many deg/sec does retinal image position between the eyes change? What is the average retinal image speed within each eye? (1.913)

Is eye movement compensation for head rotation the same for both eyes, and is it accurate when observers rotate their heads while fixating a distant target with both eyes? (1.913; 1.958)

What is suggested by the fact that the amplitude of ocular countertorsion is a function of the sine of the angle of head tilt? (1.957)

What type of eye movement accompanies neck rotation? (1.958)

When the head is tilted in a gravitational field, why do the eyes undergo torsional movements? (1.959)

What happens to visual position constancy when optical or other devices disrupt the normal relationship between head (or eye) motion and the resultant retinal image motion? (5.1120)

### *Optokinetic Response*

In a normal environment, are vestibular and optokinetic nystagmus congruent in direction and magnitude? (1.918)

What happens to the velocity of a pursuit eye movement with sudden exposure to a moving surround? (1.924)

How do the gains of optokinetic nystagmus and optokinetic after-nystagmus compare? (1.924)

What are the approximate values of the rise and fall time constants of optokinetic after-nystagmus? (1.924)

### *Vestibulo-Ocular Response*

#### *Dynamics*

What is the gain of the vestibulo-ocular reflex? (1.917)

What is the time constant of the primary vestibular input to vestibular nystagmus? (1.918)

How are the directions of head and eye movement related in the vestibulo-ocular reflex? (1.917)

For what vibration frequencies does the vestibulo-ocular reflex stabilize the eye in space? (10.418)

Above what head rotational velocity is compensation for velocity rather poor? (1.917)

At low frequencies (<3 Hz), does predictability of motion aid eye compensation for motion? (1.917)

What, approximately, is the maximum slow-phase velocity of the vestibulo-ocular reflex? (1.922)

For head rotation velocities of >200 deg/sec, what happens to quick-phase velocity? How long does the quick phase last? (1.922)

When an observer in the dark is not alert, what happens to the gain of compensatory eye movements? (1.926)

During rotation, are changes in gain specific to the plane within which visual information is distorted? (1.926)

For active rotational oscillations of the head that require a 36% change in gain, how long does it take for complete gain adaptation? (1.926)

Why must the gain of compensatory eye movements be varied when the head rotates? (1.926)

How does the amount of compensatory eye rotation (or gain of vestibular nystagmus) required to stabilize retinal image motion compare for near and distant objects? (1.928)

What is the mean adaptive time constant underlying the time course of declining nystagmus under constant acceleration (adaptation) and secondary nystagmus? (1.930)

What eye movement accompanies ferris-wheel rotation of the head and body about a horizontal axis? (1.958)

#### *Visual suppression of vestibular nystagmus*

Will visual suppression of vestibular nystagmus increase or decrease when continuous illumination is made intermittent? (1.918)

Is visual suppression of nystagmus greater in the pitch plane for forward or backward pitch? (1.918)

How does visual suppression of vestibular nystagmus in the yaw plane vary with frequency? (1.918)

Should the target image be moved to the retinal periphery to lessen visual suppression of vestibular nystagmus? (1.918)

What visual problems are caused by incomplete suppression of vestibular nystagmus? (1.920)

Is visual suppression of vestibular nystagmus greater when leaning the head forward or leaning it backward while rotating about a vertical axis through the head? (1.919)

When the head rotates sinusoidally about a vertical axis at a sinusoidal frequency of 0.2 Hz, does an observer have difficulty reading digits on a display? (1.920)

#### *Effects of attention*

Does relaxed attention weaken or strengthen vestibular nystagmus? (1.929)

Does increased mental alertness affect the duration of nystagmus? (1.923)

If a target must be visually fixated, is vestibular nystagmus weakened or strengthened during a mental arithmetic task? (1.929)

#### *Reverse nystagmus*

In an aircraft, when may reverse nystagmus occur? (1.921)

Is there a large discrepancy between actual and required angular eye velocity for retinal image stabilization in the roll plane, and how does the discrepancy change during rolling? (1.921)

How can a pilot minimize the effects of rotation in the roll plane? (1.921)

During aircraft spin, how well can the pilot visually follow in the pitch plane? (1.921)

At the time of aircraft recovery from a roll, what happens to angular eye velocity in the roll plane? (1.921)

How much reverse nystagmus occurs in the yaw plane on recovery from aircraft spin, and what is the presumed reason? (1.921)

What probably counteracts the reverse nystagmus for pitch and yaw after aircraft spin? (1.921)

Is roll after-nystagmus counteracted, is it substantial, and what may it cause the pilot to do? (1.921)

#### *Postrotary nystagmus*

How long must the head be rotated at a constant velocity for postrotary nystagmus to occur on cessation of rotation? What is the result of this nystagmus on compensation? (1.923)

How does duration of postrotary nystagmus vary as a function of angular head velocity? (1.923)

Is duration of postrotary nystagmus appreciably decreased by fixating a stationary target? (1.923)

Does tilting the head to the side after rotation of the body increase or decrease the duration and gain of postrotary nystagmus? (1.923)

Does practice reduce nystagmus intensity? Do subjective measurements of its duration change? (1.923)

## **Vibration**

### *Transmission of Vibration*

Over what frequency range is vertical transmission of vibration through the torso greatest? (10.406)

How do seating conditions affect transmission of vibration to the body? (10.401)

At frequencies >5 Hz and <60 Hz, what does contact with seat back and shoulder strap do to head motions? (10.401; 10.406; 10.407; 10.408)

What is the frequency range containing significant motion in vibration environments? (10.402)

With atmospheric turbulence, for which frequencies do particularly high vibration acceleration amplitudes occur? (10.403)

The translational cockpit vibration spectrum typically compromises what frequency range? (10.403)

With ships, how many z-axis frequencies are typical? (10.426)

For frequencies below 4 Hz, is vertical transmission of vibration to the head increased or decreased by a relaxed posture? (10.406)

Above 5 Hz, is vertical transmission of vibration to the head increased or decreased by a stiff upright posture? (10.406)

In what frequency range does seat vibration cause the maximum vertical head vibration? (10.406; 10.407)

By how much may the amplitude of pitch head vibration be increased by x-axis seat vibration? (10.408)

At which frequencies do fore-and-aft seat back vibrations induce significant pitch-axis head vibration? (10.408)

Below what frequency is the head well isolated from lateral (y-axis) seat motion? (10.408)

### **Effects on Visual Performance**

How do sinusoidal and random vibrations of the same root mean square amplitude compare in effects on visual performance? (10.409)

What is the effect on visual performance of vibration of the display compared with vibration of the observer? (10.409)

Will collimating a display reduce effects on vision of translational motion of eye or image? (10.409)

Above what frequency is visual detection of target vibration independent of vibration frequency? (10.410)

At a constant viewing distance, how does average vibration acceleration for perceiving blur vary with vibration frequency? (10.410)

During whole-body vibration, what causes reduced visual performance? (10.417)

Above what frequency of vibration will display collimation not be beneficial? (10.417)

With a collimated helmet-mounted sight or display, are the vibration amplitudes in pitch and yaw of the helmet in an aircraft sufficient to affect observer performance? (10.419)

### **Effects on Visual Display Legibility**

Under conditions of vibration, upon what does reading performance depend? (10.402)

When luminance contrast is high (> 90%), what may happen to reading performance during vibration? (10.409)

Under vibration conditions, does increased angular display size aid vision? (10.409)

For observer-only vibration at high frequencies, in what frequency range is display legibility loss greatest? (10.411)

What is the form of the functional relationship between vibration magnitude and reading errors for all but characters of large angular subtense? (10.413)

During vertical whole-body vibration, by how many horizontal character widths should small-subtense characters be separated to optimize display legibility? (10.409; 10.414)

Do a large number of pixels in a symbol aid reading speed, with or without vibration? (10.415)

With and without vibration, are Huddleston and Lincoln Mitre fonts read equally fast? (10.415)

What luminance contrast and symbol size yield minimum reading errors during vibration? (10.416)

What is the mathematical relationship between reading errors and luminance contrast with vibration? (10.416)

Under vibration conditions, do reading errors increase for characters with larger amounts of high-spatial-frequency information? (10.435)

## **Visual Information Representation and Coding**

### **Size**

What is the advantage of using visual angle or angular subtense rather than linear measurements to describe the size of objects? (1.240)

When the line of sight is not along the optical axis of a spectacle lens, what happens to image size and apparent location of objects? (1.206)

What two elements provide a means of specifying the size, shape, and distance to any object in a scene? (5.105)

Does the height of the horizon, relative to an observer, influence size perception? (5.108)

Under reduced viewing conditions, does the subtended visual angle of an object influence size and distance judgments? (5.104)

Do observers tend to underestimate, accurately estimate, or overestimate objective and projective size? (5.104)

In a diving attack on vehicles, how does target detection vary with target image size (or distance) and aircraft speed? (11.106)

What is the effect of element size in reading alphanumeric with pixel element displays? (11.114)

### **Shape and Slant**

In judging perceived slant, do observers make judgments that appear to obey the rules of projective geometry? (5.113)

In estimating the slant of surfaces with texture, do observers underestimate, accurately estimate, or overestimate slant? (5.116)

With a constant element spacing on a textured surface, how does perceived slant vary as element size increases? (5.116)

Is slant judged more accurately for surfaces with regular or irregular texture? (5.116)

What is the magnitude of the correlation between perceived slant and perceived shape? (5.113)

Does shape discrimination vary systematically with area and illumination of forms? (6.311)

## Orientation

Does target detection vary with target orientation? (1.624; 1.634)

What is one reason why patterns that differ only in orientation may not be readily identifiable? (6.309)

How precisely can an observer set a luminous line in the dark to the vertical or horizontal? (5.801)

What happens to the visual vertical as the head is tilted backward? (5.801; 5.802; 5.803)

How is the visual vertical influenced by returning the tilted head or body to an erect position after prolonged tilt? How do head and body tilt effects compare? (5.801)

How long after tilting the head for a prolonged time and then returning to vertical does the effect on the perceived vertical increase? (5.802)

What is the maximum advisable tilt from perpendicular to the line of sight of a television display screen when alphanumerics have to be read? (11.109)

## Grouping

With familiar versus unfamiliar groupings, how do speed and accuracy in determining number of objects in view change? (7.523)

What are five Gestalt principles for predicting which elements of a display will be perceived as figure and which as ground? (6.301)

How does the size of an area influence preference for seeing it as figure, rather than ground? (6.301)

## Color

By how many degrees do the optical and visual axes of the eye differ? What does this angular deviation do to the apparent distances of objects of different color? (1.209)

When display density is high, what is the advisable maximum number of color code levels? (7.513; 11.329)

In a system that displays television imagery of terrain, symbols are to be overlaid on the scene via computer to represent objects of various types. For these conditions, will the use of colored symbols enhance operator speed in finding targets? (7.519)

For what color stimuli is the visual field widest and response time shortest? For what color is the field narrowest and response time longest? (11.204)

As ambient illumination level increases, what happens to reaction time and color-naming errors for signal lights? (11.406)

How does reaction speed to red and green signals compare with that to yellow and white signals? (11.406)

What are recommended colors for alerting or advisory signals? (11.401)

How do response times compare for compatible and incompatible control-display arrangements? Is color coding of lights and switches recommended for either condition? (11.206)

In an alphanumeric display for use in a high ambient light environment, how do red LED characters compare with green ones of equal luminances in accuracy of character identification? How do larger, less luminous elements compare with smaller, more luminous ones? (11.123)

In selecting pointer, background, and panel lighting colors, which color combinations yield highest accuracy in reading with various lighting conditions? (11.125)

In designing a circular dial, is it useful to add color contrast to a dial of a given achromatic contrast when using (1) light symbols on a dark background and (2) dark symbols on a light background? (11.124)

(See Also: Color Sensitivity)

## Depth

*Cues to depth*

How good a depth cue is eye convergence? (1.808)

What factors can characterize perspective structure in a display? (5.105)

How does vertical position influence distance perception? (5.901)

When a moving observer is attempting to judge relative distances by using motion parallax, what is the function of visual fixation point? (5.902)

With central vision, what distance cue is dominant up to 6.4 meters? (5.904)

How do highlights and shading, respectively, indicate the surface configuration of objects? (5.901)

How can surface texture aid in depth discrimination? (11.221)

With a moving target, what happens to apparent position of the target in depth when luminance is different in the two eyes? (5.931)

For static peripheral viewing, up to what distance are stereoscopic cues effective? What is the dominant cue at longer distances? (5.904)

What are the response limits for lateral disparity? (1.952)

For observers with excellent stereoacuity and widely spaced eyes, up to what distance is retinal image disparity an effective depth cue? (5.905)

Under what natural viewing conditions do vertical retinal image disparities arise? (5.906)

How high can retinal disparity be, when eye movement is restricted, before judged target depth departs from predictions based on parallax geometry? (5.916)

At large retinal image disparities where targets are seen as double and accurate depth judgments are not possible, what judgments can be made, provided stereoscopic depth perception is still possible? (5.930)

Are hysteresis effects as pronounced for vertical disparity as for horizontal disparity? (5.937)

*Stereoacuity*

What stereoacuity tests are commonly available? (5.917)

Above what illumination level is stereoacuity at a maximum? (5.918; 5.919)

How rapid can motion in depth be before reducing stereoacuity? (5.918)

What effect on stereoacuity is caused by the presence of depth reference cues? (5.922)

Are results similar for stereoacuity when measured with stereoscopic targets and with real objects? (5.917; 5.929)

## Motion

### *Motion detection*

How does sensitivity to vertical-axis movement compare with sensitivity to horizontal-axis movement? (5.206)

In general, is motion detection improved more by increasing illumination or by increasing target exposure time? (5.207)

When a moving pattern has no unique parts, what may be the effect upon detection of motion direction? (6.316)

### *Apparent motion*

What conditions of flash duration, temporal separation, and spatial separation induce apparent motion? (1.938; 5.401; 5.402; 5.403)

Is there a consistent tendency to see apparent motion between elements of like configuration? (5.402)

In apparent motion where several paths are possible, how important to path selection are feature properties of stimulus elements? (5.402)

In stroboscopic motion, how does critical sampling frequency vary with velocity? (5.404)

### *Relative motion*

What is the least discriminable angular velocity difference between two moving objects? (5.203)

Does the presence of reference stimuli improve detection of object-relative motion? (5.203)

For a target moving against a textured background, what is the minimum detectable angular velocity and how does it compare with that against a featureless or dark background? (5.201)

For target paths of equal length, can observers accurately match target velocities? (5.203; 5.210)

When optical flow arises from observer motion, how does an object's flow vary with its distance from the observer? (5.502)

From what point does the optical flow appear to expand outward? (5.502)

For simulated aircraft landings, how much assistance in determining aim point is provided by the optical flow pattern? (5.102)

In simulated aircraft landings, what pilot judgment (distance, height, or glideslope angle) is affected by amount of detail in visual scenes? Is judgment better with more scene details? (5.103)

Can linear motion of the visible environment, such as a moving or swinging room, induce self-movement? (5.501)

### *Collision prediction*

When an object is approaching from straight ahead, does amount of error in estimating collision time vary with approach velocity? (5.214)

When observers must judge the probability of collision of two objects on intersecting paths, and one path is occluded before the intersection point: (a) What type of object motion yields the most accurate prediction? (b) Is prediction accurate when one object rapidly slows down? (c) When one target is slowing down or speeding up, how is predicted collision time affected? (5.213)

When two small aircraft are on a collision course, does the probability of one aircraft's detecting the other increase or decrease as crossing angle increases? (7.613)

## Text

### *Dialogue design*

What are some special recommendations for the design of formal query languages relative to (1) layering, (2) semantic confusion, and (3) term specificity? (11.315)

In designing a query language, what are some general recommendations for (1) data organization, (2) quantifiers, (3) query feedback, (4) abbreviations, and (5) dialogue transaction? (11.315)

What are some special recommendations for the design of informal query languages relative to dialogue clarification and use of quasi-natural language? (11.315)

What are some considerations in designing sequence control for dialogue? (11.319)

What are some guidelines for error detection, message design, and error correction? (11.320)

In presenting data in person-computer dialogue, what are some recommendations for (1) display of text data, (2) display of alphanumeric data, (3) multicolumn displays, and (4) grammatical style? (11.326)

In presenting numeric data, what are some recommendations for formatting numerical information to facilitate comprehension and comparison of the data by the user? (11.325)

In presenting tabular data, what are some guidelines for (1) formatting data into lists, and (2) justification of lists? (11.327)

### *Character font size and spacing*

What is the probability of correctly reading alphanumeric and geometric symbols on CRT and large-screen projected displays with different modular organizations, exposure times, and visibility? (7.109)

Do 5x7 and 7x9 pixel symbols produce an equal number of errors and equal reading speed? (10.415)

What is the minimum vertical symbol resolution, in TV lines, required for high accuracy in character recognition and how does accuracy vary with angular size of characters? (11.108)

For CRT alphanumerics, what is the maximum allowable off-axis viewing angle? the recommended minimum number of TV lines per character? the recommended minimum angular subtense of characters? How does bandwidth influence legibility? (11.109)

What is the preferred resolution for television-displayed characters in terms of scan lines per symbol height? (11.111)

What stroke widths relative to character width of symbols on television are best for legibility (accuracy) and reading speed? (11.112)

On fixed displays of alphanumeric characters, what range of active area (i.e., element size/inter-element spacing), is acceptable in unstressed conditions? What range is acceptable in difficult viewing conditions? (11.115)

With dot-matrix displays, how does text reading rate vary with the ratio of element size to element spacing? (11.116)

With and without vibration, are Huddleston and Lincoln Mitre fonts read equally fast? (10.415)

Do a large number of pixels in a symbol aid reading speed, with and without vibration? (10.415)

### *Reading*

How does the shape of elements (dots) in a pixel display influence search time and reading time, and what shape is best? (11.207)

What are the characteristics of eye fixations and saccades text reading? (8.101)

In reading, what is the average duration of eye fixations? (8.116)

During reading, as viewing distance increases, what happens to fixation duration? (8.111)

In reading, how does eye fixation duration compare for long and short words? (8.113)

In reading, does average number of eye fixations per word increase with word length? (8.114)

When reading, do saccades generally fall on blank spaces? (8.116)

### *Pictures vs. words*

How do pictures and words compare as to speed with which they can be categorized? (8.106)

On the average, can a presented picture be named as rapidly, as a presented printed word can be pronounced? (8.106)

### **Numeric Representation**

For scales with various spacing between numbers, what is the approximate number of graduation marks above which reading errors no longer appreciably decrease? (11.212; 11.214)

For a circular dial, is accuracy maximized during interpolation by a large number of minor graduation marks? (11.215)

How much time is required to read semi-circular scales and what accuracy can be expected? (11.216)

How much time is required to read counters and what accuracy can be expected? (11.217)

What are the design guidelines for graphic presentation of (1) labels, (2) axis subdivisions and scales, (3) displayed values, (4) symbols? (11.328)

## **Binocular Displays**

### **Binocular vs. Monocular Vision**

What is probability summation in vision, and what does it imply? (1.801)

How do contrast sensitivity, detection of weak lights, visual acuity, and form recognition (in simple displays) compare for binocular versus monocular vision? (1.801)

Under binocular rather than monocular viewing conditions, how much does contrast sensitivity improve? (1.802)

When the luminances in the two eyes' visual fields are very different, what is the effect upon binocular brightness? (1.803)

How do monocular approaches to landing an aircraft compare in height and in steepness to binocular landings? (5.101)

How does workload compare for monocular and binocular aircraft landings? (5.101)

How does relative accommodation compare for monocular and binocular viewing with a target oscillating in depth? (1.229)

How does pupil size with both eyes stimulated compare with pupil size when only one eye is stimulated? (1.232)

### **Geometrical Considerations**

What is the range of interpupillary distances (IPD) found in the adult population? (1.208)

What happens to interpupillary distance when looking into an instrument whose optical axes diverge so that the eye axes must converge? (1.208)

In using an optical device with an exit pupil, where should the exit pupil of the device be located relative to the eye? (1.209)

What is the formula for convergence angle? (5.905)

How is convergence in diopters obtained from convergence in radians? (1.808)

### **Image Alignment**

What conditions produce binocular rivalry? (1.804)

Under what conditions may binocular suppression occur? (1.807)

When the images in the two eyes are too far out of alignment to permit fusion, what may happen to target appearance? (1.813)



What are the maximum recommended tolerances, based on comfort in use, for vertical and horizontal misalignment? for eye convergence and divergence? (1.813; 5.911)

With axial misalignment of a binocular device, how does alignment vary over the field of view? (1.813)

What is the largest recommended vertical disparity for displays? (5.906)

Is double vision (diplopia) due to vertical disparity more disturbing and uncomfortable with complex or real scenes than when backgrounds are homogeneous? (5.906)

When targets appear double due to large image disparity, does ability to accurately localize targets in depth cease? (5.930)

How does the maximum tolerable rotational misalignment of a stereoscopic display compare for displays with almost no details and for displays with considerable detail? (5.913)

In a stereoscopic display, how does tolerance for rotational misalignment vary with target size? (5.913)

Can the two eyes rotate relative to each other to compensate for rotational misalignment of stereoscopic displays? (5.913)

---

## **Auditory Displays**

### **Speech Intelligibility**

#### Message Context

In a noisy situation, can context aid message reception? (7.208)

Under difficult listening conditions, why are sentences more intelligible than isolated words? (8.301)

In noise, does the recognition of common words exceed that of rarely used words? (8.308)

Are effects of the recognizability of words due to commonality and to word length independent or dependent? (8.308)

#### Speech Interruption

What happens to the intelligibility of interrupted speech as the speech-time fraction increases? (8.402)

#### Age

At what age does speech perceptibility begin to markedly decline? (8.401)

#### Speech Level and Playback Speed

For a high-quality communication system, how much dynamic range is needed, and how much is sufficient for practiced talkers and listeners? (8.203)

What is the speed range over which recorded speech can be played back with little effect on intelligibility? (8.404)

#### Signal-to-Noise Relationships

What happens to speech intelligibility when speech level exceeds 100 dB? (8.305)

How does recognition of speech vary with signal-to-noise ratio? (8.305)

For speech in noise, how much improvement in intelligibility can be expected with increased vocal force? (8.312)

#### *Phase*

Putting speech out of phase in the two ears without altering noise is equivalent to increasing speech power by what amount? (8.314)

Up to how much is word intelligibility improved by having signal or noise 180 deg out-of-phase in the two ears rather than in phase? (8.314)

#### *Spatial Separation*

What spatial separation of signal and noise sources yields best intelligibility? (8.314)

How does accuracy in responding to one of two simultaneous auditory messages vary with spatial separation of the messages? (7.210)

How does speech intelligibility compare when speech and noise appear to arise from the same location and when they seem to arise from different locations? (8.314)

#### *Masking characteristics of noise*

What kind of noise is the best masker for speech? (8.306)

In general, does high-frequency noise mask the low-frequency components of speech? (8.306)

When noise is more intense than speech, which is the better masker, low-frequency or high-frequency noise? (8.306)

When noise is less intense than speech, which is more effective as a masker, low-frequency bands, or midrange to high-frequency bands? (8.306)

For a speech message, is a speech distractor more or less effective than noise? (8.307)

#### Earplug Use

For very high noise levels, do earplugs aid intelligibility? (8.312)

For noise that raises the signal threshold at least 60 dB, do earplugs increase speech intelligibility? (8.316)

For relatively quiet conditions, do earplugs decrease intelligibility of speech? (8.316)

How much can earplugs designated for a specific noise spectrum aid intelligibility? (8.316)

At all signal-to-noise levels in a reverberating room, at what noise level do earplugs aid rather than hinder speech intelligibility? (8.316)

### Techniques for Improving Speech Intelligibility

What are seven methods to improve the intelligibility of speech in noise? (8.304; 8.312)

Does use of a smaller set of words (vocabulary or alternatives) increase intelligibility in noise? (8.309)

For speech in noise, how much improvement in intelligibility can be expected with repetition? (8.312)

Is intelligibility affected when speech is clipped after it is mixed with noise? (8.313)

How much of the speech wave can be clipped off before listeners fall below 90% correct identification of isolated words? (8.313)

In quiet conditions, up to how much peak clipping can occur without decreasing intelligibility? (8.313)

Does having the noise and speech come from different locations aid intelligibility? (8.315)

## **Speech Processing**

### Characteristics of Speech Signals

What are two ways of describing a spectrum envelope of speech? (8.201)

In speech analysis, which acoustic invariants are sought? (8.201)

Can individual components of speech be isolated by a spectrum envelope? (8.201)

In speech, most of the energy falls below what frequency? (8.201)

At frequencies over 600 Hz, what happens to speech energy as frequency increases? (8.204)

What is the frequency range in which the intensity of human speech is greatest and in which 300 Hz band is speech energy concentrated? (8.204)

At 1 m from a talker, what is long-term RMS speech pressure in dB for whispering and for shouting? (8.203)

At 1 m from a talker, what is the dB range from minimum normal level to maximum normal level for peak instantaneous levels, and how much does it vary across talkers? (8.203)

Which sounds are on the average the loudest, vowels or consonants? (8.203)

On the average, how much less are measured speech intensities for females than for males? How do they compare in the 100- 1000 Hz range? above 1000 Hz? (8.204)

Why do analyses of speech spectrograms usually concentrate on consonants? (8.201)

What is the range of duration of vowels/sec and consonants/sec in speech? (8.201)

In normal speech, what is the range of phonemes/sec? (8.201)

Which have rapidly changing aperiodic elements, vowels or consonants? (8.201)

How do glides compare with vowels in length and in intensity? (8.205)

### Speech Production

At normal rates of speech, about how many times a second do lips and tongue change position? (8.201)

What is the usual rate of laryngeal pulses/sec for males and for females? (8.201)

How do fricatives and stops compare in manner of production? (8.205)

What are the joint effects of the number of words in the response and the number of syllables per word in a reaction time task? (8.208)

How much does response time increase for each additional word required in a response? (8.208)

## **Non-speech Signals**

### Signal Detectability

For a 1000 Hz tone at 20 dB or above, what is amplitude resolution (minimum perceptible intensity difference) in dB? (5.1001)

For a reference of 0 dB = 0.0002 dyne/cm<sup>2</sup>, what is the dynamic range in dB of hearing? (5.1001)

For what pure tone frequency is sensitivity greatest? (2.301)

From 20-1000 Hz and above 1000 Hz, respectively, what is auditory frequency resolution? (5.1001)

With earphone listening, does reversing the phase of the noise or of the signal greatly enhance signal detection in noise? (2.314)

How does the minimum audible pressure compare for tones above and below 6000 Hz with free-field versus earphone listening? (2.302)

Does signal detectability vary when signal and noise come from different locations? (8.301)

### *Effects of duration*

How does discrimination of the duration of noise bursts vary with signal bandwidth, amplitude, and waveform? (2.503)

Which is more easily integrated into a single percept, simultaneous signals from two locations? signals from a single location? signals separated in time? (6.401)

By how large an interval can two sequential auditory stimuli be separated and still be heard as a single, fused sound rather than as two sounds? (6.407)

How short must the interval be between two brief sounds for the sounds to be heard as distinctly separate? (6.408)

Does slowing presentation rate aid in hearing a sequence of tones as a single coherent series? (6.403)

#### *Effects of interaural phase*

Are interaural phase effects more pronounced at higher or at lower signal-to-noise ratios? (8.314)

About how much lower are binaural thresholds than monaural ones? How does this difference vary with frequency? (2.301)

How can interaural phase differences between signal and mask affect signal detection? (2.306)

Does monaural or binaural noise increase more rapidly with sound pressure level? (2.608)

In listening for a signal with noise present, under what conditions do interaural phase effects occur? (2.609)

Does increasing the interaural phase difference of a signal and a distractor affect intelligibility? (8.301)

#### *Underwater listening*

How do absolute underwater sound thresholds compare with those in air? (2.301)

What happens to the difference between underwater and in-air hearing thresholds as frequency increases? (2.304)

#### **Masking and Interference**

Up to how much attenuation at one ear, relative to the other ear, can be caused by the sound shadow of the head? (2.801)

How does pressure on the ears from earphones induce low-frequency masking noise? (2.302)

Which masks more effectively, a sound lower or higher in frequency than the sound to be masked? (2.306; 2.309; 8.301)

How does masking by narrow-band masks and wide-band masks vary with signal delay? (2.306)

How wide apart can two tones be and still produce strong beats with each other? What does this do to detectability? (2.309; 8.301)

To increase signal masking in noise, should wide-band noise (200-400 Hz) be used, or is a low-frequency band of the same power better? (8.306)

How much masking may be obtained when signal and mask are presented to opposite ears? (2.309)

For signals affected by a mask, how does threshold vary with signal frequency? (2.308)

How do pulse and steady-state masks compare in effectiveness? (2.313)

What is interaural masking, and where does the mask interfere with the signal? (2.313)

Does interaural masking show symmetry with frequency? (2.313)

For how long after mask presentation does masking continue? How does it decay within that time? (2.313)

#### *Echoes*

In normal rooms, by how much time do echoes follow original sounds and how much are they attenuated from the original signal? (2.817)

By how much time must an echo follow a sound for it to be heard as a separate or independent sound? (2.817)

#### **Environmentally Induced Shifts in Listener Sensitivity**

What does exposure to sounds do, temporarily, to sensitivity to nearby frequencies? (10.311)

For what signal frequency relative to the noise center frequency, does maximum temporary threshold shift (TTS) occur? (10.311)

How does temporary threshold shift vary with exposure duration? (10.311)

How does degree of temporary threshold shift vary with sound pressure level (SPL) of sounds such as white noise, pulsed tones, clicks, or gunshots? (10.312)

Exposure to low-frequency (<2000 Hz) noise may cause a permanent loss in sensitivity for what range of frequencies? (10.313)

What three factors should be considered in assessing the risk of permanent damage to hearing from sound exposure? (10.313)

Does broadband or narrow-band noise produce more temporary threshold shift? (10.313)

Below what frequency do pure tones increase temporary threshold shift? (10.313)

How does noise-induced permanent threshold shift vary with exposure intensity and with years of exposure? (10.314)

How does hearing loss vary with the frequency and bandwidth of the noise inducing it? (10.314; 10.315)

Exposure to what kind of noise produces the greatest hearing loss? (10.314)

After how many years of noise exposure may hearing loss level off? (10.315)

#### *Recovery*

How quickly does recovery from temporary threshold shifts begin after noise stops, and what is the time course of recovery? (10.311)

About how many hours may be required for complete recovery from long-term exposure to 4.0 Hz-centered noise? (10.313)

#### *Susceptibility*

Does degree of an individual's hearing loss at one frequency permit prediction of susceptibility to loss at another frequency? (10.315)

#### **Localization of Signals**

What are the two main cues for localizing sounds? (2.810)

What is the shape of the region within which sound source localization is confusing? (2.805)

Where in the sound spectrum are front-back localization errors most common? (2.813)

Under free-field conditions, where on the horizontal plane are sound localization errors smallest? (2.813)

What does occluding one ear do to the perceived locus of sounds? (2.810)

For wide-band noise and for narrow-band signals, how does localization error compare for both ears versus one ear? (2.810)

Do echoes normally interfere with localization of sound sources? (2.817)

When visual and auditory information on localization is contradictory, how much can vision bias hearing? (5.1006)

When optical devices produce visual field displacement, causing a discrepancy between visual and auditory localization, do sounds then seem to come from the apparent visual sound source? (5.1127)

Does it aid accuracy of reception of one of two simultaneous auditory displays to give visual cues to message source location? (7.210)

With the head fixed in position, how does sound source localization change when listeners are blindfolded? (2.815)

How do earphones affect the perceived location of sounds? (8.314)

Is there any perceptual adaptation to an artificially reversed auditory space? (5.1127)

#### *Intensity cues*

For what sound frequencies is interaural intensity difference an important cue to sound localization? (2.803)

Above what sound frequency does the human head provide an effective shadow so that interaural intensity differences can serve as a primary cue for sound localization? (2.804)

#### *Temporal cues*

What is the maximum possible difference in time of arrival to the two ears of sounds from a small sound source? (2.801)

Up to what frequency is interaural time-of-arrival difference an important cue in locating a pure tone? (2.801)

What is the minimum duration of sounds for which head movements can aid localization? (2.801)

For a pure 3900 Hz tone with only interaural time differences as a cue, how well can listeners locate sound sources? (2.808; 5.1006)

What can be done to high-frequency complex stimuli so that a listener can extract time-of-arrival differences to determine the location of a sound source? (2.808)

#### *Pitch (Signal Frequency)*

Other things being equal, how does pitch vary with changes in frequency? (2.701)

#### *Loudness (Signal Intensity)*

How does loudness depend on bandwidth? (2.606)

How does loudness of tones heard in the two ears compare with loudness when only one ear is used? (2.601; 2.608)

For what repetition rates does a pulse train sound louder than a continuous sound of equal total energy? (2.610)

What is loudness adaptation, and how does it differ from fatigue and habituation? (2.612)

In an aircraft, at which noise level in dB does noise change from acceptable to uncomfortable? (10.302)

---

## **Vestibular Displays**

### **Vestibular Sensitivity**

What is the absolute threshold of the vestibular sense? (5.1001)

What is the range of input frequencies for which cupula displacement is a function of head velocity? (3.203)

By how many degrees may cupula displacement lead or lag head velocity? (3.203)

What illusion may be produced by linear acceleration? (3.210)

How well can people detect constant velocity in the absence of visual cues? (3.210)

### **Vibration**

Below how many  $m/sec^2$  are vibration magnitudes not perceptible? (10.401)

Between 2 and 100 Hz, for both seated and standing observers, what is the approximate threshold in  $m/sec^2$  root mean square for perception of whole-body vibration? (10.427)

Are seated subjects more or less sensitive to horizontal (x- and y-axis) vibration than standing subjects? (10.427)

Approximately how much does vibration frequency have to change to be noticeable 50% of the time? (5.1001)

What vibration magnitude and duration will generally cause severe discomfort? (10.401; 10.402; 10.426; 10.428; 10.430)

At and above what level are vibration magnitudes assumed to be dangerous? (10.401; 10.402)

Does sustained normal acceleration affect vibration transmission through the torso? (10.406)

At what frequencies are local vibrations to the hands associated with circulatory, bone, joint, muscle, and nerve injuries? (10.402)

(See also Visual displays: Transmission of vibration)

## Acceleration

As positive (toe-to-head) accelerations increase from 1-4 g do both the fovea and the periphery become less sensitive to contrast? (10.901)

What happens to contrast sensitivity as either longitudinal acceleration (toe-to-head) or transverse acceleration increases? (10.904)

For the seated subject, are physiological limits lower for vertical or transverse acceleration? (10.903)

With vertical acceleration of a seated subject, what happens to vision? (10.903)

At what acceleration level is reading of aircraft instruments potentially affected? (10.905)

Under high illumination (150 cd/m<sup>2</sup>), what happens to errors in reading aircraft instruments as acceleration increases up to 4 g? (10.905)

If acceleration lasts more than 6-7 seconds, how much does acceleration tolerance increase? (10.906)

With positive g acceleration of 4-6 seconds, at what levels does (a) loss of peripheral vision occur, (b) blackout occur, and (c) unconsciousness occur? (10.406)

During tolerance testing for positive g acceleration, up to how many multiples of g have been used for short durations with live human subjects? (10.906)

How do thresholds for direction of motion and sensation of tilt compare? (3.206)

What is the best method for exposing subjects to forces in excess of one  $g_n$  for long periods of time? (3.206)

## Body Rotation

If an observer's head is tilted forward, while rotating around a vertical axis, what will be experienced? (3.204)

What sensation is perceived with deceleration following prolonged rotation? (3.210)

Under what condition may body tilt not be perceived? (3.210)

Can an illusion of self-motion be induced in the absence of a visual input? (5.503)

As gravitational-inertial forces along an observer's long body-axis increase, what do stationary objects appear to do? (5.504)

If the observer in a centrifuge faces toward or away from the axis of rotation, in what plane do vertical visual objects appear to tilt? (5.505)

*Perceived vs. gravitational vertical*

What happens to the visual vertical as the head is tilted backward? (5.801)

How is the visual vertical influenced by returning the tilted head or body to erect after prolonged tilt? How do head and body tilt effects compare? (5.801)

What does tilting the head do to perceived tilt of vertical lines? (5.802; 5.803)

---

## Cutaneous (Tactile) Displays

### Cutaneous Sensitivity

What is an adequate stimulus for pressure on the skin? (3.101)

How widely spaced must two points be on the thigh or on the fingertips to discriminate one point from two points? (two-point resolution) (3.101)

For which frequencies of a vibratory signal is the base of the thumb most sensitive? (3.108)

How long should tactile pulses be to optimize detectability for cueing purposes? (3.116)

When two tactile pulses are physically separated and must be perceived as discrete, how close in time can they occur? (3.118)

### Pattern Discrimination

Is the skin capable of acute spatial resolving power? (3.101)

For vibrotactile pattern perception how does accuracy of perception compare for static presentation versus other modes? (6.502; 6.503)

How does identification accuracy compare for equal-sized characters for Braille and vibrotactile presentation? (6.502; 6.506)

How does identification accuracy for vibrotactile letter patterns vary with intensity for short and for longer presentation times? (6.504)

When vibrating pins present letters to the fingertips, how does accuracy compare using one finger versus spreading the pattern over two fingers? (6.507)

In discrimination learning of vibrotactile patterns that vary in locus, duration, and intensity, how much practice is required to attain ~90% accuracy? (6.510)

In discriminating two-dimensional shapes, how well can alphabet characters be discriminated by active fingertip motion versus touching without motion? How well are geometric outline shapes discriminated by moving the palm over the surface? twisting an object in the palm? with target resting on the palm? (6.607)

What is the effect on perceived roughness as skin temperature changes? (6.604)

How does the judged roughness of a surface of constant texture vary as the shear force parallel to the surface decreases? (6.605)

## Thermal Sensitivity

How long can a sensation of cold continue to increase? (3.101)

How quickly does adaptation to warmth reach an asymptote? (3.101)

---

## Controls

### Feel

#### Use of Gloves

If controls are used while wearing gloves, what effects may be expected on operator performance with various types of controls? (12.426)

When speed of operation is important, how do different types of gloves compare for different types of controls? (12.427)

How do gloves influence the maximum torque that can be applied to rotary controls with various control orientations and knob diameters? (12.428)

When keyboard data entry is required while wearing gloves, how important is auditory feedback? What key travel and resistance should be considered when both speed and accuracy are important? (12.429)

How does glove-wearing influence the discriminability of fluted knobs? How well can a glove wearer discriminate knob rim surface textures? (12.430)

#### Coding of Controls

What are the major coding methods used for controls, and what are their advantages and disadvantages? (12.424)

When pushbutton controls are used, are there known shapes for developing coding sets that have high discriminability by touch alone? (12.425)

When felt by hand, (1) how is the curvature of a convex object's horizontal edge judged relative to its true curvature, and (2) how is the curvature of a concave object's edge judged relative to its true curvature? (6.609)

When continuous control rotary knobs are used, how much must they differ in diameter to avoid confusion between them? (12.417)

When rotary selector controls are used under conditions where they must be identified and adjusted without looking at them, is a wide range of shapes available that require little or no learning? In terms of total operating time, are there significant differences between coded and non-coded controls? (12.418)

When a rotary control is used under conditions where it cannot be seen, how do straight-sided and tapered knobs compare in setting accuracy? (12.419)

### Control Placement and Grouping

As a practical rule, how far apart should controls be spaced

in front of the operator? in areas to the back and sides of the operator? (9.208)

In designing a workstation, what are the principles for grouping and arranging controls for optimizing operator performance? (12.301)

In designing a system that has both displays and controls, how should controls be arranged to ensure unambiguous associations of controls with their displays and predictable display movements with system response? (12.302)

In a system containing multiple controls of various types, what are the recommended minimum separations between them by type of control? (12.303)

In designing workspaces for standing and for seated operators, what are the reach envelopes for placement of controls? (12.304)

### Hand-activated Controls

#### Pushbuttons/Legend Switches

When pushbutton controls are used, how does error rate vary with the diameter and orientation of the pushbuttons and the space between them? (12.401)

What are the human design factors for legend switches, and what are the specific design requirements for them? (12.403)

In designing transilluminated pushbutton indicators to be used in low ambient illumination where rapid reading is essential, how do white or red colors compare with green or amber for speed of response? (12.402)

#### Keyboards/Keysets

How important are word arrangement and keyboard position in data entry? (11.318)

In terms of operator speed and accuracy in data entry, how do calculator keyboard and telephone arrangements compare? (12.406)

How do conventional and membrane keyboards compare in terms of operator speed and accuracy? (12.407)

In selecting among different keyboard arrangements, what arrangements will be expected to yield best performance in terms of speed and accuracy? (12.408)

What range of keyboard slope is acceptable? (12.409)

In designing keyboards for data entry, how do speed and accuracy of use vary with key size, required activation force, key displacement, and feedback that indicates activation? (12.410)

What are some of the design considerations for computer-driven control/display panels and multi-function keyboards? (12.411)

Does level of vibration affect performance under vibration with decimal input devices? (10.424)

How do ten-button keyset, rotary controls, and thumbwheels compare, with and without turbulence, and what would be a desirable key activation pressure for the keyset keys? (12.412)

How, in terms of speed, accuracy, and operator preference, do ten-button keyset, matrix keyboard, vertical levers, and rotary selectors compare for data entry? (12.415)

Under vertical axis vibration at 0.17 Hz with a magnitude of 0.24 m/sec<sup>2</sup>, is performance in keyboard digit punching affected by the vibration? (10.425)

### Toggle Switches

When toggle switches are used, how does error rate vary with the spacing between switches, the switch orientation, and the direction of throw? (12.404)

What system factors influence toggle switch activation time, and how does activation time vary with them? (12.405)

### Dials and Rotary Selectors

When rotary switch selectors are to be used, what are the design requirements for scale/pointer, positioning, and shape? (12.413)

When rotary control knobs are used, how does performance vary with the separation between control knob edges and with knob diameter? (12.418)

When dials are read at leisure, how does reading accuracy vary with dial size? (11.213)

Under quick check conditions, what dial size is optimal? (11.213)

For all dial sizes, how does error vary as scale intervals are made smaller? (11.213)

When concentric (ganged) continuous rotary controls are used, how does operator performance vary with knob thickness and diameter? (12.420)

### Cursor Controls/Joysticks

For fine continuous positioning control of a cursor, what are some available design options? (11.321)

How do commonly available cursor control devices compare in cursor positioning speed and accuracy, and will device selection involve a speed/accuracy tradeoff? (12.422)

What type of joystick is best for position control of a cursor on a display? (9.201)

### Comparisons Among Controls

In selecting a control type for data entry, how do rotary selectors, thumbwheels, and digital pushbuttons compare in operator speed and errors? (12.414)

How do ten-button keysets, rotary controls, and thumbwheels compare, with and without turbulence? What would be a desirable key activation pressure for the keyset keys? (12.412)

How, in terms of speed, accuracy, and operator preference, do ten-button keyset, matrix keyboard, vertical levers, and rotary selectors compare for data entry? (12.415)

During vibration, do subjects prefer the pushbutton matrix or the thumbwheel array, and how do these compare in speed and accuracy? (10.424)

What are the advantages and disadvantages of touch screens as data input devices across different design approaches? (12.423)

Why, during whole-body z-axis vibration, is pursuit tracking with a rotary control no better than with a joystick? (10.423)

---

## **Warnings and Alarms**

### **Visual Alarms**

What happens to detection probability as the number of possible signals increases from one to four? (1.627)

By how much should a visual warning precede a visual signal to reduce reaction time? (5.1014)

What is the probability of correctly responding to annunciators and discrete status lights? What are some of the factors affecting response time? (7.107)

What are some factors affecting the failure to respond to annunciator lights? How do failure probabilities vary with increasing number of annunciators? (7.115)

What must be avoided to make a warning signal salient enough to attract attention? (11.402)

### Coding

For selection of information coding techniques, what are the recommended applications, limitations, and design guidelines for the following code types: (1) color, (2) shape, (3) blinking, (4) brightness, and (5) alphanumeric? (11.329)

What are the recommended colors for signals that are high-priority alerting? cautionary? advisory? (11.401)

How do reaction times vary to colored signal lights? (11.406)

For warning signals, where warning is given by turn on (onset) or turn off (offset) of lights, which gives the most rapid response for foveal presentations? (11.405)

## Brightness

What is the minimum brightness recommended for visual alerting signals relative to other visual displays? (11.401)

Does the surround brightness level at day or at night influence detection time or speed for warning lights? (11.408)

## Size Specifications

What is the recommended height-to-width ratio and stroke width for warning signal legends? (11.401)

What is the minimum recommended legend height for warning indicators? (11.401)

For some messages, at what height in degrees does reaction time to a warning-message character no longer decrease? (11.409)

Under normal operating conditions, how important is caution warning-light size? (11.409)

Under worst-case conditions, what happens to reaction time as warning-light size increases? (11.409)

## Position in the Field of View

How close to the operator's line of sight should warning signals be? (11.401)

If a master caution light is used, does location of a light nearer the center of the field of view result in quicker detection? (11.408)

What additional equipment is recommended when visual signals are located in the peripheral visual field? (11.401)

## **Auditory Alarms**

### Tone

Does separating sound sources aid attention to one of them? (7.209)

For an auditory choice reaction time task, will preceding the auditory signal by an auditory warning improve performance? (5.1014)

Is selective attention possible for integral stimulus dimensions, such as loudness, pitch, and timbre? (7.206)

Does a more intense warning signal decrease reaction time? (9.108)

For what auditory frequency is detection better in the dark than in the light? (5.1004)

For auditory alerts, what is the recommended frequency range of multiple frequencies? (11.401)

How far above the amplitude of the masked threshold should the amplitude of an auditory signal be? (11.401)

If an auditory warning signal is not directional, should it be presented to both ears? to the dominant ear? (11.401)

Does use of a two-tone, warbling, master auditory warning signal yield reaction times shorter than a one-tone master or visual master alone? (11.413)

## Voice

In general, how does response speed to most voice warnings compare with that to tone warnings? (11.416)

What should precede voice messages? (11.401)

What is recommended about the language and phraseology of voice signals? (11.401)

How do response times compare for semantic (contracted sentence) and a shorter keyword version of a voice warning message? (11.417)

What is the effect on speed of reaction of a warning tone preceding either a semantic or a keyword voice warning when time is measured from start of event? (11.417)

## **Tactile Alarms**

Why are tactile alerts not recommended? (11.401)

For a vibrotactile warning system, does sensitivity of the wrist compare favorably with that of different locations other than the head? (3.106)

## **Combined Warning Displays**

### Multiple-Modality vs. Single-Modality Displays

How does detection during vigilance with both visual and auditory (simultaneous) signals compare to that with either alone? (7.410)

How does reaction time for combined auditory and visual signals compare with that for visual signals only? (5.1013; 11.415)

Does pairing a visual stimulus with an auditory stimulus decrease reaction time? (5.1012)

Does it aid reception of simultaneous auditory displays to give visual cues to message source location? (7.210)

### Auditory vs. Visual Precedence

For how long should warning signals be presented? (11.401)

In designing guidelines for alerting signals, what is the basis for assigning priority to signals? (11.401)

What does an auditory signal preceding a visual signal do to reaction time, and what should be the interval between them? (5.1014)

What should be the time order of onset of master visual and master aural alerts? (11.421)

### Interaction Effects in Audio-Visual Displays

What effect does moderate auditory stimulation have on white light sensitivity? (5.1003)



Can an auditory stimulus influence sensitivity to a visual stimulus, even though no response to the auditory stimulus is required? (5.1003)

With either visual or auditory warning, what happens to reaction time when warning signal strength is increased? (5.1015)

What does a visual signal following an auditory signal do to reaction time? (5.1014)

### Comparison of Auditory and Visual Warnings

How does intense light stimuli in the photopic vision range compare with sound with regard to speed of response? (11.404)

How do reaction times to visual and auditory stimuli compare? (5.1012)

---

## Memory

What position in a visually presented list yields the poorest recall? (4.102)

How does the time taken to switch from element to element in a visual display compare with switching time in memory? (7.218)

In about how many seconds after an observation does an observer's memory of it become seriously deficient? (7.316)

If the items in a heard list are acoustically similar, does this help or harm recall? (4.101)

What position in a heard list yields poorest recall? (4.102)

How does auditory presentation of an additional item before presentation of a list (a prefix) affect item recall? (4.102)

How does auditory presentation of an additional item after presentation of a list (a suffix) affect item recall? (4.102)

How does the time to search a remembered list of items for a specified item increase as the number of items in the list increases? (4.103)

What three variables must be considered when observers must keep a running mental tally for several categories of information? (7.412)

How does reaction time (RT) vary with memory set size? (7.520)

What is the effect of earlier items presented in noise on the recall of later items presented without noise? (8.311)

---

## Learning

What does the power law of learning say about the effect of practice on the instantaneous rate of learning? (4.201)

How does giving participants knowledge of results (feedback) affect performance in motor tasks? (9.404)

Do experimental results indicate that it is easy or difficult to ignore learned automatic responses? (7.520)

---

## Attention and Allocation of Resources

### Selective Attention

How does selective attention performance compare with divided attention performance? (7.216)

Is selective attention possible for integral stimulus dimensions, such as loudness, pitch, and timbre? (7.206; 7.213)

Does separating sound sources aid attention to one of them? (7.209)

When the type of textual material of target and distractor differ, is performance improved? (7.209; 7.213)

Does presenting targets and distractors in different sound frequency bands aid attention to targets? (7.209)

If speaker gender for distractor and target differs, is attention to the target aided? (7.209)

How does ability to listen selectively vary with age? (7.209)

For a given channel, how does detectability vary as the number of signals increases in a competing channel? (7.214)

### Divided Attention

Does dividing attention between two channels, rather than attending to only one, decrease probability of detecting a target? (7.214; 7.216)

Is attention shift between different locations in a visual display, when the eyes do not move, continuous or discontinuous? (7.218)

As task compatibility in concurrent search tasks increases, does interference between them increase? (7.221)

In general, about how many independent displays can be effectively monitored by one observer, and what two things impose this limit? (7.110; 7.314)

What happens to detection probability as the number of possible signals increases from one to four? (1.627)

### Visual Search

In scanning an alphanumeric matrix for a specific target, upon what does rate of search depend? (7.502)

Are eye fixations more frequent on display areas containing higher information density? (7.505)

In searching an alphanumeric matrix, does searching for the absence of a target take as long as searching for target presence? (7.502)

How do the number and density of background characters affect visual search time on a display? (7.514; 7.517)

In designing a system for finding and attacking ground targets from the air, what factors must be considered when estimating the probability that targets will be detected? (7.501)

Does the frequency of eye movement increase or decrease when a target is recognized? (7.505)

Is redundant coding (more than one coding method) valuable for reducing search time and errors when visual search is involved? What happens with redundant coding at high levels of display density? (7.511; 11.202; 11.203)

How does the time required to determine how many objects are in the field of view vary with the number of objects? (7.512; 7.523)

Is a larger number of gray levels more important for recognition or for search? (7.604)

In general, how many shades of gray are adequate for simple search and how many are required for recognition tasks? (7.604)

## **Monitoring and Supervisory Control**

In a supervisory control system, what does the human interactive system do? (6.309; 7.301)

What are some of the disadvantages of supervisory control? (7.301)

Once a process has been correctly adjusted so that there is no residual drift due to control-setting error, what determines the operator's background sampling rate? (7.302)

During sampling behavior, does an operator attempt to estimate higher derivatives? (7.302)

What is evoked in place of habitual behavior when unforeseen events occur which have a high cost of errors? (7.303)

Under conditions of manual control, especially under high work loads, what system conditions are likely to go unnoticed? (7.304)

What are three reasons why allowing the operator to have actual manual control of a system or process results in better monitoring and response to failures? (7.304)

If a display is driven by a zero-mean Gaussian band-limited signal, how large a deviation (in standard deviations) will always be detected? (7.305)

Upon what do intermediate-loop processes depend? (7.305)

With a constantly monitored display, is an increase or a decrease in parameter value detected sooner? (7.305)

What probability of correctly operating a continuous control while monitoring dynamic displays is realistic for simple and multiple displays at various levels of required accuracy, visibility, and available viewing time? (7.113)

How does sampling rate vary with the bandwidth of the monitored process? (7.314)

What happens to sampling frequency as a system approaches the tolerable limit of system operation? (7.314)

In designing a computer-assisted system, how should incentives, task duration, task complexity, mental load, and pacing be arranged to optimize operator efficiency? (7.801; 7.803)

What are five general, high-level cognitive and computational functions involved in allocation of decision functions between human and computer? (7.721)

## **Vigilance**

For a higher event rate, how does response time vary with false alarms, correct rejections, correct detections, and misses? (7.404)

In a vigilance task, how does reaction time to signals vary with variability in intersignal interval? (7.406; 7.412)

What effect do longer signal durations have on signal detectability and on vigilance decrement? (7.406)

What is the relationship between signal strength during vigilance and detection probability? (7.406; 7.415)

In a vigilance task, at what signal frequency is detection probability maximum? (7.406)

During vigilance, do multiple signal sources aid performance? (7.410)

In vigilance for sequential events, how many categories yield best accuracy? (7.413)

During vigilance sessions, how do hit rates and false alarm rates compare for single- and multiple-response conditions? (7.414)

During vigilance, how do visual, auditory, and cutaneous modes compare? (7.410; 7.412)

In a vigilance task, how does vigilance decrement compare for the auditory signals alone, visual signals alone, and combined (visual-auditory) signals? (7.409)

In a vigilance task, does adding an auditory signal to a visual one improve detection probability? (7.409; 7.410)

## **Measures of Vigilance**

What method is used to measure accuracy of detection? (7.402)

Do values of physiological measures, such as skin conductance, heart rate, respiration rate, and muscle tension, correlate with vigilance performance? (7.413)

## **Vigilance Decrement**

What is vigilance decrement and how long a period is required before it occurs? (7.401)

In a vigilance task, what does a higher probability of a signal do to detection probability and to vigilance decrement? (7.406)

With knowledge that vigilance will be of long duration, how quickly does decrement occur and is it increased over no-knowledge conditions? (7.410)

Does irrelevant information harm vigilance? (7.412)

Does adrenaline level during vigilance correlate with vigilance decrement? (7.413)

In vigilance tasks, when is performance impairment likely with noise? (10.302)

### Techniques for Improving Vigilance

Do short breaks help during vigilance tasks? (7.410)

Is performance during vigilance aided by isolation? (7.410)

Can target detectability in a vigilance task be kept high by adaptive techniques based on performance, and is there still some loss over time? (7.410)

How can the number of categories displayed simultaneously be increased to at least three without performance loss? (7.412)

In general, does vigilance practice aid performance? (7.414; 7.416)

Does signal cueing aid vigilance? (7.416)

In systems where sustained attention is required, what are the upper time and temperature limits for unimpaired performance? (10.601)

## **Workload**

### Channel Sensitivity and Capacity

What are the best operating ranges of vision (wavelength, color, illumination), audition (frequency, dB range), taste (concentration), and the vestibular sense (head-to-foot acceleration)? (5.1001)

How many channels does the human operator have? (7.301)

What is the transmission rate for visual nerve fibers, and how does it compare with how much information/sec a person can absorb and interpret? (4.301)

What is the ear's transmission rate for random sound? for loud sounds? for spoken English? (4.301)

How many bits of information is the limit of channel capacity according to studies on vision, audition, and taste? (4.302)

In terms of ability to distinguish two successive stimuli as successive, what is the minimum time between stimuli for vision, audition, touch, taste, and smell? (5.1001)

### Workload Theory

What does "workload" mean? (7.704)

What are some of the operator behaviors resulting from display of too much information at one time? (11.332)

Is there a demonstrated relationship between workload and system operability? (7.711)

Under conditions of manual control, especially under heavy workloads, what system conditions are likely to go unnoticed? (7.304)

In workload assessment, what does the multiple resources model assume? (7.202)

In workload assessment, what three dimensions defining separate resources have been proposed? (7.202)

### Workload Measurement

What are the three broad categories of techniques used to assess workload? (7.704)

What information do global measures of workload provide? (7.703)

What determines the level of diagnosticity required in a situation? (7.703)

In workload assessment, how are sensitivity criteria validated? (7.701)

In workload assessment, what is indicated by a significant interaction between difficulty and priority? (7.203)

What is the relationship between perceived effort and spare mental capacity? (7.709)

What impact does skill level have on workload measurement? (7.702)

In workload assessment, which of the two, a difficult motor task or a difficult cognitive task, competes for resources with tracking? (7.203)

What two things are simply defined by the performance operating characteristic (POC) curve, and how are they measured or shown on the plot? (7.205)

### *Primary and secondary tasks*

At what workload levels are primary-task measures insensitive to workload? (7.701)

In workload assessment, what are secondary tasks? (7.709; 7.719)

How is performance on a secondary task related to the difficulty of a primary task? (7.709)

What is a common criticism of secondary tasks by operators? (7.719)

To ensure sensitivity to workload associated with a particular primary task, what characteristics must a secondary task possess? (7.202; 7.701; 7.720; 7.721)

How much practice should be given on a secondary task? (7.721)

How can the peripheral interference associated with response competition be avoided while ensuring the use of appropriate processing resources? (7.721)

In workload assessment, why should several levels of secondary-task difficulty be employed? (7.721)

Can mental arithmetic and tracking, encoding and tracking, and vocal response and tracking be carried out without interfering with one another? (7.204)

What three variables should be considered when observers must keep a running mental tally for several categories of information? (7.412)

### *Subjective workload measures*

How is mental workload measured? (7.402)

How diagnostic of workload are subjective techniques? (7.701)

What is the Subjective Workload Assessment Technique (SWAT) designed to do? (7.712)

At what workload level are SWAT ratings much better than primary task performance for indicating level of workload? (7.714)

### *Physiological measures*

What is the commonly used physiological response for measuring workload? (7.704)

How sensitive is eye pupil diameter relative to other indicators of workload? (7.728)

As a percentage range, how much does pupil diameter vary over a period of several seconds when stimulus conditions do not change? (7.728)

What happens to the diameter of the eye's pupil when a person engages in information processing? (7.728)

---

## **Reaction Time**

What is reaction time, in milliseconds, to make a simple muscular movement to a visual stimulus? an auditory stimulus? a tactile stimulus (for a stimulated finger)? (5.1001; 5.1012; 5.1013)

What sense modality has the shortest reaction time? (5.1012; 9.108; 11.404)

How does visual target contrast affect reaction time? (9.108)

Under dim light with good brightness contrast, how do reaction times for different colors compare? (11.406)

What part of the visual field yields the shortest reaction time? (9.108)

In a choice reaction time task, how does reaction time vary with stimulus probability when stimulus and response are highly compatible? when stimulus and response are incompatible? (9.113; 9.116)

Are vocal responses faster than manual responses? (9.108; 9.120)

How do the number of words in a response and the number of syllables per word combine in a reaction-time task? (8.208)

How do reaction times compare for one-handed and two-handed tasks of equal difficulty? (9.202)

As target distance increases, do hand and eye response time both increase? (9.206)

Does pairing a visual stimulus with an auditory stimulus decrease reaction time? (5.1012)

### **Speed-Accuracy Tradeoffs**

As a general rule, what is the relationship between the speed of a response and its accuracy? (9.105)

When observers are instructed to be more accurate, what happens to their reaction time? (9.105)

In designing a system where very rapid operator responses are essential, how does speed of response vary with the number of bits of information that must be used to make decisions? (9.106)

### **Effects of Number of Alternatives**

How does reaction time for manual responses vary with the number of stimulus alternatives and with stimulus probability? (9.119; 9.120)

What does the presence of redundant stimulus information do to reaction time in a choice reaction time task? (11.420)

### **Effects of Warning Signals**

For an auditory choice reaction time task, will an auditory warning prior to the auditory signal improve performance? (5.1014)

What is the relationship between reaction time and the length of interval between a warning signal and a subsequent stimulus? (9.108)

In reaction-time tasks, when reaction time decreases due to a warning signal, what generally happens to error frequency? (5.1014)

With either visual or auditory warning, what happens to reaction time when warning signal strength is increased? (5.1015)

(See also Warning and alarms)

### **Effects of Feedback, Motivation, and Training**

Does seeing the hand moving to a target position aid response time and accuracy? (9.206)

When movements are guided by visual feedback of hand position, what is the formula for movement time as a function of movement amplitude and target width? (9.207)

If subjects are rewarded for quick rather than accurate responses, what happens to their reaction time? (9.105)

Can subjects be trained to meet specified reaction times? (9.105)

## **Tracking Control Performance**

Is tracking with most cutaneous displays as good as with visual displays? (9.538)

With practice, is tracking with three cutaneous vibrators in a row similar in error to tracking with three lamps in a row? (9.538)

When the feedback signal in a stationary compensatory tracking task consists of only the error signal, how does tracking accuracy compare for visual and tactile displays? (9.501)

When a tone in each ear indicates error direction, with higher pitch for greater error, is control of two independent axes better with one visual and one auditory than with both visual? (9.538)

How does auditory intensity tracking error compare with visual tracking error? (9.538)

How does auditory tracking compare with visual, when error direction is indicated by a tone to the right or left ear, and error size by interruption rate of the tone? (9.538)

With tracking of auditory pitch, which is better, compensatory or pursuit tracking? (9.538)

How does tracking error compare for a tracked target to right and to left of the fixation point? (9.534)

How does tracking error compare for targets above the fixation point and below it? (9.534)

### **Tracking Performance with Time Delay**

How short a pure transmission delay (transport delay) can affect tracking? (9.516)

Does the human operator have to detect a transport delay for it to hurt tracking? (9.516)

With increasing transport delay in a zero-order tracking system, what happens to human control? (9.516)

Is it difficult for human operators to predict vehicle location when the system has lag sources other than that of the operator? (9.510)

Does training with up to 200 msec delays still benefit later actual flying performance? (9.517)

How does performance with motion cues compare to performance without cues for delays up to 300 msec? (9.517)

### **Tracking Performance with Time-Sampled Visual Displays**

If continuous target exposure produces accurate tracking, what happens with intermittent (stroboscopic) exposure? (1.959)

With intermittent viewing, how does increased viewing frequency make up for shorter glimpses? (9.530)

For an intermittently viewed display, how does tracking error vary with frequency of intermittence, for a given on-time? When does it level off? (9.530)

For an intermittently viewed display, for a given off-time, how does tracking error vary with increase in viewing time? (9.530)

### **Manual Control with Vibration**

Is there a model for predicting the effects of vibration on manual control that can predict performance within  $\pm 1$  standard deviation for a range of electrical control stick gains, forcing functions, display gains, and vibration axes? (10.421)

When a continuous manual control task is performed for an extended duration, how does the proportion of the tracking error related to the movement of the target vary with duration? (10.434)

For what range of whole-body vibration is manual pursuit tracking most sensitive? (10.422)

With sinusoidal vibration, does collimating a display to place it at optical infinity improve tracking performance? (10.417)

With no vibration, are reading errors fewer with greater pixel definition? (10.415)

What is the approximate frequency of major body resonance at which tracking is most affected by z-axis vibration? (10.422)

How do zero-order and first-order control groups compare in tracking during whole-body z-axis vibration? (10.422)

In zero-order (simple gain) pursuit tracking during whole-body z-axis vibration, how much of tracking error is due to direct transmission of vibration through the body into the control system? (10.422)

In pursuit tracking during z-axis vibration, is direct transmission of vibration of the body into the control system (breakthrough) as large with rotary controls as with joysticks? (10.423)

During pursuit tracking with z-axis whole-body vibration, how does high-frequency phase lag for an isotonic joystick compare with that for either isometric or isotonic control knobs? (10.423)

In zero-order (simple gain) pursuit tracking during whole-body z-axis vibration, how much of tracking error is due to direct transmission of vibration through the body into the control system? (10.422)

With vibration, how does tracking error attributable to breakthrough in pursuit tracking with simple gain (zero-order dynamics) compare to that with pure integration (first-order dynamics)? (10.422)

With vertical axis vibration under ship-motion conditions, what vibration magnitudes affect tracking and navigational plotting? (10.425)

In what range of vibration frequencies for vertical (z-axis) vibration is manual control performance affected, particularly with an unsupported control arm? (10.425)

(See also Visual displays: Transmission of vibration; Vestibular displays: Vibration)

### Control Order and Noise in Tracking

Does tracking error increase with control order? (9.536)

What general statement can be made about tracking performance as tracking system order increases? (9.524)

Do tracking tests discriminate between pilots and non-pilots? (7.612)

Why are higher-order tracking systems extremely difficult to control? (9.526)

Does integrated tracking error differ appreciably for position control (zero-order) and rate control (first-order) systems for pursuit and for compensatory tracking? (9.521)

Which system, position or rate control, is worse for lower frequencies and for higher frequencies? (9.521)

How do operators using zero-order and first-order control compare in tracking during whole-body z-axis vibration? (10.422)

Can use of separate controls for position and velocity for one display cursor aid tracking? (9.532)

What happens to tracking performance in going from a first-order system to one of higher order? (9.520)

As compared to continuous control, how well do discrete-state controllers perform with third-order or noisy systems? (9.526)

With what order of system is bang-bang control inappropriate? (9.524)

In dual-axis control, does a second order (rate) system yield longer or higher error than a first order (position) system? (9.536)

How does target acquisition (response to a step input) vary with increasing system order? (9.520)

Does an integrated display and control yield lower error than a separated control and display? (9.536)

For what order of system is a redundant display useful? (9.532)

What effect does 120-dB intermittent and random noise have on continuous-tracking performance? (10.302)

In a tracking situation, what is the upper limit on number of decisions/sec when there is some spatial uncertainty? (9.510)

### System Gain and Tracking Performance

How may gain be expressed in a way that permits comparison among different systems? (9.513)

Is there an optimum gain in compensatory tracking? (9.528)

What is meant by "optimum" control gain? (9.515)

In pursuit tracking with whole-body z-axis vibration, how does optimal control gain for minimum total tracking error compare with optimal gain with no vibration? (10.423)

In pursuit tracking during z-axis vibration, is tracking improved by lowering control gain? (10.423)

Why does tracking performance decrease only slightly as system gain increases beyond optimum gain? (9.515)

In a tracking system, can time delay and gain be varied independently? (9.509)

What is the effect upon the operator of low control gain? (9.515)

When system gain is low, why is tracking hurt by increasing lags and why, when gain is high, may tracking benefit from longer lags? (9.518)

What problems may occur with a high-gain system? (9.515)

In tracking with a joystick, as system gain increases, what happens to the average force applied to the stick? (9.515)

Why can a pilot not distinguish between the closed-loop gain of the aircraft control system and the closed-loop gain of the display? (9.513)

### Techniques for Aiding Tracking Performance

For better tracking, how can system dynamics be changed to a lower order to obtain a rate-aided system? (9.526)

In terms of system order, how does quickening affect apparent system order? (9.525)

How does quickening a display aid a tracking operator? (9.525)

Is information about higher-order derivatives, such as velocity and acceleration, useful in tracking? (9.532)

Is it useful to display derivative information as position? (9.532)

Does it help tracking to display velocity on a cursor? (9.532)

Does a peripheral display of velocity, such as a barber pole, aid tracking? (9.532)

In a manually controlled system, how easily can the operator perceive higher-order derivatives? (9.510)

Can operators involved in manual tracking predict acceleration directly when not receiving vestibular cues? (9.510; 9.539)

What is pseudo-quickening, and what effect has it on system control and tracking error? (9.525)

In a quickened display, what effect do time constraints, bandwidth, and time span of prediction have on tracking accuracy? (9.525)

What problems may occur in operating a system with a quickened display that requires a second display? (9.525)

---

## Cyclical Variations in Human Performance

### Characteristics of Cyclical Variations

What is the period of a circadian rhythm? (10.701)

In humans, what is the average length of the period of the ultradian rhythm? (10.703)

In long-duration missions or in tasks extending over time zones, what are the expected effects of schedule changes? (10.710; 10.712; 10.713)

About how much difference is there between maximum and minimum skin temperature in the daytime? (10.702)

How does heat conductance during early night (1800-2400 hr) compare with that in the morning (0600-1200)? (10.702)

Does core body temperature appreciably increase during work relative to rest? (10.702)

Do subjects preferring morning work differ in phase of body temperature rhythm or in performance rhythms from those preferring evening work? (10.711)

### Effects of Fatigue on Performance

What three types of anomalous eye movement result from visual fatigue? (1.908)

In a multi-person system, where operations are around the clock every day and rotating shifts are used, what are the expected effects of occasional sleep loss and fatigue? (10.801; 10.802; 10.803; 10.804; 10.806; 10.808; 10.810; 10.811)

How do fatigue, noise, sleep loss, heat, and time of day affect reaction time, gaps, and errors in multiple-choice serial reaction time? (10.704; 10.705; 10.706)

How does loss of the first half of a night's sleep compare with loss of the second half for recall of presented material? (10.809)

---

## Human Reliability and Error Prediction

In system design, how does one apply the technique for human error rate prediction (THERP) to analyze human reliability? (7.103)

What human performance data and sources are available for human reliability analyses? (7.104)

What is realistic for the probability of correctly setting continuous controls to given values while monitoring a dynamic display, or of doing so while tracking with continuous controls? (7.114)

What are some of the factors affecting the probability of error in reading and recording information from various types of display devices? What are the nominal probabilities for error and their ranges? (7.116)

What is the probability of correctly activating a discrete control while reading a meter or other dynamic display, and what is the effect on performance of control display configuration, modular organization, visibility, required accuracy, and viewing time? (7.112)

What is the probability of correctly responding to annunciators and discrete status lights, and what are some of the factors affecting response? (7.107)

What is the probability of correctly reading meters for various conditions (different numbers of meters, meter visibility, viewing time, etc.)? (7.108)

How much time is required, and what accuracy can be expected, in reading counters? (11.217)

# Index

- Abduction**, 1.905. *See also* Eye movements
- Aberration, optical**  
chromatic, 1.203, 1.212, 5.934  
refractive errors, 1.204, 1.205  
spherical, 1.211
- Abney effect**, 1.707, 1.708
- Abney's Law**, 1.109
- Absolute threshold**, 1.656
- Absorption defect**  
in color vision, 1.726
- Absorption filter**, 1.108
- AC/A ratio**, 1.231. *See also* Accommodation; convergence
- Acceleration**  
angular (rotary)  
acceleration detection threshold, 3.208  
effect on eye movements, 1.930, 1.958  
perrotary procedures, 3.205  
postrotary procedures, 3.205  
sensory magnitude, 3.208  
and visual acuity 1.603, 10.902  
control of, 9.519  
display of, 9.532  
illusions due to, 3.210  
elevator illusion, 3.210, 5.504, 5.505  
oculogravic illusion, 3.210, 5.504, 5.505  
oculogyral illusion, 1.921, 3.205, 3.208, 3.209  
*See also* Vestibular illusions  
linear  
acceleration detection threshold, 3.207  
consciousness limits, 10.906  
dial reading and, 10.905  
gravity baseline, 3.206  
illusory body tilt and, 5.801  
methods for study of, 3.206  
misperception of, 3.210  
sensory magnitude, 3.207  
visual effects, 10.904, 10.906  
contrast sensitivity, 10.903, 10.904  
judgment of visual vertical, 5.801  
target detection, 10.901, 10.904  
as vestibular stimulus, 3.201-3.203  
visual, 5.213
- Accessory stimulation effects**  
auditory accessory stimulus, 5.1003, 5.1005, 5.1014  
visual accessory stimulus, 5.1004, 5.1005
- Accommodation**  
accommodation/convergence relation, 1.231  
effect of decoupling, 1.808  
aging and, 1.222, 1.230  
aids to, 7.507  
amplitude, 1.222  
contrast sensitivity and, 1.628, 1.639  
dark focus, 1.222, 1.223, 1.226, 1.228, 7.507  
definition, 1.222  
as depth cue, 5.901  
distance of target and, 1.228-1.230  
empty-field myopia, 1.222, 1.223, 1.226, 1.228, 7.507  
latency and time course, 1.222, 1.229, 1.230  
luminance level and, 1.226, 1.228  
measurement of, 1.222  
monocular vs. binocular viewing, 1.224, 1.227, 1.229, 1.230  
normal fluctuation in, 1.224, 1.225  
resting position (dark focus), 1.222, 1.223, 1.226, 1.228  
with spherical aberration, 1.211  
structure of target and, 1.226  
vergence eye movements and, 1.953  
visual acuity and, 1.603  
*See also* Focus (eye)
- Achromatic color**, 1.706
- Achromatic contrast**, 1.601
- Achromatic induction**, 1.707, 1.713, 1.715  
Mach bands, 1.716
- Achromatic lens**, 1.211, 1.212
- Achromatic lightness scale**, 1.721
- Achromatopsia**, 1.726
- Acoustic coupler**, 2.104
- Acoustic memory**, 4.102  
factors affecting, summarized, 4.101
- Acoustic reflex**, 2.202
- Activation errors**  
error classification, 11.310  
hand controls, 7.111-7.114, 12.401, 12.404, 12.420
- Acuity**  
comparison of sensory modalities, 5.1001, 5.1002  
*See also* Spatial resolution; tactile acuity; visual acuity
- Adaptation**  
auditory, 6.318  
loudness, 2.601, 2.612  
pitch, 2.701, 2.707, 2.710, 6.318  
cutaneous, 3.101, 3.116  
feature-selective, 6.318  
direction of motion, 5.212, 6.318  
orientation, 1.652, 6.318  
size or spatial frequency, 1.626, 1.628, 1.650, 1.651, 6.318, 6.319  
kinesthetic, 3.308, 3.310  
to loss of visual position constancy, 5.1101, 5.1120, 5.1124, 5.1126  
to spatial rearrangement, 5.1101, 5.1127  
auditory, 5.1101, 5.1127  
inversion and left-right reversal, 5.1101, 5.1114  
prismatic displacement, 5.1103-5.1113, 5.1119  
underwater distortion, 5.1101, 5.1124, 5.1126  
visual tilt, 5.1115-5.1119  
*See also* Space perception, adaptation of  
thermal, 3.101, 3.123, 3.124  
vestibular, 3.209  
visual, 6.318  
chromatic, 1.705, 1.710  
dark, 1.406, 1.413. *See also* Dark adaptation  
light, 1.405. *See also* Light adaptation  
motion, 5.212, 6.318  
orientation-specific, 1.652, 6.318  
size or spatial-frequency specific, 1.626, 1.628, 1.650, 1.651, 6.318, 6.319  
*See also* Aftereffects
- Adaptation pitch**, 2.710
- Adaptation syndrome**, 10.101
- Adaptive-task technique**  
in workload measurement, 7.722



- Additivity**  
in color mixture, 1.723
- Adduction**, 1.902, 1.905. *See also* Eye movements
- Aerial perspective**, 5.901
- Afferent nerves**  
cutaneous, 3.102-3.104
- Aftereffects**  
auditory, 6.318, 6.320  
contingent, 1.309, 6.320  
feature-selective, 6.318-6.320  
haptic  
  surface orientation, 5.806  
kinesthetic, 3.301, 3.321  
  arm position, 3.301, 3.303, 3.310, 3.321  
  head position  
    rotation, 2.814, 3.303, 3.308, 3.321  
    tilt, 3.303, 5.801, 5.802  
  postural, 3.308, 3.321, 5.801, 5.802  
  weight lifting, 3.321  
object motion, 5.114, 5.202, 5.212, 5.503, 6.318, 6.320  
self-motion, 5.503  
of spatial rearrangement  
  auditory, 5.1127  
  visual, 5.1101-5.1103, 5.1115  
  *See also* Space perception, adaptation of  
vestibular  
  body or head tilt, 2.814, 3.303, 3.308, 3.321  
  postrotary, 3.210  
visual  
  angles, 6.320  
  color, 1.309, 6.318, 6.320  
  curvature, 6.317, 6.318, 6.320  
  figural, 5.1123, 6.317-6.320  
  orientation (tilt), 1.652, 5.801, 5.802, 5.805, 6.318, 6.320  
  retinal disparity, 6.320  
  spatial frequency, 6.318-6.320  
  *See also* Adaptation; motion aftereffects
- Afterimages**  
auditory, 2.710  
visual, 1.309, 5.215
- Afternystagmus**, 1.921, 1.924. *See also* Postrotary nystagmus
- Aging**  
accommodation and, 1.222, 1.230  
attention and, 7.217  
auditory sensitivity and, 2.301, 2.303  
color perception and, 1.707  
contrast sensitivity and, 1.603, 1.623  
joint-movement detection and, 3.304  
lens changes and, 1.222  
noise effects and, 10.306  
selective listening and, 7.212  
speech intelligibility and, 8.304, 8.315, 8.401  
vigilance and, 7.413  
visual acuity and, 1.603, 1.623  
visual field size and, 1.236
- Aiding**  
of control, 9.520, 9.521, 9.526  
contrasted with quickening, 9.526  
decision aiding, 7.307, 11.323, 11.324
- Aircraft instruments**, 9.529
- Aircraft landing**  
performance  
  with binocular vs. monocular viewing, 5.101  
  correlation with visual tests, 7.612  
  in simulated scenes, 5.102, 5.103  
simulation of, 5.102, 5.103
- Aircraft recognition**  
of aspect, 11.107  
*See also* Target recognition
- Aircraft simulators**. *See* Simulation
- Aircraft spin**  
vestibulo-ocular nystagmus and, 1.921
- Aircraft vibration**  
fixed wing, 10.403  
rotary wing, 10.404  
*See also* Vibration
- Air-to-air search**, 7.612, 7.613  
modeling of, 7.606, 7.610
- Air-to-ground detection**  
modeling of, 7.605, 7.607
- Airy's disk**, 1.213
- Alarms**, 11.402. *See also* Warning signals
- Alcohol**  
as stressor, 7.503, 10.103, 10.202
- Alerting signals**, 11.401, 11.410, 11.421. *See also* Warning signals
- Alertness**. *See* Cyclical variations; sleep; stress; stressors
- Alphabetic keyboard**, 12.408  
*See also* Keyboards
- Alpha movement**, 5.401
- Alphanumeric coding**  
computer displays, 11.329, 11.330  
vibrotactile displays, 6.510  
*See also* Alphanumeric displays
- Alphanumeric displays**  
color, 11.123, 11.126  
dot-matrix, 11.113-11.118, 11.123, 11.208. *See also* Dot-matrix displays  
fonts, 10.415, 11.209  
legibility of  
  color misregistration and, 11.126  
  font and, 10.415, 11.209  
  matrix size and, 11.117  
  resolution and, 11.108, 11.109, 11.111  
  scan-line orientation and, 11.110  
  shape and, 11.207  
  size and 11.109, 11.111, 11.112, 11.114, 11.116, 11.118  
  spacing and, 11.113, 11.115, 11.116  
  stroke width and, 11.112  
  viewing angle and, 11.109  
  viewing distance and, 11.118  
stroke written, 11.112, 11.208  
vibrotactile, 6.502-6.508  
  masked, 6.511-6.515  
with whole-body vibration. *See* Vibration  
*See also* CRT displays; letter recognition; reading; scale reading; visual language processing
- Alteration defect**  
in color vision, 1.726
- Ambiguous figures**, 4.106, 6.001, 6.306, 6.316
- Ambiguous movement**, 6.316
- Ambiguous patterns**, 6.306
- Amblyopia**, 1.932
- Amel font**, 11.209
- Ames remote manipulator**, 9.201
- Ames window**. *See* Trapezoidal window illusion
- Ametropia**, 1.204
- Amodal perception**, 6.310
- Amplitude distortion**  
of speech, 8.313
- Amplitude envelope**  
auditory localization and, 2.801, 2.805  
pitch and, 2.701, 2.705

**Amplitude modulation**

- detection of, for amplitude-modulated noise, 2.501
- localization of amplitude-modulated tones, 2.808
- loudness adaptation and, 2.612
- pitch of amplitude-modulated noise, 2.701, 2.710, 2.711
- rate perception, 2.711, 5.1020

**Amplitude resolution**

- comparison of sensory modalities, 5.1001
- See also* Intensity discrimination

**Amplitude spectrum, 2.102****Ampulla, 3.201****Anaglyph, 5.914****Analog meter**

- reading accuracy, 7.116

**Anechoic chamber, 2.801****Angular acceleration. *See* Acceleration: angular****Aniseikonia, 5.906, 5.907, 5.909**

- adaptation to, 1.927, 5.909, 5.1101, 5.1121, 5.1122
- limits for stereopsis, 5.931

**Anisotropia, 1.205****Annunciator displays, 7.107, 7.115****Anomaloscope, 1.726****Anorthoscopic perception, 6.305****Anthropometry**

- control reach envelopes, 12.304

**Anticipatory eye movements, 1.948. *See also* Eye movements****Anxiety**

- performance effects, 7.803, 10.202
- state vs. trait anxiety, 7.802, 7.803
- as a stressor, 10.103, 10.202

**AOC. *See* Attention operating characteristic curve****Aperture size**

- image quality and 1.218, 1.219

**Apparent contrast, 7.601****Apparent motion, 5.401-5.407**

- alpha movement, 5.401
- with ambiguous (multiple) stimuli, 5.402, 5.406
- beta movement, 5.401, 5.403
- correspondence problem, 5.402, 5.406
- critical sampling frequency for stroboscopic targets, 5.404
- delta movement, 5.401
- displacement threshold, compared to real motion, 5.208
- exposure duration and, 5.401, 5.403, 11.410
- with eye movements, 5.202, 5.215
- gamma movement, 5.401
- grouping of pattern elements in, 6.302
- interstimulus-onset interval and, 5.401-5.403, 5.405, 5.407, 11.410
- Korte's Laws, 5.401-5.403, 11.410
- low-spatial-frequency information and, 6.302
- luminance and, 5.401, 5.403
- with nonidentical stimuli, 5.402, 5.406
- perceptual organization and, 5.406
- in peripheral vision, 11.410
- phi movement, 5.401
- with random-dot patterns, 5.407
- spatial separation and, 5.401-5.403, 5.407, 11.410
- spatiotemporal filtering and, 5.404, 5.405
- tactile pattern display mode, 6.501
- tactile stimuli, 3.101, 3.120
- time-distance tradeoffs, 5.402
- time interval and, 5.401-5.403, 5.405, 5.407, 11.410
- velocity of, 5.403
- vernier acuity with, 5.220
- visual and cutaneous compared, 3.120
- visual persistence and, 5.404, 5.405
- wagon wheel effect, 5.401
- See also* Motion aftereffects; motion illusions

**Apparent size**

- with apparent object motion, 5.401
- convergence angle and, 1.808
- with lenses, 1.206
- See also* Size perception

**Apparent straightahead (boresight)**

- auditory, 2.814, 5.1113. *See also* Auditory localization
- eccentric gaze and, 5.606, 5.802
- after head rotation, 2.814, 3.308, 3.321
- kinesthetic, 3.308, 3.321
- postural persistence and, 3.308, 3.321
- with prismatic displacement of visual field, 5.1113
- visual, 5.606, 5.802, 5.1113
- See also* Egocentric localization; spatial localization

**Aqueous humor, 1.201, 1.203**

- light absorption, 1.202
- refractive index, 1.203, 1.210

**Armed Forces vision tester, 5.917****Arousal**

- definition, 10.101, 10.102
- noise and, 10.301
- performance and, 7.801, 10.104
- personality type and, 7.804
- theories of, 10.101
- vigilance and, 7.401
- See also* Attention; stress; stressors

**Articulation. *See* Speech: articulation****Articulation index, 8.317****Artificial illuminants, 1.102, 1.107**

- spectral distribution, 1.102

**Aspect recognition**

- of aircraft silhouettes, 11.107

**Assimilation**

- color, 1.718
- lightness induction, 1.713

**Astigmatism, 1.205, 1.634****Atmospheric attenuation**

- atmospheric modulation transfer function, 7.601
- as a depth cue, 5.901
- sighting range and, 7.602, 7.603, 7.605

**Atmospheric modulation transfer function, 7.601****Attention**

- attention operating characteristic (AOC) curve, 7.201, 7.220
- differentiated vs. undifferentiated, 7.201, 7.204
- divided, 7.206, 7.213-7.217, 7.219-7.221
- models of, 7.201, 7.204
- selective, 7.206-7.212, 7.219, 7.221
- switching of, 7.218
- See also* Attention cueing; divided attention; mental resources; monitoring; selective listening; supervisory control; vigilance; visual search; warning signals; workload

**Attentional directors. *See* Warning signals****Attentional set**

- auditory grouping and, 6.403

**Attention cueing, 9.117, 9.118, 9.535****Attention operating characteristic (AOC) curve, 7.201, 7.220****Aubert effect, 3.210, 5.804****Aubert-Fleishl paradox, 5.215****Audiovisual tracking, 9.538****Audition**

- anatomy and physiology, 2.201, 2.202
- auditory memory, 4.101, 4.102
- basic characteristics, 5.1001
- binaural inhibition, 2.305
- binaural summation, 2.305
- bone conduction, 2.304
- compared to other sensory modalities, 5.1001, 5.1002, 5.1017, 5.1018

**Audition** (*continued*)

divided attention, 7.206, 7.213-7.217. *See also* Divided attention

interactions with other senses

- detection, 5.1003-5.1005
- reaction time, 5.1012-5.1015
- spatial localization, 5.1006-5.1009, 5.1113, 5.1127
- temporal perception, 5.1018-5.1021

localization of sound, 2.801-2.817

loudness, 2.601-2.613

perceptual organization, 6.401-6.408

pitch, 2.701-2.711

selective listening, 7.206-7.212. *See also* Selective listening

sensitivity

- in noise, 2.305-2.315
- in quiet, 2.301-2.305

shadowing, 7.207, 7.208

speech. *See* Speech intelligibility

temporal resolution, 2.501-2.504, 6.406

two-click threshold, 6.408

*See also* Auditory localization; auditory masking; auditory perception; auditory sensitivity; loudness; pitch (auditory)

**Auditory detection.** *See* Auditory sensitivity

**Auditory displays,** 9.538

**Auditory lateralization**

definition, 2.801

lateralization performance. *See* Auditory localization

**Auditory localization**

with auditory rearrangement of space, 5.1127

azimuth and, 2.812

background information, 2.801

basis for, 2.801

binaural cues, 2.801, 5.1006

of clicks, 2.807, 2.809, 2.814, 2.815, 2.817

compared with cutaneous localization, 3.118, 3.119, 5.1006

compared with visual localization, 2.815, 3.119

displacement (mislocalization), 2.814

distance judgment, 2.801

duration and, 2.811

with earphone presentation, 2.804-2.809, 2.811, 2.817

- compared to free-field presentation, 2.804

echo suppression, 2.817

eye movement effects, 2.815

of familiar sources, 2.801

frequency and, 2.801, 2.805, 2.806, 2.808, 2.810, 2.812, 2.813

grouping of tone sequences and, 6.401

head position and, 2.814

in horizontal plane, 2.801, 2.803-2.809, 2.811-2.817

interaural intensity differences and, 2.801, 2.803, 2.804, 2.809

- compared to interaural time differences as localization cue, 2.801, 5.1006

interaural phase differences and, 2.801, 2.806

interaural time differences and, 2.801, 2.805, 2.807-2.809, 2.811

- compared to interaural intensity differences as localization cue, 2.801, 5.1006
- cone of confusion, 2.805
- echo, 2.817

lateralization illusion, 6.402

with masking noise, 2.816

in medial plane, 2.801, 2.805, 2.810

minimum audible angle, 2.804, 2.812, 2.816

monaural cues, 2.801

of noise

- broadband, 2.801, 2.804, 2.805, 2.809-2.811

- compared to pure tones, 2.804, 2.810, 2.811, 2.816
- narrow-band noise, 2.805, 2.810, 2.811, 2.816

precedence effect, 2.817

precision of, 2.804, 2.812, 2.816

with prismatic displacement of visual field, 5.1113, 5.1127

of pure tones, 2.801, 2.803-2.806, 2.809-2.813, 2.816

- amplitude-modulated, 2.808
- compared to noise, 2.804, 2.810, 2.811, 2.816

sound pulses, 2.809

sound shadow, 2.801, 2.802

spectral cues, 2.801, 2.810, 2.816

underwater, 5.1124

visual facilitation, 2.815

**Auditory masking,** 2.305-2.311, 2.313-2.315

acoustic reflex and, 2.202

backward masking, 2.306, 2.312, 2.709, 7.206, 7.215

bandwidth effects

- mask, 2.306
- signal, 2.310

binaural unmasking

- of speech, 8.312, 8.314, 8.315
- of tones, 2.305, 2.314, 2.315

binaural vs. monaural listening, 2.305, 2.314

continuous vs. pulsed mask, 2.313

critical band, 2.307, 2.309, 2.310

duration of signal and, 2.306, 2.311

earphone-induced, 2.302

and echoic memory, 4.101

effect on loudness, 2.601, 2.609, 2.611

effect on pitch perception, 2.701, 2.703, 2.708, 2.709

factors affecting, summarized, 2.306

forward masking, 2.306, 2.312, 2.313

frequency effects

- signal frequency, 2.307
- signal-mask frequency relation, 2.306, 2.308, 2.313, 2.314, 2.611

interaural differences and, 2.306, 2.314

interaural masking, 2.306, 2.313

masking level difference, 2.305, 2.314, 2.315, 8.312, 8.314, 8.315

mask intensity and, 2.306-2.308

by noise

- broadband, 2.306, 2.307, 2.314, 2.611
- compared to pure-tone masking, 2.306, 2.308
- narrow band, 2.306, 2.308, 2.312, 2.314, 2.611
- white, 2.105, 2.310-2.312, 2.611

partial masking, 2.611

by pure tones, 2.306, 2.308, 2.309, 2.313

- compared to noise masking, 2.306, 2.308

remote masking, 2.314

signal-mask asynchrony and, 2.306

signal-to-noise ratio and, 2.311

simultaneous masking, 2.305-2.311, 2.313-2.315

of speech, 8.306-8.315, 8.401. *See also* Speech intelligibility

*See also* Auditory sensitivity

**Auditory perception**

adaptation

- to auditory rearrangement, 5.1101, 5.1127
- loudness, 2.601, 2.612
- pitch, 2.701, 2.707, 2.710

aftereffects, 6.318, 6.320

discrimination

- intensity, 2.401, 7.206
- pitch, 7.206, 7.215
- timbre, 7.206

illusions, 6.405

- octave illusion, 6.404

scale illusion, 6.402

pattern perception

  pattern discrimination, 5.1017

  pattern recognition, 5.1018, 6.407

  temporal pattern perception, 5.1017, 5.1018, 6.403, 6.406, 6.407

perceptual organization, 6.401-6.408

  Gestalt grouping principles and, 6.401

  grouping of tone sequences, 6.401

    attentional set and, 6.403

    ear dominance and, 6.404

    by ear of input, 6.401, 6.404

    by frequency, 6.401, 6.402

    by frequency separation, 6.401, 6.403, 6.404

    by presentation rate, 6.401, 6.403

  segregation of phase-shifted tones, 6.405

speech, 8.201, 8.207, 8.301-8.404

temporal perception

  coherence, 6.403

  displacement, 6.406

  fission, 6.403

  interstimulus-onset interval and, 6.407, 6.408

  order, 5.1022, 6.407, 6.408

*See also* Audition; auditory localization; auditory sensitivity; speech; speech intelligibility

**Auditory sensitivity**

  age and, 2.301, 2.303

  bandwidth and, 2.301

  with binaural vs. monaural listening, 2.301, 2.305

  duration and, 2.301

  with free-field vs. earphone presentation, 2.301, 2.302

  frequency effects, 2.301-2.304

  ISO standard, 2.302

  with masking, 2.301, 2.305-2.315. *See also* Auditory masking

  in noise, 2.305-2.315. *See also* Auditory masking

  after noise exposure, 10.311-10.316

  in quiet, 2.301-2.305

  underwater, 2.301, 2.304

  with visual stimulation, 5.1004

**Auditory threshold.** *See* Auditory sensitivity

**Auditory tracking,** 9.538

**Augmentation**

  of control dynamics, 9.520, 9.521, 9.526

  of displays, 9.525

*See also* Quickening

**Aural distortion,** 2.105

**Autokinetic motion,** 5.216, 5.606

**Automatic search,** 7.516, 7.520

**Automation**

  computer driven controls, 12.411

  decision making and, 7.307-7.309

  fault detection and, 7.304

  expert systems, 7.307, 7.308

  function allocation, 7.301, 7.304, 7.307-7.309

  levels of, 7.307

  monitoring and, 7.314

*See also* Controls; human-computer interfaces; person-computer dialogue; supervisory control

**Autonomic nervous system**

  noise effects, 10.301

**Autostereoscope,** 1.812

**Axes, of body,** 5.701

**Axial chromatic aberration,** 1.203, 1.212, 5.934

**Axial chromatism,** 1.203, 1.212, 5.934

**β**

  index of response bias, 1.657, 7.405, 7.420

**Backward masking**

  auditory, 2.306, 2.312, 2.709, 7.206, 7.215

  tactile, 3.117, 6.505, 6.511, 6.513-6.515

**Band-pass filtering**

  by visual system, 1.632

**Bandwidth,** 2.102

  auditory masking and, 2.306, 2.310

  auditory sensitivity and, 2.301, 2.310

  loudness and, 2.601, 2.604-2.606

**Bang-bang control,** 9.524

**Bárány chair,** 3.205

**Basilar membrane,** 2.201

**Beamsplitter,** 1.108

**Beats,** 2.308, 2.309

**Benham's disk,** 1.719

**Beta movement,** 5.403

**Bezold-Brücke effect,** 1.707, 1.709

**Bezold spreading effect,** 1.718

**Binary hue,** 1.706

**Binaural inhibition,** 2.305

**Binaural localization cues,** 2.801, 5.1006

**Binaural pitch disparity,** 2.701, 2.706

**Binaural summation,** 2.305

**Binaural unmasking,** 2.305, 8.312

  interaural phase and, 2.315, 8.314

  signal frequency and, 2.314

  of speech, 8.312, 8.314, 8.315

**Binaural vs. monaural listening**

  detection and, 2.301, 2.305

  loudness and, 2.601, 2.608, 2.609

  masking and, 2.314, 2.609

*See also* Auditory localization

**Binocular alignment.** *See* Binocular image registration

**Binocular averaging,** 1.803

**Binocular disparity.** *See* Lateral retinal image disparity; vertical retinal image disparity

**Binocular displacement,** 5.936

**Binocular displays,** 1.812

  adjustment tolerances, 1.813

  distortion in, 5.907, 5.909

  stereoscopic, 5.914, 5.915

**Binocular enhancement,** 1.801, 1.802

**Binocular fixation,** 1.808. *See also* Vergence eye movements; visual fixation

**Binocular fusion,** 5.909, 5.910, 5.937

  limits, 5.911-5.913, 5.930

**Binocular image registration**

  aniseikonia, 5.907, 5.909

  comfort limits, 1.813, 5.906, 5.909, 5.911, 5.913

  fusion limits, 1.813, 5.911-5.913, 5.930

  horizontal displacement, 1.813. *See also* Lateral retinal image disparity

  magnification differences, 5.907, 5.909

  rotational differences, 5.906, 5.908, 5.913

  vertical displacement, 1.813. *See also* Vertical retinal image disparity

**Binocular instruments,** 1.812, 1.813, 5.914, 5.915

**Binocular interaction,** 1.801, 1.804

**Binocular rivalry,** 1.804-1.807

**Binoculars,** 1.812

  image luminance with, 1.105

**Binocular summation,** 1.801-1.803, 1.814

**Binocular suppression,** 1.804-1.807

  of double images, 1.813, 5.911

  performance effects, 1.807

**Binocular vs. monocular viewing,** 1.801-1.803

  accommodation, 1.224, 1.227, 1.229, 1.230. *See also* Accommodation

**Binocular vs. monocular viewing** (*continued*)

aircraft landing performance, 5.101  
brightness and contrast magnitude, 1.803  
contrast sensitivity, 1.802  
probability summation and, 1.814  
pupil size and, 1.232

**Binocular vision**

accommodation with, 1.224, 1.227, 1.229, 1.230. *See also* Accommodation  
advantages of, 1.801  
aniseikonia, 5.907, 5.909  
binocular combination of brightness and contrast, 1.803  
binocular displacement, 5.936  
binocular instruments and displays, 1.812, 1.813, 5.914, 5.915  
binocular rivalry, 1.804-1.807  
binocular summation, 1.801-1.803, 1.814  
binocular suppression, 1.804-1.807  
convergence, 1.808  
eye movements in. *See* Vergence eye movements; visual fixation  
eye signature (utrocular discrimination), 1.811  
fusion, 5.909-5.913, 5.930, 5.937  
horopter, 5.910  
image registration. *See* Binocular image registration  
vs. monocular, 1.224, 1.227, 1.229, 1.230, 1.801-1.803  
probability summation and, 1.814  
single vision, 1.231, 5.910-5.913, 5.930, 5.937  
stereoacuity, 5.918-5.929  
*See also* Depth perception; stereoscopic vision

**Binoptic display**, 1.812**Biocular**, 1.812**Biological rhythms**

body temperature, 10.702, 10.710, 10.711, 10.714  
characteristics of, 10.701  
endogenous, 10.102, 10.701  
entrained, 10.701  
exogenous, 10.102, 10.701  
sleep patterns, 10.703, 10.710, 10.714  
ultradian, 10.709  
*See also* Cyclical variations

**Biopter Vision Test**, 5.917**Blackbody radiator**, 1.107**Blackout**

with sustained acceleration, 10.906

**Blankout (loss of vision)**, 1.239**Blind positioning**

of hand controls, 12.417, 12.418, 12.419, 12.425  
target-directed movement, 9.204, 9.208, 9.209

**Blind spot**, 1.201, 1.210, 1.301**Bloch's law**, 1.402, 1.512**Blur patch**, 1.205, 1.211, 1.212, 1.221**Bode plot**

system representation in, 9.504

**Body axes**, 5.701**Body orientation**

axes, 5.701  
illusions of, 3.210, 5.505, 5.708, 5.709  
optimal modality for sensing, 5.1002  
postural stability, 5.702-5.707  
specification of, 5.701  
terminology, 5.701  
*See also* Postural stability

**Body rhythms.** *See* Biological rhythms; cyclical variations**Body rotation**, 1.958, 3.204

illusions of, 1.923, 3.204, 3.210  
response measurement, 3.205

sensitivity to, 3.208  
visual effects, 5.801, 10.902  
zero-gravity rotation methods, 10.1001  
*See also* Acceleration: angular

**Body sway**, 5.702-5.707. *See also* Postural stability**Body temperature**

circadian rhythms in, 10.701, 10.702, 10.710, 10.711, 10.714  
personality and, 10.708  
schedule shift and, 10.712  
time-zone shift and, 10.713  
*See also* Cyclical variations

**Body tilt**

aftereffects, 5.801  
effect on orientation judgments, 5.801, 5.804  
effect on vestibular system, 3.206  
illusory, 3.210, 5.708, 5.801  
with illusory self-motion, 5.707  
*See also* Postural stability

**Bone conduction**, 2.304**Borders**

achromatic, 1.707, 6.313  
chromatic, 1.707, 6.313  
distinctness, 1.707, 6.313  
edge enhancement (Mach bands), 1.707, 1.716  
*See also* Edge sharpness

**Boredom**

detection efficiency and, 7.417  
*See also* Fatigue

**Boresight angle.** *See* Apparent straightahead**Braille characters**

recognition, 6.506

**Brake lights**, 11.412**Break frequency**, 9.519**Breakthrough**

in manual control, 10.421-10.423

**Brightness**

binocular, 1.803  
brightness scales, 1.720  
color glow (fluorence), 1.711  
correlates of, 1.706  
definition, 1.706, 1.720  
discrimination of, 1.401-1.405, 1.413. *See also* Brightness discrimination  
distinguished from lightness, 1.706, 1.720  
distinguished from luminance, 1.706  
equal-brightness contours, 1.303, 1.304  
measurement of, 1.109  
outdoor, and solar elevation, 1.103  
photopic vs. scotopic vision, 1.301  
and pupil entry angle, 1.111  
Purkinje shift, 1.407  
relative, as depth cue, 5.901  
wavelength and, 1.110, 1.303, 1.304, 1.407  
*See also* Lightness; luminous efficiency

**Brightness coding**, 11.329**Brightness constancy**, 1.712, 1.715**Brightness contrast**, 1.714, 1.715. *See also* Contrast**Brightness difference threshold.** *See* Brightness discrimination**Brightness discrimination**, 1.401-1.405

adaptation level and, 1.405, 1.413  
adaptation time and, 1.405  
background luminance and, 1.401-1.403, 1.512  
duration of luminance change and, 1.402, 1.512  
luminance increment vs. decrement, 1.404  
target size and, 1.403  
temporal summation, 1.512

**Brightness induction**, 1.707, 1.713, 1.715, 1.716

- Brightness matching**  
heterochromatic, 1.109, 1.303, 1.701  
*See also* Brightness constancy
- Brightness scale**, 1.720
- Broadband noise**  
masking by, 2.306, 2.307, 2.314, 2.611  
performance effects, 10.302-10.310  
sensitivity to amplitude modulation, 2.501  
*See also* Noise; white noise
- Brunswik ratio**, 1.712
- Caffeine**  
as stressor, 7.804
- Calculator keysets**, 12.406
- Calibration**  
acoustical, 2.104
- Camouflage**  
embedded figures, 6.308  
in visual displays, 7.514, 7.517, 7.518, 7.519  
*See also* Visual masking
- Cancellation theory**, 1.938
- Candela**, 1.104, 1.106
- Canonical view**  
cinematic displays, 11.219, 11.220
- Capacity limitations**, 7.203, 7.205. *See also* Mental resources; workload
- Capture errors**, 11.310
- Carbonell's model (of monitoring behavior)**, 7.316, 7.319
- Cataracts**, 1.102
- Categorization (of objects)**, 6.201-6.203  
exemplar typicality and, 6.202  
levels of semantic categories, 6.201  
speed and accuracy of, 6.202, 6.203  
words vs. pictures, 8.106, 8.107  
visual prototypes, 6.202
- Cathode ray tubes**. *See* CRT displays
- Cautions**. *See* Warning signals
- Centrifugation**  
as method for investigating linear acceleration, 3.206
- Character recognition**  
tactile, 6.506  
tactile vs. visual, 6.508  
*See also* Alphanumeric displays; letter recognition
- Chart recorders**  
reading accuracy, 7.116
- Check reading**  
of displays, 7.116
- Choroid coat**, 1.201
- Chroma**. *See* Saturation
- Chromatic aberration**, 1.203, 1.212  
color stereopsis and, 5.934
- Chromatic adaptation**, 1.705, 1.710, 6.318. *See also* Chromatic aftereffects
- Chromatic aftereffects**, 1.309, 6.318, 6.320. *See also* Chromatic adaptation
- Chromatic induction**, 1.701, 1.707, 1.717, 1.718
- Chromaticity**, 1.107, 1.710, 1.722  
discrimination of, 1.704
- Chromaticity coordinates**, 1.722
- Chromaticity diagram**, 1.702, 1.722  
chromaticity coordinates, 1.702, 1.722  
CIE 1931, 1.722  
CIE 1960 UCS, 1.722  
CIE 1976 UCS, 1.722
- Chromostereopsis**. *See* Color stereopsis
- Chronobiology**, 10.701. *See also* Cyclical variations
- Chunking**  
motor skills, 9.403  
reading, 8.119, 8.121
- CIE lightness function**, 1.721
- CIE standard colorimetric observer**  
1931, 1.722  
1964 10-degree, 1.722
- CIE system of colorimetry**, 1.722
- Ciliary body**, 1.201
- Ciliary muscle**, 1.203, 1.222
- Cinematic displays**, 11.218, 11.221  
audio-visual asynchrony, 5.1021  
canonical vs. noncanonical view, 11.219  
composite motion in, 5.221  
differences from natural optic array, 11.218  
homogeneous vs. inhomogeneous object translation, 11.220  
motion simulation in, 5.401  
object segregation in, 11.221  
self-motion simulation in, 5.501, 5.502
- Circadian rhythms**  
with altered schedule, 10.710, 10.712, 10.713  
body temperature, 10.702, 10.710-10.714  
definition, 10.701  
with isolation, 10.714  
in performance and work efficiency, 10.704-10.708, 10.711-10.713  
zeitgebers and, 10.701, 10.710  
*See also* Cyclical variations
- Circularvection**, 1.924, 5.501, 5.503, 5.708, 6.304
- Clockwise-for-increase principle**  
in control design, 12.302
- Closed-loop system**, 9.508, 9.511  
closed-loop transfer function, 9.506
- Closure**  
Gestalt grouping principle of, 6.301
- Clutter**. *See* Density
- Cochlea**, 2.201
- Cockpit vibration**, 10.403, 10.404. *See also* Vibration
- Code learning**  
vibrotactile codes, 6.510  
*See also* Coding
- Coding**  
alphanumeric, 6.510, 11.329, 11.330  
brightness, 11.124, 11.329  
color, 11.201-11.206. *See also* Color coding  
of controls, 12.417, 12.418, 12.424, 12.425  
highlighting, 11.329  
shape, 7.511, 11.407, 12.418, 12.424, 12.425  
size, 7.511, 12.417, 12.424  
vibrotactile, 6.510  
*See also* Color coding; information portrayal; shape coding
- Coding theory**  
pattern recognition, 6.321, 6.322
- Cognitive engineering**, 11.310
- Cognitive maps**, 4.107, 11.222, 11.223
- Cold**  
effect on manual dexterity, 10.602  
performance effects, 10.602  
sensitivity to, 3.122, 3.124  
as a stressor, 10.103  
*See also* Temperature sensitivity
- Collision**  
detection of aircraft on collision course, 7.613. *See also* Target acquisition  
specification by optical flow pattern, 5.502  
time to collision, judgment of, 5.213, 5.214
- Color**  
achromatic colors, 1.706

- Color** (*continued*)  
 adaptation, 6.318  
 aftereffects, 1.309, 6.318, 6.320  
 afterimages, 1.309  
 chromatic colors, 1.706  
 color systems, 1.723-1.725  
   Munsell Color System, 1.724  
   Optical Society of America Color System, 1.725  
 definition, 1.706  
 reaction time to, 11.204, 11.205, 11.406, 12.402  
 specification of, 1.707, 1.722  
*See also* Color appearance; color coding; colorimetry; color vision; hue; wavelength (light)
- Colorant mixture**, 1.723
- Color adaptation.** *See* Chromatic adaptation
- Color aftereffect.** *See* Chromatic aftereffects
- Color appearance**  
 Abney effect, 1.708  
 aging and, 1.707  
 attributes of, 1.706  
 Bezold-Brücke effect, 1.707, 1.709  
 border effects, 1.707, 1.716  
 brightness constancy, 1.712  
 brightness contrast, 1.714, 1.715  
 brightness induction, 1.707, 1.713, 1.715, 1.716  
 chromatic adaptation, 1.705, 1.710, 6.318  
 chromatic induction, 1.701, 1.707, 1.717, 1.718  
 color assimilation, 1.707, 1.718, 1.719  
 color constancy, 1.707  
 color contrast, 1.707, 1.717  
 color glow (fluorence), 1.707, 1.711  
 color-order systems, 1.723  
   Munsell Color System, 1.724  
   Optical Society of America Color System, 1.725  
 color-perception space, 1.702, 1.722  
 correlates of perceived color, 1.706  
 daylight vs. incandescent light and, 1.710  
 desaturation, 1.706, 1.708  
 empty-field viewing and, 1.239  
 factors affecting, summarized, 1.707  
 field size and, 1.235, 1.237, 1.705  
 hue, 1.707-1.710  
 lightness contrast, 1.714  
 luminance level and, 1.301, 1.304, 1.706, 1.707, 1.709  
 methods of study, 1.701  
 peripheral vision, 1.706  
 phantom colors, 1.719  
 purity discrimination, 1.704, 1.726  
 Purkinje shift, 1.301  
 saturation and, 1.703, 1.707, 1.708  
 small targets, 1.706  
 underwater viewing, 5.1124  
*See also* Brightness; hue; lightness; saturation
- Color assimilation**, 1.707, 1.718, 1.719
- Color blindness**, 1.707, 1.726
- Color coding**  
 color set selection, 11.204, 11.205  
 combined with other codes, 11.202  
 computer displays, 11.329  
 control/display arrangement and, 11.206  
 of controls, 12.424  
 display density and, 7.513, 11.203  
 effect of color set characteristics, 7.513, 7.519  
 vs. monochrome displays, 11.201  
 vs. size and shape coding, 7.511, 7.515  
 visual search and, 7.511, 7.513, 7.519, 11.201-11.203, 11.403
- Color constancy**, 1.707, 1.712
- Color contrast**, 1.707, 1.717  
 display reading and, 11.123, 11.124  
 visual search and, 7.519
- Color defects**, 1.707, 1.726
- Color discrimination**, 1.704, 1.705  
 color-defective observers, 1.726  
 field size and, 1.705
- Color displays**, 11.201. *See also* Color coding
- Colorfulness**  
 definition, 1.706
- Color glow (fluorence)**, 1.707, 1.711
- Color Harmony Manual**, 1.721
- Colorimetric purity**  
 calculation of, 1.703, 1.722  
 definition, 1.703, 1.722  
 discrimination of, 1.704  
   color-defective observers, 1.726  
 hue and, 1.707  
 perceptual and radiometric correlates, 1.706  
 relation to excitation purity, 1.703
- Colorimetry**, 1.702-1.704, 1.722  
 chromaticity diagrams, 1.702, 1.722  
 CIE system of colorimetry, 1.722  
 color-matching functions, 1.702, 1.722  
 color spaces, 1.702, 1.722  
 color specification, 1.107, 1.722  
 light measurement, 1.101-1.109  
 luminous efficiency function, 1.104, 1.109, 1.110, 1.302. *See also* Luminous efficiency function  
   procedures, 1.701  
   spectral sensitivity, 1.109, 1.110, 1.302. *See also* Spectral sensitivity (vision)  
   standard observers, 1.722
- Color matching**, 1.102, 1.705, 1.722  
 matching functions, 1.702, 1.722  
 methods, 1.702
- Color mixture**, 1.702, 1.708, 1.722, 1.723
- Color-order system**, 1.723  
 Munsell Color System, 1.724  
 Optical Society of America Color System, 1.725
- Color space**, 1.702, 1.722
- Color spreading**, 1.718
- Color stereopsis**, 1.209, 5.934  
 prism-induced, 5.1102
- Color temperature**, 1.107  
 conversion filters, 1.107, 1.108  
 correlated color temperature, 1.107  
 reciprocal color temperature, 1.107
- Color vision**  
 anomalies, 1.102, 1.707, 1.726  
 color appearance, 1.706-1.725  
 color discrimination, 1.704, 1.705, 1.726  
 colorimetry, 1.701-1.704, 1.722  
 color matching, 1.102, 1.702, 1.705, 1.722  
 color mixture, 1.702, 1.708, 1.722, 1.723  
 color stereopsis, 1.209, 5.934, 5.1102  
 cones and, 1.706, 1.722  
 correlates of perceived color, 1.706  
 defects of, 1.102, 1.707, 1.726  
 field size and, 1.235, 1.237, 1.705  
 metamerism, 1.702, 1.722  
 methods for study of, 1.109, 1.701  
 spectral sensitivity, 1.109, 1.110, 1.302. *See also* Spectral sensitivity  
   standard observers, 1.722  
   trichromacy, 1.702, 1.722  
   visual field for color, 1.237

- See also* Color appearance; colorimetry
- Combination tones**, 2.105
- Command language**, 11.330, 11.331
- Common fate**  
Gestalt grouping principle of, 6.301
- Communications**. *See* Earphone listening; speech intelligibility
- Compensatory displays**, 9.508, 9.515, 9.521, 9.528. *See also* Compensatory tracking
- Compensatory eye movements**. *See* Eye movements: compensatory
- Compensatory tracking**, 9.501, 9.508, 9.516, 9.521, 9.524  
joystick type and, 12.421  
*See also* Compensatory displays
- Complementary afterimages**, 1.309
- Complementary wavelength**, 1.722
- Complex sound**, 2.102. *See also* Broadband noise; narrow-band noise; white noise
- Component task**, 7.221. *See also* Selective attention
- Compound task**, 7.219, 7.221. *See also* Divided attention
- Computer-driven controls**, 12.411
- Computer graphics**, 11.328. *See also* Simulation
- Computer interfaces**. *See* Human-computer interfaces
- Concavity**  
haptic perception of, 6.609
- Concentric controls**, 12.420
- Concurrent tasks**  
mental resource (attention) allocation and, 7.201, 7.203-7.205, 7.207, 7.221  
personality effects, 7.804  
reading and, 8.120  
response mode similarity effects, 9.122  
stress effects  
noise, 10.304  
sleep deprivation, 10.802, 10.806  
visual search, 7.220  
*See also* Attention; divided attention; monitoring; selective listening; supervisory control; workload measurement: secondary task measures
- Condenser microphone**, 2.104
- Cones**, 1.201, 1.301  
color vision and, 1.706, 1.722  
dark adaptation, 1.305, 1.406-1.413  
light adaptation, 1.305  
retinal distribution, 1.201, 1.301  
sensitivity, 1.103, 1.301, 5.1001  
spectral sensitivity, 1.102, 1.302, 1.305  
*See also* Photopic vision
- Conjoint measurement**, 7.711, 7.712
- Conjugate eye movements**, 1.905, 1.906. *See also* Eye movements
- Conjunctiva**  
radiation absorption, 1.102
- Connectedness**  
Gestalt grouping principle of, 6.001
- Consistent mapping**  
automatic visual processing and, 7.520
- Consonants**, 8.201, 8.206, 8.207  
of American English, 8.205  
*See also* Speech
- Conspicuity**  
search time and, 7.506, 7.511, 7.519  
warning signals and, 11.405, 11.407-11.409, 11.411
- Constancy**. *See* Perceptual constancy
- Constraint theory**  
of perceptual organization, 6.321
- Contact lens method**  
eye movement measurement, 1.904
- Contingent aftereffects**, 1.309, 6.320
- Continuous controls**, 12.102, 12.201, 12.303  
accuracy of operation, 7.113, 7.114  
recommended uses, 12.101  
*See also* Controls
- Continuous-function models**  
of visual detection, 1.654
- Contours**  
subjective or illusory, 6.314  
*See also* Borders
- Contrast**  
atmospheric attenuation, 7.601-7.603  
binocular combination of, 1.802, 1.803  
calculation of, 1.601  
color appearance and, 1.707, 1.711  
for CRT symbols, preferred, 11.102  
definition, 1.601  
dial scale reading and, 11.124  
discrimination of, 1.646, 10.903, 11.119  
display legibility during vibration and, 10.416  
effective contrast, 7.605  
eye movements and, 1.915, 1.939  
Fechner's paradox, 1.803  
gray levels, 7.604, 11.119  
Michelson contrast, 1.601  
reaction time and, 9.103, 9.109  
sensitivity to. *See* Contrast sensitivity  
spatial frequency discrimination and, 1.649  
stereoscopic vision and, 5.918, 5.931, 5.937  
summation of, 1.802, 1.803  
target acquisition and, 7.601-7.603, 7.614  
visual acuity and, 1.603-1.605  
visual search and, 7.509, 7.510  
*See also* Apparent contrast; brightness contrast; color contrast; contrast sensitivity; lightness contrast
- Contrast attenuation**, atmospheric, 7.601, 7.603
- Contrast discrimination**, 1.646  
during acceleration, 10.903  
gray scale, 1.721  
number of perceptible gray levels, 11.119
- Contrast enhancement**  
luminance, 1.707, 1.716  
pitch, 2.707
- Contrast matching**, 1.647
- Contrast modulation**  
definition, 1.219
- Contrast ratio**, 7.601  
definition, 1.601
- Contrast sensitivity**, 1.628-1.645, 1.650-1.652  
during acceleration, 10.904  
accommodation and, 1.628, 1.639  
aging and, 1.623  
binocular vs. monocular, 1.801, 1.802  
compared with visual acuity measurements, 1.644, 1.645  
contrast discrimination, 1.646  
contrast matching, 1.647  
contrast sensitivity function, 1.602  
correlation with flying performance, 7.612  
definition, 1.601  
detection models, 1.653, 1.654, 7.606  
edge effects, 1.628, 1.641, 1.642  
factors affecting, summarized, 1.628  
field size and, 1.628, 1.629  
for flickering targets, 1.508, 1.628  
focus errors and, 1.628, 1.634, 1.639  
luminance level and, 1.628, 1.631-1.633, 1.643  
as a measure of visual ability, 1.602, 1.644, 1.645



**Contrast sensitivity** (*continued*)

for moving targets, 1.628, 1.637, 1.645  
orientation and, 1.628, 1.634, 1.652  
size and, 1.628, 1.629, 1.635, 1.636  
Snellen letters and, 1.644  
spatial frequency and, 1.628, 1.630, 1.635, 1.650, 1.651  
    spatial frequency discrimination, 1.648, 1.649  
visual field location and, 1.628, 1.635, 1.636, 1.637  
during whole-body vibration, 10.433, 10.435  
*See also* Target detection

**Contrast threshold**, 1.601

models for predicting, 7.606  
*See also* Contrast sensitivity; target detection

**Control.** *See* Manual control; monitoring; optimal control theory; supervisory control

**Control aiding**, 9.520, 9.521, 9.526

**Control/display configuration**, 11.206, 12.302

**Control/display movement relationships**, 12.302

**Control/display ratio**, 12.201

**Controlled visual search**, 7.520

**Control order**, 9.519

**Controls**

aiding, 9.520, 9.521, 9.526  
arrangement, 12.102, 12.301-12.304, 12.411  
coding, 12.102, 12.411, 12.424. *See also* Color coding; shape coding; size coding  
comparisons among types, 12.102  
computer driven, 12.411  
control/display position and movement relationships, 12.302  
control/display ratio, 12.201  
density, 12.405  
design, 9.205  
errors in operation  
    activation errors, 7.111-7.114, 12.401, 12.404, 12.420  
    data entry errors  
        keyboards and keysets, 12.406-12.408, 12.410, 12.415, 12.429  
        nonkeyboard controls, 12.412, 12.414, 12.415, 12.419, 12.420  
*See also* Error; human performance reliability  
gloved operation

control operating time and, 12.427

keyboard data entry and, 12.426, 12.429

knob rim discrimination and, 12.430

torque on rotary switches and, 12.428

multifunction controls, 12.411

recommended uses, of control types, 12.101

selection, 12.101, 12.102

separation, 12.303, 12.401, 12.404, 12.416

shape, 12.419

size, 12.419, 12.428

types of

concentric, 12.420

continuous, 7.311, 7.314, 12.101, 12.102

cursor, 11.321, 11.331, 12.422

data entry. *See* Data entry devices

decimal input devices, 10.424

discrete, 7.111, 12.101, 12.102, 12.403

foot switch, 9.304

ganged, 12.101, 12.420

integrated, 9.536, 9.537

J-handles, 12.303

joysticks, 10.409, 10.423, 11.318, 12.201

for cursor control, 12.422

displacement (isotonic), 12.101, 12.421, 12.422

force (isometric), 9.537, 12.101, 12.421, 12.422

integrated, 9.536, 9.537

keyboards. *See* Keyboards

keysets. *See* Keysets

key operated, 12.101, 12.303

knobs

confusability, 12.417

diameter, 12.428

fluted, 12.430

knurled, 12.430

shape-coded, 12.418, 12.419, 12.430

smooth, 12.430

levers, 12.101, 12.102

horizontal, 12.427

vertical, 12.415

light pens, 11.313, 12.101, 12.422

linear, 12.101, 12.201

mouse, 12.101

pointers, 11.125

pushbuttons, 12.101, 12.102, 12.414

coding, 12.424

color, 12.402, 12.424

diameter, 12.401

gloved operation, 12.427

illumination, 12.402

orientation, 12.401

shape, 12.425

spacing, 12.303

push-pull, 12.101

rocker, 12.101, 12.201, 12.303

rotary, 12.413, 12.416

compared to other controls, 12.102, 12.414, 12.415

data entry with, 12.412

gloved operation, 12.426-12.430

minimum dimensions, 12.420

minimum separation, 12.303

shape, 12.418, 12.419

size coding, 12.417

selector, 12.101

side arm controller, 9.537

slide switches, 12.101, 12.102

stacked, 12.420

thumbwheels, 12.101, 12.102, 12.412

minimum separation, 12.303

vs. rotary and pushbutton, 12.414

toggle switches, 12.101, 12.102, 12.404

activation time, 12.405

color coding, 11.206

gloved operation, 12.426, 12.427

minimum separation, 12.303

touch screens, 12.423

trackball, 12.101, 12.422

**Control theory**

manual control, 9.511, 9.512

supervisory control, 7.301, 7.309, 7.310, 7.311

**Convergence**, 1.808, 1.902, 1.951

accommodation and, 1.231, 1.808

definition, 1.808

phorias, 1.809, 1.810

*See also* Vergence eye movements

**Conversion filter**, 1.108**Convexity**

figure-ground organization and, 6.301

haptic perception of, 6.609

**Cooper-Harper Aircraft Handling Characteristics Scale**,

7.705-7.707. *See also* Workload measurement

**Coordinated movement**, 9.304, 9.305

hand movement, 9.202, 9.305, 9.307, 9.403

*See also* Movement sequences; movement, target-directed

- Coriolis effects**, 3.206, 3.209, 3.210, 5.503  
 pseudo-Coriolis effects, 5.503
- Cornea**, 1.201, 1.210  
 light absorption, 1.102, 1.203  
 optical imaging and, 1.203, 1.205, 1.209, 1.210  
 refractive index, 1.210
- Corneal reflection**  
 eye movement measurement, 1.904
- Corollary discharge**  
 autokinetic illusion and, 5.216  
 motion perception and, 5.202  
 retinal image stabilization and, 1.910
- Coronal plane**  
 definition, 5.701
- Correspondence**  
 apparent motion and, 5.402, 5.406, 6.316
- Corridor illusion**, 5.108
- Cortical evoked potential**  
 in workload measurement, 7.702-7.704, 7.724-7.727
- Counters**, 11.217
- Countertorsional eye movements**, 1.957-1.959. *See also*  
 Torsional eye movements
- Counting**, 7.523
- Coupled controls**, 11.413
- Crest factor**, 10.402
- Crista ampullaris**, 3.201
- Critical band**  
 definition, 2.307  
 loudness and, 2.604, 2.606  
 masking and, 2.307, 2.309, 2.310
- Critical control task**, 7.706, 9.527
- Critical duration**. *See* Temporal summation
- Critical flicker frequency**  
 of CRT displays, 11.122  
 of visual targets, 1.501, 1.504, 1.507  
*See also* Temporal modulation, sensitivity to; temporal perception
- Critical instability task**  
 in workload measurement, 7.705
- Critical intensity**, 1.512
- Criticality principle**  
 of control arrangement, 12.301
- Critical size**. *See* Spatial summation
- Critical tracking task**, 7.706, 9.527
- Cross-adaptive technique**  
 in workload measurement, 7.722
- Cross-coupled task**  
 manual control, 9.510
- Cross-modal perception**  
 distance and location, 3.301, 3.303, 5.1010  
 temporal patterns, 5.1017, 5.1020
- Crossover frequency**, 9.507
- Crossover regression**, 9.523. *See also* Manual control
- CRT displays**  
 color coding, 11.201. *See also* Color coding  
 flicker in, 11.120, 11.122  
 gray levels, 7.604, 11.119  
 gray scale, 1.721  
 image quality  
 bandwidth and, 11.101  
 image motion and, 11.101  
 image unsteadiness and, 11.121  
 luminance preferences  
 background, 11.102  
 surround, 11.103  
 symbol, 11.102  
 Michelson contrast, 1.601  
 phosphor persistence, 11.120, 11.122  
 reading of, 7.105, 7.109, 7.114  
 symbol legibility, 11.108-11.118  
 dot-matrix characteristics and, 11.114-11.118  
 resolution and, 11.108, 11.109, 11.111  
 symbol size and, 11.108, 11.109, 11.111, 11.112, 11.118  
*See also* Alphanumeric displays; legibility, symbol  
 target detection in, 7.614, 11.106, 11.107  
 target recognition in, 7.614, 11.104-11.108  
 number of scan lines and, 7.614, 11.104, 11.105, 11.108  
*See also* Displays; person-computer dialogue: screen displays;  
 video displays
- Cued response method**  
 reaction time, 9.105
- Cueing**  
 of attention, 9.117, 9.118, 9.535  
 of response, 9.105  
 of spatial position, 7.210, 9.113  
*See also* Warning signals
- Cumulative normal function**, 1.657
- Cupula**, 3.204, 3.209  
 anatomy, 3.201  
 cupulometry, 3.205  
 dynamics, 1.930, 3.203
- Cupulometry**, 3.205
- Cursor controls**, 11.321, 11.331, 12.422
- Curvature**  
 adaptation to, 5.1123  
 aftereffects of, 5.1123  
 haptic perception of, 6.609, 6.610  
 prism-induced, 5.1101, 5.1102  
 underwater distortion of, 5.1125, 5.1126
- Curvature illusion**, 6.609, 6.610
- Cutaneous sense**, 3.101-3.126. *See also* Cutaneous sensitivity;  
 haptic perception; tactile perception
- Cutaneous sensitivity**  
 adaptation, 3.101, 3.116  
 adequate stimulus for skin sense, 3.101  
 anatomic correlates of touch, 3.101  
 background information and summary, 3.101  
 body site differences, 3.106, 3.115  
 definition, 3.101  
 electrocutaneous stimulation, 3.101, 3.125, 3.126  
 intensity difference threshold  
 pressure, 3.101, 3.109  
 temperature, 3.123  
 vibration, 3.101, 3.109, 3.110  
 masking and, 3.101, 3.110, 3.117  
 measurement of, 3.105  
 methods of stimulation, 3.101, 3.105  
 pressure sensitivity, 3.101, 3.106, 3.109, 3.125  
 auditory facilitation of, 5.1005  
 saltation, 3.101, 3.119  
 sensation magnitude, 3.111-3.114, 3.126  
 magnitude enhancement, 3.114  
 magnitude summation, 3.112, 3.113  
 short-term memory, 4.108  
 spatial interactions, 3.101  
 masking, 3.110, 3.117  
 perceived magnitude, 3.111, 3.112  
 temperature sensation, 3.121  
 tactile sensory innervation of the skin, 3.101-3.104  
 temperature sensitivity, 3.121-3.124  
 temporal interactions, 3.101  
 masking, 3.117  
 perceived magnitude, 3.113, 3.114  
 two-point resolution, 3.101, 3.115

**Cutaneous sensitivity** (*continued*)

- vibration (vibrotactile) sensitivity, 3.101, 3.106-3.108, 3.117
  - body site differences, 3.101, 3.106
  - discrimination, 3.109, 3.110
  - sensory magnitude, 3.101, 3.111-3.114, 3.116
- See also* Skin; tactile perception; temperature sensitivity; touch; vibrotactile sensitivity

**Cutaneous tracking**, 9.538**Cut off/cut-on filters**, 1.108**Cyclical variations**

- altered schedules and
  - time-zone shifts, 10.710, 10.713
  - work shift changes, 10.710, 10.712
- in body temperature, 10.701, 10.702, 10.710, 10.711, 10.714
- characteristics of, 10.701
- circadian rhythms, 10.102, 10.701
  - biological functions, 10.702, 10.710, 10.711, 10.713, 10.714
  - performance, 10.704-10.708, 10.711-10.713
- endogenous rhythms, 10.102, 10.701
- entrained rhythms, 10.701
- exogenous rhythms, 10.102, 10.701
- infradian rhythms, 10.102, 10.701
- isolation from external influences and, 10.701, 10.714
- jet lag, 10.710, 10.713
- methods of investigating, 10.102, 10.701
- personality and, 10.708
- sleep cycles, 10.703, 10.709, 10.710, 10.712, 10.714, 10.809
- in task performance
  - calculation task, 10.706, 10.712, 10.713
  - card sorting, 10.706
  - grammatical transformation task, 10.705
  - logical syllogism task, 10.705, 10.712
  - manual task, 10.709, 10.712, 10.713
  - memory task, 10.704, 10.705
  - reaction time, 10.713
  - serial response task, 10.706, 10.709
  - speeded decision-making, 10.705, 10.706
  - symbol cancellation, 10.706, 10.708, 10.713
  - vigilance, 10.706, 10.709, 10.711
  - visual search, 10.712
- ultradian rhythms, 10.102, 10.701, 10.703, 10.709
- in work efficiency, 10.707

**Cyclofusional eye movements**, 1.956, 5.803. *See also* Torsional eye movements**Cyclopean vision**, 5.915**Cyclorotation**. *See* Torsional eye movements**d'**

- sensitivity measure, 1.657, 7.405, 7.420

**Dale-Chall readability index**, 8.129**Damage risk level**

- for noise exposure, 10.316

**Dark adaptation**, 1.406-1.413

- absolute sensitivity of dark-adapted eye, 1.306
- adapting field characteristics and, 1.406, 1.407, 1.411-1.413
- duplicity theory of, 1.407
- factors affecting, summarized, 1.406
- flicker sensitivity and, 1.504
- of rods vs. cones, 1.301, 1.410
  - preadapting duration and, 1.413
  - preadapting intensity and, 1.411
  - target size and, 1.408
  - target wavelength and, 1.407
- spatial summation and, 1.409
- target size or spatial frequency and, 1.406, 1.409, 1.410
- temporal summation and, 1.409

**Dark focus**, 1.222, 1.223, 1.226, 1.228, 7.507**Data base systems**, 11.304, 11.312**Data displays**

- data entry displays, 11.317
- graphs, 11.328
- multiple-frame displays, 11.333, 11.335
- screen layout, 11.325, 11.332
- See also* Displays: types of

**Data entry**

- with different control types, compared, 12.412, 12.414, 12.415
- gloves and, 12.429
- keying performance, 11.320
  - keyboard characteristics and, 12.407, 12.410
    - key arrangement, 12.406, 12.408
    - slope, 12.409
  - keystroke model of, 11.306
- location of control and, 12.412
- point-in vs. type-in, 11.318
- turbulence and, 12.412
- during whole-body vibration, 10.424
- See also* Data displays; data entry devices; human-computer interfaces; keying performance

**Data entry devices**

- comparison of, 12.412, 12.414, 12.415
- data tablet, 12.422
- decimal input devices, 10.424
- joystick, 12.421, 12.422. *See* Joysticks
- keyboard, 12.409, 12.410
  - alphabetic, 12.408
  - gloved operation, 12.426, 12.429
  - matrix, 12.415
  - membrane, 12.407
  - multifunction, 12.411
  - programmable, 12.411
  - QWERTY, 12.408, 12.410
- keyset, 12.412, 12.415
  - calculator, 12.406
  - telephone, 12.406, 12.410
- light pen, 11.313, 12.101, 12.422
- mouse, 12.101
- pushbuttons, 12.101, 12.102, 12.414
- rotary selector, 12.412, 12.414, 12.415
- thumbwheel, 12.101, 12.102, 12.412, 12.414
- touch screen, 12.423
- track ball, 12.101, 12.422
- vertical lever, 12.415
- See also* Controls: types of

**Data recording**

- performance accuracy, 7.116

**Data Store**, 11.214**Dawes limit**, 1.614**Daytime vision**. *See* Photopic vision**Deadline method**

- reaction time, 9.105

**Deafness**. *See* Hearing loss**Deceleration lights**, 11.412**Decibel**, 2.103**Decimal acuity**

- definition, 1.602
- See also* Visual acuity

**Decimal input devices**, 10.424**Decision aiding**, 7.307, 11.323, 11.324**Decision allocation**

- between human and computer, 7.307

**Decision augmentation system**, 7.307**Decision criterion**

- signal detection analysis, 1.656, 1.657, 7.405, 7.420

**Decision making**

- in component and compound tasks, 7.221
- decision criteria, 7.405, 7.420
  - and attentional limits, 9.104
- humans as decision makers, 7.901
- human-computer allocation of, 7.307
- in monitoring and supervisory control, 7.301, 7.303, 7.310, 7.311
- problem-solving aids, 11.323
- speeded, circadian rhythms in, 10.705, 10.706

*See also* Decision aiding

**Decision theory, 7.420**

- and interactive system modeling, 11.305
- vigilance and, 7.405

**Declination error, 1.205****Delboeuf illusion, 5.106****Delta movement, 5.401. *See also* Apparent motion****Density**

- of backlit materials, 1.601
- of displays, and visual search, 7.501, 7.505, 7.511-7.514, 7.516-7.519

**Depressant drugs**

- as stressor, 10.202

**Depth cues**

- accommodation, 5.901
- aerial perspective, 5.901
- color fringes due to chromatic aberration, 1.212
- convergence angle, 1.808
- detail clarity, 5.901
- familiar size, 5.901
- height in plane, 5.901
- height-width ratio, 5.113
- interposition, 5.901
- linear perspective, 5.105, 5.115, 5.901
- motion generated
  - changing retinal size, 5.904
  - kinetic occlusion, 5.901, 5.903
  - kinetic shear, 5.901, 5.903
  - motion parallax, 5.901, 5.902, 5.904
  - motion perspective, 5.502, 5.901
- relative brightness, 5.901
- retinal image disparity, 5.905, 5.907-5.909, 5.929
  - limits as depth cue, 5.904, 5.930
- shadow, 5.901
- signed vs. unsigned, 5.903
- texture gradient, 5.116, 5.901
- visual angle, 5.104, 5.901

*See also* Depth perception; motion in depth; stereoscopic vision

**Depth distortions**

- adaptation to, 5.1101, 5.1121, 5.1125
- with aniseikonia, 5.909. *See also* Aniseikonia
- color stereopsis, 1.209, 5.934, 5.1102
- with empty-field viewing, 1.239
- Mach-Dvorak effect, 5.933
- due to prisms and lenses, 5.1102, 5.1121
- Pulfrich effect, 5.933
- due to telestereoscope, 1.812, 5.1101, 5.1102
- with underwater viewing, 5.1124, 5.1125

**Depth of focus**

- of eye, 1.221

**Depth perception, 5.901-5.936**

- astigmatism and, 1.205
- color stereopsis, 1.209, 5.934, 5.1102
- cues for, 5.901-5.903, 5.905. *See also* Depth cues
- depth resolution. *See* Stereoacuity
- eye movements in. *See* Vergence eye movements
- with restricted vs. free eye movements, 5.916

in simulated landing scenes, 5.102, 5.103

*See also* Distance perception; stereoacuity; stereoscopic vision

**Derivatives**

- display of, 9.532

**Dermatome, 3.102****Desaturation**

- of CRT displays, 11.102
- definition, 1.706
- hue and, 1.708

*See also* Color appearance

**Describing function**

- manual control, 9.511, 9.523

**Description errors, 11.310****Detectability index**

- signal detection analysis, 7.405, 7.420

**Detection, 1.656, 1.657. *See also* Auditory sensitivity; cutaneous sensitivity; target acquisition; target detection; visual sensitivity****Detection lobe, 7.610****Deutan, 1.726****Deuteranomaly, 1.726****Deuteranopia, 1.707, 1.726****Devereaux readability index, 8.129****De Vries-Rose Law, 1.502, 1.632****Diagnosticity**

- of workload measures, 7.701, 7.703

**Dialogue. *See* Person-computer dialogue****Dial reading**

- during acceleration, 10.905
- brightness contrast and, 11.124
- color contrast and, 11.124
- scale division size and, 11.211, 11.213, 11.215
- time and accuracy of
  - circular scales, 11.214
  - meters, 7.108
  - semicircular scales, 11.216

*See also* Scale reading

**Dichoptic display**

- definition, 1.812

**Dichotic listening. *See* Divided attention: auditory; interaural differences; selective listening****Dichromacy, 1.726****Difference threshold, 1.656****Differentiated attention, 7.201, 7.204. *See also* Attention; mental resources****Differentiator element, 9.505****Diffraction**

- light, 1.213
  - Airy's disk, 1.213
  - calculation equations, 1.213
  - Fraunhofer diffraction pattern, 1.213
  - retinal light distribution and, 1.214, 1.215, 1.217
  - visual acuity and, 1.606, 1.614
    - Dawes limit, 1.614
    - Rayleigh limit, 1.614
  - sound, 2.801, 2.803

**Digital displays, 7.116, 7.316, 11.117****Dimensional analysis, 6.101, 6.318, 6.320****DIN color chart, 1.721****Diopter, 1.222****Diplacusis binauralis, 2.701, 2.706****Diplopia. *See* Double vision****Direction**

- auditory judgment of, 2.801, 2.814, 5.1113. *See also* Auditory localization
- illusions of, 5.106, 5.107
- visual judgment of, 5.606, 5.802, 5.1113. *See also* Apparent straightahead; spatial localization

**Discrete controls**, 7.111, 12.101, 12.102, 12.403. *See also*

Controls: types of

**Discrete displays**, 7.111. *See also* Displays: types of

**Discrete state controller**, 9.526

### **Discrimination**

brightness, 1.401-1.406, 1.413

color, 1.704, 1.705, 1.726

depth. *See* Stereoacuity

flicker, 1.510, 5.1020

form, 6.607, 6.608. *See also* Letter recognition

frequency, 2.711

intensity. *See* Intensity discrimination

pattern. *See* Pattern discrimination

pitch. *See* Pitch discrimination

spatial frequency (size), 1.648, 1.649

temperature, 3.123

vector models of, 1.655

visual targets. *See* Target acquisition; target recognition

**Disjunctive eye movements**, 1.190, 1.905, 1.906, 1.949. *See also* Eye movements; vergence eye movements

**Disorientation**. *See* Vertigo; visual position constancy, loss of

**Displacement controls**, 12.101, 12.421

**Display augmentation**, 9.525

**Display quickening**, 9.501, 9.520, 9.521, 9.525, 9.526

**Display reading**, 7.116, 7.117

annunciator displays, 7.107, 7.115, 7.117

counters, 11.217

CRT displays, 7.105, 7.109, 7.114, 11.101, 11.103-11.122

indicator lights, 7.106, 7.107, 7.111, 7.116, 7.117, 12.402

meters, 7.108, 7.112, 7.113, 7.116, 7.117

multi-channel displays, 7.110

scales, 11.210-11.216

*See also* Dial reading; displays: legibility, symbol; scale reading

### **Displays**

arrangement of multiple displays, 9.535

collimation, 10.417

color coding, 7.511-7.513, 7.515, 7.519, 11.201-11.203, 11.205

control/display configuration, 11.206, 12.302

control/display movement relationships, 12.302

control/display ratio, 12.201

CRT displays. *See* CRT displays

data entry displays. *See* Data entry displays

format, CRT displays, 11.325, 11.333, 11.335

gain, 9.513, 9.514

image degradation. *See* Image degradation

image quality. *See* Image quality

legibility

during acceleration, 10.902

contrast and, 10.416, 11.102, 11.107

dot-matrix characteristics and, 11.114-11.118

gray levels, 7.604, 11.119

luminance and, 10.905, 11.102

number of CRT scan lines and, 11.108, 11.109, 11.111

overprinting and, 11.208

symbol characteristics and, 11.108, 11.109, 11.111-11.114, 11.118

during vibration, 10.411, 10.413-10.416

luminance, 11.102, 11.103

calculation of, 1.105

resolution, 7.614, 11.108, 11.109, 11.111, 11.218

size, 7.315, 7.505, 7.517

types of

aircraft, 9.529

alphanumeric, 11.109-11.118. *See also* Alphanumeric displays

annunciators, 7.107, 7.115

auditory, 9.538

binocular, 1.812, 5.914, 5.915. *See also* Binocular displays

cinematic, 11.218-11.221

color, 11.201. *See also* Color coding

compensatory, 9.508, 9.515, 9.521, 9.528

counters, 11.217

CRT, 11.101, 11.103-11.122. *See also* CRT displays; per-

son-computer dialogue: screen displays

data, 11.304, 11.317, 11.325, 11.333, 11.335. *See also* Data displays

data entry, 11.317

dials. *See* Dial reading

dichoptic, 1.812

digital, 7.116

discrete, 7.111

dot matrix, 11.114-11.118

dynamic, 7.112-7.114

electroluminescent, 11.102, 11.123. *See also* CRT displays

flight-director, 9.525

frequency-separated, 9.529

head-coupled, 10.420

head-up, 9.529, 11.409

horizon, 9.517, 9.529

indicators, 7.106, 7.107, 7.111, 7.116, 7.117, 12.402

inside out, 9.517, 9.529

intermittent, 9.530

LED, 11.123

linear, 12.201, 12.302

mechanical indicators, 11.125

meters, 7.108, 7.110, 7.112, 7.113, 7.116

monochrome vs. color coded, 7.501

multi-axis, 9.533-9.535, 9.538

multi-channel, 7.110

multi-frame, 11.333, 11.334

numeric, 11.325. *See also* Alphanumeric displays

outside in, 9.529

peripheral, 9.532

plan position indicator, 7.105

predictor, 9.525

previewing, 9.530

pursuit, 9.508, 9.521, 9.528

quickened, 9.501, 9.520, 9.521, 9.525, 9.526

radar, 7.105. *See* Radar displays

rear projection, 7.513

scales. *See* Scale reading

screen. *See* Screen displays

self-motion, 5.501, 5.503

status lights, 7.107

stereoscopic, 5.914, 5.915

tactile, 3.105, 6.501-6.509, 9.501, 9.538

text, 11.207, 11.326. *See also* Alphanumeric displays;

person-computer dialogue: screen displays

unannounced, 7.117

warning. *See* Warning signals

*See also* CRT displays; display reading

### **Distance**

egocentric, 5.105

*See also* Distance perception; horizon

### **Distance perception**

accuracy, 5.112

in blind positioning, 9.204

in aircraft landing, 5.101-5.103

constancy of, 5.112

cross-modal vs. intramodal distance judgments, 5.1010

distance cues to, 5.104, 5.105. *See also* Depth cues

- distortions of  
 adaptation to, 5.1101, 5.1121, 5.1125, 5.1126  
 optically induced, 5.1102-5.1126  
 with underwater viewing, 5.1124-5.1126
- illusions of distance, 5.108
- linear perspective and, 5.105
- with prolonged viewing of close object, 1.902
- for sound source, 2.801
- visual angle and, 5.104
- See also* Depth perception
- Distance vision.** *See* Depth perception; distance perception; sighting range; viewing distance
- Distortion**
- aural, 2.105
- of speech, 8.304, 8.312, 8.313. *See also* Speech intelligibility: of altered speech
- visual. *See* Visual distortion
- Distractors**
- in reaction time tasks, 9.110, 9.117, 9.118
- in visual search tasks, 7.514-7.516. *See also* Density
- Diurnal rhythms.** *See* Circadian rhythms
- Divided attention**
- auditory, 7.206, 7.214
- age and, 7.213, 7.217
- factors affecting, summarized, 7.213
- practice and, 7.213, 7.216
- mixed modalities, 7.206, 7.207, 7.215, 7.217
- vs. selective attention, 7.206, 7.214, 7.221
- visual, 7.219-7.221
- See also* Concurrent tasks; monitoring; selective listening, workload; vigilance
- Dominant wavelength,** 1.722
- Dosimeter,** 2.104
- Dot-matrix displays**
- element size, 11.114, 11.116
- interelement spacing, 11.115, 11.116
- matrix size, 11.117
- symbol size, 11.118
- viewing distance, 11.118
- Double vision**
- due to accommodation/convergence decoupling, 1.808
- discomfort caused by, 5.906, 5.911
- hysteresis effects, 5.937
- due to interocular magnification differences, 1.813
- due to interocular rotation differences, 1.813, 5.913
- due to lateral retinal image disparity, 5.905, 5.911, 5.930
- stereoscopic depth perception with, 5.927, 5.930
- due to vertical retinal image disparity, 5.906, 5.912
- See also* Binocular image registration
- Drive,** 10.101, 10.102. *See also* Incentive; motivation
- Dual-axis tracking,** 9.510, 9.536
- Dual task.** *See* Concurrent tasks; divided attention; mental resources
- Duplicity model**
- applied to dark adaptation, 1.407
- applied to spectral sensitivity, 1.302
- Duration perception**
- auditory stimuli, 2.503, 2.504, 5.1019
- bisensory stimuli, 5.1019
- visual stimuli, 5.1019
- Dwell time,** 7.313, 7.317, 9.530. *See also* Monitoring; visual fixation
- Dynamic range**
- for audition, 2.103
- for sensory modalities compared, 5.1001
- for vision, 1.103
- Dynamic visual acuity,** 1.617-1.622, 7.522
- correlation with static acuity, 1.617, 1.621
- direction of movement and, 1.618, 1.619
- practice and, 1.622
- target orientation and, 1.618, 1.620
- target velocity and, 1.617-1.622, 7.522
- vernier targets, 5.220
- Ear**
- anatomy and physiology, 2.201, 2.202
- resonance properties, 2.201, 2.302
- sound pressure transfer function, 2.802
- See also* Audition
- Ear canal,** 2.201
- Ear dominance,** 6.404
- Eardrum,** 2.201
- sound pressure transfer function, 2.802
- Earphone listening**
- auditory sensitivity with, 2.302
- loudness with, 2.603
- sound localization with, 2.801, 2.804. *See also* Auditory localization: with earphone presentation
- Earplugs,** 8.304, 8.312, 8.316
- Ebbinghaus illusion,** 5.106
- Eccentric gaze**
- apparent straightahead and, 5.606, 5.802
- autokinetic movement and, 5.606
- eccentric fixation of dim targets, 1.916
- eye-muscle potentiation and, 5.1101
- See also* Peripheral vision; visual fixation
- Eccentricity.** *See* Retinal location; visual field location
- E-chart**
- and acuity measurement, 1.602
- Echoic memory,** 4.101
- Echo pitch,** 2.710
- Echo suppression,** 2.817
- Edge effect**
- in visual search, 7.407
- Edge enhancement,** 1.716
- Edge pitch,** 2.710
- Edge sharpness**
- chromatic vs. achromatic borders, 6.313
- color appearance and, 1.707
- contrast sensitivity and, 1.628, 1.641, 1.642
- luminance contrast and, 6.313
- See also* Borders
- EEG.** *See* Electroencephalogram
- Effective contrast,** 7.605
- Effective damage risk level,** 10.316. *See also* Hearing loss
- Effective pupil area,** 1.106, 1.111
- Effectivity ratio,** 1.106, 1.111
- Effort**
- perceived mental effort, 7.709, 7.712. *See also* Workload measurement
- sense of muscle effort, 3.301, 3.325. *See also* Kinesthesia
- Egocentric localization**
- definition, 5.601
- distance, 5.105
- factors affecting, summarized, 5.607
- with intersensory conflict, 5.1007-5.1009
- optimal modality, 5.1002
- visual, 5.601, 5.603, 5.606, 5.607
- See also* Apparent straightahead
- Ego motion,** 5.501. *See also* Self-motion
- Ehrenstein illusion,** 5.106
- Electrocutaneous stimulation**
- applications, 3.101
- exposure duration and, 3.125

- Electrocutaneous stimulation** (*continued*)  
 methods of stimulation, 3.101  
 sensation magnitude, 3.101, 3.126  
 sensitivity to, 3.101, 3.125  
 temporal summation, 3.101, 3.107  
 weight perception with, 3.324  
*See also* Cutaneous sensitivity
- Electroencephalogram (EEG)**  
 in workload measurement, 7.702-7.704, 7.724-7.727
- Electroluminescent displays**, 11.102, 11.123. *See also* CRT displays
- Electromagnetic radiation spectrum**, 1.101
- Electromyogram (EMG)**  
 in prediction of performance decrement due to sleep loss, 10.807  
 in workload measurement, 7.704, 7.729
- Electro-oculography**, 1.904
- Elevator illusion**, 3.210, 5.504, 5.505
- Embedded target**. *See* Distractors; camouflage
- Embedded tasks**, 7.723. *See also* Concurrent tasks; workload measurement: secondary task measures
- EMG**. *See* Electromyogram
- Emmetropia**, 1.204
- Empty field**  
 visual effects, 1.222, 1.223, 1.228, 1.239, 7.507.
- Empty-field myopia**, 1.222, 1.223, 1.228, 1.239, 7.507. *See also* Accommodation
- Emsley model eye**, 1.209
- Endogenous rhythms**, 10.102, 10.701. *See also* Cyclical variations
- Energy splatter**, 2.102
- Entrained rhythms**, 10.701. *See also* Cyclical variations
- Entrance pupil**, 1.209
- Environmental stressors**. *See* Stressors
- Equal-brightness contours**, 1.303, 1.304
- Equal-contrast contours**, 1.647
- Equalization rule**  
 manual control, 9.523
- Equal-lightness contours**, 1.303
- Equal-loudness contours**, 2.603
- Equipment noise**, 2.105
- Equivalent achromatic contrast**, 6.313
- ERP (event-related brain potential)**. *See* Cortical evoked potential
- Error**  
 activation errors, 11.310  
 analysis of, 7.101-7.104, 7.115, 11.310  
 capture errors, 11.310  
 classification of, 7.101, 11.310  
 data input errors, 11.318, 11.320  
 description errors, 11.310  
 error feedback. *See* Feedback  
 in manual control, 9.510  
 mode errors, 11.310  
 in person-computer interaction, 11.320  
 prediction of, 7.102, 7.103. *See also* Human performance reliability  
 probability of. *See* Human performance reliability
- Error messages**  
 person-computer dialogue, 11.320, 11.322  
*See also* Warning signals
- Escalator illusion**, 5.218
- Esophoria**, 1.809, 1.810, 1.902
- Estimation**  
 optimal, 7.310
- Eustachian tube**, 2.201
- Event duration**. *See* Duration perception
- Event-related brain potential (ERP)**. *See* Cortical evoked potential
- Evoked potential**. *See* Cortical evoked potential
- Excitation purity**, 1.703, 1.722  
 calculation, 1.703, 1.722  
 definition, 1.703, 1.722  
 hue and, 1.708  
 relation to colorimetric purity, 1.703
- Exhaustive search**  
 memory, 4.105  
 visual, 9.117
- Exit pupil**, 1.105, 1.209
- Exogenous rhythms**, 10.102, 10.701. *See also* Cyclical variations
- Exophoria**, 1.809  
 due to convergence deficit, 1.231  
 description, 1.809, 1.902  
 population incidence, 1.810
- Expert systems**, 7.307, 7.308
- Exposure duration**  
 auditory sensitivity and, 2.301, 2.306, 2.311  
 color perception and, 1.705, 1.707  
 cutaneous sensitivity and, 3.107, 3.125  
 flicker sensitivity and, 1.501  
 loudness and, 2.601, 2.607  
 motion perception and, 5.203, 5.207-5.209, 5.401, 5.403  
 of noise, effects of. *See* Noise  
 pitch discrimination and, 2.709  
 sound localization and, 2.811  
 stereoscopic vision and, 5.918, 5.926, 5.935  
 tactile pattern perception and, 6.504  
 visual acuity and, 1.603, 1.613, 1.621  
 visual detection and, 1.305, 1.412, 1.511, 1.624, 7.406
- Extorsion**, 1.905, 1.956. *See also* Torsional eye movements
- Extraretinal eye position information**, 1.938
- Extroversion**  
 circadian performance rhythms and, 10.708  
 stress effects and, 7.804  
 vigilance performance and, 7.413
- Eye**  
 accommodation (focus), 1.222-1.231. *See also* Accommodation  
 anatomy and dimensions, 1.201, 1.209, 1.210  
 aniseikonia, 1.927, 5.906, 5.907, 5.909, 5.1101, 5.1121, 5.1122  
 astigmatism, 1.205, 1.634  
 axial chromatic aberration, 1.212  
 dark focus, 1.222, 1.223, 1.226, 1.228, 7.507  
 declination error, 1.205  
 depth of focus, 1.221  
 entrance pupil, 1.209  
 exit pupil, 1.105, 1.209  
 focal length, 1.203, 1.204, 1.209, 1.210, 1.212, 1.222  
 fovea, 1.201, 1.202, 1.209, 1.210  
 imaging properties, 1.218, 1.219  
 light distribution for extended source, 1.217  
 line-spread function, 1.215, 1.216  
 modulation transfer function, 1.219, 1.220  
 point-spread function, 1.213-1.215  
 interpupillary distance, 1.208  
 light scatter in, 1.202  
 model (schematic) eye, 1.209  
 optical axis, 1.209, 1.210  
 optical parameters, 1.209, 1.210  
 photoreceptors, 1.201  
 position sense of, 5.607  
 pupil diameter, 1.203, 1.232-1.234. *See also* Pupil: diameter of

- pupillary axis, 1.209
- refractive power, 1.203, 1.209, 1.222
- rotation, 1.207, 1.901, 1.902
- spectral transmittance of ocular media, 1.202
- spherical aberration, 1.211
- spherical refractive errors, 1.204
- visual aids magnification properties, 1.206
- visual angle, 1.240
- visual axis, 1.209, 1.210
- visual field, 1.235-1.237
- See also* Image quality; vision
- Eye-hand coordination**
  - heat exposure and, 10.601
  - See also* Movement, target-directed
- Eye-head coordination**, 1.958, 1.960
  - countertorsion, 1.957, 1.959
  - factors affecting, summarized, 1.960
  - model of retinal image stabilization, 1.910
  - in target acquisition, 7.503
  - vestibulo-ocular reflex, 1.901, 1.913, 1.917
    - vestibular nystagmus, 1.917-1.922, 1.926-1.930
  - during vibration, 10.418
  - in visual fixation, 1.913
- Eye movements**
  - abduction, 1.905
  - abrupt movements, 1.906
  - adaptability of, 1.907
  - adduction, 1.902, 1.905
  - afternystagmus, 1.921, 1.923, 1.924, 1.930
  - anatomy and mechanics of, 1.901, 1.902
  - anticipatory, 1.948
  - apparent motion and, 5.202, 5.215
  - axes of rotation, 1.901
  - cancellation theory, 1.938
  - classification of
    - by direction and axis of rotation, 1.905
    - by speed, 1.906
  - compensatory, 1.901, 1.958
    - for head rotation, 1.913, 1.917, 1.958, 1.960, 10.418. *See also* Vestibulo-ocular reflex
    - for head tilt, 1.905, 1.957-1.959
    - model of, 1.910
    - to torsional stimuli, 1.956
    - for vertical disparity, 1.955, 5.906
    - with visual fixation, 1.913
  - conjugate, 1.905, 1.906
  - conjunctive, 1.905
  - convergence, 1.808, 1.902, 1.951
  - coordinate systems for describing, 1.903
  - coordination with head movements, 1.958, 1.960. *See also*
    - Eye-head coordination
  - countertorsion, 1.957-1.959
  - cyclorotational eye movements, 1.905, 1.956, 1.957, 1.959, 5.803
  - disjunctive, 1.190, 1.905, 1.906, 1.949
  - during display monitoring, 7.311, 7.313-7.319
    - dwell time (fixation duration), 7.311, 7.313-7.317
    - models of, 7.311, 7.316-7.319
    - sampling frequency, 7.313, 7.314, 7.316, 7.317
    - scan patterns, 9.535
    - transition probabilities (link values), 7.311, 7.313-7.316, 7.318, 7.319
  - See also* Monitoring
  - drift, 1.906, 1.911, 1.912, 1.914, 1.916
  - extra-retinal eye position information, 5.202
  - eye muscles and, 1.901, 1.902
  - eye tremor, 1.912, 1.914, 7.505. *See also* Microtremors
    - fatigue and, 1.908
    - fixation, 1.911-1.916. *See also* Visual fixation
    - fusional eye movements, 1.955, 1.956. *See also* Vergence eye movements
    - glissades, 1.908
    - induced motion and, 5.201, 5.302
    - involuntary
      - anticipatory, 1.948
      - during fixation, 1.906, 1.911, 1.912, 1.914, 1.916
      - with head movement, 1.957-1.960. *See also* Vestibulo-ocular reflex
    - maladaptive, 1.909, 1.915, 1.916
    - measurement of, 1.904
    - microsaccades, 1.906, 1.914, 1.932
    - microtremors, 1.914, 7.505
    - motion perception and, 5.201, 5.202, 5.215, 5.216, 5.302
    - nystagmus, 1.906, 1.918-1.925, 1.927-1.930. *See also*
      - Nystagmus
      - optokinetic nystagmus, 1.918, 1.921, 1.924, 1.925
      - physiological nystagmus, 1.906
      - postrotary nystagmus, 1.923, 1.930
    - pursuit eye movements, 1.906, 1.938-1.949
      - model of, 1.938
      - See also* Pursuit eye movements
    - rapid (during sleep), 10.703, 10.809, 10.810
    - during reading, 8.101
      - fixations, 8.112-8.116
      - grade level and, 8.112
      - parafoveal information, 8.116
      - saccades, 8.111-8.113, 8.115
      - text characteristics and, 8.113, 8.114
      - viewing distance and, 8.111
    - saccades, 1.931-1.937. *See also* Saccades
    - specification of, 1.903
    - square-wave jerk, 1.914
      - false torsion, 1.905
      - See also* Torsional eye movements
    - tracking eye movements, 1.938-1.949. *See also* Pursuit eye movements
    - tremor, 1.912, 1.914
    - velocity of, 1.906
      - model of, 1.910
    - vergence, 1.905, 1.950-1.955
      - effect of lenses on, 1.206
      - See also* Vergence eye movements
    - version, 1.905
    - vestibular nystagmus, 1.918-1.922, 1.928-1.930. *See also*
      - Vestibular nystagmus
    - vestibulo-ocular reflex, 1.910, 1.917, 1.926, 1.927. *See also*
      - Vestibular nystagmus; vestibulo-ocular reflex
    - during visual search, 7.407, 7.503-7.506, 7.511, 7.515
    - types of, 7.505
    - See also* Nystagmus; pursuit eye movements; saccades; vergence eye movements; vestibulo-ocular reflex; visual fixation; visual search
  - Eye muscle potentiation**, 5.1101
  - Eye muscles**, 1.901, 1.902
  - Eyepiece**
    - binocular, 1.812
    - biocular, 1.812
    - and image luminance, 1.105
  - Eye signature**, 1.811
  - Eye tremor**, 1.912, 1.914, 7.505
  - Fabry-Perot filter**, 1.108
  - Facilitation, intersensory**
    - of detection, 5.1003-5.1005, 7.409



**Facilitation, intersensory** (*continued*)

- of localization, 2.815, 5.1009
  - of reaction time, 5.1012, 5.1014, 5.1015
  - of temporal pattern perception, 5.1018
- See also* Intersensory interactions

**Failure detection.** *See* Fault detection**Fall time**

- definition, 2.102

**Familiarity**

- perceived shape and, 6.310

**Familiar size**

- as depth cue, 5.901

**Farbenglut (color glow),** 1.707, 1.711**Farnsworth-Munsell 100-Hue Test,** 1.726**Farsightedness,** 1.204**Fast Fourier transformation analyzer,** 2.104**Fatigue,** 10.201, 10.801

- aversion to effort and, 10.801
  - circadian rhythms and, 10.102, 10.710
  - effects, summarized, 10.801
  - eye movements and, 1.908
  - limb position perception and, 3.316
  - measurement of, 10.201
  - perception and, 10.801
  - phasic, 10.801
  - physical effort and, 10.801
  - serial response and, 10.801, 10.805
  - skilled performance and, 10.801
  - as stressor, 10.102, 10.103, 10.202, 10.805
  - work efficiency and, 10.707
- See also* Sleep deprivation

**Fault detection**

- automation level and, 7.304
  - time to detect, diagnose, and repair faults, 7.305
  - training for, 7.306
- See also* Monitoring; supervisory control

**Feature-selective adaptation,** 6.318, 6.320

- orientation, 1.652, 6.318
- size or spatial frequency, 1.626, 1.628, 1.650, 1.651, 6.318, 6.319

**Feature theory**

- pattern recognition, 6.321

**Fechner's colors,** 1.719**Fechner's paradox,** 1.803**Feedback**

- auditory, 9.304
  - delayed, 5.1107, 5.1108, 9.304
  - manual control systems, 9.506, 9.507, 9.527. *See also* System feedback
  - movement sequences and, 9.304
  - prism adaptation and, 5.1107, 5.1108
  - proprioceptive, 9.537
  - target-directed movement time and, 9.201, 9.203, 9.206
  - tracking displays, 9.501, 9.508, 9.525
  - vigilance training and, 7.416
  - visual, 5.1107, 5.1108, 9.201, 9.203, 9.206, 9.304
- See also* Knowledge of results

**FFT analyzer,** 2.104**Fick coordinate system**

- for eye movement representation, 1.903

**Field of view**

- normal achromatic visual field, 1.235, 1.236
  - normal visual fields for color, 1.237
  - target acquisition and, 7.614
  - target differentiation and, 11.221
- See also* Peripheral vision; visual field location

**Field size**

- color discrimination and, 1.705
  - contrast sensitivity and, 1.628, 1.629
  - motion perception and, 5.203, 5.210
  - stereoacuity and, 5.918, 5.923
- See also* Peripheral vision

**Figural aftereffects,** 5.1123, 6.317-6.320

- due to prism exposure, 6.317-6.320

**Figure-ground segregation,** 6.001, 6.301**Filehne illusion,** 5.215, 5.217**Filtering.** *See* Spatial filtering; spatiotemporal filtering; temporal filtering**Filtering defect**

- in color vision, 1.726

**Filter-separation stereoscopy,** 5.914**First-order lag,** 9.519**First-order system,** 9.503, 9.505, 9.519, 9.520, 12.421**Fitts' law,** 9.201, 9.203, 9.207, 9.210**Five-choice serial response task,** 10.805**Fixation disparity,** 1.809

- binocular displacement and, 5.936

*See also* Visual fixation

**Fixation, of the eye.** *See* Visual fixation**Flashing warning signals,** 11.410-11.412

*See also* Warning signals

**Flesch readability index,** 8.129**Flicker**

- chromatic, 1.707
  - color appearance and, 1.707
  - contrast sensitivity and, 1.508, 1.628
  - in CRT displays, 11.120, 11.122
  - visual fixation stability and, 1.915
  - visual tracking and, 1.939, 1.946
- See also* Flicker sensitivity

**Flicker sensitivity,** 1.501-1.510, 1.513

- critical flicker frequency, 1.501, 1.504, 1.507
- with CRT displays, 11.120, 11.122
- discrimination of flicker frequency, 1.510
- audio-visual interactions, 5.1020
- factors affecting, summary of, 1.501
- flicker frequency and, 1.501, 1.503, 1.505, 1.506, 1.508-1.510, 11.120
- flicker perception vs. pattern perception, 1.509
- luminance level and, 1.501, 1.502, 1.503, 1.505
- model of temporal sensitivity, 1.513
- target configuration and, 1.501, 1.505, 1.506
- target size and, 1.506, 1.507
- target spatial frequency and, 1.508, 1.509
- temporal contrast sensitivity, 1.503, 1.505, 1.509
- visual field location and, 1.501, 1.504

**Flight-director display,** 9.525**Flight of colors,** 1.309**Flight simulation**

- as aid to reading comprehension, 8.127
  - aircraft landing scenes, 5.102, 5.103
- See also* Simulation

**Flowcharts**

- as aid to reading comprehension, 8.127

**Fluorence (fluorescence),** 1.707, 1.711**Flutter**

- auditory, 5.1020

**Flying performance**

- correlation with visual tests, 7.612
- See also* Aircraft landing

**Focus (eye),** 1.201, 1.203, 1.209

- accommodation, 1.222-1.231
- blur patch, 1.205, 1.211, 1.212, 1.221
- declination error, 1.205

- depth of focus, 1.221
  - diffraction, 1.213
  - with empty-field viewing, 1.222, 1.223, 1.228, 1.239, 7.507
  - errors of
    - astigmatism, 1.205
    - axial chromatic aberration, 1.212
    - farsightedness, 1.204
    - nearsightedness, 1.204
    - spherical aberration, 1.211
    - spherical refractive errors, 1.204
  - focal length, 1.203, 1.209, 1.210, 1.212, 1.222
  - interocular focus differences, and stereopsis, 5.931
  - light-spread function for extended source, 1.217
  - line-spread function, 1.215, 1.216
  - modulation transfer function, 1.220
  - point-spread function, 1.213-1.215, 1.218
  - Fonts**, 10.415, 11.209
    - Amel, 11.209
    - Hazeltine, 11.209
    - Huddleston, 10.415
    - Leroy, 11.209
    - Lincoln-Mitre, 10.415, 11.209
    - See also* Alphanumeric displays
  - Footlambert**, 1.106
  - Foot switch**, 9.304
  - Foot tapping**, 9.302
  - Forced-choice procedure**, 1.657
  - FORECAST readability index**, 8.129
  - Foreshortening**
    - in linear perspective, 5.115
  - Form perception**
    - adaptation to distortions of form, 5.1101, 5.1123-5.1126
    - amodal perception, 6.310
    - anorthoscopic perception, 6.305
    - with binocular vs. monocular viewing, 1.801
    - border perception, 1.707, 1.716, 6.313
    - character recognition
      - haptic, 6.607, 6.608
      - tactile, 6.508, 6.607
      - visual. *See* Reading; visual language processing
      - See also* Alphanumeric displays
    - figural aftereffects, 5.1123, 6.317-6.320
    - figure-ground relationships, 6.001, 6.301
    - Gestalt principles, 6.001, 6.301-6.303
    - grouping, 6.001, 6.301, 6.302
    - haptic, 3.101, 5.111, 5.1016, 6.607-6.609
    - illusory contours, 6.314
    - optical devices and, 1.206, 5.1101, 5.1102, 5.1122, 5.1123
    - proportion perception, 5.111
    - reversible figures, 4.106, 6.001, 6.306
    - shape perception, 5.105, 5.113, 5.115, 6.309-6.311
      - haptic, 6.607, 6.608
      - tactile, 6.508, 6.607
    - size perception, 5.104-5.108
    - spatial filtering and, 6.312
    - underwater effects, 5.1124-5.1126
    - See also* Pattern perception; shape perception; size perception
  - Forward masking**
    - auditory, 2.306, 2.312, 2.313
    - tactile, 3.117, 6.505, 6.511, 6.513-6.515
  - Fourier analysis**
    - luminance patterns, 1.601
    - sound waves, 2.101, 2.102
  - Fovea**, 1.201, 1.202, 1.209
    - dark adaptation in, 1.406, 1.408, 1.409
    - flicker sensitivity, 1.504
    - light adaptation in, 1.405
    - light sensitivity, 1.305, 1.306
    - light increment thresholds, 1.405
    - spatial summation, 1.307, 1.308
    - macula lutea, 1.201, 1.202
    - photoreceptors in, 1.201, 1.301
    - size of, 1.201
    - spectral sensitivity, 1.102
    - See also* Photopic vision
  - Frame design**
    - computer displays, 11.332, 11.333
  - Frame theory**
    - of pattern recognition, 6.321
  - Fraunhofer diffraction pattern**, 1.213
  - Free fall**
    - maneuvering during, 10.1001
  - Free-field vs. earphone presentation**
    - auditory sensitivity, 2.302
    - loudness, 2.603
    - sound localization, 2.804
  - Free nerve ending**, 3.103
  - Free positioning**
    - of controls, 9.208
  - Free stereoscopy**, 5.914
  - Frequency discrimination**, 2.711. *See also* Pitch discrimination
  - Frequency-of-seeing curve**, 1.657
  - Frequency-separated displays**, 9.529
  - Frequency, sound**
    - auditory grouping and, 6.401-6.403
    - auditory sensitivity and, 2.302
    - definition, 2.101, 2.102
    - fundamental frequency, 2.102, 8.201
    - localization and, 2.801, 2.804, 2.806, 2.810, 2.812, 2.813
    - loudness and, 2.603
    - musical notes and, 2.102
    - pitch and, 2.701, 2.702
  - Frisby stereo test**, 5.917
  - Front-end analysis**
    - in computer system design, 11.311
  - Fujii illusion**, 5.215
  - Function allocation**, 7.301, 7.304, 7.307-7.309
  - Functional stretch reflex**, 5.702, 5.703
  - Fundamental frequency**, 2.102
    - musical notes, 2.102
    - speech, 2.102, 8.201
  - Fusional vergence**. *See* Vergence eye movements
  - Fusion, binocular**, 5.901-5.913, 5.930, 5.937
- G.** *See* Acceleration
- Gain**
    - of displays, 9.513-9.515, 9.518
    - of eye movements, 1.939-1.941
    - of manual control systems, 9.509, 9.510, 9.519. *See also* Manual control
  - Gait**, 9.306
  - Gamma movement**, 5.401
  - Ganged controls**, 12.101, 12.420
  - Ganzfeld**, 1.223, 1.239
  - Gap detection**
    - auditory targets, 2.502, 2.503
    - visual targets
      - moving, 1.617-1.619, 1.621, 1.622
      - stationary, 1.611, 1.613
      - See also* Minimum separability; visual acuity
  - Gap discrimination**
    - visual targets, 1.609
  - Gelatin filter**, 1.108
  - General adaptation syndrome**, 10.101

- Geometric effect**, 5.909, 5.1121
- Gestalt principles**, 6.001, 6.301, 6.303, 6.321
- auditory grouping and, 6.401
  - of figure-ground segregation, 6.301
    - area, 6.301
    - contrast, 6.301
    - convexity, 6.301
    - lightness, 6.301
    - orientation, 6.301
    - surroundedness, 6.301
    - symmetry, 6.302
  - of grouping, 6.301, 6.302
    - closure, 6.301
    - common fate, 6.301
    - good continuation, 6.301, 6.310
    - proximity, 6.301, 6.302
    - similarity, 6.301
    - symmetry, 6.301
  - simplicity principle, 6.303
  - spatial filtering and, 5.107, 6.302
- See also* Auditory perception
- Glare**, 10.501
- Glass filter**, 1.108
- Glideslope angle**
- judgment of, 5.101-5.103
- See also* Slant perception
- Glissades**, 1.908
- Gloves**
- control operating time and, 12.427
  - keyboard data entry and, 12.426, 12.429
  - knob rim discrimination and, 12.430
  - torque exerted and, 12.428
- Goal setting**, 7.307, 7.309, 11.323
- Goal structure model**
- human-computer interaction, 11.307
- Good continuation**
- Gestalt grouping principle of, 6.301, 6.310, 6.401
- Granit-Harper Law**, 1.507
- Graphics**
- screen presentation of, 11.328
- Graphs**
- reading error probabilities, 7.116
- Grating resolution**, 1.604, 1.606, 1.614, 1.616
- Gratings**
- use in acuity measurement, 1.602
- Gravity**. *See* Acceleration; G-suits; microgravity
- Gray levels**, 7.604, 11.119
- Gray scale**, 1.721
- Grouping**
- apparent motion and, 6.302
  - in counting, 7.523
  - Gestalt principles of, 6.001, 6.301-6.303. *See also* Gestalt principles
- See also* Chunking; perceptual organization
- G-suits**, 10.901
- Gullstrand model eye**, 1.209
- Gunning's Fog Index**, 8.129
- Habituation**
- definition, 3.209
- Hair cells**, 2.201
- Handwriting speed**, 9.302
- Haptic perception**
- aftereffects, 5.806
  - of curvature, 6.609, 6.610
  - definition, 6.601
  - of form, 3.101, 5.608, 5.1016, 6.607, 6.608
  - illusions
    - curvature, 6.609, 6.610
    - horizontal-vertical, 5.110
  - of length, 5.110
  - of orientation, 5.806, 5.808
    - compared to visual, 5.808
  - of proportion, 5.111
  - of roughness, 6.603-6.606
  - scanning, 6.602
  - of viscosity of liquids, 6.611
- See also* Kinesthesia; tactile perception
- Harmonic distortion**, 2.105
- Harmonics**
- definition, 2.102
  - pitch discrimination and, 2.708
- Hazeltine font**, 11.209
- Head-coupled displays**
- perception of, during vibration, 10.420
- Head movement**
- auditory localization and, 2.801, 2.810
  - eye movements in response to, 1.958, 1.960. *See also* Eye-head coordination; vestibulo-ocular reflex
  - in target acquisition, 7.503
  - as a vestibular stimulus, 3.201-3.203
- Headphones**
- calibration, 2.104
- See also* Earphone listening
- Head position**
- terminology for describing, 5.701
  - tonic neck reflex, 3.326
  - vibration transmission and, 10.406
- See also* Head rotation; head tilt
- Head rotation**
- aftereffects, 2.814, 3.308, 3.321
  - coordination with eye movements, 1.960. *See also* Eye-head coordination; vestibulo-ocular reflex
  - perceived straightahead and, 2.814, 3.308, 3.321
- Head shadow**, 2.801, 2.803
- Head tilt**
- aftereffects, 5.801, 5.802
  - apparent horizontal with, 5.803
  - apparent vertical with, 5.801, 5.802
  - eye movements in response to, 1.957-1.959. *See also* Eye-head coordination; vestibulo-ocular reflex
  - illusions induced by, during body rotation, 3.204, 5.503
- Head-up displays**, 9.529, 11.409
- Head vibration**, 10.406
- helmet vibration and, 10.419
  - horizontal, 10.408
  - vertical, 10.407
  - vision and, 10.410, 10.418, 10.433
- See also* Vibration
- Heap's visual carpet**, 7.605
- Hearing**. *See* Audition
- Hearing level**
- definition, 2.103
- Hearing loss**
- due to aging, 2.301, 2.303
  - due to noise exposure
    - permanent threshold shift
      - age and, 10.314
      - exposure duration and, 10.314, 10.315
      - factors affecting, summarized, 10.315
      - noise intensity and, 10.314, 10.315
    - prediction and prevention, 10.316
    - temporary threshold shift
      - acoustic reflex and, 2.202

- factors affecting, summarized, 10.311
- noise duration and, 2.301, 10.311
- noise intensity and, 2.301, 10.311, 10.312
- noise spectrum and, 10.311, 10.313
- recovery time, 10.311, 10.312
- Hearing threshold level**
  - definition, 2.103
- Heat**
  - performance effects, 10.202, 10.601, 10.805
  - skin sensitivity to, 3.101, 3.121-3.124
  - as stressor, 10.103
  - See also* Temperature sensitivity
- Heaviness**
  - perception of. *See* Weight perception
- Helicopters**
  - vibration characteristics, 10.404
- Helmet-mounted displays**
  - perception of, during vibration, 10.420
- Helmets**
  - vibration transmission and, 10.406, 10.419
- Helmholtz coordinate system**
  - eye movement representation, 1.903
- Hering illusion**, 5.106
- Heterochromatic brightness matching**, 1.109, 1.303, 1.701
- Heterochromatic flicker photometry**, 1.109, 1.701
- Heterochromatic lightness matching**, 1.303
- Heteromodal perception**, 5.1022
- Heterophoria**, 1.809, 1.810, 1.902
- Hickethier System**
  - color ordering, 1.723
- Hick-Hyman law**
  - choice reaction time, 9.111-9.113, 9.119
- Hierarchical models**
  - database systems, 11.304
  - supervisory control, 7.307-7.309
- Higher-order systems**, 9.524, 9.526, 9.532, 9.536
- Highlighting**
  - screen displays, 11.329
- Hirsch alphabetic keyboard**, 12.408
- Homochromatic afterimages**, 1.309
- Homochromatic lightness scale**, 1.721
- Homogeneous object translation**, 11.220
- Horizon**
  - horizon-ratio relation, 5.105, 5.108
  - in linear perspective, 5.105, 5.115
  - shape and distance perception and, 5.105
  - size perception and, 5.105, 5.108
  - surface horizon, 5.105
  - terrestrial horizon, 5.108
  - true horizon, 5.108
- Horizon displays**, 9.517, 9.529
- Horizontal misalignment**
  - of binocular images, 1.813. *See also* Lateral retinal image disparity
- Horizontal-vertical illusion**
  - haptic, 5.110
  - visual, 5.106
- Horofter**, 5.910
- Howard-Dolman apparatus**, 5.917
- Huddleston font**, 10.415
- Hue**
  - Bezold-Brücke hue shift, 1.707, 1.709
  - binary (non-unique) hue, 1.706
  - in color-order systems, 1.773
    - in Munsell Color System, 1.724
    - in OSA Color System, 1.725
  - constant-hue contours, 1.708, 1.709
  - correlates of, 1.706, 1.722
  - definition, 1.706
  - discrimination of 1.101
  - factors affecting, summarized, 1.707
  - luminance level and, 1.707, 1.709
  - saturation and, 1.708
  - type of illumination and, 1.710
  - unique hue, 1.706, 1.707
  - wavelength and, 1.101
  - See also* Color appearance; wavelength (light)
- Human-computer interfaces**
  - database systems, 11.304
  - data entry, 11.317, 11.318
  - interface design, 11.310
  - in supervisory control, 7.308, 7.309
  - system design
    - designing for casual or infrequent users, 11.312
    - determination of user characteristics, 11.311
    - modeling, 11.304, 11.305
  - system response time, 11.313
  - task execution time, prediction of, 11.306
  - user problems
    - error analysis of, 11.310
    - protocol analysis of, 11.307
  - See also* Automation; person-computer dialogue
- Human operator**
  - modeling of
    - display monitoring, 7.316-7.319
    - manual control, 9.508, 9.509, 9.511, 9.512
    - supervisory control, 7.303, 7.304, 7.309-7.311
    - human-computer relationships in, 7.307-7.309
- Human performance reliability**
  - analysis of, 7.101, 7.102
    - SAINT model, 7.102
    - Siegel/Wolf stochastic models, 7.102
    - THERP method, 7.102, 7.103
  - data sources, 7.104
  - error analysis, 7.101-7.104, 7.115, 11.310
  - error prediction, 7.102, 7.103
  - error probability
    - control operation
      - continuous controls, 7.113, 7.114
      - discrete controls, 7.111, 7.112
    - display reading/response
      - annunciators, 7.107, 7.115, 7.117
      - chart recorders, 7.116, 7.117
      - counters, 11.217
      - CRT displays, 7.109. *See also* CRT displays
      - dials, 11.213. *See also* Dial reading
      - digital displays, 7.116
      - graphs, 7.116
      - indicator (status) lights, 7.106, 7.107, 7.116, 7.117
      - large-screen projected displays, 7.109
      - meters, 7.108, 7.110, 7.116, 7.117
      - printing recorders, 7.116
      - radar-type display scopes, 7.105
      - scales, 11.210, 11.214, 11.216. *See also* Scale reading
    - time to read/respond
      - discrete indicator lights, 7.106
      - radar-type display scopes, 7.105
      - scales, 11.210, 11.214, 11.216. *See also* Scale reading
    - See also* Error
  - Humidity**
    - as stressor, 10.601, 10.602
  - Hyperacuity**, 1.607-1.609
    - See also* Vernier acuity; visual acuity
  - Hyperopia**, 1.204

- Hyperphoria**, 1.809, 1.810
- Hypophoria**, 1.809, 1.810
- Hysteresis**  
visual, 5.937
- Ideal radiator**, 1.107
- Identification**  
visual, vector models of, 1.655  
*See also* Discrimination
- Illuminance**, 1.104  
lux, 1.104  
troland, 1.106
- Illumination**  
artificial, 1.102, 1.107
- Illusions**  
auditory, 6.320, 6.402, 6.404, 6.405  
of body orientation, 3.210, 5.505, 5.708, 5.709, 5.801, 5.802, 5.804  
of depth  
color stereopsis, 5.934  
Mach-Dvorak effect, 5.933  
Pulfrich effect, 5.933  
haptic, 5.110, 6.609, 6.610  
kinesthetic, 3.301, 3.303, 3.314, 3.315  
of motion, 5.202, 5.215, 5.218, 5.219, 5.933  
autokinetic illusion, 5.216  
with tracking eye movements, 5.215, 5.217  
wagon wheel effect, 5.401  
*See also* Apparent motion; induced motion  
of self-motion, 1.923, 3.204, 3.210, 5.501, 5.503, 5.708  
circularvection, 1.924, 5.501, 5.503, 5.708  
linearvection, 5.501, 5.503, 5.707  
tactile, 3.101, 3.120  
vestibular  
Aubert effect, 3.210, 5.802, 5.804  
Coriolis effect, 3.210, 5.503  
elevator illusion, 3.210, 5.504, 5.505  
illusory body tilt, 3.210, 5.801  
inversion illusion, 3.210, 5.709  
Müller effect, 3.210, 5.802, 5.804  
oculogravic illusion, 3.210, 5.505  
postrotary sensations, 3.210  
pseudo-Coriolis effect, 5.503  
visual  
of direction, 5.106, 5.107  
of distance, 5.108  
geometric, 5.106, 5.107, 5.108  
horizontal-vertical illusions, 5.106  
illusory contours, 6.314  
Mach-Dvorak effect, 5.933  
phantom colors, 1.719  
Pulfrich effect, 5.933  
reversible (multistable) figures, 4.106, 6.001, 6.306, 6.311, 6.316  
of size, 5.106-5.108  
subjective contours, 6.314  
tilt illusions, 5.801, 5.805, 5.937  
trapezoidal window illusion, 5.113  
vertical-horizontal illusion, 5.106  
Zollner illusion, 5.106  
visual-vestibular  
illusory body tilt due to visual scene rotation, 5.501, 5.503, 5.708
- Illusory contours**, 6.314
- Image alignment**, 1.813. *See also* Binocular image registration
- Image degradation**  
by astigmatism, 1.205, 1.634  
by chromatic aberration, 1.203, 1.212  
by diffraction, 1.213  
by glare, 10.501  
by refractive errors, 1.204  
by spherical aberration, 1.203, 1.211  
*See also* Aniseikonia; image quality
- Image displacement**  
adaptation to, 5.1101, 5.1103-5.1113, 5.1119  
devices producing, 5.1102  
*See also* Prismatic displacement, adaptation to
- Image intensity distribution**  
calculation equations, 1.219  
extended source, 1.217  
Fourier description, 1.218  
line source, 1.214, 1.215  
modulation transfer function, 1.219, 1.220  
point source, 1.104, 1.213, 1.214  
*See also* Line-spread function; point-spread function
- Image interpretation**, 7.526
- Image inversion**  
adaptation to, 5.1101, 5.1114  
devices producing, 5.1102
- Image luminance**  
with optical viewers, 1.105
- Image magnification/minification**  
adaptation to, 1.927, 5.909, 5.1101, 5.1121, 5.1122  
aniseikonia, 5.906, 5.907, 5.909, 5.1121  
devices producing, 5.1102
- Image motion**  
CRT displays, 11.101, 11.105, 11.106, 11.121  
*See also* Motion; motion perception
- Image prevalence**  
in binocular rivalry, 1.804-1.806
- Image processing**, 6.312
- Image quality**  
aniseikonia, 5.906, 5.907, 5.909, 5.1121  
aperture size and, 1.218, 1.219  
CRT displays, 11.101, 11.121, 11.218  
depth of focus and, 1.221  
depth distortion. *See* Depth distortions  
diffraction and, 1.213  
extended source, 1.217  
flicker, 11.122  
Fourier description of, 1.218, 1.219  
glare, 10.501  
image registration. *See* Binocular image registration  
inter-pixel spacing, 11.115, 11.116  
limits on, 1.213-1.215, 1.217  
line-spread function, 1.215, 1.216  
point-spread function, 1.213, 1.214  
*See also* Aberration, optical; image degradation; image resolution; legibility, symbol
- Image resolution**  
CRT displays, 7.614, 11.104, 11.105, 11.108, 11.109  
vision. *See* Eye; focus (eye); *see also* Visual acuity  
*See also* Optical imaging
- Image reversal**  
adaptation to, 1.927, 5.1101, 5.1114  
devices producing, 5.1102
- Image stabilization**  
on retina. *See* Vestibulo-ocular reflex
- Image translation**, 11.220
- Imaging displays**, 7.316
- Impact point**  
judgment of, 5.101, 5.102
- Incentive**  
performance effects, 7.801  
for introverts vs. extroverts, 7.804, 10.708

- letter cancellation task, 7.804, 10.708
- memory and, 7.801, 10.202
- serial response task, 10.805
- vigilance task, 7.411, 7.416
- as stressor, 10.103
- See also* Motivation
- Incidental learning**, 10.308
- Incus**, 2.201
- Independence, statistical**, 1.814
- Indicator lights**, 7.106, 7.107, 7.111, 7.116, 7.117, 12.402
- See also* Displays; warning signals
- Induced effect**, 5.906, 5.909
- Induced motion**, 5.201, 5.301
  - conditions favoring, 5.301
  - definition, 5.211
  - factors affecting, summarized, 5.302
  - frequency characteristics, 5.211
  - See also* Motion illusions; self-motion illusions
- Induction**
  - achromatic, 1.707, 1.713, 1.715, 1.716
  - chromatic, 1.701, 1.707, 1.717, 1.718
  - figural aftereffects, 6.317
  - motion, 5.201, 5.211, 5.301, 5.302. *See also* Induced motion
  - self-motion, 1.924, 5.501, 5.503, 5.707, 5.708. *See also* Self-motion illusions
  - tilt, 5.805
- Inferences**
  - memory for, 8.125
- Information portrayal.** *See* Alphanumeric coding; alphanumeric displays; coding displays; display quickening; fonts; legibility, symbols; maps; person-computer dialogue: screen displays: picture perception; simulation; video displays; visual language processing
- Information processing**
  - channel capacity, 4.301, 4.302
  - See also* Attention; divided attention; mental resources; selective listening; visual information processing
- Information theory**, 4.301. *See also* Human information processing
- Infradian rhythms**, 10.102, 10.701. *See also* Cyclical variations
- Inhomogeneous object translation**, 11.220
- Inner ear**, 2.201
- Input devices.** *See* Data entry devices
- Inside-out displays**, 9.517, 9.529
- Instrument design**
  - binocular alignment and adjustment tolerances, 1.813
  - correction for chromatic aberration, 1.212
  - distance between eyepieces for binocular instruments, 1.208
- Instrument layout**, 9.535
- Instrument monitoring**, 7.301, 7.313-7.319. *See also* Monitoring
- Instrument myopia**, 1.223, 1.231
- Integrated controls**, 9.536, 9.537
- Integrator element**, 9.503
- Intelligibility.** *See* Speech intelligibility
- Intensity discrimination**
  - auditory, 2.401, 2.501, 2.502, 2.804, 2.806, 7.206
  - tactile, 3.109, 3.110, 5.1001, 5.1005
  - visual, 1.401-1.405, 1.413
- Interactive computer systems**, 11.304, 11.305. *See also* Human-computer interfaces; person-computer dialogue
- Interaural differences**
  - intensity, 2.801, 2.803, 2.809, 5.1006
  - discrimination of, 2.804
  - phase, 2.801
  - discrimination of, 2.806
  - loudness and, 2.601, 2.609
  - masking and, 2.305, 2.314, 2.315
  - speech intelligibility and, 8.304, 8.312, 8.314, 8.315
  - relation to interaural time difference, 2.806
  - segregation of phase-shifted tones, 6.405
  - time, 2.801, 2.805-2.809, 2.811, 5.1006
  - echo suppression and precedence effect, 2.817
  - masking and, 2.315
  - relation to interaural phase difference, 2.806
- Interaural masking**, 2.313
- Interfaces.** *See* Controls; displays; human-computer interfaces; person-computer dialogue
- Interference filter**, 1.108
- Interference level**
  - speech, 8.317, 8.318
- Intermanual transfer**
  - of prism adaptation, 5.1106, 5.1109
- Intermittent displays**, 9.530
- See also* Flicker
- Intermittent stimulation**
  - auditory
    - loudness of, 2.610
    - pitch of, 2.711
    - rate perception, 2.711, 5.1020
  - visual. *See* Flicker
- Intermodulation distortion**
  - definition, 2.105
- Interocular differences**
  - aniseikonia, 1.927, 5.906, 5.907, 5.909, 5.931, 5.1121, 5.1122
  - horizontal position. *See* Lateral retinal image disparity
  - luminance, 5.918, 5.931
    - Pulfrich effect, 5.933
  - number of contours, 5.932
  - orientation, 5.907, 5.908, 5.913
  - size, 5.906, 5.907, 5.909, 5.931
  - spatial frequency, 5.937
  - stereoacuity with, 5.931
  - time delay, 5.218, 5.931
    - Mach-Dvorak effect, 5.933
  - vergence eye movements and, 1.952
  - vertical position. *See* Vertical retinal image disparity
- Interocular transfer**
  - of prism adaptation, 5.1109
  - of tilt adaptation, 5.1116, 5.1117
  - of tilt illusion, 5.805
- Inter-pixel spacing**
  - character legibility and, 11.115, 11.116
- Interpolation.** *See* Dial reading; display reading; scale reading
- Interposition**
  - as depth cue, 5.901,
  - kinetic occlusion, 5.901, 5.903
  - shape perception and, 6.310
- Interpupillary distance**, 1.208
  - convergence angle and, 1.808
- Intersensory interactions**, 2.814, 5.1003-5.1022
  - detection facilitation, 5.1003-5.1005, 5.1014, 7.409
  - intersensory discrepancy, adaptation to. *See* Space perception, adaptation of
  - orientation perception, 5.802-5.804, 5.1011
  - reaction time facilitation, 5.1012, 5.1014, 5.1015, 11.420
  - spatial localization
    - cognitive factors, 5.1009
    - intersensory bias, 5.1007-5.1009, 5.1110
    - visual capture, 5.1007-5.1009
    - response factors, 5.1009

- Intersensory interactions** (*continued*)
- sound localization, 2.814, 5.1007, 5.1127
  - ventriloquism effect, 5.1007, 5.1009
  - straightahead shift, 5.802, 5.1113
  - temporal effects
    - audiovisual asynchrony, 5.1021
    - duration perception, 5.1019, 5.1020
    - temporal pattern perception, 5.1018, 5.1020
    - temporal rate perception, 5.1020
  - vigilance, 7.409
- Intorsion**, 1.905, 1.956. *See also* Torsional eye movements
- Introversion**
- circadian performance rhythms and, 10.708
  - stress effects and, 7.804
  - vigilance performance and, 7.413
- Inverse square law**
- for light intensity (irradiance), 1.104
  - for sound intensity, 2.103
- Inversion illusion**, 3.210, 5.709
- Involuntary eye movements**. *See* Eye movements: involuntary
- Iris**, 1.201, 1.209
- Irradiance**
- definition and measurement, 1.104
- Iso-utility curve**, 9.104
- Jet lag**, 10.710, 10.713. *See also* Cyclical variations
- J-handle controls**, 12.303
- Joint-movement detection**. *See* Movement detectability; kinesthesia
- Joint-movement sense**. *See* Kinesthesia
- Joysticks**, 10.409, 10.423, 11.318, 12.201
- for cursor control, 12.422
  - displacement (isotonic), 12.101, 12.421, 12.422
  - force (isometric), 9.537, 12.101, 12.421, 12.422
- Kalman estimator**, 7.310, 7.311
- Kalman filter**, 7.311, 9.512
- Kanizsa cube**, 6.303
- Kappa-tau space**, 9.509
- Keyboards**
- alphabetic, 12.408
  - feedback, 12.410, 12.411
  - key characteristics, 12.410
  - matrix, 12.415
  - membrane, 12.407
  - multifunction, 12.411
  - QWERTY, 12.408, 12.410
  - slope of, 12.409
  - See also* Keying performance; keysets
- Keying performance**
- error recognition, 11.320
  - feedback and, 12.410
  - gloves and, 12.429
  - keyboard arrangement and, 12.406, 12.408
  - keyboard slope and, 12.409
  - key size, force, and displacement and, 12.410
  - keystroke model of task execution time, 11.306
  - See also* Data entry
- Key-operated switches**, 12.101, 12.303
- Keysets**
- calculator vs. telephone arrangement, 12.406
  - compared to other data entry devices, 12.415
  - feedback, 12.410
  - key size, force, and displacement, 12.410
  - See also* Data entry; data entry devices; keyboards
- Keyword cueing**
- data entry displays, 11.417
- Kinesthesia**, 3.301-3.326
- active vs. passive positioning, 3.301, 3.302
  - adaptation, 3.308, 3.310
  - aftereffects, 3.301, 3.321
    - arm position, 3.301, 3.303, 3.310, 3.321
    - head position, 2.814, 3.303, 3.308, 3.321, 5.801, 5.802
  - background information and summary, 3.301
  - definition, 3.301
  - heaviness, sense of, 3.301, 3.321, 3.323, 3.324
  - illusions, 3.301, 3.303, 3.314, 3.315
  - interaction with other senses
    - orientation perception, 5.1011
    - spatial localization, 5.1007, 5.1009
  - joint angle encoding, models of, 3.322
  - memory for limb position, 3.301, 3.317
  - movement detectability (joint or limb), 3.301, 3.303-3.307
    - excursion amplitude and, 3.301, 3.305, 3.307
    - factors affecting, summarized, 3.303
    - movement velocity and, 3.301, 3.303, 3.305, 3.307
  - muscle effort, sense of, 3.301, 3.325
  - parallelism judgment, 5.807
  - physiological basis, 3.301
  - position perception, 3.301, 3.303
    - ankle (foot), 3.320
    - arm, 3.309-3.314, 3.316, 3.317, 3.321
    - changes in, with adaptation to prismatic displacement, 5.1101, 5.1112
    - elbow, 3.313-3.315
    - factors affecting, summarized, 3.303
    - finger, 3.318
    - head, 3.308, 3.321
    - knee, 3.319
    - measurement of, 3.301, 3.302
    - positioning accuracy, 3.301, 3.303, 3.308, 3.309, 3.317
    - position matching, 3.301, 3.303, 5.1010
    - shoulder, 3.316, 3.318
    - underwater distortion and, 5.1124
    - visual-kinesthetic discrepancy and, 3.303, 5.1007, 5.1008.
    - See also* Intersensory interactions
    - visual scene distortion and, 3.303, 5.1101, 5.1102. *See also* Space perception, adaptation of
  - postural persistence, 3.308, 3.321
  - role in postural stability, 5.702, 5.704
  - proprioceptive feedback, 9.537
  - shape discrimination, 6.607
  - tactile-kinesthetic scanning, 6.602
  - tonic vibration reflex, 3.315
  - weight lifting, 3.326
  - See also* Body orientation; haptic perception; movement detectability; position perception; postural stability
- Kinetic occlusion**, 5.901, 5.903
- Kinetic shear**, 5.901, 5.903
- Kinocilia**, 3.201, 3.202
- Knobs**. *See* Controls: types of
- Knowledge of results**
- circadian performance rhythms and, 10.708
  - motor learning and, 9.404
  - performance after sleep deprivation and, 10.807
  - personality effects on performance and, 10.708
  - See also* Feedback; incentive
- Kohnstamm effect**, 3.321
- Koopman's empirical frequency-of-seeing curve**, 7.609
- Kopfermann cube**, 6.303
- Korte's laws**, 5.401-5.403, 9.530
- Kvalseth's sampling model**
- monitoring behavior, 7.316

- Labyrinthine organs**, 3.201  
disease or defects of  
illusory self-motion and, 5.503  
ocular countertorsion and, 1.957  
postural stability and, 5.702, 5.704  
vestibular illusions and, 5.504, 5.709
- Lag**. *See* System lag
- Lag time constant**, 9.522
- Lamellar field**, 5.221
- Landolt C**  
use in acuity measurement, 1.602  
*See also* Gap detection
- Language**. *See* Person-computer dialogue; query language;  
reading; speech; visual language processing
- Laplace operator**  
control systems, 9.504, 9.519
- Laser**  
exposure risks to vision, 1.102
- Lateralization**  
auditory, 2.801. *See also* Auditory localization
- Lateral retinal image disparity**  
absolute vs. relative, 5.905  
adaptation, 6.318  
aftereffects, 6.318, 6.320  
with aniseikonia, 5.907, 5.909  
binocular displacement, 5.936  
calculation of, 5.905  
convergent vs. divergent, 5.905  
definition, 5.905  
depth perception and, 5.901, 5.905  
functional limits as depth cue, 5.904  
maximum for stereoscopic depth perception, 5.930  
perceived depth as a function of disparity, 5.916  
disparity difference threshold (stereoacuity), 5.918-5.927,  
5.929  
horopter, 5.910  
hysteresis effects, 5.937  
with image magnification in one eye, 5.907  
with image rotation in one eye, 5.908  
limits for single vision, 5.911  
compared to vertical disparity limits, 5.912  
relation to target depth in space, 5.905  
relative, and stereoacuity, 5.918, 5.921, 5.927  
vergence eye movements in response to, 1.949-1.952, 1.954,  
1.955, 1.959  
viewing distance and, 5.905  
*See also* Binocular image registration; stereoacuity
- Lead time constant**, 9.519, 9.522
- Learning**  
incidental, 10.308  
motor learning, 9.401-9.404  
noise effects on, 10.308  
power law of, 4.201  
skill acquisition, 4.201  
vibrotactile code learning, 6.510  
*See also* Motor learning; practice; training
- LED displays**, 11.123
- Legibility, symbol**, 11.108-11.118  
shape and, 11.207  
size, 11.111, 11.112, 11.114-11.116, 11.118  
spacing and, 11.113, 11.115, 11.116  
stroke width and, 11.112  
*See also* Alphanumeric displays: legibility of; displays;  
display reading; font
- Length**  
perception of, 5.109-5.111, 5.113. *See also* Distance  
perception
- Lenses (optical)**  
achromatic (color corrected), 1.211, 1.212  
aniseikonia produced by, 5.907, 5.909  
corrective, 1.206  
meridional-size, 5.906, 5.907, 5.909, 5.1101, 5.1102, 5.1121  
spherical, 5.1101, 5.1102, 5.1121  
visual image and, 1.206
- Lens (of eye)** 1.201, 1.210  
aging and, 1.222, 1.707  
composition, 1.203  
diameter, 1.210  
optical imaging and, 1.203, 1.209  
radiation absorption, 1.101, 1.102, 1.202  
refractive errors and, 1.204  
refractive power, 1.210, 1.211  
visual accommodation, 1.222-1.231  
*See also* Accommodation
- Leroy font**, 11.209
- Letter recall**, 8.122
- Letter recognition**  
auditory  
with selective vs. divided attention, 7.206  
haptic vs. visual, 6.608  
tactile, 6.502-6.507  
with masking, 6.511-6.515  
vs. visual, 6.508  
visual  
with binocular suppression, 1.807  
context effects, 8.104  
vs. haptic, 6.608  
serial vs. simultaneous presentation and, 8.122  
vs. tactile, 6.508  
*See also* Legibility, symbol; reading; visual language processing
- Levers**, 12.101, 12.102, 12.415, 12.427
- Lexical decision task**, 8.108, 8.109
- Light**  
artificial illuminants, 1.102, 1.107, 1.710  
color temperature, 1.107  
diffraction of, 1.213  
retinal light distribution and, 1.214-1.218  
*See also* Diffraction  
frequency range, 1.101  
intensity range, 1.103  
luminous efficiency function, 1.102, 1.104. *See also* Luminous  
efficiency function  
luminous energy, 1.104  
measurement of, 1.104-1.106  
photometric techniques, 1.109  
radiant energy, 1.104  
sensitivity to. *See* Visual sensitivity  
spectral distribution, 1.102  
spectral transmittance and reflectance, 1.108  
speed of, 1.212  
standard illuminants, 1.107, 1.710
- Light adaptation**, 1.405  
brightness discrimination, 1.401-1.405  
color appearance and, 1.304, 1.705, 1.707  
contrast sensitivity and, 1.628, 1.631-1.633, 1.643  
de Vries-Rose Law, 1.502, 1.632  
flicker sensitivity and, 1.501-1.505, 1.512  
foveal vs. peripheral vision, 1.405  
motion perception and, 5.203, 5.205  
stereoacuity and, 5.918, 5.919  
target detection and, 1.305, 1.512, 1.624  
time course, 1.103, 1.405  
visual acuity and, 1.603-1.605, 1.616, 1.619  
*See also* Luminance
- Light increment threshold**. *See* Brightness discrimination



**Lighting**

glare and, 10.501

**Lightness**

in color-order systems, 1.723

Munsell system, 1.724

OSA system, 1.725

definition, 1.706, 1.721

distinguished from brightness, 1.706, 1.720

equal-lightness contours, 1.303

lightness matching, 1.701, 1.715

lightness scales, 1.721

perceptual organization and, 6.301

physical correlates, 1.706, 1.721

type of illumination and, 1.710

wavelength and, 1.303

*See also* Lightness constancy; lightness contrast; lightness induction

**Lightness constancy, 1.712**

model of, 1.715

**Lightness contrast, 1.714**

model of, 1.715

**Lightness induction, 1.713, 1.714**

model of, 1.715

**Lights.** *See* Displays; warning signals**Light scatter.** *See* Diffraction, light**Light sensitivity.** *See* Visual sensitivity**Likelihood principle**

of perceptual organization, 6.303

**Limbs**

sense of movement and position. *See* Kinesthesia

**Limbus boundary tracking**

eye movement measurement, 1.904

**Lincoln-Mitre font, 10.415, 11.115, 11.209****Linear acceleration.** *See* Acceleration: linear**Linear controls, 12.101, 12.201.** *See also* Controls**Linear displays, 12.201, 12.302.** *See also* Displays**Linear perspective**

definition and description, 5.115

depth and distance perception and, 5.105, 5.108, 5.901

orientation perception and, 5.115

shape perception and, 5.105, 5.113

size perception and, 5.105, 5.108

slant perception and, 5.115

*See also* Depth perception

**Linearvection, 5.503, 6.304**

aftereffects, 5.707

detrimental effects of, 5.707

displays producing, 5.501

postural stability and, 5.707

**Line-spread function, 1.215, 1.216**

point-spread function and, 1.214, 1.215

**Link values**

display monitoring, 7.313, 7.316, 7.318

*See also* Monitoring

**Lip reading, 8.303****Liquid filter, 1.108****Liquids**

perception of viscosity, 6.611

**Listing coordinate system**

eye movement representation, 1.903

**Loading task.** *See* Workload measurement: secondary task measures**Localization.** *See* Auditory localization; cutaneous sensitivity; localization; spatial localization; target acquisition; visual localization**Locomotion, 9.306.** *See also* Movement sequences**Logistic function, 1.657****Log-normal function, 1.657****Longitudinal chromatism, 1.212****Loudness, 2.601-2.613**

adaptation to, 2.601, 2.612

bandwidth and, 2.601, 2.604-2.606

binaural vs. monaural listening, 2.601, 2.608

discomfort level, 2.613

distinguished from intensity, 2.601

duration and, 2.601, 2.607

equal-loudness contours, 2.603

factors affecting, summarized, 2.601

free field vs. earphone presentation, 2.603

frequency and, 2.601, 2.603

interaural phase and, 2.601, 2.609

intermittent stimulation and, 2.601, 2.610

international standard, 2.603

with masking, 2.601, 2.609

partial masking, 2.611

sound pressure level and, 2.601, 2.602, 2.605, 2.608, 2.609

stimulus type and,

broadband noise, 2.605

narrow-band noise, 2.607

pure tones, 2.601, 2.603, 2.605, 2.607-2.610

two-tone complexes, 2.604

white noise, 2.601, 2.605, 2.608

summation of, 2.604, 2.606-2.608

tolerance level, 2.613

**Lumen, 3.201****Luminance**

Abney's law, 1.109

apparent motion and, 5.401, 5.403

candela, 1.104, 1.106

color appearance and, 1.707, 1.709

conversion of scene luminance to retinal illuminance, 1.106

CRT display surround, preferred, 11.103

distinguished from brightness, 1.706

flicker sensitivity and, 1.504

luminous efficiency function, 1.102, 1.104, 1.109, 1.110, 1.302

measurement of, 1.104

motion perception and, 5.207, 5.209

apparent motion, 5.401, 5.403

optical viewers, 1.105

perceptual correlate, 1.706

radiometric correlate, 1.104, 1.706

reaction time and, 9.102, 12.402

specification in CIE colorimetry system, 1.722

visual acuity and, 1.613, 12.402

of visual patterns, 1.601

*See also* Brightness; light adaptation; lightness

**Luminance factor, 1.721, 1.722****Luminance profile, 1.601****Luminosity.** *See* Brightness; luminous efficiency**Luminosity function.** *See* Luminous efficiency function**Luminous directional reflectance, 1.706****Luminous efficiency, 1.104, 1.110, 1.302**

Abney's law, 1.109

for color-defective observers, 1.726

equal-brightness contours, 1.304

measurement of, 1.109

pupil entry angle and, 1.111

*See also* Brightness; luminous efficiency function; spectral sensitivity (vision)

**Luminous efficiency function, 1.110, 1.302**

comparison of functions obtained with different techniques, 1.109

definition, 1.102, 1.104

- Judd modification, 1.110
- measurement methods, 1.109, 1.701
- standard (CIE) mesopic function, 1.110
- standard (CIE) photopic function, 1.110, 1.302
- standard (CIE) scotopic function, 1.110, 1.302
- standard (CIE) 10-deg photopic function, 1.110
- Luminous energy**, 1.104
- Luminous flux**
  - definition, 1.104
- Luminous intensity**, 1.104
- Luminous transmittance**, 1.706
- Lux**
  - definition, 1.104
- Mach bands**, 1.707, 1.716
- Mach-Dvorak effect**, 5.933
- Mackworth clock test**, 10.102, 10.201
- Maculae (vestibular system)**, 3.201, 3.202
- Macula lutea**, 1.201, 1.202
- Maerz and Paul Dictionary of Color**, 1.723
- Magnification (visual field)**
  - adaptation to, 3.209, 5.1122
  - due to visual aids, 1.206
  - interocular differences, 5.907, 5.909
  - tolerance limits, 1.813
  - See also* Aniseikonia
- Magnifier**
  - biocular, 1.812
- Magnitude enhancement**
  - vibrotactile stimulation, 3.114
- Magnitude estimation**
  - definition, 1.656
  - kinesthetic stimulation, 3.306
  - linear acceleration, 3.207
  - loudness, 2.602
  - rotary (angular) acceleration, 3.208
  - workload measurement, 7.710
- Magnitude summation**
  - vibrotactile stimulation, 3.112, 3.113
- Malleus**, 2.201
- Manual control**
  - bang-bang control, 9.524
  - control criteria, 9.510
  - control dynamics
    - acceleration control, 9.519
    - augmentation, 9.520, 9.521, 9.526
    - aiding, 9.520, 9.521, 9.526
    - bode plot representation, 9.504
    - closed-loop transfer function, 9.506
    - control order, 9.519
    - crossover frequency, 9.507
    - feedback
      - negative, 9.506, 9.507
      - positive, 9.507, 9.527
      - system stability and, 9.506, 9.507, 9.527
      - See also* System feedback
    - first-order lag, 9.519
    - gain, 9.502-9.505, 9.509
    - lead/lag time constant, 9.519
    - open-loop transfer function, 9.506
    - phase lag, 9.502, 9.504, 9.507, 9.509
    - phase margin, 9.507
    - position control, 9.519, 9.520
    - system stability, 9.506, 9.507, 9.509, 9.519, 9.527
    - time delay, 9.502, 9.504, 9.507, 9.509, 9.517
    - time differentiation, 9.505
    - time integration, 9.503
    - transfer function, 9.504, 9.506
    - unburdening, 9.520, 9.528
    - velocity control, 9.519, 9.520
  - critical tracking task, 7.706, 9.527
  - crossover regression, 9.523
  - definition, 7.301
  - describing function, 9.511
  - error types, 9.510
  - failure detection and, 7.304
  - human limitations in, 9.510
  - kappa-tau space, 9.509
  - models of, 7.301, 9.508
    - crossover model, 9.511, 9.523
    - optimal control model, 9.512
    - during vibration, 10.421
  - multiaxis control, 9.531, 9.536, 9.537
  - multiloop control, 9.531
  - Performance Control System, 9.505
  - practice effects, 9.539
  - relation to supervisory control, 7.301, 7.303, 7.306
  - tracking performance
    - aiding and, 9.520, 9.521, 9.526
    - auditory tracking, 9.538
    - direction of control movement and, 9.205
    - display characteristics and
      - augmentation, 9.525
      - derivative displays, 9.532
      - gain, 9.513-9.515, 9.518
      - inside-out vs. outside-in, 9.529
      - intermittency, 9.530
      - modality, 9.538
      - multiaxis, 9.533, 9.534, 9.538
      - nonvisual displays, 9.538
      - placement of, 9.535
      - pursuit vs. compensatory, 9.508, 9.521, 9.528
      - quickening, 9.501, 9.525, 9.526
      - visual field location and, 9.534
    - gain and, 9.509, 10.423
    - heat exposure and, 10.601
    - input frequency and, 9.521
    - kinesthetic tracking, 9.538
    - multiaxis control, 9.533, 9.534
    - noise exposure and, 10.301, 10.304
    - sleep deprivation and, 10.806
    - system order and, 9.520, 9.521, 9.524, 9.536
      - with vibration, 10.422
    - tactile tracking, 9.538
    - time delay (transmission lag) and, 9.509, 9.516, 9.517, 9.518, 9.522
    - tracking mode and, 9.539
    - vestibular tracking, 9.538
    - vibration and, 10.409, 10.421-10.423, 10.425, 10.434. *See also* Vibration
  - vibration and, 10.409, 10.421-10.423, 10.425
- Manual dexterity**
  - cold exposure and, 10.602
  - schedule shifts and, 10.712
- Manual scanning**, 6.602
  - curvature perception with, 6.609, 6.610
  - length perception with, 5.110
  - pattern perception with, 5.1016
  - proportion perception with, 5.111
- Maps**
  - cognitive mapping of the environment, 4.107
  - design of, 11.223
  - map learning, 11.222
  - you-are-here maps, 11.223

**Markov model**

display monitoring, 7.316, 7.318

**Martin-Senour Nu-Hue System**, 1.723**Masking**

auditory, 2.305-2.315, 2.709, 7.206, 7.215

binaural unmasking, 2.305, 2.314, 2.315, 8.312, 8.314, 8.315

speech masking, 8.306-8.315, 8.401

*See also* Auditory masking; speech intelligibility

tactile, 3.101, 3.110, 3.111, 6.511-6.515. *See also* Tactile masking

visual

contrast sensitivity with, 1.628, 1.640, 1.650, 1.652

depth perception with, 5.918, 5.922

feature-selective, 6.318

visual acuity with, 1.603, 1.607

*See also* Visual masking

*See also* Backward masking; forward masking; noise masking; spatial interactions

**Masking level difference.** *See* Binaural unmasking**Massed practice**, 5.1106, 9.402**Master warning signals.** *See* Warning signals**Mathematical coding theory**

pattern recognition, 6.322

**Maxwell spot**, 1.705**McCullough effect**, 1.309**Mechanical indicators**, 11.125**Mechanical pressure**

sensitivity to, 3.101, 3.106, 3.109, 3.125, 5.1005

stimulus apparatus, 3.105

*See also* Cutaneous sensitivity

**Mechanoreception**, 3.101

neuroanatomy, 3.103

types of mechanoreceptors, 3.104

**Medial plane**

definition, 2.810

sound localization in, 2.805, 2.810

**Meissner's corpuscle**, 3.101, 3.103**Mel scale**, 2.702**Memory**

acoustic, 4.101, 4.102

cognitive maps, 4.107, 11.222

cutaneous, 4.108

cyclical variations and, 10.202, 10.704, 10.705

echoic, 4.101, 4.102

individual differences, 4.104

for inferences, 8.125

for large-scale environments, 4.107

for limb position, 3.301, 3.303, 3.317

memory search time, 4.103, 4.105, 7.520

memory tasks to measure stress and fatigue, 10.201

for noise-masked speech, 8.311

for patterns, 4.104, 4.106, 6.203

self-terminating search, 4.105

for sequential events, 7.412

incentives, 7.801, 10.202

noise, 10.202, 10.302, 10.308

sleep deprivation, 10.202, 10.802, 10.810, 10.811

time of day, 10.202, 10.704, 10.705

serial recall, 1.302, 4.101, 4.102

short-term memory, 4.102, 4.103, 4.105, 4.108, 10.202

skilled memory effect, 4.104

speech recall, 8.311

stressors and, 10.202

alcohol, 10.202

anxiety, 10.202

drugs, 10.202

fatigue, 10.202

heat, 10.202, 10.601

incentives, 7.801, 10.202

noise, 10.202, 10.302, 10.308

sleep deprivation, 10.202, 10.802, 10.810, 10.811

time of day, 10.202, 10.704, 10.705

tactile short-term, 4.108

for text, 8.123, 8.125-8.127

model of, 8.128

for visual patterns, 4.106

**Ménière's disease**, 5.503, 5.704**Mental effort**

definition, 7.709

subjective ratings of, 7.709, 7.712

*See also* Attention; mental resources; workload measurement

**Mental resources**

attention operating characteristic (AOC) curve, 7.201

capacity limitations, 7.201, 7.203, 7.205, 7.219

methods of study, 7.201, 7.203, 7.204, 7.207

performance operating characteristic (POC) curve, 7.203, 7.205

resource allocation, 7.201, 7.203, 7.205

differentiated capacity model, 7.201, 7.204

multiple resources model, 7.202, 7.203, 7.207, 7.720

single-channel model, 7.207

structural model, 7.201, 7.204

undifferentiated capacity model, 7.201, 7.204

resource dimensions, 7.202

*See also* Attention; concurrent tasks; workload measurement

**Mental rotation**

of objects, 6.315

**Mental workload.** *See* Workload measurement**Merkel's complex**, 3.103, 3.104**Mesor**, 10.701**Mesopic vision**

luminous efficiency function for, 1.110

sensitivity range, 1.103

spectral sensitivity, 1.110

**Metacontrast**

tactile stimuli, 6.515

**Metamers**, 1.702, 1.722**Meters**, 7.108, 7.110, 7.112, 7.113, 7.116**Method of adjustment**, 1.656**Method of constant stimuli**, 1.656**Method of limits**, 1.656**Method of paired comparisons**, 1.656**Michelson contrast**

definition, 1.601

**Microbar**

definition, 2.103

**Microgravity**

judgment of visual vertical in, 5.801

perceived body orientation in (inversion illusion), 5.709

techniques for self-rotation in, 10.1001

**Microneurography**, 3.103**Micropascal**

definition, 2.103

**Microphone**

calibration microphone, 2.104

condenser microphone, 2.104

pressure gradient microphone, 8.312

probe microphone, 2.104

**Microsaccades**, 1.906, 1.932

during fixation, 1.914, 7.505

velocity of, 1.933

**Microscope**

image luminance in, 1.105

instrument myopia with, 1.223

- Microtremors**, 1.912, 1.914, 7.505
- Middle ear**, 2.201, 2.202
- MIL-141 model eye**, 1.209
- Millilambert**, 1.106
- Minification** (visual field)  
adaptation to, 5.1122. *See also* Magnification (visual field)
- Minimally distinct border**, 1.109
- Minimum angle of resolution**, 1.611, 1.612  
definition, 1.602  
measured by Airy's disk, 1.213
- Minimum audible angle**  
azimuth and, 2.812  
definition, 2.812  
frequency and, 2.812  
with masking noise, 2.816  
relation to interaural intensity difference thresholds, 2.804  
relation to interaural phase difference thresholds, 2.806
- Minimum audible field (minimum audible pressure)**, 2.302
- Minimum separability**  
of controls. *See* Controls  
definition, 1.602  
luminance and, 1.604, 1.605  
pupil size and, 1.614  
viewing distance and, 1.615  
*See also* Gap detection; visual acuity
- Minimum visibility**  
definition, 1.602
- Mirrors**  
optical and perceptual effects  
convex, 5.1101, 5.1102, 5.1122  
inverting, 5.1101, 5.1120  
left-right reversing, 5.1101, 5.1102, 5.1120
- Misregistration**  
binocular images. *See* Binocular image registration  
color symbols, 11.126  
*See also* Image quality
- Mission Operability Assessment Technique (MOAT)**, 7.711
- Mistuning**  
pitch discrimination and, 2.708
- Model eye**, 1.209, 1.210
- Modulation sensitivity**. *See* Contrast sensitivity
- Modulation transfer function**, 1.219  
for contrast, 1.629, 1.631, 1.632, 1.645  
atmospheric, 7.601  
for defocused imagery, 1.220, 1.639  
of the eye, 1.218  
pupil size and, 1.638  
for flicker, 1.503, 1.505, 1.506, 1.508
- Monaural listening**. *See* Binaural vs. monaural listening
- Monitoring**  
decision making and, 7.301, 7.303, 7.310, 7.311  
definition, 7.301  
display size and, 7.315  
distinguished from vigilance and visual search, 7.401  
eye movements during  
dwell time (fixation duration), 7.311, 7.313-7.317  
sampling frequency, 7.313, 7.314, 7.316, 7.317  
scan patterns, 9.535  
transition probabilities (link values), 7.311, 7.313-7.315, 7.318, 7.319  
*See also* Visual search  
factors affecting, summarized, 7.314  
fault detection, 7.304, 7.305  
instrument, 7.301, 7.313-7.319  
measurement methods, 7.402  
models of, 7.316  
Carbonell's queuing, 7.316, 7.319  
Markov, 7.316, 7.318  
optimal control, 7.311, 7.316  
optimal estimation, 7.310  
Senders' periodic sampling, 7.316, 7.317  
multichannel displays, 9.535, 10.307  
noise exposure and, 10.302  
observer characteristics affecting, summarized, 7.413  
relation to supervisory control, 7.301  
sampling behavior, 7.302, 7.313, 7.316-7.319  
signal characteristics affecting, summarized, 7.406  
task characteristics affecting, summarized, 7.411  
*See also* Display reading; divided attention; eye movements; supervisory control; vigilance; visual search
- Monochromacy**, 1.726
- Monochrome displays**  
vs. color coded, 11.201  
*See also* Displays
- Monocular viewing**. *See* Binocular vs. monocular vision
- Monoscopic display**, 1.812
- Motion**  
analysis of  
optical flow analysis, 5.221  
vector analysis, 5.221  
apparent, 5.401-5.407. *See also* Apparent motion  
composite, 5.221  
contrast sensitivity for moving targets, 1.628, 1.637, 1.645  
detection of moving targets, 1.624  
illusory, due to loss of visual position constancy, 5.1114, 5.1120, 5.1123, 5.1126. *See also* Motion illusions  
induced, 5.301, 5.302. *See also* Induced motion  
motion-generated depth cues, 5.502, 5.901-5.903  
nonuniform, 5.213  
object-relative, 5.201  
portrayal in CRT and cinematic displays, 5.221, 11.220  
self-motion. *See* Self-motion  
stereoacuity for moving targets, 5.918, 5.925  
subject-relative, 5.201  
visual acuity for moving targets, 1.617-1.622. *See also* Dynamic visual acuity  
*See also* Motion illusions; motion perception; self-motion
- Motion aftereffects**  
contingent, 6.320  
direction-selective, 6.318, 6.320  
caused by loss of visual position constancy, 5.1114  
of object motion, 5.202, 5.212, 5.1114, 6.318, 6.320  
of self-motion, 5.503
- Motion cues**  
to object motion, 5.201, 5.202  
in simulated aircraft landings, 5.103
- Motion illusions**  
cutaneous, 3.101  
kinesthetic, 3.301  
visual  
apparent pausing, 5.218  
autokinetic illusion, 5.216  
illusory motion in depth  
dynamic visual noise stereophenomenon, 5.218  
Mach-Dvorak effect, 5.933  
Pulfrich effect, 5.933  
illusory rotation (escalator illusion), 5.218  
due to misperceived depth, 5.219  
with tracking eye movements (Filehne illusion), 5.217  
waterfall illusion, 6.320  
visual-vestibular  
oculogyral illusion, 1.921  
*See also* Apparent motion; induced motion; motion aftereffects; self-motion illusions

## **Motion in depth**

- aircraft landing performance
    - real landings, 5.101
    - simulated scenes, 5.102, 5.103
  - illusory
    - dynamic visual noise stereophenomenon, 5.218
    - Mach-Dvorak effect, 5.933
    - Pulfrich effect, 5.933
  - induced, 5.301
  - rigid vs. nonrigid motion, 5.222
  - selective adaptation, 6.318,
  - stereoacuity with target motion in depth, 5.918
- Motion parallax**, 5.902
- and canonical vs. noncanonical views in cinematic displays, 11.219
  - as a depth cue, 5.901, 5.902
  - functional limits, 5.904
  - distinguished from motion perspectives, 5.502
- Motion perception**, 5.201-5.407
- adaptation, direction-specific, 5.212, 6.318
  - aftereffects, 5.202, 5.212, 5.503, 5.1114, 6.318, 6.320
  - ambiguous, with untextured figures, 6.316
  - apparent motion, 5.208, 5.401-5.407. *See also* Apparent motion
  - during binocular suppression, 1.807
  - collision judgment, 5.213, 5.214
  - continuous vs. stop-go-stop motion, 5.208
  - correspondence problem, 5.402, 5.406, 6.316
  - cue conflict, 5.201
  - direction of motion and, 5.206, 5.212
  - displacement threshold, 5.201, 5.203, 5.205, 5.208, 5.209, 5.211
  - exposure duration and, 5.203, 5.207-5.209
  - eye-head system, 5.202
  - during eye movements
    - saccadic eye movements, 5.201, 5.602, 5.603
    - tracking eye movements, 5.201-5.203, 5.215, 5.217
  - factors affecting, summarized, 5.203
  - field size and, 5.203, 5.210
  - frequency characteristics of, 5.211
  - illusions of motion, 5.202, 5.216-5.219, 5.933
  - image-retina system, 5.202
  - induced motion, 5.201, 5.301, 5.302. *See also* Induced motion
  - luminance and, 5.203, 5.205, 5.207, 5.209
  - motion constancy, 5.210
  - motion contrast, 5.301
  - nonuniform motion, 5.213
  - object-relative motion, 5.201-5.203, 5.208-5.210, 5.301
  - oscillatory motion, 5.211
  - path length and, 5.203, 5.210
  - with reference stimuli, 5.203, 5.208-5.210, 6.304
  - rigid vs. nonrigid motion, 5.222
  - rotary motion, 5.204, 5.206, 5.222, 5.301
  - self-motion, 5.501-5.505. *See also* Self-motion
  - subject-relative motion, 5.201, 5.202, 5.209
  - target spatial frequency and, 5.204
  - target velocity and, 5.203, 5.209, 5.211
  - with underwater viewing, 5.1124, 5.1126
  - velocity
    - perceived velocity, 5.203, 5.204, 5.210, 5.215, 5.217
    - velocity constancy, 5.210
    - velocity threshold, 5.201, 5.203, 5.204, 5.206, 5.207, 5.209, 5.211
    - velocity transposition, 5.210*See also* Velocity perception
  - viewing distance and, 5.210
  - visual field location and, 5.203-5.205

*See also* Apparent motion; induced motion; motion illusions; self-motion

**Motion perspective**, 5.502, 5.901

**Motion picture displays.** *See* Cinematic displays

## **Motion sickness**

- factors affecting, summarized, 10.426
- due to low-frequency vibration, 10.425
- due to optical distortion of the visual field, 5.909, 5.1114, 5.1120
- seasickness, 10.426
  - recovery from, 3.209
- due to self-motion (real or illusory), 3.209, 5.503

**Motion simulation**, 5.401, 5.501, 5.502

*See also* Apparent motion; cinematic displays; induced movement; simulation

**Motivation**, 10.101

reaction time and, 9.108

*See also* Drive; incentive

**Motor fusion**, 1.810

definition, 1.809

**Motor learning**, 9.401-9.404

knowledge of results and, 9.404

method selection and, 9.401

practice

massed vs. distributed, 9.402

model of practice effects, 9.401

power law of practice, 4.201, 9.403

response chunking and, 9.403

*See also* Movement sequences; movement, target-directed; training

**Motor programming**

vocal responses, 8.208, 8.209

**Motor skills**, 4.201, 9.303, 9.401-9.403. *See also* Manual

control; movement sequences; movement, target-directed

**Movement accuracy.** *See* Movement, target-directed

**Movement detectability (joint or limb)**, 3.301, 3.303-3.307

elbow, shoulder, 3.304, 3.305

excursion amplitude and, 3.301, 3.305, 3.307

factors affecting, summarized, 3.303

finger, 3.304, 3.305, 3.307

hip, 3.304, 3.306

knee, ankle, toe, 3.304

measurement of, 3.301

movement velocity and, 3.301, 3.303, 3.305, 3.307

with muscle sense disengaged, 3.307

wrist, 3.304

*See also* Kinesthesia

**Movement sense**, 3.101. *See also* Kinesthesia

**Movement sequences**, 9.301-9.307

coordinated, 9.305, 9.307

feedback and, 9.304

handwriting, 9.302

locomotion, 9.306

response interference, 9.305, 9.307

running, 9.306

speed-accuracy trade-offs, 9.302

step cycle times, 9.306

tapping, 9.301, 9.302, 9.305

age and sex effects, 9.301

correlations between articulators, 9.302

correlations with other motor tasks, 9.302

typing, 9.302, 9.303

walking, 9.306

**Movement, target-directed**

accuracy of, 9.204-9.206, 9.208-9.210

directional effects, 9.204-9.206, 9.208, 9.209

- feedback conditions and, 9.206
- Schmidt's Law, 9.210
- target distance and, 9.204, 9.209
- blind positioning, 9.204
  - free, 9.208
  - restricted, 9.206, 9.208, 9.209
- control movements, 9.205, 9.207, 9.210
- coordinated movements, 9.202
- index of difficulty, 9.201, 9.207
- motor pursuit, 9.205
- movement time, 9.201-9.203, 9.206, 9.207, 9.210
  - coordinated movements, 9.202
  - feedback conditions and, 9.203, 9.206, 9.210
  - Fitts' Law, 9.201, 9.203, 9.207, 9.210
  - movement difficulty and, 9.201, 9.202, 9.207
  - prediction of, 9.201, 9.207
  - target distance and, 9.201-9.203, 9.207
  - target size (accuracy) and, 9.201-9.203, 9.207
- one-handed vs. two-handed reaching, 9.202, 9.206
- reaction time, 9.201-9.203, 9.206
- tracking, 9.205
- underwater, 9.207
- Movement time**
  - tapping, 9.301, 9.302
  - target-directed movement. *See* Movement, target-directed
  - typing, 9.302
  - walking and running, 9.306
- Mulder's constant**, 3.208
- Müller effect**, 3.210, 5.804
- Müller-Lyer illusion**, 5.106, 5.107
- Multi-axis displays**, 9.533-9.535, 9.538
- Multichannel displays**, 7.110
- Multichannel model**
  - attention, 7.201. *See also* Mental resources
  - joint-position encoding, 3.222
  - spatial vision, 1.653-1.655, 1.657, 6.319
- Multidimensional scaling**, 7.711
- Multiframe displays**, 11.333, 11.334
- Multiloop control**, 9.531
- Multimodal perception**, 5.1019
  - duration perception, 5.1019
  - reaction time to bisensory stimuli, 5.1012
  - temporal pattern recognition, 5.1018
  - See also* Intersensory interactions
- Multiple-resources model**, 7.202, 7.203, 7.207, 7.720. *See also* Attention; mental resources
- Multistable figures**, 4.106, 6.001, 6.306, 6.316
  - See also* Illusions: visual
- Munsell Color System**, 1.721, 1.723, 1.724
  - lightness scaling for, 1.721
  - Munsell Book of Color*, 1.724
  - Munsell chroma, 1.724
  - Munsell hue, 1.724
  - Munsell value, 1.724
  - perceptual correlates of Munsell hue, value, and chroma, 1.706
- Muscle**
  - ciliary, 1.203, 1.222
  - extraocular, 1.901, 1.902
- Muscle activity**. *See* Motor learning; movement sequences; movement, target-directed
- Muscle effort**
  - perception of, 3.301, 3.325
- Muscle fatigue**
  - electromyogram spectrum and, 7.729
  - heaviness with, 3.301, 3.303, 3.323
  - illusory arm spectrum and, 7.729
- Muscle sense**, 3.301, 3.325. *See also* Kinesthesia
- Muscle spindle receptors**, 3.301
- Muscle tension**
  - as predictor of performance after sleep deprivation, 10.807
  - workload measurement and, 7.704, 7.729
- Myopia**
  - empty field, 1.222, 1.223, 1.228, 1.239, 7.507
  - instrument, 1.223, 1.231
  - See* Nearsightedness
- Myotatic reflex**, 5.702
- n-alternative forced-choice procedure**, 1.657
- Naming latency**
  - pictures vs. words, 8.106, 8.107, 8.109
- Narrow-band noise**
  - masking by, 2.306, 2.308, 2.314, 2.611
  - of speech, 8.306
- Nausea**. *See* Motion sickness
- Navigation**
  - maps and, 11.222, 11.223
- Nearsightedness**, 1.204
  - night myopia, 1.222, 1.223, 1.227, 1.228, 1.239, 7.507
  - See also* Myopia
- Necker cube**, 6.001, 6.306
- Negative afterimages**, 1.309
- Nerve units**
  - afferent (skin), 3.102-3.104
- Neural quantum theory**, 1.657
- Neural summation**
  - in binocular vision, 1.801, 1.814
- Night myopia**, 1.222, 1.223, 1.227, 1.228, 1.239, 7.507
- Night vision**. *See* Scotopic vision
- NIPTS**. *See* Noise-induced permanent threshold shift
- Noise**
  - broadband. *See* Broadband noise
  - comfort level, in aircraft, 10.302
  - definition, 2.105
  - equipment noise, 2.105
  - hearing loss after exposure to
    - permanent threshold shift (NIPTS), 2.301, 10.314-10.316
    - prediction and prevention, 10.316
    - temporary threshold shift (TTS), 2.301, 10.311-10.314, 10.316
  - See also* Hearing loss; noise-induced permanent threshold shift (NIPTS); noise masking; temporary threshold shift (TTS)
  - measurement of, 2.105
  - narrowband. *See* Narrowband noise
  - performance effects of continuous exposure, 10.302-10.310
    - aftereffects, 10.310
    - age and, 10.306
    - calculation tasks, 10.302, 10.309
    - card sorting, 10.302
    - incidental learning, 10.308
    - key pressing, 10.302
    - language tasks, 10.302
    - letter cancellation tasks, 10.306
    - letter transformation tasks, 10.309
    - manual tasks, 10.302
    - marksmanship, 10.302
    - memory tasks, 10.202, 10.302, 10.308
    - monitoring, 10.302, 10.303, 10.307
    - serial response tasks, 10.302, 10.305, 10.310, 10.805
    - signal source sampling, 10.307
    - speed-accuracy tradeoff, 10.305
    - stereoscopic ranging, 10.302
    - summary of, 10.302
    - tracking, 10.302-10.304

- Noise (continued)**  
 vigilance, 10.302-10.304  
 performance effects of noise bursts, 10.301  
 pink noise, 2.105  
 white noise, 2.105. *See also* White noise  
*See also* Noise masking
- Noise bursts**  
 performance effects, 10.301
- Noise comfort level**  
 in aircraft, 10.302
- Noise criteria curves**  
 prediction of speech intelligibility, 8.317
- Noise dosimeter**, 2.104
- Noise exclusion**, 8.316
- Noise-induced permanent threshold shift (NIPTS)**  
 age and, 10.314  
 exposure duration and, 10.314, 10.315  
 factors affecting, summarized, 10.315  
 noise intensity and, 10.314, 10.315  
 prediction and prevention, 10.316  
*See also* Hearing loss; temporary threshold shift (TTS)
- Noise masking**  
 of speech, 2.105, 8.305-8.318. *See also* Speech intelligibility  
 of tones or discrete stimuli  
   by broadband noise, 2.306, 2.307, 2.314, 2.611  
   by narrow-band noise, 2.306, 2.308, 2.314, 2.611  
   by white noise, 2.105, 2.305, 2.310-2.312  
 of undesirable environmental/industrial sounds, 2.105  
*See also* Auditory masking
- Noise-power density**, 2.105
- Noise shield**, 8.312
- Noise spectrum level**, 2.105
- Non-canonical view**, 11.219
- Nonsimultaneous masking**. *See* Backward masking; forward masking
- Nontonal pitch**, 2.710, 2.711
- Nyquist theorem**, 7.317
- Nystagmus**, 1.906, 1.918-1.925, 1.927-1.930  
 after aircraft spin, 1.909  
 afternystagmus, 1.921, 1.923, 1.924, 1.930  
 arthro-ocular, 1.958  
 cervico-ocular, 1.958  
 with countertorsion, 1.957  
 ferris-wheel rotation and, 1.958  
 optokinetic, 1.918, 1.921, 1.924, 1.925  
 physiological, 1.906  
 postrotary, 1.923, 1.930  
 rotary acceleration and, 1.958  
 secondary, 1.930  
 vestibular, 1.918-1.922, 1.928-1.930  
*See also* Eye movements; optokinetic nystagmus; postrotary nystagmus; vestibular nystagmus; vestibulo-ocular reflex
- Object-centered localization**  
 visual, 5.601, 5.604-5.607  
*See also* Visual localization
- Object constancy**, 11.221
- Objective**  
 biocular vs. binocular, 1.812  
 image luminance with, 1.105
- Object localization**  
 visual, 5.601-5.607  
*See also* Visual localization
- Object motion**, 5.201-5.222. *See also* Motion perception
- Object perception**  
 object constancy, 11.221  
 perceptual dimensions and, 6.101  
*See also* Form perception; pattern perception; perceptual organization
- Object-relative motion**, 5.201-5.203, 5.208-5.210, 5.301. *See also* Motion; motion perception
- Object superiority effect**, 6.308
- Oblique effect**, 1.634, 5.808  
*See also* Orientation perception
- Oblique muscles**,  
 ocular, 1.901, 1.902
- Occlusion**  
 as depth cue, 5.901  
 kinetic, 5.901, 5.903  
 shape perception and, 6.310
- Octave illusion**, 6.404
- Ocular**  
 image luminance with, 1.105
- Ocular countertorsion reflex**, 1.957. *See also* Torsional eye movements
- Ocular media**, 1.201  
 indices of refraction, 1.210  
 spectral transmittance, 1.202  
*See also* Aqueous humor; cornea; lens; vitreous humor
- Ocular torsion**. *See* Torsional eye movements
- Ocular tremor**, 1.912, 1.914
- Oculogravic illusion**, 3.210, 5.505
- Oculogyral illusion**, 1.921, 3.209, 3.210  
 use as vestibular response measure, 3.205, 3.208, 3.209
- Oculomotor control**  
 model of, 1.910
- Ogle model eye**, 1.209
- Omission**  
 errors of, 11.318
- On-line documentation**, 11.322
- Open-loop system**, 9.506, 9.511, 9.513. *See also* Manual control
- Open-loop transfer function**, 9.506
- Operating errors**. *See* Human performance reliability
- Opponent processing model**  
 joint position encoding, 3.322
- Optacon**, 3.105, 6.506, 6.511, 6.513
- Optical axis**, 1.209, 1.210
- Optical devices**  
 binocular, 1.812  
 instrument myopia, 1.223  
 perceptual effects, 5.1102  
 required distance between eyepieces, 1.208  
 vignetting, 1.207
- Optical flow pattern**  
 description, 5.502  
 motion analysis and, 5.221  
*See also* Optic array
- Optical illusions**. *See* Illusions
- Optical imaging**  
 aniseikonia. *See* Aniseikonia  
 astigmatism, 1.205, 1.634  
 axial chromatic aberration, 1.212  
 convolution in, 1.214, 1.215, 1.219  
   convolution equation, 1.219  
 diffraction, 1.213  
 eye optical system, 1.203, 1.209  
   effect of lenses, 1.206  
 Fourier description, 1.218, 1.219  
   Fourier transform, 1.219  
 light distribution for extended source, 1.217  
 line-spread function, 1.215, 1.216  
 modulation transfer function, 1.218-1.220  
 optical transfer function, 1.218-1.220  
 point-spread function, 1.213-1.215, 1.218

- pupil aperture function, 1.218
- pupil entry angle (Stiles-Crawford effect), 1.110, 1.111, 1.707
- refractive index, 1.209
- spherical aberration, 1.211
- spherical refractive errors, 1.204
- transmittance of ocular media, 1.202
- See also* Image degradation; image quality
- Optical reference system**, 1.238
- Optical resolution.** *See* Image quality; optical imaging
- Optical Society of America Color System**, 1.723, 1.725
- Optical transfer function**, 1.218-1.220
- Optical viewers**
  - image luminance with, 1.105
- Optic array**, 11.218-11.220. *See also* Optical flow pattern
- Optic disc.** *See* Blind spot
- Optic nerve**, 1.201
- Optic torsion response**, 1.956. *See also* Torsional eye movements
- Optimal control theory**
  - behavioral modeling
    - manual control, 9.512
    - during vibration, 10.421
    - monitoring, 7.311, 7.316
    - supervisory (system) control, 7.301, 7.303
  - See also* Manual control
- Optimal estimation theory**, 7.310
  - modeling of system monitoring and control, 7.303, 7.310
- Optimization theory.** *See* Optimal control theory; optimal estimation theory
- Optokinetic nystagmus**, 1.924, 1.925, 1.958
  - afternystagmus, 1.924, 1.958
  - control-systems-analysis model of, 1.910
  - definition, 1.924
  - fast (saccadic) phase, 1.924, 1.925
  - slow (pursuit) phase, 1.924, 1.925
  - vestibular nystagmus and, 1.918
  - visual acuity and, 10.902
  - See also* Nystagmus; vestibulo-ocular response
- Optokinetic pursuit**, 1.924, 1.925, 1.958
- Optokinetic reflex.** *See* Optokinetic nystagmus
- Orbison illusion**, 5.106
- Order perception**, 5.1022, 6.407, 6.408
- Organ of Corti**, 2.201
- Orientation (visual)**
  - astigmatism and, 1.205, 1.634
  - contrast sensitivity and, 1.628, 1.634
  - dynamic acuity and, 1.618, 1.620
  - interocular differences, 1.956, 5.907, 5.908, 5.913
  - shape perception and, 6.309
  - specification by linear perspective, 5.115
  - stereoacuity and, 5.918, 5.924
  - target detection and, 1.624
  - vernier acuity and, 5.801
  - See also* Body orientation; slant perception; spatial localization; tilt
- Orientation disparity**, 5.907, 5.908, 5.913
  - eye movements to, 1.956
- Orientation perception**, 5.801-5.808
  - adaptation, 1.652, 6.318
  - aftereffects
    - haptic, 5.806
    - visual, 1.652, 5.802, 5.805, 6.318, 6.320
  - binocular suppression and, 1.807
  - body or head tilt and, 3.210, 5.801-5.804
  - haptic, 5.806, 5.808
  - of horizontal
    - factors affecting, summarized, 5.801
    - visual, 5.801, 5.803, 5.804, 5.1011. *See also* Visual horizontal
  - illusions of, 5.501, 5.805
    - Aubert effect, 3.210, 5.804
    - Müller effect, 3.210, 5.804
    - oculogravic illusion, 5.505
  - induction effects, 5.805
  - model of visual discrimination, applied to, 1.655
  - oblique effect, 1.634, 5.808
  - orientation matching, 5.808
  - orientation selectivity, 1.652
  - orientation-shape coupling, 6.001
  - parallelism, kinesthetic judgment of, 5.807
  - surface orientation, haptic discrimination of, 5.806
  - of vertical
    - factors affecting, summarized, 5.801
    - proprioceptive, 5.802
    - visual, 5.801, 5.802, 5.804
    - factors affecting, summarized, 5.801
    - See also* Visual vertical
  - visual vs. haptic, 5.808
  - visual masking and, 1.607
  - with visual-proprioceptive conflict, 5.1011
  - See also* Body orientation; orientation (visual); tilt; visual horizontal; visual vertical
- Orienting responses**, 5.607, 5.701
- Orthophoria**, 1.809, 1.810
- Orthotelephonic gain**, 8.302
- Ossicles**, 2.201
- Ostwald Color System**, 1.723
- Otolith organs**, 3.201, 3.202, 3.206
  - dynamics of, 3.202
  - illusions due to stimulation of, 3.210
  - role in eye movements, 1.957, 1.958
- Outer ear**, 2.201. *See also* Pinna
- Outside-in displays**, 9.529
- Oval window**, 2.201
- Overprinting**
  - symbol recognition and, 11.208
- Overtones**
  - definition, 2.102
- Oxygenization**
  - and contrast discrimination under acceleration, 10.903
- P-300 waveform**
  - workload measurement and, 7.202-7.204, 7.724-7.727
- Pacinian corpuscle**, 3.103, 3.104
- Pain**, 3.101
- Panum's fusional area**, 5.911, 5.912
- Panum's limiting case**, 5.932
- Parafoveal preview**
  - in reading, 8.116
- Parallelism**
  - perception of, 5.806, 5.807
- Parallel processing**
  - visual
    - detection, 1.653-1.655
    - search, 7.516, 7.520, 9.117
    - See also* Mental resources
- Parallel swing**, 3.206
- Partial masking**
  - auditory, 2.611
- Part-whole relations**, 6.001
- Passband filter**, 1.108
- Pattern detection.** *See* Contrast sensitivity; pattern perception; spatial pattern sensitivity; target acquisition; target detection



**Pattern discrimination**

- pattern complexity and, 6.307
- tactile patterns, 6.509
- temporal patterns
  - comparison of vision, audition, and touch, 5.1017, 5.1018
- See also* Rhythm
- See also* Pattern perception; pattern recognition; pattern reproduction

**Pattern masking**

- feature selective, 1.650, 1.652, 6.318
- tactile, 6.511-6.515
  - factors affecting, summarized, 6.511
- visual. *See* Visual masking; *see also* Camouflage

**Pattern perception**

- categorization of patterns, 6.203
- eye movements during, 7.505
- memory for patterns
  - perceptual organization and, 4.106
  - prototypicality and, 6.203
  - skilled memory effect, 4.104
- pattern resolution. *See* Visual acuity
- temporal patterns, 5.1002, 5.1017, 5.1018. *See also* Rhythm
- theories of, 6.203, 6.321, 6.322
- See also* Form perception; pattern discrimination; pattern recognition; perceptual organization

**Pattern recognition**

- context effects, 6.308
- intra-modal vs. cross-modal presentation and, 5.1016
- object superiority effect, 6.308
- pattern complexity and, 6.307
- temporal patterns, 5.1002
- theories of, 6.321
  - mathematical coding theory, 6.321, 6.322
  - prototype theory, 6.203, 6.321
- tracing vs. whole-pattern presentation and, 5.1016
- See also* Form perception; letter recognition; pattern discrimination; pattern perception

**Pattern reproduction**

- pattern complexity and, 6.307
- temporal patterns, 5.1002, 5.1017, 5.1018. *See also* Rhythm

**Pattern resolution.** *See* Image quality; optical imaging; spatial resolution; temporal perception; visual acuity; visual resolution**Patterns, visual**

- luminance description, 1.601

**Peak clipping**, 8.304, 8.312, 8.313**Pendular whiplash illusion**, 5.215**Perceived noisiness level (PNdB)**, 8.317**Perceptual adaptation.** *See* Space perception, adaptation of**Perceptual coding**

- of pattern structure, 6.322
- See also* Coding

**Perceptual constancy**

- brightness, 1.712, 1.715
- color, 1.707, 1.712
- distance, 5.112
- lightness, 1.712
- motion (velocity), 5.210
- object, 11.221
- position, 5.201, 5.1120. *See also* Visual position constancy
- shape, 5.113, 5.115
- size, 5.104

**Perceptual coupling**, 6.001, 6.309**Perceptual dimensions**

- classification of, 6.101
- dimensional analysis, 6.101, 6.318, 6.320

**Perceptual learning.** *See* Learning**Perceptual organization**

- ambiguous movement, 6.316
- amodal perception, 6.310
- anorthoscopic perception, 6.305
- apparent motion, 5.406, 6.302. *See also* Apparent motion
- border perception, 1.707, 6.313
- categorization, 6.201-6.203
- constancy. *See* Perceptual constancy
- contingent aftereffects and, 6.320
- figure-ground relationships, 6.301
- Gestalt principles, 6.001, 6.301-6.303, 6.310, 6.321, 6.401
- grouping
  - principles of, 6.301-6.303, 6.401
  - tone sequences, 6.401-6.404
  - visual patterns, 6.301-6.303
- illusory (subjective) contours, 6.314
- impossible figures, 6.303. *See also* Multistability
- interposition, 5.901, 6.310
- Kanizsa cube, 6.303
- Kopfermann cube, 6.303
- lightness contrast and, 1.714
- likelihood principle, 6.303
- multistability, 4.106, 6.001, 6.306, 6.316
- Necker cube, 6.306
- object superiority effect, 6.308
- oblique effect, 1.634, 5.808
- octave illusion, 6.401, 6.404
- orientation and, 6.309
- overlapping objects, 5.901, 6.310
- parallelism, 5.806, 5.807
- part-whole relationships, 6.001, 6.303
- perceptual coupling, 6.001, 6.309
- perceptual dimensions, 6.101, 6.318, 6.320
- phenomenal rest, 6.316
- principle of Prägnanz, 6.303
- reference frames, 6.304
- reversible figures, 4.106, 6.001, 6.306
- scale illusion, 6.402
- segregation of phase-shifted tones, 6.405
- shape perception, 6.309, 6.310
- simplicity principle, 6.303, 6.310
- stereokinetic effects, 6.316
- temporal coherence vs. fission, 6.401, 6.403
- See also* Auditory perception: perceptual organization; form perception; Gestalt principles; pattern perception; pattern recognition

**Performance operating characteristic (POC) curve**, 7.205**Performance reliability.** *See* Error; human performance reliability**Performance time**, 4.201. *See also* Movement time**Perimetry**

- normal achromatic visual field, 1.235, 1.236
- normal visual fields for color, 1.237

**Period**

- of sound, 2.101

**Periodicity.** *See* Cyclical variations**Peripheral nervous system**

- skin, 3.102-3.104

**Peripheral tracking**, 9.534**Peripheral vision**

- during acceleration, 10.901
- apparent motion in, 11.410
- color perception in, 1.705
- contrast sensitivity in, 1.633, 1.637, 7.606
- dark adaptation in, 1.406, 1.408, 1.409, 1.412
- detection of moving targets in, 1.637
- displays for, 9.532

flicker sensitivity (CFF) in, 1.504  
light adaptation in, 1.405  
lightness induction in, 1.713  
motion perception in, 5.204-5.206  
self-motion induction and, 5.501, 5.503  
sensitivity of, 1.305-1.307  
spatial summation in, 1.305, 1.307, 1.308, 1.409  
spectral sensitivity of, 1.102  
tracking in, 9.534  
warning signals in, 11.408, 11.410  
*See also* Field of view; field size; scotopic vision; visual field location

### **Persistence**

of phosphors, 11.120, 11.122  
postural, 3.308, 3.321  
saccadic, 1.906  
visual, 5.404, 5.405

### **Person-computer dialogue**

auditory signals, 11.336  
comparison of interactive dialogues, 11.303  
data entry methods, 11.318  
design of  
for casual or infrequent users, 11.312  
determination of user characteristics, 11.311  
error analysis and, 11.310  
formal grammar as tool in, 11.308  
steps in, 11.301

documentation, 11.322

evaluation of user performance, 11.306, 11.308

playback methodology, 11.309

information bandwidth, 11.314

lockout, 11.313, 11.323

problem-solving aids, 11.323

prompting, 11.320, 11.321, 11.331

query languages, 11.303

algebraic, 11.316

design recommendations, 11.315

SEQUEL, 11.316

user problems with, 11.315

Zloof's query-by-example, 11.316

screen displays

cursor design, 11.321. *See also* Cursor control

data entry displays, 11.317

information portrayal

abbreviations and acronyms, 11.330

coding, 11.329

graphics, 11.328

numeric data, 11.325

tabular data, 11.327

text, 11.326

layout and structuring, 11.332

multiframe displays, 11.333

touchscreens

acceptance, 12.423

advantages/disadvantages, 12.423

windowing vs. scrolling, 11.335

*See also* Alphanumeric displays; CRT displays

sequence control, 11.317, 11.319, 11.333-11.335

system response time, 11.313

task execution time, 11.306, 11.308

types of dialogue

computer initiated, 11.302

mixed initiative, 11.302

summary of, 11.303

user initiated, 11.302

user-computer mismatch, analysis of  
block interaction model, 11.307

goal structure model, 11.307

information-processing model, 11.307

protocol analysis, 11.307

*See also* Human-computer interfaces

**Personality**, 7.802-7.804, 10.708

anxiety proneness, 7.802, 7.803

introversion/extroversion, 7.413, 7.804, 10.708

vigilance performance and, 7.413, 7.804

**Perspective.** *See* Linear perspective

**Phantom colors**, 1.719

**Phase**

biological rhythms, 10.701

sound, 2.101, 2.102

**Phase angle**

sound, 2.102

**Phase lag**, 9.502, 9.504, 9.507, 9.509

**Phase margin**, 9.507

**Phase spectrum**

sound, 2.102

**Phasic fatigue**, 10.801, 10.803

**Phenomenal rest**, 6.316

**Phi movement**, 5.401

**Phon**

loudness unit, 2.104

**Phone**

speech sound unit, 8.206

**Phonemes**, 8.203, 8.205, 8.206

**Phoria**, 1.809, 1.902

accommodation and, 1.231

and image misalignment in binocular instruments, 1.813

population incidence, 1.810

**Phosphors, CRT**, 11.122

persistence, 11.120

**Photometry**

Abney's Law, 1.109

luminous efficiency function, 1.102, 1.104, 1.109, 1.110, 1.302

measurement units, 1.104, 1.106

methods, 1.109

retinal illuminance, 1.106

**Photon detector**, 1.108

**Photopic vision**

characteristics of, 1.301

operating range, 1.103

reaction time functions, 9.102

sensitivity of, during light adaptation, 1.305

spectral sensitivity of, 1.110, 1.302, 1.305

stereoacuity of, 5.919

visual acuity and, 1.603, 1.611, 1.612

*See also* Cones; fovea; luminance

**Photopigments**, 1.201

**Photoreceptors**, 1.201

**Picture perception**, 8.106, 8.107. *See also* Pattern perception

**Picture quality.** *See* Image quality

**Piéron's law**, 9.102

**Pigment epithelium**, 1.201

**Pilot performance**

binocular vs. monocular aircraft landing, 5.101

correlation with visual tests, 7.612

simulated landing scenes, 5.102, 5.103

**Pilot selection**, 7.612

**Pincushion effect**, 5.1124

**Pink noise**, 2.105

**Pinna**, 2.201

resonance properties, 2.201, 2.302

role in sound localization, 2.801, 2.805

- Pitch (auditory)**, 2.701-2.711  
 adaptation, 2.701, 2.707, 6.318  
   adaptation pitch, 2.710  
 aftereffects, 6.320  
 amplitude envelope and, 2.701, 2.705  
 of amplitude-modulated noise, 2.701, 2.710, 2.711  
 binaural pitch disparity (diplacusis binauralis), 2.701, 2.706  
 of complex tones, 2.708, 2.709  
 echo pitch, 2.710  
 edge pitch, 2.710  
 factors affecting, summarized, 2.701  
 frequency and, 2.701, 2.702  
 inhibition and, 2.704  
 intensity and, 2.701  
 of intermittent stimuli, 2.711  
 with interpolated (interfering) stimuli, 2.704  
 masking and, 2.701, 2.703, 2.708, 2.709  
 nontonal pitch, 2.710  
 pitch shift, 2.703, 2.707  
 of pure tones, 2.702-2.709  
 of rectangular pulse train, 2.711  
 repetition pitch, 2.710  
 segregation of phase-shifted tones, 6.405  
 of square-wave train, 2.711  
*See also* Pitch discrimination
- Pitch (orientation)**, 5.701. *See also* Body orientation; body tilt
- Pitch discrimination**  
 of amplitude-modulated noise, 2.711  
 with backward masking, 2.709, 7.206, 7.215  
 with divided vs. selective attention, 7.206, 7.215  
 frequency modulation and, 2.708  
 with interpolated (interfering) stimuli, 2.704  
 of pure tones, 2.704, 2.708, 2.709  
 with simultaneous masking, 2.708  
*See also* Pitch (auditory)
- Plan position indicator**, 7.105
- Planck's radiation law**, 1.107
- Playback methodology**  
 person-computer dialogue, 11.309
- Plochere Color System**, 1.723
- PND noise measurement method**, 8.317
- POC**. *See* Performance operating characteristic (POC) curve
- Poggendorff illusion**, 5.106, 5.107
- Point source**, 1.104, 1.213, 1.214
- Point-spread function**, 1.213-1.215, 1.218
- Polar coordinate system**  
 for specification of visual field location, 1.238
- Polarized display**, 5.914
- Ponzo illusion**, 5.106, 5.108
- Position constancy**. *See* Visual position constancy
- Position control**, 9.519, 9.520. *See also* Manual control; zero-order control
- Position estimation**. *See* Depth perception; distance perception; kinesthesia; movement, target-directed
- Position perception (kinesthetic)**, 3.301-3.303, 3.308-3.314, 3.316-3.322  
 active vs. passive positioning, 3.301, 3.302, 3.310-3.312, 3.319  
 aftereffects, 3.301, 3.303, 3.308, 3.310, 3.321  
 ankle (foot), 3.320  
 arm, 3.309-3.314, 3.316, 3.317, 3.321  
 changes in, with adaptation to prismatic displacement, 5.1101, 5.1112  
 elbow, 3.313-3.315  
 eye, 5.607  
 factors affecting, summarized, 3.303  
 finger, 3.318  
 head, 3.308, 3.321  
 illusions, 3.303, 3.314, 3.315  
 individual differences, 3.316  
 knee, 3.319  
 measurement of, 3.302  
 memory for shoulder (arm) position, 3.317  
 models of joint angle encoding, 3.322  
 with muscle loading, 3.303, 3.314, 3.318, 3.320  
 with muscle vibration, 3.303, 3.314  
 positioning accuracy, 3.303, 3.308, 3.309, 3.317  
 position matching, 3.301, 3.303, 3.313, 3.314, 3.318, 3.320  
   with active vs. passive positioning, 3.311, 3.312, 3.319  
   effect of delay between reference and test positioning, 3.311, 3.312, 3.319  
   practice and, 3.312, 3.319  
   to remembered position, 3.316  
 postural persistence, 3.308, 3.321  
 shoulder, 3.316, 3.318  
 tonic vibration reflex, 3.315  
*See also* Kinesthesia
- Position sense**. *See* Kinesthesia; position perception
- Position uncertainty**  
 target detection and, 1.624, 1.627, 7.221
- Positioning**  
 of body parts. *See* Kinesthesia; movement sequences; movement, target-directed  
 of controls. *See* Human performance reliability; manual control
- Positive afterimages**, 1.309
- Postrotary nystagmus**, 1.930, 1.958  
 after aircraft roll, 1.921  
 decrement with repeated rotation, 3.209  
 duration of, 1.918  
 factors influencing, summarized, 1.923  
 slow-phase velocity, 1.923, 1.930  
*See also* Afternystagmus; nystagmus
- Postural adaptation**, 2.814
- Postural aftereffects**. *See* Aftereffects: kinesthetic
- Postural ataxia**, 5.704
- Postural persistence**, 3.308, 3.321
- Postural stability**, 5.702-5.707  
 dynamic, 5.704, 5.705  
 factors in, summarized 5.702, 5.705  
 functional stretch reflex, 5.702, 5.703  
 illusory self-motion and, 5.501, 5.707  
 labyrinthine disease and, 5.702, 5.704  
 retinal image motion and, 5.706, 5.707  
 somatosensory factors in, 5.702  
 static, 5.702-5.707  
 vestibular ataxia and, 5.704  
 vestibular factors in, 5.702  
 visual factors in, 5.702, 5.705  
*See also* Body orientation
- Power law of practice**, 4.201, 9.403
- Practice**  
 adaptation to prismatic displacement and, 5.1101, 5.1105, 5.1106, 5.1109  
 choice reaction time and, 9.119  
 concurrent task performance and, 8.120  
 divided attention and, 7.213, 7.216  
 dynamic visual acuity and, 1.622  
 limb position matching and, 3.312, 3.319  
 manual control performance and, 9.539  
 massed vs. spaced, 5.1101, 5.1106, 5.1109, 9.402  
 motor skills and, 9.402, 9.403  
   model of, 4.201, 9.401  
 power law of, 4.201  
 reaction time and, 9.106, 9.111, 9.112, 9.119

- spaced vs. massed, 5.1101, 5.1106, 5.1109, 9.402  
temporal pattern perception and, 5.1017  
tracking and, 9.539  
vibrotactile code learning and, 6.510  
vigilance and, 7.414, 7.416  
visual search and, 7.516, 7.524  
*See also* Learning; training
- Prägnanz**  
Gestalt principle of, 6.303
- Preattentive processing**, 7.515
- Precategorical acoustic store**, 4.101
- Precedence effect**  
sound localization, 2.817
- Predictor displays**, 9.525
- Presbycusis**, 2.301, 2.303
- Pressure sensitivity (skin)**  
absolute sensitivity, 3.106  
body site differences, 3.101, 3.106, 3.115  
with concurrent auditory stimulation, 5.1005  
exposure duration and, compared with electrocutaneous stimulation, 3.125  
intensity discrimination, 3.109  
measurement apparatus, 3.105  
neural basis, 3.101, 3.103, 3.104  
tactile localization, 3.115  
two-point discrimination, 3.101, 3.115  
*See also* Cutaneous sensitivity; vibrotactile sensitivity
- Previewing displays**, 9.530
- Primacy effect**  
acoustic memory, 4.102
- Primary colors**, 1.702, 1.722
- Primary task**, 7.716, 7.726, 7.727. *See also* Workload measurement
- Priming**  
visual processing, 8.106, 8.109, 8.210
- Printing recorder**  
reading accuracy, 7.116
- Prismatic curvature**  
adaptation to, 5.1123
- Prismatic displacement, adaptation to**, 5.1101, 5.1103-5.1113, 5.1119  
acquisition function, 5.1105, 5.1107, 5.1119  
active vs. passive movement and, 5.1101, 5.1104  
cognitive/learning effects in, 5.1101, 5.1110  
compared to tilt adaptation, 5.1119  
conditioning of, 5.1101, 5.1110  
decay function, 5.1119  
deliberate correction for displacement, 5.1110  
devices producing displacement, 5.1102  
effects (potential end states) of adaptation, 5.1101, 5.1112  
exposure conditions and, 5.1104  
concurrent vs. terminal exposure, 5.1103, 5.1104, 5.1109  
constrained vs. unconstrained exposure, 5.1101, 5.1103, 5.1104  
target pointing vs. no target, 5.1104, 5.1105, 5.1108  
facilitating conditions, 5.1104  
feedback conditions and, 5.1101, 5.1107, 5.1108  
intermanual transfer of, 5.1106, 5.1109  
interocular transfer of, 5.1109  
intersensory bias and, 5.1110  
methods for inducing and measuring, 5.1101, 5.1103  
negative aftereffect, 5.1101, 5.1103, 5.1104  
practice and, 5.1105  
spaced vs. massed practice, 5.1101, 5.1106, 5.1109  
preconditions for, 5.1104  
prior prism exposure and, 5.1110, 5.1111  
proactive inhibition and, 5.1111  
recovery function, 5.1106, 5.1111  
reduction of effect, 5.1103  
response conditions and, 5.1106, 5.1109  
response generalization, 5.1101  
situation-specific effects, 5.1101, 5.1110  
stimulus generalization, 5.1101  
straightahead judgments and, 5.1113  
*See also* Prismatic curvature, adaptation to; space perception, adaptation of; tilt adaptation
- Prismatic rotation**  
perceptual effects of, 5.1115  
*See also* Tilt adaptation
- Prisms**  
optical effects, 5.1102  
perceptual effects, 5.1102  
Dove, 5.1101  
right-angle, 5.1121  
wedge, 5.1101, 5.1121, 5.1123
- Proactive inhibition**  
in prism adaptation, 5.1111
- Probability summation**, 1.814  
in binocular vision, 1.801-1.803
- Probe microphone**, 2.104
- Probit analysis**, 1.657
- Problem solving**  
aids to, 11.323  
voice vs. written communication and, 11.324  
*See also* Decision making
- Process control**, 7.301, 7.303  
fault detection, 7.304, 7.305  
sampling behavior during, 7.302  
*See also* Manual control; monitoring; supervisory control
- Programmable keyboards**, 12.411
- Prompting**  
in person-computer dialogue, 11.320, 11.321, 11.331
- Pronunciation.** *See* Speech
- Proportion**  
haptic vs. visual judgment of, 5.111  
horizontal-vertical illusion, 5.106, 5.110
- Proprioception.** *See* Kinesthesia
- Proprioceptive feedback**, 9.537
- Proprioceptive vertical**  
judgment of, 5.802  
*See also* Orientation perception; visual vertical
- Protan**, 1.726
- Protanomaly**, 1.726
- Protanopia**, 1.707, 1.726
- Protocol analysis**  
human-computer interaction, 11.307
- Prototype theory**  
pattern recognition, 6.203, 2.321
- Proximity**  
Gestalt grouping principle of, 6.001, 6.301, 6.302, 6.401
- Pseudo-Coriolis effect**, 5.503. *See also* Coriolis effect
- Pseudo-isochromatic plates**  
color vision testing, 1.726
- Pseudophone**  
auditory rearrangement of space, 5.1127
- Pseudoscopic display**, 1.812
- Psychological refractory period**  
reaction time, 9.107, 9.122
- Psychological scaling**, 7.710, 7.711
- Psychometric function**, 1.657
- Psychophysical methods**, 1.656
- Pulfrich effect**, 5.933
- Pulse targets**  
pulse trains

**Pulse targets** (*continued*)

- loudness of, 2.610
- pitch of, 2.711
- sensitivity to
  - factors affecting, summarized, 1.511
  - target size and, 1.512
  - temporal summation, 1.512

**Pupil**

- diameter of, 1.203. *See also* Pupil size
- entrance pupil, 1.209
- exit pupil, 1.209
- in eye-movement measurement, 1.904
- light entry angle, 1.111, 1.707
- position of, 1.201, 1.209

**Pupillary axis**, 1.209**Pupillary reflex**, 1.232, 1.233

- near vision, 1.234, 7.728

**Pupillometry**, 7.701, 7.703, 7.704, 7.728**Pupil size**

- accommodation fluctuations and, 1.224
- with binocular vs. monocular viewing, 1.232
- color stereopsis and, 5.934
- contrast sensitivity and, 1.628, 1.638
- depth of focus and, 1.221
- effective size, 1.106, 1.111
- effectivity ratio, 1.106, 1.111
- image quality and, 1.218, 1.219
- luminance level and, 1.106, 1.232, 1.233
- pupil aperture function, 1.218
- spherical aberration and, 1.211
- time course of changes in, 1.233
- upper spatial frequency cutoff and, 1.219
- viewing distance and, 1.231, 1.234
- visual acuity and, 1.603, 1.614
- width of point-spread function and, 1.213, 1.214
- as workload measure, 7.704, 7.728. *See also* Pupillometry

**Pupil tracking**

- eye movement measurement, 1.904

**Pure tone**, 2.102**Pure-tone pitch**, 2.702**Purkinje images**

- eye movement measurement, 1.904

**Purkinje shift**, 1.301, 1.304, 1.407**Purple line**, 1.722**Pursuit displays**, 9.508, 9.521, 9.528**Pursuit eye movements**

- cancellation mechanism, 1.938
- to complex sinusoidal target motion, 1.944
- loss of visual position constancy during, 5.201, 5.215
- model of, 1.938
- with observer control of target motion, 1.946
- optokinetic, 1.924, 1.925, 1.958
- perceived target motion during, 5.201, 5.202
  - Aubert-Fleishl paradox, 5.215
  - Filehne illusion, 5.215, 5.217
  - motion illusions, 5.215
  - velocity perception, 5.203, 5.215
- to perceived vs. real target motion, 1.947
- to random one-dimensional target motion, 1.943
- target localization during, 5.604, 5.605
- visual acuity during, 1.617-1.622
- See also* Eye movements; smooth pursuit eye movements

**Pursuit tracking**

- eye movements. *See* Pursuit eye movements
- manual control, 9.521, 9.528

**Pushbutton controls**. *See* Controls: types of**Push-pull controls**, 12.101**Query languages**

- person-computer dialogue, 11.303
- algebraic, 11.316
- design recommendations, 11.315
- SEQUEL, 11.316
- user problems with, 11.315
- Zloof's query-by-example, 11.316

**Queuing model**

- monitoring behavior, 7.316, 7.318, 7.319

**Quick function**, 1.657**Quickening**

- of displays, 9.501, 9.520, 9.521, 9.525, 9.526
- contrasted with control aiding, 9.526

**QWERTY keyboard**, 12.408, 12.410**Radar displays**

- reading time and accuracy, 7.105
- See also* CRT displays

**Radiance**

- definition, 1.104

**Radiant energy**, 1.104**Radiant flux**, 1.104**Radiant intensity**

- definition, 1.104

**Radiation**

- damage to visual system, 1.102
- spectral distribution, 1.102

**Radiometer**, 1.108**Radiometric units**, 1.104**Radiometry**

- measurement units, 1.104

**Ramsden disc**. *See* Exit pupil**Rancho remote manipulator**, 9.201**Random Dot E test**, 5.917**Random-dot stereograms**, 5.915**Random walk model**, 9.105**Randot test**, 5.917**Range estimation**, 5.112

- in computerized landing scenes, 5.103
- See also* Distance perception

**Ranking method**, 1.656**Rapid communication display (RAPCOM)**, 8.121, 8.122**Rapid eye movements**, 10.703, 10.809, 10.810. *See also* Eye movements**Rapid eye movement (REM) sleep**, 10.809. *See also* Sleep**Rapid serial visual presentation (RSVP)**, 8.121, 8.122**Rasmussen's hierarchically structured control model**, 7.303, 7.312**Rate aiding**, 9.520, 9.521, 9.526**Rate control**. *See* Velocity control**Rating scale**, 1.656**Rayleigh limit**, 1.614**Reach envelopes**, 12.304**Reaching**. *See* Movement sequences; movement, target-directed**Reaction time**, 9.101-9.122

- background information, 9.101
- choice
  - color and, 11.406, 12.402
  - with concurrent task, 9.122
  - conflicting information and, 9.118
  - coupled manual and vocal responses, 9.120
  - cueing and, 9.113
  - definition, 9.101
  - distractors and, 9.110, 9.117, 9.118
  - factors affecting, summarized, 9.110
  - Hick-Hyman law, 9.111-9.113, 9.116, 9.119
  - illumination level and, 11.406, 12.402

- information content and, 9.111-9.113, 9.116
- interactions among multiple stimuli and responses, 9.107, 9.118, 9.120, 9.121, 11.420
- intersensory facilitation of, 5.1014
- number of alternatives and, 9.111, 9.112
- practice and, 4.201, 9.106, 9.111, 9.112, 9.119, 9.434
- probability of alternatives and, 9.110-9.113, 9.116, 9.120
- psychological refractory period, 9.107, 9.122
- random walk model of, 9.105
- response mode similarity and, 9.121
- response probability and, 9.116
- response-stimulus interval and, 9.110, 9.113
- signal spacing and, 9.107
- sleep deprivation and, 10.802, 10.804
- speed-accuracy tradeoffs, 9.105, 9.114, 9.116
- stimulus-response compatibility and, 9.110, 9.114-9.116, 9.119
- Stroop effect, 9.118
- for transilluminated pushbutton indicators, 12.402
- uncertainty and, 9.106
- visual prepotency in, 5.1013
- warning signals, 9.110, 9.114
- compared for different stimulus modalities, 5.1001, 5.1012, 5.1013, 9.101
- definition, 9.101
- disjunctive, 9.101
- heat exposure and, 10.601
- individual differences, 9.101, 9.102
- Piéron's law, 9.102
- redundancy and, 11.420
- serial
  - description, 10.201
  - noise and, 10.305, 10.310
  - sleep deprivation and, 10.804
  - signal spacing and, 9.107
- simple
  - binocular vs. monocular viewing, 1.801
  - bisensory stimulation and, 5.1012
  - color and, 11.204-11.206
  - contrast and, 9.103, 9.108
  - definition, 9.101
  - divided attention and, 9.104
  - exposure duration and, 9.102, 9.109
  - factors affecting, summarized, 9.108
  - probability of alternatives and, 9.104
  - size and, 9.103, 9.108, 9.109
  - spatial frequency (size) and, 9.103, 9.109
  - target luminance and, 9.102, 9.108, 9.109, 11.205
  - uncertainty and, 9.108
  - visual field location and, 9.102, 9.108, 11.204
  - visual vs. auditory stimuli, 5.1012, 5.1013
  - warning signals and, 5.1015
- variability of, 9.101, 9.102
- See also* Warning signals
- Reading, 8.101**
  - accuracy of
    - concurrent task performance and, 8.120
    - sequential vs. simultaneous text presentation, 8.121, 8.122
  - comprehension
    - aids for, 8.126, 8.127
    - syntactic structure and, 8.124
  - of displays. *See* Display reading
  - eye movements during, 8.101, 8.111-8.115. *See also* Eye movements
  - memory for text
    - aids to, 8.126, 8.127
    - information ordering and, 8.123
    - memory for inferences made during reading, 8.125
    - schema theory of, 8.128
  - readability of text, 8.129
  - speed of
    - concurrent task performance and, 8.117, 8.120
    - factors affecting, summarized, 8.117
    - information ordering and, 8.117, 8.123
    - reading task and, 8.117, 8.119
    - sequential vs. simultaneous text presentation, 8.117, 8.121, 8.122
    - whole-body vibration effects. *See* Vibration during whole-body vibration. *See* Vibration
- See also* Dial reading; display reading; scale reading; visual language processing
- Ready signal.** *See* Warning signal
- Rebound illusion, 5.215**
- Recalibration**
  - vestibular, 3.209
- Received speech level, 8.316**
- Receiver operating characteristic (ROC) curve, 7.402, 7.405, 7.420**
- Recency effect**
  - acoustic memory, 4.101, 4.102
- Receptive field**
  - skin, 3.102, 3.103
- Recognition.** *See* Pattern recognition; target recognition
- Rectangular coordinate system**
  - for specification of visual field location, 1.238
- Rectangular waveform, 2.102**
- Rectus muscles**
  - ocular, 1.901, 1.902
- Reduced eye, 1.209**
- Reduction defect**
  - color vision, 1.726
- Redundancy**
  - in information coding, 11.202, 11.203
  - speech intelligibility and, 8.304, 8.312
  - unimodal vs. multimodal stimuli
    - reaction time, 11.420
    - temporal pattern perception, 5.1018
    - vigilance, 7.409
- Reference frame, 6.304**
  - motion perception with reference stimuli, 5.203, 5.208-5.210, 6.304
  - orientation and, 6.304
  - perceived velocity and, 5.210
  - stereoacuity with reference stimuli, 5.918
  - target localization and, 5.210, 5.607
  - visual vertical and, 5.801
  - See also* Vection
- Reflectance, 1.108**
- Reflection, 1.108**
  - diffuse, 1.108
  - mixed, 1.108
  - specular, 1.108
- Refraction (in eye), 1.201, 1.209, 1.210**
  - accommodation, 1.222-1.231
  - aniseikonia, 5.909
  - with empty-field viewing, 1.239
  - lenses and, 1.206
  - See also* Eye: optics of
- Refractive errors**
  - astigmatism, 1.205
  - axial chromatic aberration, 1.212
  - spherical aberration, 1.211
  - spherical refractive errors, 1.204

- Refractive index**  
 air, 1.209  
 aqueous humor, 1.203, 1.210  
 cornea, 1.210  
 definition, 1.212  
 lens, 1.210  
 vitreous humor, 1.203, 1.209, 1.210  
 wavelength and, 1.212
- Refresh rate**  
 CRT display flicker and, 11.122
- Relational models**  
 data-base organization, 11.304
- Reliability analysis**, 7.101-7.103. *See also* Human performance  
 reliability
- Remote masking**, 2.314
- REM (rapid eye movement) sleep**, 10.809. *See also* Sleep
- Repetition pitch**, 2.710
- Research settings**, 7.312
- Resolution**. *See* Displays: resolution; spatial resolution; visual acuity
- Resonance**, 2.101
- Resource allocation**  
 mental resources, 7.201, 7.203, 7.205  
*See also* Attention; mental resources
- Response bias**  
 signal detection analysis, 1.656, 1.657, 7.405, 7.420
- Response chunking**  
 motor learning, 9.403
- Response criterion**  
 signal detection analysis, 1.656, 1.657, 7.405, 7.420
- Response time**. *See* Reaction time
- Restricted blind positioning**, 9.208, 9.209
- Reticle**, 7.507
- Retina**, 1.201, 1.301  
 anatomy, 1.201  
 blind spot, 1.201, 1.210, 1.301  
 cones, 1.201, 1.301  
 distribution of, 1.201, 1.301  
*See also* Cones  
 damage to  
 from laser light, 1.102  
 from prolonged exposure to darkness, 1.102  
 from short-wavelength light, 1.102  
 distance from cornea, 1.210  
 fovea, 1.201, 1.301  
 image formation on, 1.203, 1.209  
 macula lutea, 1.201, 1.202  
 photoreceptors, 1.201, 1.301  
 rods, 1.201, 1.301  
 distribution of, 1.201, 1.301  
*See also* Rods  
*See also* Cones; rods
- Retinal eccentricity**. *See* Retinal location; visual field location
- Retinal illuminance**  
 conversion to scene luminance, 1.106  
 determination of, 1.106  
 with optical viewers, 1.105  
 range of variation in, 1.203  
 troland, 1.106
- Retinal image**  
 with astigmatism, 1.205  
 with chromatic aberration, 1.212  
 depth of field and, 1.221  
 formation of, 1.203, 1.209  
 homogeneous vs. inhomogeneous translation, 11.220  
 image motion and postural stability, 5.706  
 image/retina system in motion perception, 5.202  
 interocular misalignment. *See* Binocular image registration;  
 lateral retinal image disparity; orientation disparity;  
 vertical retinal image disparity  
 light distribution in. *See* Image intensity distribution  
 during motion, 5.502, 5.902  
 with refractive errors, 1.204  
 size  
 calculation of, 1.209  
 with lenses, 1.206  
 perceived distance and, 5.901  
 size changes, as depth cue, 5.904  
 visual angle and, 1.240  
 with spherical aberration, 1.211  
 stabilization of, during head and environmental movement  
 eye movements and, 1.917, 1.918. *See also* Nystagmus; ves-  
 tibulo-ocular reflex  
 model of eye movement control to achieve stabilization,  
 1.910  
*See also* Image quality
- Retinal image disparity**. *See* Binocular image registration;  
 interocular differences; lateral retinal image disparity;  
 vertical retinal image disparity
- Retinal image tracking**  
 eye movement measurement, 1.904
- Retinal location**  
 rod/cone density and, 1.201, 1.301  
 spatial summation and, 1.307, 1.308  
 visual localization (visual direction) and, 5.601  
*See also* Peripheral vision; visual field location
- Retinal rivalry**. *See* Binocular rivalry
- Retinopathy**  
 darkness induced, 1.102  
 radiation induced, 1.102
- Reverberation**  
 as cue to sound distance, 2.801  
 pitch discrimination and, 2.709  
 speech intelligibility with, 8.401
- Reverse contrast**  
 lightness induction, 1.713
- Reverse nystagmus**, 1.921. *See* Afternystagmus
- Reversible figures**, 4.106, 6.001, 6.306, 6.316
- Rhythm**  
 biological. *See* Biological rhythms; cyclical variations  
 detection of changes in, 6.406  
 discrimination of temporal patterns, 5.1017, 6.406  
 reproduction of temporal patterns, 5.1017, 5.1018
- Ricco's law**, 1.307, 1.308, 9.102. *See also* Spatial summation
- Ridgway Color System**, 1.723
- Righting maneuvering**  
 microgravity environments, 10.1001
- Rise time, of sound**  
 definition, 2.102  
 pitch discrimination and, 2.709
- Risk minimization**  
 monitoring behavior, 7.319
- ROC**. *See* Receiver operating characteristic (ROC) curve
- Rocker controls**, 12.101, 12.201, 12.303
- Rods**, 1.201, 1.301  
 color vision and, 1.722  
 contrast sensitivity, 1.633  
 dark adaptation, 1.305, 1.406-1.413  
 flicker sensitivity, 1.504  
 light adaptation, 1.305  
 retinal distribution, 1.201, 1.301  
 sensitivity, 1.103, 1.301, 5.1001  
 spectral sensitivity, 1.102, 1.302, 1.305  
*See also* Scotopic vision

- Roll**, 5.701. *See also* Body tilt
- Romberg test**, 5.704
- Rotary acceleration**. *See* Acceleration: rotary
- Rotary controls**. *See* Controls: types of
- Rotary motion**  
 induced, 5.301  
 rigid vs. nonrigid, 5.222  
 self-motion. *See* Acceleration: angular  
 vernier acuity and, 5.220
- Rotary wing aircraft**  
 vibration characteristics, 10.404
- Rotational misalignment**  
 of binocular images, 1.813, 5.908  
 comfort limits, 1.813, 1.913  
 single vision limits, 5.913
- Roughness perception**, 6.603-6.606  
 contact force and, 6.603  
 groove width and, 6.603, 6.604  
 land width and, 6.603  
 shear force and, 6.605  
 skin temperature and, 6.604  
 vibration adaptation and, 6.606
- Round window**, 2.201
- RSVP**, 8.121, 8.122
- Ruffini endings**, 3.103, 3.104
- Running**  
 step cycle time, 9.306
- Saccades**, 1.931-1.937  
 accuracy, 1.915, 1.931, 1.935  
 amplitude, 1.935, 1.936, 1.942  
 away from target, 1.935, 1.937  
 with body rotation, 1.922  
 compensatory, 1.959  
 corrective, 1.933, 1.935, 1.936, 1.942, 1.946  
 in the dark, 1.931  
 definition, 1.931, 1.932  
 directional bias, 1.932, 1.934  
 duration, 1.931, 1.935, 1.936  
 eliciting conditions, 1.906  
 errors, 1.909, 1.935-1.937  
 fatigue effects, 1.908  
 during fixation, 1.914, 1.916  
 with head movement, 1.960  
 latency, 1.906, 1.936, 1.942  
 factors influencing, summarized, 1.915, 1.932  
 visual task and, 1.909, 1.935, 1.937  
 with warning signals, 11.419  
 microsaccades, 1.906, 1.914, 1.932, 1.933, 7.505  
 motion perception during, 5.201, 5.202, 5.602, 5.603, 5.607  
 nonfoveating, 1.937  
 to periodic step motion of target, 1.948  
 persistence, 1.906  
 purpose of, 1.906, 1.931, 1.932  
 during reading, 8.113, 8.115  
 progressive, 8.111  
 regressive, 8.111-8.113  
*See also* Eye movements: during reading  
 saccadic suppression, of target motion, 5.602, 5.603, 5.607  
 secondary, 1.935-1.937  
 with target blanking, 1.935, 1.936  
 target characteristics and  
 luminance, 1.915, 1.932  
 predictability, 1.932  
 size, 1.934  
 summary of, 1.915  
 velocity, 1.942  
 visual field location, 1.934  
 torsional, 1.959  
 velocity, 1.906, 1.931, 1.933  
 visual task and, 1.931, 1.935, 1.937  
 during visual search, 7.504, 7.505  
 during visual tracking, 1.939, 1.942, 1.946  
 voluntary control of, 1.937  
*See also* Eye movements; pursuit eye movements; visual search
- Saccadic suppression**, 5.602, 5.603, 5.607
- Saccule**, 3.201, 3.202
- Safety**, 11.402, 11.412. *See also* Warning signals
- Sagittal plane**  
 definition, 5.701
- SAINT model**  
 human reliability analysis, 7.102
- Saltation**, 3.101, 3.119
- Same-different matching**  
 letters, 8.102, 8.103, 8.109  
 nonword letter strings, 8.108  
 words, 8.102, 8.108
- Sampling behavior**  
 during display monitoring, 7.302, 7.313, 7.316-7.319  
 noise exposure effects, 10.307  
 during process-control monitoring, 7.302  
*See also* Monitoring; supervisory control
- Sampling Theorem**, 7.317
- Saturation (color)**  
 Abney effect, 1.708  
 correlates of, 1.703, 1.706  
 definition, 1.703, 1.706  
 excitation purity and, 1.703  
 hue and, 1.708  
 representation in color-order systems, 1.723  
 Munsell system, 1.724  
 OSA system, 1.725  
 surround size and, 1.707  
*See also* Chroma
- Sawtooth waveform**, 2.102
- Scale illusion**, 6.402
- Scale reading**  
 color and, 11.124, 11.125  
 contrast and, 11.124  
 dial size and, 11.213, 11.215  
 interval length and, 11.212, 11.213, 11.215  
 number of graduation marks and, 11.211, 11.212, 11.215  
 time and/or accuracy of  
 circular, 11.211, 11.214, 11.215  
 dial, 11.213, 11.215  
 linear, 11.210-11.212  
 numeric, 11.215  
 semicircular, 11.216  
*See also* Dial reading
- Scale-side principle**  
 control/display relationships, 12.302
- Scanning**  
 eye movement patterns, 7.407, 7.504-7.506, 7.511, 7.515,  
 9.535. *See also* Eye movements; monitoring; visual search  
 manual. *See* Manual scanning
- Scene analysis**, 11.221
- Scene luminance**  
 conversion to retinal illuminance, 1.106  
*See also* Luminance
- Schema theory**  
 of text memory, 8.128
- Schematic eye**, 1.209, 1.210
- Schmidt's law**, 9.210. *See also* Movement, target-directed
- Sclera**, 1.201



- Scotopic vision**  
 characteristics of, 1.301  
 contrast sensitivity of, 1.633  
 light adaptation in, 1.305, 1.405  
 operating range, 1.103  
 reaction time functions, 9.102  
 spatial summation in, 1.308  
 spectral sensitivity of, 1.110, 1.302, 1.305  
 stereoacuity of, 5.919  
 visual acuity and, 1.603, 1.612  
*See also* Luminance; peripheral vision; rods
- Screen displays.** *See* CRT displays; displays: types of; person-computer dialogue: screen displays
- Scrolling**  
 video display terminals, 11.335
- Search.** *See* Visual search
- Seasickness,** 3.209, 10.426. *See also* Motion sickness
- Seat vibration**  
 transmission of, 10.405, 10.406, 10.431, 10.432
- Secondary tasks.** *See* Workload measurement: secondary task measures; *see also* Concurrent tasks; divided attention
- Selective adaptation.** *See* Feature-selective adaptation
- Selective attention.** *See* Selective listening; *see also* Divided attention; mental resources
- Selective listening**  
 age and, 7.209, 7.212  
 auditory shadowing, 7.207, 7.208  
 vs. divided attention, 7.213  
 factors affecting, summarized, 7.209  
 message frequency spectrum and, 7.211  
 pitch and, 2.711  
 source location and, 7.209, 7.210  
*See also* Divided attention; mental resources; speech intelligibility
- Selector controls,** 12.101 *See also* Controls: types of
- Self-inclination.** *See* Body tilt
- Self-motion,** 5.501-5.505  
 aftereffects, 5.503  
 aircraft landings  
   real, 5.101  
   simulated, 5.102, 5.103  
 cues to guide self-locomotion, 5.502  
 displays providing self-motion information, 5.501-5.503  
 induced, 1.924, 5.301, 5.501, 5.503. *See also* Self-motion illusions  
 motion perspective during, 5.502  
 optical flow pattern during, 5.502  
 reference frame and, 6.304. *See also* Vection  
 sensation magnitude function for linear acceleration, 3.207  
 sensitivity to angular (rotary) acceleration, 3.208  
 sensitivity to linear acceleration, 3.207  
 visual acuity and, 1.617, 1.619  
*See also* Acceleration; self-motion illusions; vibration
- Self-motion illusions**  
 eye-movement induction  
   turning illusions due to postrotary nystagmus, 1.923  
 vestibular induction  
   Coriolis effects (turning and falling), 3.204, 3.210  
   unperceived constant velocity, 3.210  
 visual induction, 5.301  
   circularvection, 1.924, 5.501, 5.503, 6.304  
   effect on postural stability, 5.707  
   factors affecting, summarized, 5.503  
   linearvection, 5.501, 5.503, 5.707, 6.304
- Self-rotation**  
 in microgravity, 10.1001
- Self-terminating search**  
 memory, 4.105  
 visual, 9.117
- Semantic categories,** 6.201, 6.202  
 studies of, summarized, 6.201
- Semicircular canals,** 3.203, 3.210  
 dynamics of, 1.930, 3.203  
 effect of body tilt on, 3.206  
 effect of head tilt and body rotation on, 3.204  
 endolymph, 3.201, 3.203  
 illusions caused by canal stimulation, 3.210  
 neural adaptation, 3.209  
 role in eye movements, 1.901, 1.910, 1.957, 1.958
- Senders' models**  
 monitoring behavior  
   aperiodic sampling model, 7.316  
   Markov model, 7.316, 7.318  
   periodic sampling model, 7.316, 7.317
- Sensation level**  
 definition (hearing), 2.103
- Sensitivity index**  
 signal detection, 1.657, 7.405, 7.420
- Sensory dominance.** *See* Intersensory interactions
- Sensory modalities, comparison of,** 5.1001  
 apparent movement (tactile/visual), 3.120  
 optimal modality for various perceptual tasks, 5.1002  
 orientation matching (haptic/visual), 5.808  
 reaction time (auditory/visual), 5.1001, 5.1012, 5.1013  
 spatial localization  
   tactile/auditory, 3.118, 5.1006  
   tactile/auditory/visual, 3.119  
 temporal pattern perception (auditory/visual/tactile), 5.1017, 5.1018  
*See also* Intersensory interactions
- Sensory saltation,** 3.101, 3.119
- SEQUEL query language,** 11.316
- Serial exhaustive search**  
 memory, 4.103, 4.105  
 visual, 9.117
- Serial reaction time,** 9.107  
 description, 10.201  
 noise exposure and, 10.305, 10.310  
 signal spacing and, 9.107  
 sleep deprivation and, 10.804
- Serial recall,** 4.101, 4.102  
 noise exposure and, 10.302  
*See also* Reaction time
- Serial responding.** *See* Serial reaction time
- Serial search**  
 memory, 4.105, 7.520  
 visual, 9.117
- Sex (gender) differences**  
 in age-related hearing loss, 2.303  
 in lateral achromatic visual field, 1.236  
 in vigilance performance, 7.413, 7.418
- Shadow**  
 as depth cue, 5.901
- Shadow caster,** 5.914
- Shadowing (auditory)**  
 message frequency spectrum and, 7.211  
 message structure and, 7.208  
 multiple-channel attention models and, 7.207  
 workload measurement and, 7.719  
*See also* Selective listening
- Shannon-Weiner sampling theorem**  
 process-control monitoring, 7.302
- Shape**  
 effect on contrast sensitivity, 1.628, 1.643

- geometrical shape-slant relation, 5.113
- interocular differences in
  - aniseikonia, 5.909
  - limits for stereoscopic vision, 5.931
- specified by linear perspective, 5.105
- Shape coding**
  - vs. color coding, 11.203
  - of controls, 12.418, 12.424, 12.425
  - with gloves, 12.430
  - visual search with, 7.510-7.512
- Shape perception**
  - geometrical shape-slant relation, 5.113
  - illusions of shape, 5.113
  - linear perspective and, 5.105, 5.113, 5.115
  - optimal modality for, 5.1002
  - orientation and, 6.001, 6.309
  - of partially hidden objects, 6.310
  - shape constancy, 5.113, 5.115
  - shape distortion, recognition of, 6.311
  - slanted surfaces, 5.113
  - texture scale and, 5.105

*See also* Form perception; pattern perception
- Shift work**
  - performance effects, 10.710-10.712

*See also* Cyclical variations
- Short-term memory**
  - auditory, 4.102
  - memory search rates, 4.103, 4.105
  - stress effects, 10.202
  - tactile, 4.108

*See also* Memory
- Side-arm controller**, 9.537
- Siegel/Wolf stochastic models**
  - of human performance reliability, 7.102
- Sighting range**, 7.602, 7.603, 7.605. *See also* Target acquisition
- Signal detectability.** *See* Auditory masking; speech intelligibility; vigilance; warning signals
- Signal detection theory**, 1.656, 1.657, 7.405, 7.420
- Signal-to-noise ratio**
  - auditory detection and, 2.311
  - speech intelligibility and, 8.304, 8.305
  - and target acquisition on CRT displays, 7.614

*See also* Masking
- Similarity**
  - Gestalt grouping principle of, 6.001, 6.301, 6.302, 6.401
- Simplicity principle**
  - of perceptual organization, 6.303, 6.310
- Simulation**
  - aircraft dynamics, 9.517
  - aircraft landing performance and, 5.102, 5.103
  - aircraft silhouettes, 11.107
  - motion in depth, 5.502
  - object motion, 5.221, 5.401, 5.501, 5.502
  - rotating objects, 5.222
  - range estimation in, 5.112
  - self-motion, 5.501, 5.502
  - and study of supervisory control, 7.312

*See also* Cinematic displays
- Simulator sickness.** *See* Motion sickness
- Simultaneous contrast**
  - brightness, 1.713, 1.715
  - color, 1.717
  - lightness, 1.713-1.715
- Sine wave**
  - sound, 2.101, 2.102
  - visual patterns, 1.601
- Single vision**
  - accommodation/convergence relation and, 1.231, 1.808
  - horopter, 5.910
  - hysteresis effects, 5.937
  - limits
    - with image rotation in one eye, 5.913
    - with lateral retinal image disparity, 5.911, 5.930
    - with vertical retinal image disparity, 5.912
  - Panum's fusional area, 5.911, 5.912

*See also* Binocular image registration; binocular suppression; fusion, binocular
- Size**
  - familiar size, and depth perception, 5.901
  - of field
    - color discrimination and, 1.705
    - contrast sensitivity and, 1.628, 1.629
    - motion perception and, 5.203, 5.210
    - stereoacuity and, 5.918, 5.923
  - horizon-ratio relation, 5.105, 5.108
  - interocular differences, 5.907, 5.909
    - limits for stereoscopic vision, 5.931
  - linear perspective and, 5.105
  - projective vs. objective size estimation, 5.104
  - proportion, haptic vs. visual judgment of, 5.111
  - of retinal image, 1.209, 1.240
  - size constancy, 5.104
  - size-distance invariance, 5.104
  - of target
    - brightness discrimination and, 1.403
    - contrast sensitivity and, 1.635, 1.636, 1.640
    - flicker sensitivity and, 1.501, 1.506, 1.507
    - target detection and, 1.624, 1.625
    - visual sensitivity and, 1.305, 1.307, 1.511
      - during dark adaptation, 1.406, 1.408, 1.410
      - spatial summation, 1.305, 1.308, 1.409
  - visual angle relation, 5.104

*See also* Length; size perception; spatial frequency
- Size coding**, 7.511, 12.417, 12.424
- Size perception**
  - apparent size
    - with apparent object motion, 5.401
    - convergence angle and, 1.808
    - with lenses, 1.206
  - horizon-ratio relation, 5.105, 5.108
  - illusions of size, 5.106-5.108
  - linear perspective and, 5.105, 5.108
  - optimal modality for, 5.1002
  - perceived distance and, 5.104
  - size-distance invariance, 5.104
  - size distortion
    - adaptation to, 5.1122, 5.1125, 5.1126
    - devices producing, 1.206, 5.1102
    - underwater viewing, 5.1124-5.1126
  - visual angle and, 5.104
- Skill acquisition**, 4.201. *See also* Manual control; motor learning; movement sequences; movement, target-directed
- Skilled memory effect**
  - studies of, summarized, 4.104
- Skin**, 3.101
  - apparatus for mechanical stimulation, 3.105
  - dermis, 3.103
  - neurophysiology
    - cutaneous mechanoreceptors, 3.101, 3.103, 3.104
    - dermatomes, 3.102
    - microneurography, 3.103
    - neuroanatomy, 3.103
    - receptive fields, 3.102, 3.103
  - tactile sensory innervation, 3.102-3.104

*See also* Cutaneous sensitivity; tactile perception

- Slant perception**, 5.1121  
 distortion of slant, adaptation to, 5.1121  
 geographical slant, 5.114  
 geometrical shape-slant relation, 5.113  
 glideslope angle, 5.101-5.103  
 illusory  
   with interocular magnification differences, 5.909  
   with interocular spatial-frequency differences, 5.937  
 optical slant, 5.114  
 shape perception and, 5.113  
 texture gradient and, 5.105, 5.116  
*See also* Orientation tilt
- Sleep**  
 cyclical patterns (stages) of, 10.703, 10.709, 10.714, 10.809  
 sleep/wake cycles, alteration of, 10.710, 10.712, 10.714  
*See also* Cyclical variations
- Sleep deprivation**  
 partial, 10.809  
   memory effects, 10.809, 10.811  
   performance effects, 10.809  
     calculation task, 10.809, 10.811  
     vigilance, 10.809, 10.811  
 selective, 10.809  
   memory effects, 10.809, 10.810  
 total  
   circadian rhythms and, 10.808  
   memory effects, 10.802  
   performance effects  
     calculation tasks, 10.802, 10.807  
     dual task, 10.806  
     prediction from physiological indicators, 10.807  
     serial response task, 10.802-10.805  
     shooting, 10.808  
     summary of, 10.802  
     tracking, 10.802, 10.806  
     vigilance, 10.802, 10.806, 10.809, 10.811
- Slewing control movements**, 12.201
- Slow-wave sleep**, 10.703, 10.809
- Smell, sense of**  
 basic characteristics, 5.1001  
 compared to other sensory modalities, 5.1001
- Smooth pursuit eye movements**  
 accuracy of, 1.939, 1.946, 1.947  
 adequate stimulus, 1.947  
 anticipatory (predictive) tracking, 1.939, 1.941, 1.948  
 control-systems-analysis model of, 1.910  
 eliciting conditions, 1.906  
 error of, 1.942, 1.946  
 factors affecting  
   observer control of target movement, 1.946  
   summary of, 1.915, 1.939  
   target flicker, 1.906, 1.939, 1.946  
   target luminance, 1.915, 1.939, 1.941  
   target movement, 1.943, 1.944  
   target velocity, 1.942, 1.945, 1.947  
   visual field location, 1.939, 1.941  
 gain of, 1.939-1.941  
 latency of, 1.915, 1.939, 1.942  
 maladaptive, 1.909  
 perceived target motion during, 5.201, 5.202  
   Aubert-Fleishl paradox, 5.215  
   Filehne illusion, 5.215, 5.217  
   motion illusion, 5.215  
   velocity perception, 5.203, 5.215  
 perceived vs. real motion and, 1.947  
 phase of, 1.939, 1.940  
   with retinal image stabilization, 1.947  
   saccades and, 1.941, 1.942, 1.946  
   type of target movement and, 1.940  
     complex sinusoidal motion, 1.940, 1.944  
     predictable, 1.939, 1.941, 1.948  
     ramp motion, 1.939, 1.942, 1.945, 1.947  
     random motion, 1.940, 1.943  
     sinusoidal motion, 1.939-1.941  
     unpredictable, 1.939, 1.943  
   velocity of, 1.915, 1.940, 1.942, 1.945  
 visual task and  
   velocity matching, 1.945  
   tracking at less than target velocity, 1.939, 1.945  
*See also* Eye movements; pursuit eye movements
- Snellen acuity**  
 age and, 1.623  
 contrast sensitivity for, 1.644  
 correlation with flying performance, 7.612  
 definition, 1.602
- Snellen letters**  
 contrast sensitivity for, 1.644  
 use in acuity measurement, 1.602
- Sociocusis**, 2.303. *See also* Noise-induced permanent threshold shift (NIPTS); temporary threshold shift (TTS)
- Solenoidal field**, 5.221
- Sound**, 2.101-2.105  
 amplitude  
   definition, 2.101  
   measurement of, 2.103  
 bandwidth, 2.102  
 complex sound, 2.102  
 detectability, 2.301-2.315  
 distortion, 2.105  
 frequency  
   definition, 2.102  
   fundamental frequency, 2.102  
   of speech, 8.201  
   *See also* Frequency  
 harmonics (overtones), 2.102  
 intensity  
   acoustic reflex, 2.202  
   of familiar sounds, 2.103  
   loudness and, 2.601, 2.602  
   loudness discomfort level, 2.613  
   measurement of, 2.103, 2.104  
   specification of, 2.101  
   of speech, 8.203, 8.204  
   *See also* Loudness; sound level; sound pressure level  
 localization of. *See* Auditory localization  
 measurement of, 2.102-2.104  
 noise, 2.105. *See also* Noise  
 period, definition, 2.101  
 phase, 2.102  
   definition, 2.101  
 propagation of, 2.101  
 pure tone, 2.102  
 rise/fall time, 2.102  
 sound level, definition, 2.104  
 sound power, 2.103  
 sound pressure, 2.103  
   sound pressure transfer function, 2.802  
 sound shadow, 2.801-2.803  
 spectral analysis, 2.102-8.202  
 speech  
   acoustic analysis, 8.201, 8.202  
   intensity, 8.203, 8.204

- waveform, 2.102  
 waveform envelope, 2.102, 8.202  
 wavelength, 2.101  
*See also* Audition; frequency; loudness; noise
- Sound level**, 2.103  
 definition, 2.104  
 in prediction of speech intelligibility, 8.317  
*See also* Sound pressure level
- Sound level meter**, 2.104
- Sound pressure level**  
 definition, 2.103  
 at detection threshold, 2.301. *See also* Auditory sensitivity  
 loudness and, 2.601, 2.602, 2.605, 2.608, 2.609  
 of speech, 8.201, 8.203, 8.204  
*See also* Sound level
- Sound pressure transfer function**, 2.802
- Sound shadow**, 2.801-2.803
- Sound spectrogram**, 8.202
- Space perception, adaptation of**, 5.1101-5.1127  
 auditory rearrangement of space, 5.1101, 5.1127  
 background information and summary, 5.1101  
 definition, 5.1101  
 depth distortions, 5.909, 5.1101, 5.1121, 5.1124, 5.1125  
 devices for inducing, 5.1101, 5.1102  
 distance distortions, 5.1101, 5.1121, 5.1124  
 form distortions, 5.1101, 5.1124-5.1126  
 individual differences in, 5.1101  
 inversion of visual field, 3.209, 5.1114  
 left-right reversal of visual field, 3.209, 5.1114  
 loss of visual position constancy, 1.907, 3.209, 5.1101,  
 5.1120, 5.1124, 5.1126  
 methods of inducing, 5.1101, 5.1103  
 prismatic curvature, 5.1123  
 prismatic displacement, 5.1101, 5.1103-5.1113, 5.1119. *See  
 also* Prismatic displacement, adaptation to  
 size distortions, 3.209, 5.1101, 5.1122, 5.1124-5.1126  
 underwater distortions, 5.1101, 5.1124-5.1126  
 visual tilt, 5.1115-5.1119. *See also* Tilt adaptation  
*See also* Prismatic displacement, adaptation to; tilt adaptation
- Spaced practice**, 5.1106, 9.402
- Spatial acuity**  
 comparison of sensory modalities, 5.1001, 5.1102  
 touch, 3.101, 3.115  
 vision, 1.603-1.623. *See also* Visual acuity
- Spatial disorientation.** *See* Motion illusions; self-motion  
 illusions; visual position constancy: loss of
- Spatial filtering**  
 form perception and, 6.312, 6.314  
 geometric illusions and, 5.107  
 orientation selectivity, 1.652  
 perceptual organization and, 6.302  
 spatial-frequency selectivity, 1.626, 1.631, 1.632, 1.650,  
 1.651  
 in target detection process, 1.652, 1.653  
*See also* Contrast sensitivity; modulation transfer function;  
 spatial tuning; spatiotemporal filtering; temporal filtering
- Spatial frequency**  
 adaptation, 1.651, 6.318  
 aftereffects, 6.318-6.320  
 apparent spatial-frequency shift, 6.319  
 with binocular suppression, 1.807  
 contrast sensitivity and, 1.628, 1.630, 1.635. *See also* Contrast  
 sensitivity  
 dark adaptation and, 1.410  
 discrimination of, 1.648, 1.649  
 Fourier transform, 1.219  
 flicker sensitivity and, 1.501, 1.508, 1.509  
 form perception and, 5.107, 6.312  
 masking, 1.650  
 model of visual identification applied to, 1.655  
 modulation transfer function, 1.219  
 motion (velocity) perception and, 5.204  
 reaction time and, 9.103  
 spatial-frequency analysis, 1.218, 1.601  
 spatial-frequency cutoff, and pupil size, 1.218, 1.219  
 spatial-frequency selectivity, 1.650, 1.651  
*See also* Size; spatial filtering
- Spatial interactions**  
 tactile, 3.301, 3.112, 3.119, 3.120  
 in masking, 3.110, 3.117, 6.511-6.515  
 with spatial surround, 3.108, 3.111  
*See also* Tactile masking
- visual  
 acuity and, 1.603, 1.607  
 contrast sensitivity and, 1.628, 1.640, 1.650, 1.652  
 orientation perception and, 1.607  
 stereoacuity and, 5.918, 5.922  
*See also* Apparent motion; visual masking  
*See also* Spatial summation
- Spatial knowledge**  
 cognitive maps, 4.107  
 map learning, 11.222  
 map reading, 11.223
- Spatial localization**  
 auditory, 2.801-2.817. *See also* Auditory localization  
 compared to tactile, 5.1006  
 cross-modal vs. intra-modal, 3.301, 5.1010  
 with intersensory conflict, 5.1007-5.1009  
 in large-scale environments, 4.107  
 map reading, 11.222, 11.223  
 optimal modality for, 5.1002  
 tactile, 3.101, 3.115, 3.118, 3.119, 5.1006  
 visual, 5.601. *See also* Visual localization  
*See also* Apparent straightahead; egocentric localization
- Spatial pattern sensitivity**, 1.601-1.655  
 acuity, 1.602-1.623. *See also* Visual acuity  
 contrast discrimination, 1.646  
 contrast matching, 1.647  
 contrast sensitivity, 1.628-1.645. *See also* Contrast sensitivity  
 flickering targets, 1.508, 1.509  
 measurement of, 1.602  
 models of, 1.653-1.655  
 orientation selectivity, 1.652  
 spatial-frequency adaptation, 1.651  
 spatial-frequency discrimination, 1.648, 1.649  
 spatial-frequency masking, 1.650  
*See also* Contrast sensitivity; pattern perception; visual acuity
- Spatial resolution**  
 auditory, minimum audible angle, 2.804, 2.812, 2.°:6  
 comparison of sensory modality, 5.1001, 5.1002  
 of display devices. *See* Image quality; optical imaging  
 tactile, two-point threshold, 3.115, 3.301  
 visual, 1.603-1.623  
 depth resolution, 5.918-5.927, 5.929. *See also* Stereoacuity  
 measurement of, 1.602  
 spatial separation difference thresholds, 1.609  
*See also* Visual acuity  
*See also* Spatial localization; visual acuity
- Spatial summation**  
 cutaneous sensation magnitude, 3.112  
 temperature sensation, 3.121  
 visual detection, 1.305, 1.308, 1.403, 1.624  
 during dark adaptation, 1.408, 1.409  
 visual field location and, 1.305, 1.307

- Spatial tuning**  
 kinesthesia, 3.322  
 vision, 1.650-1.655  
*See also* Spatial filtering
- Spatiotemporal filtering**  
 visual apparent motion and, 5.404, 5.405  
*See also* Spatial filtering; temporal filtering
- Spatiotemporal interactions**  
 tactile perception  
   apparent motion, 3.120  
   localization, 3.119  
 visual perception  
   apparent motion, 3.119, 5.402-5.405, 5.407  
   flicker perception, 1.505-1.508  
*See also* Spatial interactions; temporal interactions
- Spectral analysis**  
 light, 1.102  
 sound, 2.102, 2.104, 8.202  
 speech, 8.202  
 visual patterns, 1.601
- Spectral power distribution**  
 radiant energy (light), 1.102, 1.722  
   artificial illuminants, 1.102  
   CIE standard illuminants, 1.107  
   sunlight, 1.102  
 sound, 2.102
- Spectral reflectance**, 1.108
- Spectral resolution**  
 comparison of sensory modalities, 5.1001  
*See also* Color discrimination; pitch discrimination
- Spectral sensitivity (vision)**, 1.110, 1.302  
 duplicity model of, 1.302  
 luminous efficiency functions  
   CIE standard functions, 1.110, 1.302  
   with different measurement techniques, 1.109  
 measurement methods, 1.109, 1.701  
 peak sensitivity, 1.102, 1.301, 1.304, 1.305  
 photopic (cone) vision, 1.110, 1.301, 1.302, 1.304, 1.305  
 range, 1.101, 1.102  
 scotopic (rod) vision, 1.110, 1.301, 1.302, 1.304, 1.305  
*See also* Luminous efficiency
- Spectral transmittance** 1.108  
 of ocular media, 1.202
- Spectrum analyzer**, 2.104
- Spectrum envelope**  
 speech analysis and, 8.202
- Spectrum level**  
 noise, 2.105
- Spectrum locus**  
 chromaticity diagram, 1.702, 1.722
- Speech**  
 acoustic properties  
   duration, 8.201  
   frequency, 8.201  
     sex differences, 8.201  
   sound pressure level, 8.201, 8.203, 8.204  
     sex differences, 8.204  
 allophones, 8.206  
 altered. *See* Speech intelligibility: of altered speech  
 articulation  
   articulation index, 8.311  
   articulatory features  
     manner of articulation, 8.205  
     place of articulation, 8.205  
     voicing, 8.205  
   coarticulation, 8.201  
 consonants  
   acoustic properties, 8.201  
   of American English, 8.206  
   cues and cue trading, 8.207  
   production of, 8.205  
 masking of. *See* Speech intelligibility  
 methods of analyzing, 8.202  
   spectrogram, 8.202  
   spectrum envelope, 8.202  
 phonemes  
   of American English, 8.206  
   definition, 8.206  
   production of, 8.205  
   sound pressure level of, 8.203  
 phones, 8.206  
   definition, 8.206  
 pronunciation latency  
   pronunciation typicality and, 8.209  
   word list length and, 8.208  
   words vs. pseudowords, 8.209  
 pronunciation time  
   number of syllables and, 8.208  
   practice and, 8.210  
   semantic content and, 8.210  
   word list length and, 8.208  
 vowels  
   acoustic properties, 8.201  
   of American English, 8.205  
   production of, 8.205  
*See also* Speech intelligibility
- Speech intelligibility**  
 age and, 8.304, 8.315, 8.401  
 of altered speech  
   compressed, 8.404  
   expanded, 8.404  
   filtered, 8.302, 8.307, 8.401  
   frequency-shifted, 8.403  
   interrupted, 8.401, 8.402  
   overlapping, 8.401  
   peak-clipped, 8.304, 8.312, 8.313  
   phase-shifted, 8.312, 8.314  
   retarded, 8.404  
   reverberated, 8.401  
   speeded, 8.401, 8.404  
 methods for improving intelligibility of masked speech, 8.312  
 methods for predicting speech intelligibility  
   articulation index, 8.317  
   noise criteria contours, 8.317  
   sound level weighting, 8.317  
   speech interference level, 8.317, 8.318  
 of noise-masked speech  
   earplug use and, 8.304, 8.316  
   factors affecting, summarized, 8.304  
   interaural phase and, 8.304, 8.314, 8.315  
   message set size and, 8.304, 8.309  
   noise frequency and, 8.304, 8.306  
   peak clipping and, 8.304, 8.313  
   signal-to-noise ratio and, 8.304, 8.305, 8.306  
   with speech vs. noise mask, 8.304, 8.307  
   vocal force and, 8.304, 8.310  
   word frequency and, 8.304, 8.308  
   word length and, 8.308  
 number of syllables and, 8.301  
 sentences vs. words, 8.301  
 of speech-masked speech  
   filtering and, 7.209, 7.211, 8.307  
   interaural relations and, 7.209, 7.211, 8.307  
   message content and, 7.208, 7.211, 8.304

- message frequency spectrum and, 7.211, 8.304  
number of masking voices and, 8.304, 8.306  
relative message intensity and, 8.307  
sound source location and, 7.209, 7.210, 8.304  
speech vs. noise mask, 8.304, 8.307  
*See also* Selective listening  
stress pattern and, 8.301  
visual cues and, 8.303  
*See also* Voice signals
- Speech Interference Level**, 8.317, 8.318
- Speech recall**  
with noise masking, 8.311
- Speed-accuracy tradeoffs**, 9.105  
choice reaction time, 9.105, 9.114, 9.116  
noise exposure and, 10.305  
typing, 9.303
- Spherical aberration**, 1.203, 1.211  
pupil size and, 1.203
- Spherical refractive errors**, 1.204
- SPL**. *See* Sound pressure level
- Square-top multicavity filter**, 1.108
- Square-wave jerks (of the eye)**, 1.914
- Stacked controls**, 12.420
- Staircase method**, 1.656
- Standard colorimetric observer**  
CIE 1931, 1.722  
CIE 1964 10-degree, 1.722
- Standard illuminants**  
color appearance and, 1.710  
spectral energy distribution, 1.107
- Stapedius muscle**, 2.202
- Stapes**, 2.201, 2.202
- Startle reaction**  
performance effects, 10.301
- State anxiety**, 7.802, 7.803
- Static-position sense**, 3.301. *See also* Kinesthesia
- Statoconial membrane**, 3.201, 3.202
- Status lights**, 7.106, 7.107, 7.116
- Step-by-step brightness matching**, 1.109
- Step cycle time**, 9.306
- Stereoacuity**, 5.917-5.929  
adjacent contours and, 5.918, 5.922  
compared with vernier acuity and real depth acuity, 5.929  
definition, 5.917  
exposure duration and, 5.918, 5.926  
factors affecting, summarized, 5.918  
field of view and, 5.918, 5.923  
luminance and, 5.918, 5.919  
measures of, 5.917  
with moving targets, 5.918, 5.925  
relative disparity and, 5.918, 5.921, 5.927  
target orientation and, 5.918, 5.924  
with telestereoscope, 1.812  
with underwater viewing, 5.1124  
with vertical retinal image disparity, 5.927  
viewing distance and, 1.615, 1.918  
visual field location and, 5.918, 5.920, 5.927
- Stereocilia**, 3.201, 3.202
- Stereognosis**, 3.101. *See also* Haptic perception
- Stereogram**, 5.914, 5.915
- Stereokinetic effects**, 6.316
- Stereopsis**. *See* Stereoscopic vision
- Stereoscope**, 1.812
- Stereoscopic displays**, 1.812, 5.914, 5.915  
*See also* Three-dimensional displays
- Stereoscopic vision**, 5.904-5.931  
anomalous cases  
dynamic visual noise stereophenomenon, 5.218  
with interocular luminance differences (Pulfrich effect), 5.933  
with interocular magnification differences  
geometric effect, 5.909  
induced effect, 5.906, 5.909  
with interocular time delay (Mach-Dvorak effect), 5.933  
color stereopsis, 1.209, 5.934, 5.1102  
depth threshold, 5.918-5.927, 5.929. *See also* Stereoacuity  
display methods, 5.914, 5.915  
duration thresholds, 5.935  
horopter, 5.910  
hysteresis effects, 5.937  
limiting interocular differences, 5.931  
limits of depth perception with, 5.930  
functional limits as depth cue, 5.901, 5.904, 5.905  
minimum stimulus conditions, 5.932  
motion in depth. *See* Motion in depth  
from orientation disparity, 5.908  
Panum's limiting case, 5.932  
patent stereopsis, 5.930  
perceived depth magnitude, 5.916  
qualitative stereopsis, 5.930  
retinal image disparity, 5.905-5.909  
stereoacuity, 5.918-5.927, 5.929  
tests of, 5.917  
with vertical disparity, 5.906, 5.928  
*See also* Binocular vision; depth perception; motion in depth; stereoacuity
- Stevens' power law**,  
brightness, 1.720  
discomfort during vibration, 10.428  
*See also* Power law of practice
- Stiles-Crawford effect**  
for brightness, 1.106, 1.111  
for color, 1.707
- Stimulant drugs**  
as stressor, 10.202
- Stimulus interactions**. *See* Masking; spatial interactions; spatiotemporal interactions; temporal interactions
- Stimulus-response compatibility**  
reaction time and, 9.110, 9.114-9.116, 9.119
- Stockholm 9-point scale**  
for workload measurement, 7.708
- Stockholm 11-point scale**  
for workload measurement, 7.709
- Straightahead**. *See* Apparent straightahead
- Street figures**, 4.106
- Stress**, 10.101-10.104  
behavioral indicators of, 10.202  
classes of, 10.102, 10.103  
conceptualizations of, 10.101, 10.102  
general adaptation syndrome, 10.101, 10.102  
measurement of, 10.102, 10.201, 10.202  
performance effects. *See* Stressors  
stress variables, classification of, 10.103  
theories of, 10.101  
*See also* Arousal; drive; motivation
- Stressors**  
acceleration, 10.901-10.906  
alcohol, 10.202, 10.805  
anxiety, 7.802, 7.803, 10.202  
caffeine, 7.804  
classes of, summarized, 10.103  
cold, 10.602  
cyclical/schedule variations, 10.701-10.714  
drugs, 10.102, 10.103, 10.202, 10.805

- Stressors** (*continued*)
- fatigue, 10.102, 10.201, 10.202, 10.801, 10.805
  - heat, 10.202, 10.601, 10.805
  - incentive, 10.202, 10.805
  - memory and, 10.202, 10.601
  - noise, 10.202, 10.301-10.316, 10.805
  - performance effects, summarized, 10.202, 10.805
    - for introverts vs. extroverts, 7.804
  - schedule shifts, 10.710, 10.712, 10.713
  - sleep deprivation, 10.202, 10.802-10.811
  - time of day, 10.702-10.708, 10.805
  - vibration, 10.401-10.435
- See also individual stressors*
- Stroboscopic motion**, 5.404. *See also* Apparent motion
- Stroop effect**, 8.106, 9.118
- Subitization**, 7.523
- Subjective color**, 1.719
- Subjective contours**, 6.314
- Subject-relative motion**, 5.201, 5.202, 5.209. *See also* Motion perception
- Subsidiary task paradigm**, 7.718. *See also* Workload measurement
- Subtractive color mixture**, 1.723
- Suffix effect**
- acoustic memory, 4.102
- Supervisory control**, 7.301-7.310
- advantages over manual control, 7.301
  - allocation of functions between human and computer, 7.301, 7.304, 7.307-7.309
  - background information, 7.301
  - decision making and, 7.301, 7.303, 7.310, 7.311
  - defined, 7.301
  - fault detection, diagnosis, and repair, 7.304, 7.305
  - hierarchical models, 7.307-7.309
  - information-processing aspects, 7.301
  - inner-loop vs. outer-loop control, 7.303, 7.305, 7.306
  - in-the-loop vs. out-of-the-loop control, 7.304
  - models of, 7.301, 7.309
    - hierarchically structured control models, 7.303
    - optimal estimation model, 7.310
  - research settings for studying, 7.312
  - sampling behavior during process-control monitoring, 7.302
  - training for, 7.306
- See also* Automation; monitoring
- Surround**
- spatial effects on cutaneous sensitivity, 3.101, 3.107, 3.108, 3.111
  - spatial effects on temporal sensitivity, 1.506
- See also* Spatial interactions
- Surroundedness**
- figure-ground relations and, 6.301
- Switches.** *See* Controls: types of
- Symbol, screen.** *See* Alphanumeric displays; CRT displays
- Symmetry**
- Gestalt grouping principle of, 6.301
- Synergy**
- motor pattern, 3.326
- System dynamics.** *See* Manual control: control dynamics
- System feedback**
- negative, 9.506, 9.507
  - positive, 9.507, 9.527
  - system stability and, 9.506, 9.507, 9.527
- System lag**
- control order and, 9.519
  - phase lag, 9.502, 9.504, 9.507
  - time delay, 9.502, 9.504, 9.507
  - tracking performance and, 9.504, 9.509, 9.516-9.518, 9.522
- System order**, 9.519
- break frequency, 9.519
  - tracking performance and, 9.516, 9.520, 9.521, 9.528, 9.536
- System stability**, 9.509, 9.519
- as control goal, 9.508, 9.511
  - feedback and, 9.506, 9.507, 9.527
- System transfer function**, 9.504, 9.506
- Tactile acuity**
- two-point resolution, 3.101, 3.115
- Tactile displays**, 3.105, 6.501, 9.538
- Tactile masking**
- backward, 3.117, 6.505, 6.511, 6.513-6.515
  - forward, 3.117, 6.505, 6.511, 6.513-6.515
  - pattern masking
    - factors affecting, summarized, 6.511
    - interstimulus-onset interval and, 6.505, 6.511, 6.514, 6.515
    - mask duration and, 6.511, 6.513
    - metacontrast, 6.515
    - nonoverlapping mask, 6.515
    - presentation mode and, 6.514
    - target-mask distance and, 6.511, 6.512
    - target-mask sequence and, 6.514
    - type of mask and, 6.513
  - pulse masking, 3.101, 3.110, 3.117
- Tactile memory**, 4.108
- Tactile perception**
- apparent movement, 3.101, 3.120
  - code learning, 6.510
  - discrimination
    - intensity, 3.109, 3.110, 5.1001
    - with concurrent visual stimulation, 5.1001
  - illusions, 3.101, 3.120
  - localization, 3.101
    - illusory displacement, 3.118, 3.119
    - precision of, 3.115
    - of pulse pairs, 3.118, 3.119, 5.1006
    - compared to auditory localization, 5.1006
  - pattern perception
    - display modes, 6.501
    - pattern discrimination, 5.1017, 6.509
    - pattern identification
      - body site differences, 6.503
      - character height and, 6.502, 6.506
      - display mode and, 6.502, 6.503
      - display width and, 6.502, 6.507
      - exposure duration and, 6.502, 6.504
      - factors affecting, summarized, 6.502
      - intensity and, 6.502, 6.504
      - with masking, 6.505, 6.511-6.515. *See also* Tactile masking
      - tactile vs. visual, 6.508
    - pattern discrimination, 5.1017, 6.509
    - temporal patterns, 5.1017, 6.509
    - stereognosis, 3.101
- See also* Haptic perception
- Tactile sensitivity.** *See* Cutaneous sensitivity
- Tactile tracking**, 9.501, 9.538
- Tactual perception**
- modes of, 6.601
- See also* Haptic perception; kinesthesia; tactile pattern perception
- Tapping rate**, 9.301, 9.302, 9.304
- Target acquisition**
- air-to-air, 7.606, 7.610, 7.612, 7.613
  - air-to-ground, 7.605, 7.607
  - with alerted vs. unalerted search, 7.613

- atmospheric conditions and, 7.601, 7.602
  - atmospheric modulation transfer function, 7.601
- collision avoidance, 7.613
- crossing angle and, 7.613
- in CRT displays, 7.608
  - factors affecting, summarized, 7.614
- display gain and, 9.514
- field of view and, 7.614
- gray levels and, 7.604, 11.119
- models of
  - ADM, 7.607
  - CRESS/SCREEN, 7.607
  - DETECT II and III, 7.607
  - GRC, 7.606, 7.607, 7.611
  - Hammill/Sloan, 7.606, 7.611
  - Heap's visual carpet, 7.605
  - Koopman/Lamar, 7.606, 7.609, 7.611
  - MARSAM II, 7.607
  - multiple regression, 7.608
  - POE, 7.606
  - Rand, 7.606
  - threshold "detection lobe," 7.610
  - VIDEM, 7.611
  - VISTRAC, 7.607
- search time prediction, 7.608
- sighting range
  - correlation of performance with visual tests, 7.612
  - prediction of, 7.605, 7.611
    - nomographs, 7.602, 7.603
- target contrast and, 7.602, 7.603, 7.605-7.608
- target size and, 7.602, 7.603, 7.605-7.608, 7.610
- vehicle recognition, 11.104, 11.105
- visual field location and, 7.606, 7.610
- See also* Auditory localization; target detection; target recognition; vigilance; visual localization; visual search
- Target detection**
  - during acceleration, 10.901, 10.904
  - with binocular suppression, 1.807
  - factors affecting, summarized, 1.624
  - glare and, 10.501
  - gray levels and, 7.604, 11.119
  - intersensory interactions in, 5.1003-5.1005
  - models of
    - for applications environments, 7.606, 7.609, 7.610. *See also* Target acquisition: models of theoretical
    - continuous-function models, 1.654
    - threshold models, 1.653
  - probability summation and, 1.814
  - psychometric functions, 1.657
  - selective adaptation and, 1.626
  - target spatial dimensions and, 1.624, 1.625
  - uncertainty effects, 1.624, 1.627
  - See also* Target acquisition; target recognition; vigilance; visual search; visual sensitivity
- Target recognition**
  - in CRT displays
    - contrast and, 11.107
    - image motion and, 11.105
    - resolution and, 11.104, 11.107
    - size and, 11.104
  - in real-world scenes, 7.526
  - See also* Pattern perception; target acquisition; target detection; visual search
- Task analysis**
  - in human error prediction, 7.103
- Task difficulty**
  - control system dynamics and, 9.522
  - subjective perception of, 7.705, 7.708, 7.710
  - workload measurement and, 7.705, 7.708, 7.710, 7.715
- Task execution time**
  - keystroke model, for human-computer interaction, 11.306
- Taste, sense of**
  - basic characteristics, 5.1001
  - compared to other sensory modalities, 5.1001
- Technique for Human Error Rate Prediction (THERP), 7.102, 7.103**
- Telephone keysets, 12.406, 12.410**
- Telescope**
  - image luminance with, 1.105
  - useful visual field, 1.207
- Telestereoscope, 1.812, 5.1101, 5.1102, 5.1121**
- Television displays.** *See* CRT displays; video displays
- Temperature sensitivity, 3.101, 3.121-3.124**
  - adaptation, 3.101, 3.123, 3.124
  - body site differences, 3.101, 3.121
  - to cold, 3.101, 3.122-3.124
  - methods of stimulation, 3.101
  - neural basis, 3.101
  - rate of temperature change and, 3.101, 3.122
  - sensation magnitude of heat and cold, 3.101, 3.124
  - size of stimulation area and, 3.121
  - temperature discrimination, 3.123
  - to warmth, 3.101, 3.121-3.124
  - See also* Body temperature; cold; heat
- Template theory**
  - pattern recognition, 6.321
- Temporal contrast sensitivity, 1.503, 1.505, 1.506, 1.508, 1.509**
  - model for predicting, 1.513
  - See also* Temporal modulation sensitivity; temporal perception
- Temporal filtering**
  - visual processing and, 1.513
- Temporal interactions**
  - auditory sensitivity, 2.306, 2.312, 2.313
  - pitch perception, 2.709
  - tactile pattern masking, 6.511, 6.513-6.515
  - tactile sensitivity, 3.117
  - See also* Temporal summation
- Temporal modulation sensitivity**
  - auditory
    - gap detection, 2.502
    - sensitivity to amplitude modulation, 2.501
  - visual
    - flicker sensitivity, 1.501-1.510
    - model of temporal sensitivity, 1.513
    - See also* Flicker sensitivity
  - See also* Temporal perception
- Temporal order.** *See* Order perception
- Temporal perception**
  - detection of auditory-visual asynchrony, 5.1021
  - duration perception, 2.503, 2.504, 5.1019
  - order perception, 5.1022, 6.407, 6.408
  - temporal pattern perception, 5.1002, 5.1017, 5.1018
    - coherence vs. fission in auditory sequences, 6.403
    - detection of pattern changes, 6.406
    - optimal modality for, 5.1002
    - pattern discrimination, 5.1017, 6.406
    - pattern reproduction, 5.1017, 5.1018
  - temporal rate judgment, 1.510, 5.1020
  - See also* Temporal modulation sensitivity
- Temporal summation**
  - auditory detection, 2.311, 2.312
  - electrocutaneous stimulation, 3.107, 3.125



- Temporal summation** (*continued*)  
 loudness, 2.601, 2.607, 2.610  
 vibrotactile stimulation  
   detection, 3.107  
   pattern masking, 6.505  
   perceived magnitude, 3.113  
 visual detection, 1.305, 1.402, 1.512, 1.624  
   during dark adaptation, 1.409  
*See also* Temporal interactions
- Temporary threshold shift (TTS)**  
 acoustic reflex and, 2.202  
 factors affecting, summarized, 10.311  
 noise duration and, 2.301, 10.311  
 noise intensity and, 2.301, 10.311, 10.312  
 noise spectrum and, 10.311, 10.313  
 recovery time, 10.311, 10.312  
*See also* Hearing loss; noise-induced permanent threshold shift (NIPTS)
- Text**  
 comprehension  
   aids to  
     review questions, 8.126  
     summaries and advance organizers, 8.127  
   with concurrent task, 8.120  
   syntactic structure and, 8.124  
 displays. *See* Alphanumeric displays; person-computer dialogue: screen displays  
 engineering of, 8.101, 8.129  
 memory  
   aids to  
     review questions, 8.126  
     summaries and advance organizers, 8.127  
   inferences made during reading, 8.125  
   information ordering and, 8.123  
   schema theory of, 8.128  
   readability measurement, 8.129  
   during whole-body vibration. *See* Vibration  
*See also* Person-computer dialogue; reading; visual language processing
- Texture gradient**  
 depth perception and, 5.116, 5.901  
 perceived slant and, 5.105, 5.116  
 shape specification and, 5.105
- Texture perception**  
 interaction of audition and touch, 5.1005  
 optimal modality for, 5.1002  
 roughness perception, 6.603-6.606  
*See also* Pattern perception
- Thermal adaptation**, 3.123, 3.124
- Thermal detector**  
 for radiant energy, 1.108
- THERP (Technique for Human Error Rate Prediction)**, 7.102, 7.103
- Thouless ratio**, 1.712
- Three-dimensional displays**, 5.914, 5.915  
 for stereoacuity testing, 5.917  
*See also* Binocular displays; depth cues; depth perception; motion in depth; stereoscopic displays; stereoscopic vision
- Threshold**  
 absolute, 1.656  
 difference, 1.656  
 measurement of, 1.656, 1.657  
*See also specific sensory dimensions*
- Threshold models**  
 visual detection, 1.653
- Throat microphone**, 8.312
- Tilt**, 5.115-5.119  
 illusory, 5.805  
   with centrifugation (oculogravic illusion), 5.505  
   with visual field rotation, 5.501, 5.801  
 tilt aftereffect, 5.805  
 tilt contrast, 5.805  
*See also* Body tilt; orientation perception; slant perception; tilt adaptation; visual horizontal; visual vertical
- Tilt adaptation**, 5.1101, 5.1115-5.1119  
 acquisition function, 5.1116-5.1119  
 compared with adaptation to prismatic displacement, 5.1119  
 with constant vs. incremental tilt exposure, 5.1101, 5.1115, 5.1118  
 decay function, 5.1116, 5.1119  
 devices producing tilt, 5.1102  
 factors affecting, summarized, 5.1115  
 interocular transfer, 5.1116, 5.1117  
 rotation magnitude and, 5.1115, 5.1117  
 tilt in depth, 5.1121
- Timbre**, 2.102  
 auditory grouping and, 6.401  
 discrimination of, 7.206  
 sound localization and, 2.801
- Time constant**  
 manual control systems, 9.519
- Time delay**  
 control systems. *See* System lag  
 interaural. *See* Interaural differences  
 in manual control, 9.502, 9.504, 9.507, 9.509
- Time differentiation**, 9.505
- Time estimation.** *See* Duration perception
- Time integration**, 9.503
- Time-intensity tradeoff**  
 apparent motion, 5.403  
 auditory localization, 2.809  
*See also* Temporal summation
- Time lag.** *See* System lag
- Time of collision**  
 judgment of, 5.213, 5.214
- Time of day**  
 physiological and performance effects. *See* Circadian rhythms; cyclical variations
- Time perception.** *See* Duration perception
- Time to collision**  
 judgment of, 5.213, 5.214
- Time zone shifts**  
 physiological and performance effects, 10.710, 10.713
- Titmus stereo test**, 5.917
- TNO test**  
 stereoscopic vision, 5.917
- Toggle switches.** *See* Controls: types of
- Tonal afterimage**, 2.710
- Tone**, 2.102
- Tone sequences**  
 grouping of, 6.401  
   attentional set and, 6.403  
   ear dominance and, 6.404  
   by ear of input, 6.401, 6.404  
   by frequency, 6.401, 6.402  
   by frequency separation, 6.401, 6.403, 6.404  
   by presentation rate, 6.401, 6.403  
 order perception in, 6.407, 6.408  
 pattern recognition in, 5.1018  
*See also* Auditory perception; pattern perception
- Tonic neck reflex**  
 weight lifting and, 3.326
- Tonic vibration reflex**, 3.315

- Torsional eye movements**, 1.956-1.959  
 countertorsion, 1.957-1.959  
 cyclofusional eye movements, 1.956, 5.803  
 extorsion, 1.905  
 false torsion, 1.905  
 with head tilt, 1.901, 1.958, 1.959, 5.803  
 with interocular rotation differences, 1.956  
 intorsion, 1.905  
 judgment of visual vertical and, 5.801  
 perceived visual orientation and, 5.803  
 torsional drift, 1.959  
 true torsion, 1.905  
 with visual field rotation, 1.956, 5.803  
*See also* Eye movements
- Torsion-pendulum equation**, 3.202, 3.203
- Torsion swing**, 3.205
- Touch**  
 anatomic correlates, 3.101  
 basic characteristics, 5.1001  
 compared to other sensory modalities, 5.1001, 5.1002, 5.1017, 5.1018  
*See also* Cutaneous sensitivity; haptic perception; tactile localization; tactile masking; tactile pattern perception
- Touch screens**, 12.423
- Trackball controls**, 12.101, 12.422
- Tracking**  
 auditory, 9.538  
 cutaneous, 9.538  
 eye movements. *See* Pursuit eye movements; smooth pursuit eye movements  
 manual control  
 definition of task, 9.508  
 performance. *See* Manual control  
 vestibular, 9.538  
*See also* Compensatory tracking; pursuit tracking
- Tracking eye movements**. *See* Pursuit eye movements; smooth pursuit eye movements
- Tracking in depth**, 1.949. *See also* Vergence eye movements
- Training**. *See also* Compensatory tracking; pursuit tracking  
 for supervisory control, 7.306  
 transfer of, 8.120, 9.517  
 for vigilance tasks, 7.416  
*See also* Learning; practice
- Trait anxiety**, 7.802, 7.803. *See also* Anxiety
- Transfer function**. *See* Modulation transfer function; system transfer function
- Transfer of training**, 8.120
- Transmission lag**. *See* System lag
- Transverse plane**  
 definition, 5.701
- Trapezoidal window illusion**, 5.113
- Tremor**. *See* Eye tremor
- Triangular waveform**, 2.102
- Triangulation**, 11.222
- Trichromacy**, 1.102, 1.702, 1.722, 1.726
- Trichromatic coefficients**, 1.722
- Tristimulus values**, 1.702, 1.722
- Tritan**, 1.726
- Tritanomaly**, 1.705
- Tritanopia**, 1.705, 1.707, 1.726
- Troland**, 1.106
- Tropia**, 1.809
- TTS**. *See* Temporary threshold shift
- Turning illusions**, 1.923, 1.930, 3.210
- TV displays**. *See* CRT displays; video displays
- Two-alternative forced-choice procedure**, 1.657
- Two-click threshold**, 6.408
- Two-handed reaching**, 9.202. *See also* Movement, target-directed
- Two-point resolution**  
 touch  
 body site differences, 3.101, 3.115  
 definition, 3.101  
 measurement methods, 3.105
- Tympanic membrane**, 2.201
- Typing**, 9.303, 12.407, 12.408. *See also* Data entry
- Typography**. *See* Fonts
- Ultradian rhythms**, 10.102, 10.701, 10.703, 10.709. *See also* Cyclical variations
- Ultraviolet radiation**  
 visual pathology and, 1.102
- Unannunciated displays**, 7.117
- Unburdening**, 9.520, 9.528
- Uncertainty**  
 contrast uncertainty, 1.627  
 position uncertainty, 1.624, 1.627, 7.221  
 spatial-frequency uncertainty, 1.624, 1.627  
 target detection and, 1.624, 1.627
- Underwater listening**  
 auditory sensitivity and, 2.301, 2.304  
 distortion of sound, 5.1101, 5.1124-5.1126  
 sound localization and, 5.1124
- Underwater motor skills**, 9.207
- Underwater movement time**, 9.207
- Underwater viewing**  
 adaptation to, 5.1101, 5.1125, 5.1126  
 diving experience and, 5.1101, 5.1125, 5.1126  
 judgment of distance and, 5.1124-5.1126  
 judgment of visual vertical and, 5.801  
 optical and perceptual distortions of, 5.1101, 5.1124, 9.207  
 size distortions and, 5.1124-5.1126
- Undifferentiated attention**, 7.201, 7.204. *See also* Attention
- Uniform-chromaticity scale (CIE)**, 1.722
- Uniform lightness scale**, 1.721
- USAF tri-bar**  
 use in acuity measurement, 1.602
- Utricles**, 3.201, 3.202  
 eye movements and, 1.957, 1.958
- Utrocular discrimination**, 1.811
- UV radiation**. *See* Ultraviolet radiation
- Vanishing point**  
 in linear perspective, 5.105, 5.115
- Vection**  
 circularvection, 1.924, 5.503, 6.304  
 displays producing, 5.501  
 factors affecting, summarized, 5.503  
 linearvection, 5.503, 6.304  
 aftereffects, 5.707  
 detrimental effects of, 5.707  
 displays producing, 5.501  
 postural stability and, 5.707  
*See also* Self-motion illusions
- Vectograph**, 5.914
- Vector model**  
 of visual identification, 1.655
- Vehicle recognition**  
 in CRT displays, 11.104, 11.105  
*See also* Target acquisition; target recognition
- Velocity control**, 9.519, 9.520. *See also* First-order system
- Velocity perception (visual)**  
 discrimination of velocity, 5.203  
 illusions of velocity during tracking eye movements, 5.215, 5.217

**Velocity perception (visual) (continued)**

- Aubert-Fleishl paradox, 5.217
- Filehne illusion, 5.215, 5.217
- pendular-whiplash illusion, 5.217
- rebound illusion, 5.217
- misperception due to vestibular adaptation, 3.210
- perceived velocity, 5.203
  - context and, 5.210
  - field size and, 5.203, 5.210
  - reference stimuli and, 5.210
  - velocity transposition, 5.210
  - visual field location and, 5.204
- velocity threshold, 5.203
  - exposure duration and, 5.203, 5.207
  - factors affecting, summarized, 5.203
  - frequency of oscillatory motion and, 5.211
  - illumination level and, 5.203, 5.207
  - static reference stimuli and, 5.203, 5.209
  - visual field location and, 5.203, 5.204, 5.206

*See also* Motion perception

**Ventriloquism effect, 5.1007, 5.1009**

**Verbal comprehension.** *See* Text: comprehension of

**Verbal protocols**

- analysis of human-computer interactions, 11.307

**Verbal recall.** *See* Memory**Vergence eye movements, 1.950-1.955**

- accommodation and, 1.231
- accommodative vergence, 1.953
- convergence angle, 1.808
- definition, 1.808, 1.905
- duration, 1.950, 1.953
- fusional
  - factors affecting, summarized, 1.950
  - interocular response asymmetry, 1.954
  - interocular target differences and, 1.915, 1.952
  - lateral disparity elicited, 1.949-1.952, 1.954
    - disparity compensation, 1.954
    - disparity limits, 1.950, 1.952
  - to peripheral stimuli, 1.954
  - persistence of, 1.951
  - vertical-disparity elicited, 1.950, 1.952, 1.954, 1.955
    - disparity compensation, 1.954
    - disparity limits, 1.950, 1.952, 1.955

*See also* Torsional eye movements: cyclofusional eye movements

- gain, 1.949
- phase lag, 1.949
- phoria, 1.809, 1.810
- tracking in depth, 1.949
- velocity, 1.906, 1.954

*See also* Eye movements; visual fixation

**Verhoeff stereoptor, 5.917****Vernier acuity**

- as acuity measure, 1.602
  - compared with other measures, 1.602
- apparent motion and, 5.220
- compared with stereoacuity and real depth acuity, 5.929
- rotary motion and, 5.220
- spatial masking and, 1.607
- target orientation and, 5.801
- target segment onset asynchrony and, 1.610
- two-dot acuity, 1.608

*See also* Visual acuity

**Vernier offset**

- misperception due to target motion, 5.220

*See also* Vernier acuity

**Version eye movements, 1.905.** *See also* Eye movements**Vertical-horizontal illusion**

- haptic, 5.110
- visual, 5.106

**Vertical misalignment.** *See* Binocular image registration; vernier offset; vertical retinal image disparity

**Vertical retinal image disparity**

- adaptation to, 5.906
  - with aniseikonia, 5.906, 5.909
- definition, 5.906
- depth perception and, 5.906, 5.927, 5.928
- with image magnification in one eye, 5.906, 5.907
- with image rotation in one eye, 5.906, 5.907
- induced effect, 5.909
- limits for single vision, 5.912
- stereoacuity and, 5.927
- vergence eye movements in response to, 1.950, 1.952, 1.954, 1.955, 1.959

*See also* Lateral retinal image disparity

**Vertigo**

- after aircraft spin, 1.921
  - after body rotation, 1.923, 3.210
  - Coriolis effects, 3.206, 3.209, 3.210, 5.503
  - elevator illusion, 3.210, 5.504, 5.505
  - oculogyral illusion, 1.921, 3.209, 3.210
- See also* Self-motion illusions; vestibular illusions; visual position constancy: loss of

**Vestibular ataxia, 5.704**

**Vestibular canals.** *See* Semicircular canals

**Vestibular displays, 9.538**

**Vestibular illusions**

- Aubert effect, 3.210, 5.804
- Coriolis effects, 3.206, 3.209, 3.210, 5.503
- elevator illusion, 3.210, 5.504, 5.505
- illusory tilt
  - of body, 1.930, 3.210, 5.505, 5.708
  - unperceived tilt, 3.210
  - of visual objects, 3.210, 5.505, 5.804
- inversion illusion, 3.210, 5.709
- Müller effect, 3.210, 5.804
- oculogravic illusion, 3.210, 5.505
- oculogyral illusion, 1.921, 3.209, 3.210
- postrotary sensations, 1.923, 1.930, 3.210
- turning illusions, 1.923, 1.930, 3.210
- unperceived acceleration, 3.210
- unperceived constant velocity, 3.210
- unperceived tilt, 3.210

**Vestibular nystagmus, 1.918-1.923, 1.928-1.930**

- attention and, 1.929
- duration, 1.930
- fixation conditions and, 1.922, 1.929
- gain, 1.917, 1.920, 1.928
  - with magnifying spectacles, 3.209
- latency, 1.930
- with optical reversal of visual field, 3.209
- peak frequency, 1.919, 1.929
- postrotary, 1.918, 1.921, 1.923, 1.930, 1.958, 3.209
  - factors affecting duration of, summarized, 1.923
- quick phase, 1.922
  - velocity of, 1.922
- secondary, 1.930
- slow phase, 1.922
  - velocity of, 1.919-1.922
- time course, 1.922
  - with aircraft spin, 1.921
- vestibular adaptation and, 3.209
- visual suppression of, 1.918-1.920
  - factors affecting, summarized, 1.920

*See also* Eye movements; nystagmus; vestibulo-ocular reflex

## **Vestibular sense**

- basic characteristics, 5.1001
- compared to other sensory modalities, 5.1001, 5.1002
- See also* Vestibular sensitivity; vestibular system

## **Vestibular sensitivity**

- adaptation, 3.209
- to angular (rotary) acceleration
  - detection threshold, 3.208
  - sensation magnitude, 3.207
- to linear acceleration
  - detection threshold, 3.207
  - sensation magnitude, 3.208
- methods of studying
  - linear acceleration, 3.206
  - rotary acceleration, 3.205

## **Vestibular system, 3.201-3.210**

- adaptation, 3.209
- aftereffects, 3.210
- anatomy and physiology, 3.201-3.203
- ataxia, 5.704
- eye-movement control and, 1.957-1.960. *See also* Vestibular nystagmus; vestibulo-ocular reflex
- functions, 3.201
- habituation, 3.209
- illusions involving. *See* Vestibular illusions
- labyrinthine disease, effects of, 5.503, 5.702, 5.704, 5.709
- otolith organs, 3.201
  - dynamics, 3.202
- postural stability and, 5.702, 5.704
- recalibration, 3.209
- semicircular canals, 3.201
  - dynamics, 3.203, 3.204
- stimulus for, 3.201-3.203
- See also* Vestibular sense; vestibular sensitivity

## **Vestibular tracking, 9.538**

## **Vestibulo-ocular interaction, 1.957-1.960**

## **Vestibulo-ocular reflex, 1.906**

- control-systems-analysis model of, 1.910
- degree of compensation for head rotation, 1.913
- disruption of visual acuity, 10.902
- eye-head coordination during vibration and, 10.418
- factors affecting, summarized, 1.917
- gain of,
  - factors affecting, summarized, 1.917, 1.926
  - with visual distortion, 1.927
- phase lag
  - with visual distortion, 1.927
- recalibration, 1.927
- vestibular adaptation and, 3.209
- See also* Eye movements; vestibular nystagmus

## **Vibration, 10.401-10.435**

- of aircraft, characteristics of,
  - fixed wing, 10.403
  - rotary wing, 10.404
- background information and summary, 10.401
- of head, 10.406
- of helmets, 10.419
- low-frequency, 10.425, 10.426
- measurement and representation of, 10.402
- multi-axis, 10.409, 10.412
- of muscles
  - heaviness and, 3.301
  - perceived limb position and, 3.301, 3.303, 3.314, 3.315
  - perceived muscle force and, 3.303, 3.325
- performance effects of whole-body vibration
  - contrast sensitivity, 10.433
  - data entry, 10.424

## display reading

- character font and, 10.415
- character shape and, 10.409, 10.435
- character size and, 10.409, 10.413, 10.435
- character spacing and, 10.409, 10.414, 10.435
- direction of vibration and, 10.409, 10.412
- display collimation and, 10.417
- helmet-mounted displays, 10.420
- luminance contrast and, 10.409, 10.416
- spatial-frequency content and, 10.435
- vibration amplitude distribution and, 10.409, 10.412
- vibration frequency and, 10.409, 10.411
- viewing distance and, 10.409, 10.417

## manual control tasks

- control dynamics and, 10.409, 10.422, 10.425
- control gain and, 10.423
- control sensitivity and, 10.409, 10.423
- control type and, 10.409, 10.423
- factors affecting, summarized, 10.409
- model for predicting, 10.421
- vibration duration and, 10.434
- vibration frequency and, 10.422, 10.425
- minimum vibration for visual effects, 10.410
- observer vs. display vibration, 10.411, 10.412
- summary of, 10.401, 10.409
- visual blur, 10.410
- visual sensitivity, 10.427, 10.433

## of skin

- roughness perception and, 6.606
- See also* Vibrotactile sensitivity

## transmission of

### through body

- factors affecting, summarized, 10.406
- to eyes, 10.406, 10.408
- to head, 10.416
  - horizontal seat vibration, 10.408
  - vertical seat vibration, 10.407

### to helmets, 10.419

- through seats, 10.405, 10.406, 10.431, 10.432
- vibration isolation effectiveness of seats compared, 10.432

## of vehicles, 10.405

## of visual display

- legibility and, 10.411, 10.412

## whole-body, 10.406-10.424, 10.431-10.435

### discomfort magnitude

- model for predicting, 10.429
- vibration frequency and, 10.428

### exposure limits for health and safety, 10.430

### motion sickness due to, 10.425, 10.426

### vibration perception thresholds, 10.427

## **Vibrotactile code learning, 6.510**

## **Vibrotactile displays, 3.105, 6.501**

## **Vibrotactile pattern perception. *See* Tactile pattern perception**

## **Vibrotactile sensitivity, 3.101, 3.106-3.114, 3.116-3.120**

- body site differences, 3.101, 3.106
- exposure duration and, 3.107
- intensity discrimination (intensity difference threshold), 3.109
  - with masking, 3.110
- localization, 3.118. *See also* Tactile localization
- masking and, 3.101, 3.110, 3.117
- neural basis, 3.101-3.104
- sensation magnitude, 3.101, 3.111
  - adaptation and, 3.116
  - magnitude enhancement, 3.101, 3.114
  - magnitude summation, 3.101, 3.112, 3.113
- spatial interactions, 3.101, 3.108, 3.111, 3.117
- spatial summation, 3.112

**Vibrotactile sensitivity** (*continued*)

- spatiotemporal interactions, 3.101, 3.118
  - stimulation methods, 3.105
  - with surround vs. no surround, 3.101, 3.107, 3.108, 3.111
  - temporal interactions, 3.101, 3.113, 3.114, 3.117
    - temporal summation, 3.101, 3.107, 3.113
  - vibration frequency and, 3.108, 3.301
- See also* Cutaneous sensitivity; pressure sensitivity (skin); tactile localization

**VIDEM model**

- prediction of aircraft detectability, 7.611

**Video displays**

- acuity for moving targets in, 1.618, 1.620
  - differences from natural optic array, 11.218
  - motion portrayal in, 5.221, 5.401
  - simulation of self-motion and depth in, 5.502
  - target differentiation in, 11.221
- See also* CRT displays; information portrayal

**Vieth-Müller circle**, 5.910**Viewing distance**

- accommodation and, 1.224, 1.228-1.231
- pupil size and, 1.234
- stereoacuity and, 1.615, 5.918
- visual acuity and, 1.603, 1.615, 1.616

**Viewing time.** *See* Exposure duration**Vigilance**, 7.401-7.419

- arousal and, 7.401
- attention and, 7.401
- background information, 7.401
- boredom and, 7.417
- cyclical variations in performance, 10.706, 10.709, 10.711
- decision criterion in, 7.401, 7.405
- definition of task, 7.401
- distinguished from monitoring and visual search, 7.401
- edge effect, 7.407
- feedback and, 7.416
- heat exposure and, 10.601
- incentives and, 7.411, 7.416
- instructions and, 7.415, 7.416
- measurement methods
  - adaptive task technique, 7.402, 7.410
  - summary of, 7.402
- noise exposure effects, 10.302-10.304
- observer characteristics affecting
  - sex differences, 7.413, 7.418
  - summary of, 7.413
- personality and, 7.413, 7.804
- practice and, 7.414, 7.416
- reaction time patterns in, 7.404
- receiver operating characteristic (ROC), 7.402, 7.405, 7.420
- research in, 7.401
- response bias in, 7.401, 7.405
- signal characteristics affecting
  - discriminability, 7.408
  - modality, 7.406, 7.409, 7.411, 7.413
  - redundancy, 7.406, 7.409
  - spatial location, 7.406, 7.407, 7.411
  - summary of, 7.406
- signal detection theory applied to, 7.401, 7.405
- sleep deprivation effects, 10.802, 10.806, 10.809, 10.811
- time on task and, 7.401, 7.403
- task characteristics affecting
  - cumulation of information from sequential events, 7.412
  - intertask correlations, 7.419
  - summary of, 7.411
  - time on task and, 7.401-7.403, 7.407-7.409, 7.414, 7.417, 7.418

training methods for, 7.416

vigilance decrement, 7.401, 7.403

*See also* Monitoring; target acquisition; target detection; visual search

**Vignetting**, 1.207**Villalobos Colour Atlas**, 1.723**Viscosity perception**, 6.611**Visibility.** *See* Contrast sensitivity; target acquisition; target detection; visual sensitivity**Visible spectrum**, 1.101**Vision**

- acuity, 1.603-1.623
  - basic characteristics, 5.1001
  - binocular vision, 1.801-1.813
  - color vision, 1.701-1.726
  - compared to other sensory modalities, 5.1001, 5.1002, 5.1017, 5.1018
  - cones, 1.103, 1.201, 1.301, 1.706, 1.722, 5.1001
  - contrast sensitivity, 1.628-1.655
  - depth perception, 5.901-5.937
  - dynamic range, 1.103, 11.119
  - eye movements, 1.901-1.960
  - flicker sensitivity, 1.501-1.510
  - interactions with other senses
    - detection facilitation, 5.1003, 5.1005
    - orientation perception, 5.1011
    - reaction time facilitation, 5.1012, 5.1015
    - spatial localization, 5.1007-5.1009, 5.1113, 5.1127
    - temporal perception, 5.1017-5.1021
  - loss of
    - during acceleration, 10.906
    - with empty-field viewing, 1.239
  - motion perception, 5.201-5.407
  - optics of the eye, 1.201-1.234
  - photopic, 1.103, 1.301
  - photoreceptors, 1.201
  - rods, 1.201, 1.301, 5.1001
  - scotopic, 1.103, 1.301
  - sensory dominance of, 5.1007-5.1009, 5.1011, 5.1013, 5.1127
  - space perception, 5.101-5.108, 5.112-5.116
  - spatial pattern perception, 1.603-1.655, 5.801-5.805, 6.301-6.322
  - stimulus specification, 1.101-1.111, 1.601
  - temporal sensitivity, 1.501-1.513
  - vibration effects, 10.410. *See also* Vibration
  - visual sensitivity, 1.301-1.413
- See also individual topics*

**Visual acceleration**, 5.213**Visual accommodation.** *See* Accommodation**Visual acuity**, 1.602-1.623

- during acceleration, 10.902
- and accommodation, 1.603
- age and, 1.603, 1.623
- with binocular vs. monocular viewing, 1.801
- compared with depth acuity, 5.929
- contrast and, 1.603, 1.605
- correlation with flying performance, 7.612
- during dark adaptation, 1.410
- decimal acuity, 1.602
- differences in, with different test patterns, 1.602
- dynamic acuity, 1.617-1.622, 5.220, 7.522
- exposure duration and, 1.603, 1.613
- factors affecting, summarized, 1.603
- gap detection, 1.611, 1.613, 1.617-1.619, 1.621, 1.622
- illuminant wavelength and, 1.603, 1.606
- luminance level and, 1.603-1.605, 1.613, 1.616, 1.643

masking and, 1.603, 1.607  
measurement of, 1.602  
  acuity task variants, 1.602  
  Airy's disk diameter as acuity indicator, 1.213  
  comparison of assessment methods, 1.602  
  contrast sensitivity and acuity measures, 1.644, 1.645  
  test pattern variants, 1.602  
for moving targets, 1.617-1.622, 5.220, 7.522  
  correlation with static acuity, 1.621  
  *See also* Dynamic visual acuity  
optical aberrations and, 1.203, 1.211, 1.212  
optical limitations on, 1.203, 1.211, 1.213. *See also* Image quality  
orientation and, 1.634  
pupil size and, 1.603, 1.614  
Snellen fraction, 1.602, 1.623  
Snellen letters, 1.644  
spatial separation difference thresholds, 1.609  
target shape and, 1.643  
vernier acuity, 1.607, 1.610  
  two-dot vernier acuity, 1.608  
viewing distance and, 1.603, 1.615, 1.616  
visual field location and, 1.603, 1.611, 1.612  
*See also* Contrast sensitivity; spatial pattern sensitivity; spatial resolution; vernier acuity

#### **Visual aids**

to accommodation, 7.507

#### **Visual angle, 1.240**

conversion among measurement units, 1.602  
definition, 1.240  
perceived size and distance and, 5.104

#### **Visual axis, 1.209, 1.210**

**Visual capture, 5.1007-5.1009, 5.1011.** *See also* Intersensory interactions; ventriloquism effect

#### **Visual deceleration, 5.213**

#### **Visual direction**

absolute identification, 5.601  
alteration of  
  by acceleration, 5.504, 5.505  
  by body tilt, 3.210, 5.801, 5.804  
  by eye position, 5.606, 5.801, 5.802  
  by head position, 3.210, 5.801-5.803  
  by prismatic displacement, 5.1101, 5.1112, 5.1113  
  *See also* Apparent straightahead; visual horizontal; visual vertical  
with binocular vision, 5.936  
cancellation theory and, 1.938  
egocentric, 5.601  
object-centered, 5.601  
*See also* Visual localization

#### **Visual discrimination**

brightness, 1.401-1.405, 1.413  
color, 1.704, 1.705, 1.726  
depth. *See* Stereoacuity  
flicker, 1.510  
spatial frequency, 1.648, 1.649  
vector models of, 1.655

#### **Visual displays.** *See* Displays, visual

#### **Visual distortion**

adaptation to. *See* Space perception, adaptation of  
of depth, 5.909, 5.1101, 5.1121, 5.1124, 5.1125  
devices producing, 5.1102  
of distance, 5.1101, 5.1121, 5.1124  
of form, 6.311, 5.1101, 5.1123-5.1126  
of size, 5.1101, 5.1122, 5.1124-5.1126  
with underwater viewing, 5.1101, 5.1124-5.1126  
*See also* Image quality; optical imaging

#### **Visual field**

coordinate systems for describing, 1.238  
normal achromatic field, 1.235  
  age and sex differences, 1.236  
normal color fields, 1.237

#### **Visual field location**

color perception and, 1.705, 1.706, 11.204  
contrast sensitivity and, 1.628, 1.635-1.637, 7.506, 7.606  
eye movements and, 1.932, 1.934, 1.939, 1.941  
flicker sensitivity and, 1.501, 1.504  
motion perception and, 5.203-5.205, 5.503  
perceived velocity and, 5.204  
single vision limits and, 5.911, 5.912  
stereoscopic depth perception and, 5.918, 5.920, 5.927, 5.935  
target detection and, 1.624, 7.610  
tracking and, 9.534  
visual acuity and, 1.603, 1.611, 1.612  
visual sensitivity and, 1.305-1.307  
warning signals and, 11.405  
*See also* Peripheral vision; retinal location

#### **Visual field stability.** *See* Visual position constancy

#### **Visual fixation, 1.911-1.916**

accuracy of, 1.902  
with angular acceleration, 1.930  
change in. *See* Saccades; smooth pursuit eye movements; vergence eye movements  
convergence and, 1.808  
during display monitoring, 7.311, 7.313-7.319. *See also* Monitoring  
eccentric fixation, 1.916. *See also* Eccentric gaze  
with head and body movement, 1.913, 1.918, 1.958, 1.960.  
  *See also* Vestibular nystagmus; vestibulo-ocular reflex  
monocular, 1.914  
of moving targets. *See* Pursuit eye movements  
preferred fixation distance, 1.902  
during reading  
  duration, 8.112, 8.113  
  number, 8.112-8.114  
  probability, 8.113, 8.114, 8.116  
  words processed during, 8.115  
residual eye movements during, 1.914  
saccades during, 1.914, 1.916  
stability of  
  in the dark, 1.911, 1.913  
  with flicker, 1.915  
  in the light, 1.912  
target characteristics and,  
  flicker, 1.915, 1.916  
  illumination level, 1.909, 1.915  
  summary of effects, 1.915  
  target rotation with head, 1.918  
during visual search, 7.407, 7.504-7.506, 7.511, 7.515  
*See also* Eye movements; monitoring; vergence eye movements; visual direction; visual localization; visual search

#### **Visual horizontal**

with head or body tilt, 3.210, 5.803, 5.804  
precision of judgments, 5.801  
with visual-proprioceptive conflict, 5.1011  
*See also* Alphanumeric coding; alphanumeric displays; coding displays; display quickening; fonts; legibility, symbol; maps; person-computer dialogue: screen displays; picture perception; simulation; video displays; visual language processing

**Visual information portrayal.** *See* Alphanumeric displays; coding; displays; maps; person-computer dialogue: screen displays; simulation

- Visual information processing**  
 attention switching and, 7.218  
 automatic vs. controlled processes, 7.520  
 divided attention and, 7.219-7.221  
 focused attention and, 7.221  
*See also* Attention; mental resources; visual search
- Visual language processing**, 8.101  
 background information and summary information, 8.101  
 of letters, 8.102, 8.103  
 letter recognition  
   context effects (word superiority effect), 8.104  
   serial vs. simultaneous presentation, 8.122  
 same-different matching, 8.102  
 priming and, 8.109  
 type of match and, 8.102, 8.103  
*See also* Letter recognition  
 phonological codes, 8.110  
 of pseudowords, 8.101, 8.106  
 of random letter strings, 8.101, 8.106  
 semantic codes, 8.110  
 of text  
   comprehension, 8.124, 8.126, 8.127  
   eye movements during, 8.111-8.115  
   memory for text, 8.125, 8.128  
   parafoveal information and, 8.118  
   reading speed, 8.117-8.123  
*See also* Reading  
 visual codes, 8.110  
 of words  
   categorization speed, 8.106, 8.107  
   lexical decision task, 8.109  
   meaningfulness and, 8.108  
   naming speed, 8.106, 8.107  
   vs. nonword processing, 8.108  
   vs. picture processing, 8.106, 8.107  
   priming and, 8.109  
   pronounceability and, 8.108  
   same-different matching, 8.102  
   word recognition, 8.101  
     context effects, 8.105  
     model of, 8.110  
 Visual latency, 1.222, 1.229. *See also* Reaction time  
*See also* Alphanumeric displays; letter recognition; reading
- Visual localization**, 5.601-5.607  
 absolute identification, 5.601  
 cancellation theory and, 1.938  
 compared with auditory localization, 2.815  
 egocentric, 5.601  
 during eye movements  
   saccadic, 5.602, 5.603, 5.607  
   tracking (pursuit), 5.604, 5.605  
 eye position and, 5.606  
 factors affecting, summarized, 5.607  
 intersensory interactions, 5.1007-5.1010  
 of moving targets, 5.602, 5.603, 5.607  
 object-centered, 5.601  
 with optical distortion, 5.1101, 5.1103, 5.1113. *See also* Prismatic displacement, adaptation to; space perception, adaptation of  
 spatiotemporal interactions in  
   apparent motion, 5.401-5.407  
   saltation (displacement), 3.119  
*See also* Apparent straightahead; spatial localization; visual direction
- Visually coupled systems.** *See* Head-coupled displays
- Visual masking**  
 contrast sensitivity and, 1.628, 1.640, 1.650, 1.652  
 digitized images, 6.312  
 embedded figures, 6.308  
 feature selective, 6.318  
   orientation-specific effects, 1.652, 6.318  
   spatial-frequency-specific effects, 1.650, 6.318  
 real-world scenes, 7.526  
 stereoacuity and, 5.918, 5.922  
 visual acuity and, 1.603, 1.607  
*See also* Camouflage; spatial interactions
- Visual optics**, 1.201-1.240. *See also* Focus (eye); image quality; optical imaging
- Visual pathology**, 1.102
- Visual persistence**  
 apparent motion and, 5.404, 5.405
- Visual perspective.** *See* Linear perspective
- Visual position constancy**  
 with altered eye-movement/image-movement relations, 1.907  
 definition, 5.201, 5.1120  
 loss of  
   adaptation to, 1.907, 5.1101, 5.1114, 5.1120, 5.1124, 5.1126  
   with eye muscle paralysis, 5.202  
   with optical distortion of visual scene, 5.1101  
   inversion, 5.1101, 5.1114  
   left-right reversal, 1.927, 5.1101, 5.1114  
   magnification/minification, 1.927  
   prismatic displacement, 5.1101, 5.1120  
   underwater viewing, 5.1124, 5.1126  
 during tracking (pursuit) eye movements, 5.201, 5.215, 5.217  
*See also* Vertigo  
*See also* Visual localization
- Visual prototypes**, 6.203
- Visual rearrangement**, 5.1101, 5.1102. *See also* Space perception, adaptation of
- Visual resolution.** *See* Image quality; optical imaging; spatial resolution; visual acuity
- Visual search**, 7.501-7.526  
 accommodative aids and, 7.507  
 color coding and, 7.511, 7.513, 7.519, 11.201-11.203, 11.403  
 concurrent, 7.220  
 conspicuity area, 7.506  
 constant mapping and, 7.516, 7.520  
 controlled vs. automatic, 7.520  
 disjunction of target and distractor sets and, 7.502, 7.516, 7.520  
 display density and, 7.501, 7.513, 7.517  
 distinguished from monitoring and vigilance, 7.401  
 with distractors, 7.501, 7.502, 7.514-7.516, 7.518, 7.520, 9.117  
 empty-field viewing and, 1.239  
 eye movements during, 1.935, 7.504, 7.505  
 factors affecting, summarized, 7.501  
 measurement methods, 7.402  
 for moving vs. static targets, 7.522  
 for multiple targets, 7.501, 7.516, 7.524  
 number of distractors and, 7.501, 7.514, 7.515, 7.518, 9.117  
 number of targets and, 7.502, 7.512, 7.516  
 position uncertainty and, 7.503  
 for presence vs. absence of targets, 7.502  
 processing of nontargets, 7.515  
 in radar-type displays, 7.105  
 in real-world scenes, 7.525, 7.526  
 sequential expectancy and, 7.521  
 shape coding and, 7.511, 11.207, 11.403  
 size coding and, 7.511, 11.403  
 target complexity and, 7.503, 7.512

- target contrast and, 7.509, 7.510
  - target lag and, 7.521
  - target location and, 7.407, 7.502, 7.503
  - target luminance and, 7.503, 7.510
  - target size and, 7.501, 7.506, 7.510
  - visual search rate, 7.502, 7.508
  - without eye movements, 7.508
  - See also* Monitoring; target acquisition; target detection; vigilance
  - Visual sensitivity**, 1.301-1.413
    - during acceleration, 10.901, 10.904
    - with concurrent auditory stimulation, 5.1003
    - background luminance and, 1.401-1.403, 1.512
    - with binocular suppression, 1.807
    - binocular vs. monocular viewing, 1.801
    - brightness discrimination, 1.401-1.404, 1.413, 1.512
    - in the dark, 1.406-1.409, 1.411-1.413. *See also* Dark adaptation
    - equal-brightness contours, 1.304
    - factors affecting, summarized, 1.305, 1.511
    - light intensity range, 1.103
    - light upper tolerance limit, 1.103
    - normalized (across wavelength), 1.110, 1.302. *See also* Luminous efficiency
    - scotopic vs. photopic vision, 1.301
    - spatial summation, 1.308, 1.409
    - spectral sensitivity, 1.102, 1.109, 1.302
    - target size and, 1.307, 1.308, 1.408, 1.412, 1.512
    - temporal summation, 1.409, 1.512
    - visible spectrum, 1.101
    - visual field location and, 1.305-1.307
    - See also* Spatial pattern sensitivity; target acquisition; target detection
  - Visual stability.** *See* Visual position constancy
  - Visual tests**
    - acuity, 1.602
      - correlation with flying performance, 7.612
      - stereoacuity, 5.917
  - Visual tracking.** *See* Manual control; pursuit eye movements
  - Visual vertical**
    - during acceleration, 3.210, 5.505, 5.801
    - factors affecting, summarized, 5.801
    - with head or body tilt, 3.210, 5.801, 5.802, 5.804
    - precision of judgments, 5.801
    - reference frame effects, 5.801
    - See also* Orientation perception; visual horizontal
  - Visual-vestibular interaction**
    - illusory self-motion (vection), 5.501, 5.503, 5.707
    - illusory visual motion
      - elevator illusion, 3.210, 5.504
      - oculogyral illusions, 1.921, 3.209, 3.210
    - illusory visual tilt, 5.801-5.804
      - Aubert effect, 3.210, 5.804
      - Müller effect, 3.210, 5.804
      - oculogravic illusion, 3.210, 5.505
    - vestibular nystagmus, 1.918-1.923, 1.928-1.930
      - visual suppression of, 1.918-1.920
    - vestibulo-ocular reflex, 1.917, 1.926, 10.902
    - See also* Vestibular nystagmus; vestibulo-ocular reflex
  - Visuomotor coordination**
    - with optical distortion of the visual scene, 5.1101, 5.1103, 5.1112
  - Visuomotor negative aftereffect**, 5.1103
  - Visuomotor reduction of effect**, 5.1103
  - Vitreous humor**, 1.201
    - light absorption, 1.202
    - radiation damage, 1.102
  - refractive index, 1.203, 1.209, 1.210
  - Vocal effort**
    - intelligibility of speech in noise and, 8.304, 8.310
  - Vocal tract**, 8.205
  - Voice signals**, 11.415-11.418
    - compared to tone signals, 11.416
    - confusability, 11.418
    - See also* Speech intelligibility; warning signals: voice warnings
  - Voltmeter**, 2.104
  - Volumetric display**, 1.812
  - von Frey hairs**, 3.101, 3.105
  - Von Kries coefficients**, 1.710
  - Vowels**, 8.201
    - of American English, 8.205
    - See also* Speech
  - Wagon-wheel effect**, 5.401
  - Wald decision rule**, 7.311
  - Walking**
    - step cycle time, 9.306
  - Warmth.** *See* Heat
  - Warning signals**
    - alarm classification, 11.402
    - deceleration warning lights, 11.412
    - design of, 11.336, 11.401, 11.402, 11.421
      - considerations in
        - apparent motion, 11.410
        - coding, 11.403
        - redundancy, 11.420
    - indicator lights, 7.106, 7.107, 7.111, 7.116, 7.117, 12.402
    - integration of visual and auditory alerts, 11.421
    - master warning signals
      - facilitative effects, 11.408, 11.409, 11.414
      - bright vs. dim, 11.413
      - negative vs. positive legend, 11.414
      - one-tone vs. two-tone, 11.413
      - size, 11.414
    - reaction time speeding by, 5.1015, 9.110, 9.114
    - shape preferences, 11.407
    - signal characteristics affecting response
      - color, 11.405, 11.406
      - flashing, 11.409-11.412
      - loudness, 11.404
      - luminance, 11.404, 11.406
      - modality
        - visual vs. auditory, 11.404
        - visual and voice combined, 11.415
    - presence of master warning, 11.408, 11.409, 11.414
    - visual field location, 11.405, 11.408, 11.409, 11.419
    - voice vs. tone, 11.416
    - warning interval, 11.419
  - status lights, 7.107
  - voice warnings
    - with accompanying tone warning, 11.417
    - confusability, 11.418
    - facilitation of response to visual warning, 11.415
    - message structure and content, 11.418
    - semantic vs. keyword, 11.417
    - vs. tone warnings, 11.416
    - See also* Speech intelligibility
- See also* Cueing; reaction time
- Warrick's principle**
  - control/display movement relationships, 12.302
- Waterfall illusion**, 6.320. *See also* Motion illusions
- Water submersion.** *See* Underwater listening; underwater viewing



- Waveform**, 2.102  
 analysis, 2.102  
 envelope, 2.102  
 phase relations, 2.102
- Wavelength (light)**  
 color appearance and, 1.101, 1.707  
 complementary wavelength, 1.703, 1.722  
 discrimination of, 1.704, 1.705  
   color-defective individuals, 1.726  
 dominant wavelength, 1.703, 1.722  
 hue and, 1.101  
 range of visible energy, 1.101  
 response time and, 11.205  
 visual sensitivity and, 1.110, 1.302  
*See also* Hue; spectral power distribution; spectral sensitivity
- WDW normalization**, 1.702
- Weber-Fechner Law**. *See* Weber's Law
- Weber's Law**  
 brightness discrimination, 1.401  
 contrast sensitivity, 1.632  
 Weber ratio  
   contrast discrimination, 1.646  
   flicker sensitivity, 1.502, 1.503  
   spatial frequency discrimination, 1.648  
   vibrotactile intensity discrimination, 3.109, 3.110
- Weber ratio**. *See* Weber's Law
- Weight expectancy illusion**, 3.321
- Weighting network**  
 sound level meters, 8.317
- Weightlessness**. *See* Microgravity
- Weight lifting**  
 tonic neck reflex and, 3.326
- Weight perception**, 3.301, 3.303, 3.323, 3.324  
 electrocutaneous stimulation and, 3.303, 3.324  
 fatigue and, 3.303, 3.323  
 skin anesthesia and, 3.303, 3.324  
 temperature and, 5.1005  
 underwater distortion of, 5.1124, 5.1126  
 weight expectancy illusion, 3.321
- Wewerinke's optimal control model**, 7.311, 7.316
- White noise**, 2.102  
 definition, 2.105  
 intensity discrimination of, 2.401  
 masking by, 2.105, 2.305, 2.310-2.312  
   of speech, 8.305-8.310, 8.313, 8.314  
 performance effects of exposure to, 10.305  
*See also* Broadband noise
- Word recognition**  
 context and, 8.105  
 model of, 8.110  
 naming speed, words vs. pictures, 8.106, 8.107  
   with priming, 8.109  
 vs. nonword letter string recognition, 8.108  
*See also* Reading; visual language processing
- Work efficiency**  
 circadian rhythms in, 10.707
- Workload**  
 assessment of. *See* Workload measurement  
 channel capacity, 4.302  
 human-computer allocation of, 7.307-7.309  
 measurement of. *See* Workload measurement  
 mental resources and, 7.201-7.203, 7.703, 7.720, 7.721  
 performance operating characteristic (POC) curve, 7.205  
 tracking and, 9.510, 9.511, 9.522, 9.527, 9.537  
*See also* Attention; concurrent tasks; divided attention; mental resources; workload measurement
- Workload measurement**  
 diagnosticity of measurement methods, 7.701, 7.703  
 measurement methods, summarized, 7.704  
 multiple-resources model and, 7.201-7.203, 7.703  
 physical workload, 7.729  
 physiological measures, 7.704  
   electromyography, 7.729  
   pupil diameter, 7.728  
   transient cortical evoked responses, 7.724-7.727  
 primary task measures, 7.716  
 secondary task measures  
   adaptive task technique, 7.722  
   classes of, 7.704, 7.719  
   embedded secondary tasks, 7.723  
   guidelines for using, 7.720, 7.721  
   loading task paradigm, 7.717  
   Stockholm scales and, 7.709  
   subsidiary task paradigm, 7.718  
 selection of measurement method, 7.701-7.703  
 sensitivity of measurement methods, 7.701, 7.702  
 subjective measures  
   conjoint scaling, 7.711, 7.712  
   Cooper-Harper Aircraft Handling Characteristics Scale, 7.705-7.707, 9.527  
   control task difficulty and, 9.515, 9.522  
   guidelines for use, 7.715  
   limitations of, 7.715  
   magnitude estimation, 7.710  
   Mission Operability Assessment Technique (MOAT), 7.711  
   Stockholm scales, 7.708, 7.709  
   Subjective Workload Assessment Technique (SWAT), 7.712-7.714  
*See also* Attention; mental resources; workload
- Yaw**, 5.701
- Yerkes-Dodson law**, 10.101, 10.104
- Yes/no procedure**, 1.657
- You-are-here maps**, 11.223
- Zeitgeber**, 10.709
- Zero gravity**. *See* Microgravity
- Zero-order system**, 9.504, 9.505, 9.516, 9.519, 9.520, 12.421
- Zloof's query-by-example language**  
 person-computer dialogue, 11.316
- Zollner illusion**, 5.106

# ENGINEERING DATA COMPENDIUM: Supplemental Registration Form

Reproduce and mail to:

Engineering Data Compendium  
Armstrong Aerospace Medical Research Laboratory, AAMRL/HE  
Wright-Patterson Air Force Base, OH 45433-6573, USA

Please register so that we may keep you informed of updates, additions and future products.

Name \_\_\_\_\_  
LAST FIRST MIDDLE INITIAL

Mailing Address (please indicate address to which further correspondence should be sent)

Work: \_\_\_\_\_  
COMPANY DIVISION DEPARTMENT

ADDRESS \_\_\_\_\_

CITY STATE ZIP COUNTRY \_\_\_\_\_

Home: \_\_\_\_\_  
ADDRESS \_\_\_\_\_

CITY STATE ZIP COUNTRY \_\_\_\_\_

Phone Home: ( ) \_\_\_\_\_ Work: ( ) \_\_\_\_\_

Primary end product or services performed at work location \_\_\_\_\_  
\_\_\_\_\_

Type of business at work location (ie: manufacturing, design, RD&T) \_\_\_\_\_  
\_\_\_\_\_

Number of employees at work location \_\_\_\_\_

Your primary job function/organizational title \_\_\_\_\_  
\_\_\_\_\_

Your primary job activities \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Number of years you've been involved in these activities \_\_\_\_\_



# ENGINEERING DATA COMPENDIUM: Comments

Name \_\_\_\_\_  
LAST FIRST MIDDLE INITIAL

Mailing Address (work or home, whichever correspondence should be sent to)

ADDRESS \_\_\_\_\_

CITY STATE ZIP COUNTRY \_\_\_\_\_

Comments (include page#, figure#, and/or table#) \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

*over please*

---

# ENGINEERING DATA COMPENDIUM: Comments

Name \_\_\_\_\_  
LAST FIRST MIDDLE INITIAL

Mailing Address (work or home, whichever correspondence should be sent to)

ADDRESS \_\_\_\_\_

CITY STATE ZIP COUNTRY \_\_\_\_\_

Comments (include page#, figure#, and/or table#) \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

*over please*

---

# ENGINEERING DATA COMPENDIUM: Comments

Name \_\_\_\_\_  
LAST FIRST MIDDLE INITIAL

Mailing Address (work or home, whichever correspondence should be sent to)

ADDRESS \_\_\_\_\_

CITY STATE ZIP COUNTRY \_\_\_\_\_

Comments (include page#, figure#, and/or table#) \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

*over please*

Additional comments \_\_\_\_\_

---

---

---

---

---

---

---

---

Suggestions for future editions \_\_\_\_\_

---

---

---

---

Detach comment card and mail to: Engineering Data Compendium  
Armstrong Aerospace Medical Research Laboratory, AAMRL/HE  
Wright-Patterson Air Force Base, OH 45433-6573, USA

Additional comments \_\_\_\_\_

---

---

---

---

---

---

---

---

Suggestions for future editions \_\_\_\_\_

---

---

---

---

Detach comment card and mail to: Engineering Data Compendium  
Armstrong Aerospace Medical Research Laboratory, AAMRL/HE  
Wright-Patterson Air Force Base, OH 45433-6573, USA

Additional comments \_\_\_\_\_

---

---

---

---

---

---

---

---

Suggestions for future editions \_\_\_\_\_

---

---

---

---

Detach comment card and mail to: Engineering Data Compendium  
Armstrong Aerospace Medical Research Laboratory, AAMRL/HE  
Wright-Patterson Air Force Base, OH 45433-6573, USA