

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

**PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE (DD-MM-YYYY) 06-03-2000		2. REPORT DATE FINAL		3. DATES COVERED (From - To) 01-Apr 1997-31 Dec 1999			
4. TITLE AND SUBTITLE Electron Beam - Directed Vapor Deposition of Low Cost Thermal Barrier Coatings				5a. CONTRACT NUMBER N/A			
				5b. GRANT NUMBER N00014-97-1-0106			
				5c. PROGRAM ELEMENT NUMBER N68892			
				5d. PROJECT NUMBER N68892			
6. AUTHOR(S) Haydn N.G. Wadley and Phillip A. Parrish				5e. TASK NUMBER N/A			
				5f. WORK UNIT NUMBER N/A			
				8. PERFORMING ORGANIZATION REPORT NUMBER N/A			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Virginia Materials Science and Engineering Thornton Hall, B213 Charlottesville, VA 22903				10. SPONSOR/MONITOR'S ACRONYM(S) ONR			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Program Officer: Steven G. Fishman (ONR332) Ballston Centre, Tower One 800 North Quincy Street Arlington, VA 22217-5660						11. SPONSORING/MONITORING AGENCY REPORT NUMBER N/A	
12. DISTRIBUTION AVAILABILITY STATEMENT  Approved for Public Release							
<p><b>DISTRIBUTION STATEMENT A</b> <b>Approved for Public Release</b> <b>Distribution Unlimited</b></p>							
13. SUPPLEMENTARY NOTES  N/A							
14. ABSTRACT The objective of this research is the development of improved performance, more affordable thermal barrier coatings via electron beam - directed vapor deposition (EB-DVD), a high efficiency vapor deposition technology developed and patented by the principal investigator and graduate student in University of Virginia's Intelligent Processing of Materials Laboratory. During the research effort, experiments and modeling efforts were directed at development of coating structures with ultralow thermal conductivities. Ytria-stabilized zirconia layers with "zig-zag" morphologies and fine pore microstructures were produced with measured thermal conductivities of 0.8 W/mK. These coatings are of significant interest to industry engaged in production of naval aircraft and marine turbine engine applications, and specimens have been produced for their evaluation.							
15. SUBJECT TERMS Thermal barrier coatings, electron beam deposition, vapor deposition, thermal conductivity, aircraft and marine turbine engines.							
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT  SAR	18. NUMBER OF PAGES  3	19a. NAME OF RESPONSIBLE PERSON Phillip A. Parrish		
a. REPORT u	b. ABSTRACT u	c. THIS PAGE u			19b. TELEPHONE NUMBER (Include area code) (804) 924-6261		

## **Electron Beam-Directed Vapor Deposition of Low Cost Thermal Barrier Coatings**

Haydn N.G. Wadley  
tel: 804-982-6571  
fax: 804-982-5677  
email: [haydn@virginia.edu](mailto:haydn@virginia.edu)

University of Virginia  
Thornton Hall B212  
Charlottesville, VA 22903

ONR Grant No.: N00014-97-1-0106

ONR Program Officer: Steven Fishman

### **LONG TERM RESEARCH OBJECTIVE**

Development of improved performance, more affordable thermal barrier coatings (TBC's) via electron beam-directed vapor deposition (EB-DVD). EB-DVD will be used to synthesize improved thermal barrier coatings microstructures tailored for the multifunctional requirements of the gas turbine engine environment.

### **SCIENCE AND TECHNOLOGY OBJECTIVES**

A multilayer system is being investigated consisting of an yttria-stabilized zirconia top layer with engineered porosity optimized for both very low thermal conductivity and in-plane stiffness in order to both protect against the hot working gas and to reduce thermal mismatch stress.

### **APPROACH**

In Year 1, the effort focused upon specific equipment upgrades to the EB-DVD system to optimize it for TBC deposition. Progress was measured based upon attainment of desirable phases and microstructures in the zirconia deposits produced utilizing the process enhancements. In Year 2, the effort focused on process modeling and further experimental enhancements. The process modeling aimed at establishing the envelope of processing conditions for optimized zirconia microstructural depositions. In Year 3, the effort was focused upon validation of the process models, leading to optimized deposition of zirconia coatings at high throughput efficiencies. Thermal barrier coatings with thermal conductivity as low as 0.8 w/mk were produced and measured.

### **SIGNIFICANT RESULTS**

- 1) Experiments were performed on the effect of chamber pressure, substrate temperature and deposition rate on the morphology of yttria stabilized zirconia layers. The desired columnar microstructures could be achieved in these layers and column diameter, intercolumnar spacing and texture all varied greatly with processing conditions.
- 2) A Direct Simulation Monte Carlo (DSMC) approach was used to model vapor transport of zirconium under realistic processing conditions.
- 3) An initial theory explaining the observed morphologies was developed to explain experimental results observed under varying process conditions. This theory relates gas flow field properties (such as the mean free path and the velocity vectors of Zr atoms) observed in the DSMC modeling effort to observed layer morphologies.

20000320 115

4) Deposition of reduced thermal conductivity YSZ layers with "zig-zag" morphologies were investigated by altering the "zig-zag" wavelength using various dwell times. The thermal conductivity of these samples were at 0.8 w/mk.

5) Reactive deposition of yttria stabilized zirconia was achieved using a two source crucible and advanced beam scanning techniques. Such approaches offer the possibility of in-situ compositional control.

#### **NAVY RELEVANCE AND TECHNOLOGY TRANSFER**

This effort is relevant to Navy needs for prime reliant coatings in air and marine gas turbine propulsion applications. Technology transfer is accomplished by frequent interactions with turbine engine companies and their suppliers of thermal barrier coatings. In particular, General Electric is interacting with the investigators to produce trial samples for GE's internal evaluation, as well as having discussions regarding licensing of EB-DVD technology from the University.

#### **PLANNED RESEARCH**

The research has been continued under the follow-on ONR Grant Number N00014-00-1-0147. Research will focus on the development of an atomistic level understanding of the growth processes during EB-DVD TBC deposition. Such an understanding will be critical in the development of highly engineered TBC layer which are optimized for low thermal conductivity, high spallation resistance and high thermal stability. Such research will add to the collective effort of developing prime reliant thermal barrier coatings for turbine applications. Once achieved, gas turbine engines can be designed to fully take advantage of TBC benefits leading to increased engine operating temperatures and improved engine efficiencies.

#### **REFERENCES**

##### **Papers Published in Refereed Journals**

Electron Beam-Directed Vapor Deposition of Thermal Barrier Coatings, D.D. Hass, H.N.G. Wadley, and P.A. Parrish, Journal of Vacuum science and Technology, December 1998.

Creep Expansion Of Porous Ti-6Al-4V Sandwich Structures, D.T. Queheillalt, B.W. Choi, D.S. Schwartz And H.N.G. Wadley, accepted Met. Trans. May 1999.

##### **Presentations**

Methods, Mechanisms and Models of EB-DVD, ONR Review, Woods Hole, MA, May 27, 1999.

##### **Patents**

D. D. Hass, H.N.G. Wadley and J. F. Groves "Apparatus and Method for Producing Thermal Barrier Coatings", June 16 1999.

(Disclosure filed) H.N.G. Wadley, J.F. Groves, and D.D. Hass, "Thin Film Combinatorial Synthesis via Electron Beam-Directed Vapor Deposition," submitted May 26, 1999.

##### **Honors**

1999 Virginia Space Grant.

#### **STUDENTS SUPPORTED**

Doctoral 2 Undergraduates 1

Females 0

Minorities 0

#### **OTHER SPONSORED S&T**

- Ultralight Metals (MURI), ONR through Harvard U, 9/1/96-8/31/01, \$1,750,000

- Intelligent Processing of Materials for Design and Manufacturing, DARPA/NASA, 5/31/97-4/30/2000, \$3,815,164
- Directed Vapor Deposition System for Atomically Engineered Surfaces (DURIP), ONR, \$286,000.
- Plasma Assisted Electron Beam-Directed Vapor Deposition (DURIP), ONR, \$92,500.