
AFRL-HR-BR-TR-2001-0144



UNITED STATES AIR FORCE RESEARCH LABORATORY

MEASUREMENT OF LATE TISSUE DAMAGE IN RHESUS MONKEYS EXPOSED TO PROTONS

John Lett Clair Lee Gerald Williams

COLORADO STATE UNIVERSITY Department of Radiological Health Sciences Fort Collins, CO 80523

Ann Cox

HUMAN EFFECTIVENESS DIRECTORATE DIRECTED ENERGY BIOEFFECTS DIVISION BIOMECHANISMS & MODELING BRANCH 2503 Gillingham Drive Brooks AFB, Texas 78235

September 1995

20010910 217

Approved for public release; distribution unlimited.

NOTICES

This report is published in the interest of scientific and technical information exchange and does not constitute approval or disapproval of its ideas or findings.

Using Government drawings, specifications, or other data included in this document for any purpose other than Government-related procurement does not in any way obligate the US Government. The fact that the Government formulated or supplied the drawings, specifications, or other data, does not license the holder or any other person or corporation, or convey any rights or permission to manufacture, use, or sell any patented invention that may relate to them.

The Office of Public Affairs has reviewed this report, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This report has been reviewed and is approved for publication.

ann B.

ANN B. COX, Ph.D. Project Scientist

RICHARD L. MILLER, Ph.D. Chief, Directed Energy Bioeffects Division

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-01-0188		
The public reporting burden for this colle gathering and maintaining the data neede of information, including suggestions fo (0704-0188), 1215 Jefferson Davis High subject to any penalty for failing to comply PLEASE DO NOT RETURN YOU	ction of information i d, and completing an r reducing the burd way, Suite 1204, Arli y with a collection of i IR FORM TO TH	s estimated to average 1 hour d reviewing the collection of info en to Department of Defense, ngton VA 22202-4302. Respon nformation if it does not display IE ABOVE ADDRESS.	per response, inclu ormation. Send con , Washington Hea dents should be a a currently valid O	uding the tim ments regard dquarters Se ware that no MB control nu	e for reviewing instructions, searching existing data sources, ding this burden estimate or any other aspect of this collection ervices Directorate for Information Operations and Reports twithstanding any other provision of law, no person shall be umber.	
1. REPORT DATE (DD-MM-YYY)					3. DATES COVERED (From - To)	
September 1995	Final				Nov 1984 - Sep 1995	
4. TITLE AND SUBTITLE		· · · · · · · · · · · · · · · · · · ·		5a. CONT	TRACT NUMBER	
Measurement of Late Tissue	Damage in Rh	esus Monkeys Expose	sed to Protons F3361		15- 8 5-C-4514	
	U			5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER 62202F		
6. AUTHORS	· · · · · · · · · · · · · · · · · · ·			5d. PRO.	JECT NUMBER	
John T. Lett, Ph.D				7757		
Ann B. Cox, Ph.D.				5e. TASK NUMBER		
A. Clair Lee, D.V.M.				B1		
Gerald R. Williams, M.S.						
			5f. WO 02			
7. PERFORMING ORGANIZATIO Department of Radiological I Colorado State University Fort Collins, CO 80523					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Research Laboratory Human Effectiveness Directorate Directed Energy Bioeffects Division 2503 Gillingham Drive Brooks Air Force Base, TX 78235					10. SPONSOR/MONITOR'S ACRONYM(S) AFRL-HE-BR-TR-2001-0144 11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILIT Approval for public release;		unlimited.				
13. SUPPLEMENTARY NOTES						
Radiation-accelerated aging monkeys; (4) Comparative st monkey skin fibroblasts to p those to be expected in space be negligible or undetectable non-lethal space radiations.	of skin fibrobla tudies of protor erform normal e, but it was con e in human skin out the kinetics g after the spac	asts in vitro; (2) Woun n-induced cataracts in functions in vitro and ncluded that following n. (3 & 4) Late cataract of radiation cataractor e mission(s) is (are) or	d healing in v Fischer-344 r in vivo were "expected" of ts may occur genesis in the ver. Laborato	vivo; (3) I rats. (1 & noted fol doses of s in the oc rhesus m ory rats ar	hkeys and in age-matched controls: (1) Late radiogenic cataracts in rhesus (2) Some deficits in the abilities of lowing radiation doses slightly higher than space radiation, late harmful sequelae will ular lenses of some astronauts exposed to nonkey indicate that radiogenic cataracts re not good models for late cataract studies them early in their life span.	
15. SUBJECT TERMS Cataracts, Dosimetry, Ionizin						
a REPORT b. ABSTRACT C. THIS PAGE ABSTRACT OF Ann B. C						
Unclass Unclass	Unclass	UL	PAGES 14	19B. TEI DSN 3	LEPHONE NUMBER (Include area code) 333-6006	
					Standard Form 298 (Rev. 8/98)	

.

CONTENTS

Prefaceiv
Introduction and History1
Radiation Effects on the Skin1
Radiation-Accelerated Senescence of Skin Fibroblasts In VITRO1
Wound Healing In VITRO1
Skin Studies: Conclusions2
Radiation Effects on the Ocular Lens2
Radiation Effects on the Ocular Lens
Normal Aging and Radiogenic Lenticular Opacifications in Monkeys2
Normal Aging and Radiogenic Lenticular Opacifications in Monkeys2 Normal Aging and Radiogenic Lenticular Opacifications in Rats

PREFACE

This contract, titled "MEASUREMENT OF LATE TISSUE DAMAGE IN RHESUS MONKEYS EXPOSED TO PROTONS," covered studies of the following endpoints in protonirradiated rhesus monkeys and in age-matched controls:

1) Radiation-accelerated Aging or Senescence of Skin Fibroblasts in vitro

2) Wound-healing in vivo

3) Late Radiogenic Cataracts in Rhesus Monkeys

4) Comparative Studies of Proton-induced Cataracts in Fischer-344 Rats

Eighteen publications in peer-reviewed journals and proceedings resulted from and/or were associated with these studies, and thirty-three abstracts were published; one publication is pending (see References), and others are in preparation. This report contains a summary of those results.

INTRODUCTION and HISTORY

The space environment presents hazards from particulate ionizing radiations which are not encountered on the surface of the earth. In 1964, the United States Air Force (USAF) and the National Aeronautics and Space Administration (NASA) initiated a study designed to evaluate late effects of simulated space radiations (primarily energetic protons) in a nonhuman primate model, the rhesus monkey, *Macacca mulatta*. Age-matched control subjects as well as some Xirradiated and electron-exposed primates were included in the experiment. For most of the duration of the experiment the monkeys were housed, cared for and studied at Brooks AFB in San Antonio, TX. The primary endpoints measured in the joint USAF/NASA project were cancers produced by exposures to ionizing radiations.

In addition to the nonhuman primate project, NASA also supported work at Colorado State University on late effects of heavy ions (²⁰Ne, ⁴⁰Ar and ⁵⁶Fe) in optic and proximate tissues (including skin and hair follicles) of the New Zealand white rabbit, *Oryctolagus cuniculus*, starting in 1972. Data from those studies on DNA repair in retinal photoreceptors, radiogenic cataracts, wound-healing in vivo and radiation-accelerated in vitro senescence were published in due course, and the research program continued with NASA support through 1996.

Based on the rabbit studies of radiation-accelerated fibroblast senescence *in vitro*, NASA funded a pilot project at Colorado State University to study the same phenomenon in proton-irradiated rhesus monkeys at Brooks AFB. Between 1981 and 1984, techniques for collecting, culturing and transporting monkey fibroblasts were refined by the Colorado State University grantees with the support of the Veterinary Sciences and Radiation Sciences Divisions at the USAF School of Aerospace Medicine at Brooks AFB. In 1985, the USAF funded a contract to Colorado State University to pursue the *in vitro* senescence studies with proton-irradiated monkey skin fibroblasts. In addition, the contractors were tasked to quantify radiogenic cataracts in the monkeys. Results of the studies are summarized here.

RADIATION EFFECTS ON THE SKIN

RADIATION-ACCELERATED SENESCENCE OF SKIN FIBROBLASTS IN VITRO

The rabbit studies involved subjects partially irradiated with relatively high doses of heavy ions; the monkey studies involved subjects irradiated "whole-surface" with relatively low doses of energetic (55-MeV) protons which penetrated to a depth of 2.5 cm (1). The radiation doses given the rabbits were high enough so that differences among control and irradiated senescence levels were highly significant. Most of the surviving monkeys studied starting in 1985 had received relatively low or intermediate radiation doses, but the few that had received relatively high doses showed significant differences from controls as far as radiation-accelerated in vitro senescence was concerned (1-3). Results obtained from lower-dose animals were less clear-cut, and were suggestive of trends rather than being statistically significant (1-3, 5, 6).

WOUND HEALING IN VIVO

As described above, reference radiation doses to rabbits were generally much higher and to more limited volumes than were the doses to surviving monkeys in these studies. There were trends

among the rates of wound healing in monkeys which indicated some diminution in healing ability in subjects which received relatively low doses, but these were not significantly different statistically from the healing ability exhibited by control subjects (5,6,8).

SKIN STUDIES: CONCLUSIONS

Doses of ionizing radiations slightly higher than those that might be expected in the space environment were shown to cause some changes (deficits) in the ability of skin fibroblasts to proliferate normally *in vivo* and *in vitro*. As far as the abilities of stem cells to perform normal functions following "expected" doses of ionizing radiations in space, however, it was concluded that late harmful sequelae will be negligible or undetectable (1-3, 5, 6, 8).

RADIATION EFFECTS ON THE OCULAR LENS

NORMAL AGING AND RADIOGENIC LENTICULAR OPACIFICATIONS IN MONKEYS

Radiogenic cataracts were noted in irradiated monkeys early in the study, especially among subjects which received relatively high radiation doses, but cataractogenesis was not quantified systematically until 1985. At that time, lenticular opcacifications were scored using a well-tried cataract scoring system developed at Colorado State University for radiogenic cataracts in control and irradiated New Zealand white rabbits. Between 1985 and 1995, cataracts were scored in the control and irradiated monkeys at least once, but usually twice, annually. In addition, three medical doctors (ophthalmologists) were called in at different times to observe and quantify lenticular changes in the monkeys. The goals of these consultations were to a) cross-correlate different cataract scoring systems and b) further the progress toward the goal of extrapolating the lens data from the nonhuman primates to humans (see below).

Data from the monkey cataract studies contributed to 13 publications (4-7, 9-15, 17-18), and one publication (16) resulted in part from recalculation of the proton doses to the nonhuman primates' eyes. A fourteenth publication is in preparation at this time.

There were several conclusions regarding late radiogenic cataracts based on data from the Armstrong Laboratory monkey colony alone. These results and their implications are discussed in detail in the articles cited above, but some highlights are listed here.

1) At 20 years post-irradiation with lenticular doses of protons as high as 2.5 Gy, no differences can be detected between cataract scores in control and irradiated monkeys. At 25 years post-irradiation, however, significant differences can be seen between the cataract scores in the same two groups. This indicates that for the endpoint of late radiogenic cataracts, nonhuman primate subjects must be measured for an extended period before conclusions can be drawn about the cataractogenic potential of non-lethal doses of ionizing radiations (see below).

2) Control monkeys do exhibit some measurable senile lenticular cataracts, but those opacifications do not appear until very late in the life spans of the primates. This situation is directly comparable to the human situation (see below).

In addition to scoring radiogenic cataracts in the monkeys at Brooks AFB, contractors traveled twice (using non-USAF sources of funding) to Rijswijk in The Netherlands and measured cataract levels in control and X-irradiated monkeys in a colony there. Comparisons of data from the two colonies was the goal of this part of the study. The Rijswijk monkey colony included subjects which had received whole-body doses of X-rays which would have been lethal had the individuals not been treated with bone-marrow "rescue" protocols. This enabled the investigators to see radiogenic cataracts in relatively high-dose animals (5-8.5 Gy), and allowed us to fill in some blanks in our data base for animals which, in the Brooks AFB colony, were deceased before the systematic measurements of cataracts began in 1985. Also, it was found that old control monkeys in the Rijswijk colony developed senile cataracts at a rate directly comparable to the control monkeys at Brooks AFB. Finally, it was noted that young animals which had received doses of approximately 5 Gy had a latency period of at least 3 years during which time cataract levels different from controls were not apparent; 5 Gy doses caused significant **late** cataracts in the Brooks AFB monkeys.

1

Since the ultimate goal of the long-term monkey project is to extrapolate late-effects data to humans for the purpose of making accurate radiation risk estimates, a comparative study was performed using cataract data from humans who had received radiotherapy treatments to their eyes. The study was funded in part by a NASA Specialized Center for Research and Training (NSCORT) grant to Colorado State University and Lawrence Berkeley National Laboratory, and the first publication on this topic appeared in 1994 (15). One of the ophthalmologists associated with that study (W. Meecham, M.D.) has examined the eyes of the Brooks AFB monkeys on two occasions, and also, for comparative and correlation purposes, has inspected the eyes of irradiated rabbits at Colorado State University at least twice.

As part of correlations among subjective and objective scoring systems, a third ophthalmologist (D. Gagliano, M.D.) scored selected Brooks AFB monkeys and compared his system with one objective method now under development at the Massachusetts Institute of Technology (Optical Coherence Tomography or OCT) and a technique under development at Harvard Medical School for quantitating cataracts in human lenses (Lens Opacities Classification System III or LOCS III) as well as with the Colorado State University method of scoring cataracts. Results from this comparative study appear in reference (18).

Based upon the studies summarized above, and upon one preliminary trip to the Radiation Effects Research Foundation (RERF) in Hiroshima, NASA has funded a new project to study medical chart data on senile and radiogenic cataracts among selected survivors from the 1945 blast. This promises to be an enterprise which will a) clarify radiation risk estimates for cataracts and b) aid the survivors in predicting late cataracts from estimated radiation doses.

NORMAL AGING AND RADIOGENIC LENTICULAR OPACIFICATIONS IN RATS

As a supplement to a study designed primarily to observe proton-induced brain tumors in Fischer-344 rats, the contract was modified to allow Colorado State University personnel to measure the development of early, intermediate and late cataracts in rats which received head-only irradiation in 1989. The rats were examined approximately 4 times per year for 2.5 years following lenticular doses of 0, 2, 4, 8.5 or 18 Gray. As expected, the higher doses caused early and intermediate development of significant lenticular opacifications. The 2-Gy dose to the

lenses also caused lenticular opacifications to develop over time, but, although the opacifications appeared slightly earlier in the 2-Gy animals than they did in controls, senile cataracts developed so early in the control rats (starting at 18 months post-irradiation) that they could not be distinguished from 2-Gy cataracts even as late as 29 months post-irradiation (13). The rat cataract study caused us to conclude that, for long-term, late effects studies of radiogenic cataracts, the rat in particular is an unsatisfactory model due not only to its short life span but also to the high level of congenital cataracts in the species.

CATARACT STUDIES: CONCLUSIONS

Late cataracts may be expected to occur in the lenses of some astronauts exposed to non-lethal doses of particulate radiations in space, but the kinetics of radiation cataractogenesis in the rhesus monkey, a nonhuman primate model, are such that radiogenic cataracts should not develop until long after the space mission(s) is(are) over. This conclusion is in contrast to some made by other investigators using rodent models to study the late endpoint of cataract. Laboratory rodents (rats) are not a good model for this particular endpoint because of their short life spans and the high levels of cataracts that appear naturally in these animals relatively early in their life span.

FUTURE STUDIES

Since 20/358 animals from the original Delayed Effects Colony survived after the conclusion of this contract in September 1995, it is hoped that more cataract examinations can be performed on this important group of aging and/or irradiated subjects in the future, at least on an annual basis.

Some cataract data obtained prior to 1985 exists in animal charts and in other records. Included among those records are data from animals which received intermediate and relatively high doses of ionizing radiation as well as early data from monkeys which survived to be examined from 1985 until they died. It will be important to quantify those data not only to fill in blanks in our cataract database prior to 1985, but also to determine the kinetics of early cataract development in control and irradiated monkeys.

Finally, although the contractors were not tasked here to measure DNA damage in monkey retinas, we hope to obtain funding to measure changes in aging and irradiated photoreceptor DNA in order to compare those data with the large data set on DNA damage and repair in aging and irradiated rabbit photoreceptor cells. To that end, we have been freezing retinas in liquid nitrogen and storing them for future DNA measurements using the zonal rotor ultracentrifugation technique developed by the principal investigator at Colorado State University.

REFERENCES

Publications

1) Bergtold, D. S., Cox, A. B., Su, C. M. And Lett, J. T. Late skin damage in rabbits and monkeys after exposure to particulate radiations. <u>Adv. Space Res.</u> 3, 221-229, 1983.

2) Lett, J.T., Cox, A.B., Bergtold, D.S., Lee, A. C. and Pickering, J. E. Late effects from particulate radiations in primate and rabbit tissues <u>Adv. Space Res.</u>, 4, 251-256, 1984.

3) Cox, A.B., Wood, D.H., and Lett, J.T. Use of primary cell cultures to measure the late effects in the skins of Rhesus monkeys irradiated with protons. <u>Adv. Space Res.</u>, 6, 217-222, 1986.

4) Lett, J.T., Cox, A.B., and Lee, A.C. Cataractogenic potential of ionizing radiations in animal models that simulate man. <u>Adv. Space Res.</u>, 6, 295-303, 1986.

5) Cox, A.B., Lee, A.C., and Lett, J.T. Delayed effects of protons on the lens and integument: a primate model. In Proc. NATO-ASI, Vol. 154 "Terrestrial Space Radiation and Its Biological Effects" (P.D. McCormack, C.E. Swenberg, and H. Bucker, eds.), Plenum, New York, pp. 415-422, 1988.

6) Lett, J.T., Cox, A.B., and Lee, A.C. Selected examples of degenerative late effects caused by particulate radiations in normal tissues. In Proc. NATO-ASI, Vol. 154 "Terrestrial Space Radiation and Its Biological Effects" (P.D, McCormack, C.E. Swenberg, and H. Bucker, eds.), Plenum, New York, pp. 393-413, 1988.

7) Lett, J.T., Lee, A.C., Cox, A.B., and Wood, D.H. Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species. <u>Adv. Space Res.</u>, 9, (10)325-(10)331, 1989.

8) Cox, A.B. and Lett, J.T. The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons. <u>Adv. Space Res.</u>, 9, (10)125-(10)130, 1989.

9) Lett, J. T., Atwell, W and Golightly, M. J. Radiation Hazards to Humans in Deep Space: A Summary with Special reference to Large Solar Particle Events. IN <u>Solar-Terrestrial</u> <u>Predictions</u>: Proceedings of a Workshop at Leura, Australia, 16-20 October, 1989 (R. J. Thompson et al., eds.), Volume 1, pp. 140-153, NOAA/ERL, Boulder, CO, November 1990.

10) Lett, J.T., Lee, A.C., and Cox, A.B. Late cataractogenesis in rhesus monkeys irradiated with protons and radiogenic cataract in other species. <u>Radiat. Res.</u>, 126, 147-156, 1991.

11) Shinn, J. L., Wilson, J. W., Cox, A. B., and Lett, J. T. A study of lens opacification for a Mars mission. Proc. 21st International Conference on Environmental Systems, SAE Technical Paper Series #911354, 1991.

12) Cox, A.B., Lee, A.C., Williams, G.R., and Lett, J.T. Late cataractogenesis in primates and lagomorphs after exposure to particulate radiations. <u>Adv. Space Res.</u> 12, (2)379-(2)384, 1992.

13) Cox, A. B., Salmon, Y. L., Lee, A. C., Lett, J. T., Williams, G. R., Broerse, J. J., Wagemaker, G. and Leavitt, D. Progress in the extrapolation of radiation cataractogenesis data

across longer-lived mammalian species. Proceedings of NATO Advanced Study Institute on Biological Effects and Physics of Solar and Galactic Cosmic Radiation, part A, (C. E. Swenberg, G. Horneck and E. G. Stassinopoulos, editors), pp. 177-184, Plenum Press, New York, 1993.

 Cox, A. B., Salmon, Y. L., Hanes, M., Fanton, J. W., Lett, J. T., Lee, A. C. and Williams, G. R. Radiobiological risk estimates for space flight based on long-term studies in protonirradiated primates. Proc. 23rd International Conference on Environmental Systems, SAE Technical Paper Series #932213, 1993.

15) Blakely, E. A., Daftari, I. K., Meecham, W. J., Alonso, L. C., Collier, J. M., Kroll, S. M., Gillette, E. L., Lee, A. C., Lett, J. T., Cox, A. B., Castro, J. R. and Char, D. H. Helium-ion induced human cataractogenesis. <u>Adv. Space Res.</u> 14, (10)501-(10)505, 1994.

16) Hardy, K. A. and Leavitt, D. D. Experimental simulation of proton space radiation environments: a dosimetric perspective. <u>Adv. Space Res</u>. 14, (10)959-(10)967, 1994.

17) Lett, J. T., Lee, A. C. and Cox, A. B. Risks of radiation cataracts from interplanetary space missions. *Acta Astronautica* 32, 739-748, 1994.

18) DiCarlo, C.D., Boppart, S., Gagliano, D. A., Amnotte, R., Smith, A. B., Hammer, D. X., Cox, A. B., Hee, M. R., Fujimoto, J., Swanson, E. and Roach, W. P. A new noninvasive imaging technique for cataract evaluation in the rhesus monkey. Proceedings of Lasers in Surgery: Advanced Characterization, Therapeutics, and Systems V, Society of Photo-Optical Instrumentation Engineers (SPIE) Vol. 2395, 636-643 (1995).

19) Niemer-Tucker, M.M.B., Sterk, C. C., Lee, A.C., Lett, J. T., Cox, A. B., Emmanouilidisvan der Spek, K., Davelaar, J. and Broerse, J. J. Ophthalmological complications after total body irradiation in nonhuman primates: cataracts and fundus lesions for post-irradiation intervals up to 20 years (in preparation, 1996).

Abstracts

1) Bergtold, D.S., Cox, A.B., Su, C.M., and J.T. Lett. Late Skin Degeneration in Monkeys and Rabbits after Exposure to Densely Ionizing Radiation. Abstracts COSPAR - Twenty-Fourth Plenary Meeting, Ottawa, Canada, p. 528, 1982.

2) Lett, J.T., Cox, A.B., Bergtold, D.S., Lee, A.C., and Pickering, J.E. Late effects from particulate radiations in primate and rabbit tissues. COSPAR - 25th Plenary Meeting, Graz, Austria, P. 324, 1984.

3) Lett, J.T., Cox, A.B., and Lee, A.C. Some perspectives on cataractogenesis from heavy charged particles. Abstracts - Symposium on Heavy Charged Particles in Research and Medicine, Berkeley, CA, p. 26, 1-3 May 1985.

4) Cox, A.B. and Lett, J.T. Damage to stem cell populations in the skin as predictors of late sequelae of radiation exposure. Third Rome International Symposium (A.I.S.M.O.), "The Challenge of Local Tumor Control and its Impact on Survival," Vatican City, Rome, Italy, 12-17

May 1985.

5) Cox, A.B., Wood, D.H., and Lett, J.T. Late radiation damage in primate skin following exposures in animal models that simulate man. Abstracts - COSPAR - Twenty-sixth Plenary Meeting, Toulouse, 1986.

6) Lett, J.T., Cox, A.B., and Lee, A.C. Cataractogenic potential of ionizing radiations in animal models that simulate man. Abstracts - COSPAR - Twenty-sixth Plenary Meeting, Toulouse, 1986.

7) Cox, A.B. and Lett, J.T. Quantitation of late radiation damage in the skin of the rhesus monkey. Abstracts - 8th International Congress of Radiation Research, Edinburgh, July 1987.

8) Cox, A.B., Lee, A.C., and Lett, J.T. Delayed effects of protons on the lens and inegument: a primate model. Abstracts - NATO Advanced Study Institute, "Terrestrial Space Radiation and its Biological Effects," Corfu, Greece, October 1987.

9) Lett, J.T., Cox, A.B., and Lee, A.C. Selected examples of degenerative late effects caused by particulate radiations in normal tissues. Abstracts - NATO Advance Study Institute, "Terrestrial Space Radiation and its Biological Effects," Corfu, Greece, October, 1987.

10) Hardy, K.A., Yochmowitz, M.G., Cordts, R.E., Wood, D.H., Salmon, Y.L., and Cox, A.B. Delayed effects of proton irradiation in <u>Macaca mulatta</u> primates (22-year summary). Abstracts - Conference on the High Energy Radiation Background in Space, Sanibel Isl., FL, November 3-5, 1987.

11) Cox, A.B. and Lett, J.T. Late radiation damage in primate skin exposed to high-energy protons. Abstracts - COSPAR - 27th plenary meeting Espoo, Finland, 1988.

12) Lett, J.T., Cox, A.B., and Lee, A.C. Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species. Abstracts - COSPAR - 27th plenary meeting, Espoo, Finland, 1988.

13) Cox, A.B. Cutaneous tissue repair in irradiated primates. Abstracts - Radiation Research Society - 37th Annual Meeting, Seattle, WA, 1989.

14) Cox, A.B., Lett, J.T., and Lee, A.C. Late cataractogenesis in primates exposed to protons. Abstracts - Radiation Research Society - 38th Annual Meeting, New Orleans, LA, 1990.

15) Cox, A.B., Lett, J.T., and Lee, A.C. Late cataractogenesis in primates exposed to protons. Abstracts - COSPAR - 28th Plenary Meeting, The Hague, The Netherlands, 1990.

16) Lett, J. T. and Cox, A. B. Risks of radiation cataracts from interplanetary space missions. Abstracts, 9th IAA Symposium on Man in Space, Köln, Germany, June 1991.

17) Cox, A. B., Lee, A. C., Williams, G. R. and Lett, J. T., Late Radiogenic cataracts from

high-energy particles in selected animal species: a comparative study. Abstracts, World Space Congress (Committee on Space Research (COSPAR)), Washington, DC, 28 Aug-5 Sept 1992.

18) Broerse, J. J., Niemer-Tucker, M. M. B., Wagemaker, G., van Bekkum, D. W., Zurcher, C., Lee, A. C., Williams, G.R. and Cox, A. B. Late effects of high-dose total body irradiation in rhesus monkeys and the extrapolated risk to man. Abstract - European Society of Radiation Biology, Ehrfurt, Germany, October 1992.

 Cox, A. B., Salmon, Y. L., Hanes, M., Fanton, J. W., Lett, J. T., Lee, A. C. and Williams,
G. R. Radiobiological risk estimates for space flight based on long-term studies in protonirradiated primates. Abstract - 23rd International Conference on Environmental Systems,
Colorado Springs, CO, 11-15 July 1993.

20) Cox, A. B. Radiation Risk Estimates for Aerospace Operations. Abstract for Workshop on "Strategies for Conduct of Functionally Oriented Life Sciences Research in Support of Human Space Flight (J. Bagian, organizer), Aerospace Medical Association Annual Meeting, San Antonio, TX 8-12 May 1994.

21) Cox, A. B., Hanes, M.A., Trotter, R.W., DiCarlo, C.D., Fanton, J.W., Lett, J.T., Lee, A.C. and Lucas, J.N. A nonhuman primate model for Particulate Radiation Risk Estimates. Abstract for International Symposium, "Heavy Ion Research: Space Radiation Protection and Therapy," Sophia-Antipolis, France, 21-24 March 1994.

22) Cox, A. B. Nonhuman Primates Exposed to High-energy Protons: A Model for Late Space Radiation Effects Extrapolated to Man, Abstract for 30th Scientific Assembly, Committee on Space Research (COSPAR), Hamburg, Germany, 11-21 July 1994.

23) Cox, A.B., Hanes, M.A., Trotter, R.W., DiCarlo, C.D., Fanton, J.W., Lett, J.T., Lee, A.C. and Williams, G.R. Late Effects of Protons in Nonhuman Primates: Deterministic and Probabilistic Data Relevant to Space Radiation Risk Estimates, Abstract for 30th Scientific Assembly, Committee on Space Research (COSPAR), Hamburg, Germany, 11-21 July 1994.

24) DiCarlo, C. D., Boppart, S. A., Hee, M. R., Fujimoto, J. G., Gagliano, D. A., Swanson, E.A., Cox, A. B., Amnotte, R. E., Smith, A. B. and Roach, W. P. New Noninvasive Imaging Technique for Cataract Evaluation in the Rhesus Monkey. Abstract for Biomedical Optics '95, Section on Lasers in Veterinary Medicine, 6 February 1995.

25) Cox, A. B., Fanton, J. W., Hardy, K. A. and Leavitt, D. D., Space Radiobiological Studies with Mammalian Model Systems: Applications to Terrestrial Medicine. Abstract for NASA/AIAA hosted conference "Applications of Space Life Sciences, Today's Imperative: Bringing Space Benefits Down to Earth," Houston, Texas, 3-6 April 1995 (invited).

Gagliano, D. A., DiCarlo, C. D., Boppart, S. A., Cox, A. B., Hammer, D. X., Fujimoto, J. G., Roach, W. P. and Stuck, B. E. Optical Coherence Tomography (OCT) Evaluation of Lenticular Opacification in Nonhuman Primates. Abstract for ARVO (Association for Research in Vision & Ophthalmology) meetings, Fort Lauderdale, Florida, 14-19 May 1995.

27) Cox, A. B. Space Radiobiological Studies with a nonhuman primate model system: review of a 30-year study. Abstract for NASA-sponsored Sixth Annual Space Radiation Health Investigators' Workshop, Brookhaven National Laboratory, NY, 2-5 May 1995 (invited).

t.

28) Cox, A. B., Fanton, J. W., Hanes, M. A., Trotter, R. W., DiCarlo, C. D., Mason, P. A., Hardy, K. A., Leavitt, D. D., Lucas, J. N., Lett, J. T., Williams G. R., and Lee, A. C. Nonhuman primates exposed to energetic protons: a 30-year study. Abstract for 10th International Congress of Radiation Research, Würzburg, Germany, 27 Aug-1 Sept 1995.

29) Cox, A. B., Fanton, J. W., Hanes, M. A., Trotter, R. W., DiCarlo, C. D., Mason, P. A., Hardy, K. A., Leavitt, D. D., Lucas, J. N., Lett, J. T., Williams G. R., and Lee, A. C. Nonhuman primates exposed to energetic protons: a 30-year study. Abstract for 1st CERT Symposium on Environmental Radiation Toxicology, San Antonio, TX 21-22 Sept 1995

30) Cox, A. B. and Hardy, K. A. The space radiation environment: hazards for humans and hardware outside the earth's magnetosphere. Abstract - 26th International Conference on Environmental Systems, Monterey, CA, 8-11 July 1996.

31) Cox, A. B., Hardy, K. A., Lett, J. T., Lee, A. C., Williams, G. R., Hanes, M. A., Fanton, J. W., Leavitt, D. D., Mason, P. A. And Lucas, J. N. Late-effects studies in irradiated primates: radiobiology and dosimetry related to risk estimates for space flight and Space Station. Abstract - 26th International Conference on Environmental Systems, Monterey, CA, 8-11 July 1996.

32) Hanes, M. A. and Cox, A. B. Pathology of late proton effects in nonhuman primates. Abstract for 31st COSPAR Scientific Assembly, Birmingham, UK, 14-21 July 1996.

33) Cox, A. B., Hanes, M. A. And Lett, J. T. Effects of low and intermediate doses of particulate radiations on long-lived animals: late stochastic and deterministic effects. Abstract for 31st COSPAR Scientific Assembly, Birmingham, UK, 14-21 July 1996.