AD

Award Number: DAMD17-00-1-0486

TITLE: Development of a Transgenic Mouse Model for Breast Cancer that is Optimized for the Study of T Cell-Based Therapeutic Strategies

PRINCIPAL INVESTIGATOR: Brad H. Nelson, Ph.D.

CONTRACTING ORGANIZATION: Virginia Mason Research Center Seattle, Washington 98101-6525

REPORT DATE: June 2001

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release; Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20011005 286

Pace accord			AF		Form Approved
Bade method with overheing and nother gehaviour regional regiona regional regiona regional regional regiona regiona	REPORT DOCUMENTATION PAGE			OMB No. 074-0188	
1. AGENCY USE ONLY LEAVE blank 1 2. REPORT TYPE AND DATES COVERED June 2010 4. TITE AND SUBTITE June 2010 Annual (15 May 00 - 14 May 01) 4. TITE AND SUBTITE Transgenic Mouse Model for Breast Cancer that is Optimized for the Study of T Cell-Based Therapeutid Strategies 5. FUNDING MUMBERS DXAME AND ANDERS (ES) 6. AUTHORIS Bread Therapeutid Strategies 5. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 5. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION RESOLUTION (MONTORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Marytand 21702-5012 10. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 11. SUPPLEMENTARY NOTES 12b. DISTRIBUTION / AVAILABELITY STATEMENT Approved for Fublic Release; Distribution Unlimited 12b. DISTRIBUTION CODE 13. ABSTRACT (Maximum 200 Words) Our goal is to develop a transgenic mouse model for breast cancer that Will allow the <i>in vivo</i> activities of tumor-specific T cell is cons to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to 'tag' the <i>neu</i> oncogene with two defined T cell epitope tags to the nou oncogene and shown by in vitro assays that (1) <i>neu^{1/1071}</i> is indeed recognized by 0T1 - and 0T2-specific TCR transgenic T cells. To date, we have successfully attached the COT1 and CT2-specific TCR transgenic T cells, and (2) <i>neu^{1/1071}</i> is indeed recognized by CT1 - and OT2-specific TCR transgenic T cells. To asstract	the data needed, and completing and reviewing this c	ollection of information. Send comments regard rvices. Directorate for Information Operations ar	ing this burden estimate or any off ad Reports, 1215 Jefferson Davis I	Highway, Suite 1204, A	rlington, VA 22202-4302, and to the Office of
4 TITLE AND SUBTITLE FUNDING NUMBERS Development of a Transgenic Mouse Model for Breast Cancer that is Optimized for the Study of T Cell-Based Therapeutic Strategies 5. MUNDING NUMBERS Strategies 6. WINGNSI Brad H. Nelson, Ph.D. 6. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Virprini Makin Research Center Seattic, Washington 98101-6525 8. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012 10. SPONSORING / MONITORING AGENCY REPORT NUMBER 11. SUPPLEMENTARY NOTES 11. SUPPLEMENTARY NOTES 12b. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited 12b. DISTRIBUTION CODE 13. ABSTRACT (Maximum 200 World) Our goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell icones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to 'lag' the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary epithelium, epitope-tagged <i>neu</i> (designed <i>neu</i> ("OTT") should induce formation of aggressive mammary adenocarionmes that express the epitope tags and hence are recognizable by adoptively transferred TCR transgenic T cells, and (2) <i>mupl¹⁰¹⁰⁷</i> is indeed recognized by OT1 - and OT2-specific TCR transgenic T cells, and (2) <i>mupl¹⁰¹⁰⁷</i> is i		2. REPORT DATE			
The problem of F a Transgenic Mouse Model for Breast Cancer that is Optimized for the Study of T Cell-Based Therapeutic Strategies DAMD17-00-1-0486 Strategies AUTORIS Brad H. Nelson, Ph.D. Bread H. Nelson, Ph.D. T. FERFORMING ORGANIZATION NAMEISI AND ADDRESSIES) 8. PERFORMING ORGANIZATION RESERVICE Visinia Mason Research Center Seattle, Washington 9810-16525 8. PERFORMING ORGANIZATION RESERVICE E-Mail: breaker@wintelsearch and Materiel Command Fort Detrick, Maryland 21702-5012 10. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESSIES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012 10. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESSIES) 11. SUPPLEMENTARY NOTES 12. DISTRIBUTION / AVAILABILITY STATEMENT Agproved for Public Release, Distribution Unlimited 12. DISTRIBUTION CODE 13. ABSTRACT Maximum 200 Wordsi Cur goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions, We proposed to "tag" the <i>neu</i> oncogene with two defined T cell epitopes so as a transgenie in mammary epithelium, epitope-lagged <i>neu</i> (designated <i>neu</i> ^{TMOT9}) should induce formation of aggressive mammary adencoarcinomas that express the epitope tags and hence are recognized by OT1- and OT2-specific TCR transgenic T cells. To date, we have successfully attached the OT1 and OT2-specific TCR transgenie T cells. To date, we have successfully statched the OT1 and OT2-specific TCR transgenie T cells. To date, we		June 2001	Annual (15 May		
Brad H. Nelson, Ph.D. 7. FERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Yrreinin Maxon Research Center Seattle, Washington 98101-6525 E-Mail: brakson@vmesserch.org 9. sPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012 11. SUPPLEMENTARY NOTES 12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited 13. ABSTRACT (Maximum 200 Words) Our goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to 'tag' the <i>new</i> oncogene with two defined T cell epitopes so as to confer recognizion by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary epithelium, epitope-tagged <i>new</i> (designated <i>new</i> ^{11/1072}) should induce formation of aggressive mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transgenic T cells. To date, we have successfully attached the OT1 and OT2 epitope tags to the <i>new</i> oncogene and shown by in vitro activior ^{11/10122} retains its transforming properties. <i>new</i> ^{11/10122} was then placed downstream of the MMTV promoter, and transgenic millipte females. Thus, Alm 1 and a potion of Aim 2 have been successfully completed on schedule and without any major difficulties. 14. SUBJECT TERMS 15. SECURITY CLASSIFICATION	Development of a Transge that is Optimized for th	nic Mouse Model for E e Study of T Cell-Bas	reast Cancer ed Therapeutic	** * * * * * * * * * * *	
1.1. Finding Unique Control Image: Second Contert Seattle, Washington 98101-6525 E-Mail: brelson@vmresearch.org 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESSIES) 10. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESSIES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012 11. SUPPLEMENTARY NOTES 12b. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited 12b. DISTRIBUTION CODE 13. ABSTRACT (Maximum 200 Words) Our goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumori-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to 'tag' the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary epithelium, epitope-tagged <i>neu</i> (designated <i>neu</i> ^{TMOT2}) should induce formation of aggressive mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transfered TCR transgenic T cells, and (2) <i>neu</i> ^{OTMOT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> ^{OTMOT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> O ^{TMOT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> O ^{TMOT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> O ^{TMOT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> O ^{TMOT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> O ^{TMOT}	6. AUTHOR(S) Brad H. Nelson, Ph.D.				
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012 10. SPONSORING / MONITORING AGENCY REPORT NUMBER 11. SUPPLEMENTARY NOTES 11. SUPPLEMENTARY NOTES 12b. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited 12b. DISTRIBUTION CODE 13. ABSTRACT (Maximum 200 Words/ 0ur goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to "tag" the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in marmary epithelium, epitope-tagged <i>neu</i> (designated <i>neU</i> ^{T1/OT2}) should induce formation of aggressive mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transferred TCR transgenic T cells. To date, we have successfully attached the OT1 and OT2 epitope tags to the <i>neu</i> oncogene and shown by in vitro assays that (1) <i>neu</i> ^{D11/OT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells. To date, we have successfully attached the OT1 and OT2 was then placed downstream of the MMTV promoter, <i>neu</i> ^{D11/OT2} was then placed downstream of the MMTV promoter, and transgenic mice were generated. Of 13 pups born, one transgene-positive male founder was obtained and is currently being bred to multiple females. Thus, Aim 1 and a portion of Aim 2 have been successfully completed on schedule and without any major difficulties. 16. NUMBER OF PAGES 16. PRICE CODE <t< td=""><td colspan="3">7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Virginia Mason Research Center Seattle, Washington 98101-6525</td><td colspan="2"></td></t<>	7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Virginia Mason Research Center Seattle, Washington 98101-6525				
3. STRUCT TERMS 12. SARD VALUABLE TO A MATCHINE MATCHINE MATCHINE AND	E-Mail: <u>bnelson@vmresearch.org</u>				
Fort Detrick, Maryland 21702-5012 11. SUPPLEMENTARY NOTES 12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited 12b. DISTRIBUTION CODE 13. ABSTRACT (Maximum 200 Words) 12b. DISTRIBUTION code Our goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to "tag" the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary epithelium, epitope-tagged <i>neu</i> (designated <i>neu</i> ^{OTI/OT2}) should induce formation of aggressive mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transferred TCR trangenic T cells. To date, we have successfully attached the OT1 and OT2 epitope tags to the <i>neu</i> oncogene and shown by in vitro assays that (1) <i>neu</i> ^{OTI/OT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> ^{OTI/OT2} retains its transforming properties. <i>neu</i> ^{OTI/OT2} was then placed downstream of the MMTV promoter, and transgenic mice were generated. Of 13 pups born, one transgene-positive male founder was obtained and is currently being bred to multiple females. Thus, Aim 1 and a portion of Aim 2 have been successfully completed on schedule and without any major difficulties. 14. SUBJECT TERMS transgenic mouse, tumor immunology, immunotherapy, CD4+ and CD8+ T lymphocytes, adoptive transfer, HER2/neu 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFICATION OF REORT Unclassified 19. SECURITY CLASSIF	9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited 12b. DISTRIBUTION CODE 13. ABSTRACT (Maximum 200 Words) 13. ABSTRACT (Maximum 200 Words) Our goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to "tag" the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary epithelium, epitope-tagged <i>neu</i> (designated <i>neu</i> ^{011/072}) should induce formation of aggressive mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transferred TCR trangenic T cells. To date, we have successfully attached the OT1 and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> ^{011/072} retains its transforming properties. <i>neu</i> ^{011/072} was then placed downstream of the MMTV promoter, and transgenic mouse, tumor "immunology, immunotherapy, CD4+ and CD8+ T lymphocytes, adoptive transferr, HER2/neu 15. NUMBER OF PAGES 14. SUBJECT TERMS 18. SECURITY CLASSIFICATION OF THIS FAGE Unclassified 19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified 20. LUMITATION of ABSTRACT Unclassified					
12.2. JOSTINGOTION Provided HT OFFRENCE 13. ABSTRACT (Maximum 200 Words) 13. ABSTRACT (Maximum 200 Words) Our goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to "tag" the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transferred TCR trangenic T cells. To date, we have successfully attached the OT1 and OT2 epitope tags to the <i>neu</i> oncogene and shown by in vitro assays that (1) <i>neu</i> ^{OT1/OT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> ^{OT1/OT2} retains its transforming properties. <i>neu</i> ^{OT1/OT2} was then placed downstream of the MMTV promoter, and transgenic mice were generated. Of 13 pups born, one transgene-positive male founder was obtained and is currently being bred to multiple females. Thus, Aim 1 and a portion of Aim 2 have been successfully completed on schedule and without any major difficulties. 14. SUBJECT TERMS 16. NUMBER OF PAGES transgenic mouse, tumor 'immunology, immunotherapy, CD4+ and CD8+ T 8 17. SECURITY CLASSIFICATION OF THERPARE 19. SECURITY CLASSIFICATION OF ABSTRACT 0. LINITATION OF ABSTRACT Unclassified 20. LINITATION OF ABSTRACT	11. SUPPLEMENTARY NOTES			<u>ــــــــــــــــــــــــــــــــــــ</u>	
Our goal is to develop a transgenic mouse model for breast cancer that will allow the <i>in vivo</i> activities of tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to "tag" the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary epithelium, epitope-tagged <i>neu</i> (designated <i>neu</i> ^{OT1/OT2}) should induce formation of aggressive mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transferred TCR transgenic T cells. To date, we have successfully attached the OT1 and OT2 epitope tags to the <i>neu</i> oncogene and shown by in vitro assays that (1) <i>neu</i> ^{OT1/OT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> ^{OT1/OT2} retains its transforming properties. <i>neu</i> ^{OT1/OT2} was then placed downstream of the MMTV promoter, and transgenic mouse, tumor immunology, immunotherapy, CD4+ and CD8+ T lymphocytes, adoptive transfer, HER2/neu 15. NUMBER OF PAGES 14. SUBJECT TERMS 18. SECURITY CLASSIFICATION OF ABSTRACT 19. SECURITY CLASSIFICATION OF ABSTRACT 20. LIMITATION OF ABSTRACT 17. SECURITY CLASSIFICATION Unclassified 18. SECURITY CLASSIFICATION Unclassified 19. SECURITY CLASSIFICATION Unclassified 20. LIMITATION OF ABSTRACT	12a. DISTRIBUTION / AVAILABILITY S Approved for Public Rele	STATEMENT ease; Distribution Unl	imited		12b. DISTRIBUTION CODE
tumor-specific T cell clones to be tracked at all stages of tumorigenesis and after various immune interventions. We proposed to "tag" the <i>neu</i> oncogene with two defined T cell epitopes so as to confer recognition by available T cell receptor (TCR) transgenic T cells. When expressed as a transgene in mammary epithelium, epitope-tagged <i>neu</i> (designated <i>neu</i> ^{OT1/OT2}) should induce formation of aggressive mammary adenocarcinomas that express the epitope tags and hence are recognizable by adoptively transferred TCR transgenic T cells. To date, we have successfully attached the OT1 and OT2 epitope tags to the <i>neu</i> oncogene and shown by in vitro assays that (1) <i>neu</i> ^{OT1/OT2} is indeed recognized by OT1- and OT2-specific TCR transgenic T cells, and (2) <i>neu</i> ^{OT1/OT2} retains its transforming properties. <i>neu</i> ^{OT1/OT2} was then placed downstream of the MMTV promoter, and transgenic mice were generated. Of 13 pups born, one transgene-positive male founder was obtained and is currently being bred to multiple females. Thus, Aim 1 and a portion of Aim 2 have been successfully completed on schedule and without any major difficulties. 14. SUBJECT TERMS transgenic mouse, tumor immunology, immunotherapy, CD4+ and CD8+ T 15. NUMBER OF PAGES 17. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT 0F REPORT Unclassified Unclassified 19. SECURITY CLASSIFICATION 0F ABSTRACT 20. LIMITATION OF ABSTRACT	13. ABSTRACT (Maximum 200 Words	5/			
14. SOBJECT Termino 14. Sobject Termino transgenic mouse, tumor immunology, immunotherapy, CD4+ and CD8+ T 8 lymphocytes, adoptive transfer, HER2/neu 16. PRICE CODE 17. SECURITY CLASSIFICATION OF REPORT 18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified 19. SECURITY CLASSIFICATION OF ABSTRACT 20. LIMITATION OF ABSTRACT Unclassified Unclassified Unlimited	tumor-specific T cell clones to We proposed to "tag" the <i>net</i> available T cell receptor (TCF epitope-tagged <i>neu</i> (designa that express the epitope tags date, we have successfully a assays that (1) <i>neu</i> ^{OT1/OT2} is in <i>neu</i> ^{OT1/OT2} retains its transform and transgenic mice were ge is currently being bred to multiple	o be tracked at all stages u oncogene with two defin R) transgenic T cells. Whe ted <i>neu</i> ^{OT1/OT2}) should indu- and hence are recogniza ttached the OT1 and OT2 ndeed recognized by OT1- ming properties. <i>neu</i> ^{OT1/OT2} nerated. Of 13 pups born, tiple females. Thus, Aim 1	of tumorigenesis a ed T cell epitopes a en expressed as a t uce formation of ag ble by adoptively tr epitope tags to the and OT2-specific was then placed of one transgene-po and a portion of A	nd after varie so as to conf ransgene in gressive ma ansferred TC <i>e neu</i> oncoge TCR transge downstream sitive male fo	bus immune interventions. fer recognition by mammary epithelium, mmary adenocarcinomas CR trangenic T cells. To ene and shown by in vitro enic T cells, and (2) of the MMTV promoter, bunder was obtained and
transgenic mouse, tumor immunology, immunotherapy, CD4+ and CD8+ T 8 lymphocytes, adoptive transfer, HER2/neu 16. PRICE CODE 17. SECURITY CLASSIFICATION OF REPORT 18. SECURITY CLASSIFICATION OF THIS PAGE 19. SECURITY CLASSIFICATION OF ABSTRACT 20. LIMITATION OF ABSTRACT Unclassified Unclassified Unlimited	14. SUBJECT TERMS				
OF REPORT OF THIS PAGE OF ABSTRACT Unclassified Unclassified Unclassified	transgenic mouse, tumor	immunology, immunothe ransfer, HER2/neu	erapy, CD4+ and	CD8+ T	
		OF THIS PAGE	OF ABSTRACT	1	
	Unclassified	Unclassified	Unclassif		

Standard Form 298	(Rev.	2-8
Prescribed by ANSI Std. Z	39-18	
298-102		

Table of Contents

•

۱

٠

.

Cover	1
SF 298	2
Table of Contents	3
Introduction	4
Body4	1-5
Key Research Accomplishments	5
Reportable Outcomes	6
Conclusions	6
References	6
Appendices6	3-8

BC990655 Annual Progress Report

PI: Brad H. Nelson, Ph.D.

<u>Title of Project</u>: Development of a transgenic mouse model for breast cancer that is optimized for the study of T cell based therapeutic strategies

Introduction:

Currently, the development of immune-based therapies for breast cancer is impeded by the lack of an animal model that both mimics spontaneous human disease and is amenable to detailed monitoring of the activities of multiple, defined T cell clones that recognize tumor antigens. In this project, we are creating transgenic mice that are genetically programmed to develop spontaneous mammary tumors expressing defined T cell clones with specificity for the engineered epitopes. These T cells will then be tracked in vivo and analyzed for functional responses to tumor cells. In future, this system will be used to evaluate the mechanisms and efficacy of immune-based therapeutic and preventative strategies. The specific aims of this proposal are:

(1) To construct a dual epitope-tagged version of the oncogene *neu* that is recognized by two epitope-specific T cell clones while retaining transforming potential;

(2) To assess the ability of epitope-tagged *neu*, upon expression in transgenic mice, to induce the formation of mammary tumors that are recognized by epitope-specific CD4+ and CD8+ T cell clones.

Body:

<u>Aim 1: To construct a dual epitope-tagged version of the oncogene neu that is recognized by two</u> epitope-specific T cell clones while retaining transforming potential.

As originally proposed, the OT-1 epitope from chicken ovalbumin was placed at the C-terminus of the activated allele of *neu*. We originally proposed to place the IE α epitope from the MHC Class II gene at the Nterminus of neu, however this strategy had to be changed in two ways. First, we decided to use the OT-2 epitope from ovalbumin instead of the IE α epitope due to concerns that there might be some expression of the endogenous IE- α gene in B6 mice, which would complicate the interpretation of T cell responses. Like IE- α , the OT-2 epitope is presented to CD4+ T cells by MHC Class II molecules, is well characterized, and is recognized by a readily available TCR transgenic CD4+ T cell clone. However, the OT-2 epitope has the added advantage of being of non-murine origin and thus absolutely cannot be expressed by normal tissues in these mice. The second change we made was to place the OT-2 epitope at the C terminus of neu instead of the N terminus. This was necessitated by our unexpected finding that placement of epitopes near the N terminus of neu severely disrupted expression of the molecule. Thus, our final construct has both the OT-1 and OT-2 epitopes in tandem at the C terminus of neu, with the OT-2 epitope occupying the most C-terminal position (Fig. 1). This version of epitope-tagged neu was very well expressed in multiple cell lines (data not shown). In addition, we were able to demonstrate by in vitro proliferative assays (described in Aim 1 of the proposal) that both the OT1 and OT2 epitope tags were processed and presented to the appropriate CD8+ and CD4+ TCR transgenic T cells (Fig. 2). Finally, using an in vitro transformation assay with NR6 fibroblasts (described in Aim 1 of the proposal), we showed that the OT1 and OT2 epitopes do not interfere with the transforming properties of neu (data not shown). Thus, all aspects of Aim 1 have now been successfully completed on schedule, yielding a dual epitope-tagged version of neu that is suitable for generating transgenic mice. This corresponds to completion of all items (a-c) listed under Task 1 in the Statement of Work.

Aim 2: To assess the ability of epitope-tagged neu, upon expression in transgenic mice, to induce the formation of mammary tumors that are recognized by epitope-specific CD4+ and CD8+ T cell clones.

As proposed, the dual epitope-tagged version of *neu* described above was inserted into a transgenic expression vector containing the MMTV promoter (obtained from Dr. Tim Lane, UCLA). The insert and vector were thoroughly sequenced to ensure they contained no unintended mutations or alterations. Transgenic C57Bl/6 mice were generated by standard oocyte injection in the Dept. of Comparative Medicine at the University of Washington. Thirteen founder pups were born, and two of these were transgene-positive by PCR of tail-derived genomic DNA. Unfortunately, only one of these two pups (a male) survived to maturity; the other died from causes unrelated to the transgene. A second round of oocyte injections will be performed this June to produce a larger number of founder animals.

The one surviving transgene-positive male is currently being bred to multiple females of both the C57BI/6 and FVB strains. After that, he will be bred to females harboring a dominant-negative p53 transgene expressed in mammary epithelium. By breeding our transgene onto these three different backgrounds (C57BI/6, FVB and dominant-negative p53), we hope to obtain a continuum of tumorigenic phenotypes such that we can select the optimal strain combination for future experiments. Thus, we have completed items a-c listed under Task 2 in the Statement of Work, which means we are approximately 2 months ahead of schedule.

Key Research Accomplishments:

The following items have been completed or are underway:

<u>Task 1.</u> To construct a dual epitope-tagged version of the oncogene *neu* that is recognized by two epitope-specific T cell clones while retaining transforming potential (Months 1-12). **completed*

- a. Construct plasmids encoding single ($neu^{IE\alpha}$ and neu^{OVA}) and dual ($neu^{IE\alpha/OVA}$) epitope-tagged versions of *neu*; verify DNA sequence (Months 1-3). ***completed**
- b. Evaluate signaling and transforming properties of epitope-tagged and untagged versions of *neu* in cell lines; if problems noted, modify epitopes as needed (Months 4-12). **completed*
- c. In vitro assays to evaluate recognition of IE α and OVA epitopes by CD4+ and CD8+ T cells from TCR-transgenic mice (Months 4-12). ***completed**

<u>Task 2.</u> To assess the ability of epitope-tagged *neu*, upon expression in transgenic mice, to induce the formation of mammary tumors that are recognized by epitope-specific CD4+ and CD8+ T cell clones (Months 13-36). ***underway**

- a. Construct MMTV vector with human growth hormone gene at 3' end into which to introduce *neu* transgenes (Months 9-12). **completed*
- b. Insert untagged (*neu*) and dual tagged (*neu*^{lEα/OVA}) cDNAs into MMTV vector (Month 13). *completed
- c. Provide transgenes to the Dept. of Immunology at the University of Washington and have C57BI/6 transgenic founder mice generated (Months 14-17). **underway*
- d. Perform PCR on tail DNA of pups (approximately 60 animals); breed transgene-positive founders (10-12 animals) (Months 18-19). **underway*

Reportable Outcomes:

Funding:

U.S. Department of Defense B.H. Nelson, P.I.

7/01/01-6/30/04 Direct total costs: \$299,631 Direct annual costs: \$99,877

Eliciting Autoimmunity to Ovarian Tumors in Mice by Genetic Disruption of T Cell Tolerance Mechanisms

The specific aims of this proposal are:

1. To generate an ovarian tumor cell line that is recognized by antigen-specific CD4+ and CD8+ T cell clones from TCR transgenic mice.

2. To define the mechanisms by which ID8 ovarian tumors evade rejection by tumor-specific CD4+ and CD8+ T cells.

3. To determine whether tumor-specific CD4+ and CD8+ T cells lacking the Cbl-b gene show enhanced functional responses to ovarian tumors.

Conclusions:

The mouse model we are developing should lead to an improved understanding of the immune response to breast cancer and may facilitate the development of novel immune-based therapies or immunopreventive strategies for this disease. Toward this goal, we have now created a dually epitope-tagged version of *neu* that is recognized by the appropriate CD4+ and CD8+ T cells while retaining transforming potential. The generation of transgenic mice expressing this version of *neu* in mammary epithelium is underway, with one transgene-positive male pup obtained to date. In Year 2, we will continue to pursue the goals outlined in Aim 2 of our original proposal. No major changes to the research plan are expected. In summary, this study is ahead of schedule and no major obstacles have been encountered.

References:

None.

Appendices:

See accompanying Figures 1 and 2.



Figure 1. Schematic of the epitope-tagged neu oncogene. Left, unmodified neu. Right, epitope tagged neu. ECD = extracellular domain.



8

liquid scintillation counting.