

AD_____

Award Number: DAMD17-01-1-0280

TITLE: Identification of Widely Applicable Tumor-Associated
Antigens for Breast Cancer Immunotherapy

PRINCIPAL INVESTIGATOR: Jining Bai, Ph.D.

CONTRACTING ORGANIZATION: The Johns Hopkins University School of
Medicine
Baltimore, Maryland 21205

REPORT DATE: October 2002

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20030328 299

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE
October 2002

3. REPORT TYPE AND DATES COVERED
Annual (15 Sep 01 - 14 Sep 02)

4. TITLE AND SUBTITLE
Identification of Widely Applicable Tumor-Associated Antigens for Breast Cancer Immunotherapy

5. FUNDING NUMBERS
DAMD17-01-1-0280

6. AUTHOR(S)
Jining Bai, Ph.D.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)
The Johns Hopkins University School of Medicine
Baltimore, Maryland 21205

E-Mail: jnbai@jhmi.edu

8. PERFORMING ORGANIZATION
REPORT NUMBER

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)
U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

10. SPONSORING / MONITORING
AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT
Approved for Public Release; Distribution Unlimited

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 Words)

This study is the initial phase (the 1st year) of a feasibility study of a novel immunotherapeutic strategy for the treatment of breast cancer. The rationale is based upon recent findings that genes belonging to the pp32 family are differentially and alternatively expressed in most human breast cancers. In general, benign breast tissues express pp32, a tumor suppressor, whereas breast cancers express tumorigenic family members, including pp32r1 and pp32r2. Since pp32r1 and pp32r2 are expressed in nearly all breast cancers, but not in normal adult tissues, they may reasonably serve as targets for antigen-specific immunotherapy. The purpose of the study is to identify tumor-associated antigens (TAA) in pp32r1 and pp32r2, then test their suitability *in vitro* as immunotherapeutic targets in breast cancer. Currently, the second phase of (*in vivo*) feasibility is underway. If successful, the results may translate into eventual clinical trials of peptide vaccines or adoptive T cell therapy

14. SUBJECT TERMS
breast cancer, TAA, immunotherapy

15. NUMBER OF PAGES
14

16. PRICE CODE

17. SECURITY CLASSIFICATION
OF REPORT
Unclassified

18. SECURITY CLASSIFICATION
OF THIS PAGE
Unclassified

19. SECURITY CLASSIFICATION
OF ABSTRACT
Unclassified

20. LIMITATION OF ABSTRACT
Unlimited

Table of Contents

Cover	1
SF 298	2
Table of Contents	3
Introduction	4
Body	4
Key Research Accomplishments	5
Reportable Outcomes	5
Conclusions	5
References	NA
Appendices	6

Introduction:

In the IDEA proposal, we proposed a feasibility study of a novel immunotherapeutic strategy for the treatment of breast cancer. The rationale is based upon recent findings that genes belonging to the pp32 family (Figure 1) are differentially and alternatively expressed in most human breast cancers. In general, benign breast tissues express pp32, a tumor suppressor, whereas breast cancers express tumorigenic family members, including pp32r1 and pp32r2. Since pp32r1 and pp32r2 are expressed in nearly all breast cancers, but not in normal adult tissues, they may reasonably serve as targets for antigen-specific immunotherapy.

Body:

Statement of Works:

Task 1. Identify, synthesize and test candidate peptides that could potentially bind to HLA class I molecules based on the coding sequence of pp32r1 and pp32r2. (Month 1-6)

Task 2. Screen *in vitro* for candidate pp32r1 & pp32r2 peptides that fulfill the requirements for TAA. (Month 7-12)

Task 3. Evaluate the pp32r1/pp32r2- specific cytotoxicity against a broad range of natural targets (established or primary breast cancer cell lines) to determine range of applicability. (Month 12-20)

Task 4. Evaluate *in vivo* immunogenicity of pp32r1 and/or pp32r2-derived TAAs in human breast cancer animal models. (Month 20-36)

In the first year of this project, we accomplished #1 and #2 Tasks defined by Statement of Work, but also worked to address an interesting suggestion offered by DOD BCRP Scientific Panel.

1) Task #1: Identify, synthesize and test candidate peptides that could potentially bind to HLA class I molecules based on the coding sequence of pp32r1 and pp32r2.

Using Bioinformatics and ImmunoGenetics tools, we analyzed the entire coding region of pp32, pp32r1 and pp32r2 genes for binding affinity with HLA-A*0201 molecule as well as the degradation pattern by proteasomal cleavages. The result of calculation shown (Table 1) that 19 motifs are potentially favorable of binding to HLA-A*0201 molecule with high affinity. To verify the prediction *in vitro*, HLA-A*0201+ TAP-deficient T2 hybridoma (ATCC) was pulsed with 50ug/ml of each peptide representing the motif (or control) and 5ug/ml of b2-microglobulin for 18hr at 37 C. HLA-A*0201 expression was then measured by flow cytometry using mAb BB7.2 (ATCC) followed by incubation with FITC-conjugated secondary antibody. Fluorescent index of HLA-A*0201 to each peptide can be determined as: (mean fluorescence with peptide - mean fluorescence without peptide) / (mean fluorescence without peptide). The result shown 10 out of 20 motifs is capable of binding to HLA-A*0201 in a concentration dependent manner (Table 1).

2) Task #2: Screen for candidate pp32r1 & pp32r2 peptides that fulfill the requirements for TAA. In order to be qualified as a TAA, a motif has to be able to meet several criteria in addition to the binding to HLA-A*0201. These requirements include (i) the antigen can be naturally processed by tumor cells, (ii) it permits expansion of antigen-specific CTL; (iii) it is presented in a MHC-restricted fashion. CTL assay was carried out to test if the motifs identified in Aim#1 fulfill the requirements for TAA.

In brief, Cr⁵¹-labeled target cells (T2 cells pulsed with peptide or cancer cell expressing pp32 family members) were incubated with various numbers of CTL effector cells for 4 hr. Cr⁵¹-release assays were performed in triplicate per condition using 5x10³ labeled target cells per well in a 96-well plate. Percent specific lysis will be calculated from CPM of (experimental result - spontaneous release)/(maximum release - spontaneous release). The results, summarized in Table 2, indicate that 2 out of 10 motifs fulfilled the above requirement as TAA.

3) Extra Task: Define pp32-related epitopes that is specific for CD4+ helper T Cell through MHC Class II.

During DOD BCRP Scientific Review for this Idea Proposal, the Reviewers expressed enthusiasm in whether pp32 family members are capable of activation of CD4+ helper T Cell through MHC Class II, in addition to the activation of CD8+ T Cell through MHC Class (addressed in task #1 and #2). To carry out this additional, we used several computer algorithms to select pp32r1 and pp32r2 sequences with potential promiscuous HLA-DR binding characteristics. We are currently testing the synthetic peptides corresponding to potential HLA-DR binding sequences for their capacity to stimulate CD4⁺ T *in vitro* immunization.

Key Research Accomplishments:

We have identified two peptide motifs from pp32 family members, which fulfill the requirement to be TAAs. This study (mostly *in vitro*) provided bases for further evaluate the widely applicability of these TAAs in breast cancer immunotherapy (Aim #3) and *in vivo* validation in breast cancer animal models (Aim #4).

Reportable Outcomes:

The result of Specific Aim #1 and #2 were presented at 2002 Era of Hope Department of Defense Breast Cancer Research Program Meeting.

Yu, W., Jagun, A., Zhu, X., Jaffee, EM, & Bai, J. Identification of Candidate Tumor-Associated Antigens from pp32 Family Members. *Era of Hope* (BCRP): 3:54-2, 2002.

Conclusions:

We demonstrated *in vitro* that

- (i) the oncogenic pp32 family members can be presented by HLA-A*0201,
- (ii) the HLA-A*0201 cells bearing these motifs can be recognized and lysed by pp32r1- or pp32r2- specific CTL in a MHC class I specific manner.

```

1
pp32      memgrrihle lnrtpsdk elvldnsrsn egklegltde feeleflsti 50
pp32r1      s      a      a      k
pp32r2      kw      f      q      l n

51
pp32      nvgltisianl pklklkkle lsdnrvsggl evlaekcpnl thlnlsgnki 100
pp32r1      g      sd      ~ r      ~~~k      y
pp32r2      i      s a v      i

101
pp32      kdlstieplk klenlksldl fncevtnlnd yrenvfkllp qltyldgydr 150
pp32r1      q      g      l      scyw
pp32r2      e      t      n      ~~~~~

151
hpp32p     ddkeapdsda egyveglde eededeeyd edaqvvedee dedeeeegee 200
pp32r1     h      y i dh      g h      g e
pp32r2     ~~~~~

201
hpp32p     edvsgeeeed eegyndgevd geedeeelge eergqkrkre pedegeddd 249
pp32r1     gd      g      ~ ~ ~~~~~
pp32r2     ~~~~~

```

Figure 1. Alignment of pp32, pp32r1 & pp32r2 sequences.

Differences from the pp32 sequence are indicated underneath. The variant pp32r2 encodes a truncated protein (wavy lines indicate the truncated region).

Peptide	BIMAS	LpRep	FPEITHI	T2 Stabilization
0202-01	3499.535	3.37	26	+
0202-02	1591.602	2.46	22	-
0202-03	805.719	2.76	27	+
0202-04	681.542	3.54	18	+
0202-05	636.316	4.19	25	+
0202-06	481.542	6.90	27	-
0202-07	445.216	3.13	26	+
0202-08	432.319	4.87	21	-
0202-09	399.682	7.69	23	+
0202-10	379.216	5.81	13	-
0202-11	301.331	3.12	27	+
0202-12	281.542	3.47	22	-
0202-13	264.498	6.72	24	+
0202-14	226.014	3.54	20	-
0202-15	212.775	6.43	19	+
0202-16	172.752	6.81	21	+
0202-17	148.896	5.87	24	-
0202-18	139.730	6.72	19	-
0202-19	105.719	7.99	18	-
0202-20	103.362	6.79	21	-
MGA1	734.189	4.86	26	+

Table 1. Predicted HLA-A*0201 Binding Motifs and Their Ability to Bind T2 Cells.

Potential motifs was predicted by *BIMAS*, *LpRep*, *FPEITHI*.

The binding of Peptides to Human HLA-A2 was measured by T2 stabilization assay

Positive - calculated fluorescent index greater than 1.0.

Calculated fluorescent index = (Mean fluorescence with peptide - mean fluorescence without peptide)/(mean fluorescence without peptide)

Peptide	CTL Lysis ⁺	Processing ⁺	MHC I Restriction [#]
0202-01	+	n/a	n/a
0202-03	+++	Yes	Yes
0202-04	+	n/a	n/a
0202-05	+	n/a	n/a
0202-07	+++	Yes	Yes
0202-09	+	n/a	n/a
0202-11	-	n/a	n/a
0202-13	+	n/a	n/a
0202-15	-	n/a	n/a
0202-16	-	n/a	n/a
MGA1	+++	Yes	Yes
ID9	-	No	No

Table 2. Summary of CTL Assays for Motifs That are Capable of Binding to HLA-A*0201

Cytotoxicity Assay was carried out against Target cells:* T2 Cell +/- peptides
+ MCF-7 (A2⁺,pp32r1⁺,pp32r2⁺)
LNCAP (A2⁺,pp32r1⁻,pp32r2⁻)
MCF-7 (+/- anti-HLA-A2mAb)

Summary of Personnel Partially Supported by This Idea Award:

- 1) Jining Bai (PI)
Adetunke Jagun (Technician)

CURRICULUM VITAE

Name: Jining Bai

Current Appointment: Assistant Professor
Department of Pathology
Johns Hopkins University School of Medicine

Addresses:

Office: Division of Molecular Pathology
Department of Pathology
Johns Hopkins School of Medicine
Room B-302
418 N. Bond Street
Baltimore, MD 21205
Phone: (410) 955-6920
Fax: (410) 502-5158
E-mail: jnbai@jhmi.edu

Home: 8641 Willow Oak Road
Baltimore, MD 21234
Phone: (410) 882-4638

Education & Training:

1983-1988 B. Eng., Department of Engineering Physics,
Tsinghua University, Beijing, P. R. China

1990-1996 Ph.D. / Graduate studies, Department of Biophysics,
Johns Hopkins University Baltimore, MD

1996-1999 Post-doctoral Fellow, Division of Molecular Pathology
Department of Pathology, Johns Hopkins Medical Institutions,
Baltimore, MD

Professional Experiences:

- 1985-1986 Instructor, Computer programming
School of Professional Studies
Tsinghua University, Beijing, P. R. China
- 1986-1988 Research assistant, Institute of Material Sci. & Tech.,
Tsinghua University, Beijing, P. R. China
- 1988-1990 Graduate studies, Department of Biol. Sci. & Tech.,
Tsinghua University, Beijing, P. R. China
- 1989-1990 Teaching assistant, Biology Lab, Department of Biol. Sci.
Tsinghua University, Beijing, P. R. China
- 1991-1995 Pre-doctoral Fellow, Department of Embryology
Carnegie Institution of Washington, Baltimore, MD
- 1992-1993 Teaching Assistant, Reproductive Physiology
Johns Hopkins University.
- 1996-2000 Research Fellow, Division of Molecular Pathology
Department of Pathology, Johns Hopkins Medical Institutions,
Baltimore, MD
- 2000-2001 Research Associate, Division of Molecular Pathology
Department of Pathology, Johns Hopkins Medical Institutions
Baltimore, MD
- 2001- 2002 Instructor, Division of Molecular Pathology
Department of Pathology, Johns Hopkins Medical Institutions
Baltimore, MD
- 2002- Assistant Professor, Division of Molecular Pathology
Department of Pathology, Johns Hopkins Medical Institutions
Baltimore, MD

Bibliography:

Refereed Publications

Bai J, Brody JR, Kadkol SS, Pasternack GR. Tumor suppression and potentiation by manipulation of pp32 expression. *Oncogene*, 20 (17):2153-60, 2001.

Bai, J., Kadkol, S. S., Brody, J. R. & Pasternack, G. R., pp32 gene family. *Encycl. Mol. Medicine*, Vol.4, 2564-2565, 2001.

Kadkol SS, El Naga GA, Brody JR, Bai J, Gusev Y, Dooley WC, Pasternack GR. Expression of pp32 gene family members in breast cancer. *Breast Cancer Res Treat.* 68(1):65-73, 2001.

Kadkol SS, Brody JR, Pevsner J, Bai J, and Pasternack GR Modulation of oncogenic potential by alternative gene use in human prostate cancer. *Nature Medicine* 5(3):275-279, 1999.

Bai J., Pagano RE. Measuring the spontaneous transfer and transbilayer movement of BODIPY-labeled lipids in liposome vesicles, *Biochemistry.* (36):8840-8848, 1997

Ding, J. R., Zhou, X., Bai, J., Liu, B. X. Amorphous niobium monoxide films prepared by reactive evaporation, *J. Vac. Sci. Tech.* 8:3349-51, 1990.

Abstracts

Yu, W., Jagun, A., Zhu, X., Jaffee, EM, & Bai, J. Identification of Candidate Tumor-Associated Antigens from pp32 Family Members. *Era of Hope (BCRP):* 3:54-2, 2002.

Bai, J., Kadkol, S. S., Brody, J. R. & Pasternack, G. R. pp32 Gene family at the crossroad of oncogenesis and tumor suppression. *Proc. of NCC*, 2:151, 2000.

Bai, J., Kadkol, S. S., Brody, J. R. & Pasternack, G. R. alterations in pp32 gene family – A novel molecular targets in breast cancer therapy. *Proc. of 4th NMC*, SGK Foundation, 4:22, 2000.

Kadkol, S. S., Saria, E. A., Brody, J. R., Bai, J. & Pasternack, G. R.. Analysis of alternative pp32 gene use in breast cancer. *J. of Mol. Diagnostics* 1:58, 1999

Bai, J., Kadkol, S. S., Brody, J. R. & Pasternack, G. R. Modulation of Oncogenic Potential *in vitro* and *in vivo* by pp32. *Proc. AACR.* 90:574, 1999

Kadkol, S. S., Brody, J. R., Bai, J. & Pasternack, G. R. Heterogeneous expression of members of the closely-related pp32 gene family in prostate cancer and adjacent normal prostate. *Am. J. Pathol.* 153:1660, 1998

Bai, J., Kadkol, S. S., Brody, J. R., Chamberlin, M., Cheong, R. & Pasternack, G.R. Cell- Type Specific Suppression of Proliferation of Human Prostatic Adenocarcinoma Cell by a Novel Tumor Suppressor pp32. *Proc. AACR. Supl.* 10:A-10, 1998

Invention & Patents:

Pasternack, G.R. & Bai, J. Method of Treating Cancer by Restoration of pp32 Function, *United States Patent & Trademark Office (USPTO)*, #60/118667, 1999.

Grants & Contracts:

Current:

- 1) National Research Award Komen Foundation Principal Investigator
Active (12/99-06/02) \$100,000 (annual direct)
Development of Novel Therapeutic Target and Approach for Breast Cancer
– Repairing Common Defects in Breast Cancer by Restoration of pp32.
- 2) IRG JHMI Principal Investigator
Active (05/01-05/03) \$20,000 (annual direct)
Development of a Novel Transgenic Mouse Model for Human Prostate Cancer
- 3) Idea Award DOD/CDMRP Principal Investigator
Active (10/01-10/04) \$100,000 (annual direct)
Identification of Widely applicable Tumor- Associated Antigens for Breast Cancer
ImmunoTherapy.
- 4) Pilot Award Breast Cancer SPORE/oncology Principal Investigator
Active (04/02-04/03) \$40,000 (annual direct)
HOXB7, Widely Applicable Targets for Immunotherapy against Breast Cancer.

Pending:

- 1) RO1 NIH Principal Investigator
Pending (01/03-12/06) \$225,000 (annual direct)
Localization and Molecular Interaction of pp32 Family Members

Complete:

- 1) Concept Award DOD/CDMRP Principal Investigator
Active (05/01-06/02) \$50,000 (annual direct)
Oncogenic Members of pp32 gene family, Widely Applicable Targets for
Immunotherapy against Breast Cancer.

Honors & Awards:

Honored Student, Tsinghua University (1983-1988)
Outstanding College Graduate Award, National Education Commission of China (1988)
Winner of Natural Philosophy Competition, Tsinghua University (1990)
Travel Award, European Symposium in Signal Transduction (1991)
Carnegie Fellowship, Carnegie Institution of Washington (1990-1991)
Dean's Fellowship, Johns Hopkins University (1990-1995)
Pathology Fellowship, Johns Hopkins Medical Institution (1996-1999)
National Research Award, Susan G. Komen Breast Cancer Foundation (1999-2001)
Concept Award, Congressionally Directed Medical Research (2000-2001)
Idea Award, Congressionally Directed Medical Research (2001-2004)

Invited Lectures:

- 1) Alterations in pp32 Gene Family – A Novel Molecular Targets in Breast Cancer Therapy.
The 4th National Mission Conference for Breast Cancer
Washington D.C.
September, 2000

- 2) pp32 Gene Family, Potential Therapeutic Targets for Breast Cancer and Prostate Cancer .
National Cancer Institute
Beijing, P.R. China
October, 2000

- 3) pp32 Gene Family at the Crossroad of Oncogenesis and Tumor Suppression.
The Cancer Congress 2000
Beijing, P.R.China, October, 2000