AL/HR-TP-1996-0050



UNITED STATES AIR FORCE ARMSTRONG LABORATORY

Using Observer Ratings to Assess Situational Awareness in Tactical Air Environments

Herbert H. Bell

Wayne L. Waag

March 1997

Approved for public release; distribution is unlimited.

Human Resources Directorate Aircrew Training Research Division 6001 South Power Road, Bldg 558 Mesa Arizona 85206-0904

NOTICES

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely Government-related procurement, the United States Government incurs no responsibility or any obligation whatsoever. The fact that the Government may have formulated or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication, or otherwise in any manner construed, as licensing the holder, or any other person or corporation; or as conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

The Office of Public Affairs has reviewed this report, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This report has been reviewed and is approved for publication.

HERBERT H. BELL Project Scientist ELIZABETH L. MARTIN Technical Director

LYNN A. CARROLL, Colonel, USAF Chief, Aircrew Training Research Division

Please notify AL/HRPP, 7909 Lindbergh Drive, Brooks AFB, TX 78235-5352, if your address changes, or if you no longer want to receive our technical reports. You may write or call the STINFO Office at DSN 240-3877 or commercial (210) 536-3877.

REPORT DO	Form Approved OMB No. 0704-0188					
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.						
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AN	ND DATES COVERED			
4. TITLE AND SUBTITLE	4. TITLE AND SUBTITLE 5. FUNC					
Using Observer Ratings to Assess 5 6. AUTHOR(S) Herbert H. Bell	PE - 62202F PR - 1123 TA - B3 WU - 02					
Wayne L. Waag 7. PERFORMING ORGANIZATION NA	ME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION			
Armstrong Laboratory Human Resources Directorate Aircrew Training Research Divisio 6001 South Power Road, Building Mesa, AZ 85206-0904	REPORT NUMBER AL/HR-TP-1996-0050					
9. SPONSORING/MONITORING AGE	NCY NAME(S) AND ADDRESS(E	S)	10. SPONSORING/MONITORING AGENCY REPORT NUMBER			
Armstrong Laboratory Human Resources Directorate 7909 Lindbergh Drive Brooks Air Force Base, Texas 782						
11. SUPPLEMENTARY NOTES Armstrong Laboratory Technical M This paper documents a presentation Awareness held 1-3 November 199	Aonitor: Dr Herbert H. Bell, (on at the International Confere 95 in Daytona Beach FL.	602) 988-6561. nce on Experimental Ar	nalysis and Measurement of Situation			
12a. DISTRIBUTION/AVAILABILITY S	TATEMENT		12b. DISTRIBUTION CODE			
Approved for public release; distri	bution is unlimited.					
13. ABSTRACT (Maximum 200 words) This paper summarizes the results in multiship air combat simulations Initial efforts focused on three issu pilots in terms of SA, and (c) whet paper was also published in the con	of initial attempts to measure s. It also discusses the general es: (a) the definition of SA, (her or not there is a relationshi inference proceedings.	situation awareness (SA problem of using subje b) the degree to which p p between such judgem	A) in operational fighter squadrons and ective measures to assess performance. pilots can reliably judge their fellow nents and mission performance. This			
14. SUBJECT TERMS Air Combat; Air combat simulation; Flight simulation; Flight training; Observer ratings; Performance; Performance measurement; SA; Simulation; Situation awareness; Subjective			gs; 15. NUMBER OF PAGES 14 16. PRICE CODE			
17. SECURITY CLASSIFICATION 18	SECURITY CLASSIFICATION	19. SECURITY CLASSIF	ICATION 20. LIMITATION ABSTRACT			
Unclassified	Unclassified	Unclassified	UL			
NSN 7540-01-280-5500	Standard Form 298 (Rev 2-89) Prescribed by ANSI Std 7-39-18					

Prescribed by ANSI Std Z-39-18 298-102 COMPUTER GENERATED

PREFACE

This paper documents work performed on situational awareness in tactical air environments and which was presented at the international conference on Experimental Analysis and Measurement of Situation Awareness which was held at Daytona Beach, FL, from 1-3 November 1995. The presentation was also published in the conference proceedings. This paper summarizes initial attempts to measure situation awareness in operational fighter squadrons and in multiship air combat simualtions.

.

The effort was conducted under Work Unit 1123-B3-02, Tools for Assessing Situational Awareness. The principal investigator was Dr Herbert H. Bell.

Using Observer Ratings to Assess Situational Awareness in Tactical Air Environments

Herbert H. Bell and Wayne L. Waag

Armstrong Laboratory Aircrew Training Research Division 6001 S. Power Road - Bldg. 558 Mesa, AZ 85206-0904

Introduction

In 1991, the Air Force Chief of Staff asked a series of questions about situational awareness (SA). These questions included: What is SA? Can we measure SA? Can we select individuals for pilot training based on their SA potential? What impact does training have on SA? In response to these questions, Armstrong Laboratory initiated an SA research program. This paper summarizes our initial attempts to measure SA in operational fighter squadrons and in multiship air combat simulations. It then discusses the general problem of using subjective measures to assess performance.

Our initial efforts have focused on three issues. The first issue concerns the definition of SA. The second issue is the degree to which pilots can reliably judge their fellow pilots in terms of SA. The third issue is whether or not there is a relationship between such judgments and mission performance.

In response to the question, "What is SA?," the Air Staff provided a working definition that links SA to mission performance. This definition, written from the operator's perspective, defines SA as "A pilot's continuous perception of self and aircraft in relation to the dynamic environment of flight, threats, and mission, and the ability to forecast, then execute tasks based on that perception (Carroll, 1992)." Although there are a number of other definitions of SA available (e.g., Endsley, 1995b; Rogers, 1992; Sarter & Woods, 1991; Tenney, Adams, Pew, Huggins), we are using this Air Staff definition as the basis for our research efforts. This definition reflects the importance of SA in mission accomplishment thus capturing the richness and complexity of the pilot's world. It emphasizes perceiving what is important and then using that perception to guide the selection and performance of appropriate behaviors. Unfortunately, it is also very complex because it combines processes, tasks, and the linkages between them into a single construct. Consequently, it is very difficult to separate SA from the other aspects of skilled performance that determine combat proficiency.

Measuring SA in Operational Fighter Squadrons

In order to determine whether or not pilots could reliably classify fellow pilots based upon SA, we limited our investigation to mission-ready F-15C pilots. With the assistance of instructor pilots and other subject-matter experts (SMEs), we developed a list of 31 behavioral elements of SA. Our SMEs felt these elements reflected SA and were important to mission success. Table 1 lists these 31 elements and the eight categories of mission performance they represent.

	Information Internatedian
General Iraits	Information Interpretation
– Discipline	 Interpreting VSD
- Decisiveness	 Interpreting RWR
 Tactical knowledge 	 Ability to use AWACS/GC!
 Time-sharing ability 	 Integrating overall information
 Reasoning ability 	 Radar sorting
 Spatial ability 	 Analyzing engagement geometry
 Flight management 	 Treat prioritization
Tactical Game Plan	System Operation
 Developing plan 	- Radar
 Executing plan 	– TEWS
 Adjusting plan on-the-fly 	 Overall weapons system proficiency
Communication	Tactical Employment-BVR
 Quality (brevity, accuracy, timeliness) 	 Targeting decisions
 Ability to effectively use information 	 Fire-point selection
Tactical Employment-General	Tactical Employment-WVR
 Assessing offensiveness/defensiveness 	 Maintain track of bogeys/friendlies
 Lookout (VSD, RWR, visual) 	 Threat evaluation
 Defensive reaction (chaff, flares, 	 Weapons employment
maneuvering)	
- Mutual support	

Table 1. Elements of Situational Awareness

SA Instruments

The laboratory developed four different instruments to measure SA in operational F-15C squadrons based on the 31 elements listed in Table 1. The first instrument required respondents to provide their personal definition of SA. Using their personal definition of SA, each respondent then rated the importance of the 31 elements using a 6-point Likert scale.

The other three instruments, or SA Rating Scales (SARS), measured SA from three different perspectives: self, supervisory, and peer. All sample respondents completed the self-report and peer SARS. The self-report SARS and supervisory SARS required the respondents to rate either themselves or their subordinates on each of the 31 items. Both SARS used a 6-point scale and

the ratings were made relative to other F-15C pilots. The scale anchors were "Acceptable" and "Outstanding" because all respondents were on flying status and mission ready. The Squadron Commander, Operations Officer, Assistant Operations Officer, Weapons Officer, and Standardization-Evaluation Flight Examiner completed the supervisor SARS on the pilots within their squadron. In addition, squadron flight commanders completed supervisor SARS on the pilots within their flight. The peer SARS required respondents to rate the other mission-ready pilots in the squadron on general fighter pilot ability and SA ability and then to rank order them on their SA ability. Both the peer and supervisory SARS allowed respondents to omit rating a particular pilot if they felt they did not have enough information to accurately rate that individual.

Results

We obtained SA data from 238 mission-ready F-15 pilots from 11 squadrons stationed at four different Air Force bases. Two hundred and six of the respondents provided written definitions of SA. The first column in Table 2 lists the seven phases most frequently used by the respondents in defining SA. The second column shows the seven most highly rated elements of SA. There is considerable agreement between the phases used to define SA and the element ratings. In addition, both the phases and the element ratings indicate that a significant component of SA involves assimilating and using information to guide action.

Table 2.	Phases	Used to	Define \$	SA and	Importance	of SA	Elements
----------	--------	---------	-----------	--------	------------	-------	----------

Most Commonly Used Phases to Define SA	Most Highly Rated Elements for SA
 Composite 3-D image of entire situation 	 Use of communication information
 Assimilation of information from multiple 	 Information integration from multiple
sources	sources
 Knowledge of spatial position or geometric relationships among tactical entities 	 Time-sharing ability
 Periodic mental update of dynamic situation 	 Maintaining track of bogies and friendlies
 Prioritization of information and actions 	 Adjusting plan on-the-fly
 Decision making quality 	 Spatial ability to mentally picture
	engagement
 Projection of situation in time 	 Lookout for threats from visual, RWR, VSD

Analyses of the peer and supervisory SARS indicated that the pilots can reliably classify their fellow pilots in terms of SA. Internal consistency was computed for all 31 items on the supervisory SARS. The resulting measure, Cronbach's coefficient α , was 0.99. Inter-rater reliability was also estimated for the supervisor and peer SARS using an analysis of variance procedure (Guilford, 1954). For the supervisor SARS, these analyses indicated that the average reliability of each supervisor's ratings was 0.50 and the average reliability of the pooled supervisor ratings was 0.88. Similarly, the peer SARS showed an individual reliability of 0.60 and a combined reliability of 0.97. Additional detail concerning the analyses of the SARS data is available in Waag and Houck (1994).

As shown in Table 3, there was substantial agreement between supervisor and peer SARS. Table 3 also indicates that there is noticeably less agreement between the self-report SARS and the other SARS.

	1	2	3	4	5
1. Supervisor SARS					
2. Peer Fighter pilot ability	.89				
3. Peer SA ability	.91	.98			
4. Peer Rank order	.92	.91	.92		
5. Self-report SARS	.45	.56	.57	.49	

Table 3. SARS Intercorrelations (N = 238).

Measuring SA in Simulated Air Combat Missions

Although the SARS data indicate fairly high reliability and consistency between raters, they are not empirically linked to pilot performance in air combat missions. In an attempt to determine the relation between SA and mission performance, a composite SA score scaled with a mean 100 and a standard deviation 20 was computed for each of the 238 respondents. Based on this composite score, a sample of 40 mission-ready flight leads was selected to fly a series of multiship air-to-air combat simulations. The selected pilots covered the range of SA scores obtained for flight leads. An additional 23 mission-ready pilots flew as wingmen during the experiment. During each week-long SA simulation, the pilots flew nine sorties with four engagements per sortie. Sorties increased in complexity throughout the week.

Scenario Design

Figure 1 illustrates a typical scenario. In this defensive counterair mission, the two F-15s are defending an airfield. The attackers consist of two bombers escorted by two fighters. The simulation begins with the enemy force 80 nautical miles (nm) away from the airfield. The enemy fighters are flying at 20,000 ft and the bombers are at 10,000 ft. There is a lateral separation of 10 nm between the fighters and the bombers. At 35 nm, the fighters maneuver rapidly and descend to 3500 ft. At 15 nm, the bombers perform a hard right turn and descend to 2500 ft. The purpose of these maneuvers is to momentarily break the F-15s' radar contact and to disrupt the F-15 pilots' ability to identify, target, or engage the enemy aircraft.

Scenarios such as these contain events that "trigger" specific goal-directed behaviors necessary for mission accomplishment. We believe that SA can be inferred based on the pilot's reaction to such trigger events. In essence, these trigger events serve as SA probes in a naturalistic environment.



Figure 1. Defensive Counterair Mission Scenario

Rating Mission Performance

The basic approach taken toward SA measurement was through scenario manipulation and performance observation as suggested by Tenney, Adams, Pew, Huggins, and Rogers (1992). Other approaches, such as explicit probes and the Situation Awareness Global Assessment Technique (Endsley, 1995a), were considered. These other approaches were rejected because we needed measures that could be used during operational training either in simulators or actual aircraft.

As Kelly (1988) points out, measuring air combat skills presents a number of challenges. The fluid, dynamic nature of air combat, combined with the number of alternative tactics and techniques available to the pilot, make objective performance measurement extremely difficult. Even when objective data is available, it is often difficult to interpret the significance of that data. Because of the difficulties involved in interpreting air combat data, our approach is based on behavioral observation by SMEs who are unaware of the SA scores of the pilots they were observing. Two SMEs, retired fighter pilots with extensive experience in air combat and training, watched each engagement in real time and independently completed an observational checklist. To assist them in evaluating pilot performance, cockpit instruments, intraflight communications, and a plan view display of the engagement were available throughout the engagement. After each simulator session, the two SMEs discussed each engagement and completed a consensus performance rating scale containing 24 behavioral indicators based on the

SARS. In addition, the SMEs also wrote a critical event analysis for each mission that identified events that were critical to the outcome of the mission and indicative of the pilot's SA.

Results

Figure 2 shows the relationship between the composite SA scores obtained from the SARS and the mean SA score assigned by the SMEs based on their observation of performance during simulated air combat. The Pearson product moment correlation between these scores is 0.56. These data indicate that there is a significant relationship between squadron ratings of SA and performance in simulated air combat missions.



Figure 2. Simulator SA Scores and Squadron SA Scores

Discussion

We are encouraged by our initial results in developing measures of SA that can be used in a squadron's operational training environment. These results indicate that SA is a construct that has meaning and can be used by both peers and supervisors to classify mission-ready pilots. They also indicate that squadron ratings of SA are correlated with mission success in simulated air combat missions.

Although our approach to measurement may be classified as subjective rather than objective, we believe this is an oversimplification. All measurement approaches ultimately involve assigning numbers to events according to an explicit set of rules (Stevens, 1951). The distinction between objective and subjective measures simply indicates whether or not a human observer is an integral component of the measurement instrument. Objective measurement involves datum

that is generated independently of the human observer. Ideally, this datum is generated, recorded, and scored without the intervention of a human observer. Subjective measurement on the other hand, requires human observers to generate the datum itself. Although Muckler (1977) argues that there is no such thing as objective measurement in the strict sense, the distinction continues to be made and "so-called" objective measures are often preferred to subjective measures. The reason for this preference is that subjective measures are frequently seen as being contaminated by the human observers during the act of measurement. Since objective measures, on the other hand, are relatively independent of human observers, they are seen as "truer" measures of the construct under study.

Unfortunately, objective measures often fail to capture the richness and complexity of human performance (Kelly, 1988; Meister, 1989; Vreuls & Obermayer, 1985). One reason for this is that objective measures are essentially reductionistic and are therefore best suited for recording the fundamental dimensions of performance (e.g., latency, amount, and deviation). While these fundamental measures provide us with data that is less subject to error, they also frequently fail to provide us with information concerning the contextual nature of skilled performance. Subjective measures, on the other hand, seem more closely related to higher order psychological constructs. The datum they produce appears to reflect a synthesis of the more molecular behaviors and to reflect more global dimensions such as interpreting, judging, and deciding--the very essence of SA.

Obviously both measurement approaches are necessary if we are to develop our understanding of SA. The critical measurement issues are how do we refine our definition of SA and our measurement approaches and which measurements provide the best information for designing and evaluating aircrew training.

References

Carroll, L. A. (1992). Desperately seeking SA. TAC Attack (TAC SP 127-1), 32, pp 5-6.

- Endsley, M. R. (1995a). Measurement of situation awareness in dynamic systems. *Human* Factors, 37, pp 65-84.
- Endsley, M. R. (1995b). Toward a theory of situation awareness in dynamic systems. *Human* Factors, 37, pp 32-64.

Guilford, J. P. (1954). Psychometric methods. New York: McGraw Hill.

- Kelly, M. J. (1988). Performance measurement during simulated air-to-air combat. *Human* Factors, 30, pp 495-506.
- Meister, D. (1989). Conceptual aspects of human factors. Baltimore, MD: Johns Hopkins University Press.

- Muckler, F. A. (1977). Selecting performance measures: "Objective" versus "subjective" measurement. In L. T. Pope and D. Meister (Eds.), *Symposium proceedings: Productivity enhancement: Personnel performance assessment in Navy systems*. San Diego, CA: Navy Personnel Research and Development Center.
- Sarter, N.B., and Woods, D.D. (1991). Situation awareness: A critical but ill-defined phenomenon. *International Journal of Aviation Psychology*, 1, pp 45-57.
- Stevens, S. (1951). Mathematics, measurement, and psychophysics. In S. Stevens (Ed.), Handbook of Experimental Psychology. New York: Wiley.
- Tenney, Y. J., Adams, J. J., Pew, R. W., Huggins, A. W. F., and Rogers, W. H. (1992). A principled approach to the measurement of situation awareness in commercial aviation. National Aeronautics and Space Administration, NASA Contractor Report 4451.
- Vreuls, D., and Obermayer, R. W. (1985). Human-system performance measurement in training simulators. *Human Factors*, 27, pp 241-250.
- Waag, W. L., and Bell, H. H. (1994). A study of situation assessment and decision making in skilled fighter pilots. Paper presented at the Second Conference on Naturalistic Decision Making, Dayton, OH, June.
- Waag, W. L., and Houck, M. R. (1994). Tools for assessing situational awareness in an operational fighter environment. Aviation, Space, and Environmental Medicine, 65 (5, Suppl.), pp A13-A19.