FRONTIERS OF ENGINEERING

REPORTS ON LEADING-EDGE ENGINEERING FROM THE 2007 SYMPOSIUM



Report Documentation Page				Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.						
1. REPORT DATE DEC 2008	REPORT DATE2. REPORT TYPEEC 2008Book Chapter			3. DATES COVERED 01-01-2006 to 30-12-2008		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Barriers, Bridges, a Applications	and Progress in Cogr	nitive Modeling for N	Military	5b. GRANT NUM	5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER 62202F		
6. AUTHOR(S) Kevin Gluck				5d. PROJECT NUMBER 1123		
				5e. TASK NUMBER AS		
				5f. WORK UNIT NUMBER 1123AS08		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Research Laboratory/RHA,Warfighter Readiness Research Division,6030 South Kent Street,Mesa,AZ,85212-6061				8. PERFORMING ORGANIZATION REPORT NUMBER AFRL; AFRL/RHA		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Research Laboratory/RHA, Warfighter Readiness Research Division, 6030 South Kent Street, Mesa, AZ, 85212-6061				10. SPONSOR/MONITOR'S ACRONYM(S) AFRL; AFRL/RHA		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-RH-AZ-BC-2008-0001		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited						
13. SUPPLEMENTARY NOTES Published in Frontiers of Engineering: Reports on Leading-Edge Engineering from the 2007 Symposium, pp. 99-104, The National Academies Press						
 14. ABSTRACT The role of the Air Force Research Laboratory (AFRL), like the other service laboratories, is to conduct the basic and applied research and advanced technology development necessary to create future technology options for the Department of Defense. At the Warfighter Readiness Research Division of AFRL?s Human Effectiveness Directorate we have initiated a research program focused on mathematical and computational cognitive process modeling for replicating, understanding, and predicting human performance and learning. This research will lead to new technology options in the form of human-level synthetic teammates, cognitive readiness analysis tools, and predictive and prescriptive knowledge-tracing algorithms. Creating a future in which these objectives become realities requires tightly coupled, multidisciplinary, collaborative interaction among scientists and engineers dedicated to overcoming the myriad challenges standing between current reality and our future vision 15. SUBJECT TERMS 						
Basic research; Synthetic teammate; Mathematical model; Human performance; Learning; Collaborative interaction; Cognitive process model; Cognitive readiness;						
16. SECURITY CLASS	IFICATION OF:		17. LIMITATION OF ABSTRACT Public Release	18. NUMBER OF PAGES 6	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified				

Barriers, Bridges, and Progress in Cognitive Modeling for Military Applications

KEVIN A. GLUCK Air Force Research Laboratory Mesa, Arizona

The role of the Air Force Research Laboratory (AFRL), like the other service laboratories, is to conduct the basic and applied research and advanced technology development necessary to create future technology options for the Department of Defense. At the Warfighter Readiness Research Division of AFRL's Human Effectiveness Directorate we have initiated a research program focused on mathematical and computational cognitive process modeling for replicating, understanding, and predicting human performance and learning. This research will lead to new technology options in the form of human-level synthetic teammates, cognitive readiness analysis tools, and predictive and prescriptive knowledge-tracing algorithms. Creating a future in which these objectives become realities requires tightly coupled, multidisciplinary, collaborative interaction among scientists and engineers dedicated to overcoming the myriad challenges standing between current reality and our future vision.

BARRIERS AND BRIDGES

There are many barriers to progress in cognitive science in general and to computational cognitive process modeling in particular. I will emphasize just two of them here. The first is a domain barrier. There exists an infinite variety of domains in which humans learn and perform, and in order to simulate human performance and learning in a particular domain, we must provide relevant

FRONTIERS OF ENGINEERING

domain knowledge to the simulated human. Transfer from one domain to the next is largely a function of the degree to which the knowledge in the two domains overlaps. The reason this is problematic for scientific progress is that the domains typically used to study human cognitive functioning in the laboratory are very different from the domains of application in the real world. Laboratory domains are mostly simple, abstract, and of short duration, whereas real-world application domains are complex, situated, and of long duration. Thus, in the field of cognitive science we must look for ways to build bridges between laboratory and applied contexts.

The second barrier I will emphasize here is a disciplinary barrier. Cognitive science is a field of study comprising seven subdisciplines: anthropology, artificial intelligence, education, linguistics, neuroscience, philosophy, and psychology. These subdisciplines involve very different methods, frameworks, and theories, and it is both challenging and exciting to make progress at disciplinary intersections. For instance, there is a powerful zeitgeist currently associated with neuroscience-based explanations of everything from attentional, perceptual, and related cognitive phenomena (leading to the creation of a field known as computational cognitive neuroscience-see Itti's paper in this volume) to complex economic decision making (leading to the creation of a field known as neuroeconomics-see Glimcher, 2003). This has led people in some circles to speculate that there ought to be ways to improve the readiness of our military personnel by capitalizing on the tools, methods, empirical results, and theories of neuroscience. Simultaneously there is interest in bringing together the subdisciplines of anthropology, artificial intelligence, and psychology in order to better understand and prepare for multicultural interaction (see the paper by van Lent and colleagues in this volume). Making scientific progress across these disciplinary boundaries requires that we build bridges among the neural, cognitive, and social bands of human experience (Newell, 1990). Anderson and Gluck (2001) noted that the same challenge exists in connecting neuroscience and educational practice and proposed that cognitive architectures are an appropriate formalism for building such bridges. I propose that cognitive architectures also are an appropriate formalism for building bridges from neuroscience to the military's cognitive readiness applications, using cognitive phenomena and models.

THE SOLUTION: COGNITIVE ARCHITECTURES

The purpose of all scientific disciplines is to identify invariant features and explanatory mechanisms for the purpose of understanding the phenomena of interest in the respective disciplines. Within the cognitive science community there is an approximately 50-year history of empirical research that involves using carefully constructed (usually simple and abstract) laboratory tests to isolate components of the human cognitive system in order to model and understand them. Sometimes optimistically referred to as "divide and conquer," this approach has

BARRIERS, BRIDGES, AND PROGRESS IN COGNITIVE MODELING

led to comprehensive empirical documentation and sophisticated theories of hundreds of phenomena (e.g., fan effect, framing effect, Stroop effect) and functional components (e.g., attention, perception, memory, cognition, motor movement). A subset of the cognitive science community has become concerned that this divide and conquer approach is not leading to a unified understanding of human cognitive functioning, and has proposed cognitive architectures as the solution to that problem (Newell, 1973). Thus, cognitive architectures are intended to serve an integrative, cumulative role within the cognitive science community. They are where the fractionated theories come together in a unifying account not only of the computational functionality of the component processes but also of the architectural control structures that define the relationships among those components, and of the representation of knowledge content that is used by cognition. Gray (2007) explains how these three theoretical spaces (components, control structures, and knowledge) interact and provides numerous case studies of each. Ultimately it is at the intersection of these theories that cognitive architectures exist.

ONGOING COGNITIVE MODELING RESEARCH

Our cognitive modeling research program at the Air Force Research Laboratory's Mesa Research Site is organized around a set of methodological strategies with associated benefits. First, we are using and improving on the ACT-R (Adaptive Control of Thought-Rational) cognitive architecture (Anderson et al., 2004), because it provides a priori theoretical constraints on the models we develop; facilitates model reuse among members of the ACT-R research community; and serves the integrating, unifying role described earlier. Second, we use the architecture, or equations and algorithms inspired by it, to make quantitative predictions in order to facilitate eventual transition to applications that make accurate, precise predictions about human performance and learning. Third, we develop models in both abstract, simplified laboratory tasks and in more realistic, complex synthetic task environments in order to begin constructing those bridges between the laboratory and the real world. Fourth, we compare the predictions of our models to human-subject data, in order to evaluate the necessity and sufficiency of the computational mechanisms and parameters that are driving those predictions and in order to evaluate the validity of the models. We are pursuing this research strategy in several lines of research, which I briefly describe next.

Knowledge tracing. This is our only research line that is entirely mathematical modeling and does not involve a computational modeling component. The current approach is an extension and (we think) improvement to the general performance equation proposed by Anderson and Schunn (2000); thus, it derives from the computational implementation of learning and forgetting processes in ACT-R. The new equation allows us to make performance predictions or prescribe the timing and frequency of training, both of which will enable tailored training experiences at individual and team levels of analysis (Jastrzembski et al., 2006).

FRONTIERS OF ENGINEERING

Communication. One of the barriers standing between us and human-level synthetic teammates is that we don't have a valid computational implementation of natural language, verbal or otherwise. This is critical because good teammates adapt their communications in order to facilitate accomplishing the shared mission. Our research in natural language modeling involves extending the double R computational cognitive linguistic theory to knowledge-rich, time-pressured team performance environments similar to those encountered in real-world situations, such as unmanned air vehicle reconnaissance missions (Ball et al., 2007).

Spatial competence. Spatial cognition has long been a subspecialization within the cognitive science community, but typically individual scientists or research groups adopt particular phenomena to study without worrying about how the pieces of the spatial cognitive system come back together to create a more general competence. It turns out there is no comprehensive theory of the mechanisms and processes that allow for spatial competence. Our research in this area is pushing the field and the ACT-R architecture in the direction of a neurofunctional and architectural view of how spatial competence is realized in the brain and the mind (Gunzelmann and Lyon, 2008).

Fatigue. There is a rich history of sleep-related fatigue research conducted in and sponsored by the military laboratories. We are adding a new twist to that tradition by implementing new architectural mechanisms and processes that allow us to replicate the effects of sleepiness on the cognitive system. The process models are then combined with biomathematical models of the circadian and sleep homeostat systems to create the capacity to predict what the precise effects of sleep deprivation or long-term sleep restriction will be in a given performance context (Gunzelmann et al., 2007).

High-performance and volunteer computing. As our cognitive modeling research expanded in breadth and depth and our scientific and technical objectives grew more ambitious, we began to exceed the capacity of our local computing resources. In the search first for more resources and subsequently for more intelligent and efficient use of available resources, we have begun to use both high-performance computing and volunteer computing as platforms for processor horsepower. We have demonstrated that such platforms can indeed be used productively for faster progress in cognitive modeling (Gluck et al., 2007) and are investing in additional software improvements for facilitating the use of these resources.

AN IMPORTANT DIRECTION FOR THE RESEARCH COMMUNITY

I close by mentioning an important research direction for the cognitive modeling community: overcoming the knowledge engineering bottleneck. The key here is not the development of tools for doing manual knowledge engineering more efficiently, although that is a perfectly fine idea in the interim. Instead, I believe it is critical that we develop the ability for our modeling architectures to acquire their own knowledge without direct human assistance. This will require a variety of learning mechanisms based on a combination of cognitive psychology, machine learning, and Internet search algorithms.

REFERENCES

- Anderson, J. R., and K. A. Gluck. 2001. What role do cognitive architectures play in intelligent tutoring systems? Pp. 227-261 in Cognition and Instruction: 25 Years of Progress, D. Klahr and S. M. Carver, eds. Mahwah, NJ: Lawrence Erlbaum Associates.
- Anderson, J. R., and C. D. Schunn. 2000. Implications of the ACT-R learning theory: No magic bullets. Pp. 1-34 in Advances in Instructional Psychology: Educational Design and Cognitive Science, Vol. 5., R. Glaser, ed. Mahwah, NJ: Lawrence Erlbaum Associates.
- Anderson, J. R., D. Bothell, M. D. Byrne, S. Douglass, C. Lebiere, and Y. Qin. 2004. An integrated theory of the mind. Psychological Review 111:1036-1060.
- Ball, J., A. Heiberg, and R. Silber. 2007. Toward a large-scale model of language comprehension in ACT-R 6. Pp. 163-168 in Proceedings of the 8th International Conference on Cognitive Modeling. New York: Psychology Press.
- Glimcher, P. W. 2003. Decisions, Uncertainty, and the Brain: The Science of Neuroeconomics. Cambridge, MA: MIT Press.
- Gluck, K. A., M. Scheutz, G. Gunzelmann, J. Harris, and J. Kershner. 2007. Combinatorics meets processing power: Large-scale computational resources for BRIMS. Pp. 73-83 in Proceedings of the Sixteenth Conference on Behavior Representation in Modeling and Simulation. Orlando, FL: Simulation Interoperability Standards Organization.
- Gray, W. D., ed. 2007. Integrated Models of Cognitive Systems. New York: Oxford University Press.
- Gunzelmann, G., and D. R. Lyon. 2008. Mechanisms of human spatial competence. Pp. 288-307 in Spatial Cognition V: Lecture Notes in Artificial Intelligence #4387, T. Barkowsky, C. Freksa, M. Knauff, B. Krieg-Bruckner, and B. Nebel, eds. Berlin, Germany: Springer-Verlag.
- Gunzelmann, G., K. Gluck, J. Kershner, H. P. A. Van Dongen, and D. F. Dinges. 2007. Understanding decrements in knowledge access resulting from increased fatigue. Pp. 329-334 in Proceedings of the 29th Annual Meeting of the Cognitive Science Society. Austin, TX: Cognitive Science Society.
- Jastrzembski, T. S., K. A. Gluck, and G. Gunzelmann. 2006. Knowledge tracing and prediction of future trainee performance. Pp. 1498-1508 in Proceedings of the Interservice/Industry Training, Simulation, and Education Conference. Orlando, FL: National Training Systems Association.
- Newell, A. 1973. You can't play 20 questions with nature and win: Projective comments on the papers of this symposium. Pp. 283-310 in Visual Information Processing, W. C. Chase, ed. New York: Academic Press.
- Newell, A. 1990. Unified Theories of Cognition. Cambridge, MA: Harvard University Press.