REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
gathering and maintaining the data needed, and compl information, including suggestions for reducing the bu	leting and reviewing the collection of infor urden, to the Department of Defense, Exc	mation. Send comr ecutive Services an	ments regard d Communic	for reviewing instructions, searching existing data sources, ing this burden estimate or any other aspect of this collection of ations Directorate (0704-0188). Respondents should ba aware tion of information if it does not display a currently valid OMB
PLEASE DO NOT RETURN YOUR FORM	TO THE ABOVE ORGANIZATIO	N.		
1. REPORT DATE (DD-MM-YYYY) 2. 12-01-2010 2	BEPORT TYPE Journal Arti	ele		3. DATES COVERED (From - To)
4. TITLE AND SUBTITLE			5a. CON	NTRACT NUMBER
The Influence of Experimental Condi		oratory		
Investigations Using Natural Coastal	Seawaters		5b. GRA	ANT NUMBER
			5c. PRO	GRAM ELEMENT NUMBER
				0601153N
6. AUTHOR(S) Jason S. Lee, Richard I. Ray, Brenda	J. Little		5d. PRC	DJECT NUMBER
			E. TAC	
			Se. IAS	GK NUMBER
			5f WOI	RK UNIT NUMBER
			51. 100	73-5052-19-5
7. PERFORMING ORGANIZATION NAMI				8. PERFORMING ORGANIZATION
Naval Research Laboratory	-(3) AND ADDRESS(ES)			REPORT NUMBER
Oceanography Division				NRL/JA/7330-09-9297
Stennis Space Center, MS 39529-500	4			
9. SPONSORING/MONITORING AGENC				10. SPONSOR/MONITOR'S ACRONYM(S)
Office of Naval Research	T NAME(S) AND ADDRESS(ES)			ONR
800 N. Quincy St.				
Arlington, VA 22217-5660				11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION/AVAILABILITY STAT Approved for public release, distribut		<u></u>		
Approved for public release, distribut	ion is uninnica.		•	
		ノ()1	\mathbf{O})121316
13. SUPPLEMENTARY NOTES	•			121310
14. ABSTRACT				
Methods for handling and storing	natural coastal seawater, p	particularly r	nethods	for deaeration over time, influenced the
				anaerobic condition was not conducive
				ed sulfate concentration and higher total
		ilfide concer	ntrations	and SRB populations were measured in
Key West, Florida, seawater unde	r all exposure conditions.			
15. SUBJECT TERMS				
carbon steel, marine corrosion, seawa	ter, sulfate-reducing bacteria			
			40 11-1	
16. SECURITY CLASSIFICATION OF: a. REPORT b. ABSTRACT c. THIS	17. LIMITATION OF ABSTRACT	OF	Jason S	ME OF RESPONSIBLE PERSON
Unclassified Unclassified Unclas	T II	PAGES		EPHONE NUMBER (Include area code)
Unclassified Unclassified Unclas	smed	6		228-688-4494

Sec. 1. 1

Standard Form 298 (Rev. 8/98) Prescribed by ANSI Std. Z39.18

		a t	
PUBLICATION OR PRESEN	TATION RELEASE REQUEST		Pubkey: 6231 NRLINST 5600.2
1. REFERENCES AND ENCLOSURES	2. TYPE OF PUBLICATION OR PRESE	NTATION	3. ADMINISTRATIVE INFORMATION
Ref: (a) NRL Instruction 5600.2 (b) NRL Instruction 5510.40D Encl: (1) Two copies of subject paper (or abstract)	() Book () (() Conference Proceedings () ((refereed) () Invited speaker () ((X) Journal article (refereed) ())	Abstract only, not published Book chapter Conference Proceedings (not refereed) Multimedia report Journal article (not refereed) Oral Presentation, not published	STRNNRL/JA/7330-09-9297Route Sheet No. 7330/Job Order No.73-5052-19-5ClassificationXUCSponsorONRapproval obtainedyesXno
4. AUTHOR			
Title of Paper or Presentation The Influence of Expermental Condition Author(s) Name(s) (<i>First,Ml,Last</i>), Coor Jason S. Lee, Richard I. Ray, Bren		tigations Using Natural Coast	al Seawaters
It is intended to offer this paper to the	e (Date, Place and Classifical	(Name of Conference)	
(Na After presentation or publication, per with reference (a). It is the opinion of the author that the This paper does not violate any disc communicated to the Laboratory in o This subject paper (has) (has Jas Name and	n, Unclassified ame and Classification of Publication) rtinent publication/presentation data w e subject paper (is) (is notX closure of trade secrets or suggestions confidence. This paper (does) (never _X) been incorporated in an con S. Lee, 7332 Code (Principal Author)) classified, in accordance wi of outside individuals or con does notX) contain any	th reference (b). cerns which have been
5. ROUTING/APPROVAL			
Author(s)	SIGNATURE	7/16/09	COMMENTS leed by <u>OTAUGO</u> ublicly accessible sources used for this publication
Section Head TEAGUE Branch Head Robert A Arnone, 7330 Division Head Ruth H. Preller, 7300 Security, Code 1226 Office of Counsel,Code 1008.3 ADOR/Director NCST E. R. Franchi, 7000 Public Affairs (Unclassified/ Unlimited Only), Code 7030.4	for We Tragen Rank Ban Shanner frieland	7120	. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (has) has neverX_) been classified. Paper or abstract was released. A copy is filed in this office. 55C 257-4
Division, Code			
Author, Code		1 1	

HQ-NRL 5511/6 (Rev. 12-98) (e)

THIS FORM CANCELS AND SUPERSEDES ALL PREVIOUS VERSIONS

501503000			> 「 ~ ? 」
	(
PUBLICATION OR PRESEN	TATION RELEASE REQUEST	11.1976	PLA: 515 2 NRLINST SEC02
anter as an all and	the of the second data in a special second		
Ref. (a) NRL Instruction 5600.2 (b) NRL Instruction 5510.40D	() Book () Book () Book () Conference Proceedings () Co	stract only, not published ok chapter onforence Proceedings	STRN NBLUA/7330-09-9297 Route Sheet No.7330/
Encl: (1) Two copies of subject paper (or abstract)	() invited speaker () Mu () () Journal article (refereed) () Jo	not refereed) iltimedia report umal article (not refereed)	Job Order No. 73-5052-19-5 Classification X U Sponsor ONR (2) (TM)
(of monory)	() Oral Presentation, published () Oral () Other, explain	ai Presentation, not publishe	approval obtained yes X no
Title of Paper or Presentation	Aprende a		
	ions on the Outcome of Laboratory Investi	gations Using Natural Coa	stal Seawaters
Author(s) Name(s) (First, MI, Lest), Co	de, Affiliation If not NRL		
Jason S. Lee, Richard I. Ray, Brei	nda J. Little		
It is intended to offer this paper to the	në	(Name of Conference)	
		(Name of Contention)	•
	(Dete, Place and Classificatio	n of Conference)	
and/or for publication in Corrosic	on, Unclassified		
(N	ame and Classification of Publication)		(Name of Publisher)
		a 'a a a a a a a	
	ertinent publication/presentation data will	be entered in the publica	itions data base, in accordance
with reference (a). It is the opinion of the author that th	ne subject paper (is) (is notX)	classified, in accordance	with reference (b).
with reference (a). It is the opinion of the author that the This paper does not violate any dis	ne subject paper (is) (is not) iclosure of trade secrets or suggestions of	classified, in accordance of outside individuals or c	with reference (b). orrcerns which have been
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in	ne subject paper (is) (is notX)	classified, in accordance of outside individuals or o bes notX) contain ar	with reference (b). orrcerns which have been
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has	the subject paper (is) (is notX) closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o	classified, in accordance of outside individuals or o bes notX) contain ar	with reference (b). orrcerns which have been
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has)	ne subject paper (is) (is not) closure of trade secrets or suggestions of comfidence. This paper (does) (do	classified, in accordance of outside individuals or o bes notX) contain ar	with reference (b). orrcerns which have been
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has)	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332	classified, in accordance of outside individuals or o bes notX) contain ar	with reference (b). orrcerns which have been ny militarily critical technology.
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has)	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332	classified, in accordance of outside individuals or o bes notX) contain ar	with reference (b). orrcerns which have been ny militarily critical technology. (Signature) COMMENTS
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co ces not <u>X</u>) contain ar fficial NRL Report.	with reference (b). orrcerns which have been ny militarily critical technology. (Signature)
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co ces not <u>X</u>) contain ar fficial NRL Report.	with reference (b). orrcerns which have been ny militarily critical technology. (Signature) COMMENTS
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co ces not <u>X</u>) contain ar fficial NRL Report.	with reference (b). orrcerns which have been ny militarily critical technology. (Signature) COMMENTS Need by 07 Aug 09
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co ces not <u>X</u>) contain ar fficial NRL Report.	with reference (b). orrcerns which have been ny militarily critical technology. (Signature) COMMENTS Need by <u>07 Aug 09</u> Publicly accessible sources used for this publication
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co pes notX) contain an fficial NRL Report. DATE 7/14/09	with reference (b). orrcerns which have been ny militarily critical technology. (Signature) COMMENTS Need by <u>OTAUGO9</u> Publicly accessible sources used for this publication his.is.a Final Security Review. y changes made in the document
with reference (a). It is the opinion of the author that the This paper does not violate any dis communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co pes notX) contain an fficial NRL Report. DATE 7/14/09	with reference (b). orrcerns which have been by militarily critical technology. (Signature) COMMENTS Need by <u>OTAUGO9</u> Publicity accessible sources used for this publication his.is.a Final Security Review. y changes made in the document after approved by Code 1226
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co pes notX) contain an fficial NRL Report. DATE 7/14/09	with reference (b). orrcerns which have been ny militarily critical technology. (Signature) COMMENTS Need by <u>OTAU309</u> Publicly accessible sources used for this publication his.is.a Final Security Review. y changes made in the document
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co pes notX) contain an fficial NRL Report. DATE 7/14/09	with reference (b). orcorns which have been by militarily critical technology. (Signature) COMMENTS Need by <u>07 Aug 09</u> Publicly accessible sources used for this publication his.is.a Final Security Review. y changes made in the document after approved by Code 1226 nullify the Security Review.
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co bes notX) contain an fficial NRL Report. 	with reference (b). orrcerns which have been by militarily critical technology. (Signature) COMMENTS Need by OTALGOQ Publicly accessible sources used for this publication his.is_a Final Security Review. y changes made in the document after approved by Code 1226 nullify the Security Review. 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (hea)
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co pes notX) contain an fficial NRL Report. DATE 7/14/09	with reference (b). orrcerns which have been by militarily critical technology. (Signature) COMMENTS Need by <u>OTAUGO9</u> Publicly accessible sources used for this publication his.is_a Final Security Review. y changes made in the document after approved by Code 1226 nullify the Security Review. 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject metter of this paper (has) (has never) been classified.
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (<i>Principal Author</i>)	classified, in accordance of outside individuals or co bes notX) contain an fficial NRL Report. 	with reference (b). orcorns which have been by militarily critical technology. (Signature) COMMENTS Need by OTAUG09 Publicly accessible sources used for this publication his.is_a Final Security Review. y changes made in the document after approved by Code 1226 nullify the Security Review. 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (has) (has never) been classified.
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (Principal Author) SIGN:ATURE	classified, in accordance of outside individuals or coses not \underline{X}) contain an flicial NRL Report.	with reference (b). orcorns which have been by militarily critical technology. (Signature) COMMENTS Need by OTAUG09 Publicly accessible sources used for this publication his.is_a Final Security Review y changes made in the document after approved by Code 1226 nullify the Security Review 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject metter of this paper is approved. 2. To the best knowledge of this Division, the subject metter of this paper (has) (has never) been classified.
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (Principal Author) SIGN:ATURE	classified, in accordance of outside individuals or co bes notX) contain an fficial NRL Report. 	with reference (b). orcorns which have been by militarily critical technology. (Signature) COMMENTS Need by OTAUG09 Publicly accessible sources used for this publication his.is_a Final Security Review. y changes made in the document after approved by Code 1226 nullify the Security Review. 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (has) (has never) been classified.
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	te subject paper (is) (is notX) i closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (Principel Author) SIGNATURE SIGNATURE	classified, in accordance of outside individuals or coses not \underline{X}) contain an flicial NRL Report.	with reference (b). orcorns which have been by militarily critical technology. (Signature) COMMENTS Need by OTAUG09 Publicly accessible sources used for this publication his.is_a Final Security Review y changes made in the document after approved by Code 1226 nullify the Security Review 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject metter of this paper is approved. 2. To the best knowledge of this Division, the subject metter of this paper (has) (has never) been classified.
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	the subject paper (is) (is notX) is closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (Principal Author) SIGN:ATURE	classified, in accordance of outside individuals or coses not \underline{X}) contain an filcial NRL Report.	with reference (b). orcorns which have been by militarily critical technology. (Signature) COMMENTS Need by OT Aug 09 Publicity accessible sources used for this publication his.is_a Final Security Review y changes made in the document after approved by Code 1226 nullify the Security Review y changes made in the document after approved by Code 1226 nullify the Security Review 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (has_) (has never_x) been classified. 1. Paper or abstract was released. 2. A copy is filed in this office. SC 257-6 Spoubble Approved Atticled Magnitud Mits preview
with reference (a). It is the opinion of the author that the This paper does not violate any dis- communicated to the Laboratory in This subject paper (has) (has 	te subject paper (is) (Is notX) i closure of trade secrets or suggestions of confidence. This paper (does) (do s never _X) been incorporated in an o son S. Lee, 7332 d Code (Principel Author) SIGNATURE SIGNATURE	classified, in accordance of outside individuals or coses not \underline{X}) contain an filcial NRL Report.	with reference (b). orcerns which have been by militarily critical technology. (Signature) COMMENTS Need by <u>OTAUGO9</u> Publicly accessible sources used for this publication his.is_a Final Security Review. y changes made in the document after approved by Code 1226 nullify the Security Review. 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (has) (has never) been classified. 1. Paper or abstract was released. 2. A copy is filed in this office. SC 257-C Spo LBC Approved Atticled

Technical Note: Influence of Experimental Conditions on the Outcome of Laboratory Investigations Using Natural Coastal Seawaters

J.S. Lee,^{‡,*} R.I. Ray,* and B.J. Little**

ABSTRACT

Methods for handling and storing natural coastal seawater, particularly methods for deaeration over time, influenced the chemistry and microflora. Bubbling nitrogen into natural seawater to achieve an anaerobic condition was not conducive to the growth of sulfate-reducing bacteria (SRB). Despite a higher initial dissolved sulfate concentration and higher total organic carbon in Persian Gulf seawater, higher dissolved sulfide concentrations and SRB populations were measured in Key West, Florida, seawater under all exposure conditions.

KEY WORDS: carbon steel, marine corrosion, seawater, sulfate-reducing bacteria

INTRODUCTION

Sulfate-reducing bacteria (SRB) were the first group of microorganisms identified as causing corrosion.¹ SRB have been the focus of many investigations involving microbiologically influenced corrosion (MIC), and several corrosion mechanisms have been attributed to SRB, including cathodic depolarization by the enzyme dehydrogenase, anodic depolarization, production of iron sulfides, release of exopolymers capable of binding metal ions, sulfide-induced stress corrosion cracking, and hydrogen-induced cracking or blistering. In

a 1986 volume of contributed papers, 10 of 36 papers specifically mention SRB in the title.² In the 2009 session on MIC at CORROSION 2009, 3 of 10 papers dealt with some aspect of SRB-influenced corrosion. Today the list of causative and contributing bacteria, fungi, and archaea includes numerous groups;³ however, SRB are arguably the microorganisms most closely identified with MIC.

SRB are a group of ubiquitous, diverse anaerobes that use sulfate (SO_4^2) as the terminal electron acceptor, producing sulfide (S⁻). SRB have been isolated from a variety of environments.⁴⁻⁵ Because of the consistently high concentration of sulfate in seawater (>2 g/L), SRB are extremely important in seawater corrosion. For many years there has been a debate over the best laboratory solution for studying marine corrosion,⁶ i.e., natural or artificial seawater. Dexter carefully compared laboratory solutions and natural seawater for studying the corrosion of aluminum alloys and prepared a specific artificial medium that reproduced the short-term behavior of aluminum alloys in natural seawater.⁶ However, none of the laboratory solutions were able to simulate the longterm corrosion behavior of aluminum alloys in natural seawater. The selection of a laboratory medium for MIC experiments is even more complicated. Investigators have used natural seawater with naturally occurring microorganisms,7-9 artificial seawater to which nutrients and microorganisms have been added,¹⁰⁻¹¹ and inoculated synthetic media, e.g., Postgate B with 3.5% sodium chloride (NaCl)¹² and Postgate C¹³ in MIC experiments. The use of the term synthetic seawa-

Submitted for publication July 2009; in revised form, September 2009. Presented as paper no. 07518 at CORROSION/2007, March 2007, Nashville, TN.

[±] Corresponding author. E-mail: jason.lce@nrlssc.navy.mil.

^{*} Naval Research Laboratory, Code 7332, Stennis Space Center, MS 39529.

^{**} Naval Research Laboratory, Code 7303, Stennis Space Center, MS 39529.

ter is not always defined. Vargas-Avila and coworkers defined 0.6 M NaCl as synthetic seawater.¹² In other cases, the term synthetic seawater connotes commercially available carbonate-buffered salt solutions that mimic the composition of seawater.

To further complicate interpretation and comparison of data, many laboratory experiments with SRB rely on gas purging to remove oxygen and create an anaerobic environment in the laboratory solution of choice. The pH of carbonate-buffered synthetic and natural seawater is controlled (buffered) by carbon dioxide (CO₂). Gaseous carbon dioxide (CO₂[g]) from the atmosphere dissolves into seawater forming aqueous carbon dioxide (CO₂[aq]) (Equation [1]), reacts with water, and forms carbonic acid (H₂CO₃) (Equation [2]). Proton dissociation from H₂CO₃ proceeds with interdependence on pH. The first proton dissociation forms bicarbonate (HCO₃) (Equation [3]), with carbonate (CO₃^{2–}) formation from subsequent proton dissociation (Equation [4]).

$$CO_2(g) \rightleftharpoons CO_2(aq)$$
 (1)

$$CO_2(aq) + H_2O \rightleftharpoons H_2CO_3$$
 (2)

 $H_2CO_3 \rightleftharpoons H^+ + HCO_3^-$ (3)

$$HCO_3^- \rightleftharpoons H^+ + CO_3^{2-} \tag{4}$$

Increasing atmospheric $[CO_2(g)]$ increases dissolved $[CO_2(aq)]$, which elevates $[H_2CO_3]$ resulting in decreased seawater pH. If $CO_2(aq)$ is removed from seawater, pH increases. In some cases, researchers using a seawater medium and a gaseous nitrogen (N_2) purge have indicated the need for pH control,¹¹ whereas others¹⁴ have not. Experiments described in this paper were designed to evaluate microbial sulfide production in two natural coastal seawaters collected from Key West, Florida, and the Persian Gulf deaerated under two laboratory conditions: purging with N_2 and maintenance in a hood with a mixture of gases, including N_2 , hydrogen (H_2) , and CO_2 .

MATERIALS AND METHODS

Seawater Collection

Persian Gulf (PG) seawater was collected from the United States Navy pier at Mina Sulman, Bahrain. Key West (KW), Florida, seawater was collected at the Naval Research Laboratory's Marine Corrosion facility. PG seawater was collected within the first meter of the seawater surface by immersing each container underwater by hand. KW seawater was collected at a depth of 1.2 m to 1.5 m under water by intake pipes powered by suction pumps. Seawater was shipped to the Naval Research Laboratory (NRLSSC), Stennis Space Center, Mississippi, in three 5-gal (18.93 L) plastic containers, each containing 4 gal (15.14 L) of seawater. Both waters had been collected 48 h previous to arrival at NRLSSC and testing began within 24 h of arrival.

Exposure Conditions

Seawater samples from the two locations were maintained in the following conditions in the laboratory:

- —PG-A/KW-A: 450 mL stagnant seawater in a loosely covered glass container exposed to air.
- -PG-D/KW-D: 1,500 mL stagnant seawater maintained inside an anaerobic hood in a 2,000-mL glass flask sealed with a rubber stopper.
- --PG-B/KW-B: 1,500 mL stagnant seawater contained in a 2,000-mL glass flask, bubbled with house-supplied nitrogen gas, and sealed with a rubber stopper.

The atmosphere in the anaerobic chamber⁽¹⁾ was maintained using a gas mixture of 10% H₂, 5% CO₂, and 85% N₂. Hydrogen was added to the anaerobic gas mixture to aid in the removal of O2. A palladium catalyst inside the anaerobic chamber served as an O₂ and H₂ reaction site resulting in the formation of water and increased humidity. Relative humidity was maintained between 20% and 30% using an alumina desiccant. Atmospheric O2 concentration was monitored continuously at less than 1 part per million (ppm). House-supplied N₂ gas specifications called for less than 100 ppm atmospheric O₂; however, during the duration of the experiment the average concentration was ~10 ppm O_2 . Bubbling was not vigorous with approximately 2 bubbles per second. No nutrients or other additions were made to either of the seawaters.

Seawater Analysis

At the onset of the experiment and continuing at 30-day intervals, 50 mL of seawater was removed from each exposure condition for analysis. The pH was measured using a calibrated pH meter. Dissolved sulfide concentrations were determined in triplicate using the methylene blue method 228-C.¹⁵ Four sterile 3-mL syringes were used to remove 4 mL (1 mL in each syringe) from the 50-mL seawater sample. One mL was used to inoculate serial dilutions (10¹⁰) in each of the following seawater media:⁽²⁾ phenol red dextrose broth, Postgate medium B, nutrient broth, and thioglycollate medium to determine most probable numbers (MPN) of acid-producing bacteria (APB), SRB, general heterotrophic aerobes, and anaerobes, respectively. Dilutions were incubated for 28 days at 25°C. Salinity, total organic carbon, and sulfate were also quantified at the onset of the experiment for both seawaters.(3)

⁽¹⁾ Coy Laboratory Products, Grass Lake, Michigan,

⁽²⁾ Dixie Testing and Products, Inc., Houston, Texas.

⁽³⁾ AccuLab Inc., Marrero, Louisiana.

CORROSION SCIENCE SECTION

CO2 vs. pH

Gas mixtures were prepared⁽⁴⁾ with $CO_2\%$ ranging from 0.01% to 0.1%, 10% H₂, and balanced with N₂. Bottled laboratory-grade N₂ with 0% CO₂ was also used. KW seawater (500 mL) was added to a sealed 1,000-mL flask with an electronic pH meter. Starting with N₂ and 0% CO₂, gas was bubbled into seawater using a pressure regulator set to 1 psi. The pH was allowed to stabilize over a 1-h period, pH was recorded, and the gas mixture with the next highest $CO_2\%$ value was introduced.

RESULTS

Seawater Analysis

Seawater chemistry analyses for both seawaters at the onset of the experiment are listed in Table 1. PG seawater had higher values for all parameters when compared to KW seawater. Table 2 lists the bacterial counts for the four different bacterial groups tested for both seawaters at the onset of the experiment. KW seawater had equal or greater numbers of each group of bacteria when compared to PG seawater.

(4) Nordan-Smith Specialty Gases, Hattiesburg, Mississippi.

TABLE 1 Seawater Physical Chemistry

Seawaters	рН	Salinity (g/L)	Total Organic Carbon (mg/L)	Sulfate (mg/L)
Key West	7.82	38	1.79	3,864
Persian Gulf	7.98	44	1.94	4,696

The pH values were monitored over the exposure period (Figure 1). There were no significant differences in pH between the two coastal seawaters for the same exposure condition. However, different exposure conditions produced a range of pH values that varied by 3 pH units. Stagnant seawaters exposed to air maintained a pH near 8.0 (PG-A/KW-A). Exposure to the mixed gas anaerobic environment decreased pH values to below 7.0, with KW-D having the lowest recorded value of 6.5. Bubbling N₂ gas had the opposite effect, causing an increase in pH to above 9.0.

Dissolved sulfide concentrations were monitored over time for all exposure conditions (Figure 2). Conditions exposing the sample to air produced dissolved sulfide levels below the resolution (<1 parts per billion [ppb]) of the detection method and are not shown

TABLE 2 Bacterial Cell Counts at Onset of Experiment					
Seawaters	Heterotrophic Aerobes (10 ^x)	Heterotrophic Anaerobes (10 ^x)	Acid- Producing Bacteria (10 ^x)	Sulfate- Reducing Bacteria (10 ^x)	
Key W <i>e</i> st	6	4	3	2	
Persian Gulf	6	2	2	1	




FIGURE 1. *pH values as a function of exposure time (days) for Key West seawater (KW-) and Persian Gulf seawater (PG-) under aerobic (A), nitrogen-bubbled (B), and anaerobic (D) conditions.*




FIGURE 2. Log sulfide concentration in ppb as a function of exposure time (days) for Key West seawater (KW-) and Persian Gulf seawater (PG-) under aerobic (A), nitrogen-bubbled (B), and anaerobic (D) conditions.




FIGURE 3. Bacterial cell numbers (10^x) as a function of exposure time (days) for Key West seawater (KW-) and Persian Gulf seawater (PG-) under aerobic (A), nitrogen-bubbled (B), and anaerobic (D). Bacterial groups include general heterotrophic aerobes (AERO) and anaerobes (ANAERO), acid-producing bacteria (APB), and sulfate-reducing bacteria (SRB).

in Figure 2. Anaerobic stagnant seawaters maintained in a hood with mixed gases (KW-D/PG-D) produced more than 10^1 ppb to 10^3 ppb dissolved sulfide. Seawaters maintained with bubbled nitrogen produced 10^1 ppm dissolved sulfide during the course of the experiment, but dissolved sulfide was below detection limits at the conclusion of the experiment.

Planktonic bacterial populations were monitored over time for all exposure conditions and the results

are shown in Figure 3. Generally, KW seawater had higher bacterial numbers in all exposure conditions when compared to PG seawater. Bubbling N_2 gas through the seawaters produced the lowest concentration of bacteria in comparison to seawater left open to air and that tested in the anaerobic chamber. Bubbling N_2 gas did not promote SRB growth.

pH values were recorded in KW seawater bubbled with mixed gases containing \mbox{CO}_2 ranging from

0 to 0.1%. Figure 4 shows pH values as a function of CO_2 %. Increase in CO_2 % resulted in decreased pH values. The highest pH value (8.74) was recorded with the 0% CO_2 , and the lowest (7.73) with the 0.1% CO_2 gas mixture.

DISCUSSION

It is generally recognized that seawater surrogates do not approximate the complexity of natural seawater. However, many of the classic papers dealing with SRB corrosion in the marine environment have been conducted in artificial media to which nutrients and microorganisms have been added.^{10,16} One motivation for using synthetic seawater instead of natural seawater in MIC experiments is the goal of getting reproducible results. The dilemma is whether to start with a well-characterized controlled medium that may not replicate any natural environment or with a natural environment that cannot be thoroughly characterized and that varies with time. Few investigators have considered the differences that can be induced in natural seawater and synthetic seawater maintained under different experimental conditions. Dexter concluded that changes in pH in natural and synthetic seawater influenced the corrosivity of both toward aluminum.⁶

In the experiments described in this paper, sulfide production in two natural coastal seawaters was evaluated under two laboratory conditions: purging with nitrogen and maintenance in an anaerobic hood with an atmosphere of 10% H₂, 5% CO₂, and 85%N₂. It was demonstrated that the microbial population that one is able to detect is determined by the way the water is maintained. The microbial populations were followed using liquid culture techniques that are recognized as capable of growing only a small percentage of the natural populations. Liquid culture techniques can be used to make comparisons, but not to make determinations about population diversity. In the experiments described in this paper, bubbling N₂ into natural seawater produced a pH shift from 8.0 to above 9.0. Maintenance of seawater in an anaerobic hood with an anaerobic mixture of gases produced a pH shift of 8.0 to below 7.0. Using Figure 4, a gas mixture with 0.05% CO₂ will produce a seawater pH of 8.0, matching the measured pH values in the aerobic exposures (KW-A/PG-A) (Figure 1).

The reasons for higher SRB in KW seawater compared to PG water have not been explored. While evaluating the corrosion of aluminum, Dexter reported results that were internally consistent within a single batch of natural coastal seawater from a variety of locations, but were inconsistent from batch to batch at the same site and between sites.⁶

The point of this short technical note is not to question the conclusions of past research involving SRB in natural or synthetic seawater media purged with nitrogen without regard to potential changes in




FIGURE 4. *KW* seawater *pH* as a function of CO_2 % in bubbled mixed gas containing 10% H₂ and balance N₂.

chemistry and microflora. It is the intention of the authors to alert present and future researchers to the possibility that deaeration using pure nitrogen may influence microbial sulfide production. Currently, the authors use an anaerobic atmosphere consisting of 0.1% CO₂, 10% H₂, and balance N₂, which maintains seawater under anaerobic conditions with a pH of 7.8.

CONCLUSIONS

Methods for deaerating natural coastal seawaters influenced the chemistry and microflora, particularly over time.

Laboratory experiments that created anaerobic conditions by bubbling pure nitrogen gas into natural seawater produced pH changes that were not conducive to the growth of SRB.

✤ KW seawater consistently had equal or greater bacterial numbers in all conditions when compared with PG seawater.

Despite the higher initial dissolved sulfate concentration in PG water, higher DS concentrations were measured in KW seawater.

* An anaerobic atmosphere consisting of 0.1% CO₂, 10% H₂, and balance N₂ can maintain seawater under anaerobic conditions at a pH of 7.8.

ACKNOWLEDGMENTS

This work was supported by the Office of Naval Research Program element 0601153N (6.1 Research Program). NRL Publication number NRL/JA/7330-09-9297.

REFERENCES

- C.A.H. von Wolzogen Kuhr, L.S. van der Vlugt, Water 18, 16 (1934): p. 147-165.
- 2. S.C. Dexter, ed., *Biologically Induced Corrosion* (Houston, TX: NACE International, 1986).
- B.J. Little, J.S. Lee, "Microbiologically Influenced Corrosion," in Kirk-Othmer Encyclopedia of Chemical Technology (Hoboken, New Jersey: John Wiley and Sons, Inc., 2009), p. 1-38.

- N. Pfennig, F. Widdel, H.G. Truper, "The Dissimulatory Sulfate-Reducing Bacteria," in *The Prokaryotes: A Handbook on Habitats*, eds. M.P. Starr, M. Stolp, H.G. Truper, A. Balows, H.G. Schlegel (New York, NY: Springer-Verlag, 1981), p. 926-940.
- J.R. Postgate, *The Sulfate Reducing Bacteria* (New York, NY: Cambridge University Press, 1979).
- S.C. Dexter, "Laboratory Solutions for Studying Corrosion of Aluminum Alloys in Seawater," in The Use of Synthetic Environments for Corrosion Testing, vol. STP 970, eds. P.E. Francis, T.S. Lee (West Conshohocken, PA: ASTM International, 1988), p. 217-234.
- S. Maxwell, W.A. Hamilton, "The Activity of Sulphate-Reducing Bacteria on Metal Surfaces in an Oilfield Situation," in *Biologically Induced Corrosion*, ed. S.C. Dexter (Houston, TX: NACE, 1986), p. 284-290.
- J.S. Lee, R.I. Ray, E.J. Lemieux, A.U. Falster, B.J. Little, *Biofouling* 20, 4/5 (2004): p. 237-247.
- J.S. Lee, R.I. Ray, B.J. Little, E.J. Lemieux, Corrosion 61, 12 (2005): p. 1,173-1,188.
- 10. J.A. Hardy, J.L. Bown, Corrosion 42, 12 (1984): p. 650-654.

- W.C. Lee, W.G. Characklis, "Corrosion of Mild Steel Under an Anaerobic Biofilm," CORROSION/90, paper no. 126 (Houston, TX: NACE, 1990).
- M.M. Vargas-Avila, R.K. Singh Raman, C. Panter, B.W. Cherry, P. Farinha, H.A. Videla, "Corrosion Behavior of Duplex Stainless Steel in Marine Media Containing Sulfate Reducing Bacteria. A Laboratory Study," CORROSION/2009, paper no. 09388 (Houston, TX: NACE, 2009).
- H.A. Videla, "Corrosion of Mild Steel Induced by Sulfate Reducing Bacteria—A Study of Passivity Breakdown by Biogenic Sulphides," in *Biologically Induced Corrosion*, ed. S.C. Dexter (Houston, TX: NACE, 1986), p. 162-171.
- W.C. Lee, Z. Lewandowski, S. Okabe, W.G. Characklis, R. Avci, Biofouling 7 (1993); p. 197-216.
- "Methylene Blue Method 228 C," in Standard Methods for the Examination of Water and Wastewater (Washington, DC: American Water Works Association, 1971), p. 558.
- W.C. Lee, Z. Lewandowski, P.H. Nielsen, A. Hamilton, *Biofouling* 8 (1995): p. 165-194.

