

Passive Sound Localization in the Barn Owl

Clay Spence and John Pearson

Sarnoff Corporation
CN5300

Princeton, NJ 08543-5300
{cspence, jpearson}@sarnoff.com


Report Documentation Page

Form Approved
OMB No. 0704-0188


Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 24 AUG 1999		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Passive Sound Localization in the Barn Owl				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Sarnoff Corporation				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES DARPA, Air-Coupled Acoustic Microsensors Workshop held on August 24 and 25, 1999 in Crystal City, VA., The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			


Block Diagram of the Owl's Auditory Localization System



Timing (ITD) Pathway



Inside NL:




NM neurons pull out timing information (phase lock).

NM axons act as delay lines (Jeffress, 1948).

NL Neurons act as coincidence detectors (?).

Map of ITD (interaural time delay) vs. frequency.

Intensity (IID) pathway



NA neurons pull out sound intensity, insensitive to phase.



NA excites contralateral VLVP.

Two VLVPs inhibit each other;
compete.

Inhibition varies with position.

Map of interaural intensity difference (IID) vs. frequency.

Combining ITD and IID to make a Space Map



Model: Combine IID and ITD *before* summing frequencies, works with multiple sources.

ICc lateral shell resembles this, more complex.

Other interesting problems in the owl

- Visual/auditory fusion in the optic tectum (OT); adaptive alignment ICx.
- ITD disambiguation (combine frequencies).
- Details of VLVp connections and dynamics.
- IID tuning mechanism in ICc lateral shell.
- Dependence on average binaural intensity in OT.

Problems we have yet to work on:

- Motion sensitivity in IC.
- Adaptation in VLVp.